

B
SECTION B
Prevalence of
Reported ESRD

B



Contents

- 299 B.1 **Point prevalent counts of reported ESRD patients**
patients alive on December 31 of each year
- 300 B.2 **Patients lost-to-follow-up on December 31**
- 301 B.3 **Period prevalent counts of reported ESRD patients**
patients alive during the calendar year
- 302 B.4 **Point prevalent counts of reported ESRD patients**
patients alive on December 31 of each year; after dropping patients with race designated as “other” or “unknown”
- 302 B.5 **1998 point prevalent counts of reported ESRD patients**
patients alive on December 31; patients residing in Puerto Rico & the U.S. Territories
- 303 B.6 **Percent decrease in counts of reported point prevalent ESRD patients**
patients alive on December 31 of each year; after dropping patients with race designated as “other” or “unknown”
- 304 B.7 **Point prevalent rates of reported ESRD**
patients alive on December 31 of each year; per million population, unadjusted
- 305 B.8 **Point prevalent rates of reported ESRD**
patients alive on December 31 of each year; per million population, adjusted for age, gender, & race
- 306 B.9 **Point prevalent counts of reported ESRD patients: by time period**
patients alive on December 31 of each year; grouped by age, gender, & race
- 307 B.10 **Point prevalent rates of reported ESRD, 1993–1995**
patients alive on December 31 of each year; per million population, adjusted for age, gender, & race
- 308 B.11 **Point prevalent rates of reported ESRD, 1996–1998**
patients alive on December 31 of each year; per million population, adjusted for age, gender, & race
- 309 B.12 **Point prevalent counts of reported ESRD: by primary diagnosis, 1995–1998**
patients alive on December 31 of each year; by age, gender, & race
- 312 B.13 **Point prevalent rates of reported ESRD: by primary diagnosis**
patients alive on December 31 of each year; 1995–1998, per ten million population, adjusted for and grouped by age, gender, & race
- 320 B.14 **Point prevalent counts of reported ESRD: by state**
patients alive on December 31 of each year; after dropping patients in U.S. Territories & in states designated as “unknown”
- 321 B.15 **Point prevalent rates of reported ESRD: by state**
patients alive on December 31 of each year; per million population, adjusted for age, gender, & race
- 323 B.16 **Point prevalent counts of reported ESRD: by network**
patients alive on December 31 of each year; before dropping patients in U.S. Territories & in networks designated as “unknown”
- 323 B.17 **Point prevalent counts of reported ESRD: by network**
patients alive on December 31 of each year; after dropping patients in U.S. Territories & in networks designated as “unknown”
- 324 B.18 **Point prevalent rates of reported ESRD: by network**
patients alive on December 31 of each year; per million population, adjusted for age, gender, & race

B

Table B.1

Point Prevalent Counts of Reported ESRD Patients*patients alive on December 31 of each year*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0- 4	313	295	322	346	368	419	450	475	452	461
5- 9	553	606	637	626	659	715	744	759	851	835
10-14	958	1,032	1,064	1,122	1,160	1,280	1,382	1,459	1,474	1,533
15-19	2,123	2,095	2,124	2,167	2,283	2,478	2,619	2,717	2,824	2,802
20-24	4,143	4,333	4,545	4,797	4,939	5,156	5,172	5,140	5,108	5,127
25-29	7,631	8,037	8,213	8,409	8,563	9,023	9,274	9,392	9,588	9,637
30-34	10,761	11,413	12,306	12,947	13,692	14,707	15,154	14,993	14,932	14,724
35-39	12,854	13,975	15,040	16,294	17,247	18,978	19,906	20,393	20,926	21,168
40-44	13,238	15,046	16,779	18,309	19,754	21,601	23,477	24,443	25,653	26,335
45-49	13,013	14,088	16,132	18,091	20,213	23,224	25,973	27,869	29,098	30,188
50-54	13,363	14,724	16,103	18,204	20,109	23,098	25,050	27,141	29,594	31,589
55-59	14,399	15,805	17,531	19,291	21,026	23,661	25,883	27,535	30,013	31,837
60-64	16,755	18,377	19,995	21,608	23,071	25,603	27,999	29,483	31,359	32,688
65-69	17,341	19,236	21,507	23,943	26,013	28,446	30,031	31,237	32,794	33,400
70-74	13,345	15,437	18,296	20,814	22,995	25,879	27,518	28,723	30,830	31,790
75-79	9,426	10,545	12,422	14,069	15,407	17,635	19,519	21,262	23,530	24,989
80-84	4,557	5,433	6,368	7,553	8,540	9,796	10,797	11,654	12,931	13,745
85 +	1,688	2,092	2,562	3,030	3,570	4,117	4,653	5,214	5,932	6,667
All	156,461	172,569	191,946	211,620	229,609	255,816	275,601	289,889	307,889	319,515
White	98,323	108,263	120,215	131,424	140,862	154,228	164,597	172,868	184,115	191,121
Black	50,639	55,911	61,961	68,817	75,326	83,847	91,147	97,280	102,587	106,010
Asian	4,320	4,855	5,548	6,280	7,223	8,418	9,612	10,489	11,072	11,607
Native American	1,944	2,234	2,571	2,982	3,297	3,714	4,234	4,728	4,781	5,175
Other	487	495	540	551	624	836	1,663	2,749	3,782	4,258
Unknown	748	811	1,111	1,566	2,277	4,773	4,348	1,775	1,552	1,344
Male	84,599	93,399	103,893	114,224	124,021	137,579	148,103	156,618	166,828	173,315
Female	71,862	79,170	88,053	97,396	105,588	118,237	127,498	133,271	141,061	146,200
Diabetes	36,241	42,272	49,633	56,915	62,507	71,021	79,785	87,807	95,951	101,550
Hypertension	35,712	39,973	44,915	50,145	53,398	58,886	60,661	61,831	63,573	64,629
Glomerulonephritis	37,327	39,990	42,791	45,585	47,882	51,244	53,635	55,184	56,401	57,004
Cystic Kidney	9,950	10,725	11,683	12,612	13,443	14,303	15,090	15,744	16,381	16,935
Other Urologic	5,000	5,303	5,888	6,363	6,704	7,194	8,611	9,851	11,028	11,737
Unknown Cause	9,016	9,831	10,983	12,117	13,074	14,342	16,452	17,928	19,136	20,217
Other Cause	8,391	8,695	9,363	9,945	10,195	10,801	11,147	11,516	11,843	12,097
Missing Disease	14,824	15,780	16,690	17,938	22,406	28,025	30,220	30,028	33,576	35,346
U.S.	155,423	171,325	190,189	209,039	225,755	245,988	265,100	283,566	300,999	311,586
Presumed U.S.	1,038	1,244	1,757	2,581	3,854	9,828	10,501	6,323	6,890	7,929
Puerto Rico	1,826	2,006	2,204	2,468	2,622	2,857	3,022	3,264	3,462	3,537
Other non-U.S.	45	51	61	71	70	77	89	112	130	107
All	158,332	174,626	194,211	214,159	232,301	258,750	278,712	293,265	311,481	323,159
Lost to follow-up	6,230	6,668	6,970	7,692	8,844	10,409	13,136	20,792	26,326	34,748

B

Table B.2
Patients Lost to Follow-up on December 31

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	19	27	27	27	25	30	44	79	102	112
5-9	46	42	45	40	42	43	60	90	96	118
10-14	32	48	57	68	86	90	94	118	124	161
15-19	102	103	94	98	104	112	153	201	230	295
20-24	148	162	180	187	180	221	301	445	492	564
25-29	292	271	277	292	330	369	522	833	938	1,070
30-34	480	492	493	480	512	585	731	1,173	1,452	1,741
35-39	605	654	691	715	753	833	1,047	1,714	2,057	2,503
40-44	577	626	702	757	857	1,018	1,343	2,117	2,575	3,194
45-49	488	549	612	700	827	998	1,306	2,133	2,719	3,661
50-54	460	496	539	592	721	868	1,164	2,031	2,657	3,712
55-59	476	507	560	621	721	937	1,227	2,025	2,719	3,855
60-64	602	600	687	773	879	1,039	1,300	2,381	3,180	4,345
65-69	663	722	658	780	939	1,095	1,319	2,002	2,608	3,619
70-74	615	651	655	741	883	1,028	1,172	1,518	1,876	2,360
75-79	414	455	403	480	568	639	730	1,042	1,309	1,784
80-84	170	208	228	267	320	363	415	561	714	999
85+	41	55	62	74	97	141	208	329	478	655
White	3,826	4,030	4,117	4,477	5,057	5,692	6,811	9,383	11,738	15,740
Black	1,968	1,968	2,092	2,213	2,456	2,821	3,483	5,531	7,788	10,928
Asian	174	203	207	255	278	324	411	654	988	1,448
Native American	69	79	82	96	111	117	141	222	336	485
Other	34	40	30	37	52	67	94	119	389	861
Unknown	159	348	442	614	890	1,388	2,196	4,883	5,087	5,286
Male	3,558	3,794	3,953	4,304	4,948	5,661	6,967	10,430	13,029	17,221
Female	2,672	2,874	3,017	3,388	3,896	4,748	6,169	10,362	13,297	17,527
Diabetes	848	940	966	1,142	1,424	1,758	2,290	3,567	5,506	8,562
Hypertension	1,333	1,353	1,408	1,554	1,728	1,816	2,155	3,207	4,297	5,815
Glomerulonephritis	1,928	1,906	1,941	1,980	2,137	2,310	2,745	3,548	4,392	5,620
Cystic Kidney	288	284	283	315	310	398	519	680	833	1,115
Other Urologic	256	279	270	307	353	423	459	550	786	1,112
Unknown Cause	413	491	548	602	713	804	913	1,303	1,948	2,688
Other Cause	519	528	501	538	570	615	726	971	1,229	1,543
Missing Disease	645	887	1,053	1,254	1,609	2,285	3,329	6,966	7,335	8,293
All	6,230	6,668	6,970	7,692	8,844	10,409	13,136	20,792	26,326	34,748

Table B.3

Period Prevalent Counts of Reported ESRD Patients*patients alive during the calendar year*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0- 4	410	390	414	426	448	509	569	619	615	595
5- 9	582	668	675	691	716	800	824	858	886	944
10-14	1,039	1,142	1,196	1,227	1,294	1,370	1,523	1,604	1,653	1,697
15-19	2,403	2,423	2,377	2,462	2,525	2,731	2,937	3,104	3,142	3,259
20-24	4,614	4,752	5,036	5,294	5,507	5,830	5,957	5,905	5,846	5,871
25-29	8,479	8,938	9,153	9,380	9,571	10,085	10,292	10,718	10,789	11,029
30-34	11,721	12,534	13,446	14,240	14,978	16,215	17,010	17,133	16,969	16,900
35-39	14,102	15,222	16,394	17,798	19,009	20,784	22,075	23,158	23,491	24,052
40-44	14,353	16,410	18,640	20,129	21,725	23,887	25,877	27,647	28,722	30,125
45-49	14,447	15,832	17,520	20,187	22,304	25,612	28,758	31,967	33,121	34,983
50-54	15,303	16,923	18,381	20,467	22,784	26,167	28,822	30,961	34,266	37,075
55-59	17,300	18,675	20,589	22,805	24,813	27,995	30,461	32,944	35,310	38,460
60-64	20,622	22,587	24,677	26,530	28,407	31,284	34,050	36,584	38,800	41,193
65-69	22,181	24,623	27,404	30,442	33,015	36,036	38,150	40,230	42,271	43,934
70-74	17,569	20,054	23,442	27,096	30,130	33,623	36,195	38,383	40,969	43,220
75-79	12,919	14,446	16,512	19,083	21,065	23,411	26,085	28,854	31,850	34,611
80-84	6,388	7,437	8,797	10,243	11,731	13,447	14,913	16,488	18,327	19,995
85+	2,387	2,911	3,551	4,286	5,001	5,820	6,620	7,572	8,665	10,028
White	118,678	130,683	144,567	159,570	171,544	187,256	200,665	212,903	227,254	240,645
Black	59,436	65,518	72,598	80,221	88,226	98,119	107,042	115,444	122,233	128,940
Asian	4,953	5,551	6,217	7,096	8,059	9,540	10,944	12,282	13,094	14,032
Native American	2,241	2,599	2,962	3,445	3,820	4,291	4,899	5,563	5,688	6,169
Other	658	570	613	653	737	965	2,148	3,696	5,343	6,389
Unknown	853	1,046	1,247	1,801	2,637	5,435	5,420	4,841	2,080	1,796
Male	101,264	111,580	123,441	136,346	148,231	164,082	177,552	190,689	202,476	215,008
Female	85,555	94,387	104,763	116,440	126,792	141,524	153,566	164,040	173,216	182,963
Diabetes	45,497	53,018	61,923	71,343	78,682	88,759	99,934	111,210	122,289	132,747
Hypertension	44,047	49,261	55,277	61,746	66,168	72,608	75,168	77,046	79,730	82,560
Glomerulonephritis	42,583	45,506	48,505	51,647	54,284	58,024	61,286	63,608	65,242	66,826
Cystic Kidney	10,874	11,728	12,637	13,725	14,636	15,656	16,612	17,319	18,030	18,810
Other Urologic	6,086	6,362	6,956	7,635	8,007	8,572	10,345	12,236	13,920	15,101
Unknown Cause	10,505	11,708	13,019	14,520	15,730	17,338	19,744	22,060	23,915	25,572
Other Cause	10,263	10,436	11,116	12,039	12,314	12,839	13,480	14,039	14,585	15,155
Missing Disease	16,964	17,948	18,771	20,131	25,202	31,810	34,549	37,211	37,981	41,200
All	186,819	205,967	228,204	252,786	275,023	305,606	331,118	354,729	375,692	397,971

B

Table B.4

Point Prevalent Counts of Reported ESRD Patients*patients alive on December 31 of each year; after dropping patients with race designated as "other" or "unknown"*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	302	287	312	335	352	388	413	441	414	414
5-9	547	596	624	609	638	686	712	727	805	782
10-14	945	1,014	1,048	1,101	1,129	1,232	1,332	1,406	1,414	1,464
15-19	2,091	2,059	2,084	2,118	2,215	2,399	2,530	2,637	2,725	2,695
20-24	4,091	4,279	4,478	4,702	4,824	4,964	4,992	4,991	4,921	4,931
25-29	7,528	7,930	8,080	8,268	8,381	8,722	8,993	9,200	9,363	9,394
30-34	10,627	11,265	12,149	12,769	13,472	14,257	14,710	14,679	14,604	14,390
35-39	12,673	13,806	14,830	16,054	16,961	18,419	19,349	20,052	20,523	20,744
40-44	13,107	14,895	16,602	18,054	19,427	20,990	22,840	24,002	25,187	25,866
45-49	12,885	13,943	15,940	17,870	19,924	22,682	25,389	27,431	28,560	29,624
50-54	13,263	14,610	15,954	17,995	19,810	22,500	24,397	26,644	29,009	30,977
55-59	14,296	15,693	17,371	19,080	20,711	23,020	25,224	27,017	29,413	31,207
60-64	16,668	18,284	19,876	21,436	22,800	25,041	27,349	28,984	30,729	32,002
65-69	17,280	19,169	21,415	23,824	25,829	28,047	29,545	30,849	32,320	32,907
70-74	13,303	15,399	18,231	20,704	22,846	25,617	27,224	28,469	30,511	31,460
75-79	9,393	10,525	12,397	14,034	15,338	17,475	19,318	21,084	23,334	24,780
80-84	4,545	5,419	6,350	7,533	8,503	9,701	10,684	11,574	12,835	13,643
85+	1,682	2,090	2,554	3,017	3,548	4,067	4,589	5,178	5,888	6,633
White	98,323	108,263	120,215	131,424	140,862	154,228	164,597	172,868	184,115	191,121
Black	50,639	55,911	61,961	68,817	75,326	83,847	91,147	97,280	102,587	106,010
Asian	4,320	4,855	5,548	6,280	7,223	8,418	9,612	10,489	11,072	11,607
Native American	1,944	2,234	2,571	2,982	3,297	3,714	4,234	4,728	4,781	5,175
Male	83,912	92,678	102,993	113,107	122,516	134,667	144,918	154,197	163,953	170,225
Female	71,314	78,585	87,302	96,396	104,192	115,540	124,672	131,168	138,602	143,688
Diabetes	36,139	42,151	49,454	56,660	62,141	70,432	78,820	86,453	94,226	99,795
Hypertension	35,623	39,877	44,803	49,992	53,191	58,461	60,131	61,305	62,918	63,927
Glomerulonephritis	37,101	39,744	42,518	45,295	47,537	50,761	53,033	54,534	55,637	56,149
Cystic Kidney	9,918	10,684	11,636	12,565	13,387	14,217	14,983	15,618	16,218	16,745
Other Urologic	4,984	5,285	5,859	6,331	6,666	7,134	8,526	9,744	10,899	11,604
Unknown Cause	8,989	9,800	10,937	12,065	12,997	14,206	16,277	17,723	18,887	19,972
Other Cause	8,321	8,623	9,279	9,862	10,096	10,639	10,968	11,328	11,625	11,857
Missing Disease	14,151	15,099	15,809	16,733	20,693	24,357	26,852	28,660	32,145	33,864
All	155,226	171,263	190,295	209,503	226,708	250,207	269,590	285,365	302,555	313,913

Table B.5

1998 Point Prevalent Counts of Reported ESRD Patients*patients alive on December 31; patients residing in Puerto Rico & the U.S. Territories*

	Puerto Rico	Other non-US
All Patients	3,537	107
0-19	43	1
20-44	755	24
45-64	1,719	55
65-74	702	20
75+	318	7
Male	2,162	53
Female	1,375	54
Diabetes	1,340	36
Hypertension	526	34
Glomerulonephritis	813	11
Cystic Kidney	158	4
Other Urologic	91	.
Unknown Cause	118	5
Other Cause	143	3
Missing Disease	348	14

Table B.6

Percent Decrease in Counts of Reported Point Prevalent ESRD Patients*patients alive on December 31 of each year; after dropping patients with race designated as "other" or "unknown"*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	3.5	2.7	3.1	3.2	4.3	7.4	8.2	7.2	8.4	10.2
5-9	1.1	1.7	2.0	2.7	3.2	4.1	4.3	4.2	5.4	6.3
10-14	1.4	1.7	1.5	1.9	2.7	3.8	3.6	3.6	4.1	4.5
15-19	1.5	1.7	1.9	2.3	3.0	3.2	3.4	2.9	3.5	3.8
20-24	1.3	1.2	1.5	2.0	2.3	3.7	3.5	2.9	3.7	3.8
25-29	1.3	1.3	1.6	1.7	2.1	3.3	3.0	2.0	2.3	2.5
30-34	1.2	1.3	1.3	1.4	1.6	3.1	2.9	2.1	2.2	2.3
35-39	1.4	1.2	1.4	1.5	1.7	2.9	2.8	1.7	1.9	2.0
40-44	1.0	1.0	1.1	1.4	1.7	2.8	2.7	1.8	1.8	1.8
45-49	1.0	1.0	1.2	1.2	1.4	2.3	2.2	1.6	1.8	1.9
50-54	0.7	0.8	0.9	1.1	1.5	2.6	2.6	1.8	2.0	1.9
55-59	0.7	0.7	0.9	1.1	1.5	2.7	2.5	1.9	2.0	2.0
60-64	0.5	0.5	0.6	0.8	1.2	2.2	2.3	1.7	2.0	2.1
65-69	0.4	0.3	0.4	0.5	0.7	1.4	1.6	1.2	1.4	1.5
70-74	0.3	0.2	0.4	0.5	0.6	1.0	1.1	0.9	1.0	1.0
75-79	0.4	0.2	0.2	0.2	0.4	0.9	1.0	0.8	0.8	0.8
80-84	0.3	0.3	0.3	0.3	0.4	1.0	1.0	0.7	0.7	0.7
85+	0.4	0.1	0.3	0.4	0.6	1.2	1.4	0.7	0.7	0.5
Male	0.8	0.8	0.9	1.0	1.2	2.1	2.2	1.5	1.7	1.8
Female	0.8	0.7	0.9	1.0	1.3	2.3	2.2	1.6	1.7	1.7
Diabetes	0.3	0.3	0.4	0.4	0.6	0.8	1.2	1.5	1.8	1.7
Hypertension	0.2	0.2	0.2	0.3	0.4	0.7	0.9	0.9	1.0	1.1
Glomerulonephritis	0.6	0.6	0.6	0.6	0.7	0.9	1.1	1.2	1.4	1.5
Cystic Kidney	0.3	0.4	0.4	0.4	0.4	0.6	0.7	0.8	1.0	1.1
Other Urologic	0.3	0.3	0.5	0.5	0.6	0.8	1.0	1.1	1.2	1.1
Unknown Cause	0.3	0.3	0.4	0.4	0.6	0.9	1.1	1.1	1.3	1.2
Other Cause	0.8	0.8	0.9	0.8	1.0	1.5	1.6	1.6	1.8	2.0
Missing Disease	4.5	4.3	5.3	6.7	7.6	13.1	11.1	4.6	4.3	4.2
All	0.8	0.8	0.9	1.0	1.3	2.2	2.2	1.6	1.7	1.8

Table B.7

Point Prevalent Rates of Reported ESRD*patients alive on December 31 of each year; per million population, unadjusted*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	17	16	17	18	19	21	23	25	24	24
5-9	31	33	35	34	35	38	39	39	43	42
10-14	56	59	59	61	62	68	73	77	77	79
15-19	118	120	123	125	130	138	142	144	146	142
20-24	216	226	238	254	266	284	292	294	291	289
25-29	357	383	402	424	443	475	490	498	513	522
30-34	494	518	554	582	617	669	703	713	730	739
35-39	652	690	723	763	792	857	888	903	925	936
40-44	762	823	893	963	1,015	1,081	1,143	1,159	1,186	1,189
45-49	955	1,009	1,095	1,156	1,240	1,361	1,448	1,511	1,559	1,584
50-54	1,184	1,279	1,359	1,469	1,552	1,722	1,817	1,866	1,917	1,973
55-59	1,371	1,513	1,677	1,823	1,946	2,149	2,307	2,383	2,484	2,500
60-64	1,571	1,734	1,903	2,090	2,272	2,545	2,794	2,940	3,085	3,151
65-69	1,731	1,914	2,151	2,396	2,604	2,860	3,030	3,175	3,386	3,515
70-74	1,676	1,898	2,190	2,437	2,650	2,946	3,124	3,275	3,512	3,602
75-79	1,549	1,697	1,960	2,185	2,358	2,655	2,872	3,042	3,290	3,431
80-84	1,175	1,363	1,557	1,799	1,983	2,217	2,385	2,523	2,752	2,882
85+	561	670	788	896	1,019	1,136	1,243	1,351	1,488	1,618
0-19	55	56	57	58	60	65	68	70	72	72
20-44	489	524	561	599	633	686	721	736	755	763
45-64	1,249	1,354	1,467	1,577	1,681	1,854	1,981	2,053	2,131	2,171
65-74	1,707	1,907	2,168	2,415	2,626	2,901	3,074	3,222	3,446	3,557
75+	1,208	1,356	1,561	1,759	1,918	2,148	2,321	2,465	2,677	2,807
White	472	515	567	615	654	710	752	784	829	854
Black	1,669	1,811	1,973	2,156	2,324	2,550	2,736	2,883	2,999	3,059
Other	802	854	953	1,066	1,211	1,548	1,675	1,611	1,673	1,712
Male	700	764	840	913	981	1,078	1,149	1,204	1,270	1,306
Female	565	616	678	742	796	883	944	977	1,025	1,053
Diabetes	146	169	196	222	241	272	302	330	357	374
Hypertension	144	159	177	196	206	225	230	232	236	238
Glomerulonephritis	150	159	169	178	185	196	203	207	210	210
Cystic Kidney	40	43	46	49	52	55	57	59	61	62
Other Urologic	20	21	23	25	26	28	33	37	41	43
Unknown Cause	36	39	43	47	50	55	62	67	71	74
Other Cause	34	35	37	39	39	41	42	43	44	45
Missing Disease	60	63	66	70	87	107	114	113	125	130
Crude Rate	631	688	757	825	886	978	1,044	1,088	1,144	1,177

Table B.8

Point Prevalent Rates of Reported ESRD*patients alive on December 31 of each year; per million population, adjusted for age, gender, & race*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	16	15	16	17	18	19	21	22	21	21
5-9	30	32	34	33	34	36	36	36	40	38
10-14	55	57	58	59	60	65	69	72	72	74
15-19	114	115	119	120	123	129	133	135	136	132
20-24	210	220	230	243	253	264	271	274	269	267
25-29	350	375	391	411	427	451	466	476	487	493
30-34	489	513	548	574	607	647	677	691	704	711
35-39	654	691	721	758	783	835	865	889	906	914
40-44	796	854	919	980	1,025	1,075	1,136	1,158	1,180	1,178
45-49	1,019	1,073	1,166	1,232	1,312	1,418	1,503	1,565	1,596	1,611
50-54	1,274	1,374	1,454	1,573	1,663	1,827	1,928	2,005	2,053	2,099
55-59	1,513	1,657	1,828	1,981	2,104	2,288	2,454	2,554	2,663	2,696
60-64	1,789	1,964	2,138	2,334	2,511	2,768	3,021	3,192	3,324	3,388
65-69	2,013	2,214	2,473	2,733	2,961	3,199	3,358	3,513	3,706	3,813
70-74	1,994	2,252	2,575	2,862	3,131	3,468	3,677	3,838	4,059	4,138
75-79	1,869	2,050	2,365	2,637	2,855	3,199	3,435	3,634	3,894	4,041
80-84	1,500	1,752	1,994	2,315	2,532	2,807	3,008	3,189	3,439	3,597
85+	799	952	1,127	1,272	1,418	1,559	1,683	1,870	2,010	2,166
0-19	54	55	56	57	59	62	65	66	67	66
20-44	500	531	562	593	619	655	683	698	709	712
45-64	1,399	1,517	1,647	1,780	1,898	2,075	2,227	2,329	2,409	2,448
65-74	2,003	2,233	2,524	2,797	3,046	3,334	3,517	3,675	3,882	3,975
75+	1,389	1,584	1,828	2,075	2,268	2,521	2,709	2,898	3,114	3,268
White	470	512	561	605	641	693	731	759	797	817
Black	2,190	2,374	2,585	2,819	3,029	3,303	3,509	3,668	3,787	3,831
Asian	809	856	927	996	1,093	1,219	1,335	1,391	1,399	1,396
Native American	1,414	1,578	1,784	2,045	2,206	2,423	2,693	2,928	2,880	3,049
Male	784	852	932	1,007	1,073	1,159	1,226	1,282	1,339	1,365
Female	555	602	657	713	759	829	882	913	948	967
Diabetes	154	176	203	229	247	275	303	327	350	364
Hypertension	156	171	188	205	214	231	233	233	234	233
Glomerulonephritis	156	164	173	182	188	198	203	206	207	205
Cystic Kidney	42	44	47	50	53	55	58	59	60	61
Other Urologic	21	22	24	25	26	28	33	37	41	43
Unknown Cause	37	40	44	48	51	55	62	67	70	73
Other Cause	35	36	38	40	40	41	42	43	43	43
Missing Disease	60	63	65	68	82	95	104	109	119	123
Crude Rate	626	683	750	817	875	957	1,021	1,071	1,125	1,156
Adjusted Rate	660	716	782	846	901	979	1,038	1,080	1,125	1,146

Table B.9
Point Prevalent Counts of Reported ESRD Patients: by Time Period
patients alive on December 31 of each year; grouped by age, gender, & race

1993-1995	Males					Females					Both Genders				
	White	Black	Asian	N Am	All	White	Black	Asian	N Am	All	White	Black	Asian	N Am	All
0-4	577	148	*	*	742	311	73	20	*	411	888	221	29	15	1,153
5-9	1,008	253	28	14	1,303	569	123	29	12	733	1,577	376	57	26	2,036
10-14	1,651	456	74	23	2,204	1,150	254	66	19	1,489	2,801	710	140	42	3,693
15-19	2,664	1,096	129	70	3,959	2,173	817	123	72	3,185	4,837	1,913	252	142	7,144
20-24	5,068	2,635	302	111	8,116	4,234	2,024	304	102	6,664	9,302	4,659	606	213	14,780
25-29	9,148	4,763	502	151	14,564	7,468	3,534	383	147	11,532	16,616	8,297	885	298	26,096
30-34	15,788	6,987	724	262	23,761	12,261	5,560	608	249	18,678	28,049	12,547	1,332	511	42,439
35-39	20,181	10,588	964	348	32,081	14,350	7,103	910	285	22,648	34,531	17,691	1,874	633	54,729
40-44	22,694	13,864	1,182	466	38,206	15,262	8,431	1,015	343	25,051	37,956	22,295	2,197	809	63,257
45-49	23,549	14,918	1,199	672	40,338	16,283	9,734	1,160	480	27,657	39,832	24,652	2,359	1,152	67,995
50-54	22,019	13,743	1,296	715	37,773	16,067	11,181	1,072	614	28,934	38,086	24,924	2,368	1,329	66,707
55-59	21,433	13,639	1,313	708	37,093	17,046	13,036	1,055	725	31,862	38,479	26,675	2,368	1,433	68,955
60-64	22,999	13,139	1,247	644	38,029	19,943	15,241	1,143	834	37,161	42,942	28,380	2,390	1,478	75,190
65-69	26,424	12,108	1,264	550	40,346	24,143	16,635	1,491	806	43,075	50,567	28,743	2,755	1,356	83,421
70-74	26,174	9,283	1,250	332	37,039	22,634	14,073	1,335	606	38,648	48,808	23,356	2,585	938	75,687
75-79	19,432	5,569	826	211	26,038	16,075	8,797	914	307	26,093	35,507	14,366	1,740	518	52,131
80-84	11,294	2,818	455	100	14,667	9,157	4,431	478	155	14,221	20,451	7,249	933	255	28,888
85+	4,435	1,155	205	47	5,842	4,023	2,111	178	50	6,362	8,458	3,266	383	97	12,204
All	256,538	127,162	12,969	5,432	402,101	203,149	123,158	12,284	5,813	344,404	459,687	250,320	25,253	11,245	746,505
1996-1998															
0-4	597	166	30	11	804	339	97	21	*	465	936	263	51	19	1,269
5-9	1,074	317	30	14	1,435	668	162	34	15	879	1,742	479	64	29	2,314
10-14	1,852	575	72	33	2,532	1,282	380	69	21	1,752	3,134	955	141	54	4,284
15-19	3,126	1,307	130	54	4,617	2,280	924	175	61	3,440	5,406	2,231	305	115	8,057
20-24	5,024	2,722	308	135	8,189	4,026	2,164	337	127	6,654	9,050	4,886	645	262	14,843
25-29	9,244	5,559	607	187	15,597	7,345	4,358	461	196	12,360	16,589	9,917	1,068	383	27,957
30-34	15,295	8,256	801	257	24,609	11,758	6,319	706	281	19,064	27,053	14,575	1,507	538	43,673
35-39	22,222	11,712	1,072	452	35,458	15,695	8,729	1,058	379	25,861	37,917	20,441	2,130	831	61,319
40-44	26,460	16,370	1,418	671	44,919	17,553	10,808	1,342	433	30,136	44,013	27,178	2,760	1,104	75,055
45-49	28,871	19,478	1,613	843	50,805	19,738	12,901	1,513	658	34,810	48,609	32,379	3,126	1,501	85,615
50-54	29,079	18,033	1,686	1,024	49,822	20,703	13,754	1,526	825	36,808	49,782	31,787	3,212	1,849	86,630
55-59	28,062	17,250	1,761	961	48,034	21,257	15,809	1,525	1,012	39,603	49,319	33,059	3,286	1,973	87,637
60-64	28,466	16,168	1,727	849	47,210	23,740	18,171	1,559	1,035	44,505	52,206	34,339	3,286	1,884	91,715
65-69	30,652	14,253	1,646	679	47,230	27,071	18,991	1,793	991	48,846	57,723	33,244	3,439	1,670	96,076
70-74	31,405	10,988	1,573	488	44,454	26,501	16,896	1,804	785	45,986	57,906	27,884	3,377	1,273	90,440
75-79	26,086	7,220	1,228	268	34,802	21,202	11,379	1,340	475	34,396	47,288	18,599	2,568	743	69,198
80-84	15,039	3,398	737	105	19,279	12,154	5,637	759	223	18,773	27,193	9,035	1,496	328	38,052
85+	6,535	1,639	367	38	8,579	5,703	2,987	340	90	9,120	12,238	4,626	707	128	17,699
All Age	309,089	155,411	16,806	7,069	488,375	239,015	150,466	16,362	7,607	413,458	548,104	305,877	33,168	14,684	901,833

*Values for cells with fewer than 10 patients are suppressed.

Table B.10

Point Prevalent Rates of Reported ESRD, 1993-1995*patients alive on December 31 of each year; per million population, adjusted for age, gender, & race***RATES**

	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender &	
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	Race	
0-4	24	32	*	*	14	16	17	*	19	24	12	24	25	14	19	
5-9	44	56	26	41	26	28	28	36	35	42	27	38	44	26	35	
10-14	72	105	66	65	53	60	61	55	62	82	63	60	76	54	65	
15-19	120	258	125	230	104	198	123	243	112	227	124	237	139	118	128	
20-24	227	671	261	381	198	500	265	371	212	584	263	376	286	241	263	
25-29	391	1,271	433	537	325	861	300	554	357	1,062	365	545	506	394	448	
30-34	580	1,762	583	934	456	1,236	449	885	517	1,493	514	909	734	559	644	
35-39	730	2,735	804	1,334	524	1,616	697	1,058	624	2,161	748	1,192	992	674	828	
40-44	905	4,243	1,122	2,076	607	2,229	850	1,442	752	3,208	981	1,745	1,346	829	1,079	
45-49	1,085	6,050	1,431	3,746	739	3,311	1,211	2,533	906	4,635	1,312	3,114	1,749	1,097	1,411	
50-54	1,300	7,507	2,121	5,369	914	4,975	1,592	4,256	1,101	6,203	1,845	4,791	2,153	1,483	1,806	
55-59	1,555	9,217	2,798	6,918	1,162	6,888	2,002	6,434	1,353	8,017	2,381	6,661	2,620	1,966	2,282	
60-64	1,841	10,315	3,429	8,003	1,447	9,020	2,470	9,070	1,640	9,651	2,927	8,538	3,033	2,516	2,766	
65-69	2,204	10,359	4,350	8,636	1,690	10,577	3,697	10,578	1,942	10,466	4,006	9,621	3,378	2,974	3,173	
70-74	2,546	10,988	5,395	6,710	1,707	11,293	4,456	9,752	2,116	11,140	4,898	8,246	3,763	3,100	3,426	
75-79	2,642	9,643	5,751	6,817	1,505	9,294	4,815	6,950	2,058	9,452	5,234	6,856	3,681	2,665	3,163	
80-84	2,606	8,735	5,313	5,243	1,185	7,039	4,594	5,181	1,876	7,864	4,911	5,207	3,507	2,091	2,782	
85+	1,605	4,839	3,569	3,418	566	3,640	2,256	1,731	1,071	4,218	2,877	2,546	2,104	1,028	1,553	
All Ages	803	2,720	967	1,634	612	2,375	860	1,716	706	2,539	912	1,675	1,050	858	952	
Age Adj	830	3,733	1,368	2,468	573	2,859	1,090	2,408	688	3,280	1,216	2,441	1,153	824	972	

STANDARD ERRORS

0-4	1.0	2.6	*	*	0.8	1.9	3.7	*	0.6	1.6	2.2	6.2	0.9	0.7	0.6
5-9	1.4	3.5	4.9	10.9	1.1	2.5	5.2	10.5	0.9	2.2	3.6	7.5	1.2	1.0	0.8
10-14	1.8	4.9	7.6	13.6	1.6	3.8	7.5	12.7	1.2	3.1	5.3	9.3	1.6	1.4	1.1
15-19	2.3	7.8	11.0	27.5	2.2	6.9	11.1	28.6	1.6	5.2	7.8	19.9	2.2	2.1	1.5
20-24	3.2	13.1	15.0	36.2	3.0	11.1	15.2	36.8	2.2	8.6	10.7	25.8	3.2	3.0	2.2
25-29	4.1	18.4	19.3	43.7	3.8	14.5	15.3	45.7	2.8	11.7	12.3	31.6	4.2	3.7	2.8
30-34	4.6	21.1	21.7	57.7	4.1	16.6	18.2	56.1	3.1	13.3	14.1	40.2	4.8	4.1	3.1
35-39	5.1	26.6	25.9	71.5	4.4	19.2	23.1	62.7	3.4	16.3	17.3	47.4	5.5	4.5	3.5
40-44	6.0	36.0	32.6	96.2	4.9	24.3	26.7	77.9	3.9	21.5	21.0	61.4	6.9	5.2	4.3
45-49	7.1	49.5	41.3	144.5	5.8	33.6	35.6	115.6	4.5	29.6	27.1	91.8	8.8	6.6	5.5
50-54	8.8	64.0	58.9	200.8	7.2	47.0	48.6	171.7	5.6	39.4	38.0	131.5	11.2	8.8	7.1
55-59	10.6	78.9	77.2	260.0	8.9	60.3	61.7	239.0	6.9	49.3	49.0	176.1	13.8	11.1	8.8
60-64	12.1	90.0	97.1	315.4	10.2	73.1	73.1	314.1	7.9	57.7	60.2	222.3	15.9	13.2	10.3
65-69	13.6	94.1	122.3	368.3	10.9	82.0	95.7	372.6	8.7	62.2	77.1	261.8	17.3	14.6	11.3
70-74	15.7	114.0	152.6	368.2	11.3	95.2	122.0	396.2	9.6	74.0	97.0	270.4	20.6	16.4	13.1
75-79	19.0	129.2	200.1	469.3	11.9	99.1	159.3	396.7	11.1	80.9	126.5	305.0	24.3	17.4	14.8
80-84	24.5	164.6	249.1	524.3	12.4	105.8	210.1	416.2	13.5	96.8	161.6	333.2	30.9	19.0	17.9
85+	24.1	142.4	249.2	498.5	8.9	79.2	169.1	244.9	12.6	80.4	148.8	273.4	28.9	14.2	15.8
Age Adj	1.6	10.9	12.9	35.5	1.3	8.2	10.4	32.3	1.0	6.7	8.1	23.9	1.8	1.4	1.1

* Values for cells with fewer than 10 patients are suppressed.

Table B.11

Point Prevalent Rates of Reported ESRD, 1996-1998

patients alive on December 31 of each year; per million population, adjusted for age, gender, & race

RATES

	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender & Race	
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female		
0-4	26	38	22	36	15	23	16	*	20	30	19	31	27	16	22	
5-9	45	66	24	41	29	35	29	45	37	50	26	43	47	30	38	
10-14	79	127	59	90	58	87	59	59	68	106	59	74	85	62	73	
15-19	132	286	110	159	102	209	152	182	117	247	132	172	151	119	134	
20-24	233	701	273	474	196	543	294	455	214	620	284	464	296	246	270	
25-29	409	1,480	485	631	329	1,062	322	707	368	1,266	402	669	550	425	486	
30-34	611	2,136	619	929	474	1,443	482	1,040	541	1,782	549	985	808	602	702	
35-39	790	2,897	815	1,642	564	1,910	738	1,368	675	2,392	776	1,502	1,067	749	903	
40-44	981	4,447	1,173	2,736	651	2,572	994	1,680	812	3,488	1,082	2,195	1,444	917	1,172	
45-49	1,231	6,722	1,610	4,240	829	3,744	1,311	3,121	1,025	5,198	1,457	3,671	1,969	1,238	1,591	
50-54	1,500	8,686	2,244	6,716	1,032	5,383	1,790	5,013	1,259	6,993	2,014	5,837	2,485	1,648	2,052	
55-59	1,849	10,693	3,164	8,567	1,321	7,632	2,446	8,098	1,577	9,124	2,794	8,323	3,080	2,224	2,637	
60-64	2,259	12,362	3,992	9,816	1,723	10,393	3,014	10,486	1,984	11,353	3,489	10,145	3,675	2,950	3,301	
65-69	2,625	11,889	4,963	10,251	1,989	11,820	3,949	12,353	2,301	11,853	4,445	11,322	3,960	3,406	3,677	
70-74	3,038	12,376	6,087	9,169	2,018	13,183	5,033	11,955	2,516	12,786	5,548	10,588	4,395	3,639	4,011	
75-79	3,254	11,309	6,825	7,213	1,884	11,338	5,534	9,364	2,551	11,314	6,164	8,320	4,445	3,289	3,856	
80-84	3,155	10,151	7,275	4,802	1,509	8,776	5,714	6,817	2,311	9,444	6,479	5,828	4,213	2,639	3,408	
85+	2,089	6,196	4,931	2,199	741	4,679	3,221	2,411	1,395	5,415	4,040	2,335	2,716	1,348	2,016	
All Ages	945	3,192	1,128	2,032	704	2,791	1,018	2,146	822	2,981	1,071	2,090	1,239	1,001	1,117	
Age Adj	961	4,262	1,569	2,938	652	3,295	1,257	2,933	791	3,762	1,395	2,952	1,329	943	1,117	

STANDARD ERRORS

0-4	1.1	3.0	4.1	10.9	0.8	2.3	3.5	*	0.7	1.9	2.7	7.2	1.0	0.8	0.6
5-9	1.4	3.7	4.3	10.9	1.1	2.7	4.9	11.7	0.9	2.3	3.3	8.0	1.2	1.0	0.8
10-14	1.8	5.3	7.0	15.6	1.6	4.4	7.1	12.8	1.2	3.4	5.0	10.1	1.7	1.5	1.1
15-19	2.4	7.9	9.7	21.7	2.1	6.9	11.5	23.3	1.6	5.2	7.6	16.0	2.2	2.0	1.5
20-24	3.3	13.4	15.5	40.8	3.1	11.7	16.0	40.4	2.3	8.9	11.2	28.7	3.3	3.0	2.2
25-29	4.3	19.8	19.7	46.1	3.8	16.1	15.0	50.5	2.9	12.7	12.3	34.3	4.4	3.8	2.9
30-34	4.9	23.5	21.9	57.9	4.4	18.2	18.1	62.0	3.3	14.8	14.2	42.5	5.2	4.4	3.4
35-39	5.3	26.8	24.9	77.2	4.5	20.4	22.7	70.3	3.5	16.7	16.8	52.1	5.7	4.7	3.6
40-44	6.0	34.8	31.1	105.6	4.9	24.7	27.1	80.7	3.9	21.2	20.6	66.1	6.8	5.3	4.3
45-49	7.2	48.2	40.1	146.0	5.9	33.0	33.7	121.7	4.7	29.0	26.1	94.8	8.8	6.6	5.5
50-54	8.8	64.7	54.6	209.9	7.2	45.9	45.8	174.5	5.6	39.4	35.6	135.9	11.3	8.6	7.1
55-59	11.0	81.4	75.4	276.4	9.1	60.7	62.6	254.6	7.1	50.5	48.8	187.6	14.3	11.2	9.0
60-64	13.4	97.2	96.1	336.9	11.2	77.1	76.3	325.9	8.7	61.7	61.1	234.0	17.2	14.1	11.0
65-69	15.0	99.6	122.3	393.4	12.1	85.8	93.3	392.4	9.6	65.5	76.5	277.8	18.6	15.6	12.1
70-74	17.1	118.1	153.5	415.1	12.4	101.4	118.5	426.7	10.5	77.6	96.5	297.7	21.8	17.5	13.9
75-79	20.1	133.1	194.7	440.6	12.9	106.3	151.2	429.6	11.9	84.7	122.9	308.2	25.2	18.6	15.5
80-84	25.7	174.1	268.0	468.7	13.7	116.9	207.4	456.5	14.4	103.9	168.8	326.8	32.6	20.7	19.0
85+	25.8	153.1	257.4	356.8	9.8	85.6	174.7	254.2	13.6	86.6	154.1	221.4	30.7	15.3	16.8
Age Adj	1.7	11.2	12.9	36.6	1.3	8.6	10.2	34.3	1.1	6.9	8.1	25.1	1.9	1.5	1.2

*Values for cells with fewer than 10 patients are suppressed.

Table B.12

Point Prevalent Counts of Reported ESRD: by Primary Diagnosis, 1995-1998*patients alive on December 31 of each year; by age, gender, & race*

DIABETES	Males				Females				Gender				Race		Gender & Race
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	
0-4	17	*	.	*	23	11	*	.	.	20	28	11	.	*	43
5-9	*	.	.	.	*	.	*	*	.	*	*	*	*	.	*
10-14	*	*	.	.	*	*	*	.	.	*	*	*	.	.	*
15-19	17	14	.	.	31	14	15	*	.	31	31	29	*	.	62
20-24	166	100	*	*	270	194	163	*	*	368	360	263	*	*	638
25-29	1,291	467	22	*	1,786	1,448	715	25	34	2,222	2,739	1,182	47	40	4,008
30-34	4,793	1,124	63	55	6,035	4,183	1,284	81	93	5,641	8,976	2,408	144	148	11,676
35-39	8,782	1,755	165	131	10,833	5,938	1,714	177	132	7,961	14,720	3,469	342	263	18,794
40-44	10,766	2,810	285	296	14,157	7,145	2,541	187	243	10,116	17,911	5,351	472	539	24,273
45-49	11,994	4,575	445	522	17,536	8,119	4,421	352	428	13,320	20,113	8,996	797	950	30,856
50-54	12,056	5,965	663	696	19,380	8,676	6,716	476	656	16,524	20,732	12,681	1,139	1,352	35,904
55-59	12,357	7,286	819	753	21,215	10,356	9,281	681	908	21,226	22,713	16,567	1,500	1,661	42,441
60-64	12,822	7,327	870	674	21,693	12,927	11,042	919	916	25,804	25,749	18,369	1,789	1,590	47,497
65-69	14,546	7,075	959	573	23,153	15,687	12,426	1,145	950	30,208	30,233	19,501	2,104	1,523	53,361
70-74	12,903	5,156	826	356	19,241	14,491	10,454	1,188	714	26,847	27,394	15,610	2,014	1,070	46,088
75-79	8,168	2,897	557	162	11,784	9,315	6,209	765	368	16,657	17,483	9,106	1,322	530	28,441
80-84	3,303	1,100	273	52	4,728	3,860	2,503	320	154	6,837	7,163	3,603	593	206	11,565
85+	909	355	126	10	1,400	1,205	854	136	37	2,232	2,114	1,209	262	47	3,632
All	114,895	48,011	6,074	4,293	173,273	103,570	70,352	6,461	5,638	186,021	218,465	118,363	12,535	9,931	359,294
HYPERTENSION															
0-4	*	11	*	.	17	*	18	.	*	24	*	29	*	*	41
5-9	*	*	.	.	*	*	*	.	*	13	11	*	.	*	20
10-14	13	*	*	.	21	19	12	*	*	35	32	19	*	*	56
15-19	65	117	*	*	189	75	58	*	*	143	140	175	11	*	332
20-24	300	733	42	16	1,091	256	336	18	13	623	556	1,069	60	29	1,714
25-29	877	1,884	84	26	2,871	507	891	38	28	1,464	1,384	2,775	122	54	4,335
30-34	1,548	3,184	149	47	4,928	862	1,610	82	23	2,577	2,410	4,794	231	70	7,505
35-39	2,281	5,348	206	73	7,908	1,184	2,795	172	44	4,195	3,465	8,143	378	117	12,103
40-44	2,979	8,156	331	114	11,580	1,441	3,930	238	60	5,669	4,420	12,086	569	174	17,249
45-49	3,659	9,932	348	147	14,086	1,878	4,845	307	83	7,113	5,537	14,777	655	230	21,199
50-54	4,125	8,992	346	155	13,618	2,304	5,009	328	77	7,718	6,429	14,001	674	232	21,336
55-59	4,404	7,942	401	90	12,837	2,743	5,483	332	96	8,654	7,147	13,425	733	186	21,491
60-64	5,296	6,871	403	98	12,668	3,303	5,965	335	93	9,696	8,599	12,836	738	191	22,364
65-69	7,861	6,864	440	86	15,251	5,130	7,122	467	99	12,818	12,991	13,986	907	185	28,069
70-74	10,482	5,641	598	120	16,841	6,798	7,467	492	120	14,877	17,280	13,108	1,090	240	31,718
75-79	10,689	4,082	518	71	15,360	7,321	5,711	448	122	13,602	18,010	9,793	966	193	28,962
80-84	7,551	2,156	363	40	10,110	5,542	3,361	371	61	9,335	13,093	5,517	734	101	19,445
85+	3,616	1,107	174	20	4,917	3,128	2,093	162	42	5,425	6,744	3,200	336	62	10,342
All	65,746	73,020	4,403	1,103	144,293	42,491	56,706	3,790	961	103,981	108,248	129,733	8,204	2,064	248,281
GLOMERULONEPHRITIS															
0-4	83	12	*	.	101	79	19	*	.	107	162	31	15	.	208
5-9	242	64	10	10	326	260	47	16	*	329	502	111	26	16	655
10-14	556	168	38	11	773	507	181	42	10	740	1,063	349	80	21	1,513
15-19	1,116	686	76	20	1,898	987	474	77	43	1,581	2,103	1,160	153	63	3,479
20-24	2,188	1,416	199	60	3,863	1,846	1,015	170	66	3,097	4,034	2,431	369	126	6,960
25-29	4,396	2,403	404	124	7,327	3,286	1,610	252	81	5,229	7,682	4,013	656	205	12,556
30-34	6,742	2,894	511	115	10,262	4,584	2,102	360	123	7,169	11,326	4,996	871	238	17,431
35-39	8,905	3,542	644	193	13,284	5,728	2,438	622	161	8,949	14,633	5,980	1,266	354	22,233
40-44	9,745	4,438	768	222	15,173	5,981	2,624	777	145	9,527	15,726	7,062	1,545	367	24,700
45-49	9,543	4,290	745	216	14,794	6,204	2,577	653	163	9,597	15,747	6,867	1,398	379	24,391
50-54	8,411	2,884	559	173	12,027	5,460	1,838	545	136	7,979	13,871	4,722	1,104	309	20,006
55-59	7,312	2,214	448	178	10,152	4,779	1,677	419	106	6,981	12,091	3,891	867	284	17,133
60-64	6,426	1,687	337	112	8,562	4,307	1,502	307	99	6,215	10,733	3,189	644	211	14,777
65-69	7,205	1,418	321	80	9,024	5,113	1,407	315	89	6,924	12,318	2,825	636	169	15,948
70-74	7,186	1,240	356	56	8,838	5,124	1,299	292	72	6,787	12,310	2,539	648	128	15,625
75-79	5,660	785	243	65	6,753	3,973	898	245	47	5,163	9,633	1,683	488	112	11,916
80-84	3,260	343	135	16	3,754	2,376	421	120	20	2,937	5,636	764	255	36	6,691
85+	1,400	172	73	12	1,657	1,120	293	54	*	1,474	2,520	465	127	19	3,131
All	90,376	30,656	5,873	1,663	128,568	61,714	22,422	5,275	1,374	90,785	152,090	53,078	11,148	3,037	219,353

B

Table B.12 (continued)

CYSTIC KIDNEY	Males				Females				Gender				Race		Gender & Race	
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female		
0-4	413	105	14	*	536	185	31	*	*	227	598	136	18	11	763	
5-9	689	169	14	*	880	270	74	13	13	370	959	243	27	21	1,250	
10-14	976	261	36	16	1,289	486	86	23	*	601	1,462	347	59	22	1,890	
15-19	1,144	288	26	18	1,476	587	113	41	17	758	1,731	401	67	35	2,234	
20-24	1,194	186	31	18	1,429	721	115	28	*	873	1,915	301	59	27	2,302	
25-29	1,277	163	44	*	1,491	779	89	*	*	880	2,056	252	53	10	2,371	
30-34	1,385	156	26	15	1,582	820	93	14	12	939	2,205	249	40	27	2,521	
35-39	1,551	239	33	21	1,844	1,037	181	25	12	1,255	2,588	420	58	33	3,099	
40-44	2,374	268	52	34	2,728	1,365	331	52	10	1,758	3,739	599	104	44	4,486	
45-49	3,511	475	100	31	4,117	2,347	429	64	21	2,861	5,858	904	164	52	6,978	
50-54	3,932	460	113	44	4,549	3,081	588	63	28	3,760	7,013	1,048	176	72	8,309	
55-59	3,396	442	112	16	3,966	3,123	454	80	28	3,685	6,519	896	192	44	7,651	
60-64	2,497	389	81	16	2,983	2,640	399	75	29	3,143	5,137	788	156	45	6,126	
65-69	2,316	276	65	16	2,673	2,617	340	73	15	3,045	4,933	616	138	31	5,718	
70-74	1,757	240	56	*	2,061	1,835	286	50	*	2,176	3,592	526	106	13	4,237	
75-79	890	146	39	*	1,077	1,066	152	25	*	1,249	1,956	298	64	*	2,326	
80-84	405	68	16	.	489	388	65	13	*	468	793	133	29	*	957	
85+	152	33	*	.	190	113	37	*	*	156	265	70	10	*	346	
All	29,859	4,364	858	245	35,360	23,460	3,863	639	185	28,204	53,319	8,227	1,520	487	63,564	
OTHER UROLOGIC																
0-4	44	18	*	.	64	37	*	.	.	40	81	21	*	.	104	
5-9	109	36	*	.	148	58	*	.	.	67	167	45	*	.	215	
10-14	221	68	10	*	302	136	27	*	*	169	357	95	12	*	471	
15-19	349	98	14	*	467	289	30	17	*	343	638	128	31	13	810	
20-24	500	115	15	*	638	426	50	15	*	499	926	165	30	16	1,137	
25-29	790	186	13	12	1,001	559	105	*	*	678	1,349	291	21	18	1,679	
30-34	942	179	42	25	1,188	717	128	24	18	887	1,659	307	66	43	2,075	
35-39	914	223	41	23	1,201	865	169	30	12	1,076	1,779	392	71	35	2,277	
40-44	1,067	345	51	13	1,476	811	186	60	*	1,064	1,878	531	111	20	2,540	
45-49	1,073	315	45	15	1,448	903	199	42	*	1,147	1,976	514	87	18	2,595	
50-54	947	280	36	17	1,280	871	207	58	*	1,144	1,818	487	94	25	2,424	
55-59	1,079	244	39	19	1,381	851	210	67	11	1,139	1,930	454	106	30	2,520	
60-64	1,601	268	49	21	1,939	954	240	43	*	1,240	2,555	508	92	24	3,179	
65-69	2,271	396	59	20	2,746	1,260	228	52	10	1,550	3,531	624	111	30	4,296	
70-74	3,080	413	59	21	3,573	1,357	207	63	12	1,639	4,437	620	122	33	5,212	
75-79	2,987	293	51	18	3,349	1,374	162	35	11	1,582	4,361	455	86	29	4,931	
80-84	1,779	185	50	23	2,037	797	88	22	*	912	2,576	273	72	28	2,949	
85+	767	97	23	*	893	370	79	16	*	466	1,137	176	39	*	1,359	
All	20,520	3,759	602	250	25,131	12,635	2,327	554	126	15,642	33,155	6,086	1,156	376	40,773	
UNKNOWN CAUSE																
0-4	83	22	*	*	109	37	19	*	.	62	120	41	*	*	171	
5-9	130	33	.	.	163	103	21	*	*	132	233	54	*	*	295	
10-14	242	85	*	*	341	185	39	10	*	237	427	124	16	11	578	
15-19	622	158	27	20	827	500	206	53	*	768	1,122	364	80	29	1,595	
20-24	886	290	47	41	1,264	876	622	113	26	1,637	1,762	912	160	67	2,901	
25-29	1,291	586	41	36	1,954	1,340	1,152	139	47	2,678	2,631	1,738	180	83	4,632	
30-34	1,733	1,045	75	21	2,874	1,899	1,643	181	47	3,770	3,632	2,688	256	68	6,644	
35-39	1,889	1,344	59	46	3,338	2,273	2,106	182	52	4,613	4,162	3,450	241	98	7,951	
40-44	1,891	1,454	72	35	3,452	2,192	1,956	150	44	4,342	4,083	3,410	222	79	7,794	
45-49	1,675	1,179	63	35	2,952	2,016	1,395	190	54	3,655	3,691	2,574	253	89	6,607	
50-54	1,537	741	59	32	2,369	1,817	959	152	30	2,958	3,354	1,700	211	62	5,327	
55-59	1,475	559	64	20	2,118	1,662	747	92	29	2,530	3,137	1,306	156	49	4,648	
60-64	1,693	472	39	11	2,215	1,561	549	52	26	2,188	3,254	1,021	91	37	4,403	
65-69	2,247	379	61	30	2,717	1,945	504	42	26	2,517	4,192	883	103	56	5,234	
70-74	2,521	293	48	26	2,888	2,006	435	49	24	2,514	4,527	728	97	50	5,402	
75-79	2,285	240	48	11	2,584	1,884	296	39	13	2,232	4,169	536	87	24	4,816	
80-84	1,343	134	20	*	1,499	1,049	178	23	*	1,254	2,392	312	43	*	2,753	
85+	500	80	*	*	590	420	88	*	*	518	920	168	15	*	1,108	
All	24,043	9,094	723	364	34,254	23,765	12,915	1,467	418	38,605	47,808	22,009	2,211	802	72,859	



Table B.12 (continued)

OTHER CAUSE	Males				Females				Gender				Race		Gender & Race
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	
0-4	38	*	*	.	41	*	*	.	.	14	46	*	*	.	55
5-9	70	11	*	.	82	37	*	*	*	44	107	16	*	*	126
10-14	100	50	*	*	157	128	39	*	*	179	228	89	12	*	336
15-19	219	129	11	*	361	236	88	11	*	338	455	217	22	*	699
20-24	507	177	22	13	719	368	148	39	10	565	875	325	61	23	1,284
25-29	837	425	66	18	1,346	579	194	23	17	813	1,416	619	89	35	2,159
30-34	1,034	493	72	27	1,626	841	300	72	21	1,234	1,875	793	144	48	2,860
35-39	1,291	714	112	39	2,156	1,052	382	63	21	1,518	2,343	1,096	175	60	3,674
40-44	1,431	860	93	42	2,426	1,058	453	83	12	1,606	2,489	1,313	176	54	4,032
45-49	1,359	888	99	31	2,377	1,060	507	130	29	1,726	2,419	1,395	229	60	4,103
50-54	1,147	688	109	34	1,978	920	423	115	21	1,479	2,067	1,111	224	55	3,457
55-59	1,104	503	78	17	1,702	931	430	78	27	1,466	2,035	933	156	44	3,168
60-64	1,191	474	112	22	1,799	933	551	74	23	1,581	2,124	1,025	186	45	3,380
65-69	1,486	513	76	34	2,109	1,264	536	87	20	1,907	2,750	1,049	163	54	4,016
70-74	1,752	470	63	24	2,309	1,221	522	95	29	1,867	2,973	992	158	53	4,176
75-79	1,810	316	87	21	2,234	1,155	378	96	12	1,641	2,965	694	183	33	3,875
80-84	1,260	194	43	*	1,500	924	258	52	18	1,252	2,184	452	95	21	2,752
85+	660	93	27	*	783	611	196	25	11	843	1,271	289	52	14	1,626
All	17,296	7,000	1,075	334	25,705	13,326	5,416	1,053	278	20,073	30,622	12,416	2,128	612	45,778
MISSING DISEASE															
0-4	109	55	*	*	176	90	22	*	.	121	199	77	16	*	297
5-9	185	83	*	*	277	129	44	*	.	181	314	127	16	*	458
10-14	331	117	*	*	458	210	93	*	.	306	541	210	11	*	764
15-19	534	224	20	*	783	353	221	13	*	593	887	445	33	11	1,376
20-24	936	632	54	14	1,636	728	450	60	25	1,263	1,664	1,082	114	39	2,899
25-29	1,529	1,171	113	20	2,833	1,313	931	100	33	2,377	2,842	2,102	213	53	5,210
30-34	2,502	1,709	119	32	4,362	1,949	1,205	117	38	3,309	4,451	2,914	236	70	7,671
35-39	3,610	2,318	154	53	6,135	2,658	1,566	126	52	4,402	6,268	3,884	280	105	10,537
40-44	4,302	3,019	191	99	7,611	3,020	1,963	176	51	5,210	7,322	4,982	367	150	12,821
45-49	4,705	3,482	237	108	8,532	3,234	2,216	224	69	5,743	7,939	5,698	461	177	14,275
50-54	4,978	3,027	283	145	8,433	3,394	2,141	204	92	5,831	8,372	5,168	487	237	14,264
55-59	4,764	3,043	310	122	8,239	3,038	2,254	188	90	5,570	7,802	5,297	498	212	13,809
60-64	5,373	3,455	332	132	9,292	4,317	3,376	197	156	8,046	9,690	6,831	529	288	17,338
65-69	2,013	1,606	136	48	3,803	2,610	2,325	165	76	5,176	4,623	3,931	301	124	8,979
70-74	1,069	850	51	*	1,977	1,726	1,374	87	42	3,229	2,795	2,224	138	49	5,206
75-79	704	505	25	*	1,241	1,155	780	58	15	2,008	1,859	1,285	83	22	3,249
80-84	342	238	14	*	598	636	337	38	15	1,026	978	575	52	19	1,624
85+	191	114	10	*	316	248	159	14	*	428	439	273	24	*	744
All	38,177	25,648	2,072	805	66,702	30,808	21,457	1,787	767	54,819	68,985	47,105	3,859	1,572	121,521

* Values for cells with fewer than 10 patients are suppressed.

.: Zero patients in cell.

B

Table B.13

Point Prevalent Rates of Reported ESRD: by Primary Diagnosis

patients alive on December 31 of each year; 1995-1998, per ten million population, adjusted for & grouped by age, gender, & race

DIABETES

RATES	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Gender				Race		Gender
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	& Race
0-4	*	*	.	*	*	*	.	.	*	*	.	*	*	*	*
5-9	*	*	*	.	*	*	*	.	*	*	*
10-14	*	*	.	.	*	*	.	.	*	*	.	.	*	*	*
15-19	*	23	.	.	*	26	*	.	*	25	*	.	*	*	*
20-24	58	193	*	*	71	307	*	*	64	251	*	*	73	100	87
25-29	426	934	134	*	484	1,309	134	928	455	1,126	134	549	477	579	530
30-34	1,414	2,168	368	1,486	1,244	2,186	420	2,561	1,325	2,178	395	2,038	1,467	1,343	1,404
35-39	2,345	3,274	955	3,597	1,603	2,827	940	3,586	1,965	3,044	948	3,592	2,421	1,750	2,078
40-44	3,028	5,840	1,807	9,183	2,011	4,614	1,059	7,158	2,506	5,215	1,427	8,142	3,392	2,349	2,858
45-49	3,866	12,116	3,419	19,979	2,579	9,840	2,348	15,467	3,206	10,946	2,880	17,712	5,036	3,605	4,302
50-54	4,786	22,072	6,850	35,083	3,326	20,192	4,357	30,610	4,026	21,100	5,587	32,656	7,308	5,740	6,505
55-59	6,226	34,404	11,335	51,200	4,917	34,146	8,424	55,494	5,539	34,204	9,846	53,277	10,363	9,193	9,765
60-64	7,662	42,270	15,537	59,188	7,054	47,702	13,589	70,457	7,344	44,990	14,525	64,849	12,799	13,009	12,916
65-69	9,285	44,362	22,166	65,273	8,564	58,136	19,251	89,615	8,934	51,389	20,635	77,656	14,734	15,994	15,402
70-74	9,360	43,988	24,368	50,594	8,249	61,523	25,554	82,170	8,793	52,866	24,938	66,645	14,680	16,320	15,551
75-79	7,754	34,587	24,122	33,770	6,265	46,875	24,638	55,745	6,962	40,727	24,224	44,843	11,953	12,527	12,270
80-84	5,273	24,823	20,729	18,163	3,615	29,306	18,744	35,744	4,406	27,071	19,599	27,109	8,427	7,725	8,078
85+	2,225	10,233	13,220	4,508	1,189	10,183	10,117	7,736	1,680	10,136	11,513	6,090	3,649	2,714	3,172
All Age	2,644	7,446	3,111	9,326	2,297	9,849	3,074	12,010	2,468	8,709	3,092	10,681	3,312	3,395	3,355
Age Adj	2,661	10,757	4,772	14,364	2,111	12,064	4,164	17,234	2,368	11,508	4,446	16,010	3,552	3,179	3,363

STANDARD ERRORS

0-4	1	*	.	*	1	*	.	.	1	3	.	*	1	1	1
5-9	*	*	*	.	*	*	*	.	*	*	*
10-14	*	*	.	.	*	*	.	.	*	*	.	.	*	*	*
15-19	1	6	.	.	1	7	*	.	1	5	*	.	1	1	1
20-24	5	19	*	*	5	24	*	*	3	16	*	*	5	5	4
25-29	12	43	29	*	13	49	27	159	9	33	20	87	11	12	8
30-34	20	65	46	200	19	61	47	266	14	44	33	168	19	18	13
35-39	25	78	74	314	21	68	71	312	16	52	51	222	23	20	15
40-44	29	110	107	534	24	92	78	459	19	71	66	351	29	23	18
45-49	35	179	162	874	29	148	125	748	23	116	102	575	38	31	25
50-54	44	286	266	1,330	36	246	200	1,195	28	188	166	890	53	45	35
55-59	56	403	396	1,866	48	354	323	1,842	37	267	255	1,309	72	64	48
60-64	68	494	527	2,280	62	454	448	2,328	46	334	345	1,629	89	82	60
65-69	77	527	716	2,727	68	522	569	2,908	52	371	454	1,995	99	93	68
70-74	82	613	848	2,682	69	602	741	3,075	53	429	562	2,044	111	103	76
75-79	86	643	1,022	2,653	65	595	891	2,906	53	436	674	1,969	117	102	77
80-84	92	748	1,255	2,519	58	586	1,048	2,880	54	472	811	1,918	132	100	82
85+	74	543	1,178	1,426	34	348	868	1,272	40	318	722	942	103	63	59
Age Adj	8	50	64	226	7	46	54	233	5	34	41	165	9	7	6

* Values for cells with fewer than 10 patients are suppressed.
 ** Zero patients in cell.



Table B.13 (continued)

HYPERTENSION

RATES	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender	
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	& Race	
0-4	*	19	*	.	*	32	.	*	*	25	*	*	*	*	*	
5-9	*	*	.	.	*	*	.	*	*	*	.	*	*	*	*	
10-14	*	*	*	.	*	21	*	*	*	16	*	*	*	*	*	
15-19	21	194	*	*	26	99	*	*	23	146	37	*	43	36	40	
20-24	104	1,415	278	420	93	632	118	351	98	1,015	196	386	280	165	220	
25-29	289	3,769	510	663	169	1,631	203	764	228	2,675	352	714	743	362	544	
30-34	457	6,141	870	1,270	256	2,741	425	633	354	4,402	643	944	1,202	582	879	
35-39	609	9,978	1,192	2,004	320	4,611	913	1,195	461	7,236	1,054	1,591	1,836	896	1,346	
40-44	838	16,950	2,099	3,537	406	7,137	1,348	1,767	617	11,953	1,712	2,644	2,963	1,310	2,101	
45-49	1,180	26,302	2,674	5,626	597	10,784	2,048	2,999	881	18,377	2,348	4,293	4,472	1,969	3,165	
50-54	1,637	33,272	3,575	7,813	883	15,060	3,002	3,593	1,254	23,970	3,311	5,645	5,791	2,796	4,228	
55-59	2,219	37,502	5,550	6,120	1,302	20,173	4,107	5,867	1,751	28,642	4,793	5,992	6,865	3,851	5,294	
60-64	3,165	39,639	7,197	8,606	1,802	25,769	4,954	7,153	2,469	32,546	6,058	7,846	8,006	5,017	6,454	
65-69	5,018	43,039	10,170	9,797	2,801	33,321	7,852	9,339	3,883	38,066	8,976	9,563	10,089	6,932	8,460	
70-74	7,604	48,126	17,642	17,054	3,870	43,944	10,583	13,810	5,694	45,984	14,042	15,420	13,223	9,309	11,219	
75-79	10,147	48,735	22,433	14,800	4,924	43,115	14,429	18,481	7,475	45,803	18,325	16,639	15,553	10,257	12,842	
80-84	12,054	48,653	27,563	13,972	5,190	39,352	21,731	14,158	8,532	43,875	24,501	14,054	17,297	10,238	13,682	
85+	8,850	31,911	18,256	9,016	3,086	24,956	12,051	8,781	5,883	28,282	14,919	9,069	12,103	6,241	9,102	
All Age	1,513	11,326	2,258	2,405	943	7,939	1,808	2,064	1,223	9,546	2,025	2,233	2,759	1,898	2,318	
Age Adj	1,617	15,696	3,589	3,753	812	9,665	2,498	2,985	1,155	12,542	2,970	3,361	3,115	1,722	2,331	

STANDARD ERRORS

0-4	*	6	*	.	*	7	.	*	*	5	*	*	1	1	1
5-9	*	*	.	.	*	*	.	*	1	*	.	*	*	1	1
10-14	1	*	*	.	2	6	*	*	1	4	*	*	1	2	1
15-19	3	18	*	*	3	13	*	*	2	11	11	*	3	3	2
20-24	6	52	43	105	6	35	28	97	4	31	25	72	9	7	5
25-29	10	87	56	130	8	55	33	144	6	51	32	97	14	10	8
30-34	12	109	71	185	9	68	47	132	7	64	42	113	17	12	10
35-39	13	136	83	235	9	87	70	180	8	80	54	147	21	14	12
40-44	15	188	115	331	11	114	87	228	9	109	72	201	28	17	16
45-49	20	264	143	464	14	155	117	329	12	152	92	283	38	23	22
50-54	26	351	192	628	18	213	166	410	16	204	128	371	50	32	29
55-59	33	421	277	645	25	272	225	599	21	249	178	440	61	42	37
60-64	44	478	359	869	31	334	271	742	27	289	224	569	72	51	44
65-69	57	520	485	1,056	39	395	363	939	34	324	301	705	84	62	51
70-74	74	641	721	1,557	47	509	477	1,261	44	407	429	999	107	78	66
75-79	98	763	986	1,757	58	571	682	1,673	56	473	597	1,211	133	92	80
80-84	139	1,048	1,447	2,209	70	679	1,128	1,813	77	618	912	1,422	185	114	107
85+	147	959	1,384	2,016	55	546	947	1,355	77	544	827	1,238	181	91	99
Age Adj	6	60	58	120	4	41	43	98	4	35	35	77	8	5	5

Table B.13 (continued)

GLOMERULONEPHRITIS

RATES	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Gender				Race		Gender & Race
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	& Race
0-4	27	20	*	.	27	33	*	.	27	27	43	.	26	28	27
5-9	76	101	61	218	86	76	103	*	81	88	82	175	80	86	83
10-14	179	281	236	226	172	312	273	211	175	297	256	217	195	194	194
15-19	356	1,139	495	450	336	812	515	982	346	973	504	733	463	409	435
20-24	759	2,734	1,316	1,577	672	1,909	1,112	1,781	715	2,312	1,211	1,680	1,038	856	944
25-29	1,451	4,808	2,452	3,164	1,098	2,947	1,346	2,210	1,270	3,856	1,887	2,680	1,931	1,352	1,632
30-34	1,988	5,582	2,983	3,107	1,363	3,579	1,867	3,387	1,669	4,557	2,412	3,249	2,493	1,682	2,075
35-39	2,378	6,608	3,727	5,300	1,546	4,022	3,302	4,373	1,952	5,286	3,517	4,824	2,993	1,953	2,458
40-44	2,740	9,223	4,871	6,887	1,683	4,765	4,402	4,271	2,200	6,949	4,631	5,540	3,684	2,202	2,920
45-49	3,076	11,361	5,725	8,267	1,971	5,736	4,355	5,890	2,510	8,481	5,027	7,042	4,276	2,574	3,397
50-54	3,339	10,671	5,775	8,720	2,093	5,526	4,988	6,346	2,700	8,020	5,372	7,532	4,407	2,675	3,514
55-59	3,684	10,454	6,200	12,103	2,269	6,170	5,183	6,478	2,958	8,258	5,656	9,222	4,708	2,913	3,785
60-64	3,840	9,732	6,018	9,835	2,350	6,489	4,540	7,615	3,078	8,071	5,257	8,686	4,723	3,007	3,842
65-69	4,599	8,891	7,420	9,113	2,791	6,583	5,296	8,395	3,675	7,711	6,344	8,739	5,293	3,419	4,333
70-74	5,213	10,579	10,503	7,959	2,917	7,645	6,281	8,286	4,038	9,085	8,358	8,130	6,124	3,695	4,879
75-79	5,373	9,372	10,524	13,550	2,672	6,779	7,891	7,120	3,988	8,037	9,174	10,320	6,143	3,432	4,757
80-84	5,204	7,740	10,251	5,589	2,225	4,929	7,029	4,642	3,679	6,297	8,581	5,128	5,719	2,774	4,213
85+	3,426	4,958	7,659	5,409	1,105	3,494	4,017	*	2,234	4,196	5,776	3,476	3,792	1,521	2,632
All Age	2,080	4,754	3,008	3,613	1,369	3,139	2,510	2,927	1,718	3,905	2,750	3,266	2,458	1,657	2,048
Age Adj	2,103	5,705	3,665	4,744	1,303	3,453	2,787	3,551	1,670	4,535	3,185	4,104	2,581	1,606	2,054

STANDARD ERRORS

0-4	3	6	*	.	3	8	*	.	2	5	11	.	3	3	2
5-9	5	13	19	69	5	11	26	*	4	8	16	44	4	5	3
10-14	8	22	38	68	8	23	42	67	5	16	29	47	7	7	5
15-19	11	44	57	101	11	37	59	150	8	29	41	92	11	10	7
20-24	16	73	93	204	16	60	85	219	11	47	63	150	17	16	11
25-29	22	98	122	284	19	73	85	246	15	61	74	188	23	19	15
30-34	24	104	132	290	20	78	98	305	16	65	82	211	25	20	16
35-39	25	111	147	382	20	82	132	345	16	68	99	256	26	21	17
40-44	28	138	176	462	22	93	158	355	18	83	118	289	30	23	19
45-49	32	174	210	563	25	113	170	461	20	103	135	362	35	26	22
50-54	36	199	244	663	28	129	214	544	23	117	162	429	41	30	25
55-59	43	222	293	907	33	151	253	629	27	133	193	548	47	35	29
60-64	48	237	328	929	36	167	259	765	30	144	208	599	52	38	32
65-69	54	236	414	1,019	39	176	298	890	33	146	254	674	57	42	35
70-74	62	300	557	1,064	41	212	368	977	37	183	332	721	68	46	41
75-79	71	335	675	1,681	42	226	504	1,039	41	200	420	986	79	50	46
80-84	91	418	882	1,397	46	240	642	1,038	50	238	541	869	99	55	56
85+	92	378	896	1,562	33	204	547	*	48	211	521	846	97	43	52
Age Adj	7	34	51	123	5	23	40	99	4	20	32	77	7	5	4



Table B.13 (continued)

CYSTIC KIDNEY																
RATES	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender & Race	
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female		
0-4	133	179	79	*	63	54	*	*	97	115	50	138	136	61	98	
5-9	217	266	85	*	89	120	84	293	151	191	84	235	217	95	155	
10-14	314	436	224	328	165	148	149	*	238	288	186	226	326	162	242	
15-19	365	478	169	405	200	194	274	388	281	332	222	398	372	204	286	
20-24	414	359	205	473	263	216	183	*	337	286	194	354	400	254	325	
25-29	421	326	267	*	260	163	*	*	339	243	154	129	401	238	318	
30-34	408	301	152	405	244	158	73	330	325	228	111	367	386	227	305	
35-39	414	446	191	577	280	299	133	326	345	370	161	449	411	277	342	
40-44	668	557	330	1,055	384	601	295	295	523	579	313	668	644	408	524	
45-49	1,132	1,258	768	1,186	746	955	427	759	935	1,104	597	964	1,135	761	943	
50-54	1,561	1,702	1,167	2,218	1,181	1,768	577	1,307	1,366	1,741	865	1,763	1,570	1,234	1,399	
55-59	1,711	2,087	1,550	1,088	1,483	1,670	990	1,711	1,591	1,871	1,266	1,408	1,744	1,488	1,612	
60-64	1,492	2,244	1,447	1,405	1,441	1,724	1,109	2,231	1,466	1,978	1,267	1,830	1,584	1,471	1,525	
65-69	1,478	1,731	1,502	1,823	1,429	1,591	1,227	1,415	1,454	1,659	1,361	1,613	1,515	1,442	1,477	
70-74	1,275	2,048	1,652	*	1,045	1,683	1,076	*	1,157	1,858	1,356	845	1,386	1,123	1,251	
75-79	845	1,743	1,689	*	717	1,148	805	*	778	1,436	1,263	*	988	777	879	
80-84	647	1,535	1,215	.	363	761	761	*	502	1,136	975	*	774	430	597	
85+	372	951	*	.	111	441	*	*	238	692	457	*	451	163	303	
All Age	687	677	442	595	520	541	313	477	602	605	375	536	676	515	593	
Age Adj	685	829	553	706	498	618	363	564	589	718	451	636	692	505	595	
STANDARD ERRORS																
0-4	7	18	21	*	5	10	*	*	4	10	12	42	6	4	4	
5-9	8	21	23	*	5	14	23	81	5	12	16	51	7	5	4	
10-14	10	27	37	82	8	16	31	*	6	16	24	48	9	7	6	
15-19	11	28	33	96	8	18	43	94	7	17	27	67	10	7	6	
20-24	12	26	37	112	10	20	35	*	8	17	25	68	11	9	7	
25-29	12	26	40	*	9	17	*	*	8	15	21	41	10	8	7	
30-34	11	24	30	105	9	16	19	95	7	15	18	71	10	7	6	
35-39	11	29	33	126	9	22	27	94	7	18	21	78	10	8	6	
40-44	14	34	46	181	10	33	41	93	9	24	31	101	12	10	8	
45-49	19	58	77	213	15	46	53	166	12	37	47	134	18	14	11	
50-54	25	79	110	334	21	73	73	247	16	54	66	208	24	20	16	
55-59	29	99	147	272	27	78	111	323	20	63	92	213	28	25	19	
60-64	30	114	161	351	28	86	128	414	21	71	102	273	29	26	20	
65-69	31	104	186	456	28	86	144	365	21	67	117	291	30	26	20	
70-74	30	132	221	*	24	100	152	*	19	82	133	235	32	25	20	
75-79	28	144	271	*	22	93	161	*	18	85	160	*	32	23	19	
80-84	32	186	304	.	18	94	211	*	18	103	182	*	37	21	21	
85+	30	166	*	.	11	73	*	*	16	90	148	*	34	14	18	
Age Adj	4	13	20	45	3	10	15	39	3	8	12	30	4	3	2	

B

Table B.13 (continued)

OTHER UROLOGIC

RATES	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender	
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	& Race	
0-4	14	31	*	.	13	*	.	.	13	18	*	.	16	11	13	
5-9	34	57	*	.	19	*	.	.	27	35	*	.	36	18	27	
10-14	71	114	62	*	46	47	*	*	58	79	37	*	76	45	60	
15-19	111	163	91	*	98	51	114	*	105	106	102	148	117	94	105	
20-24	173	222	99	*	155	94	98	*	164	156	99	212	177	146	161	
25-29	261	372	79	306	187	192	*	*	223	280	61	234	268	182	224	
30-34	278	345	245	675	213	218	124	496	246	280	183	584	290	214	251	
35-39	244	416	237	632	234	279	159	326	239	346	199	474	269	237	253	
40-44	300	717	323	403	228	338	340	*	263	522	333	301	355	246	298	
45-49	346	834	346	574	287	443	280	*	315	632	311	336	409	305	355	
50-54	376	1,036	372	857	334	622	531	*	353	823	457	622	463	377	418	
55-59	544	1,152	540	1,292	404	773	829	672	470	955	691	965	625	468	544	
60-64	957	1,546	875	1,844	521	1,037	636	*	733	1,285	750	1,013	1,035	588	806	
65-69	1,450	2,483	1,364	2,278	688	1,067	874	943	1,063	1,758	1,120	1,602	1,588	747	1,157	
70-74	2,234	3,523	1,741	2,985	772	1,218	1,355	1,381	1,487	2,344	1,529	2,154	2,385	857	1,602	
75-79	2,836	3,498	2,209	3,752	924	1,223	1,127	1,666	1,851	2,324	1,671	2,762	2,896	973	1,912	
80-84	2,840	4,175	3,797	8,034	746	1,030	1,289	*	1,763	2,570	2,513	4,485	3,083	806	1,916	
85+	1,877	2,796	2,413	*	365	942	1,190	*	1,092	1,853	1,729	*	2,004	464	1,216	
All Age	472	583	308	543	280	326	264	268	375	448	285	404	480	285	381	
Age Adj	495	824	459	867	260	378	325	339	359	574	379	566	529	272	381	

STANDARD ERRORS

0-4	14	31	*	.	13	*	.	.	13	18	*	.	16	11	13
5-9	34	57	*	.	19	*	.	.	27	35	*	.	36	18	27
10-14	71	114	62	*	46	47	*	*	58	79	37	*	76	45	60
15-19	111	163	91	*	98	51	114	*	105	106	102	148	117	94	105
20-24	173	222	99	*	155	94	98	*	164	156	99	212	177	146	161
25-29	261	372	79	306	187	192	*	*	223	280	61	234	268	182	224
30-34	278	345	245	675	213	218	124	496	246	280	183	584	290	214	251
35-39	244	416	237	632	234	279	159	326	239	346	199	474	269	237	253
40-44	300	717	323	403	228	338	340	*	263	522	333	301	355	246	298
45-49	346	834	346	574	287	443	280	*	315	632	311	336	409	305	355
50-54	376	1,036	372	857	334	622	531	*	353	823	457	622	463	377	418
55-59	544	1,152	540	1,292	404	773	829	672	470	955	691	965	625	468	544
60-64	957	1,546	875	1,844	521	1,037	636	*	733	1,285	750	1,013	1,035	588	806
65-69	1,450	2,483	1,364	2,278	688	1,067	874	943	1,063	1,758	1,120	1,602	1,588	747	1,157
70-74	2,234	3,523	1,741	2,985	772	1,218	1,355	1,381	1,487	2,344	1,529	2,154	2,385	857	1,602
75-79	2,836	3,498	2,209	3,752	924	1,223	1,127	1,666	1,851	2,324	1,671	2,762	2,896	973	1,912
80-84	2,840	4,175	3,797	8,034	746	1,030	1,289	*	1,763	2,570	2,513	4,485	3,083	806	1,916
85+	1,877	2,796	2,413	*	365	942	1,190	*	1,092	1,853	1,729	*	2,004	464	1,216
All Age	472	583	308	543	280	326	264	268	375	448	285	404	480	285	381
Age Adj	495	824	459	867	260	378	325	339	359	574	379	566	529	272	381



Table B.13 (continued)

UNKNOWN CAUSE

RATES	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender & Race	
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female		
0-4	27	38	*	*	13	33	*	.	19	36	*	*	28	16	22	
5-9	41	52	.	.	34	34	*	*	37	43	*	*	40	34	37	
10-14	78	142	*	*	63	67	65	*	70	104	52	113	85	63	74	
15-19	199	262	176	450	170	353	354	*	184	309	268	327	208	201	205	
20-24	307	560	311	1,077	319	1,170	739	702	313	872	530	885	346	447	399	
25-29	426	1,172	249	918	448	2,109	742	1,283	437	1,651	501	1,102	519	678	602	
30-34	511	2,016	438	567	565	2,797	939	1,294	538	2,415	695	940	700	869	788	
35-39	504	2,508	341	1,263	614	3,474	966	1,413	560	3,001	659	1,338	759	997	883	
40-44	532	3,022	457	1,086	617	3,552	850	1,296	575	3,285	659	1,189	849	1,003	929	
45-49	540	3,122	484	1,340	640	3,105	1,267	1,951	591	3,104	884	1,652	871	988	931	
50-54	610	2,742	610	1,613	697	2,883	1,391	1,400	653	2,801	1,015	1,492	885	1,007	948	
55-59	743	2,640	886	1,360	789	2,748	1,138	1,772	764	2,685	1,016	1,569	993	1,056	1,025	
60-64	1,012	2,723	696	966	852	2,372	769	2,000	929	2,542	734	1,484	1,216	1,051	1,131	
65-69	1,434	2,376	1,410	3,417	1,062	2,358	706	2,453	1,246	2,367	1,054	2,930	1,572	1,227	1,396	
70-74	1,829	2,500	1,416	3,695	1,142	2,560	1,054	2,762	1,478	2,523	1,225	3,195	1,912	1,333	1,617	
75-79	2,169	2,865	2,079	2,293	1,267	2,235	1,256	1,969	1,701	2,535	1,647	2,149	2,247	1,391	1,809	
80-84	2,144	3,024	1,519	*	982	2,084	1,347	*	1,545	2,539	1,410	*	2,212	1,133	1,660	
85+	1,224	2,306	*	*	414	1,049	*	*	802	1,650	631	*	1,329	496	902	
All Age	553	1,410	379	821	527	1,808	707	933	540	1,619	549	878	655	705	680	
Age Adj	566	1,682	477	1,033	500	1,919	728	1,101	524	1,794	599	1,065	695	682	681	

STANDARD ERRORS

0-4	3	8	*	*	2	8	*	.	2	6	*	*	3	2	2
5-9	4	9	.	.	3	7	*	*	3	6	*	*	3	3	2
10-14	5	15	*	*	5	11	21	*	3	9	13	34	5	4	3
15-19	8	21	34	101	8	25	49	*	6	16	30	61	7	7	5
20-24	10	33	45	168	11	47	70	138	8	29	42	108	10	11	7
25-29	12	48	39	153	12	62	63	187	9	40	37	121	12	13	9
30-34	12	62	51	124	13	69	70	189	9	47	44	114	13	14	10
35-39	12	68	45	186	13	76	72	196	9	51	43	135	13	15	10
40-44	12	79	54	184	13	80	69	195	9	56	44	134	15	15	11
45-49	13	91	61	226	14	83	92	266	10	61	56	175	16	16	12
50-54	16	101	79	285	16	93	113	256	11	68	70	190	19	19	13
55-59	19	112	111	304	19	101	119	329	14	75	82	225	22	21	15
60-64	25	125	112	291	22	101	107	392	16	80	77	244	26	23	17
65-69	30	122	181	624	24	105	109	481	19	80	105	393	31	25	20
70-74	36	146	204	725	26	123	151	564	22	95	125	453	37	27	23
75-79	45	185	300	691	29	130	201	546	27	112	179	446	46	31	27
80-84	59	261	340	*	30	156	281	*	32	150	217	*	60	34	34
85+	55	258	*	*	20	112	*	*	28	137	166	*	57	23	30
Age Adj	4	18	19	57	3	17	20	54	2	12	13	39	4	4	3

B

Table B.13 (continued)

OTHER CAUSE

RATES	Specific Rates (Unadjusted)								Rates Adjusted For						
	Males				Females				Gender				Race		Gender
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	& Race
0-4	12	*	*	.	*	*	.	.	*	*	*	.	11	*	*
5-9	22	17	*	.	12	*	*	*	17	13	*	*	21	12	16
10-14	32	84	*	*	43	67	*	*	38	75	39	*	39	47	43
15-19	70	214	72	*	80	151	74	*	75	181	74	*	88	89	88
20-24	176	342	145	342	134	278	255	270	154	309	202	305	197	158	177
25-29	276	850	401	459	194	355	123	464	234	597	259	461	356	214	282
30-34	305	951	420	730	250	511	373	578	277	727	397	651	395	291	341
35-39	345	1,332	648	1,071	284	630	334	570	314	974	487	813	488	332	407
40-44	402	1,787	590	1,303	298	823	470	353	349	1,293	527	820	593	372	478
45-49	438	2,352	761	1,186	337	1,128	867	1,048	386	1,729	822	1,115	701	464	578
50-54	455	2,546	1,126	1,714	353	1,272	1,053	980	403	1,892	1,085	1,338	757	502	625
55-59	556	2,375	1,079	1,156	442	1,582	965	1,650	497	1,972	1,025	1,415	813	618	712
60-64	712	2,735	2,000	1,932	509	2,380	1,094	1,769	608	2,553	1,535	1,848	1,029	780	901
65-69	949	3,217	1,757	3,873	690	2,508	1,463	1,887	816	2,854	1,609	2,848	1,294	960	1,123
70-74	1,271	4,010	1,859	3,411	695	3,072	2,043	3,337	976	3,530	1,956	3,370	1,660	1,072	1,359
75-79	1,718	3,773	3,768	4,378	777	2,854	3,092	1,818	1,235	3,311	3,440	3,090	2,082	1,139	1,600
80-84	2,011	4,378	3,265	*	865	3,021	3,046	4,178	1,422	3,683	3,178	2,648	2,346	1,254	1,787
85+	1,615	2,681	2,833	*	603	2,337	1,860	2,300	1,090	2,496	2,332	1,839	1,784	884	1,324
All Age	398	1,086	551	726	296	758	501	592	346	914	525	658	491	366	427
Age Adj	414	1,415	745	1,026	274	884	618	783	334	1,137	675	904	534	347	429

STANDARD ERRORS

0-4	2	*	*	.	*	*	.	.	1	*	*	.	2	1	1
5-9	3	5	*	.	2	*	*	*	2	3	*	*	2	2	1
10-14	3	12	*	*	4	11	*	*	3	8	11	*	3	4	2
15-19	5	19	22	*	5	16	22	*	4	12	16	*	5	5	3
20-24	8	26	31	95	7	23	41	85	5	17	26	64	7	7	5
25-29	10	41	49	108	8	26	26	113	6	24	28	78	10	8	6
30-34	10	43	50	140	9	30	44	126	6	26	33	94	10	8	6
35-39	10	50	61	172	9	32	42	125	7	29	37	105	11	9	7
40-44	11	61	61	201	9	39	52	102	7	36	40	112	12	9	8
45-49	12	79	77	213	10	50	76	195	8	46	55	144	15	11	9
50-54	13	97	108	294	12	62	98	214	9	57	73	181	17	13	11
55-59	17	106	122	280	15	76	109	318	11	65	82	214	20	16	13
60-64	21	126	189	412	17	101	127	369	13	80	113	276	25	20	16
65-69	25	142	202	664	19	108	157	422	16	89	127	389	29	22	18
70-74	30	185	234	696	20	135	210	620	18	114	157	465	36	26	22
75-79	40	212	404	955	23	147	316	525	23	128	257	544	47	30	27
80-84	57	314	498	*	29	188	422	985	31	181	328	585	65	38	37
85+	63	278	545	*	24	167	372	693	33	160	328	527	66	33	36
Age Adj	3	18	25	60	2	12	20	48	2	10	16	38	3	3	2



Table B.13 (continued)

MISSING DISEASE

RATES	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender	
	White	Black	Asian	N Am	White	Black	Asian	N Am	White	Black	Asian	N Am	Male	Female	& Race	
0- 4	35	94	*	*	30	39	*	.	33	65	46	*	43	32	37	
5- 9	58	131	*	*	43	71	*	.	50	100	49	*	67	46	56	
10-14	107	195	*	*	71	160	*	.	88	177	34	*	115	80	97	
15-19	171	372	130	*	120	379	87	*	145	376	108	123	194	152	172	
20-24	325	1,220	357	368	265	846	393	675	294	1,029	376	526	440	347	392	
25-29	505	2,343	686	510	439	1,704	534	901	472	2,015	603	704	746	607	674	
30-34	738	3,296	695	865	580	2,052	607	1,047	659	2,669	647	960	1,067	774	915	
35-39	964	4,325	891	1,455	718	2,583	669	1,413	838	3,428	772	1,431	1,391	958	1,167	
40-44	1,210	6,274	1,211	3,071	850	3,565	997	1,502	1,023	4,856	1,099	2,250	1,861	1,203	1,520	
45-49	1,517	9,221	1,821	4,134	1,027	4,932	1,494	2,494	1,265	6,980	1,635	3,268	2,519	1,549	2,016	
50-54	1,976	11,200	2,924	7,309	1,301	6,437	1,867	4,293	1,619	8,702	2,348	5,698	3,204	1,990	2,576	
55-59	2,400	14,369	4,290	8,295	1,442	8,293	2,325	5,500	1,904	11,249	3,266	6,828	4,036	2,377	3,178	
60-64	3,211	19,932	5,929	11,592	2,356	14,584	2,913	11,999	2,771	17,194	4,364	11,767	5,506	4,016	4,735	
65-69	1,285	10,070	3,143	5,468	1,425	10,878	2,774	7,169	1,357	10,484	2,960	6,330	2,511	2,729	2,624	
70-74	775	7,252	1,505	*	983	8,086	1,871	4,834	881	7,709	1,690	2,947	1,634	1,955	1,799	
75-79	668	6,029	1,083	*	777	5,889	1,868	2,272	728	5,990	1,569	1,894	1,387	1,489	1,439	
80-84	546	5,371	1,063	*	596	3,946	2,226	3,482	575	4,655	1,696	2,471	1,197	1,112	1,151	
85+	467	3,286	1,049	*	245	1,896	1,041	*	357	2,600	1,062	*	860	497	672	
All Age	879	3,978	1,061	1,749	683	3,004	850	1,634	779	3,466	952	1,691	1,275	1,000	1,135	
Age Adj	870	4,990	1,248	2,320	657	3,421	948	2,104	761	4,181	1,096	2,226	1,331	963	1,138	

STANDARD ERRORS

0- 4	3	13	*	*	3	8	*	.	2	7	12	*	3	3	2
5- 9	4	14	*	*	4	11	*	.	3	9	12	*	4	4	3
10-14	6	18	*	*	5	17	*	.	4	12	10	*	5	5	4
15-19	7	25	29	*	6	26	24	*	5	18	19	37	7	6	5
20-24	11	49	49	98	10	40	51	135	7	31	35	84	11	10	7
25-29	13	69	65	114	12	56	53	157	9	44	41	97	14	13	9
30-34	15	80	64	153	13	59	56	170	10	50	42	115	16	14	11
35-39	16	90	72	200	14	65	60	196	11	55	46	140	18	15	11
40-44	18	114	88	309	16	81	75	210	12	69	57	184	21	17	13
45-49	22	156	118	398	18	105	100	300	14	93	76	246	28	21	17
50-54	28	204	174	607	22	139	131	448	18	122	107	371	36	26	22
55-59	35	261	244	751	26	175	170	580	22	155	147	470	45	32	27
60-64	44	339	325	1,009	36	251	208	961	28	210	191	694	58	45	37
65-69	29	251	270	789	28	226	216	822	20	169	172	570	42	38	28
70-74	24	249	211	*	24	218	201	746	17	166	146	422	38	35	26
75-79	25	268	217	*	23	211	245	587	17	171	174	409	42	35	27
80-84	30	348	284	*	24	215	361	899	19	203	237	576	53	37	32
85+	34	308	332	*	16	150	278	*	19	171	221	*	51	26	28
Age Adj	5	32	29	84	4	24	23	78	3	20	18	58	5	4	3

B

Table B.14

Point Prevalent Counts of Reported ESRD: by State*patients alive on December 31 of each year; after dropping patients in U.S. Territories & in states designated as "unknown"*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
Alabama	3,100	3,516	3,862	4,245	4,564	4,982	5,406	5,936	6,401	6,554
Alaska	143	153	176	208	227	377	679	591	371	377
Arizona	2,281	2,575	2,906	3,268	3,593	3,892	4,247	4,585	4,912	5,165
Arkansas	1,382	1,501	1,690	1,827	2,000	2,285	2,526	2,707	2,889	2,956
California	16,916	18,674	20,852	22,682	24,373	26,564	27,907	29,079	30,073	30,132
Colorado	1,498	1,650	1,824	2,048	2,243	2,457	2,579	2,790	2,987	3,096
Connecticut	1,949	2,149	2,388	2,571	2,720	2,994	3,187	3,399	3,612	3,700
Delaware	481	541	613	702	763	824	862	919	978	1,005
District of Columbia	856	914	1,021	1,139	1,223	1,263	1,344	1,461	1,534	1,507
Florida	8,936	9,872	11,021	12,250	13,231	14,212	15,230	16,594	17,463	17,541
Georgia	4,929	5,482	6,220	6,949	7,556	8,390	9,129	9,831	10,427	10,886
Hawaii	826	901	1,008	1,090	1,213	1,374	1,457	1,534	1,649	1,643
Idaho	428	491	538	572	622	686	735	809	892	917
Illinois	7,364	8,125	9,057	9,810	10,678	11,571	12,472	13,297	14,163	14,758
Indiana	3,274	3,579	3,917	4,329	4,712	4,932	5,409	5,771	6,170	6,499
Iowa	1,471	1,640	1,775	1,976	2,098	2,276	2,356	2,505	2,619	2,730
Kansas	1,271	1,453	1,603	1,737	1,814	1,988	2,124	2,237	2,442	2,507
Kentucky	2,014	2,211	2,477	2,770	2,971	3,031	3,356	3,558	3,779	3,968
Louisiana	3,314	3,656	4,018	4,464	4,795	5,226	5,750	6,151	6,676	7,048
Maine	530	584	624	672	739	823	918	966	1,038	1,091
Maryland	3,270	3,691	4,182	4,625	5,028	5,422	5,719	6,283	6,807	6,959
Massachusetts	3,291	3,561	3,905	4,304	4,638	5,017	5,338	5,635	5,946	6,129
Michigan	5,655	6,237	6,820	7,600	8,270	9,057	9,829	10,773	11,419	11,863
Minnesota	2,403	2,667	2,916	3,180	3,398	3,720	3,955	4,198	4,442	4,593
Mississippi	2,075	2,260	2,511	2,772	3,045	3,408	3,710	4,038	4,332	4,491
Missouri	3,247	3,595	3,959	4,288	4,663	5,087	5,476	5,826	6,123	6,402
Montana	386	430	482	510	558	595	663	706	759	777
Nebraska	805	879	968	1,109	1,173	1,310	1,411	1,480	1,593	1,637
Nevada	644	679	779	873	975	1,092	1,198	1,340	1,440	1,513
New Hampshire	510	543	587	618	650	708	756	775	822	855
New Jersey	5,171	5,692	6,366	6,911	7,343	8,024	8,685	9,239	9,801	10,265
New Mexico	915	1,032	1,183	1,326	1,443	1,541	1,688	1,858	2,026	2,098
New York	11,322	12,280	13,407	14,586	15,682	17,048	18,473	19,782	21,139	22,083
North Carolina	4,746	5,306	5,938	6,665	7,372	8,159	8,756	9,421	10,152	10,647
North Dakota	337	372	413	460	500	540	537	559	599	600
Ohio	6,704	7,365	8,087	8,880	9,525	10,123	11,218	11,958	12,629	13,145
Oklahoma	1,647	1,843	2,007	2,234	2,476	2,713	2,951	3,142	3,389	3,584
Oregon	1,464	1,597	1,821	1,928	2,081	2,263	2,409	2,546	2,640	2,723
Pennsylvania	8,083	8,905	9,764	10,543	11,109	12,185	13,210	13,988	14,684	15,111
Rhode Island	602	639	700	743	811	894	933	997	1,035	1,083
South Carolina	2,870	3,211	3,537	3,904	4,253	4,733	5,128	5,479	5,872	6,142
South Dakota	393	416	445	467	518	570	644	711	759	772
Tennessee	3,337	3,647	4,068	4,495	4,763	5,316	5,744	6,106	6,491	6,736
Texas	10,798	12,089	13,577	15,173	16,593	18,293	19,797	21,449	22,934	24,101
Utah	762	803	888	948	1,071	1,163	1,268	1,320	1,379	1,487
Vermont	237	253	287	302	320	348	391	423	468	503
Virginia	4,209	4,571	5,125	5,731	6,184	6,576	6,937	7,518	8,227	8,638
Washington	2,464	2,684	2,960	3,184	3,436	3,749	4,044	4,282	4,500	4,685
West Virginia	1,014	1,087	1,211	1,302	1,391	1,458	1,506	1,614	1,805	1,899
Wisconsin	2,909	3,126	3,497	3,851	4,116	4,478	4,779	5,102	5,389	5,657
Wyoming	190	198	209	218	235	251	274	298	323	328
All	155,423	171,325	190,189	209,039	225,755	245,988	265,100	283,566	300,999	311,586

Table B.15

Point Prevalent Rates of Reported ESRD: by State*patients alive on December 31 of each year; per million population, adjusted for age, gender, & race*

RATES	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
Alabama	824.0	909.9	986.6	1,064.2	1,123.6	1,208.7	1,295.5	1,402.4	1,488.2	1,500.8
Alaska	293.8	302.8	338.1	384.1	404.4	663.6	1,184.2	1,006.1	613.0	611.8
Arizona	666.8	736.7	806.4	871.5	916.8	949.4	998.4	1,039.8	1,075.0	1,092.8
Arkansas	611.3	655.9	732.6	777.7	838.9	945.2	1,031.2	1,092.1	1,149.9	1,161.1
California	607.6	660.4	723.0	772.5	819.1	880.6	911.6	930.4	937.7	915.6
Colorado	492.5	526.3	563.9	608.9	643.6	683.0	697.4	734.6	765.2	772.0
Connecticut	647.8	704.8	777.0	829.8	871.2	954.3	1,007.7	1,063.4	1,116.5	1,128.9
Delaware	810.9	890.1	988.3	1,110.2	1,164.7	1,221.9	1,243.6	1,295.6	1,341.4	1,343.9
District of Columbia	1,468.9	1,608.0	1,817.4	2,048.1	2,219.4	2,333.9	2,528.4	2,781.7	2,944.6	2,899.5
Florida	748.0	806.4	876.5	950.8	1,003.8	1,050.5	1,097.3	1,165.5	1,192.2	1,166.7
Georgia	838.1	905.4	998.5	1,081.1	1,141.3	1,230.3	1,303.3	1,361.7	1,395.0	1,410.4
Hawaii	852.2	895.4	958.2	1,011.0	1,101.6	1,224.5	1,277.2	1,321.3	1,396.9	1,376.7
Idaho	440.7	492.4	519.6	534.9	565.9	607.1	635.3	681.6	735.6	740.4
Illinois	673.7	735.4	808.3	864.4	929.4	996.9	1,065.3	1,124.6	1,185.6	1,222.4
Indiana	622.2	666.7	719.3	782.9	843.1	871.7	944.6	997.5	1,054.5	1,098.5
Iowa	562.1	615.3	655.5	722.7	759.8	816.1	838.9	887.2	921.7	952.4
Kansas	541.5	609.9	661.6	706.0	729.4	788.4	832.3	869.9	937.9	948.6
Kentucky	574.8	620.5	686.0	755.7	800.2	803.5	880.2	921.6	968.2	1,004.7
Louisiana	873.5	947.8	1,027.1	1,120.7	1,186.1	1,275.8	1,382.1	1,456.2	1,553.0	1,610.4
Maine	460.1	501.5	530.6	570.9	623.2	688.6	762.8	794.2	842.4	876.0
Maryland	775.8	859.3	951.9	1,030.4	1,093.9	1,154.4	1,190.0	1,277.4	1,351.7	1,350.0
Massachusetts	586.6	631.3	688.2	754.8	803.0	859.4	904.3	942.8	979.3	994.4
Michigan	647.2	701.0	756.3	831.8	892.0	964.3	1,032.8	1,118.6	1,173.5	1,206.1
Minnesota	591.8	646.4	693.5	742.1	778.8	839.3	876.7	913.6	951.4	968.1
Mississippi	873.5	934.0	1,022.4	1,112.3	1,200.1	1,320.9	1,415.9	1,515.7	1,595.9	1,625.8
Missouri	662.8	725.7	788.6	843.9	905.4	974.5	1,038.2	1,092.8	1,134.7	1,173.9
Montana	502.1	561.1	609.6	634.3	681.3	710.5	778.0	818.1	871.9	881.6
Nebraska	539.1	579.4	628.4	708.1	745.2	819.5	870.6	904.1	964.4	982.8
Nevada	616.6	602.1	642.2	683.7	723.3	761.8	789.2	833.3	847.7	849.5
New Hampshire	491.6	517.9	554.4	577.1	596.9	638.6	667.7	673.4	701.8	717.6
New Jersey	718.5	780.1	862.6	926.9	971.3	1,047.7	1,119.2	1,173.6	1,224.5	1,260.5
New Mexico	666.8	734.6	812.9	884.0	935.7	973.8	1,038.8	1,117.2	1,190.0	1,203.4
New York	674.3	725.5	786.7	848.7	905.3	977.9	1,052.4	1,115.9	1,177.6	1,214.0
North Carolina	755.4	825.4	907.9	999.4	1,082.0	1,170.9	1,231.0	1,295.8	1,363.7	1,400.1
North Dakota	581.6	634.1	703.6	758.7	824.7	877.3	858.0	886.1	946.0	942.1
Ohio	654.8	709.7	769.5	834.0	884.9	930.8	1,024.2	1,082.8	1,134.8	1,171.8
Oklahoma	556.2	615.2	661.3	722.9	789.8	854.8	916.7	963.5	1,024.3	1,066.9
Oregon	538.2	573.2	636.0	657.8	692.0	739.3	771.6	799.3	813.2	824.8
Pennsylvania	710.0	774.4	842.3	903.3	946.7	1,034.0	1,115.9	1,177.1	1,230.5	1,259.6
Rhode Island	638.2	667.8	731.4	782.5	848.8	932.3	970.2	1,025.6	1,057.9	1,095.0
South Carolina	903.5	984.1	1,064.9	1,152.5	1,228.6	1,339.9	1,427.4	1,493.7	1,558.1	1,591.2
South Dakota	593.3	614.6	647.8	673.8	738.5	802.1	894.6	975.1	1,035.0	1,045.5
Tennessee	727.6	781.0	854.8	927.9	963.4	1,055.7	1,117.9	1,164.3	1,212.7	1,233.7
Texas	692.3	756.1	825.7	895.3	953.1	1,023.1	1,079.5	1,139.8	1,184.0	1,208.3
Utah	465.2	472.8	508.6	527.2	572.5	599.7	637.6	651.0	664.4	702.4
Vermont	473.9	480.6	539.9	558.0	583.4	623.5	695.6	739.2	804.5	849.7
Virginia	745.2	793.1	868.2	946.7	999.6	1,041.9	1,078.7	1,146.3	1,229.3	1,266.9
Washington	540.3	572.8	610.4	640.0	673.4	715.6	755.1	780.9	802.6	818.1
West Virginia	596.7	631.1	696.7	740.8	788.1	821.8	846.3	905.0	1,005.2	1,049.7
Wisconsin	639.5	677.2	741.4	800.4	842.7	901.2	946.5	996.0	1,040.5	1,080.7
Wyoming	454.1	459.8	477.3	489.4	521.4	552.3	588.4	635.1	680.6	681.4

B

Table B.15 (continued)

STANDARD ERRORS										
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
Alabama	15.0	15.6	16.0	16.4	16.7	17.2	17.6	18.2	18.6	18.5
Alaska	25.9	25.8	26.6	27.5	27.4	34.7	45.6	41.4	31.8	31.5
Arizona	14.2	14.7	15.1	15.4	15.4	15.3	15.3	15.4	15.3	15.2
Arkansas	16.7	17.2	18.0	18.3	18.9	19.8	20.5	21.0	21.4	21.3
California	4.8	4.9	5.1	5.2	5.3	5.4	5.5	5.5	5.4	5.3
Colorado	13.1	13.3	13.5	13.6	13.7	13.9	13.8	13.9	14.0	13.9
Connecticut	15.0	15.5	16.1	16.5	16.8	17.5	17.9	18.2	18.6	18.5
Delaware	37.6	38.8	40.4	42.3	42.4	42.7	42.4	42.7	42.8	42.3
District of Columbia	51.1	54.0	57.5	61.2	63.8	65.9	69.0	72.7	74.9	74.4
Florida	8.1	8.2	8.4	8.7	8.8	8.8	8.9	9.0	9.0	8.8
Georgia	12.2	12.4	12.8	13.1	13.2	13.5	13.6	13.7	13.6	13.5
Hawaii	31.3	31.1	31.0	31.1	32.0	33.2	33.6	33.8	34.4	33.9
Idaho	21.8	22.6	22.7	22.6	22.8	23.3	23.5	24.0	24.6	24.4
Illinois	8.0	8.3	8.6	8.8	9.0	9.3	9.5	9.8	10.0	10.0
Indiana	11.0	11.3	11.6	12.0	12.3	12.4	12.9	13.1	13.4	13.6
Iowa	14.9	15.4	15.7	16.4	16.7	17.2	17.3	17.7	18.0	18.2
Kansas	15.5	16.2	16.7	17.1	17.2	17.7	18.1	18.4	19.0	18.9
Kentucky	13.0	13.4	13.9	14.4	14.7	14.6	15.2	15.4	15.7	15.9
Louisiana	15.4	15.9	16.4	16.9	17.2	17.7	18.2	18.5	19.0	19.1
Maine	20.4	21.1	21.5	22.2	23.1	24.1	25.2	25.6	26.1	26.5
Maryland	13.8	14.3	14.9	15.3	15.5	15.7	15.7	16.1	16.3	16.1
Massachusetts	10.5	10.8	11.2	11.6	11.9	12.2	12.4	12.6	12.7	12.7
Michigan	8.7	9.0	9.3	9.6	9.9	10.2	10.4	10.8	11.0	11.1
Minnesota	12.4	12.8	13.0	13.3	13.5	13.8	14.0	14.1	14.3	14.3
Mississippi	19.6	20.0	20.7	21.3	21.9	22.7	23.3	23.8	24.2	24.2
Missouri	11.8	12.2	12.6	13.0	13.3	13.7	14.0	14.3	14.5	14.6
Montana	26.3	27.8	28.4	28.5	29.1	29.3	30.3	30.8	31.6	31.6
Nebraska	19.4	19.9	20.4	21.5	21.9	22.7	23.2	23.5	24.1	24.3
Nevada	25.1	23.7	23.5	23.5	23.4	23.2	22.9	22.8	22.3	21.8
New Hampshire	22.2	22.5	23.1	23.4	23.6	24.1	24.3	24.2	24.5	24.5
New Jersey	10.2	10.5	11.0	11.3	11.4	11.7	12.0	12.2	12.4	12.4
New Mexico	22.4	23.2	23.9	24.4	24.7	24.9	25.3	25.9	26.4	26.2
New York	6.4	6.6	6.9	7.1	7.3	7.5	7.8	7.9	8.1	8.2
North Carolina	11.1	11.5	11.9	12.3	12.6	13.0	13.2	13.3	13.5	13.5
North Dakota	32.6	33.4	35.1	35.7	37.1	37.9	37.1	37.5	38.6	38.4
Ohio	8.1	8.4	8.6	8.9	9.1	9.3	9.7	9.9	10.1	10.2
Oklahoma	13.9	14.5	14.9	15.4	15.9	16.5	16.9	17.2	17.6	17.8
Oregon	14.4	14.6	15.1	15.2	15.3	15.6	15.8	15.9	15.8	15.8
Pennsylvania	8.0	8.3	8.6	8.9	9.0	9.4	9.7	10.0	10.1	10.2
Rhode Island	26.7	27.0	28.1	29.1	30.1	31.4	31.9	32.5	32.9	33.2
South Carolina	17.2	17.6	18.1	18.6	18.9	19.5	19.9	20.1	20.3	20.2
South Dakota	30.9	30.8	31.2	31.5	32.7	33.8	35.4	36.6	37.5	37.5
Tennessee	12.8	13.1	13.5	14.0	14.0	14.5	14.8	14.9	15.0	15.0
Texas	6.8	7.0	7.2	7.3	7.4	7.6	7.7	7.8	7.8	7.8
Utah	17.2	16.9	17.3	17.3	17.6	17.6	17.9	17.9	17.9	18.2
Vermont	31.7	30.8	32.4	32.5	32.9	33.6	35.2	36.0	37.2	37.8
Virginia	11.7	11.9	12.3	12.6	12.8	12.9	13.0	13.2	13.5	13.6
Washington	11.1	11.3	11.4	11.5	11.6	11.7	11.9	11.9	12.0	11.9
West Virginia	19.1	19.5	20.3	20.7	21.3	21.6	21.9	22.5	23.6	24.1
Wisconsin	12.1	12.3	12.7	13.0	13.2	13.5	13.7	13.9	14.2	14.4
Wyoming	34.0	33.6	33.6	33.6	34.4	35.1	35.7	36.8	37.8	37.6

Table B.16

Point Prevalent Counts of Reported ESRD Patients: by Network*patients alive on December 31 of each year; before dropping patient in U.S. Territories & in networks designated as "unknown"*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
1 CT, MA, ME, NH, RI, VT	7,256	7,873	8,639	9,402	10,067	11,094	11,894	12,499	13,206	13,621
2 NY	11,914	12,920	14,141	15,475	16,676	18,675	20,259	20,976	22,178	22,953
3 NJ, PR	6,919	7,616	8,491	9,254	9,828	10,902	11,794	12,448	13,164	13,632
4 PA	8,827	9,786	10,768	11,680	12,284	13,567	14,624	15,412	16,197	16,617
5 MD, DC, VA, WV	9,401	10,323	11,622	12,900	14,008	14,876	15,629	16,976	18,433	19,119
6 NC, SC, GA	12,263	13,713	15,342	17,129	18,743	21,010	22,760	24,314	26,015	27,248
7 FL	8,548	9,413	10,497	11,600	12,587	13,578	14,584	15,971	16,849	17,067
8 TN, AL, MS	8,617	9,504	10,574	11,645	12,496	13,923	15,114	16,229	17,409	17,956
9 OH, IN, KY	12,051	13,220	14,524	16,016	17,265	18,152	20,129	21,509	22,789	23,821
10 IL	7,324	8,090	8,997	9,753	10,643	11,793	12,773	13,386	14,040	14,526
11 ND, SD, MN, WI	11,858	12,998	14,307	15,776	17,063	18,905	20,477	22,001	23,258	24,167
12 NE, IA, KS, MO	6,876	7,655	8,419	9,273	9,940	10,985	11,744	12,267	13,012	13,550
13 OK, AR, LA	6,359	7,029	7,741	8,569	9,282	10,295	11,269	11,923	12,849	13,545
14 TX	10,988	12,288	13,789	15,482	17,053	18,851	20,375	22,000	23,471	24,602
15 AZ, CO, NV, NM, UT, WY	6,386	7,052	7,970	8,913	9,889	10,852	11,686	12,515	13,326	13,987
16 AK, ID, MT, OR, WA	4,905	5,377	6,011	6,442	6,953	7,668	8,324	8,775	9,194	9,483
17 N. CA, HI, Guam, Amer. S	7,178	8,009	8,932	9,755	10,693	11,788	12,467	13,219	13,986	14,305
18 S. CA	10,028	11,033	12,399	13,579	14,589	16,431	17,871	18,868	19,926	20,483
Unknown Network	634	727	1,048	1,516	2,242	5,403	4,938	1,976	2,179	2,477
All	158,332	174,626	194,211	214,159	232,301	258,750	278,712	293,265	311,481	323,159

Table B.17

Point Prevalent Counts of Reported ESRD Patients: by Network*patients alive on December 31 of each year; after dropping patients in U.S. Territories & in networks designated as "unknown"*

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
1 CT, MA, ME, NH, RI, VT	7,212	7,828	8,590	9,346	9,998	10,928	11,717	12,388	13,100	13,504
2 NY	11,815	12,823	14,024	15,317	16,486	17,954	19,463	20,649	21,934	22,753
3 NJ, PR	5,192	5,701	6,371	6,888	7,329	7,994	8,671	9,229	9,757	10,176
4 PA	8,805	9,759	10,735	11,634	12,234	13,390	14,387	15,276	16,106	16,541
5 MD, DC, VA, WV	9,386	10,311	11,605	12,873	13,980	14,827	15,556	16,915	18,382	19,066
6 NC, SC, GA	12,253	13,698	15,321	17,092	18,696	20,827	22,535	24,199	25,941	27,191
7 FL	8,526	9,389	10,469	11,571	12,557	13,518	14,512	15,906	16,791	16,998
8 TN, AL, MS	8,608	9,494	10,560	11,628	12,475	13,748	14,909	16,137	17,335	17,886
9 OH, IN, KY	12,028	13,197	14,498	15,974	17,212	18,082	20,024	21,383	22,694	23,730
10 IL	7,293	8,050	8,951	9,676	10,545	11,465	12,374	13,164	13,897	14,425
11 ND, SD, MN, WI	11,834	12,969	14,264	15,729	16,991	18,632	20,118	21,733	22,979	23,856
12 NE, IA, KS, MO	6,862	7,637	8,395	9,237	9,894	10,787	11,514	12,162	12,919	13,458
13 OK, AR, LA	6,349	7,017	7,728	8,553	9,258	10,196	11,151	11,873	12,795	13,463
14 TX	10,965	12,262	13,763	15,418	16,856	18,543	20,136	21,829	23,294	24,429
15 AZ, CO, NV, NM, UT, WY	6,354	7,005	7,887	8,790	9,667	10,490	11,392	12,376	13,192	13,840
16 AK, ID, MT, OR, WA	4,893	5,360	5,985	6,410	6,917	7,580	8,221	8,704	9,123	9,403
17 N. CA, HI, Guam, Amer. S	7,063	7,854	8,726	9,440	10,246	11,161	11,653	12,208	12,679	12,725
18 S. CA	9,985	10,971	12,317	13,463	14,414	15,864	16,766	17,434	18,081	18,142
All	155,423	171,325	190,189	209,039	225,755	245,986	265,099	283,565	300,999	311,586

B

Table B.18

Point Prevalent Rates of Reported ESRD: by Network*patients alive on December 31 of each year; per million population, adjusted for age, gender, & race*

RATES	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
1 CT, MA, ME, NH, RI, VT	588.0	632.7	689.3	745.1	788.8	854.5	906.8	946.6	987.0	1,003.3
2 NY	703.9	757.6	823.2	891.5	952.1	1,030.5	1,109.0	1,164.8	1,221.9	1,250.9
3 NJ, PR	721.2	781.3	863.2	923.9	969.8	1,043.6	1,117.5	1,173.0	1,219.3	1,249.6
4 PA	736.3	807.4	880.1	946.8	988.5	1,075.7	1,148.8	1,213.5	1,272.3	1,297.9
5 MD, DC, VA, WV	765.2	827.8	914.8	996.4	1,062.7	1,109.3	1,146.1	1,225.3	1,308.0	1,333.1
6 NC, SC, GA	799.0	870.3	952.5	1,037.0	1,106.9	1,203.1	1,272.9	1,332.8	1,388.2	1,417.5
7 FL	714.8	767.4	833.0	898.6	952.7	998.8	1,045.5	1,117.3	1,146.3	1,130.5
8 TN, AL, MS	800.9	864.7	946.3	1,024.4	1,078.8	1,169.5	1,247.9	1,328.0	1,401.0	1,420.7
9 OH, IN, KY	631.7	683.0	740.4	804.3	857.2	890.1	976.8	1,033.2	1,086.6	1,125.5
10 IL	668.6	729.3	799.3	852.9	918.2	988.1	1,057.4	1,113.8	1,163.5	1,194.8
11 ND, SD, MN, WI	634.8	684.4	740.6	804.2	855.9	924.9	984.3	1,049.2	1,096.8	1,125.8
12 NE, IA, KS, MO	604.9	663.9	719.7	782.0	827.6	890.3	940.5	984.5	1,034.4	1,065.7
13 OK, AR, LA	704.5	767.6	834.2	906.6	967.9	1,052.7	1,135.3	1,192.0	1,264.5	1,309.4
14 TX	703.5	767.9	837.8	910.8	968.9	1,037.7	1,098.3	1,160.1	1,202.6	1,224.7
15 AZ, CO, NV, NM, UT, WY	585.9	625.7	681.0	731.2	772.5	804.9	844.3	887.7	915.7	931.4
16 AK, ID, MT, OR, WA	514.5	550.4	594.9	621.1	653.4	699.4	743.1	769.4	790.4	799.3
17 N. CA, HI, Guam, Amer. Samc	631.3	685.8	745.0	790.3	843.5	904.0	927.5	950.3	962.4	943.1
18 S. CA	566.1	614.9	677.9	728.6	770.9	837.9	874.0	890.9	900.6	880.3
STANDARD ERRORS										
1 CT, MA, ME, NH, RI, VT	7.1	7.3	7.5	7.8	7.9	8.2	8.4	8.5	8.6	8.6
2 NY	6.6	6.8	7.0	7.3	7.5	7.7	8.0	8.1	8.2	8.3
3 NJ, PR	10.2	10.6	11.0	11.3	11.4	11.7	12.0	12.2	12.3	12.4
4 PA	8.0	8.3	8.6	8.9	9.0	9.3	9.6	9.8	10.0	10.1
5 MD, DC, VA, WV	8.0	8.3	8.6	8.8	9.0	9.1	9.2	9.4	9.6	9.6
6 NC, SC, GA	7.3	7.5	7.8	8.0	8.1	8.4	8.5	8.6	8.6	8.6
7 FL	7.9	8.0	8.2	8.4	8.6	8.6	8.7	8.9	8.8	8.7
8 TN, AL, MS	8.8	9.0	9.3	9.6	9.7	10.0	10.2	10.4	10.6	10.6
9 OH, IN, KY	5.8	6.0	6.2	6.4	6.6	6.6	6.9	7.1	7.2	7.3
10 IL	7.9	8.2	8.5	8.7	9.0	9.2	9.5	9.7	9.9	9.9
11 ND, SD, MN, WI	5.9	6.1	6.3	6.5	6.6	6.8	7.0	7.1	7.2	7.3
12 NE, IA, KS, MO	7.4	7.7	7.9	8.2	8.4	8.6	8.8	8.9	9.1	9.2
13 OK, AR, LA	9.0	9.3	9.6	9.9	10.1	10.5	10.8	10.9	11.2	11.3
14 TX	6.9	7.1	7.2	7.4	7.5	7.7	7.8	7.9	7.9	7.8
15 AZ, CO, NV, NM, UT, WY	7.5	7.6	7.8	7.9	7.9	7.9	7.9	8.0	8.0	7.9
16 AK, ID, MT, OR, WA	7.5	7.7	7.8	7.8	7.9	8.1	8.2	8.3	8.3	8.2
17 N. CA, HI, Guam, Amer. Samc	7.7	7.9	8.1	8.2	8.4	8.6	8.6	8.6	8.5	8.4
18 S. CA	5.8	6.0	6.2	6.3	6.5	6.7	6.8	6.8	6.7	6.5