

SECTION E
Morbidity &
Hospitalization

E

Contents

- 415 E.1 [First admissions per 1,000 patient years: all dialysis patients](#)
period prevalent patients, 1998
- 416 E.1S [Supplement to Table E.1](#)
all period prevalent dialysis patients, counts of hospital days & years at risk used to compute first admission rates
- 417 E.2 [First admissions per 1,000 patient years: male dialysis patients](#)
period prevalent patients, 1998
- 418 E.2S [Supplement to Table E.2](#)
male period prevalent dialysis patients, counts of hospital days & years at risk used to compute first admission rates
- 419 E.3 [First admissions per 1,000 patient years: female dialysis patients](#)
period prevalent patients, 1998
- 420 E.3S [Supplement to Table E.3](#)
female period prevalent dialysis patients, counts of hospital days & years at risk used to compute first admission rates
- 421 E.4 [First admissions per 1,000 patient years: all hemodialysis patients](#)
period prevalent patients, 1998
- 422 E.4S [Supplement to Table E.4](#)
all period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute first admission rates
- 423 E.5 [First admissions per 1,000 patient years: male hemodialysis patients](#)
period prevalent patients, 1998
- 424 E.5S [Supplement to Table E.5](#)
male period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute first admission rates
- 425 E.6 [First admissions per 1,000 patient years: female hemodialysis patients](#)
period prevalent patients, 1998
- 426 E.6S [Supplement to Table E.6](#)
female period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute first admission rates
- 427 E.7 [First admissions per 1,000 patient years: all CAPD/CCPD patients](#)
period prevalent patients, 1998
- 428 E.7S [Supplement to Table E.7](#)
all period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute first admission rates
- 429 E.8 [First admissions per 1,000 patient years: male CAPD/CCPD patients](#)
period prevalent patients, 1998
- 430 E.8S [Supplement to Table E.8](#)
male period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute first admission rates
- 431 E.9 [First admissions per 1,000 patient years: female CAPD/CCPD patients](#)
period prevalent patients, 1998
- 432 E.9S [Supplement to Table E.9](#)
female period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute first admission rates
- 433 E.10 [First admissions per 1,000 patient years: all ESRD patients](#)
period prevalent patients, 1998

- 434 E.10S [Supplement to Table E.10](#)
all period prevalent ESRD patients, counts of hospital days & years at risk used to compute first admission rates
- 435 E.11 [First admissions per 1,000 patient years: male ESRD patients](#)
period prevalent patients, 1998
- 436 E.11S [Supplement to Table E.11](#)
male period prevalent ESRD patients, counts of hospital days & years at risk used to compute first admission rates
- 437 E.12 [First admissions per 1,000 patient years: female ESRD patients](#)
period prevalent patients, 1998
- 438 E.12S [Supplement to Table E.12](#)
female period prevalent ESRD patients, counts of hospital days & years at risk used to compute first admission rates
- 439 E.13 [First admission standardized hospitalization ratios](#)
by state, all period prevalent dialysis patients
- 440 E.14 [Total admissions per 1,000 patient years: all dialysis patients](#)
period prevalent patients, 1996–1998
- 441 E.14S [Supplement to Table E.14](#)
all period prevalent dialysis patients, counts of hospital days & years at risk used to compute total admission rates
- 442 E.15 [Total admissions per 1,000 patient years: male dialysis patients](#)
period prevalent patients, 1996–1998
- 443 E.15S [Supplement to Table E.15](#)
male period prevalent dialysis patients, counts of hospital days & years at risk used to compute total admission rates
- 444 E.16 [Total admissions per 1,000 patient years: female dialysis patients](#)
period prevalent patients, 1996–1998
- 445 E.16S [Supplement to Table E.16](#)
female period prevalent dialysis patients, counts of hospital days & years at risk used to compute total admission rates
- 446 E.17 [Total admissions per 1,000 patient years: all hemodialysis patients](#)
period prevalent patients, 1996–1998
- 447 E.17S [Supplement to Table E.17](#)
all period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute total admission rates
- 448 E.18 [Total admissions per 1,000 patient years: male hemodialysis patients](#)
period prevalent patients, 1996–1998
- 449 E.18S [Supplement to Table E.18](#)
male period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute total admission rates
- 450 E.19 [Total admissions per 1,000 patient years: female hemodialysis patients](#)
period prevalent patients, 1996–1998
- 451 E.19S [Supplement to Table E.19](#)
female period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute total admission rates
- 452 E.20 [Total admissions per 1,000 patient years: all CAPD/CCPD patients](#)
period prevalent patients, 1996–1998
- 453 E.20S [Supplement to Table E.20](#)
all period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute total admission rates
- 454 E.21 [Total admissions per 1,000 patient years: male CAPD/CCPD patients](#)
period prevalent patients, 1996–1998
- 455 E.21S [Supplement to Table E.21](#)
male period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute total admission rates

- 456 E.22 **Total admissions per 1,000 patient years: female CAPD/CCPD patients**
period prevalent patients, 1996–1998
- 457 E.22S **Supplement to Table E.22**
female period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute total admission rates
- 458 E.23 **Total admissions per 1,000 patient years: all ESRD patients**
period prevalent patients, 1996–1998
- 459 E.23S **Supplement to Table E.23**
all period prevalent ESRD patients, counts of hospital days & years at risk used to compute total admission rates
- 460 E.24 **Total admissions per 1,000 patient years: male ESRD patients**
period prevalent patients, 1996–1998
- 461 E.24S **Supplement to Table E.24**
male period prevalent ESRD patients, counts of hospital days & years at risk used to compute total admission rates
- 462 E.25 **Total admissions per 1,000 patient years: female ESRD patients**
period prevalent patients, 1996–1998
- 463 E.25S **Supplement to Table E.25**
female period prevalent ESRD patients, counts of hospital days & years at risk used to compute total admission rates
- 464 E.26 **Hospital days per patient year at risk: all dialysis patients**
period prevalent patients, 1996–1998
- 465 E.26S **Supplement to Table E.26**
all period prevalent dialysis patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 466 E.27 **Hospital days per patient year at risk: male dialysis patients**
period prevalent patients, 1996–1998
- 467 E.27S **Supplement to Table E.27**
male period prevalent dialysis patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 468 E.28 **Hospital days per patient year at risk: female dialysis patients**
period prevalent patients, 1996–1998
- 469 E.28S **Supplement to Table E.28**
female period prevalent dialysis patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 470 E.29 **Hospital days per patient year at risk: all hemodialysis patients**
period prevalent patients, 1996–1998
- 471 E.29S **Supplement to Table E.29**
all period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 472 E.30 **Hospital days per patient year at risk: male hemodialysis patients**
period prevalent patients, 1996–1998
- 473 E.30S **Supplement to Table E.30**
male period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 474 E.31 **Hospital days per patient year at risk: female hemodialysis patients**
period prevalent patients, 1996–1998
- 475 E.31S **Supplement to Table E.31**
female period prevalent hemodialysis patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 476 E.32 **Hospital days per patient year at risk: all CAPD/CCPD patients**
period prevalent patients, 1996–1998
- 477 E.32S **Supplement to Table E.32**
all period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 478 E.33 **Hospital days per patient year at risk: male CAPD/CCPD patients**
period prevalent patients, 1996–1998

- 479 E.33S [Supplement to Table E.33](#)
male period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 480 E.34 [Hospital days per patient year at risk: female CAPD/CCPD patients](#)
period prevalent patients, 1996–1998
- 481 E.34S [Supplement to Table E.34](#)
female period prevalent CAPD/CCPD patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 482 E.35 [Hospital days per patient year at risk: all ESRD patients](#)
period prevalent patients, 1996–1998
- 483 E.35S [Supplement to Table E.35](#)
all period prevalent ESRD patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 484 E.36 [Hospital days per patient year at risk: male ESRD patients](#)
period prevalent patients, 1996–1998
- 485 E.36S [Supplement to Table E.36](#)
male period prevalent ESRD patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 486 E.37 [Hospital days per patient year at risk: female ESRD patients](#)
period prevalent patients, 1996–1998
- 487 E.37S [Supplement to Table E.37](#)
female period prevalent ESRD patients, counts of hospital days & years at risk used to compute hospital days per patient year at risk
- 488 E.38 [Total hospital discharges by general diagnostic related group](#)
period prevalent patients, 1996–1998
- 489 E.39 [Total hospital discharges by specific diagnostic related group](#)
period prevalent patients, 1996–1998

Table E.1

First Admissions per 1,000 Patient Years: All Dialysis Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,224	1,229	843	1,167	1,297	1,466	1,355	1,051	1,394	1,555	1,119	1,053	743	1,076	1,182
0-14	1,316	1,291	1,082	1,397	1,277	1,316	1,291	1,082	1,397	1,277	1,316	1,291	1,082	1,397	1,277
15-19	993	1,076	729	1,039	990	2,071	1,913	1,837	2,135	2,108	999	1,007	802	1,063	962
20-24	941	1,008	687	986	934	1,813	1,684	1,579	1,876	1,843	919	929	722	967	908
25-29	925	971	660	955	927	1,649	1,475	1,351	1,691	1,652	855	870	664	903	821
30-34	989	992	710	1,012	993	1,605	1,437	1,303	1,698	1,563	873	858	659	937	827
35-39	1,024	995	689	1,041	1,043	1,536	1,337	1,240	1,533	1,549	909	873	626	983	855
40-44	1,016	1,105	675	1,009	1,057	1,485	1,351	1,188	1,422	1,547	901	910	607	952	868
45-49	1,039	1,115	742	1,021	1,080	1,417	1,301	1,080	1,363	1,488	907	905	653	935	891
50-54	1,116	1,159	830	1,085	1,170	1,401	1,312	1,090	1,349	1,480	973	953	694	979	995
55-59	1,179	1,241	893	1,122	1,255	1,415	1,331	1,086	1,329	1,529	1,022	1,026	746	1,006	1,061
60-64	1,243	1,269	892	1,181	1,322	1,424	1,350	1,036	1,340	1,531	1,105	1,083	755	1,067	1,164
65-69	1,292	1,316	905	1,236	1,359	1,422	1,345	1,032	1,346	1,510	1,182	1,159	765	1,143	1,234
70-74	1,333	1,347	888	1,298	1,382	1,480	1,391	1,010	1,413	1,563	1,234	1,226	796	1,206	1,272
75-79	1,394	1,398	918	1,379	1,430	1,540	1,427	1,032	1,483	1,615	1,320	1,332	836	1,313	1,349
80-84	1,458	1,481	864	1,499	1,483	1,630	1,469	1,010	1,583	1,728	1,404	1,465	831	1,454	1,423
85+	1,575	1,481	1,002	1,633	1,588	1,678	1,500	1,071	1,556	1,862	1,549	1,558	953	1,641	1,545
STANDARD ERRORS															
All	3.5	16.9	9.7	3.9	3.8	1.6	21.2	17.0	6.4	5.9	1.1	23.4	10.6	4.2	3.9
0-14	43.6	106.6	81.4	72.0	53.8	43.6	106.6	81.4	72.0	53.8	43.6	106.6	81.4	72.0	53.8
15-19	32.0	84.0	53.1	42.1	37.0	103.8	157.4	148.4	142.7	140.1	28.5	75.1	54.8	44.0	37.5
20-24	17.3	65.8	39.5	23.2	22.1	66.2	120.0	110.4	97.3	95.0	15.6	58.7	39.7	25.2	23.6
25-29	12.6	57.5	33.6	16.4	16.6	38.5	93.6	84.0	64.1	54.1	11.3	50.6	32.9	18.0	17.6
30-34	10.7	50.9	33.1	14.2	14.1	26.4	80.6	75.0	51.0	35.4	9.7	45.2	30.3	15.6	15.4
35-39	9.2	45.6	27.9	12.0	12.6	21.2	68.9	65.6	39.8	29.6	8.5	42.3	25.8	13.4	14.0
40-44	8.1	45.0	24.4	10.0	11.5	17.5	61.2	58.7	30.3	26.3	7.6	42.8	23.1	11.5	13.2
45-49	7.5	39.0	25.4	9.3	10.6	13.9	50.4	48.2	23.0	22.1	7.2	40.2	24.5	10.8	12.5
50-54	7.5	36.8	26.6	9.6	10.4	11.6	45.6	43.4	19.1	19.1	7.8	41.8	26.0	11.9	13.2
55-59	7.4	37.2	27.5	9.4	10.2	10.2	42.3	40.5	16.3	17.2	8.0	45.8	28.2	12.3	13.5
60-64	7.2	37.6	26.6	9.3	9.6	9.6	43.6	37.0	15.5	15.7	8.3	48.8	28.5	13.1	13.4
65-69	6.4	37.6	22.2	8.9	7.9	8.1	41.5	31.3	13.8	12.5	7.0	50.4	25.3	12.4	10.3
70-74	6.4	41.9	21.2	9.8	7.5	8.7	47.7	30.6	15.7	13.1	6.7	53.1	24.6	13.0	9.2
75-79	7.4	52.2	24.6	12.4	8.3	11.2	59.2	36.4	20.9	16.5	7.3	60.7	27.1	15.9	9.7
80-84	10.1	73.1	28.7	18.6	11.1	17.9	74.0	42.7	33.2	26.5	9.5	79.3	30.6	22.5	12.4
85+	16.0	88.2	45.2	27.9	17.7	31.3	87.6	54.6	50.3	49.3	14.4	91.2	44.1	31.8	19.0

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

E

Table E.1S

Supplement to Table E.1

all period prevalent dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	123,322	2,150	3,091	47,428	68,899	48,379	1,343	1,251	17,454	27,433	65,413	650	1,598	25,277	37,349
0-14	229	*	6	68	136	*	*	.	*	.	211	*	5	66	125
15-19	361	9	8	153	175	*	.	.	*	*	319	9	8	136	154
20-24	1,089	25	34	487	503	58	*	*	25	25	831	20	27	368	393
25-29	2,107	32	62	1,048	918	319	*	*	117	187	1,430	23	48	735	603
30-34	3,250	51	75	1,578	1,480	782	18	9	258	481	1,994	29	53	1,074	809
35-39	4,891	74	117	2,427	2,192	1,239	18	26	378	796	2,960	47	76	1,682	1,119
40-44	6,426	131	161	3,338	2,695	1,783	63	35	606	1,047	3,777	52	103	2,272	1,313
45-49	7,965	177	188	4,114	3,347	2,702	101	51	1,085	1,412	4,303	59	110	2,521	1,561
50-54	9,059	249	234	4,238	4,176	3,912	169	95	1,586	1,965	4,174	58	113	2,190	1,777
55-59	10,632	286	266	4,795	5,071	5,376	223	118	2,205	2,694	4,291	50	117	2,137	1,952
60-64	12,581	295	282	5,363	6,409	6,260	208	138	2,490	3,283	4,684	50	106	2,098	2,386
65-69	17,718	302	464	6,477	10,246	8,996	226	251	3,270	5,097	7,784	65	184	2,717	4,762
70-74	18,858	255	496	5,899	12,014	8,428	178	256	2,801	5,065	9,793	68	229	2,798	6,643
75-79	15,448	167	379	4,186	10,577	5,506	88	163	1,688	3,487	9,477	75	208	2,294	6,850
80-84	8,670	71	222	2,134	6,187	2,305	38	73	714	1,459	6,153	27	146	1,339	4,612
85+	4,038	24	97	1,123	2,773	709	7	31	229	433	3,232	16	65	850	2,290

YEARS AT RISK

All	100,763	1,737	3,685	40,817	52,952	32,996	989	1,213	12,599	17,569	58,472	604	2,154	23,536	31,572
0-14	173	*	4	51	105	*	*	.	*	.	157	*	4	49	95
15-19	368	8	14	147	180	*	.	.	*	*	323	7	10	133	162
20-24	1,191	24	52	522	541	32	*	*	13	15	927	20	39	405	428
25-29	2,301	31	90	1,118	1,001	200	*	*	73	116	1,674	20	68	819	735
30-34	3,345	63	105	1,593	1,507	500	16	8	147	321	2,309	40	83	1,166	979
35-39	4,742	85	172	2,318	2,068	802	25	17	242	506	3,222	51	134	1,688	1,291
40-44	6,376	103	255	3,332	2,584	1,210	39	25	438	683	4,197	50	192	2,367	1,540
45-49	7,636	156	241	3,997	3,112	1,901	77	44	794	952	4,685	64	160	2,646	1,761
50-54	8,212	214	285	3,955	3,604	2,794	125	86	1,180	1,329	4,328	64	164	2,258	1,795
55-59	8,980	219	285	4,282	4,025	3,758	159	112	1,653	1,744	4,217	46	134	2,148	1,849
60-64	10,027	223	303	4,584	4,732	4,345	147	139	1,884	2,076	4,222	47	128	1,980	2,024
65-69	13,639	232	502	5,248	7,459	6,293	173	242	2,422	3,347	6,574	52	232	2,399	3,829
70-74	14,144	196	580	4,526	8,684	5,733	129	262	1,987	3,256	7,930	60	300	2,311	5,212
75-79	11,063	115	419	3,044	7,384	3,590	65	158	1,156	2,163	7,178	48	254	1,754	5,078
80-84	5,982	43	267	1,420	4,205	1,419	21	83	455	841	4,415	18	177	908	3,285
85+	2,585	23	109	678	1,760	418	8	33	154	219	2,114	14	74	505	1,511

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.2

First Admissions per 1,000 Patient Years: Male Dialysis Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,140	1,184	831	1,052	1,222	1,395	1,339	1,051	1,278	1,484	1,056	1,029	733	994	1,122
0-14	1,276	1,214	1,021	1,314	1,245	1,276	1,214	1,021	1,314	1,245	1,276	1,214	1,021	1,314	1,245
15-19	861	997	696	873	879	1,908	1,821	1,739	1,920	1,924	884	948	767	928	863
20-24	813	946	658	839	819	1,657	1,614	1,499	1,679	1,678	802	881	692	849	788
25-29	820	908	615	828	851	1,537	1,425	1,292	1,539	1,523	770	821	628	795	769
30-34	919	970	664	935	930	1,551	1,417	1,251	1,564	1,523	799	834	626	864	752
35-39	981	985	665	991	998	1,490	1,346	1,175	1,487	1,492	867	856	616	943	799
40-44	971	1,079	656	958	1,007	1,426	1,320	1,136	1,334	1,492	867	909	600	921	814
45-49	975	1,102	718	947	1,020	1,329	1,298	1,066	1,266	1,379	867	909	637	891	846
50-54	1,024	1,060	817	988	1,082	1,278	1,241	1,040	1,238	1,347	918	928	688	920	939
55-59	1,098	1,233	853	1,025	1,175	1,358	1,325	1,046	1,255	1,458	952	1,035	716	934	986
60-64	1,167	1,234	867	1,085	1,254	1,344	1,342	1,043	1,232	1,443	1,059	1,068	715	1,005	1,131
65-69	1,232	1,324	917	1,150	1,293	1,388	1,358	1,025	1,287	1,466	1,133	1,181	779	1,073	1,179
70-74	1,271	1,383	903	1,205	1,315	1,425	1,437	1,047	1,322	1,491	1,191	1,248	790	1,142	1,227
75-79	1,305	1,388	928	1,217	1,349	1,447	1,394	1,038	1,293	1,533	1,251	1,375	841	1,187	1,285
80-84	1,381	1,455	874	1,402	1,407	1,554	1,493	999	1,453	1,655	1,341	1,467	852	1,376	1,360
85+	1,514	1,575	1,069	1,550	1,521	1,633	1,563	1,089	1,450	1,790	1,494	1,638	992	1,569	1,491
STANDARD ERRORS															
All	1.2	24.4	13.7	4.9	4.5	3.1	32.1	23.0	9.1	8.0	1.9	28.9	14.4	5.4	5.0
0-14	50.5	105.3	82.1	76.4	62.4	50.5	105.3	82.1	76.4	62.4	50.5	105.3	82.1	76.4	62.4
15-19	34.7	83.8	54.9	44.4	40.9	117.2	156.6	146.6	136.0	135.0	31.9	76.3	57.3	46.5	41.2
20-24	19.9	68.7	44.2	26.8	26.0	80.3	123.5	112.4	100.6	98.2	18.9	62.0	44.1	29.2	27.2
25-29	14.8	61.5	36.5	19.4	21.0	50.6	100.6	87.7	74.6	64.6	14.0	53.7	36.0	21.1	22.1
30-34	12.8	59.4	36.7	17.5	17.7	34.7	91.1	80.8	62.3	43.8	12.3	51.0	34.0	19.1	19.0
35-39	11.2	54.1	33.7	15.1	15.7	27.5	80.4	70.9	51.8	35.7	11.0	48.6	31.2	16.9	17.4
40-44	9.6	52.0	30.2	12.4	14.2	22.8	70.6	64.7	38.9	32.5	9.6	49.1	28.6	14.1	16.1
45-49	8.9	47.9	31.6	11.3	13.3	18.2	61.8	56.9	30.3	27.0	9.1	47.7	29.8	13.2	15.8
50-54	9.1	43.5	33.0	12.1	13.1	15.5	55.2	49.2	26.0	23.9	10.0	48.3	32.1	14.7	16.9
55-59	9.3	49.8	34.3	12.3	13.2	14.6	56.5	48.4	23.6	23.0	10.5	55.9	34.1	15.5	17.2
60-64	9.4	50.9	33.9	12.9	12.9	14.0	59.4	47.5	23.0	21.5	11.2	58.0	33.5	17.5	17.6
65-69	8.5	55.2	31.6	13.2	10.6	12.5	60.2	42.0	22.6	18.1	9.5	63.4	33.7	17.1	13.4
70-74	8.5	63.1	30.1	15.0	9.9	13.5	71.0	44.1	25.9	18.7	9.0	66.9	31.6	18.9	11.8
75-79	9.5	72.8	33.9	18.3	10.7	17.0	77.7	48.0	32.4	23.2	9.6	77.6	35.1	22.2	12.3
80-84	13.2	91.1	37.7	28.8	14.4	27.2	93.3	51.5	50.6	37.2	12.8	92.2	39.2	33.2	15.8
85+	21.5	111.0	58.9	44.2	23.3	48.0	105.7	64.9	68.4	67.1	20.1	112.0	54.6	48.4	24.8

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.2S

Supplement to Table E.2

period prevalent male dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	61,039	970	1,495	21,525	36,168	21,324	559	569	6,395	13,350	35,076	344	799	12,825	20,832
0-14	145	*	*	45	88	*	*	.	.	.	132	*	*	44	80
15-19	176	*	*	71	90	*	.	.	.	*	159	*	*	65	80
20-24	532	13	16	237	249	20	*	.	8	10	401	11	12	181	188
25-29	1,042	13	28	526	453	140	*	*	46	87	725	10	24	378	306
30-34	1,781	25	38	885	803	436	9	*	122	294	1,062	14	27	604	405
35-39	2,819	40	57	1,374	1,305	754	13	10	195	524	1,653	24	37	965	611
40-44	3,835	87	75	2,013	1,601	1,008	37	17	301	632	2,301	41	46	1,432	762
45-49	4,558	104	95	2,366	1,910	1,450	56	26	510	822	2,565	40	58	1,557	882
50-54	4,786	122	132	2,223	2,224	1,896	78	55	698	1,012	2,350	33	62	1,280	959
55-59	5,386	142	136	2,332	2,653	2,552	105	58	934	1,372	2,305	28	58	1,168	1,031
60-64	5,900	123	146	2,313	3,212	2,697	84	70	925	1,555	2,430	21	50	1,024	1,310
65-69	7,972	113	210	2,499	5,035	3,665	80	109	1,080	2,323	4,014	31	88	1,263	2,597
70-74	8,728	100	223	2,105	6,206	3,389	68	101	854	2,309	5,150	32	119	1,160	3,805
75-79	7,357	55	175	1,440	5,624	2,179	19	70	465	1,591	5,039	36	102	913	3,961
80-84	4,150	21	106	735	3,270	895	7	32	204	646	3,195	13	73	498	2,601
85+	1,872	8	49	361	1,445	242	*	14	53	172	1,595	6	35	293	1,254

YEARS AT RISK

All	53,534	793	1,799	20,541	29,549	15,243	411	566	4,964	8,988	33,233	314	1,075	13,000	18,500
0-14	100	*	*	32	60	*	*	.	.	.	91	*	*	30	55
15-19	210	*	*	87	107	*	.	.	.	*	185	*	*	80	94
20-24	690	13	21	312	316	14	*	.	5	7	528	9	14	241	249
25-29	1,302	14	54	657	537	93	*	*	33	55	960	11	41	490	400
30-34	1,972	31	58	951	886	286	7	*	74	197	1,356	20	45	706	562
35-39	2,840	45	87	1,380	1,266	485	12	9	125	331	1,896	30	67	1,005	760
40-44	3,956	65	126	2,090	1,614	708	23	15	223	429	2,637	35	91	1,526	956
45-49	4,648	86	129	2,476	1,878	1,098	42	23	414	596	2,902	37	87	1,699	1,050
50-54	4,741	124	154	2,284	2,085	1,485	68	54	561	758	2,588	41	82	1,412	1,022
55-59	4,870	104	151	2,261	2,265	1,842	73	65	723	934	2,438	22	63	1,268	1,059
60-64	4,990	100	153	2,131	2,511	1,984	62	61	764	1,048	2,272	24	71	1,015	1,137
65-69	6,399	81	225	2,166	3,830	2,624	58	112	833	1,569	3,505	22	102	1,179	2,165
70-74	6,861	66	258	1,760	4,702	2,372	38	97	654	1,539	4,336	27	157	1,023	3,103
75-79	5,655	39	198	1,208	4,168	1,513	20	68	374	1,036	4,045	19	128	788	3,085
80-84	3,043	14	132	521	2,356	586	4	42	138	397	2,413	10	89	361	1,939
85+	1,258	6	48	228	969	152	*	14	43	91	1,083	3	34	177	863

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.3

First Admissions per 1,000 Patient Years: Female Dialysis Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,319	1,268	855	1,283	1,393	1,527	1,368	1,051	1,469	1,629	1,202	1,081	754	1,176	1,266
0-14	1,372	1,344	1,132	1,550	1,318	1,372	1,344	1,132	1,550	1,318	1,372	1,344	1,132	1,550	1,318
15-19	1,166	1,133	771	1,264	1,150	2,261	1,967	1,924	2,372	2,326	1,152	1,038	834	1,266	1,097
20-24	1,109	1,058	721	1,187	1,093	1,968	1,714	1,642	2,057	2,036	1,067	950	749	1,135	1,060
25-29	1,066	1,035	722	1,137	1,023	1,768	1,510	1,415	1,806	1,794	971	899	700	1,067	890
30-34	1,089	1,036	766	1,123	1,081	1,677	1,453	1,354	1,786	1,638	977	885	698	1,044	934
35-39	1,089	1,036	731	1,114	1,113	1,602	1,367	1,311	1,572	1,655	971	899	656	1,039	941
40-44	1,090	1,117	718	1,094	1,136	1,571	1,387	1,234	1,520	1,631	960	907	638	1,008	960
45-49	1,136	1,126	772	1,141	1,170	1,531	1,311	1,110	1,464	1,655	972	910	672	1,015	959
50-54	1,240	1,288	834	1,216	1,290	1,544	1,399	1,154	1,454	1,661	1,054	996	694	1,074	1,068
55-59	1,274	1,248	914	1,233	1,357	1,470	1,339	1,123	1,390	1,609	1,117	1,021	754	1,109	1,158
60-64	1,318	1,302	903	1,267	1,398	1,491	1,354	1,035	1,416	1,620	1,159	1,102	782	1,137	1,201
65-69	1,346	1,311	889	1,298	1,429	1,447	1,341	1,040	1,378	1,550	1,240	1,139	747	1,212	1,304
70-74	1,392	1,323	876	1,358	1,462	1,518	1,356	988	1,457	1,628	1,285	1,216	798	1,258	1,338
75-79	1,487	1,406	908	1,487	1,534	1,608	1,449	1,025	1,575	1,690	1,409	1,294	825	1,416	1,447
80-84	1,539	1,497	884	1,553	1,581	1,685	1,461	1,045	1,624	1,791	1,481	1,472	835	1,505	1,517
85+	1,632	1,474	960	1,667	1,674	1,705	1,485	1,063	1,588	1,902	1,606	1,532	919	1,671	1,626

STANDARD ERRORS															
All	1.3	23.3	13.6	5.5	5.4	3.0	28.4	22.0	8.5	8.6	2.3	30.8	14.7	6.5	6.2
0-14	58.7	119.9	91.1	95.5	70.0	58.7	119.9	91.1	95.5	70.0	58.7	119.9	91.1	95.5	70.0
15-19	46.4	93.6	59.7	63.1	55.2	139.0	170.0	162.0	167.7	164.1	41.7	83.9	61.4	64.2	53.5
20-24	26.6	77.0	46.4	37.6	34.8	90.8	131.2	122.4	117.7	117.9	24.7	67.7	46.4	39.3	36.5
25-29	19.4	69.3	43.9	27.4	25.3	54.8	104.6	97.5	81.5	73.5	18.4	60.3	41.1	29.9	26.3
30-34	16.6	61.8	43.5	22.9	22.3	40.4	91.8	87.0	68.3	53.5	15.9	54.5	38.6	25.1	24.3
35-39	14.3	58.0	36.3	19.2	20.5	33.9	81.7	79.5	53.4	48.6	13.8	52.7	32.8	21.5	22.3
40-44	12.9	60.3	32.6	16.9	19.1	28.1	76.9	71.7	43.7	42.2	12.9	53.2	29.9	19.4	21.8
45-49	11.8	52.6	33.8	15.7	17.2	22.2	64.6	59.2	33.4	36.7	12.1	50.2	31.5	18.6	19.8
50-54	11.6	53.9	35.9	15.4	16.7	18.3	62.1	59.2	27.4	30.8	12.8	54.4	32.5	19.9	20.6
55-59	10.8	48.2	36.9	14.2	15.9	14.9	53.8	52.8	22.3	25.8	13.0	55.0	35.2	19.9	21.2
60-64	9.9	48.4	35.5	13.1	14.3	13.5	54.0	46.1	20.7	22.9	12.7	59.8	36.9	19.4	20.4
65-69	8.5	45.8	28.3	11.9	11.5	10.9	50.1	39.7	17.4	17.5	10.7	59.6	31.0	17.9	16.1
70-74	8.6	49.4	27.4	12.8	11.3	11.7	54.6	37.0	19.6	18.4	10.2	63.7	32.4	17.9	14.8
75-79	10.4	61.4	31.9	16.6	12.9	15.4	68.6	44.3	26.4	23.3	11.5	69.9	34.6	22.2	16.0
80-84	14.2	83.1	37.4	23.9	17.2	24.3	81.5	53.1	40.3	36.6	14.7	91.7	38.5	29.5	19.9
85+	21.7	94.8	51.8	34.5	26.7	40.4	94.6	61.5	59.0	62.6	21.3	98.9	50.3	39.6	29.3

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.3S

Supplement to Table E.3

period prevalent female dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	62,283	1,180	1,596	25,903	32,731	27,055	784	682	11,059	14,083	30,337	306	799	12,452	16,517
0-14	84	*	*	23	48	*	.	.	*	.	79	*	*	22	45
15-19	185	*	3	82	85	*	.	.	*	*	160	*	*	71	74
20-24	557	12	18	250	254	38	*	*	17	15	430	9	15	187	205
25-29	1,065	19	34	522	465	179	*	*	71	100	705	13	24	357	297
30-34	1,469	26	37	693	677	346	9	*	136	187	932	15	26	470	404
35-39	2,072	34	60	1,053	887	485	5	16	183	272	1,307	23	39	717	508
40-44	2,591	44	86	1,325	1,094	775	26	18	305	415	1,476	11	57	840	551
45-49	3,407	73	93	1,748	1,437	1,252	45	25	575	590	1,738	19	52	964	679
50-54	4,273	127	102	2,015	1,952	2,016	91	40	888	953	1,824	25	51	910	818
55-59	5,246	144	130	2,463	2,418	2,824	118	60	1,271	1,322	1,986	22	59	969	921
60-64	6,681	172	136	3,050	3,197	3,563	124	68	1,565	1,728	2,254	29	56	1,074	1,076
65-69	9,746	189	254	3,978	5,211	5,331	146	142	2,190	2,774	3,770	34	96	1,454	2,165
70-74	10,130	155	273	3,794	5,808	5,039	110	155	1,947	2,756	4,643	36	110	1,638	2,838
75-79	8,091	112	204	2,746	4,953	3,327	69	93	1,223	1,896	4,438	39	106	1,381	2,889
80-84	4,520	50	116	1,399	2,917	1,410	31	41	510	813	2,958	14	73	841	2,011
85+	2,166	16	48	762	1,328	467	5	17	176	261	1,637	10	30	557	1,036

YEARS AT RISK

All	47,230	944	1,886	20,276	23,402	17,754	578	647	7,635	8,581	25,238	290	1,079	10,536	13,072
0-14	74	*	*	19	45	*	.	.	*	.	66	*	*	18	41
15-19	157	*	8	60	73	*	.	.	*	*	137	*	*	53	68
20-24	501	12	31	210	225	18	*	*	9	8	399	11	25	164	179
25-29	999	17	36	462	464	107	*	*	40	61	715	9	27	330	336
30-34	1,374	32	46	642	621	214	9	*	73	124	953	21	38	460	416
35-39	1,902	40	85	938	802	317	13	9	117	175	1,326	22	67	683	531
40-44	2,420	37	130	1,242	970	503	16	10	214	254	1,560	16	101	842	584
45-49	2,988	70	113	1,521	1,233	803	35	21	381	356	1,783	27	74	947	712
50-54	3,471	90	131	1,671	1,519	1,309	57	32	619	571	1,741	23	82	846	772
55-59	4,110	116	134	2,021	1,760	1,915	86	47	930	810	1,778	24	72	880	789
60-64	5,036	124	151	2,454	2,222	2,361	84	78	1,119	1,027	1,949	23	57	965	886
65-69	7,240	151	278	3,083	3,629	3,670	115	130	1,589	1,778	3,069	30	130	1,219	1,664
70-74	7,283	130	322	2,766	3,982	3,361	91	165	1,334	1,717	3,595	33	143	1,288	2,109
75-79	5,408	75	221	1,837	3,216	2,077	45	90	782	1,127	3,133	29	126	966	1,992
80-84	2,939	28	135	899	1,849	833	18	42	317	445	2,002	7	87	547	1,345
85+	1,327	17	61	451	791	266	6	19	110	128	1,031	11	41	328	647

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.4

First Admissions per 1,000 Patient Years: All Hemodialysis Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,199	1,206	848	1,135	1,279	1,420	1,315	1,027	1,348	1,512	1,102	1,041	752	1,047	1,173
0-14	1,498	1,449	1,313	1,503	1,512	1,498	1,449	1,313	1,503	1,512	1,498	1,449	1,313	1,503	1,512
15-19	951	1,018	759	947	976	2,033	1,821	1,835	2,009	2,077	960	951	817	980	948
20-24	883	953	726	893	904	1,782	1,626	1,593	1,793	1,860	873	893	759	892	888
25-29	899	957	690	902	926	1,649	1,435	1,367	1,651	1,683	830	852	687	846	824
30-34	946	964	708	958	953	1,572	1,393	1,293	1,617	1,541	842	830	660	892	803
35-39	991	985	706	1,004	1,002	1,494	1,294	1,210	1,486	1,515	882	848	639	940	829
40-44	994	1,058	686	981	1,040	1,462	1,299	1,166	1,385	1,547	885	888	617	928	852
45-49	1,020	1,087	760	993	1,073	1,378	1,247	1,077	1,318	1,464	896	896	664	912	888
50-54	1,085	1,139	832	1,051	1,142	1,344	1,263	1,074	1,296	1,418	953	940	702	948	985
55-59	1,142	1,203	892	1,086	1,221	1,364	1,298	1,054	1,287	1,471	989	984	751	968	1,035
60-64	1,210	1,250	886	1,149	1,295	1,376	1,319	1,014	1,296	1,486	1,078	1,071	762	1,037	1,143
65-69	1,259	1,276	904	1,198	1,331	1,375	1,304	1,021	1,302	1,461	1,157	1,124	762	1,111	1,217
70-74	1,301	1,318	878	1,263	1,353	1,433	1,354	982	1,369	1,519	1,209	1,203	794	1,179	1,250
75-79	1,363	1,368	898	1,344	1,400	1,496	1,392	999	1,441	1,569	1,295	1,305	824	1,283	1,325
80-84	1,430	1,444	860	1,461	1,458	1,588	1,428	980	1,540	1,689	1,383	1,452	829	1,426	1,403
85+	1,546	1,471	984	1,594	1,560	1,647	1,470	1,036	1,529	1,834	1,525	1,551	950	1,612	1,519
STANDARD ERRORS															
All	3.7	16.6	9.9	3.8	3.8	3.6	22.1	17.9	6.6	6.3	2.5	25.5	11.8	4.4	4.3
0-14	86.6	149.3	128.5	109.7	103.3	86.6	149.3	128.5	109.7	103.3	86.6	149.3	128.5	109.7	103.3
15-19	43.0	86.2	61.4	46.5	46.7	132.0	173.0	171.9	154.7	159.8	38.5	83.3	67.2	50.6	48.5
20-24	21.1	67.5	46.4	24.7	25.9	82.9	131.7	126.5	105.1	110.3	19.2	65.6	49.0	27.4	28.2
25-29	15.6	61.4	38.5	18.0	20.0	49.9	102.8	95.8	71.6	67.1	13.9	57.2	39.5	19.8	21.3
30-34	13.0	54.2	36.6	15.5	16.5	33.9	89.1	83.5	56.6	43.6	11.8	50.7	35.4	17.2	18.0
35-39	11.2	48.7	31.9	13.2	14.6	26.3	74.8	71.5	44.0	35.4	10.3	47.1	30.9	14.9	16.3
40-44	9.8	47.0	27.7	11.1	13.6	21.6	66.0	64.5	33.3	31.9	9.2	47.7	27.3	12.8	15.5
45-49	9.0	41.5	29.1	10.2	12.4	16.7	54.3	53.8	25.2	25.8	8.7	45.3	29.1	12.0	14.8
50-54	9.0	39.7	29.2	10.4	12.0	13.7	49.7	47.8	20.8	21.5	9.3	46.5	30.0	13.1	15.5
55-59	8.7	39.0	30.2	10.1	11.6	12.0	46.1	44.2	17.7	19.4	9.6	49.1	32.3	13.4	15.6
60-64	8.5	39.7	28.8	10.0	10.9	11.2	47.4	40.7	16.7	17.8	9.9	53.7	32.2	14.2	15.6
65-69	7.5	39.3	24.6	9.5	8.9	9.4	44.7	35.0	14.9	14.0	8.4	54.6	28.4	13.4	12.0
70-74	7.5	44.1	22.8	10.4	8.4	10.1	51.5	33.1	16.8	14.5	7.9	58.2	27.3	14.1	10.5
75-79	8.6	54.4	26.2	13.1	9.2	12.9	63.9	39.2	22.2	18.0	8.6	66.3	29.8	17.0	10.9
80-84	11.7	73.3	30.3	19.7	12.1	20.5	78.9	45.6	35.4	28.9	11.1	86.5	33.7	24.1	13.7
85+	18.3	89.1	46.6	29.3	19.0	36.4	94.4	58.5	54.0	54.1	16.6	100.0	48.5	34.0	20.7

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.4S

Supplement to Table E.4

all period prevalent hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	104,884	1,860	2,607	41,898	57,086	41,709	1,185	1,091	15,701	22,973	55,615	541	1,327	22,281	31,033
0-14	94	*	*	29	58	*	*	.	*	.	86	*	*	27	54
15-19	228	6	*	106	105	*	.	.	*	*	204	*	*	95	94
20-24	786	18	27	369	345	45	*	*	21	19	611	16	22	285	275
25-29	1,606	24	47	833	670	233	*	*	96	129	1,112	17	37	590	452
30-34	2,489	36	53	1,285	1,068	552	13	9	205	314	1,590	20	36	892	622
35-39	3,864	59	84	2,026	1,633	957	15	19	320	585	2,382	38	53	1,406	854
40-44	5,191	105	121	2,838	2,044	1,439	53	30	535	795	3,101	41	77	1,942	1,011
45-49	6,567	148	145	3,530	2,628	2,239	85	47	932	1,132	3,595	48	78	2,189	1,236
50-54	7,516	209	202	3,671	3,302	3,281	140	86	1,391	1,587	3,493	51	95	1,897	1,421
55-59	8,924	254	217	4,215	4,072	4,605	202	95	1,984	2,216	3,578	42	96	1,857	1,557
60-64	10,737	268	238	4,789	5,245	5,409	188	115	2,255	2,726	3,948	45	92	1,859	1,917
65-69	15,197	266	394	5,885	8,461	7,804	203	213	2,957	4,300	6,571	52	156	2,479	3,838
70-74	16,446	229	447	5,401	10,192	7,438	164	231	2,556	4,372	8,468	57	207	2,580	5,570
75-79	13,704	148	334	3,899	9,199	4,961	78	146	1,577	3,090	8,338	66	181	2,136	5,908
80-84	7,830	66	206	1,974	5,536	2,092	34	69	656	1,314	5,565	26	134	1,251	4,129
85+	3,705	23	87	1,048	2,528	650	7	28	214	392	2,973	15	58	796	2,095

YEARS AT RISK

All	87,466	1,531	3,084	37,060	44,486	29,317	895	1,085	11,705	15,092	50,550	511	1,754	21,319	26,472
0-14	63	*	*	24	32	*	*	.	*	.	53	*	*	21	28
15-19	252	6	*	114	115	*	.	.	*	*	219	*	*	103	101
20-24	942	19	32	448	400	24	*	*	12	10	744	15	26	351	323
25-29	1,813	22	66	943	737	147	*	*	60	79	1,352	16	49	706	557
30-34	2,708	47	80	1,362	1,164	368	12	8	121	222	1,926	29	62	1,013	793
35-39	3,894	70	132	2,008	1,611	644	22	16	209	388	2,695	43	98	1,487	1,022
40-44	5,236	87	190	2,909	1,968	987	35	23	398	510	3,494	41	143	2,070	1,201
45-49	6,389	136	182	3,522	2,441	1,609	71	38	711	760	3,944	51	116	2,331	1,405
50-54	7,008	178	238	3,548	2,921	2,436	106	79	1,080	1,114	3,704	53	129	2,032	1,449
55-59	7,784	201	231	3,891	3,324	3,333	145	97	1,525	1,494	3,643	44	103	1,949	1,513
60-64	8,785	202	258	4,219	3,944	3,880	131	122	1,761	1,777	3,658	42	105	1,822	1,651
65-69	11,984	212	421	4,901	6,281	5,624	160	204	2,259	2,906	5,664	45	196	2,242	3,131
70-74	12,643	180	521	4,261	7,532	5,217	122	240	1,875	2,887	6,993	53	268	2,175	4,454
75-79	10,048	104	377	2,913	6,564	3,330	59	145	1,114	1,969	6,447	44	226	1,671	4,467
80-84	5,510	42	249	1,349	3,825	1,329	21	79	433	779	4,047	17	163	864	2,976
85+	2,407	22	99	648	1,626	388	8	30	148	197	1,969	13	66	481	1,401

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.5

First Admissions per 1,000 Patient Years: Male Hemodialysis Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,111	1,155	828	1,021	1,197	1,351	1,291	1,024	1,241	1,442	1,032	1,004	733	963	1,106
0-14	1,403	1,344	1,216	1,404	1,402	1,403	1,344	1,216	1,404	1,402	1,403	1,344	1,216	1,404	1,402
15-19	831	938	708	823	858	1,837	1,695	1,702	1,779	1,858	850	878	758	873	836
20-24	771	888	667	773	800	1,604	1,518	1,481	1,588	1,649	770	830	698	797	773
25-29	793	891	650	783	838	1,503	1,371	1,292	1,469	1,512	746	785	637	754	760
30-34	869	937	674	877	881	1,475	1,346	1,230	1,444	1,459	769	800	627	821	731
35-39	942	968	689	948	953	1,444	1,291	1,157	1,408	1,460	835	817	622	898	772
40-44	946	1,015	678	933	983	1,412	1,268	1,115	1,309	1,494	849	863	606	899	796
45-49	950	1,057	731	920	996	1,289	1,243	1,056	1,227	1,345	847	884	639	864	827
50-54	988	1,079	799	953	1,045	1,221	1,213	1,018	1,189	1,284	892	913	684	885	917
55-59	1,057	1,170	822	993	1,137	1,312	1,267	1,005	1,218	1,416	915	983	697	897	953
60-64	1,133	1,217	850	1,061	1,220	1,301	1,301	1,016	1,203	1,396	1,029	1,047	709	978	1,103
65-69	1,195	1,281	895	1,113	1,261	1,342	1,327	1,015	1,245	1,418	1,102	1,128	763	1,037	1,155
70-74	1,237	1,319	882	1,172	1,285	1,377	1,375	1,006	1,279	1,448	1,166	1,204	782	1,117	1,204
75-79	1,276	1,365	913	1,197	1,319	1,414	1,370	1,011	1,277	1,497	1,224	1,335	828	1,164	1,257
80-84	1,360	1,444	896	1,361	1,388	1,519	1,464	978	1,408	1,631	1,323	1,451	857	1,354	1,342
85+	1,492	1,572	1,031	1,497	1,505	1,595	1,542	1,056	1,433	1,749	1,478	1,624	973	1,539	1,477
STANDARD ERRORS															
All	1.7	23.7	13.7	4.6	4.5	5.3	30.1	21.9	8.5	7.8	3.2	27.8	14.2	5.0	4.9
0-14	88.9	140.3	120.6	109.4	106.0	88.9	140.3	120.6	109.4	106.0	88.9	140.3	120.6	109.4	106.0
15-19	42.3	80.3	57.0	47.5	48.3	123.7	159.8	157.1	135.2	140.0	40.0	78.9	63.5	51.5	49.0
20-24	22.7	63.4	44.0	28.2	29.5	83.1	123.3	117.1	98.1	99.6	21.8	63.3	48.0	30.8	30.7
25-29	17.4	58.2	38.1	21.6	24.7	57.1	101.2	91.9	75.5	71.2	16.3	55.1	39.4	22.7	25.1
30-34	15.0	56.0	36.8	19.6	20.8	40.0	91.1	82.2	62.2	49.9	14.1	52.4	36.4	20.6	21.3
35-39	13.2	51.8	34.5	17.3	18.7	32.1	79.9	72.1	53.3	41.5	12.6	49.2	33.7	18.4	19.5
40-44	11.5	49.6	31.5	14.5	17.5	27.1	70.9	65.5	41.8	38.7	11.2	49.8	30.9	15.8	18.4
45-49	10.6	47.2	32.6	13.2	16.3	21.1	62.7	58.3	32.7	30.9	10.6	49.2	32.1	14.5	18.1
50-54	10.7	45.3	33.1	13.9	15.9	17.6	57.4	50.7	27.9	26.7	11.5	49.8	33.6	16.1	19.3
55-59	10.9	48.6	33.8	14.2	16.1	16.9	57.6	49.2	25.7	26.3	12.0	54.9	34.4	16.8	19.5
60-64	11.1	51.1	33.9	14.9	15.7	16.1	61.0	48.7	25.0	24.5	12.9	58.9	34.4	18.9	20.3
65-69	10.2	54.8	33.1	15.1	13.1	14.5	62.6	44.9	24.4	20.6	11.2	63.1	35.0	18.5	15.7
70-74	10.1	60.8	31.6	17.1	12.0	15.4	71.5	44.9	27.8	21.1	10.5	67.7	33.5	20.5	13.7
75-79	11.2	70.7	35.5	20.7	12.8	19.3	79.4	49.2	34.5	25.9	11.2	79.8	37.3	24.0	13.9
80-84	15.3	84.9	39.0	31.5	17.0	30.1	93.9	52.0	51.6	40.6	14.7	95.2	41.6	35.4	17.8
85+	24.5	102.7	54.4	46.4	26.9	51.2	107.7	64.5	68.8	69.8	22.8	115.8	55.3	50.9	27.3

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.55

Supplement to Table E.5

period prevalent male hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	51,972	845	1,271	19,135	30,002	18,161	492	499	5,744	11,051	30,139	293	672	11,446	17,498
0-14	65	*	*	20	41	*	*	.	.	.	60	*	*	19	38
15-19	113	*	*	52	53	*	.	.	.	*	103	*	*	48	48
20-24	408	11	12	189	183	17	.	.	8	9	315	10	10	148	140
25-29	834	10	21	427	360	105	*	*	35	65	597	7	18	318	248
30-34	1,415	20	29	747	598	311	*	*	99	196	885	12	20	519	327
35-39	2,325	36	45	1,183	1,026	599	12	8	165	404	1,395	21	28	839	492
40-44	3,200	70	58	1,764	1,259	836	32	15	272	498	1,960	31	34	1,263	616
45-49	3,836	88	76	2,088	1,513	1,199	48	25	446	651	2,203	33	42	1,389	714
50-54	4,018	110	118	1,949	1,772	1,594	68	48	619	818	2,014	31	57	1,128	784
55-59	4,521	123	108	2,060	2,135	2,157	93	43	836	1,119	1,965	24	49	1,029	846
60-64	5,063	113	126	2,101	2,636	2,309	76	60	843	1,274	2,104	20	44	935	1,086
65-69	6,736	99	181	2,265	4,097	3,112	72	96	970	1,914	3,375	25	75	1,153	2,093
70-74	7,520	88	199	1,931	5,218	2,933	60	91	776	1,957	4,429	28	107	1,073	3,188
75-79	6,439	46	152	1,337	4,847	1,943	16	65	437	1,396	4,381	30	85	844	3,396
80-84	3,749	20	97	683	2,933	824	7	29	189	593	2,874	12	67	465	2,322
85+	1,730	8	45	339	1,331	221	*	13	49	156	1,479	6	32	276	1,160

YEARS AT RISK

All	46,744	707	1,535	18,816	24,975	13,375	373	506	4,599	7,625	29,213	276	906	11,970	15,774
0-14	39	*	*	16	20	*	*	.	.	.	33	*	*	14	17
15-19	151	*	*	67	75	*	.	.	.	*	132	*	*	61	65
20-24	576	12	14	272	253	11	.	.	4	6	445	8	11	212	201
25-29	1,085	12	42	573	430	71	*	*	25	41	822	9	31	442	326
30-34	1,676	25	51	851	714	218	*	*	64	143	1,189	16	39	639	476
35-39	2,437	41	73	1,239	1,037	400	11	8	112	262	1,669	28	54	924	636
40-44	3,355	55	103	1,863	1,280	575	21	14	203	322	2,283	28	74	1,364	791
45-49	4,000	77	100	2,244	1,513	938	40	21	378	480	2,537	31	63	1,547	872
50-54	4,108	105	131	2,084	1,709	1,301	59	49	519	638	2,274	35	67	1,299	848
55-59	4,251	95	126	2,072	1,883	1,614	67	55	664	787	2,159	20	54	1,169	891
60-64	4,395	92	134	1,980	2,105	1,751	57	55	709	888	2,018	22	62	956	957
65-69	5,571	74	188	2,026	3,201	2,300	52	93	772	1,337	3,036	20	87	1,112	1,787
70-74	6,066	63	230	1,661	4,042	2,125	36	91	615	1,342	3,803	26	138	968	2,647
75-79	5,073	34	172	1,150	3,678	1,378	18	61	359	927	3,607	16	110	749	2,709
80-84	2,793	14	123	500	2,139	552	4	41	134	367	2,201	10	81	345	1,753
85+	1,168	6	44	218	894	141	*	13	42	82	1,006	3	32	168	798

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.6

First Admissions per 1,000 Patient Years: Female Hemodialysis Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,301	1,252	867	1,254	1,384	1,478	1,333	1,030	1,418	1,583	1,197	1,088	773	1,155	1,273
0-14	1,653	1,566	1,428	1,756	1,648	1,653	1,566	1,428	1,756	1,648	1,653	1,566	1,428	1,756	1,648
15-19	1,120	1,099	838	1,127	1,158	2,240	1,903	1,958	2,237	2,324	1,120	1,003	883	1,159	1,106
20-24	1,054	1,025	784	1,068	1,084	1,956	1,684	1,684	1,956	2,081	1,025	932	809	1,054	1,052
25-29	1,062	1,037	772	1,082	1,062	1,787	1,495	1,464	1,762	1,865	965	899	746	1,008	925
30-34	1,070	1,040	786	1,077	1,079	1,699	1,437	1,371	1,723	1,703	961	875	721	1,001	933
35-39	1,073	1,071	784	1,084	1,098	1,571	1,360	1,296	1,546	1,633	960	902	697	1,000	941
40-44	1,080	1,098	768	1,067	1,141	1,531	1,356	1,228	1,471	1,619	956	916	680	981	968
45-49	1,137	1,118	803	1,121	1,194	1,499	1,282	1,123	1,421	1,649	984	918	698	1,006	990
50-54	1,223	1,215	842	1,193	1,280	1,492	1,334	1,138	1,404	1,611	1,050	981	708	1,056	1,077
55-59	1,243	1,228	904	1,199	1,326	1,414	1,319	1,097	1,346	1,532	1,095	1,001	765	1,076	1,144
60-64	1,286	1,275	892	1,233	1,375	1,439	1,323	1,020	1,364	1,575	1,137	1,092	788	1,110	1,187
65-69	1,315	1,277	886	1,263	1,403	1,400	1,293	1,018	1,334	1,503	1,221	1,129	753	1,185	1,294
70-74	1,359	1,314	874	1,323	1,430	1,472	1,331	971	1,412	1,581	1,260	1,214	798	1,232	1,315
75-79	1,451	1,371	889	1,440	1,503	1,553	1,404	988	1,517	1,633	1,384	1,287	818	1,381	1,428
80-84	1,504	1,441	896	1,507	1,550	1,632	1,419	1,017	1,574	1,734	1,458	1,458	841	1,472	1,497
85+	1,597	1,490	967	1,618	1,639	1,663	1,461	1,024	1,552	1,857	1,577	1,540	927	1,635	1,592

STANDARD ERRORS															
All	2.0	23.0	14.0	5.3	5.4	5.1	26.8	21.1	7.9	8.3	4.0	30.9	15.1	6.2	6.2
0-14	110.3	169.7	143.2	142.7	128.3	110.3	169.7	143.2	142.7	128.3	110.3	169.7	143.2	142.7	128.3
15-19	57.6	95.3	67.9	65.3	67.3	151.4	181.9	181.8	169.9	176.7	53.9	92.0	74.4	69.9	66.8
20-24	32.3	76.0	51.9	40.0	42.2	98.9	138.5	133.8	116.2	127.5	30.1	74.0	55.9	42.2	43.7
25-29	24.6	70.1	46.8	31.5	32.7	65.3	110.5	106.1	84.7	87.5	22.8	66.3	47.8	33.1	32.3
30-34	20.8	63.1	44.9	26.8	28.3	50.3	96.8	92.0	73.4	66.6	19.5	59.3	43.6	28.1	28.9
35-39	17.9	60.1	40.2	22.9	25.9	40.1	85.5	81.4	57.6	56.9	17.0	57.8	38.5	24.3	26.9
40-44	16.1	58.1	36.2	20.1	24.6	33.0	78.9	73.7	46.6	49.9	15.8	57.2	34.8	22.0	26.6
45-49	14.7	52.5	36.3	18.8	22.0	26.0	66.6	62.3	36.6	42.8	15.0	54.0	35.5	21.4	24.2
50-54	14.2	53.1	36.6	18.4	20.9	21.2	63.9	60.3	30.0	35.0	15.5	56.6	35.4	22.4	24.7
55-59	12.9	49.0	37.6	16.6	19.5	17.0	56.8	54.1	24.3	28.6	15.4	56.3	38.0	22.0	24.9
60-64	11.8	49.2	35.9	15.3	17.6	15.5	56.3	48.1	22.4	25.9	15.0	61.7	38.9	21.4	24.1
65-69	10.0	47.1	30.8	13.8	14.1	12.4	51.7	42.2	19.0	19.6	12.6	62.2	33.4	19.6	19.1
70-74	10.1	51.4	29.4	14.8	13.6	13.3	57.0	39.1	21.2	20.5	11.8	67.6	34.2	19.5	17.0
75-79	12.1	61.0	33.0	18.9	15.4	17.2	69.6	45.3	28.1	25.5	13.3	73.3	36.1	23.9	18.2
80-84	16.4	76.4	38.3	26.9	20.1	26.9	81.4	53.4	42.7	39.6	16.7	93.8	40.6	31.7	22.2
85+	24.7	89.2	50.1	37.9	30.6	44.1	94.9	60.7	60.7	66.4	23.8	103.9	52.7	42.1	31.9

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.6S

Supplement to Table E.6

period prevalent female hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	52,912	1,015	1,336	22,763	27,084	23,548	693	592	9,957	11,922	25,476	248	655	10,835	13,535
0-14	29	*	*	9	17	*	.	.	*	.	26	*	*	8	16
15-19	115	*	*	54	52	*	.	.	*	*	101	*	*	47	46
20-24	378	7	15	180	162	28	*	*	13	10	296	6	12	137	135
25-29	772	14	26	406	310	128	*	*	61	64	515	10	19	272	204
30-34	1,074	16	24	538	470	241	7	*	106	118	705	8	16	373	295
35-39	1,539	23	39	843	607	358	3	11	155	181	987	17	25	567	362
40-44	1,991	35	63	1,074	785	603	21	15	263	297	1,141	10	43	679	395
45-49	2,731	60	69	1,442	1,115	1,040	37	22	486	481	1,392	15	36	800	522
50-54	3,498	99	84	1,722	1,530	1,687	72	38	772	769	1,479	20	38	769	637
55-59	4,403	131	109	2,155	1,937	2,448	109	52	1,148	1,097	1,613	18	47	828	711
60-64	5,674	155	112	2,688	2,609	3,100	112	55	1,412	1,452	1,844	25	48	924	831
65-69	8,461	167	213	3,620	4,364	4,692	131	117	1,987	2,386	3,196	27	81	1,326	1,745
70-74	8,926	141	248	3,470	4,974	4,505	104	140	1,780	2,415	4,039	29	100	1,507	2,382
75-79	7,265	102	182	2,562	4,352	3,018	62	81	1,140	1,694	3,957	36	96	1,292	2,512
80-84	4,081	46	109	1,291	2,603	1,268	27	40	467	721	2,691	14	67	786	1,807
85+	1,975	15	42	709	1,197	429	5	15	165	236	1,494	9	26	520	935

YEARS AT RISK

All	40,723	823	1,549	18,245	19,511	15,943	523	579	7,106	7,467	21,337	235	848	9,349	10,698
0-14	25	*	*	8	12	*	.	.	*	.	19	*	*	7	11
15-19	100	*	*	48	40	*	.	.	*	*	87	*	*	42	37
20-24	366	8	18	176	147	13	*	*	8	4	299	7	15	139	122
25-29	728	10	24	370	307	76	*	*	35	38	530	6	18	264	231
30-34	1,033	22	29	512	450	149	8	*	57	79	737	12	23	374	317
35-39	1,457	29	59	769	573	244	11	8	97	126	1,025	15	44	563	385
40-44	1,882	32	87	1,046	688	412	14	9	195	188	1,211	13	69	706	411
45-49	2,389	58	82	1,278	928	671	32	17	333	280	1,408	20	52	784	533
50-54	2,899	72	107	1,463	1,212	1,136	47	30	561	476	1,430	19	62	734	601
55-59	3,533	106	105	1,819	1,440	1,719	77	42	862	707	1,483	23	48	780	621
60-64	4,390	110	124	2,239	1,839	2,129	74	67	1,052	889	1,639	20	43	867	694
65-69	6,413	139	233	2,875	3,080	3,324	108	111	1,487	1,569	2,629	25	108	1,130	1,345
70-74	6,577	118	291	2,600	3,489	3,092	86	150	1,260	1,545	3,190	26	130	1,207	1,807
75-79	4,975	70	205	1,763	2,886	1,952	41	84	755	1,042	2,840	27	116	922	1,757
80-84	2,716	28	126	849	1,686	777	17	38	299	411	1,846	7	82	518	1,223
85+	1,239	16	55	430	732	247	6	17	105	115	963	10	35	313	603



Table E.7

First Admissions per 1,000 Patient Years: All CAPD/CCPD Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,215	1,243	728	1,251	1,239	1,599	1,562	1,089	1,649	1,616	1,078	992	632	1,145	1,093
0-14	1,147	1,126	869	1,428	1,050	1,147	1,126	869	1,428	1,050	1,147	1,126	869	1,428	1,050
15-19	1,026	1,053	680	1,193	994	1,865	1,935	1,718	2,261	1,877	1,012	989	743	1,239	929
20-24	1,047	1,060	661	1,230	996	1,750	1,839	1,588	2,122	1,796	1,001	973	711	1,204	921
25-29	918	935	591	1,060	866	1,447	1,505	1,265	1,716	1,482	868	825	587	1,009	787
30-34	1,067	1,077	685	1,188	1,040	1,549	1,577	1,289	1,775	1,564	944	895	619	1,081	860
35-39	1,072	1,078	662	1,153	1,075	1,558	1,556	1,238	1,730	1,554	945	915	616	1,091	885
40-44	1,038	1,092	643	1,102	1,043	1,482	1,440	1,114	1,581	1,449	902	877	574	1,033	855
45-49	1,028	1,080	629	1,091	1,025	1,465	1,369	1,030	1,484	1,388	868	864	550	1,004	848
50-54	1,183	1,217	716	1,231	1,193	1,598	1,528	1,119	1,637	1,561	1,003	999	619	1,147	988
55-59	1,292	1,371	781	1,355	1,298	1,654	1,622	1,156	1,716	1,669	1,117	1,098	662	1,246	1,094
60-64	1,322	1,383	788	1,362	1,333	1,618	1,595	1,106	1,666	1,653	1,149	1,118	656	1,253	1,122
65-69	1,322	1,444	798	1,433	1,329	1,583	1,566	1,056	1,616	1,636	1,150	1,137	649	1,258	1,150
70-74	1,381	1,508	820	1,473	1,387	1,669	1,624	1,066	1,656	1,709	1,238	1,221	678	1,335	1,245
75-79	1,415	1,564	851	1,554	1,427	1,702	1,679	1,072	1,690	1,780	1,329	1,308	707	1,412	1,343
80-84	1,409	1,582	816	1,564	1,426	1,710	1,644	1,021	1,635	1,756	1,340	1,326	697	1,414	1,372
85+	1,442	1,596	819	1,494	1,494	1,667	1,650	997	1,620	1,775	1,387	1,378	705	1,452	1,436
STANDARD ERRORS															
All	10.4	27.4	12.4	7.6	5.5	13.5	66.6	47.7	24.4	14.8	7.8	50.3	20.1	12.7	8.6
0-14	55.8	179.6	104.9	102.4	70.1	55.8	179.6	104.9	102.4	70.1	55.8	179.6	104.9	102.4	70.1
15-19	56.4	147.0	76.6	89.0	66.5	157.7	321.4	254.9	198.2	155.0	53.4	146.4	84.1	92.4	67.2
20-24	39.9	124.0	61.3	68.2	48.2	114.9	261.9	204.6	144.1	112.0	38.7	122.6	66.3	66.8	49.1
25-29	27.2	96.1	49.9	46.2	33.7	67.1	187.2	145.4	90.9	69.6	27.0	91.7	47.5	43.3	32.8
30-34	25.5	95.2	51.2	44.0	32.7	52.0	169.4	132.6	77.1	57.2	25.2	87.4	43.5	38.3	29.7
35-39	22.4	86.5	43.7	37.3	30.2	47.6	147.4	115.4	66.9	49.9	22.0	80.7	37.8	33.4	26.8
40-44	19.5	79.0	38.7	32.4	26.5	40.8	119.4	94.5	55.2	41.4	19.3	71.1	31.7	28.5	23.4
45-49	18.7	70.7	36.6	31.0	25.3	37.0	100.6	80.2	47.5	37.0	18.4	66.7	28.4	26.6	22.0
50-54	20.4	74.4	41.4	34.6	27.3	35.9	102.1	80.7	48.3	38.5	21.0	77.1	31.4	29.6	24.0
55-59	21.5	87.2	44.3	38.0	28.3	34.2	104.9	78.8	48.3	39.0	23.4	88.9	34.7	32.2	25.4
60-64	21.4	92.9	46.6	40.2	27.2	32.7	106.9	73.4	47.3	37.6	23.8	97.9	37.2	33.9	25.5
65-69	18.9	105.5	45.3	42.9	23.1	28.5	114.0	69.6	44.9	33.3	19.8	109.7	40.1	34.5	22.6
70-74	20.8	122.6	52.6	51.0	24.6	33.8	133.9	73.9	51.2	37.8	20.9	131.5	47.4	40.8	25.0
75-79	25.8	146.7	61.8	70.0	29.9	46.8	159.3	80.7	63.0	48.8	25.3	157.7	56.0	50.8	31.3
80-84	38.5	182.2	70.1	96.0	43.8	71.3	183.5	87.2	79.0	68.1	36.0	181.6	63.7	65.4	46.1
85+	67.8	213.5	85.4	119.4	78.1	101.4	220.2	102.7	112.3	109.0	62.0	217.2	77.8	97.1	82.0

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.7S

Supplement to Table E.7

all period prevalent CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	13,564	231	378	3,691	9,025	4,791	126	115	1,088	3,356	7,446	90	222	2,125	4,923
0-14	119	*	*	35	69	111	*	*	35	62
15-19	118	*	5	41	61	101	*	5	35	52
20-24	237	*	6	85	130	11	*	.	*	5	177	*	5	64	95
25-29	395	8	14	158	203	61	*	*	11	43	263	6	11	115	127
30-34	594	13	20	218	325	176	*	.	33	134	332	7	16	154	146
35-39	827	12	30	307	462	227	*	*	42	174	482	7	21	222	227
40-44	1,012	20	36	388	555	284	8	*	53	216	562	9	25	264	260
45-49	1,085	25	34	426	585	365	12	*	110	233	553	11	25	246	265
50-54	1,217	33	27	417	711	486	25	7	138	296	565	5	16	230	307
55-59	1,345	26	41	433	810	606	18	18	171	378	581	*	20	213	336
60-64	1,414	25	33	379	949	639	18	20	153	433	588	5	8	161	406
65-69	1,797	22	56	343	1,354	831	15	27	182	594	896	7	26	139	717
70-74	1,639	21	34	258	1,315	642	11	16	121	484	957	10	16	122	808
75-79	1,136	15	25	137	951	325	7	8	47	256	792	8	16	83	684
80-84	467	*	9	50	404	107	*	*	20	84	356	*	7	29	317
85+	162	*	4	16	141	31	.	*	3	26	130	*	*	13	114

YEARS AT RISK

All	11,168	184	531	2,960	7,273	3,018	83	103	666	2,092	6,874	86	367	1,844	4,480
0-14	104	*	*	27	70	99	*	*	27	65
15-19	107	*	6	30	60	98	*	6	28	56
20-24	213	*	18	59	124	8	*	.	*	5	161	*	13	43	93
25-29	436	8	19	151	244	49	*	*	11	36	293	4	16	103	163
30-34	549	16	22	191	298	117	*	.	22	88	338	12	18	133	163
35-39	748	12	39	265	412	140	*	*	27	109	484	8	35	183	246
40-44	999	13	64	357	550	195	4	*	31	156	640	8	48	267	308
45-49	1,080	19	52	402	588	250	5	*	68	169	672	13	42	280	327
50-54	1,035	34	42	337	596	306	18	6	86	183	564	10	34	196	318
55-59	1,035	16	50	319	621	363	13	13	104	217	517	*	30	169	310
60-64	1,052	20	40	282	692	388	14	14	94	256	497	5	20	128	339
65-69	1,375	15	70	250	1,021	534	11	30	112	369	788	4	33	121	624
70-74	1,192	14	51	176	944	393	6	17	72	292	773	7	29	93	642
75-79	784	10	32	76	658	194	5	10	25	150	576	5	21	48	498
80-84	340	*	17	26	296	60	*	*	11	46	275	*	13	15	246
85+	119	*	9	11	97	21	.	*	2	16	98	*	*	9	81

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.8

First Admissions per 1,000 Patient Years: Male CAPD/CCPD Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,189	1,221	761	1,185	1,218	1,517	1,525	1,092	1,504	1,536	1,080	1,039	677	1,122	1,097
0-14	1,152	1,199	951	1,423	1,053	1,152	1,199	951	1,423	1,053	1,152	1,199	951	1,423	1,053
15-19	1,021	1,046	721	1,134	1,016	1,820	1,961	1,797	2,140	1,815	963	1,051	810	1,232	931
20-24	1,037	1,060	719	1,136	1,025	1,688	1,855	1,653	2,000	1,731	953	1,030	772	1,193	921
25-29	907	926	618	979	893	1,417	1,510	1,308	1,608	1,421	831	869	633	995	783
30-34	1,051	1,084	712	1,131	1,043	1,569	1,576	1,326	1,658	1,496	918	940	666	1,062	855
35-39	1,053	1,096	708	1,127	1,051	1,508	1,555	1,272	1,615	1,488	943	961	661	1,073	881
40-44	1,018	1,066	677	1,076	1,018	1,394	1,436	1,141	1,473	1,386	887	920	615	1,014	850
45-49	1,005	1,053	658	1,053	1,004	1,402	1,359	1,050	1,376	1,323	890	902	586	982	841
50-54	1,153	1,212	747	1,198	1,153	1,520	1,510	1,134	1,511	1,483	1,018	1,039	657	1,117	977
55-59	1,256	1,335	808	1,298	1,258	1,543	1,603	1,170	1,584	1,587	1,112	1,143	702	1,214	1,084
60-64	1,281	1,363	813	1,306	1,284	1,505	1,566	1,111	1,528	1,564	1,135	1,157	691	1,214	1,107
65-69	1,278	1,385	812	1,314	1,296	1,520	1,533	1,057	1,478	1,544	1,142	1,174	681	1,216	1,132
70-74	1,335	1,447	834	1,351	1,347	1,588	1,587	1,063	1,511	1,612	1,213	1,260	710	1,289	1,226
75-79	1,369	1,498	851	1,379	1,393	1,557	1,639	1,067	1,541	1,679	1,309	1,348	739	1,362	1,323
80-84	1,359	1,495	835	1,361	1,381	1,618	1,594	1,009	1,481	1,647	1,287	1,359	724	1,357	1,345
85+	1,380	1,545	850	1,385	1,426	1,575	1,588	977	1,457	1,655	1,343	1,404	726	1,383	1,400
STANDARD ERRORS															
All	3.8	39.0	17.6	9.5	6.2	14.2	81.4	51.5	26.4	16.0	8.4	59.9	25.9	14.9	9.8
0-14	67.5	211.2	127.8	108.7	75.1	67.5	211.2	127.8	108.7	75.1	67.5	211.2	127.8	108.7	75.1
15-19	59.8	158.0	85.2	83.6	71.9	169.5	359.9	290.1	199.8	158.3	61.5	173.2	103.1	97.3	71.3
20-24	43.5	138.2	71.5	62.0	52.8	129.8	298.9	235.3	148.1	116.6	50.1	148.6	83.8	72.3	53.8
25-29	29.9	107.2	54.7	42.7	36.8	83.2	217.0	167.7	94.9	73.5	35.9	113.0	61.0	47.5	36.4
30-34	28.2	111.1	56.1	41.4	35.2	69.6	201.4	154.4	82.1	61.4	34.9	110.3	57.4	42.8	33.3
35-39	24.6	101.6	50.0	36.1	31.2	60.1	180.8	135.9	71.8	53.5	31.8	104.6	51.6	37.9	30.0
40-44	21.1	89.4	43.4	31.0	26.9	51.0	151.6	112.5	59.6	44.4	26.3	93.9	44.4	32.2	26.0
45-49	19.9	82.0	39.4	29.4	25.3	48.0	132.4	96.2	52.1	39.5	26.2	88.8	40.2	30.4	24.2
50-54	21.6	90.6	42.6	32.6	27.4	47.9	138.8	97.6	53.8	41.1	30.1	102.1	44.0	33.9	26.4
55-59	22.7	100.9	45.4	35.2	28.7	44.5	144.4	96.2	54.4	41.5	32.9	115.8	47.6	37.1	27.9
60-64	22.7	107.7	46.8	36.8	28.6	43.4	143.7	89.3	53.7	40.2	33.6	123.7	49.1	39.0	27.8
65-69	20.6	117.8	48.6	38.0	25.8	39.0	147.5	84.2	51.8	36.6	27.2	134.6	51.0	39.9	25.1
70-74	22.6	135.8	54.4	43.3	27.6	45.4	165.4	87.7	57.9	41.2	27.5	157.2	58.0	46.6	27.7
75-79	27.7	156.7	61.5	51.5	33.5	57.9	188.1	93.4	68.1	51.5	32.4	184.2	66.4	56.5	34.1
80-84	40.2	178.6	69.2	65.0	47.7	87.3	207.0	97.7	81.7	69.5	44.1	206.9	73.3	70.3	48.7
85+	69.0	215.1	85.9	94.0	82.4	115.3	239.1	111.2	110.6	108.0	73.7	242.0	87.1	100.4	84.5

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.8S

Supplement to Table E.8

period prevalent male CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	6,819	95	178	1,626	4,795	2,374	50	54	426	1,786	3,772	40	103	972	2,618
0-14	70	.	*	22	42	64	.	*	22	37
15-19	52	*	*	16	29	46	*	*	14	25
20-24	98	*	*	37	53	*	*	.	*	*	71	*	*	27	39
25-29	164	*	7	70	79	27	.	*	6	19	104	*	6	45	49
30-34	283	*	7	101	163	101	*	.	16	81	141	*	6	70	60
35-39	384	*	9	142	224	126	*	*	22	101	203	*	7	98	95
40-44	510	13	16	184	291	139	*	*	17	117	278	8	12	131	125
45-49	556	12	16	195	326	200	*	*	46	145	275	7	13	119	134
50-54	596	11	11	197	362	228	9	*	55	146	276	*	4	116	152
55-59	668	14	22	199	411	311	9	12	79	198	274	*	8	102	158
60-64	647	8	16	138	469	289	*	9	53	214	259	*	4	54	194
65-69	929	8	25	147	735	415	*	10	72	319	480	*	12	66	396
70-74	876	10	17	99	742	322	*	8	39	262	540	*	7	54	474
75-79	660	*	15	54	580	162	*	*	14	141	490	*	12	37	435
80-84	249	*	6	21	220	44	.	*	7	35	204	*	4	13	185
85+	77	.	*	*	69	9	.	*	*	8	67	.	*	*	60

YEARS AT RISK

All	5,720	77	232	1,367	3,933	1,579	33	48	288	1,174	3,471	35	155	858	2,377
0-14	57	.	*	15	38	54	.	*	15	36
15-19	53	*	*	18	28	50	*	*	18	28
20-24	96	*	*	30	56	*	*	.	*	*	70	*	*	22	42
25-29	192	*	10	70	100	21	.	*	6	14	129	*	9	45	68
30-34	251	*	7	81	147	61	*	.	8	49	142	*	6	57	73
35-39	347	*	13	116	203	76	*	*	10	65	202	*	13	73	109
40-44	517	8	22	188	295	112	*	*	15	95	321	6	16	146	150
45-49	549	8	24	189	318	137	*	*	30	101	322	7	21	130	159
50-54	526	18	19	158	316	156	8	*	37	98	275	*	14	93	157
55-59	527	8	23	152	332	197	5	9	49	128	249	*	9	83	153
60-64	504	7	15	116	356	193	*	4	43	136	224	*	7	46	166
65-69	711	6	33	109	555	274	*	16	47	201	408	*	14	53	338
70-74	658	4	25	73	552	203	*	5	27	165	445	*	17	42	385
75-79	474	*	21	41	404	111	*	*	12	90	358	*	15	28	311
80-84	195	*	8	7	178	27	.	*	2	24	167	*	7	4	154
85+	64	.	*	*	56	8	.	*	*	7	56	.	*	*	49

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.9

First Admissions per 1,000 Patient Years: Female CAPD/CCPD Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,241	1,259	702	1,307	1,262	1,689	1,587	1,088	1,758	1,717	1,077	960	599	1,165	1,089
0-14	1,141	1,081	826	1,442	1,041	1,141	1,081	826	1,442	1,041	1,141	1,081	826	1,442	1,041
15-19	1,032	1,025	639	1,184	1,010	1,968	1,941	1,714	2,380	1,969	1,069	952	707	1,254	924
20-24	1,054	1,047	642	1,194	1,027	1,837	1,844	1,582	2,233	1,886	1,034	937	677	1,219	918
25-29	927	921	557	1,036	899	1,500	1,508	1,257	1,803	1,555	895	794	557	1,020	784
30-34	1,081	1,086	646	1,202	1,056	1,543	1,580	1,281	1,867	1,644	960	862	588	1,095	859
35-39	1,089	1,105	647	1,206	1,075	1,624	1,565	1,233	1,826	1,642	946	885	587	1,110	889
40-44	1,059	1,083	623	1,166	1,047	1,588	1,452	1,111	1,673	1,536	919	851	548	1,053	862
45-49	1,051	1,079	611	1,143	1,036	1,523	1,379	1,026	1,570	1,472	852	838	525	1,025	856
50-54	1,213	1,253	698	1,307	1,202	1,672	1,540	1,113	1,730	1,657	992	969	590	1,171	999
55-59	1,329	1,387	761	1,433	1,330	1,782	1,641	1,153	1,821	1,781	1,123	1,071	633	1,277	1,113
60-64	1,363	1,428	771	1,456	1,361	1,737	1,610	1,099	1,765	1,762	1,159	1,089	626	1,282	1,141
65-69	1,368	1,462	776	1,470	1,383	1,648	1,582	1,050	1,713	1,747	1,157	1,109	620	1,290	1,172
70-74	1,438	1,536	803	1,526	1,452	1,756	1,646	1,062	1,760	1,832	1,272	1,195	649	1,373	1,274
75-79	1,483	1,605	826	1,577	1,507	1,881	1,706	1,070	1,802	1,915	1,359	1,284	678	1,457	1,381
80-84	1,481	1,614	816	1,559	1,514	1,805	1,667	1,016	1,739	1,887	1,422	1,300	667	1,457	1,410
85+	1,512	1,679	836	1,600	1,570	1,755	1,667	988	1,718	1,904	1,432	1,348	672	1,492	1,474
STANDARD ERRORS															
All	4.0	33.4	15.2	9.4	6.8	15.7	71.9	49.5	26.9	18.8	8.5	50.7	21.5	14.6	10.3
0-14	71.1	183.8	106.5	111.3	75.9	71.1	183.8	106.5	111.3	75.9	71.1	183.8	106.5	111.3	75.9
15-19	60.7	147.1	71.9	87.5	72.3	182.8	340.6	268.0	220.0	173.6	68.9	150.9	85.8	99.6	71.7
20-24	43.2	126.6	59.5	63.6	51.9	135.6	279.4	215.9	160.2	126.0	48.6	127.8	68.4	72.3	52.5
25-29	29.9	97.5	45.8	43.9	36.1	83.9	201.4	154.3	102.1	79.8	35.5	96.8	49.9	47.6	35.6
30-34	28.3	100.1	46.8	42.5	35.1	67.8	185.0	142.1	87.5	67.3	33.1	94.1	46.8	42.8	32.7
35-39	25.0	90.0	41.7	37.4	31.7	67.7	163.9	125.4	77.0	60.0	28.9	88.5	41.9	37.9	29.8
40-44	22.0	78.7	36.5	33.2	28.0	60.4	136.2	104.2	64.5	50.4	27.3	79.8	36.4	33.2	26.3
45-49	20.8	71.7	33.7	30.8	26.4	53.1	117.5	89.6	55.5	44.9	24.9	75.7	33.4	30.7	24.5
50-54	22.6	79.3	37.3	33.8	28.7	51.6	122.0	91.6	56.8	46.7	28.4	87.6	37.4	34.2	26.8
55-59	24.0	89.2	40.8	36.8	30.9	51.7	127.0	91.1	57.6	48.1	32.2	100.6	41.3	37.5	28.7
60-64	24.0	98.2	43.2	38.0	30.5	48.1	128.4	85.5	56.1	46.2	32.7	109.1	43.5	39.1	29.0
65-69	22.0	111.1	46.1	39.0	28.3	41.4	134.9	81.8	53.6	42.1	28.6	120.6	46.2	40.1	27.0
70-74	25.0	131.8	52.9	45.4	31.6	49.6	155.1	86.5	60.8	47.8	32.4	142.9	53.4	47.4	30.9
75-79	31.5	157.4	61.2	56.5	39.0	70.5	181.5	93.7	74.1	60.3	40.2	170.0	62.1	58.7	38.8
80-84	45.1	183.9	69.4	71.7	54.7	92.1	204.4	98.8	90.5	80.3	56.2	193.2	69.0	73.6	53.9
85+	75.7	225.4	86.0	105.7	91.3	121.2	240.3	112.8	125.5	123.7	82.4	227.8	81.8	105.9	90.0

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.9S

Supplement to Table E.9

period prevalent female CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	6,745	136	200	2,065	4,230	2,417	76	61	662	1,570	3,674	50	119	1,153	2,305
0-14	49	*	*	13	27	47	*	*	13	25
15-19	66	*	*	25	32	55	*	*	21	27
20-24	139	*	3	48	77	10	.	.	*	*	106	*	3	37	56
25-29	231	5	7	88	124	34	*	*	5	24	159	*	5	70	78
30-34	311	10	13	117	162	75	*	.	17	53	191	7	10	84	86
35-39	443	9	21	165	238	101	*	*	20	73	279	5	14	124	132
40-44	502	7	20	204	264	145	*	*	36	99	284	*	13	133	135
45-49	529	13	18	231	259	165	*	*	64	88	278	*	12	127	131
50-54	621	22	16	220	349	258	16	*	83	150	289	*	12	114	155
55-59	677	12	19	234	399	295	9	6	92	180	307	*	12	111	178
60-64	767	17	17	241	480	350	12	11	100	219	329	*	4	107	212
65-69	868	14	31	196	619	416	9	17	110	275	416	*	14	73	321
70-74	763	11	17	159	573	320	*	8	82	222	417	6	9	68	334
75-79	476	9	10	83	371	163	*	6	33	115	302	*	4	46	249
80-84	218	*	3	29	184	63	*	*	13	49	152	.	3	16	132
85+	85	*	*	12	72	22	.	*	*	18	63	*	*	9	54

YEARS AT RISK

All	5,448	107	300	1,593	3,339	1,438	50	56	378	918	3,403	51	213	986	2,103
0-14	47	*	*	11	32	45	*	*	11	29
15-19	54	*	*	12	31	48	*	*	11	29
20-24	117	*	12	28	68	5	.	.	*	*	90	*	10	21	51
25-29	244	5	9	82	145	29	*	*	5	22	164	*	7	58	95
30-34	298	10	14	110	152	55	*	.	14	39	196	8	13	76	91
35-39	402	9	26	150	209	64	*	*	17	44	282	6	23	110	137
40-44	482	5	42	169	255	83	*	*	16	61	319	*	32	122	158
45-49	531	11	28	213	270	113	*	*	37	68	350	*	21	150	167
50-54	509	16	23	178	280	150	9	*	49	85	290	*	20	103	161
55-59	508	9	27	168	289	166	8	4	55	89	268	*	21	86	157
60-64	547	13	25	166	336	195	10	10	51	120	273	*	14	82	173
65-69	663	9	36	141	466	259	5	14	65	168	380	*	19	68	286
70-74	534	11	26	102	392	190	*	11	45	127	328	6	12	51	257
75-79	311	5	12	35	253	83	*	5	13	60	218	*	6	20	187
80-84	146	*	8	19	118	33	*	*	9	22	108	.	5	10	93
85+	55	*	*	8	41	13	.	*	*	9	42	*	*	6	32

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.10

First Admissions per 1,000 Patient Years: All ESRD Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	870	978	609	1,017	812	1,219	1,254	951	1,319	1,178	761	712	502	917	705
0-14	402	466	339	579	355	402	466	339	579	355	402	466	339	579	355
15-19	416	559	339	692	331	1,036	1,430	1,127	1,763	921	436	554	368	745	344
20-24	548	659	434	806	442	1,302	1,562	1,209	1,890	1,062	530	625	437	783	429
25-29	547	603	407	775	447	1,124	1,228	963	1,466	1,009	490	532	396	731	382
30-34	541	638	381	782	449	886	1,112	863	1,312	791	464	509	339	729	352
35-39	550	598	372	823	449	791	897	826	1,171	718	488	518	322	791	351
40-44	582	776	399	830	469	823	1,160	773	1,237	719	515	561	343	777	375
45-49	627	831	449	844	512	914	1,167	772	1,204	794	540	569	378	771	409
50-54	727	912	528	921	624	1,099	1,156	898	1,240	1,020	595	641	418	816	485
55-59	840	997	621	992	751	1,231	1,191	936	1,253	1,234	666	703	501	865	565
60-64	974	1,105	723	1,068	919	1,308	1,293	935	1,272	1,357	814	783	602	942	753
65-69	1,152	1,208	824	1,177	1,156	1,370	1,291	998	1,313	1,440	1,019	990	694	1,074	1,009
70-74	1,262	1,327	858	1,264	1,284	1,449	1,394	989	1,391	1,525	1,151	1,162	762	1,166	1,166
75-79	1,361	1,388	899	1,365	1,386	1,524	1,468	1,030	1,474	1,593	1,281	1,250	813	1,296	1,301
80-84	1,443	1,532	830	1,492	1,464	1,626	1,524	977	1,593	1,719	1,383	1,408	778	1,441	1,400
85+	1,559	1,415	981	1,631	1,568	1,685	1,447	1,081	1,542	1,878	1,527	1,368	936	1,640	1,518
STANDARD ERRORS															
All	2.3	10.5	5.3	2.7	1.8	5.8	20.4	16.1	6.4	4.5	3.2	15.6	6.8	3.6	2.3
0-14	9.7	49.9	31.6	25.6	9.8	9.7	49.9	31.6	25.6	9.8	9.7	49.9	31.6	25.6	9.8
15-19	9.1	49.6	27.7	22.3	8.5	114.5	181.5	141.8	194.9	101.1	10.5	53.9	32.8	27.8	10.3
20-24	7.7	45.5	25.2	15.9	7.7	73.7	177.2	136.4	133.4	72.5	8.6	49.2	29.0	19.2	9.1
25-29	5.6	37.5	19.9	11.0	5.7	28.9	121.1	95.5	60.2	30.5	6.2	38.9	22.8	13.4	6.5
30-34	4.5	34.7	16.3	9.3	4.5	14.3	90.5	76.1	39.6	14.4	5.1	35.5	17.7	11.4	5.3
35-39	3.9	27.8	13.8	8.2	3.9	10.6	66.0	61.1	31.3	10.7	4.7	31.5	15.0	10.2	4.8
40-44	3.7	31.2	12.9	7.2	3.8	9.7	68.7	51.3	26.8	9.9	4.5	33.7	14.3	8.9	4.7
45-49	3.7	28.2	13.8	6.7	3.9	9.5	55.6	44.8	20.4	10.2	4.4	31.6	15.6	8.5	4.8
50-54	4.1	27.9	15.3	7.2	4.4	10.1	46.6	44.6	17.6	12.2	4.9	36.3	17.3	9.5	5.5
55-59	4.6	28.7	17.4	7.4	5.1	10.1	43.0	42.4	15.4	13.4	5.5	40.8	21.1	10.3	6.3
60-64	5.0	31.9	19.8	7.6	5.7	10.1	48.0	40.3	14.9	13.7	6.6	47.7	25.9	11.4	7.8
65-69	5.1	33.9	19.4	7.8	5.9	9.1	45.8	35.0	13.7	12.0	6.7	56.9	26.6	11.7	8.0
70-74	5.6	41.6	19.8	8.9	6.4	10.1	56.7	34.8	16.0	13.1	7.2	66.4	27.0	12.9	8.4
75-79	6.8	53.8	24.0	11.6	7.5	13.3	78.5	44.4	21.7	16.8	8.4	74.8	31.1	16.3	9.5
80-84	9.5	84.3	28.6	17.6	10.3	21.8	111.2	55.5	36.1	27.8	11.2	111.2	35.6	23.5	12.5
85+	15.1	103.2	48.5	26.7	16.6	40.6	137.9	82.3	59.2	55.4	17.1	118.6	58.4	33.8	19.4

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

E

Table E.10S

Supplement to Table E.10

all period prevalent ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	145,393	2,455	3,758	52,958	84,254	54,575	1,477	1,353	18,655	32,156	79,007	797	2,081	29,034	46,412
0-14	642	8	15	147	438	*	*	.	*	*	592	8	12	139	403
15-19	722	13	18	264	405	*	.	.	*	*	656	13	17	238	370
20-24	1,715	36	57	668	901	87	*	*	35	44	1,348	30	46	511	726
25-29	3,334	45	95	1,430	1,699	502	5	5	161	323	2,319	34	74	1,028	1,147
30-34	5,083	68	120	2,038	2,769	1,362	24	11	349	960	3,046	38	90	1,385	1,488
35-39	7,211	97	179	2,953	3,883	2,083	21	36	457	1,546	4,195	67	124	2,075	1,880
40-44	9,050	161	243	4,007	4,505	2,729	77	43	725	1,846	5,206	68	170	2,754	2,154
45-49	10,648	221	271	4,859	5,135	3,579	116	64	1,230	2,112	5,869	83	166	3,063	2,490
50-54	11,652	295	316	4,962	5,900	4,722	195	111	1,773	2,542	5,690	75	167	2,672	2,732
55-59	12,980	331	346	5,463	6,608	6,148	251	136	2,443	3,176	5,629	67	169	2,506	2,843
60-64	14,609	327	367	5,857	7,812	6,853	230	158	2,643	3,675	5,876	55	161	2,372	3,241
65-69	19,609	325	500	6,841	11,701	9,399	239	258	3,378	5,368	9,065	69	211	2,927	5,795
70-74	19,718	262	526	6,003	12,731	8,560	182	263	2,823	5,163	10,450	71	250	2,863	7,211
75-79	15,682	171	384	4,207	10,781	5,529	90	163	1,692	3,504	9,663	76	213	2,311	7,013
80-84	8,699	71	224	2,136	6,212	2,308	38	73	715	1,461	6,171	27	146	1,340	4,629
85+	4,039	24	97	1,123	2,774	709	7	31	229	433	3,232	16	65	850	2,290

YEARS AT RISK

All	167,023	2,487	6,229	52,210	103,651	44,593	1,171	1,453	14,155	27,114	104,000	1,103	4,177	31,615	66,021
0-14	1,608	17	52	272	1,217	*	*	.	*	*	1,374	15	44	217	1,060
15-19	1,723	24	58	366	1,228	*	.	.	*	*	1,487	22	53	310	1,066
20-24	3,183	59	133	858	2,045	65	*	*	19	41	2,619	52	108	673	1,721
25-29	6,083	74	233	1,857	3,806	457	7	6	116	325	4,724	60	188	1,412	2,996
30-34	9,392	110	337	2,623	6,171	1,538	23	15	266	1,223	6,586	77	287	1,920	4,215
35-39	13,086	176	481	3,585	8,640	2,663	40	39	397	2,170	8,607	118	389	2,607	5,377
40-44	15,579	184	630	4,828	9,701	3,357	53	62	582	2,622	10,112	108	505	3,517	5,865
45-49	16,974	255	604	5,665	10,201	3,931	93	86	1,008	2,704	10,790	139	449	3,849	6,236
50-54	16,351	315	623	5,429	9,718	4,349	164	124	1,421	2,554	9,766	116	425	3,282	5,844
55-59	15,494	322	559	5,490	8,867	4,940	202	151	1,921	2,557	8,670	101	334	2,916	5,240
60-64	14,982	287	487	5,540	8,437	5,167	168	169	2,085	2,637	7,305	81	250	2,542	4,372
65-69	16,916	275	602	5,799	10,015	6,772	192	257	2,545	3,664	8,877	68	297	2,737	5,705
70-74	15,583	204	624	4,716	9,874	5,896	134	270	2,023	3,370	9,032	63	333	2,435	6,149
75-79	11,445	119	428	3,076	7,718	3,615	65	158	1,161	2,183	7,481	51	263	1,777	5,345
80-84	6,027	43	268	1,424	4,243	1,420	21	83	456	842	4,448	18	178	913	3,312
85+	2,597	23	109	679	1,770	418	8	33	154	219	2,122	14	74	506	1,518

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.11

First Admissions per 1,000 Patient Years: Male ESRD Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	791	898	581	900	751	1,115	1,189	909	1,173	1,095	709	685	483	843	663
0-14	378	431	317	541	334	378	431	317	541	334	378	431	317	541	334
15-19	355	488	319	563	282	932	1,348	1,027	1,551	829	376	499	364	622	294
20-24	470	613	390	672	379	1,144	1,478	1,097	1,655	951	450	581	398	656	360
25-29	476	544	367	665	390	1,057	1,184	913	1,471	932	428	487	363	627	335
30-34	503	607	345	733	417	886	1,116	792	1,264	809	419	484	306	679	312
35-39	533	575	333	791	439	786	938	667	1,140	729	465	485	302	767	329
40-44	565	739	362	794	459	794	1,069	668	1,153	716	502	571	315	759	359
45-49	593	821	423	787	486	849	1,173	734	1,100	751	523	580	361	743	389
50-54	662	782	538	827	575	968	1,015	809	1,110	908	561	601	428	761	451
55-59	769	933	602	895	695	1,143	1,131	860	1,160	1,146	624	678	486	807	527
60-64	892	1,084	688	963	856	1,212	1,270	927	1,154	1,256	781	817	547	882	740
65-69	1,079	1,197	817	1,080	1,088	1,311	1,307	968	1,239	1,367	977	1,009	701	1,007	975
70-74	1,194	1,379	856	1,164	1,219	1,385	1,497	1,042	1,293	1,444	1,110	1,185	735	1,099	1,130
75-79	1,269	1,351	906	1,199	1,303	1,427	1,365	1,041	1,275	1,506	1,211	1,298	818	1,162	1,239
80-84	1,366	1,460	827	1,399	1,389	1,550	1,532	925	1,481	1,649	1,319	1,335	792	1,365	1,337
85+	1,498	1,560	1,080	1,562	1,499	1,651	1,547	1,102	1,438	1,828	1,472	1,487	1,015	1,587	1,462
STANDARD ERRORS															
All	0.4	13.6	6.9	3.1	2.0	4.9	36.3	25.2	10.7	7.2	2.5	23.4	11.4	5.7	3.6
0-14	11.1	50.4	33.8	28.5	11.6	11.1	50.4	33.8	28.5	11.6	11.1	50.4	33.8	28.5	11.6
15-19	9.9	47.5	29.5	23.9	9.7	93.2	177.3	134.2	182.4	96.1	11.8	55.0	38.1	30.1	11.8
20-24	8.7	49.4	28.3	18.1	9.1	79.0	181.0	133.8	149.3	81.9	9.9	54.0	33.5	21.8	10.7
25-29	6.5	40.9	22.2	12.9	6.9	37.4	135.8	101.2	87.5	39.4	7.2	42.6	25.8	15.4	7.8
30-34	5.4	41.7	19.0	11.5	5.6	18.8	111.7	82.9	53.7	19.4	6.1	41.6	20.4	14.0	6.3
35-39	4.7	33.4	16.6	10.2	4.9	13.2	84.0	60.7	41.6	13.6	5.7	36.4	18.7	12.8	5.9
40-44	4.4	36.0	15.8	8.7	4.7	11.9	77.9	53.1	34.1	12.4	5.4	40.1	17.7	10.8	5.8
45-49	4.4	35.0	17.6	8.0	4.7	11.4	70.7	54.2	26.1	12.4	5.4	39.1	20.0	10.2	5.9
50-54	4.8	31.7	20.3	8.6	5.4	12.0	54.8	49.5	23.1	14.3	5.9	41.7	23.6	11.3	6.8
55-59	5.4	37.0	22.2	9.3	6.3	12.9	56.9	50.4	21.4	16.9	6.8	49.4	27.1	12.7	7.8
60-64	6.1	44.8	24.9	10.1	7.2	13.5	68.5	53.0	21.5	17.9	8.3	63.0	30.8	14.8	10.0
65-69	6.6	49.6	27.2	11.1	7.7	12.9	70.4	48.1	21.9	16.5	8.5	73.6	36.7	15.8	10.1
70-74	7.2	65.6	27.7	13.3	8.1	14.6	95.4	53.3	26.1	18.0	9.1	87.4	34.5	18.4	10.5
75-79	8.6	78.2	33.4	16.8	9.4	19.0	111.9	62.9	34.3	23.2	10.4	101.2	41.5	22.5	11.7
80-84	12.2	110.3	38.0	27.1	13.1	31.6	154.0	68.1	59.4	39.1	14.1	126.2	47.3	35.0	15.6
85+	20.0	140.0	67.3	42.9	21.5	60.9	173.0	103.8	92.9	80.4	22.6	158.0	78.5	53.9	24.9

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

E

Table E.11S

Supplement to Table E.11

period prevalent male ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	73,903	1,128	1,846	24,708	45,210	24,970	626	622	7,050	16,195	42,928	422	1,048	15,027	26,071
0-14	392	3	8	95	267	*	*	.	.	*	356	3	6	90	241
15-19	371	6	10	131	213	*	.	.	.	*	346	6	10	124	196
20-24	856	19	27	337	447	37	*	.	15	20	661	17	21	257	349
25-29	1,673	20	49	728	845	226	*	*	63	156	1,185	16	41	539	574
30-34	2,754	34	61	1,134	1,482	718	11	*	163	531	1,635	21	47	779	768
35-39	4,125	50	84	1,663	2,273	1,249	14	11	237	974	2,329	33	60	1,183	1,029
40-44	5,401	101	113	2,417	2,694	1,581	43	20	374	1,118	3,148	49	78	1,721	1,269
45-49	6,187	129	134	2,824	3,003	1,994	65	34	602	1,255	3,504	52	83	1,892	1,441
50-54	6,307	145	167	2,649	3,251	2,386	92	62	795	1,381	3,209	41	82	1,572	1,493
55-59	6,768	161	188	2,714	3,571	3,018	118	70	1,064	1,679	3,075	34	89	1,389	1,537
60-64	7,120	138	199	2,604	4,062	3,031	93	82	1,012	1,775	3,165	25	85	1,185	1,844
65-69	9,101	130	230	2,699	5,920	3,904	89	113	1,133	2,494	4,773	35	102	1,383	3,213
70-74	9,300	106	242	2,167	6,690	3,491	71	107	867	2,388	5,582	35	131	1,202	4,180
75-79	7,506	57	178	1,449	5,759	2,194	20	70	468	1,602	5,157	36	105	919	4,070
80-84	4,169	21	107	736	3,287	897	7	32	204	648	3,208	13	73	499	2,613
85+	1,873	8	49	361	1,446	242	*	14	53	172	1,595	6	35	293	1,254

YEARS AT RISK

All	93,415	1,231	3,179	27,525	60,101	22,257	514	715	5,855	14,812	60,641	608	2,148	18,008	39,229
0-14	1,016	10	26	186	762	*	*	.	.	*	871	8	21	150	668
15-19	1,043	12	27	236	741	*	.	.	.	*	904	11	23	205	643
20-24	1,874	32	69	531	1,189	31	*	.	9	20	1,531	29	54	418	996
25-29	3,552	40	136	1,107	2,203	213	*	*	44	164	2,833	36	112	873	1,772
30-34	5,449	53	190	1,548	3,564	796	9	*	130	643	3,926	40	168	1,161	2,505
35-39	7,717	97	252	2,088	5,154	1,563	18	23	206	1,306	5,063	69	199	1,525	3,196
40-44	9,498	117	330	3,004	5,905	2,000	32	40	308	1,594	6,221	71	255	2,228	3,591
45-49	10,369	143	314	3,529	6,227	2,358	49	47	552	1,682	6,626	81	230	2,457	3,788
50-54	9,783	195	316	3,246	5,860	2,507	95	78	705	1,576	5,895	75	199	2,090	3,469
55-59	8,825	165	301	2,998	5,227	2,614	100	92	885	1,475	5,078	55	167	1,734	3,078
60-64	7,949	128	260	2,708	4,727	2,470	74	79	873	1,391	4,080	37	142	1,354	2,510
65-69	8,344	107	284	2,487	5,358	2,940	67	122	907	1,791	4,832	33	140	1,369	3,247
70-74	7,753	70	288	1,877	5,441	2,490	40	102	678	1,625	5,017	28	180	1,100	3,681
75-79	5,908	42	204	1,228	4,390	1,534	20	68	377	1,054	4,240	21	134	802	3,258
80-84	3,070	14	133	524	2,379	587	4	42	138	397	2,436	10	90	365	1,958
85+	1,265	6	48	229	974	152	*	14	43	91	1,088	3	34	178	867

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.12

First Admissions per 1,000 Patient Years: Female ESRD Patients*period prevalent patients, 1998*

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	971	1,057	638	1,147	895	1,323	1,305	992	1,422	1,276	832	746	523	1,015	766
0-14	443	537	375	699	384	443	537	375	699	384	443	537	375	699	384
15-19	509	649	358	905	404	1,174	1,554	1,261	2,076	1,069	527	623	386	966	419
20-24	657	734	471	1,015	528	1,414	1,627	1,317	2,120	1,175	642	675	475	986	520
25-29	646	708	457	940	524	1,182	1,322	1,053	1,481	1,082	583	605	438	904	449
30-34	593	678	430	851	493	889	1,112	933	1,357	773	528	538	385	801	412
35-39	576	644	421	866	463	803	911	1,003	1,204	704	519	552	349	822	384
40-44	609	806	447	889	486	868	1,230	936	1,332	729	535	542	379	808	401
45-49	679	827	479	938	553	1,009	1,129	819	1,319	866	568	561	398	822	442
50-54	822	1,086	519	1,059	699	1,277	1,331	1,025	1,370	1,201	649	709	415	909	536
55-59	933	1,059	638	1,109	831	1,326	1,251	1,019	1,334	1,346	727	750	517	950	620
60-64	1,066	1,121	757	1,170	999	1,394	1,309	945	1,358	1,467	858	775	660	1,015	771
65-69	1,224	1,221	825	1,251	1,236	1,415	1,292	1,026	1,355	1,508	1,069	970	679	1,143	1,056
70-74	1,329	1,300	858	1,332	1,364	1,495	1,348	960	1,441	1,599	1,203	1,124	786	1,223	1,220
75-79	1,459	1,420	891	1,476	1,493	1,596	1,534	1,027	1,572	1,674	1,372	1,189	802	1,405	1,397
80-84	1,524	1,570	852	1,546	1,562	1,681	1,519	1,068	1,637	1,781	1,461	1,437	778	1,493	1,493
85+	1,618	1,407	908	1,661	1,651	1,707	1,437	1,087	1,578	1,915	1,584	1,313	860	1,666	1,595

STANDARD ERRORS															
All	0.5	14.6	7.4	3.7	2.5	5.4	34.7	26.6	10.7	8.5	3.1	26.4	12.3	7.1	4.6
0-14	15.6	63.2	39.4	45.1	16.0	15.6	63.2	39.4	45.1	16.0	15.6	63.2	39.4	45.1	16.0
15-19	14.5	62.2	32.0	39.1	14.2	119.1	203.9	163.6	244.9	126.5	17.0	68.2	38.6	49.7	17.1
20-24	12.1	59.3	32.7	27.6	12.5	89.1	195.9	156.8	173.8	95.9	13.9	64.8	38.3	33.3	15.0
25-29	8.9	52.1	28.8	18.7	9.3	38.2	139.6	115.4	74.6	43.5	10.3	54.8	33.3	23.6	10.8
30-34	6.8	44.5	23.7	14.6	7.1	19.7	103.2	92.0	53.9	20.4	8.2	46.2	26.3	18.3	8.8
35-39	5.9	38.4	19.9	12.7	6.1	15.8	80.2	88.6	44.2	16.4	7.2	43.6	21.0	16.0	7.6
40-44	5.7	46.2	18.9	11.8	6.0	15.1	96.9	80.5	40.1	15.5	7.0	45.3	20.4	14.7	7.7
45-49	5.8	39.6	19.4	11.2	6.3	15.0	73.8	60.2	30.6	17.0	7.0	42.2	21.4	14.3	7.8
50-54	6.5	45.1	20.7	11.8	7.3	16.1	71.2	71.5	25.7	20.9	7.8	53.8	22.5	16.0	8.9
55-59	6.8	40.0	24.7	11.3	8.1	14.5	58.7	62.3	21.3	20.9	8.6	55.7	28.8	16.5	10.0
60-64	7.1	41.0	28.6	10.9	8.8	13.8	61.0	53.7	19.8	20.3	9.8	59.0	38.3	17.1	11.9
65-69	6.9	42.4	25.5	10.4	8.7	11.8	55.9	46.3	17.1	16.8	9.8	71.5	34.3	16.8	12.1
70-74	7.6	49.0	26.2	11.6	9.5	12.9	64.8	42.5	19.6	18.2	10.5	81.5	38.3	17.5	13.2
75-79	9.5	64.4	31.4	15.3	11.5	17.2	92.5	55.5	27.0	23.4	12.5	88.4	41.4	22.4	15.4
80-84	13.2	97.6	38.0	22.3	15.7	27.7	122.0	75.3	43.2	38.0	16.4	136.3	46.9	30.4	19.9
85+	20.2	110.4	56.2	32.5	24.7	48.5	149.0	96.1	69.3	71.1	23.9	127.1	68.1	41.7	29.6

The rates in this table are estimated using statistical models to improve the stability of the results, and may therefore differ from rates calculated using other tables in this section.

Table E.12S

Supplement to Table E.12

period prevalent female ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute first admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	71,490	1,327	1,912	28,250	39,044	29,605	851	731	11,605	15,961	36,079	375	1,033	14,007	20,341
0-14	250	5	7	52	171	*	.	.	*	.	236	5	6	49	162
15-19	351	7	8	133	192	*	.	.	*	*	310	7	7	114	174
20-24	859	17	30	331	454	50	*	*	20	24	687	13	25	254	377
25-29	1,661	25	46	702	854	276	*	*	98	167	1,134	18	33	489	573
30-34	2,329	34	59	904	1,287	644	13	7	186	429	1,411	17	43	606	720
35-39	3,086	47	95	1,290	1,610	834	7	25	220	572	1,866	34	64	892	851
40-44	3,649	60	130	1,590	1,811	1,148	34	23	351	728	2,058	19	92	1,033	885
45-49	4,461	92	137	2,035	2,132	1,585	51	30	628	857	2,365	31	83	1,171	1,049
50-54	5,345	150	149	2,313	2,649	2,336	103	49	978	1,161	2,481	34	85	1,100	1,239
55-59	6,212	170	158	2,749	3,037	3,130	133	66	1,379	1,497	2,554	33	80	1,117	1,306
60-64	7,489	189	168	3,253	3,750	3,822	137	76	1,631	1,900	2,711	30	76	1,187	1,397
65-69	10,508	195	270	4,142	5,781	5,495	150	145	2,245	2,874	4,292	34	109	1,544	2,582
70-74	10,418	156	284	3,836	6,041	5,069	111	156	1,956	2,775	4,868	36	119	1,661	3,031
75-79	8,176	114	206	2,758	5,022	3,335	70	93	1,224	1,902	4,506	40	108	1,392	2,943
80-84	4,530	50	117	1,400	2,925	1,411	31	41	511	813	2,963	14	73	841	2,016
85+	2,166	16	48	762	1,328	467	5	17	176	261	1,637	10	30	557	1,036

YEARS AT RISK

All	73,608	1,257	3,050	24,685	43,549	22,336	657	738	8,300	12,301	43,359	495	2,029	13,608	26,792
0-14	591	7	25	87	455	*	.	.	*	.	503	7	23	67	392
15-19	680	12	32	131	487	*	.	.	*	*	583	11	30	105	423
20-24	1,309	27	63	327	855	34	*	*	11	21	1,087	24	55	255	725
25-29	2,531	35	97	751	1,603	244	*	*	72	161	1,891	25	76	539	1,224
30-34	3,943	57	148	1,075	2,606	743	14	9	136	580	2,660	37	119	759	1,711
35-39	5,370	79	229	1,497	3,487	1,099	21	17	192	865	3,544	48	190	1,082	2,181
40-44	6,081	67	300	1,825	3,795	1,357	21	21	274	1,028	3,891	36	249	1,290	2,274
45-49	6,605	112	291	2,136	3,974	1,574	44	39	455	1,023	4,163	58	219	1,392	2,448
50-54	6,568	120	307	2,183	3,859	1,843	69	46	717	978	3,871	40	227	1,192	2,375
55-59	6,669	158	257	2,492	3,640	2,326	102	59	1,036	1,082	3,591	46	168	1,182	2,162
60-64	7,033	159	227	2,832	3,710	2,697	95	90	1,212	1,245	3,225	44	107	1,188	1,862
65-69	8,572	168	318	3,312	4,657	3,832	124	135	1,638	1,873	4,045	35	157	1,368	2,457
70-74	7,830	134	336	2,839	4,433	3,405	93	168	1,345	1,745	4,015	35	153	1,335	2,468
75-79	5,537	77	225	1,849	3,328	2,081	45	90	784	1,129	3,241	30	129	975	2,087
80-84	2,957	28	135	900	1,864	833	18	42	318	445	2,012	7	87	548	1,354
85+	1,332	17	61	451	796	266	6	19	110	128	1,034	11	41	328	651

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.13

First Admission Standardized Hospitalization Ratios*by state, all period prevalent dialysis patients*

	1996-1998	1996	1997	1998
All	1.02	1.04	1.02	1.00
Alabama	1.09	1.11	1.08	1.08
Arizona	0.92	0.96	0.89	0.90
Arkansas	1.16	1.23	1.14	1.13
California and Hawaii	0.95	0.96	0.96	0.94
Colorado	0.89	0.92	0.90	0.85
Connecticut	1.01	1.05	1.05	0.95
District of Columbia	1.15	1.22	1.15	1.08
Florida	1.03	1.03	1.03	1.02
Georgia	1.10	1.15	1.10	1.05
Illinois	1.07	1.09	1.07	1.05
Indiana	1.01	1.00	1.02	1.01
Iowa	0.93	0.91	0.96	0.93
Kansas	1.05	1.08	1.02	1.04
Kentucky	1.07	1.13	1.04	1.05
Louisiana	1.21	1.23	1.19	1.21
Maryland	1.03	1.07	1.02	1.01
Massachusetts	1.02	1.03	1.02	1.02
Michigan	0.97	0.96	0.99	0.96
Minnesota	0.94	0.93	0.95	0.94
Mississippi	1.00	1.01	1.01	0.99
Missouri	0.95	0.95	0.95	0.97
Nebraska	0.90	0.98	0.84	0.90
New England*	0.99	1.02	0.99	0.97
New Jersey	1.13	1.16	1.13	1.09
New Mexico	0.91	0.96	0.88	0.90
New York	0.98	1.04	0.98	0.94
North Carolina	1.11	1.12	1.10	1.11
North and South Dakota	0.92	0.86	0.92	0.98
Ohio	1.05	1.09	1.06	1.01
Oklahoma	1.02	1.06	0.98	1.02
Oregon	0.90	0.91	0.90	0.89
Pennsylvania and Delaware	1.14	1.19	1.14	1.08
Rhode Island	1.03	1.02	1.06	1.02
South Carolina	1.01	1.03	1.02	0.98
Tennessee	1.03	1.06	1.01	1.01
Texas	0.98	0.98	1.00	0.97
Utah	0.76	0.73	0.77	0.78
Virginia	1.00	1.04	0.99	0.98
Washington	0.86	0.89	0.88	0.82
West Virginia	1.22	1.29	1.22	1.16
Western Mountain States**	0.87	0.85	0.86	0.89
Wisconsin	0.95	0.96	0.95	0.93
Guam	0.87	0.90	0.89	0.83
Mariana Islands	1.19	1.19	0.00	1.85
Puerto Rico and Virgin Islands	1.01	0.99	1.00	1.05

Some states have been combined due to the small number of dialysis units.

*New England includes Maine, Vermont and New Hampshire.

**Western Mountain States include Nevada, Wyoming, Idaho, Montana and Alaska.

Patients who died from AIDS are excluded from all calculations.

Includes only dialysis patients who have reached day 91 of ESRD by the end of the year.

Table E.14

Total Admissions per 1,000 Patient Years: All Dialysis Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,912	1,920	1,339	1,878	1,974	2,251	2,048	1,663	2,192	2,341	1,745	1,735	1,165	1,739	1,789
0-14	2,132	1,770	1,471	2,279	2,091	*	*	.	*	*	2,138	2,255	1,445	2,289	2,077
15-19	1,693	2,028	862	1,797	1,697	2,491	.	*	2,638	*	1,712	2,126	866	1,795	1,704
20-24	1,607	1,602	1,182	1,711	1,568	3,301	*	*	3,554	3,241	1,556	1,497	1,197	1,633	1,543
25-29	1,706	1,851	933	1,776	1,698	3,116	1,976	1,526	3,384	2,993	1,528	1,842	926	1,628	1,460
30-34	1,803	1,865	1,176	1,854	1,799	2,826	2,547	2,047	3,011	2,750	1,566	1,669	1,088	1,713	1,439
35-39	1,786	1,669	1,046	1,826	1,813	2,647	1,935	2,392	2,676	2,665	1,564	1,484	801	1,717	1,441
40-44	1,746	1,840	1,015	1,786	1,756	2,456	2,061	2,014	2,483	2,491	1,544	1,675	830	1,673	1,423
45-49	1,722	1,841	1,161	1,701	1,780	2,269	2,107	1,570	2,196	2,374	1,494	1,424	1,031	1,553	1,448
50-54	1,815	1,876	1,406	1,766	1,894	2,224	2,041	1,771	2,163	2,323	1,584	1,600	1,217	1,576	1,627
55-59	1,866	1,885	1,414	1,792	1,971	2,184	1,945	1,658	2,091	2,324	1,641	1,657	1,252	1,609	1,705
60-64	1,930	1,905	1,467	1,850	2,030	2,159	1,971	1,606	2,073	2,273	1,749	1,856	1,334	1,675	1,842
65-69	1,971	2,009	1,437	1,935	2,026	2,156	2,064	1,660	2,081	2,246	1,809	1,809	1,190	1,807	1,843
70-74	2,012	2,047	1,416	1,994	2,052	2,217	2,142	1,612	2,149	2,298	1,867	1,887	1,254	1,862	1,899
75-79	2,033	1,987	1,443	2,071	2,050	2,247	2,093	1,588	2,249	2,298	1,927	1,879	1,348	1,968	1,943
80-84	2,098	2,264	1,308	2,250	2,082	2,363	2,120	1,513	2,393	2,433	2,010	2,462	1,195	2,177	1,993
85+	2,196	2,016	1,745	2,345	2,158	2,452	2,030	1,943	2,426	2,545	2,150	1,957	1,679	2,339	2,100

STANDARD ERRORS

All	2.1	15.4	9.5	3.2	2.9	3.9	20.8	18.2	6.1	5.4	2.6	24.8	11.6	4.0	3.6
0-14	47.1	386.2	229.7	92.3	58.7	*	*	.	*	*	49.6	504.2	228.5	96.0	61.7
15-19	31.4	228.2	112.2	51.7	44.2	440.4	.	*	562.4	*	33.4	242.3	122.4	54.8	46.3
20-24	17.1	124.0	69.1	26.2	24.9	118.4	*	*	176.8	180.0	18.7	131.3	75.7	28.7	27.2
25-29	13.0	107.0	50.9	19.2	19.4	51.1	324.9	265.6	87.9	65.3	14.3	120.9	57.1	21.0	21.0
30-34	10.8	86.5	50.1	15.9	15.8	31.0	198.9	209.0	57.7	38.1	12.1	99.9	54.4	17.7	17.8
35-39	9.1	68.5	38.4	13.0	13.8	24.8	145.5	160.6	44.8	31.3	10.3	80.3	38.0	14.6	15.8
40-44	7.9	60.2	32.5	11.1	12.4	20.0	96.3	121.4	33.5	26.8	9.2	84.2	34.4	12.7	14.5
45-49	7.2	48.8	33.0	9.9	11.3	15.5	69.0	80.9	23.8	22.2	8.6	71.8	38.0	11.7	13.7
50-54	7.1	45.3	35.1	10.1	10.9	12.9	59.1	67.2	19.5	19.1	9.1	79.1	44.0	12.6	14.2
55-59	6.8	42.3	34.0	9.7	10.4	11.2	50.2	57.7	16.5	16.9	9.3	85.8	46.1	13.1	14.2
60-64	6.5	42.8	33.5	9.4	9.5	10.3	52.6	52.6	15.5	15.1	9.4	96.9	48.2	13.6	13.8
65-69	5.6	41.7	26.3	9.0	7.6	8.7	49.8	40.9	13.8	12.0	7.7	80.4	35.4	12.7	10.0
70-74	5.6	47.8	25.5	9.8	7.3	9.4	60.9	40.5	15.6	12.6	7.2	80.7	33.3	13.2	9.0
75-79	6.5	60.9	29.6	12.4	8.0	12.3	85.7	51.2	21.2	16.1	7.9	88.7	36.8	16.0	9.4
80-84	9.0	101.1	36.4	18.7	10.8	20.0	139.8	70.7	35.3	26.4	10.3	156.9	42.7	22.8	11.9
85+	14.4	150.2	68.8	28.1	17.4	38.8	296.1	131.9	64.8	53.0	15.7	176.5	81.9	32.1	18.6

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.14S

Supplement to Table E.14*all period prevalent dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	860,693	15,569	19,850	344,139	470,790	341,780	9,711	8,339	127,360	190,804	455,815	4,888	10,126	184,746	252,908
0-14	2,051	21	41	610	1,271	*	*	.	*	*	1,860	20	40	569	1,133
15-19	2,904	79	59	1,207	1,476	32	.	*	22	*	2,622	77	50	1,072	1,352
20-24	8,864	167	293	4,251	3,965	777	*	*	404	324	6,945	130	250	3,231	3,216
25-29	17,191	299	336	8,580	7,695	3,717	37	33	1,483	2,100	11,476	232	263	6,009	4,819
30-34	27,899	465	550	13,544	12,966	8,338	164	96	2,723	5,221	16,699	279	400	9,356	6,534
35-39	38,600	594	743	19,609	17,219	11,387	177	222	3,575	7,263	23,097	342	443	13,833	8,294
40-44	48,486	935	977	25,816	20,162	15,112	458	275	5,504	8,663	28,235	396	584	17,449	9,596
45-49	57,815	1,423	1,240	29,303	25,012	21,558	932	377	8,493	11,430	30,313	393	738	17,612	11,246
50-54	65,490	1,715	1,602	30,763	30,465	29,574	1,195	695	12,253	14,862	30,040	409	763	15,550	13,096
55-59	75,288	1,987	1,731	34,400	35,975	38,184	1,500	827	16,076	18,975	30,863	373	738	15,169	14,384
60-64	89,373	1,980	1,916	38,783	45,340	43,723	1,404	931	17,839	22,670	34,460	367	767	15,227	17,850
65-69	124,767	2,327	2,974	46,633	71,332	61,932	1,717	1,646	22,815	34,774	55,756	506	1,131	20,127	33,624
70-74	127,511	1,832	3,081	41,450	79,915	55,879	1,236	1,588	18,938	33,308	66,449	546	1,415	19,968	44,178
75-79	97,138	1,063	2,377	27,769	65,223	33,642	596	964	11,223	20,439	60,059	449	1,341	15,153	42,891
80-84	53,960	502	1,287	14,442	37,335	13,910	230	458	4,601	8,463	38,258	246	783	9,120	27,920
85+	23,356	180	643	6,979	15,439	4,003	47	217	1,401	2,303	18,683	123	420	5,301	12,775

YEARS AT RISK

All	450,200	8,110	14,828	183,248	238,502	151,804	4,742	5,013	58,111	81,513	261,162	2,817	8,688	106,209	141,391
0-14	962	12	28	268	608	*	*	.	*	*	870	9	28	249	545
15-19	1,716	39	68	672	870	13	.	*	8	*	1,531	36	58	597	793
20-24	5,516	104	248	2,484	2,529	235	*	*	114	100	4,463	87	209	1,978	2,084
25-29	10,077	162	360	4,832	4,531	1,193	19	22	438	702	7,510	126	284	3,692	3,300
30-34	15,470	249	468	7,306	7,208	2,950	64	47	904	1,899	10,662	167	368	5,461	4,542
35-39	21,608	356	710	10,740	9,498	4,302	91	93	1,336	2,725	14,770	230	553	8,057	5,757
40-44	27,766	508	962	14,457	11,480	6,153	222	137	2,217	3,478	18,285	236	703	10,433	6,745
45-49	33,579	773	1,068	17,231	14,053	9,501	442	240	3,867	4,814	20,292	276	716	11,340	7,767
50-54	36,078	914	1,140	17,421	16,085	13,299	585	392	5,664	6,399	18,966	256	627	9,869	8,051
55-59	40,343	1,054	1,224	19,192	18,251	17,485	771	499	7,687	8,165	18,813	225	590	9,429	8,435
60-64	46,296	1,039	1,306	20,960	22,334	20,250	712	580	8,605	9,972	19,705	198	575	9,089	9,692
65-69	63,286	1,158	2,070	24,094	35,211	28,724	832	991	10,964	15,484	30,822	280	951	11,138	18,247
70-74	63,370	895	2,176	20,790	38,950	25,203	577	985	8,814	14,494	35,588	289	1,128	10,723	23,266
75-79	47,780	535	1,647	13,407	31,809	14,969	285	607	4,989	8,894	31,164	239	995	7,699	22,074
80-84	25,715	222	984	6,419	17,930	5,886	108	303	1,923	3,479	19,030	100	655	4,188	14,009
85+	10,638	89	368	2,976	7,156	1,632	23	112	577	905	8,691	63	250	2,266	6,085

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.15
Total Admissions per 1,000 Patient Years at Risk: Male Dialysis Patients
 1996-1998

ADMISSIONS															
	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,779	1,842	1,282	1,713	1,852	2,141	1,977	1,552	2,046	2,230	1,642	1,709	1,158	1,617	1,686
0-14	2,185	*	1,428	2,286	2,203	*	*	.	.	*	2,132	*	1,378	2,253	2,119
15-19	1,396	1,616	1,123	1,353	1,459	*	.	.	*	*	1,407	1,616	1,323	1,349	1,449
20-24	1,365	1,501	1,344	1,458	1,290	2,544	*	*	2,539	2,405	1,349	1,406	1,443	1,446	1,259
25-29	1,522	1,650	846	1,561	1,538	2,972	*	1,421	3,391	2,742	1,377	1,637	905	1,439	1,344
30-34	1,688	1,952	1,012	1,735	1,689	2,734	2,532	1,839	2,953	2,654	1,446	1,862	965	1,599	1,297
35-39	1,714	1,654	914	1,766	1,719	2,540	1,954	1,654	2,669	2,539	1,502	1,515	771	1,674	1,326
40-44	1,661	1,733	923	1,679	1,689	2,343	1,942	1,705	2,288	2,428	1,485	1,593	785	1,615	1,340
45-49	1,614	1,833	1,106	1,581	1,672	2,129	2,121	1,488	2,041	2,208	1,434	1,470	1,036	1,493	1,366
50-54	1,669	1,606	1,328	1,604	1,766	2,031	1,750	1,541	1,957	2,140	1,493	1,438	1,180	1,481	1,541
55-59	1,749	1,851	1,408	1,646	1,857	2,093	1,870	1,690	1,976	2,212	1,537	1,749	1,219	1,499	1,597
60-64	1,808	1,828	1,265	1,691	1,934	2,034	1,932	1,428	1,909	2,157	1,677	1,760	1,099	1,576	1,796
65-69	1,856	2,033	1,406	1,786	1,910	2,074	2,079	1,517	1,957	2,166	1,714	1,858	1,256	1,695	1,741
70-74	1,889	2,112	1,401	1,835	1,928	2,092	2,230	1,641	1,981	2,158	1,778	1,989	1,237	1,743	1,811
75-79	1,886	2,036	1,477	1,844	1,914	2,107	2,034	1,554	1,960	2,189	1,800	2,013	1,402	1,789	1,819
80-84	1,971	2,003	1,189	2,166	1,957	2,254	1,803	1,216	2,296	2,346	1,903	2,134	1,167	2,128	1,882
85+	2,067	2,106	1,951	2,228	2,030	2,345	*	1,932	2,328	2,416	2,035	2,272	1,961	2,234	1,988

STANDARD ERRORS															
All	2.8	22.4	13.3	4.4	3.8	5.6	31.7	25.9	9.6	7.4	3.4	34.1	16.3	5.3	4.6
0-14	61.8	*	311.5	115.4	78.8	*	*	.	.	*	63.9	*	308.1	117.4	81.7
15-19	39.2	344.5	195.5	62.3	54.9	*	.	.	*	*	41.6	344.5	237.5	65.2	57.8
20-24	21.5	172.2	110.1	32.8	30.9	164.9	*	*	249.0	225.3	23.8	184.6	122.8	36.5	33.7
25-29	16.6	147.0	65.1	23.9	25.2	72.2	*	310.1	132.2	88.4	18.1	156.8	75.4	25.9	27.3
30-34	13.8	129.9	62.2	20.4	20.3	40.6	309.3	287.3	81.5	48.1	15.5	152.0	68.7	22.6	22.7
35-39	11.6	92.6	51.4	16.7	17.3	31.7	201.6	195.0	64.0	38.1	13.2	108.5	53.3	18.6	19.9
40-44	9.9	73.2	43.5	13.7	15.6	25.7	122.1	148.9	44.9	33.6	11.5	98.4	47.6	15.6	18.1
45-49	9.0	64.1	45.3	12.3	14.4	20.3	91.7	110.9	32.9	27.9	10.8	94.9	53.5	14.4	17.5
50-54	9.1	57.6	45.7	13.0	14.0	17.2	77.6	78.6	27.5	24.5	11.7	97.6	60.7	15.8	18.6
55-59	9.1	61.2	47.6	13.0	13.7	15.9	73.6	81.6	24.6	22.8	12.1	125.6	66.0	16.8	18.6
60-64	9.0	64.2	43.5	13.4	13.0	15.1	81.8	71.2	24.1	21.1	12.7	133.1	60.9	18.5	18.3
65-69	8.0	67.6	39.2	13.6	10.4	13.4	83.2	59.8	23.2	17.5	10.3	119.0	53.4	17.9	13.1
70-74	8.0	83.4	37.6	15.3	9.7	14.5	116.7	64.9	26.9	18.2	9.7	119.7	46.2	19.5	11.6
75-79	9.0	104.9	43.9	19.2	10.5	18.9	166.1	78.3	36.2	23.3	10.3	134.5	52.8	23.4	11.8
80-84	12.4	163.6	50.3	30.3	14.1	31.2	255.0	91.4	64.2	38.8	13.7	221.2	60.2	35.7	15.2
85+	20.3	265.3	104.6	47.1	23.1	63.7	*	203.7	119.9	81.6	21.7	312.1	122.5	53.3	24.3

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

Table E.15S

Supplement to Table E.15*male period prevalent dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	411,932	6,793	9,276	152,216	238,494	145,673	3,877	3,603	45,226	90,196	237,463	2,516	5,037	92,185	136,067
0-14	1,252	*	21	392	782	*	*	.	.	*	1,112	*	20	368	673
15-19	1,266	22	33	471	706	*	.	.	*	*	1,142	22	31	429	629
20-24	4,022	76	149	1,981	1,748	238	*	*	104	114	3,203	58	138	1,566	1,398
25-29	8,433	126	169	4,269	3,732	1,693	*	21	658	962	5,809	109	144	3,080	2,418
30-34	14,868	226	265	7,237	6,958	4,545	67	41	1,312	3,048	8,707	150	197	5,024	3,274
35-39	21,894	319	316	11,177	9,841	6,430	94	72	1,739	4,445	13,044	195	209	8,121	4,423
40-44	28,047	561	451	14,923	11,761	8,329	253	131	2,597	5,205	16,812	262	272	10,715	5,457
45-49	31,861	819	596	16,414	13,529	11,037	535	180	3,850	6,249	17,657	240	375	10,787	6,074
50-54	33,296	777	845	15,327	15,862	13,880	509	384	5,060	7,637	16,346	217	377	8,755	6,884
55-59	36,823	914	874	15,995	18,323	17,413	646	429	6,438	9,413	16,037	194	341	7,985	7,383
60-64	40,231	811	846	15,935	22,053	18,081	558	402	6,302	10,432	17,544	175	326	7,280	9,630
65-69	53,865	906	1,284	17,207	33,746	24,129	625	643	7,143	15,262	27,614	244	552	8,914	17,680
70-74	56,249	641	1,386	14,293	39,387	20,829	365	638	5,431	14,067	33,719	276	718	8,010	24,524
75-79	44,197	377	1,134	9,255	33,127	12,475	150	394	2,928	8,827	30,524	224	705	5,834	23,652
80-84	25,245	150	559	5,105	19,246	5,227	50	177	1,281	3,656	19,424	93	376	3,561	15,299
85+	10,383	63	348	2,235	7,693	1,357	*	90	377	876	8,769	53	256	1,756	6,669

YEARS AT RISK

All	231,500	3,687	7,235	88,880	128,796	68,055	1,961	2,322	22,105	40,451	144,649	1,472	4,348	56,998	80,685
0-14	573	*	15	172	355	*	*	.	.	*	522	*	15	163	318
15-19	907	14	29	348	484	*	.	.	*	*	812	14	23	318	434
20-24	2,946	51	111	1,359	1,355	94	*	*	41	47	2,374	41	96	1,083	1,111
25-29	5,540	76	200	2,734	2,426	570	*	15	194	351	4,220	67	159	2,141	1,799
30-34	8,808	116	262	4,170	4,119	1,662	26	22	444	1,148	6,020	81	204	3,143	2,524
35-39	12,776	193	346	6,329	5,725	2,532	48	44	652	1,751	8,683	129	271	4,851	3,337
40-44	16,881	324	489	8,886	6,962	3,555	130	77	1,135	2,144	11,318	164	347	6,636	4,072
45-49	19,736	447	539	10,382	8,090	5,184	252	121	1,886	2,831	12,309	163	362	7,227	4,447
50-54	19,952	484	636	9,555	8,982	6,834	291	249	2,585	3,569	10,946	151	320	5,913	4,469
55-59	21,049	494	621	9,720	9,865	8,319	345	254	3,258	4,255	10,431	111	280	5,327	4,624
60-64	22,252	444	669	9,421	11,400	8,888	289	281	3,300	4,837	10,462	99	297	4,620	5,361
65-69	29,029	446	913	9,635	17,669	11,635	301	424	3,651	7,045	16,111	131	440	5,260	10,156
70-74	29,777	303	989	7,790	20,434	9,956	164	389	2,742	6,517	18,962	139	581	4,596	13,545
75-79	23,439	185	768	5,019	17,308	5,920	74	253	1,494	4,032	16,962	111	503	3,260	13,006
80-84	12,811	75	470	2,357	9,833	2,319	28	146	558	1,558	10,209	44	322	1,673	8,129
85+	5,022	30	178	1,003	3,791	579	*	47	162	363	4,310	23	131	786	3,354

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.16

Total Admissions per 1,000 Patient Years at Risk: Female Dialysis Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	2,052	1,984	1,392	2,034	2,117	2,342	2,098	1,760	2,281	2,450	1,874	1,764	1,173	1,881	1,925
0-14	2,053	*	1,519	2,267	1,934	*	.	.	*	*	2,146	*	1,519	2,359	2,019
15-19	2,026	2,250	665	2,274	1,995	3,265	.	*	*	*	2,057	2,434	554	2,301	2,013
20-24	1,884	1,698	1,052	2,017	1,889	3,800	*	*	4,126	3,993	1,791	1,580	989	1,859	1,868
25-29	1,930	2,031	1,041	2,055	1,882	3,247	2,195	*	3,378	3,244	1,722	2,072	953	1,888	1,600
30-34	1,956	1,790	1,385	2,011	1,945	2,945	2,558	2,236	3,066	2,896	1,722	1,489	1,241	1,868	1,616
35-39	1,891	1,687	1,171	1,912	1,955	2,800	1,914	3,044	2,682	2,892	1,651	1,446	830	1,781	1,600
40-44	1,878	2,028	1,111	1,955	1,859	2,611	2,229	2,412	2,688	2,592	1,640	1,862	875	1,774	1,548
45-49	1,875	1,851	1,217	1,882	1,926	2,437	2,088	1,654	2,343	2,612	1,585	1,358	1,026	1,659	1,558
50-54	1,996	2,178	1,504	1,962	2,056	2,427	2,330	2,171	2,336	2,553	1,707	1,834	1,255	1,718	1,734
55-59	1,994	1,915	1,420	1,943	2,105	2,266	2,006	1,625	2,176	2,446	1,769	1,568	1,281	1,751	1,837
60-64	2,044	1,963	1,678	1,980	2,130	2,257	1,998	1,774	2,175	2,383	1,830	1,952	1,585	1,778	1,898
65-69	2,070	1,994	1,461	2,035	2,143	2,212	2,056	1,768	2,143	2,312	1,913	1,765	1,133	1,908	1,971
70-74	2,121	2,014	1,428	2,089	2,189	2,299	2,107	1,593	2,224	2,412	1,969	1,793	1,273	1,952	2,022
75-79	2,175	1,961	1,414	2,207	2,213	2,339	2,113	1,612	2,373	2,388	2,080	1,762	1,294	2,099	2,122
80-84	2,225	2,397	1,416	2,299	2,234	2,434	2,229	1,789	2,433	2,503	2,135	2,715	1,223	2,210	2,146
85+	2,310	1,970	1,552	2,405	2,302	2,511	2,168	1,950	2,465	2,631	2,263	1,771	1,372	2,395	2,236

STANDARD ERRORS

All	3.1	21.2	13.5	4.6	4.4	5.3	27.5	25.6	8.0	7.7	4.0	36.2	16.4	6.2	5.6
0-14	72.6	*	339.7	153.5	87.5	*	.	.	*	*	78.5	*	339.7	166.4	94.1
15-19	50.0	298.0	130.4	83.8	71.9	666.4	.	*	*	*	53.5	328.1	127.0	90.7	74.9
20-24	27.1	178.0	87.6	42.3	40.1	163.7	*	*	238.2	275.6	29.3	186.2	93.4	45.6	43.8
25-29	20.6	154.4	80.6	31.3	29.9	72.2	360.8	*	117.6	96.2	22.9	186.9	87.4	34.9	32.7
30-34	17.1	115.8	82.0	25.3	25.1	47.8	259.7	301.5	81.6	62.1	19.3	131.1	87.1	28.4	28.3
35-39	14.6	101.7	56.7	20.8	22.8	39.8	210.1	248.5	62.6	54.5	16.5	119.2	54.2	23.6	25.7
40-44	13.1	104.9	48.4	18.7	20.3	31.7	155.7	201.0	49.8	44.1	15.3	160.9	49.5	21.6	24.1
45-49	11.6	75.3	48.0	16.6	18.0	23.8	104.8	117.8	34.4	36.3	14.1	109.8	53.9	20.1	21.7
50-54	11.1	71.1	54.7	15.8	17.0	19.4	88.9	123.1	27.5	30.0	14.6	132.4	63.9	20.8	22.0
55-59	10.2	58.5	48.5	14.3	15.8	15.7	68.6	81.4	22.2	25.0	14.5	117.2	64.3	20.7	22.0
60-64	9.2	57.4	51.3	13.1	14.0	14.1	68.7	77.1	20.2	21.5	14.1	140.9	75.5	19.9	20.9
65-69	7.8	52.9	35.5	11.9	11.1	11.4	62.2	55.8	17.1	16.6	11.4	109.1	47.1	18.0	15.6
70-74	7.9	58.4	34.7	12.7	10.9	12.3	71.4	51.7	19.1	17.4	10.9	109.1	48.2	17.8	14.4
75-79	9.5	74.9	40.1	16.2	12.4	16.1	100.1	67.5	26.1	22.2	12.1	117.4	51.3	21.7	15.3
80-84	13.1	127.8	52.5	23.8	16.6	26.1	166.1	106.7	42.2	36.1	15.6	219.5	60.6	29.6	19.1
85+	20.3	182.1	90.4	34.9	26.2	48.8	351.8	173.0	77.0	69.6	22.7	211.7	107.1	40.2	28.6

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.16S

Supplement to Table E.16

female period prevalent dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	448,761	8,776	10,574	191,923	232,296	196,107	5,834	4,736	82,134	100,608	218,352	2,372	5,089	92,561	116,841
0-14	799	*	20	218	489	*	.	.	*	*	748	*	20	201	460
15-19	1,638	57	26	736	770	24	.	*	*	*	1,480	55	19	643	723
20-24	4,842	91	144	2,270	2,217	539	*	*	300	210	3,742	72	112	1,665	1,818
25-29	8,758	173	167	4,311	3,963	2,024	37	*	825	1,138	5,667	123	119	2,929	2,401
30-34	13,031	239	285	6,307	6,008	3,793	97	55	1,411	2,173	7,992	129	203	4,332	3,260
35-39	16,706	275	427	8,432	7,378	4,957	83	150	1,836	2,818	10,053	147	234	5,712	3,871
40-44	20,439	374	526	10,893	8,401	6,783	205	144	2,907	3,458	11,423	134	312	6,734	4,139
45-49	25,954	604	644	12,889	11,483	10,521	397	197	4,643	5,181	12,656	153	363	6,825	5,172
50-54	32,194	938	757	15,436	14,603	15,694	686	311	7,193	7,225	13,694	192	386	6,795	6,212
55-59	38,465	1,073	857	18,405	17,652	20,771	854	398	9,638	9,562	14,826	179	397	7,184	7,001
60-64	49,142	1,169	1,070	22,848	23,287	25,642	846	529	11,537	12,238	16,916	192	441	7,947	8,220
65-69	70,902	1,421	1,690	29,426	37,586	37,803	1,092	1,003	15,672	19,512	28,142	262	579	11,213	15,944
70-74	71,262	1,191	1,695	27,157	40,528	35,050	871	950	13,507	19,241	32,730	270	697	11,958	19,654
75-79	52,941	686	1,243	18,514	32,096	21,167	446	570	8,295	11,612	29,535	225	636	9,319	19,239
80-84	28,715	352	728	9,337	18,089	8,683	180	281	3,320	4,807	18,834	153	407	5,559	12,621
85+	12,973	117	295	4,744	7,746	2,646	38	127	1,024	1,427	9,914	70	164	3,545	6,106

YEARS AT RISK

All	218,700	4,422	7,594	94,368	109,706	83,749	2,781	2,692	36,006	41,062	116,512	1,345	4,340	49,211	60,706
0-14	389	*	13	96	253	*	.	.	*	*	348	*	13	85	228
15-19	809	25	39	324	386	7	.	*	*	*	720	23	34	279	359
20-24	2,570	54	137	1,126	1,173	142	*	*	73	53	2,089	46	113	896	973
25-29	4,537	85	160	2,097	2,106	623	17	*	244	351	3,290	59	125	1,551	1,501
30-34	6,662	134	206	3,136	3,089	1,288	38	25	460	750	4,642	87	164	2,319	2,017
35-39	8,833	163	365	4,411	3,773	1,771	43	49	684	974	6,088	102	282	3,206	2,420
40-44	10,885	184	474	5,571	4,518	2,598	92	60	1,082	1,334	6,967	72	357	3,796	2,673
45-49	13,842	326	529	6,848	5,963	4,317	190	119	1,981	1,984	7,983	113	354	4,113	3,320
50-54	16,126	431	503	7,866	7,103	6,465	294	143	3,079	2,830	8,020	105	307	3,956	3,582
55-59	19,294	560	603	9,472	8,386	9,166	426	245	4,430	3,910	8,381	114	310	4,102	3,811
60-64	24,044	595	638	11,539	10,934	11,362	423	298	5,305	5,135	9,243	98	278	4,469	4,330
65-69	34,257	713	1,157	14,459	17,543	17,089	531	567	7,314	8,439	14,711	148	511	5,878	8,091
70-74	33,593	591	1,187	13,000	18,517	15,247	413	596	6,072	7,977	16,626	151	547	6,127	9,721
75-79	24,340	350	879	8,388	14,501	9,049	211	354	3,496	4,862	14,202	128	492	4,439	9,068
80-84	12,904	147	514	4,061	8,097	3,567	81	157	1,365	1,920	8,821	56	333	2,515	5,880
85+	5,615	59	190	1,973	3,365	1,054	18	65	415	542	4,381	40	120	1,480	2,731

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.17

Total Admissions per 1,000 Patient Years: All Hemodialysis Patients*period prevalent patients, 1996-1998*

	ADMISSIONS					ADMISSIONS					ADMISSIONS					
	All patients					Diabetics					Non-diabetics					
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	
All	1,882	1,886	1,342	1,837	1,953	2,192	1,998	1,630	2,132	2,284	1,728	1,715	1,176	1,705	1,784	
0-14	2,384	*	2,734	2,234	2,532	*	*	.	*	*	2,458	*	2,734	2,239	2,599	
15-19	1,619	1,406	1,017	1,584	1,732	2,542	.	*	2,638	*	1,631	1,471	1,038	1,550	1,749	
20-24	1,543	1,361	1,430	1,593	1,529	3,367	*	*	3,532	3,409	1,499	1,470	1,450	1,510	1,519	
25-29	1,662	1,911	928	1,704	1,673	3,090	1,391	1,075	3,376	2,960	1,486	1,923	936	1,538	1,455	
30-34	1,729	1,944	1,120	1,771	1,720	2,743	2,882	1,838	2,870	2,684	1,519	1,712	1,052	1,649	1,389	
35-39	1,742	1,674	1,054	1,771	1,767	2,587	1,842	2,065	2,591	2,642	1,541	1,507	823	1,670	1,417	
40-44	1,721	1,763	937	1,754	1,736	2,422	1,917	1,804	2,416	2,504	1,533	1,665	762	1,652	1,405	
45-49	1,699	1,812	1,201	1,663	1,773	2,216	2,020	1,597	2,138	2,333	1,488	1,457	1,076	1,524	1,459	
50-54	1,775	1,818	1,404	1,724	1,859	2,143	1,918	1,801	2,094	2,229	1,564	1,643	1,193	1,543	1,627	
55-59	1,815	1,834	1,396	1,743	1,922	2,119	1,944	1,614	2,034	2,248	1,592	1,423	1,262	1,559	1,665	
60-64	1,889	1,890	1,478	1,812	1,990	2,099	1,949	1,584	2,016	2,213	1,721	1,921	1,360	1,648	1,819	
65-69	1,938	1,956	1,445	1,889	2,005	2,107	2,022	1,677	2,029	2,197	1,787	1,695	1,168	1,764	1,838	
70-74	1,978	2,032	1,392	1,953	2,023	2,167	2,113	1,559	2,097	2,254	1,842	1,878	1,254	1,833	1,877	
75-79	2,004	1,957	1,409	2,034	2,025	2,200	2,056	1,548	2,208	2,246	1,904	1,847	1,312	1,932	1,926	
80-84	2,083	2,209	1,298	2,219	2,072	2,333	2,036	1,480	2,351	2,412	2,002	2,428	1,191	2,158	1,986	
85+	2,174	1,977	1,705	2,311	2,138	2,428	2,031	1,977	2,394	2,520	2,131	1,952	1,606	2,311	2,082	
STANDARD ERRORS																
All	2.2	16.3	10.4	3.3	3.1	4.1	21.7	19.2	6.3	5.8	2.8	27.0	12.9	4.2	3.9	
0-14	79.5	*	558.1	127.9	110.7	*	*	.	*	*	86.0	*	558.1	134.8	119.0	
15-19	38.2	212.0	167.2	57.3	57.6	449.4	.	*	562.4	*	40.8	226.9	189.5	60.4	60.6	
20-24	19.1	138.2	91.0	28.0	28.9	137.8	*	*	194.7	218.7	20.9	156.7	99.1	30.4	31.6	
25-29	14.6	126.8	58.6	20.6	22.4	59.4	327.8	253.3	96.3	78.7	15.8	141.8	66.2	22.4	24.2	
30-34	11.9	101.0	58.2	17.0	18.0	35.7	241.0	216.6	62.4	45.4	13.3	116.5	63.6	18.8	20.0	
35-39	10.0	76.2	45.3	13.9	15.6	27.9	153.5	160.7	47.6	36.5	11.3	90.2	46.1	15.6	17.8	
40-44	8.7	65.4	36.3	11.9	14.2	22.2	100.1	127.5	35.1	31.2	10.1	95.3	38.1	13.5	16.4	
45-49	7.8	52.8	38.7	10.5	12.7	16.7	72.7	89.0	25.0	24.7	9.4	80.4	45.6	12.4	15.4	
50-54	7.7	48.4	38.7	10.6	12.1	13.7	61.6	72.3	20.3	20.6	9.9	87.9	49.2	13.3	16.0	
55-59	7.3	44.3	37.2	10.1	11.4	11.8	53.1	61.3	17.1	18.1	10.0	85.8	51.5	13.6	15.7	
60-64	6.9	44.7	36.3	9.7	10.4	10.9	54.8	56.4	15.9	16.2	10.1	105.4	52.4	14.1	15.3	
65-69	5.9	43.1	28.7	9.2	8.3	9.1	51.3	44.4	14.1	12.9	8.2	83.8	38.2	13.1	11.2	
70-74	5.9	50.0	26.6	10.0	7.8	9.8	63.2	41.7	15.9	13.3	7.7	85.4	35.1	13.5	9.8	
75-79	6.8	63.6	30.8	12.6	8.5	12.6	88.1	52.9	21.5	16.7	8.3	94.0	38.4	16.2	10.0	
80-84	9.4	101.8	37.8	19.0	11.3	20.6	140.5	71.6	35.8	27.5	10.7	158.4	44.7	23.2	12.5	
85+	14.8	152.5	70.7	28.4	17.9	39.9	296.3	138.1	65.7	55.2	16.2	180.5	83.5	32.5	19.2	

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

Table E.17S

Supplement to Table E.17*all period prevalent hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	727,187	13,331	16,593	302,894	385,953	291,244	8,498	7,200	113,732	157,182	385,528	4,032	8,335	162,249	208,420
0-14	900	*	24	305	523	*	*	.	*	*	817	*	24	276	477
15-19	1,793	44	37	764	906	32	.	*	22	*	1,598	42	30	659	833
20-24	6,510	97	247	3,243	2,796	597	*	*	329	243	5,158	88	214	2,472	2,312
25-29	13,033	227	251	6,812	5,566	2,710	18	18	1,229	1,415	8,841	184	200	4,730	3,624
30-34	21,008	371	370	10,891	9,131	5,903	143	72	2,118	3,491	13,075	216	274	7,670	4,831
35-39	30,290	483	541	16,156	12,779	8,613	144	165	2,967	5,230	18,620	279	318	11,496	6,374
40-44	38,772	727	667	21,864	15,029	11,900	367	200	4,724	6,441	23,098	305	401	14,885	7,332
45-49	47,307	1,179	965	25,027	19,456	17,557	772	322	7,297	8,903	25,235	328	556	15,177	8,915
50-54	53,711	1,409	1,317	26,472	23,748	24,403	968	620	10,627	11,717	24,847	349	588	13,409	10,338
55-59	62,529	1,711	1,411	30,043	28,408	32,237	1,342	694	14,193	15,362	25,429	275	601	13,192	11,203
60-64	75,756	1,787	1,654	34,740	36,456	37,389	1,266	789	16,014	18,572	28,993	332	674	13,679	14,113
65-69	106,780	2,058	2,534	42,204	58,707	53,648	1,552	1,427	20,636	29,195	47,007	409	936	18,248	27,088
70-74	111,194	1,648	2,727	38,204	67,544	49,370	1,118	1,399	17,399	28,751	57,340	484	1,274	18,519	36,754
75-79	86,619	947	2,086	25,961	56,985	30,361	544	855	10,530	18,053	53,153	386	1,166	14,140	37,258
80-84	49,315	471	1,181	13,594	33,724	12,814	210	427	4,309	7,717	34,941	235	709	8,653	25,184
85+	21,670	168	581	6,614	14,195	3,698	47	205	1,328	2,083	17,376	117	370	5,044	11,784

YEARS AT RISK

All	386,465	7,069	12,360	164,854	197,666	132,871	4,252	4,418	53,334	68,814	223,087	2,351	7,086	95,176	116,841
0-14	377	*	9	137	207	*	*	.	*	*	332	*	9	123	184
15-19	1,107	31	36	482	523	13	.	*	8	*	980	29	29	425	476
20-24	4,218	71	173	2,036	1,829	177	*	*	93	71	3,441	60	148	1,637	1,522
25-29	7,843	119	270	3,997	3,327	877	13	17	364	478	5,950	96	214	3,075	2,491
30-34	12,152	191	330	6,151	5,309	2,152	50	39	738	1,301	8,605	126	260	4,651	3,479
35-39	17,384	288	513	9,123	7,230	3,329	78	80	1,145	1,980	12,082	185	387	6,885	4,497
40-44	22,532	412	712	12,462	8,660	4,913	191	111	1,955	2,572	15,070	183	526	9,010	5,219
45-49	27,839	651	804	15,051	10,976	7,922	382	202	3,413	3,816	16,961	225	517	9,961	6,112
50-54	30,262	775	938	15,355	12,771	11,387	505	344	5,074	5,256	15,889	212	493	8,691	6,354
55-59	34,455	933	1,011	17,233	14,778	15,217	690	430	6,978	6,833	15,973	193	476	8,459	6,730
60-64	40,114	945	1,119	19,171	18,321	17,814	649	498	7,942	8,393	16,851	173	495	8,301	7,761
65-69	55,085	1,052	1,754	22,344	29,285	25,468	768	851	10,169	13,289	26,305	241	802	10,343	14,740
70-74	56,226	811	1,960	19,560	33,390	22,778	529	897	8,296	12,756	31,127	258	1,016	10,102	19,586
75-79	43,225	484	1,481	12,765	28,145	13,802	265	552	4,769	8,038	27,910	209	889	7,320	19,350
80-84	23,674	213	910	6,125	16,277	5,492	103	288	1,833	3,200	17,456	97	596	4,009	12,682
85+	9,969	85	341	2,862	6,639	1,523	23	104	555	827	8,153	60	230	2,183	5,659

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.18

Total Admissions per 1,000 Patient Years at Risk: Male Hemodialysis Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,743	1,793	1,279	1,672	1,821	2,079	1,918	1,519	1,989	2,172	1,617	1,654	1,159	1,583	1,670
0-14	2,464	*	2,678	2,306	2,681	*	*	.	.	*	2,515	*	2,678	2,306	2,736
15-19	1,316	1,562	1,268	1,238	1,404	*	.	.	*	*	1,334	1,562	1,552	1,236	1,408
20-24	1,321	1,362	1,536	1,379	1,257	2,326	*	*	2,390	2,280	1,328	1,468	1,639	1,374	1,253
25-29	1,454	1,704	816	1,484	1,468	2,825	*	794	3,427	2,518	1,329	1,678	900	1,359	1,314
30-34	1,605	1,962	996	1,655	1,594	2,586	2,763	1,445	2,736	2,534	1,404	1,885	1,004	1,547	1,247
35-39	1,663	1,567	894	1,707	1,671	2,503	1,866	1,450	2,592	2,531	1,466	1,386	749	1,622	1,292
40-44	1,634	1,628	841	1,653	1,665	2,321	1,798	1,585	2,239	2,453	1,473	1,492	703	1,600	1,320
45-49	1,588	1,799	1,133	1,548	1,652	2,080	2,002	1,542	2,002	2,160	1,418	1,559	1,051	1,459	1,360
50-54	1,622	1,590	1,346	1,561	1,719	1,950	1,716	1,562	1,890	2,043	1,465	1,410	1,198	1,445	1,523
55-59	1,694	1,740	1,363	1,601	1,805	2,039	1,821	1,625	1,922	2,169	1,480	1,421	1,178	1,454	1,537
60-64	1,757	1,802	1,258	1,649	1,884	1,968	1,882	1,372	1,858	2,086	1,635	1,805	1,100	1,537	1,762
65-69	1,821	2,006	1,406	1,741	1,885	2,019	2,091	1,544	1,906	2,109	1,692	1,703	1,218	1,649	1,736
70-74	1,852	2,018	1,369	1,803	1,893	2,035	2,122	1,566	1,929	2,110	1,753	1,897	1,231	1,730	1,784
75-79	1,856	2,021	1,476	1,814	1,884	2,061	2,041	1,554	1,940	2,134	1,775	1,980	1,394	1,753	1,796
80-84	1,959	1,955	1,189	2,146	1,945	2,234	1,768	1,198	2,246	2,339	1,893	2,076	1,173	2,122	1,869
85+	2,051	2,106	1,885	2,194	2,016	2,318	*	1,977	2,270	2,395	2,021	2,272	1,855	2,209	1,977

STANDARD ERRORS

All	3.0	23.5	14.4	4.6	4.1	6.0	33.0	27.2	9.9	8.0	3.6	36.1	17.8	5.5	5.0
0-14	100.2	*	669.6	155.8	143.1	*	*	.	.	*	107.5	*	669.6	161.8	154.9
15-19	46.8	368.3	276.6	68.8	69.0	*	.	.	*	*	49.8	368.3	338.8	71.7	73.2
20-24	23.4	182.0	134.2	34.5	34.4	180.5	*	*	279.7	243.0	26.1	209.7	145.4	38.2	38.0
25-29	17.9	162.5	71.8	25.2	27.9	81.7	*	251.0	147.3	101.0	19.4	174.0	83.9	27.0	30.3
30-34	14.9	145.4	69.4	21.3	22.3	45.2	379.6	278.1	85.2	55.1	16.6	168.6	78.9	23.6	24.7
35-39	12.5	95.7	56.8	17.5	19.1	35.4	206.1	193.8	67.5	43.9	14.0	109.9	59.6	19.4	21.6
40-44	10.7	76.9	46.8	14.5	17.5	28.4	123.8	156.9	47.1	38.9	12.3	106.0	50.5	16.5	20.0
45-49	9.7	68.6	51.9	12.9	16.0	21.8	95.2	122.7	34.3	30.8	11.5	106.1	61.9	15.0	19.4
50-54	9.7	61.1	50.0	13.5	15.4	18.2	80.9	85.2	28.5	26.3	12.4	103.7	66.9	16.5	20.4
55-59	9.7	63.1	51.2	13.5	15.0	16.9	76.5	86.5	25.5	24.8	12.8	121.8	70.3	17.3	20.2
60-64	9.6	66.9	46.6	13.8	14.2	16.0	84.6	74.8	24.8	22.9	13.4	144.0	64.6	18.9	20.1
65-69	8.5	70.6	42.5	14.0	11.4	14.1	87.2	65.3	23.7	18.9	11.1	121.0	56.7	18.3	14.5
70-74	8.4	85.8	39.2	15.7	10.5	15.2	120.2	65.9	27.5	19.4	10.3	122.2	48.9	20.0	12.5
75-79	9.4	112.3	47.0	19.5	11.1	19.6	176.9	82.1	36.9	24.4	10.9	144.4	57.1	23.8	12.6
80-84	13.0	164.6	52.5	30.9	14.8	32.2	255.1	92.7	64.6	40.5	14.3	223.8	63.7	36.5	16.0
85+	20.9	265.3	105.7	47.8	24.0	65.4	*	213.2	120.8	84.6	22.4	312.1	122.3	54.2	25.2

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.18S

Supplement to Table E.18

male period prevalent hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	347,151	5,824	7,842	134,555	194,742	121,957	3,381	3,114	40,175	73,028	202,405	2,104	4,233	81,926	112,773
0-14	605	*	16	219	351	*	*	.	.	*	547	*	16	203	312
15-19	790	18	21	324	414	*	.	.	*	*	716	18	21	297	370
20-24	3,173	56	131	1,600	1,334	166	*	*	73	88	2,595	49	127	1,293	1,090
25-29	6,582	110	129	3,478	2,776	1,196	*	10	541	622	4,675	93	115	2,530	1,885
30-34	11,624	182	206	6,029	5,092	3,269	53	27	1,032	2,111	7,160	125	162	4,292	2,546
35-39	17,825	268	248	9,481	7,640	4,995	82	56	1,474	3,322	10,929	159	158	6,970	3,565
40-44	23,126	448	323	12,982	9,083	6,669	211	102	2,261	3,976	14,253	198	194	9,408	4,366
45-49	26,661	687	477	14,394	10,671	9,093	442	158	3,398	4,913	15,085	216	288	9,511	4,910
50-54	27,669	678	726	13,388	12,494	11,444	450	336	4,399	6,028	13,871	185	321	7,712	5,566
55-59	30,548	759	707	14,078	14,432	14,602	566	353	5,663	7,629	13,373	136	281	7,058	5,782
60-64	33,773	726	729	14,286	17,547	15,120	495	336	5,633	8,315	14,863	157	290	6,593	7,722
65-69	45,420	808	1,097	15,562	27,354	20,360	575	559	6,444	12,414	23,257	198	461	8,084	14,311
70-74	48,078	553	1,216	13,172	32,671	17,911	312	565	4,930	11,826	28,746	241	634	7,504	20,199
75-79	38,790	324	986	8,631	28,571	11,041	133	358	2,759	7,636	26,672	188	596	5,420	20,364
80-84	22,875	141	512	4,826	17,228	4,827	48	167	1,209	3,344	17,533	86	339	3,387	13,635
85+	9,612	63	318	2,105	7,084	1,254	*	86	353	801	8,130	53	230	1,664	6,150

YEARS AT RISK

All	199,172	3,248	6,130	80,460	106,937	58,664	1,763	2,051	20,204	33,616	125,145	1,272	3,651	51,767	67,514
0-14	246	*	6	95	131	*	*	.	.	*	218	*	6	88	114
15-19	600	12	17	262	295	*	.	.	*	*	537	12	14	240	263
20-24	2,403	41	85	1,160	1,061	71	*	*	31	39	1,955	33	78	941	870
25-29	4,526	65	158	2,344	1,892	423	*	13	158	247	3,517	55	128	1,861	1,435
30-34	7,243	93	207	3,644	3,194	1,264	19	19	377	833	5,099	66	161	2,775	2,042
35-39	10,717	171	277	5,553	4,572	1,996	44	39	569	1,312	7,455	115	211	4,297	2,759
40-44	14,151	275	384	7,852	5,456	2,873	117	64	1,010	1,621	9,679	133	276	5,882	3,308
45-49	16,791	382	421	9,298	6,459	4,371	221	102	1,698	2,275	10,635	139	274	6,521	3,611
50-54	17,061	426	539	8,578	7,270	5,869	262	215	2,327	2,950	9,470	131	268	5,337	3,654
55-59	18,037	436	519	8,795	7,997	7,161	311	217	2,946	3,518	9,035	96	239	4,855	3,762
60-64	19,224	403	580	8,663	9,312	7,683	263	245	3,032	3,986	9,088	87	264	4,289	4,382
65-69	24,947	403	780	8,941	14,511	10,084	275	362	3,380	5,885	13,748	116	378	4,901	8,245
70-74	25,962	274	889	7,307	17,255	8,801	147	361	2,556	5,606	16,398	127	515	4,339	11,325
75-79	20,897	160	668	4,759	15,162	5,357	65	230	1,422	3,578	15,027	95	427	3,092	11,337
80-84	11,679	72	431	2,249	8,856	2,160	27	139	538	1,429	9,261	41	289	1,596	7,296
85+	4,687	30	169	959	3,514	541	*	43	156	334	4,022	23	124	753	3,111

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.19

Total Admissions per 1,000 Patient Years at Risk: Female Hemodialysis Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	2,029	1,965	1,405	1,995	2,107	2,281	2,056	1,726	2,220	2,391	1,870	1,787	1,194	1,850	1,939
0-14	2,236	*	*	2,070	2,274	*	.	.	*	*	2,352	*	*	2,073	2,375
15-19	1,978	1,315	808	1,996	2,156	3,383	.	*	*	*	1,991	1,409	586	1,957	2,167
20-24	1,838	1,360	1,326	1,876	1,903	4,068	*	*	4,090	4,745	1,725	1,473	1,242	1,695	1,873
25-29	1,945	2,157	1,086	2,016	1,944	3,336	1,625	*	3,337	3,431	1,712	2,260	990	1,813	1,646
30-34	1,912	1,928	1,327	1,939	1,910	2,967	2,956	2,196	3,009	2,952	1,687	1,519	1,131	1,800	1,590
35-39	1,870	1,830	1,242	1,870	1,934	2,713	1,810	2,639	2,590	2,859	1,662	1,706	910	1,749	1,616
40-44	1,867	2,035	1,050	1,927	1,856	2,564	2,104	2,106	2,605	2,591	1,641	2,120	828	1,751	1,553
45-49	1,869	1,832	1,276	1,848	1,945	2,383	2,044	1,653	2,273	2,589	1,604	1,294	1,104	1,647	1,602
50-54	1,973	2,096	1,482	1,931	2,046	2,348	2,135	2,197	2,267	2,467	1,710	2,018	1,186	1,698	1,767
55-59	1,948	1,917	1,432	1,892	2,061	2,189	2,045	1,602	2,116	2,332	1,738	1,426	1,347	1,702	1,826
60-64	2,010	1,956	1,715	1,946	2,099	2,198	1,995	1,789	2,114	2,327	1,820	2,039	1,656	1,766	1,891
65-69	2,036	1,926	1,476	1,988	2,122	2,164	1,983	1,776	2,090	2,267	1,891	1,688	1,123	1,868	1,967
70-74	2,086	2,039	1,411	2,043	2,161	2,251	2,110	1,555	2,172	2,367	1,941	1,860	1,278	1,911	2,004
75-79	2,142	1,925	1,354	2,165	2,189	2,288	2,061	1,544	2,322	2,335	2,056	1,736	1,235	2,063	2,109
80-84	2,204	2,339	1,396	2,262	2,223	2,397	2,132	1,744	2,395	2,470	2,124	2,691	1,207	2,182	2,144
85+	2,283	1,907	1,529	2,370	2,276	2,488	2,171	1,976	2,442	2,605	2,238	1,748	1,315	2,364	2,211

STANDARD ERRORS

All	3.3	22.7	15.0	4.9	4.8	5.5	28.7	27.0	8.2	8.2	4.4	40.7	18.6	6.5	6.3
0-14	130.2	*	*	223.2	173.4	*	.	.	*	*	143.1	*	*	242.6	184.9
15-19	62.5	257.9	202.0	95.1	97.2	690.6	.	*	*	*	67.0	287.5	195.2	102.8	100.7
20-24	31.8	212.3	123.1	46.3	49.8	196.0	*	*	255.6	381.1	34.1	235.9	133.1	49.4	53.6
25-29	24.2	199.4	98.3	34.9	36.8	85.7	382.9	*	127.2	121.9	26.5	237.0	107.3	38.6	39.5
30-34	19.7	140.2	103.6	27.8	30.0	57.8	311.6	327.4	91.3	79.5	21.9	159.2	106.9	31.0	33.3
35-39	16.7	124.8	72.5	22.9	27.0	45.1	229.9	252.8	67.0	65.4	19.0	155.7	72.0	26.0	30.5
40-44	14.9	121.8	56.6	20.4	24.1	35.4	168.5	212.7	52.5	52.2	17.4	204.9	57.5	23.7	28.5
45-49	13.0	82.6	57.8	17.9	20.8	25.9	112.5	129.1	36.4	41.0	15.9	122.3	67.4	21.9	25.3
50-54	12.2	77.5	61.0	16.9	19.3	20.6	93.8	130.4	28.7	32.7	16.3	157.6	72.6	22.5	25.6
55-59	10.9	62.1	54.0	15.0	17.4	16.5	73.4	86.8	22.9	26.5	15.8	120.9	75.3	21.7	24.8
60-64	9.8	60.1	56.4	13.6	15.3	14.7	71.9	84.1	20.8	23.0	15.3	154.1	84.5	21.0	23.7
65-69	8.2	54.5	38.9	12.2	12.0	11.9	63.5	60.3	17.5	17.5	12.3	116.2	51.5	18.5	17.4
70-74	8.3	61.6	36.3	12.9	11.6	12.7	74.3	53.8	19.5	18.2	11.5	119.3	50.5	18.2	15.6
75-79	9.8	77.1	40.8	16.4	13.0	16.5	101.6	69.2	26.3	22.9	12.6	123.4	51.7	22.1	16.2
80-84	13.6	128.8	54.0	24.2	17.3	26.8	167.5	108.2	43.0	37.4	16.1	220.4	62.7	30.1	20.0
85+	20.8	186.1	94.3	35.3	27.0	50.3	352.1	181.2	78.2	72.8	23.3	218.5	111.1	40.7	29.5

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.19S

Supplement to Table E.19*period prevalent female hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	380,036	7,507	8,751	168,339	191,211	169,287	5,117	4,086	73,557	84,154	183,123	1,928	4,102	80,323	95,647
0-14	295	*	*	86	172	*	.	.	*	*	270	*	*	73	165
15-19	1,003	26	16	440	492	24	.	*	*	*	882	24	9	362	463
20-24	3,337	41	116	1,643	1,462	431	*	*	256	155	2,563	39	87	1,179	1,222
25-29	6,451	117	122	3,334	2,790	1,514	18	*	688	793	4,166	91	85	2,200	1,739
30-34	9,384	189	164	4,862	4,039	2,634	90	45	1,086	1,380	5,915	91	112	3,378	2,285
35-39	12,465	215	293	6,675	5,139	3,618	62	109	1,493	1,908	7,691	120	160	4,526	2,809
40-44	15,646	279	344	8,882	5,946	5,231	156	98	2,463	2,465	8,845	107	207	5,477	2,966
45-49	20,646	492	488	10,633	8,785	8,464	330	164	3,899	3,990	10,150	112	268	5,666	4,005
50-54	26,042	731	591	13,084	11,254	12,959	518	284	6,228	5,689	10,976	164	267	5,697	4,772
55-59	31,981	952	704	15,965	13,976	17,635	776	341	8,530	7,733	12,056	139	320	6,134	5,421
60-64	41,983	1,061	925	20,454	18,909	22,269	771	453	10,381	10,257	14,130	175	384	7,086	6,391
65-69	61,360	1,250	1,437	26,642	31,353	33,288	977	868	14,192	16,781	23,750	211	475	10,164	12,777
70-74	63,116	1,095	1,511	25,032	34,873	31,459	806	834	12,469	16,925	28,594	243	640	11,015	16,555
75-79	47,829	623	1,100	17,330	28,414	19,320	411	497	7,771	10,417	26,481	198	570	8,720	16,894
80-84	26,440	330	669	8,768	16,496	7,987	162	260	3,100	4,373	17,408	149	370	5,266	11,549
85+	12,058	105	263	4,509	7,111	2,444	38	119	975	1,282	9,246	64	140	3,380	5,634

YEARS AT RISK

All	187,292	3,820	6,231	84,394	90,729	74,208	2,489	2,368	33,131	35,198	97,943	1,079	3,435	43,410	49,328
0-14	132	*	*	42	76	*	.	.	*	*	115	*	*	35	69
15-19	507	20	20	220	228	7	.	*	*	*	443	17	15	185	214
20-24	1,816	30	87	876	768	106	*	*	63	33	1,486	26	70	696	653
25-29	3,317	54	112	1,653	1,435	454	11	*	206	231	2,434	40	86	1,214	1,057
30-34	4,909	98	124	2,507	2,115	888	30	20	361	468	3,506	60	99	1,877	1,437
35-39	6,667	117	236	3,569	2,658	1,333	34	41	577	667	4,628	70	176	2,588	1,738
40-44	8,381	137	328	4,609	3,203	2,040	74	47	946	951	5,391	50	250	3,129	1,910
45-49	11,048	269	382	5,754	4,516	3,551	161	99	1,716	1,541	6,326	87	243	3,441	2,501
50-54	13,201	349	399	6,776	5,501	5,518	243	129	2,747	2,306	6,419	81	225	3,354	2,701
55-59	16,418	497	492	8,437	6,782	8,056	379	213	4,031	3,315	6,938	97	238	3,604	2,968
60-64	20,889	542	539	10,508	9,009	10,131	386	253	4,910	4,407	7,763	86	232	4,012	3,379
65-69	30,138	649	974	13,403	14,774	15,384	493	489	6,789	7,404	12,557	125	423	5,442	6,495
70-74	30,264	537	1,071	12,253	16,134	13,977	382	536	5,740	7,150	14,729	131	501	5,764	8,261
75-79	22,328	324	812	8,006	12,983	8,445	199	322	3,347	4,460	12,883	114	462	4,228	8,012
80-84	11,996	141	479	3,876	7,421	3,332	76	149	1,295	1,770	8,195	55	307	2,413	5,386
85+	5,281	55	172	1,903	3,125	982	18	60	399	492	4,131	37	106	1,430	2,548

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

Table E.20

Total Admissions per 1,000 Patient Years at Risk: All CAPD/CCPD Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,934	1,979	1,208	2,031	1,938	2,490	2,321	1,817	2,614	2,487	1,698	1,657	1,004	1,847	1,686
0-14	1,842	*	729	2,142	1,767	1,809	*	666	2,173	1,704
15-19	1,735	4,571	685	2,127	1,593	*	1,761	4,571	693	2,175	1,599
20-24	1,693	2,011	579	2,113	1,566	2,873	*	*	3,278	2,717	1,619	1,603	587	2,075	1,481
25-29	1,683	1,639	958	1,909	1,589	2,759	*	*	2,795	2,660	1,570	1,516	912	1,932	1,367
30-34	1,903	1,446	1,267	2,060	1,880	2,701	1,366	3,111	2,981	2,629	1,662	1,362	1,128	1,963	1,517
35-39	1,832	1,306	992	1,950	1,854	2,692	2,188	4,621	2,984	2,578	1,544	1,111	704	1,826	1,449
40-44	1,748	1,960	1,149	1,820	1,751	2,514	2,827	3,173	2,875	2,382	1,474	1,436	920	1,626	1,413
45-49	1,698	1,822	977	1,776	1,702	2,375	2,365	1,366	2,416	2,393	1,391	1,279	838	1,570	1,318
50-54	1,921	2,090	1,328	1,951	1,934	2,555	2,731	1,486	2,546	2,621	1,601	1,280	1,204	1,722	1,547
55-59	2,061	1,993	1,438	2,102	2,083	2,533	1,841	1,953	2,618	2,593	1,796	2,311	1,149	1,873	1,788
60-64	2,089	1,976	1,335	2,131	2,105	2,463	2,087	1,778	2,598	2,462	1,812	1,319	987	1,826	1,845
65-69	2,015	2,359	1,319	2,305	1,974	2,370	2,344	1,445	2,510	2,399	1,762	2,409	1,245	2,124	1,707
70-74	2,092	2,224	1,500	2,298	2,071	2,497	2,489	2,048	2,622	2,475	1,879	1,948	1,157	2,062	1,876
75-79	2,038	1,983	1,517	2,349	2,019	2,414	2,100	1,589	2,528	2,440	1,924	1,918	1,503	2,293	1,902
80-84	2,004	*	836	2,615	1,979	2,388	*	774	2,741	2,399	1,907	*	849	2,462	1,895
85+	2,062	*	1,169	2,174	2,102	2,176	.	*	1,348	2,453	2,035	*	1,277	2,428	2,044

STANDARD ERRORS

All	5.9	46.5	23.4	11.5	7.3	12.4	73.7	59.3	26.1	15.0	7.1	62.6	26.1	13.9	8.7
0-14	59.3	*	230.7	137.4	69.3	61.2	*	222.0	140.3	71.7
15-19	56.7	772.6	153.2	113.5	71.7	*	59.6	772.6	154.9	120.3	74.7
20-24	38.3	261.8	90.4	74.5	49.6	228.5	*	*	403.6	320.2	41.8	253.4	97.8	83.2	53.8
25-29	28.9	200.3	109.9	51.2	37.8	98.5	*	*	212.5	114.0	33.1	231.2	117.7	59.0	42.6
30-34	25.2	159.7	98.9	45.1	32.9	61.2	305.5	635.0	146.5	69.1	29.6	185.3	105.7	51.5	39.3
35-39	21.9	150.8	72.0	37.0	29.8	55.0	437.5	623.1	134.0	61.1	25.0	165.6	65.7	41.4	35.2
40-44	19.2	152.6	69.4	32.1	26.0	47.0	314.1	373.9	112.6	53.0	22.3	175.4	73.5	35.4	31.6
45-49	18.2	124.5	64.2	30.7	24.6	40.9	207.4	201.4	79.0	51.1	21.4	158.6	67.3	35.8	29.3
50-54	19.2	127.6	84.3	32.7	25.4	38.9	193.6	183.0	70.4	50.8	23.7	174.3	97.0	40.1	31.2
55-59	19.9	138.8	85.6	35.2	25.8	35.6	158.4	177.5	65.2	46.9	26.3	306.1	103.6	46.7	33.6
60-64	19.7	153.8	88.8	38.4	24.1	34.2	189.0	153.6	69.5	42.0	26.6	245.0	119.7	52.7	32.1
65-69	16.9	165.6	68.3	41.1	19.4	29.5	213.1	107.7	64.1	35.7	21.0	276.3	95.2	57.4	23.3
70-74	18.7	182.2	91.0	50.4	20.8	35.8	256.7	170.1	84.5	41.3	22.1	262.6	108.4	66.1	24.1
75-79	23.6	221.7	109.5	73.8	25.7	52.6	383.4	203.5	136.7	60.3	26.6	271.3	133.3	91.7	28.7
80-84	36.0	*	118.2	129.8	38.6	94.0	*	273.8	246.1	106.9	39.1	*	131.0	155.1	41.7
85+	66.3	*	238.7	212.1	73.1	165.0	.	*	360.2	198.3	73.4	*	309.7	269.7	79.3

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.20S

Supplement to Table E.20*all period prevalent CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	107,308	1,809	2,674	31,175	70,126	40,345	992	937	10,026	27,615	57,570	700	1,482	17,648	37,213
0-14	965	*	10	243	651	875	*	9	240	565
15-19	938	35	20	351	494	*	874	35	20	327	458
20-24	1,957	59	41	804	997	158	*	*	66	72	1,502	40	36	622	759
25-29	3,401	67	76	1,391	1,771	785	*	*	173	544	2,252	43	60	1,073	1,031
30-34	5,708	82	164	2,084	3,268	1,950	20	24	414	1,446	3,154	54	114	1,453	1,491
35-39	7,002	75	190	2,777	3,870	2,397	25	55	496	1,781	3,824	45	115	1,948	1,693
40-44	8,302	165	274	3,218	4,546	2,866	81	72	652	2,019	4,363	67	157	2,112	1,998
45-49	8,720	214	232	3,352	4,778	3,363	130	46	935	2,196	4,236	65	155	1,927	2,027
50-54	10,020	268	248	3,559	5,791	4,318	199	66	1,308	2,659	4,564	54	154	1,842	2,458
55-59	10,770	206	282	3,566	6,511	5,055	135	121	1,610	3,054	4,655	57	123	1,605	2,834
60-64	11,288	165	226	3,074	7,625	5,201	122	134	1,396	3,434	4,646	29	68	1,199	3,299
65-69	14,174	203	373	3,153	10,308	6,451	121	180	1,534	4,520	7,024	76	171	1,368	5,382
70-74	12,503	149	272	2,079	9,909	4,876	94	145	962	3,594	7,238	55	114	974	6,083
75-79	7,489	80	192	1,013	6,158	2,106	30	61	342	1,639	5,219	50	127	625	4,405
80-84	3,104	*	50	406	2,622	645	*	8	124	504	2,376	*	42	252	2,065
85+	967	*	24	105	827	174	.	*	14	153	768	*	17	81	665

YEARS AT RISK

All	55,494	914	2,213	15,349	36,179	16,204	427	516	3,836	11,105	33,900	423	1,477	9,557	22,075
0-14	524	*	14	113	368	484	*	14	110	332
15-19	541	8	29	165	310	*	496	8	29	150	286
20-24	1,156	29	71	381	637	55	*	*	20	27	928	25	61	300	512
25-29	2,021	41	79	728	1,115	285	*	*	62	205	1,434	28	66	555	754
30-34	2,999	57	129	1,012	1,738	722	15	8	139	550	1,898	40	101	740	983
35-39	3,822	57	192	1,424	2,087	891	11	12	166	691	2,476	41	163	1,067	1,168
40-44	4,748	84	239	1,768	2,597	1,140	29	23	227	848	2,959	47	171	1,299	1,414
45-49	5,135	117	237	1,887	2,807	1,416	55	34	387	918	3,044	51	185	1,227	1,538
50-54	5,216	128	187	1,824	2,995	1,690	73	44	514	1,015	2,852	42	128	1,070	1,589
55-59	5,225	103	196	1,697	3,126	1,995	73	62	615	1,178	2,591	25	107	857	1,585
60-64	5,403	84	169	1,443	3,622	2,112	58	75	537	1,395	2,564	22	69	657	1,788
65-69	7,036	86	283	1,368	5,223	2,722	52	125	611	1,884	3,985	32	137	644	3,153
70-74	5,976	67	181	905	4,785	1,953	38	71	367	1,452	3,852	28	99	472	3,242
75-79	3,674	40	127	431	3,050	872	14	38	135	672	2,712	26	85	273	2,317
80-84	1,549	*	60	155	1,325	270	*	10	45	210	1,246	*	49	102	1,090
85+	469	*	21	48	393	80	.	*	10	62	377	*	13	33	325

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.21

Total Admissions per 1,000 Patient Years at Risk: Male CAPD/CCPD Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,863	1,998	1,202	1,894	1,884	2,370	2,256	1,782	2,427	2,373	1,659	1,825	1,027	1,757	1,658
0-14	1,880	*	410	2,082	1,884	1,760	*	281	2,052	1,721
15-19	1,458	*	1,009	1,456	1,495	1,440	*	1,009	1,454	1,451
20-24	1,461	*	573	1,847	1,301	2,537	*	.	2,196	2,379	1,388	*	606	1,910	1,194
25-29	1,613	1,352	1,038	1,752	1,585	3,092	.	*	2,496	3,064	1,419	1,432	920	1,761	1,267
30-34	1,868	1,580	920	1,933	1,895	2,855	*	*	3,262	2,729	1,560	1,238	690	1,789	1,468
35-39	1,813	2,056	876	1,967	1,779	2,556	*	*	3,262	2,420	1,545	2,384	719	1,845	1,352
40-44	1,699	2,245	1,179	1,691	1,721	2,377	3,259	2,570	2,440	2,326	1,426	1,767	1,024	1,524	1,363
45-49	1,642	1,701	1,032	1,689	1,657	2,231	2,368	1,082	2,150	2,275	1,400	973	992	1,609	1,300
50-54	1,857	1,737	1,137	1,853	1,900	2,376	2,102	1,408	2,361	2,460	1,600	1,624	943	1,701	1,566
55-59	1,980	2,350	1,474	1,945	2,000	2,361	1,941	2,100	2,463	2,343	1,779	3,463	1,216	1,784	1,774
60-64	2,037	1,977	1,372	2,028	2,071	2,312	2,317	1,905	2,290	2,346	1,868	1,144	1,123	1,912	1,887
65-69	1,914	2,024	1,294	2,178	1,882	2,277	1,713	1,218	2,433	2,309	1,683	2,759	1,400	2,051	1,626
70-74	1,996	3,066	1,513	2,069	1,988	2,358	3,193	2,509	2,364	2,325	1,811	3,188	1,068	1,762	1,833
75-79	1,933	1,467	1,388	1,941	1,960	2,249	*	1,516	1,816	2,351	1,845	1,755	1,331	2,008	1,856
80-84	1,897	*	808	2,578	1,886	2,315	*	*	3,569	2,250	1,823	*	739	2,290	1,832
85+	1,993	.	2,371	1,988	2,005	2,139	.	*	*	2,357	1,971	.	*	2,065	1,965

STANDARD ERRORS

All	8.1	72.7	34.9	16.4	9.8	17.0	116.1	86.5	39.1	19.8	9.8	101.1	40.1	19.8	11.8
0-14	79.9	*	236.7	176.6	95.7	80.2	*	198.5	175.9	96.2
15-19	73.5	*	319.1	140.7	93.8	76.0	*	319.1	147.6	95.9
20-24	55.5	*	158.8	105.4	70.2	355.2	*	.	468.2	560.8	60.8	*	182.8	124.1	74.2
25-29	42.2	338.1	168.4	73.2	56.5	153.1	.	*	288.2	179.0	47.1	358.1	177.0	85.4	61.0
30-34	36.6	271.0	131.5	65.4	47.5	88.6	*	*	236.6	97.1	43.1	309.6	128.1	73.6	57.8
35-39	31.4	363.4	117.0	54.0	41.1	71.9	*	*	213.3	76.7	37.4	476.7	112.3	60.6	50.9
40-44	26.3	229.1	109.0	43.3	35.4	61.9	521.8	494.5	153.4	69.0	30.8	247.4	122.4	47.2	44.0
45-49	25.2	168.4	100.7	43.1	33.5	55.3	298.3	279.3	114.6	66.6	30.6	198.6	110.9	51.6	41.1
50-54	27.0	182.1	114.2	46.9	35.3	52.9	288.7	209.9	102.9	67.1	34.5	287.1	140.6	57.8	45.5
55-59	27.3	227.2	126.0	49.4	34.6	48.0	257.1	249.2	94.5	59.8	37.5	554.4	177.4	65.7	47.2
60-64	27.6	239.8	132.1	57.2	33.1	46.8	321.4	238.1	100.7	55.8	38.9	330.2	205.1	84.2	45.6
65-69	23.1	241.9	102.6	62.0	25.8	41.1	285.5	147.7	104.5	47.6	28.4	487.6	155.5	84.2	30.7
70-74	24.6	347.1	130.7	73.8	26.7	48.9	481.4	326.6	129.7	54.0	28.4	546.8	135.6	92.4	30.6
75-79	30.1	277.3	131.2	99.8	32.7	70.5	*	297.3	188.4	79.3	33.4	358.2	146.0	124.6	35.8
80-84	45.4	*	152.8	195.4	48.2	136.7	*	*	544.3	147.7	48.3	*	157.6	210.8	51.2
85+	89.0	.	517.4	306.8	95.8	273.8	.	*	*	320.7	95.6	.	*	383.4	101.1

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.21S

Supplement to Table E.21

male period prevalent CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	52,706	756	1,189	13,367	36,601	19,513	378	424	3,862	14,415	28,734	326	657	7,914	19,608
0-14	553	*	3	139	388	481	*	2	136	320
15-19	394	*	10	107	254	359	*	10	97	229
20-24	694	*	13	307	343	51	*	.	22	18	522	*	11	237	259
25-29	1,459	16	38	573	786	408	.	*	75	293	906	16	27	425	432
30-34	2,611	34	49	874	1,589	1,038	*	*	190	790	1,307	16	29	591	645
35-39	3,330	32	56	1,328	1,870	1,264	*	*	234	996	1,711	25	41	926	705
40-44	4,163	96	117	1,525	2,370	1,476	39	27	253	1,135	2,141	51	70	1,044	961
45-49	4,256	102	105	1,536	2,452	1,630	63	15	352	1,165	2,095	24	80	973	999
50-54	4,732	91	99	1,561	2,895	2,022	53	45	527	1,344	2,156	32	45	867	1,186
55-59	5,262	107	137	1,549	3,343	2,423	57	71	679	1,535	2,254	39	47	737	1,415
60-64	5,429	68	108	1,257	3,904	2,443	52	64	517	1,767	2,304	12	30	516	1,714
65-69	6,855	70	159	1,232	5,300	3,067	36	68	542	2,355	3,522	32	81	594	2,801
70-74	6,582	78	134	785	5,542	2,324	44	59	332	1,853	4,065	34	62	364	3,598
75-79	4,136	28	112	378	3,595	1,019	*	26	93	878	3,059	24	83	260	2,687
80-84	1,748	*	28	174	1,532	287	*	*	43	232	1,427	*	22	118	1,279
85+	502	.	21	42	438	61	.	*	*	54	425	.	*	29	378

YEARS AT RISK

All	28,285	378	989	7,059	19,431	8,233	168	238	1,591	6,076	17,321	179	640	4,504	11,824
0-14	294	*	7	67	206	273	*	7	66	186
15-19	270	*	10	74	170	249	*	10	67	158
20-24	475	*	23	166	264	20	*	.	10	8	376	*	18	124	217
25-29	905	12	37	327	496	132	.	*	30	96	639	11	29	241	341
30-34	1,398	22	53	452	838	364	*	*	58	289	838	13	42	330	439
35-39	1,836	16	64	675	1,051	495	*	*	72	412	1,107	10	57	502	521
40-44	2,451	43	99	902	1,377	621	12	11	104	488	1,501	29	68	685	705
45-49	2,591	60	102	910	1,480	731	27	14	164	512	1,496	25	81	605	769
50-54	2,549	52	87	842	1,524	851	25	32	223	546	1,347	20	48	510	757
55-59	2,657	46	93	796	1,671	1,026	29	34	276	655	1,267	11	39	413	798
60-64	2,665	34	79	620	1,885	1,056	22	34	226	753	1,233	10	27	270	909
65-69	3,582	35	123	566	2,816	1,347	21	56	223	1,020	2,093	12	58	290	1,723
70-74	3,298	25	89	379	2,788	986	14	24	140	797	2,244	11	58	207	1,963
75-79	2,140	19	81	195	1,834	453	*	17	51	374	1,658	14	62	129	1,447
80-84	921	*	35	67	812	124	*	*	12	103	783	*	30	52	698
85+	252	.	9	21	218	29	.	*	*	23	216	.	*	14	192

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.22

Total Admissions per 1,000 Patient Years at Risk: Female CAPD/CCPD Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	2,007	1,966	1,213	2,148	2,002	2,614	2,362	1,846	2,746	2,625	1,739	1,533	986	1,926	1,717
0-14	1,793	*	*	2,227	1,618	1,873	*	*	2,355	1,682
15-19	2,013	*	519	2,666	1,712	*	2,086	*	528	2,750	1,780
20-24	1,854	1,922	582	2,318	1,754	3,066	*	*	4,351	2,851	1,777	1,770	578	2,191	1,692
25-29	1,740	1,756	889	2,038	1,592	2,471	*	*	3,076	2,305	1,691	1,571	905	2,064	1,449
30-34	1,935	1,364	1,509	2,162	1,865	2,545	*	*	2,778	2,517	1,743	1,421	1,440	2,102	1,558
35-39	1,849	1,027	1,050	1,935	1,930	2,862	2,312	5,139	2,774	2,810	1,544	666	696	1,809	1,528
40-44	1,801	1,665	1,127	1,953	1,784	2,678	2,517	3,694	3,242	2,459	1,524	899	851	1,740	1,464
45-49	1,755	1,948	936	1,858	1,752	2,528	2,363	1,565	2,612	2,542	1,383	1,568	719	1,533	1,337
50-54	1,983	2,333	1,496	2,035	1,968	2,735	3,063	1,688	2,688	2,809	1,601	979	1,359	1,741	1,529
55-59	2,145	1,711	1,406	2,241	2,178	2,716	1,774	1,776	2,743	2,907	1,813	1,343	1,111	1,955	1,802
60-64	2,140	1,975	1,303	2,208	2,143	2,613	1,944	1,677	2,821	2,598	1,760	1,479	901	1,767	1,803
65-69	2,119	2,585	1,338	2,395	2,081	2,460	2,777	1,630	2,555	2,506	1,850	2,205	1,132	2,184	1,805
70-74	2,211	1,708	1,488	2,464	2,187	2,638	2,085	1,819	2,782	2,657	1,974	1,195	1,285	2,295	1,944
75-79	2,185	2,445	1,744	2,685	2,106	2,591	2,927	1,648	2,960	2,552	2,049	2,099	1,987	2,550	1,977
80-84	2,162	*	874	2,644	2,126	2,451	*	*	2,440	2,543	2,049	*	1,014	2,635	2,009
85+	2,141	*	257	2,318	2,222	2,197	.	*	1,400	2,509	2,121	*	0	2,691	2,158

STANDARD ERRORS

All	8.6	60.6	31.5	16.1	10.9	18.1	95.3	81.5	35.0	22.8	10.2	79.3	34.3	19.5	12.9
0-14	88.3	*	*	218.4	99.8	94.4	*	*	231.0	107.4
15-19	86.3	*	164.0	170.7	110.5	*	91.9	*	166.9	181.3	117.6
20-24	52.2	303.9	110.0	104.0	68.6	296.4	*	*	655.9	388.0	56.8	313.0	115.7	111.7	75.7
25-29	39.5	245.9	144.3	71.2	50.7	127.3	*	*	310.7	145.5	46.1	302.3	157.6	81.1	59.2
30-34	34.8	196.9	140.7	62.2	45.5	84.3	*	*	185.6	98.3	40.6	230.6	156.2	71.6	53.6
35-39	30.5	156.7	90.7	50.8	43.2	85.0	504.6	802.6	171.3	100.3	33.6	149.0	80.9	56.6	48.6
40-44	28.0	200.5	90.0	47.5	38.2	71.8	388.4	550.6	162.3	82.7	32.3	224.9	91.2	53.2	45.5
45-49	26.3	184.1	83.1	43.6	36.3	60.7	288.7	281.0	108.2	79.2	29.9	244.8	83.0	49.6	41.7
50-54	27.3	175.3	122.5	45.5	36.6	57.1	253.5	368.3	96.2	77.5	32.6	208.7	130.2	55.8	42.9
55-59	28.9	172.0	116.7	49.9	38.7	52.9	200.8	251.1	89.9	74.6	37.0	316.6	127.5	66.4	47.8
60-64	28.0	200.5	120.0	51.8	35.1	49.8	232.4	200.4	95.1	63.6	36.4	358.8	146.1	67.6	45.3
65-69	24.8	224.1	91.5	54.6	29.4	42.3	301.2	154.1	81.1	53.9	31.3	332.5	119.4	78.5	35.5
70-74	28.7	202.7	126.7	68.5	33.1	52.2	294.8	196.2	110.8	63.7	35.0	260.7	178.2	92.9	39.0
75-79	37.7	339.0	195.0	106.6	41.6	78.6	573.9	278.6	187.6	92.5	44.1	411.7	299.6	133.5	47.7
80-84	58.7	*	186.3	173.6	64.4	129.5	*	*	271.1	154.2	66.5	*	226.8	227.7	71.6
85+	99.3	*	148.5	292.0	112.7	206.6	.	*	422.1	252.2	114.5	*	0.0	373.2	127.4

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.22S

Supplement to Table E.22

period prevalent female CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	54,602	1,053	1,485	17,808	33,525	20,832	614	513	6,164	13,200	28,836	374	825	9,734	17,605
0-14	412	*	*	104	263	394	*	*	104	245
15-19	544	*	10	244	240	*	515	*	10	230	229
20-24	1,263	40	28	497	654	107	*	*	44	54	980	32	25	385	500
25-29	1,942	51	38	818	985	377	*	*	98	251	1,346	27	33	648	599
30-34	3,097	48	115	1,210	1,679	912	*	*	224	656	1,847	38	85	862	846
35-39	3,672	43	134	1,449	2,000	1,133	21	41	262	785	2,113	20	74	1,022	988
40-44	4,139	69	157	1,693	2,176	1,390	42	45	399	884	2,222	16	87	1,068	1,037
45-49	4,464	112	127	1,816	2,326	1,733	67	31	583	1,031	2,141	41	75	954	1,028
50-54	5,288	177	149	1,998	2,896	2,296	146	21	781	1,315	2,408	22	109	975	1,272
55-59	5,508	99	145	2,017	3,168	2,632	78	50	931	1,519	2,401	18	76	868	1,419
60-64	5,859	97	118	1,817	3,721	2,758	70	70	879	1,667	2,342	17	38	683	1,585
65-69	7,319	133	214	1,921	5,008	3,384	85	112	992	2,165	3,502	44	90	774	2,581
70-74	5,921	71	138	1,294	4,367	2,552	50	86	630	1,741	3,173	21	52	610	2,485
75-79	3,353	52	80	635	2,563	1,087	26	35	249	761	2,160	26	44	365	1,718
80-84	1,356	*	22	232	1,090	358	*	*	81	272	949	*	20	134	786
85+	465	*	3	63	389	113	.	*	11	99	343	*	0	52	287

YEARS AT RISK

All	27,209	535	1,224	8,290	16,747	7,970	260	278	2,245	5,029	16,578	244	837	5,053	10,251
0-14	230	*	*	47	163	210	*	*	44	146
15-19	270	*	19	92	140	*	247	*	19	84	129
20-24	681	21	48	214	373	35	*	*	10	19	552	18	43	176	295
25-29	1,116	29	43	401	619	153	*	*	32	109	796	17	36	314	413
30-34	1,601	35	76	560	900	358	*	*	81	261	1,060	27	59	410	543
35-39	1,986	42	128	749	1,036	396	9	8	94	279	1,369	30	106	565	647
40-44	2,298	41	139	867	1,220	519	17	12	123	360	1,458	18	102	614	708
45-49	2,543	58	136	977	1,327	686	28	20	223	406	1,548	26	104	622	769
50-54	2,667	76	100	982	1,471	839	48	12	291	468	1,504	22	80	560	832
55-59	2,568	58	103	900	1,454	969	44	28	339	523	1,324	13	68	444	788
60-64	2,738	49	91	823	1,736	1,055	36	42	312	642	1,331	11	42	387	879
65-69	3,454	51	160	802	2,406	1,375	31	69	388	864	1,893	20	79	354	1,430
70-74	2,678	42	93	525	1,997	968	24	47	226	655	1,608	18	40	266	1,279
75-79	1,535	21	46	236	1,217	419	9	21	84	298	1,054	12	22	143	869
80-84	627	*	25	88	513	146	*	*	33	107	463	*	20	51	391
85+	217	*	12	27	175	51	.	*	8	39	162	*	8	19	133

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.23

Total Admissions per 1,000 Patient Years at Risk: All ESRD Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,489	1,628	1,029	1,704	1,395	1,990	1,945	1,557	2,127	1,934	1,309	1,284	842	1,551	1,211
0-14	857	910	824	1,202	761	2,043	*	.	*	*	892	973	818	1,340	773
15-19	848	1,078	611	1,334	679	1,879	.	*	2,440	1,448	885	1,109	610	1,403	712
20-24	1,050	1,130	833	1,455	863	2,634	*	*	3,486	2,074	1,013	1,050	829	1,386	849
25-29	1,091	1,196	668	1,484	907	2,303	2,171	1,661	2,934	2,056	950	1,043	633	1,361	748
30-34	1,097	1,298	683	1,500	929	1,808	2,050	1,611	2,496	1,631	920	1,113	607	1,382	695
35-39	1,098	1,141	635	1,534	916	1,606	1,535	1,782	2,284	1,455	954	988	488	1,452	692
40-44	1,127	1,366	659	1,538	922	1,592	1,913	1,347	2,256	1,404	992	1,041	542	1,433	721
45-49	1,167	1,471	777	1,480	984	1,667	1,989	1,285	2,045	1,492	993	956	657	1,341	769
50-54	1,315	1,587	957	1,572	1,163	1,889	1,874	1,595	2,060	1,792	1,080	1,202	748	1,377	910
55-59	1,459	1,642	1,041	1,653	1,341	1,998	1,824	1,509	2,033	2,011	1,190	1,269	846	1,456	1,041
60-64	1,622	1,746	1,206	1,736	1,554	2,049	1,924	1,513	2,022	2,103	1,389	1,410	1,008	1,546	1,310
65-69	1,815	1,905	1,336	1,880	1,799	2,113	1,991	1,621	2,064	2,183	1,619	1,694	1,101	1,739	1,582
70-74	1,936	2,029	1,374	1,968	1,945	2,196	2,124	1,592	2,138	2,268	1,778	1,873	1,201	1,832	1,781
75-79	2,007	1,974	1,427	2,066	2,015	2,243	2,090	1,586	2,248	2,291	1,899	1,863	1,328	1,962	1,907
80-84	2,091	2,264	1,304	2,247	2,073	2,364	2,120	1,513	2,393	2,434	2,003	2,462	1,192	2,174	1,985
85+	2,190	2,016	1,745	2,344	2,151	2,452	2,030	1,943	2,426	2,545	2,145	1,957	1,679	2,338	2,094

STANDARD ERRORS

All	1.5	12.3	6.7	2.8	1.9	3.2	18.9	16.3	5.8	4.1	1.8	16.9	7.5	3.4	2.2
0-14	12.1	114.6	67.0	33.9	13.1	456.9	*	.	*	*	13.2	123.5	70.7	39.2	14.1
15-19	11.6	101.4	54.0	29.6	12.5	258.1	.	*	424.8	341.4	12.7	105.2	57.1	33.0	13.6
20-24	9.1	72.5	40.0	19.4	10.5	83.3	*	*	153.6	100.3	9.8	75.6	42.9	21.0	11.3
25-29	6.8	61.3	28.6	14.0	7.9	30.8	278.0	234.9	66.7	34.9	7.2	62.6	30.6	15.3	8.2
30-34	5.4	54.8	23.9	11.7	6.2	15.7	147.6	139.7	42.2	16.9	6.0	60.2	24.7	13.0	6.7
35-39	4.7	41.4	19.4	10.0	5.4	11.9	101.9	100.2	34.8	12.7	5.4	46.7	19.0	11.3	6.0
40-44	4.4	41.2	17.6	8.8	5.1	10.7	81.6	72.7	28.2	11.7	5.1	48.6	18.0	9.9	5.9
45-49	4.3	36.0	18.8	8.0	5.2	10.0	61.4	58.5	20.8	11.7	5.0	42.7	20.2	9.2	5.9
50-54	4.6	35.2	21.1	8.4	5.8	10.1	50.7	55.8	17.7	13.1	5.5	52.2	23.0	10.2	6.7
55-59	4.9	34.3	22.5	8.4	6.3	9.6	44.5	49.4	15.3	13.6	6.0	57.2	26.7	11.0	7.4
60-64	5.1	37.0	25.2	8.5	6.7	9.4	48.7	46.8	14.7	13.3	6.8	68.6	32.3	11.9	8.7
65-69	4.9	38.4	23.7	8.5	6.4	8.3	47.3	39.4	13.4	11.5	6.5	71.5	30.9	11.9	8.0
70-74	5.3	46.8	24.3	9.6	6.7	9.2	59.6	39.7	15.5	12.3	6.7	78.9	31.0	12.8	8.2
75-79	6.4	60.1	29.2	12.4	7.8	12.2	85.4	51.1	21.2	16.0	7.7	86.8	36.1	15.9	9.1
80-84	9.0	101.1	36.3	18.7	10.7	20.0	139.8	70.7	35.3	26.4	10.2	156.9	42.6	22.8	11.9
85+	14.3	150.2	68.8	28.1	17.3	38.8	296.1	131.9	64.8	53.0	15.7	176.5	81.9	32.1	18.5

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.23S

Supplement to Table E.23*all period prevalent ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,000,525	17,528	23,433	380,991	567,008	385,865	10,618	9,070	136,404	223,993	538,966	5,792	12,641	209,303	307,250
0-14	5,060	63	151	1,256	3,380	20	*	.	*	*	4,583	62	134	1,167	3,020
15-19	5,374	113	128	2,028	2,958	53	.	*	33	18	4,887	111	114	1,805	2,726
20-24	13,285	243	435	5,622	6,711	999	*	*	515	428	10,702	193	373	4,337	5,604
25-29	25,639	381	546	11,209	13,122	5,584	61	50	1,936	3,469	17,181	278	428	7,925	8,312
30-34	40,499	562	818	16,512	22,131	13,295	193	133	3,492	9,338	23,253	342	604	11,302	10,794
35-39	54,578	760	1,065	23,352	28,841	18,064	227	316	4,301	13,044	31,011	447	663	16,557	13,086
40-44	65,853	1,097	1,400	30,408	32,191	22,001	550	343	6,404	14,455	37,299	459	906	20,764	14,859
45-49	75,118	1,665	1,706	34,318	36,452	27,736	1,048	482	9,666	16,191	39,967	500	1,061	21,066	16,934
50-54	81,254	2,027	2,060	35,283	40,826	34,983	1,368	817	13,552	18,641	38,923	531	1,057	18,382	18,669
55-59	89,398	2,286	2,136	38,620	45,072	43,042	1,676	933	17,606	21,988	38,939	492	1,005	17,552	19,652
60-64	101,578	2,223	2,293	42,099	53,527	47,531	1,560	1,044	18,986	25,034	41,555	422	976	17,006	22,866
65-69	135,347	2,464	3,175	48,886	79,279	64,337	1,773	1,693	23,559	36,323	62,888	561	1,267	21,404	39,259
70-74	131,879	1,882	3,199	42,054	83,498	56,538	1,268	1,609	19,076	33,770	69,834	564	1,499	20,357	47,066
75-79	98,229	1,080	2,388	27,914	66,141	33,763	599	965	11,264	20,515	60,918	461	1,351	15,251	43,630
80-84	54,066	502	1,290	14,450	37,430	13,916	230	458	4,603	8,467	38,339	246	783	9,126	27,995
85+	23,368	180	643	6,980	15,449	4,003	47	217	1,401	2,303	18,687	123	420	5,302	12,778

YEARS AT RISK

All	671,721	10,764	22,770	223,533	406,481	193,931	5,459	5,826	64,144	115,845	411,667	4,509	15,007	134,949	253,692
0-14	5,902	69	183	1,045	4,441	10	*	.	*	*	5,136	64	164	871	3,907
15-19	6,338	105	209	1,521	4,356	28	.	*	14	12	5,522	100	187	1,287	3,828
20-24	12,647	215	522	3,864	7,775	379	*	*	148	206	10,565	184	450	3,130	6,603
25-29	23,499	319	818	7,552	14,463	2,425	28	30	660	1,687	18,092	266	676	5,824	11,111
30-34	36,934	433	1,198	11,007	23,815	7,352	94	83	1,399	5,726	25,273	307	995	8,178	15,522
35-39	49,696	666	1,678	15,225	31,478	11,248	148	177	1,883	8,962	32,501	453	1,358	11,406	18,918
40-44	58,413	803	2,125	19,773	34,911	13,816	288	255	2,838	10,295	37,616	441	1,670	14,485	20,621
45-49	64,364	1,132	2,196	23,191	37,036	16,642	527	375	4,726	10,852	40,230	523	1,615	15,705	22,009
50-54	61,807	1,277	2,152	22,446	35,102	18,515	730	512	6,579	10,400	36,037	442	1,413	13,351	20,521
55-59	61,289	1,392	2,051	23,368	33,614	21,546	919	618	8,661	10,932	32,724	388	1,188	12,052	18,869
60-64	62,643	1,273	1,902	24,250	34,441	23,195	811	690	9,390	11,905	29,917	299	969	11,000	17,452
65-69	74,588	1,294	2,376	26,003	44,070	30,450	891	1,045	11,414	16,636	38,844	331	1,150	12,309	24,812
70-74	68,130	928	2,328	21,372	42,921	25,751	597	1,011	8,921	14,887	39,286	301	1,248	11,112	26,432
75-79	48,938	547	1,673	13,510	32,818	15,054	287	608	5,010	8,955	32,073	247	1,018	7,772	22,879
80-84	25,861	222	990	6,430	18,058	5,888	108	303	1,924	3,479	19,139	100	657	4,198	14,105
85+	10,670	89	368	2,978	7,183	1,632	23	112	577	905	8,711	63	250	2,268	6,103

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.24
Total Admissions per 1,000 Patient Years at Risk: Male ESRD Patients
period prevalent patients, 1996-1998

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,353	1,508	963	1,528	1,284	1,831	1,852	1,400	1,955	1,791	1,217	1,228	824	1,428	1,133
0-14	821	286	817	1,128	737	*	*	.	.	*	854	305	861	1,263	741
15-19	692	643	816	1,032	564	887	.	.	.	631	731	668	915	1,109	586
20-24	878	966	852	1,206	714	2,092	*	*	2,548	1,740	854	899	897	1,177	692
25-29	950	915	609	1,289	789	2,161	*	1,697	3,012	1,872	834	840	612	1,183	657
30-34	1,018	1,297	605	1,404	862	1,773	2,038	1,310	2,446	1,624	837	1,165	560	1,291	616
35-39	1,060	1,100	509	1,486	887	1,557	1,609	1,059	2,215	1,444	915	972	443	1,420	643
40-44	1,080	1,305	567	1,450	892	1,510	1,787	1,002	2,073	1,376	959	1,061	484	1,385	684
45-49	1,095	1,481	743	1,378	919	1,540	2,031	1,199	1,872	1,395	959	1,012	664	1,297	717
50-54	1,195	1,352	954	1,409	1,071	1,675	1,604	1,377	1,833	1,609	1,016	1,099	760	1,286	849
55-59	1,338	1,555	1,019	1,501	1,237	1,869	1,705	1,469	1,886	1,884	1,112	1,223	825	1,365	963
60-64	1,483	1,710	1,020	1,569	1,446	1,903	1,907	1,309	1,851	1,963	1,324	1,474	812	1,452	1,273
65-69	1,685	1,887	1,283	1,721	1,680	2,004	1,972	1,459	1,927	2,073	1,537	1,726	1,137	1,632	1,509
70-74	1,804	2,066	1,334	1,801	1,821	2,056	2,177	1,595	1,962	2,114	1,689	1,962	1,159	1,707	1,702
75-79	1,856	1,984	1,459	1,835	1,878	2,099	2,037	1,554	1,960	2,177	1,772	1,942	1,382	1,780	1,786
80-84	1,962	2,003	1,183	2,160	1,948	2,255	1,803	1,216	2,296	2,348	1,894	2,134	1,160	2,120	1,873
85+	2,061	2,106	1,951	2,224	2,023	2,345	*	1,932	2,328	2,416	2,029	2,272	1,961	2,229	1,982

STANDARD ERRORS															
All	1.9	17.0	9.1	3.7	2.4	4.4	28.1	22.3	8.8	5.4	2.3	22.3	10.3	4.4	2.8
0-14	14.8	90.4	93.7	39.9	16.3	*	*	.	.	*	16.2	101.8	103.6	45.9	17.4
15-19	13.8	110.3	90.6	34.1	15.0	245.9	.	.	*	282.4	15.2	114.6	102.9	38.0	16.4
20-24	11.2	91.7	58.0	23.4	12.9	112.3	*	*	206.7	131.9	12.1	93.2	63.6	25.6	13.8
25-29	8.5	74.5	35.8	17.2	9.9	43.5	*	332.8	105.6	47.3	8.9	74.5	39.1	18.4	10.1
30-34	7.0	78.6	30.5	15.0	7.9	21.3	233.8	195.3	60.7	22.8	7.6	85.4	31.7	16.5	8.2
35-39	6.0	55.0	24.4	12.9	6.9	15.4	150.0	112.9	48.2	16.3	6.9	61.2	25.4	14.5	7.6
40-44	5.5	51.0	22.5	10.9	6.5	13.6	103.2	79.5	36.9	14.8	6.4	60.9	23.8	12.3	7.4
45-49	5.3	47.3	26.0	9.9	6.4	12.7	82.2	79.3	27.8	14.5	6.3	57.4	28.8	11.4	7.4
50-54	5.8	43.6	28.9	10.5	7.2	12.8	64.9	65.0	24.3	16.1	6.9	64.7	33.1	12.6	8.4
55-59	6.3	47.8	30.4	11.1	8.0	13.1	63.0	66.5	22.2	17.7	7.7	77.4	36.7	14.0	9.4
60-64	6.8	55.6	31.5	11.7	8.8	13.4	75.7	60.9	22.2	18.1	8.9	98.9	39.2	15.8	11.3
65-69	6.9	59.8	34.4	12.7	8.6	12.5	77.1	56.3	22.2	16.3	8.6	101.7	45.6	16.6	10.4
70-74	7.4	80.3	34.8	14.9	8.9	14.1	112.0	62.4	26.4	17.6	8.9	116.4	41.7	18.8	10.5
75-79	8.8	101.5	43.2	19.0	10.2	18.7	165.2	78.3	36.0	23.1	10.0	129.5	51.8	23.2	11.5
80-84	12.3	163.6	50.0	30.2	14.0	31.2	255.0	91.4	64.2	38.8	13.6	221.2	59.8	35.5	15.1
85+	20.2	265.3	104.6	47.0	23.1	63.7	*	203.7	119.9	81.6	21.7	312.1	122.5	53.2	24.3

." Zero patients in this cell.
 * Values for cells with fewer than 10 patients are suppressed.

Table E.24S

Supplement to Table E.24

male period prevalent ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	492,609	7,828	11,119	173,134	294,627	170,733	4,340	3,934	49,908	109,628	285,805	3,019	6,358	106,608	167,662
0-14	3,059	10	76	797	2,053	*	*	.	.	*	2,771	9	69	756	1,819
15-19	2,514	34	81	916	1,412	13	.	.	*	5	2,317	34	79	852	1,284
20-24	6,158	111	216	2,657	3,068	347	*	*	152	174	5,009	93	199	2,110	2,528
25-29	12,612	151	289	5,590	6,401	2,463	*	26	814	1,567	8,781	127	245	4,114	4,198
30-34	21,426	272	393	8,755	11,764	6,902	76	45	1,627	5,073	12,289	186	312	6,086	5,598
35-39	30,854	399	433	13,202	16,507	10,235	115	88	2,111	7,826	17,434	252	305	9,605	7,139
40-44	38,215	655	634	17,613	18,866	12,383	300	159	3,150	8,604	22,126	304	415	12,651	8,590
45-49	42,340	980	820	19,532	20,425	14,801	611	229	4,526	9,198	23,480	311	532	12,994	9,420
50-54	42,666	961	1,093	17,936	22,108	17,070	610	449	5,706	9,983	21,601	288	528	10,468	10,158
55-59	45,118	1,057	1,122	18,408	23,749	20,308	733	488	7,248	11,324	20,763	250	506	9,443	10,400
60-64	47,651	945	1,052	17,902	27,103	20,242	634	462	6,923	11,817	21,953	222	430	8,393	12,746
65-69	60,182	996	1,394	18,489	38,555	25,495	654	672	7,510	16,199	31,949	288	622	9,679	21,114
70-74	59,206	662	1,467	14,669	41,854	21,313	378	654	5,517	14,430	36,008	284	772	8,265	26,490
75-79	44,907	382	1,141	9,321	33,759	12,563	152	394	2,958	8,883	31,074	225	712	5,868	24,160
80-84	25,311	150	560	5,111	19,305	5,231	50	177	1,281	3,660	19,479	93	376	3,567	15,348
85+	10,390	63	348	2,236	7,698	1,357	*	90	377	876	8,771	53	256	1,757	6,670

YEARS AT RISK

All	364,083	5,193	11,540	113,317	229,535	93,271	2,344	2,810	25,527	61,216	234,883	2,459	7,714	74,648	148,003
0-14	3728	35	93	707	2787	*	*	.	.	*	3244	29	80	599	2455
15-19	3,633	53	99	888	2505	15	.	.	*	8	3,169	51	86	768	2191
20-24	7,010	115	254	2,203	4,296	166	*	*	60	100	5,868	103	222	1,792	3,652
25-29	13,276	165	475	4,337	8,111	1,140	*	15	270	837	10,534	151	400	3,477	6,390
30-34	21,037	210	649	6,234	13,650	3,893	37	34	665	3,124	14,680	160	558	4,715	9,083
35-39	29,109	363	851	8,883	18,612	6,573	71	83	953	5,420	19,050	259	688	6,766	11,111
40-44	35,392	502	1,118	12,149	21,140	8,198	168	159	1,520	6,253	23,082	286	858	9,133	12,563
45-49	38,661	662	1,103	14,173	22,227	9,611	301	191	2,417	6,594	24,492	307	802	10,017	13,143
50-54	35,714	711	1,146	12,730	20,639	10,194	380	326	3,112	6,204	21,254	262	694	8,143	11,972
55-59	33,720	680	1,101	12,263	19,199	10,864	430	332	3,843	6,011	18,666	204	614	6,917	10,794
60-64	32,123	553	1,031	11,413	18,738	10,636	332	353	3,741	6,019	16,586	151	529	5,781	10,012
65-69	35,721	528	1,086	10,742	22,953	12,725	332	461	3,898	7,815	20,787	167	547	5,932	13,988
70-74	32,824	320	1,100	8,146	22,987	10,367	174	410	2,811	6,825	21,319	145	666	4,841	15,560
75-79	24,190	193	782	5,079	17,973	5,984	75	253	1,510	4,080	17,540	116	515	3,297	13,531
80-84	12,903	75	473	2,366	9,912	2,320	28	146	558	1,559	10,286	44	324	1,682	8,194
85+	5,042	30	178	1,005	3,805	579	*	47	162	363	4,323	23	131	788	3,366

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.25

Total Admissions per 1,000 Patient Years at Risk: Female ESRD Patients

period prevalent patients, 1996-1998

ADMISSIONS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	1,651	1,741	1,097	1,886	1,539	2,137	2,015	1,703	2,240	2,093	1,432	1,353	861	1,703	1,321
0-14	920	1,547	831	1,358	802	*	.	.	*	*	958	1,547	777	1,510	827
15-19	1,057	1,520	427	1,758	836	2,954	.	*	*	*	1,092	1,564	348	1,838	881
20-24	1,264	1,318	816	1,785	1,047	3,056	*	*	4,121	2,389	1,212	1,246	764	1,664	1,042
25-29	1,274	1,497	749	1,747	1,058	2,429	2,556	1,624	2,881	2,237	1,111	1,310	663	1,623	871
30-34	1,200	1,300	774	1,625	1,020	1,849	2,058	1,826	2,541	1,639	1,035	1,058	668	1,506	807
35-39	1,152	1,190	765	1,600	959	1,675	1,465	2,420	2,355	1,473	1,009	1,009	534	1,498	762
40-44	1,201	1,468	761	1,678	968	1,712	2,090	1,916	2,468	1,447	1,044	1,003	604	1,516	778
45-49	1,275	1,456	810	1,640	1,082	1,840	1,932	1,373	2,226	1,643	1,048	875	650	1,419	847
50-54	1,479	1,883	961	1,785	1,294	2,153	2,168	1,978	2,263	2,064	1,172	1,352	736	1,519	996
55-59	1,606	1,725	1,068	1,820	1,479	2,128	1,928	1,555	2,150	2,167	1,293	1,321	869	1,579	1,146
60-64	1,767	1,774	1,425	1,885	1,683	2,173	1,935	1,727	2,135	2,246	1,470	1,345	1,243	1,650	1,360
65-69	1,934	1,916	1,380	1,992	1,929	2,191	2,002	1,749	2,135	2,282	1,713	1,662	1,070	1,839	1,676
70-74	2,058	2,009	1,411	2,070	2,089	2,290	2,102	1,589	2,219	2,399	1,883	1,790	1,250	1,928	1,892
75-79	2,155	1,969	1,399	2,205	2,181	2,338	2,109	1,609	2,373	2,386	2,054	1,794	1,272	2,096	2,083
80-84	2,219	2,397	1,414	2,298	2,225	2,434	2,229	1,789	2,432	2,503	2,130	2,715	1,223	2,209	2,140
85+	2,306	1,970	1,552	2,405	2,295	2,511	2,168	1,950	2,465	2,631	2,260	1,771	1,372	2,395	2,232

STANDARD ERRORS

All	2.3	17.7	9.9	4.1	2.9	4.6	25.4	23.8	7.6	6.2	2.8	25.7	10.9	5.3	3.5
0-14	20.6	212.5	95.9	63.4	22.0	*	.	.	*	*	22.5	212.5	96.4	74.5	23.9
15-19	19.8	171.0	62.3	52.7	21.3	467.1	.	*	*	*	21.5	178.2	58.8	59.5	23.2
20-24	15.0	114.7	55.1	32.8	17.4	119.7	*	*	216.3	149.9	16.1	124.6	57.9	35.3	18.8
25-29	11.2	98.7	46.8	23.3	12.9	43.5	332.8	331.5	86.0	51.3	12.1	106.6	49.0	26.3	13.6
30-34	8.7	76.3	37.6	18.5	10.0	23.1	190.3	194.6	58.8	25.1	9.9	84.7	39.1	20.9	11.2
35-39	7.5	62.6	30.4	15.9	8.6	18.9	138.5	160.3	50.3	20.4	8.7	72.3	28.2	18.0	9.9
40-44	7.2	69.8	27.5	14.8	8.4	17.5	132.2	141.3	43.3	18.9	8.5	80.6	27.3	16.8	9.8
45-49	7.0	55.6	27.2	13.5	8.5	16.2	92.4	86.3	31.1	19.6	8.2	63.7	28.3	15.8	9.8
50-54	7.5	57.7	30.9	13.6	9.5	16.1	78.7	103.1	25.5	22.2	8.9	86.7	32.0	17.1	10.8
55-59	7.6	49.2	33.5	12.8	10.1	14.1	62.8	73.7	21.1	21.0	9.6	84.9	38.9	17.5	11.9
60-64	7.6	49.6	40.4	12.1	10.4	13.2	63.6	71.6	19.4	19.5	10.5	95.1	53.2	17.8	13.5
65-69	7.1	50.0	32.7	11.4	9.6	11.1	59.8	54.7	16.9	16.1	9.7	100.6	42.1	17.0	12.4
70-74	7.6	57.5	33.9	12.5	10.2	12.2	70.5	51.4	19.1	17.2	10.2	107.0	46.3	17.5	13.2
75-79	9.3	74.5	39.6	16.2	12.1	16.1	99.7	67.3	26.0	22.1	11.9	116.8	50.3	21.6	14.9
80-84	13.1	127.8	52.3	23.8	16.5	26.1	166.1	106.7	42.2	36.1	15.5	219.5	60.6	29.6	19.0
85+	20.2	182.1	90.4	34.9	26.1	48.8	351.8	173.0	77.0	69.6	22.7	211.7	107.1	40.2	28.6

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.25S

Supplement to Table E.25

female period prevalent ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute total admission rates

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	507,916	9,700	12,314	207,857	272,381	215,132	6,278	5,136	86,496	114,365	253,161	2,773	6,283	102,695	139,588
0-14	2,001	53	75	459	1,327	*	.	.	*	*	1,812	53	65	411	1,201
15-19	2,860	79	47	1,112	1,546	40	.	*	*	*	2,570	77	35	953	1,442
20-24	7,127	132	219	2,965	3,643	652	*	*	363	254	5,693	100	174	2,227	3,076
25-29	13,027	230	257	5,619	6,721	3,121	59	24	1,122	1,902	8,400	151	183	3,811	4,114
30-34	19,073	290	425	7,757	10,367	6,393	117	88	1,865	4,265	10,964	156	292	5,216	5,196
35-39	23,724	361	632	10,150	12,334	7,829	112	228	2,190	5,218	13,577	195	358	6,952	5,947
40-44	27,638	442	766	12,795	13,325	9,618	250	184	3,254	5,851	15,173	155	491	8,113	6,269
45-49	32,778	685	886	14,786	16,027	12,935	437	253	5,140	6,993	16,487	189	529	8,072	7,514
50-54	38,588	1,066	967	17,347	18,718	17,913	758	368	7,846	8,658	17,322	243	529	7,914	8,511
55-59	44,280	1,229	1,014	20,212	21,323	22,734	943	445	10,358	10,664	18,176	242	499	8,109	9,252
60-64	53,927	1,278	1,241	24,197	26,424	27,289	926	582	12,063	13,217	19,602	200	546	8,613	10,120
65-69	75,165	1,468	1,781	30,397	40,724	38,842	1,119	1,021	16,049	20,124	30,939	273	645	11,725	18,145
70-74	72,673	1,220	1,732	27,385	41,644	35,225	890	955	13,559	19,340	33,826	280	727	12,092	20,576
75-79	53,322	698	1,247	18,593	32,382	21,200	447	571	8,306	11,632	29,844	236	639	9,383	19,470
80-84	28,755	352	730	9,339	18,125	8,685	180	281	3,322	4,807	18,860	153	407	5,559	12,647
85+	12,978	117	295	4,744	7,751	2,646	38	127	1,024	1,427	9,916	70	164	3,545	6,108

YEARS AT RISK

All	307,638	5,571	11,230	110,216	176,946	100,660	3,115	3,016	38,618	54,629	176,784	2,050	7,293	60,301	105,689
0-14	2175	34	90	338	1654	*	.	.	*	*	1892	34	84	272	1452
15-19	2,705	52	110	633	1850	14	.	*	*	*	2,353	49	101	518	1637
20-24	5,637	100	268	1,661	3,479	213	*	*	88	106	4,696	80	228	1,338	2,951
25-29	10,223	154	343	3,216	6,352	1,285	23	15	389	850	7,558	115	276	2,348	4,721
30-34	15,897	223	549	4,774	10,165	3,458	57	48	734	2,602	10,592	147	437	3,463	6,439
35-39	20,587	303	827	6,342	12,866	4,675	76	94	930	3,542	13,451	193	670	4,640	7,807
40-44	23,021	301	1,007	7,623	13,771	5,618	120	96	1,318	4,043	14,534	154	813	5,352	8,058
45-49	25,703	470	1,093	9,018	14,810	7,031	226	184	2,309	4,257	15,738	216	814	5,687	8,866
50-54	26,093	566	1,006	9,716	14,463	8,321	350	186	3,467	4,196	14,783	180	719	5,208	8,549
55-59	27,570	712	950	11,105	14,414	10,682	489	286	4,818	4,920	14,058	183	574	5,135	8,075
60-64	30,520	721	871	12,837	15,703	12,559	478	337	5,649	5,886	13,331	149	439	5,219	7,440
65-69	38,867	766	1,290	15,261	21,116	17,726	559	584	7,516	8,820	18,057	164	603	6,377	10,824
70-74	35,306	607	1,228	13,226	19,935	15,384	423	601	6,110	8,062	17,967	156	582	6,271	10,872
75-79	24,748	355	891	8,431	14,845	9,069	212	355	3,500	4,875	14,533	132	502	4,476	9,348
80-84	12,958	147	516	4,063	8,146	3,568	81	157	1,366	1,920	8,853	56	333	2,516	5,911
85+	5,628	59	190	1,973	3,378	1,054	18	65	415	542	4,388	40	120	1,480	2,737

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.26

Hospital Days per Patient Year at Risk: All Dialysis Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	14	13	10	13	14	17	14	13	17	18	12	11	8	12	12
0-14	14	12	9	16	13	*	*	.	*	*	14	15	9	16	14
15-19	10	13	4	11	9	20	.	*	19	*	10	14	4	11	9
20-24	9	9	6	10	9	22	*	*	22	23	9	7	6	9	9
25-29	10	12	5	10	10	19	12	7	22	18	8	11	5	9	8
30-34	11	11	8	11	11	18	16	19	19	18	9	9	7	10	9
35-39	11	12	6	11	12	18	14	15	19	18	9	10	5	10	9
40-44	11	11	8	11	12	17	13	17	18	17	10	9	6	10	9
45-49	12	12	8	11	12	16	13	11	16	17	10	9	7	10	9
50-54	13	12	10	12	14	17	13	13	16	18	11	11	8	10	11
55-59	14	12	10	13	14	17	13	13	16	18	11	10	9	11	12
60-64	14	14	11	14	15	17	15	13	16	17	12	13	9	12	13
65-69	15	14	12	15	15	17	15	14	17	18	13	12	9	13	13
70-74	15	15	12	15	15	17	16	14	17	18	14	12	9	14	14
75-79	15	14	11	16	15	17	14	13	18	17	14	13	10	15	14
80-84	15	15	10	17	15	18	14	12	19	18	15	17	9	16	14
85	16	15	13	18	15	18	18	15	20	18	15	14	12	17	15

STANDARD ERRORS

All	0.01	0.04	0.03	0.01	0.01	0.01	0.05	0.05	0.02	0.01	0.01	0.06	0.03	0.01	0.01
0-14	0.12	0.97	0.55	0.24	0.14	*	*	.	*	*	0.13	1.28	0.55	0.25	0.15
15-19	0.07	0.57	0.24	0.12	0.10	1.22	.	*	1.48	*	0.08	0.61	0.26	0.13	0.11
20-24	0.04	0.28	0.15	0.06	0.06	0.30	*	*	0.43	0.46	0.04	0.28	0.17	0.07	0.06
25-29	0.03	0.27	0.12	0.04	0.05	0.12	0.78	0.56	0.22	0.16	0.03	0.29	0.14	0.05	0.05
30-34	0.03	0.20	0.13	0.04	0.04	0.08	0.49	0.62	0.14	0.09	0.03	0.23	0.14	0.04	0.04
35-39	0.02	0.18	0.09	0.03	0.03	0.06	0.39	0.40	0.12	0.08	0.02	0.20	0.09	0.03	0.04
40-44	0.02	0.14	0.09	0.03	0.03	0.05	0.24	0.34	0.09	0.07	0.02	0.19	0.09	0.03	0.04
45-49	0.02	0.12	0.08	0.03	0.03	0.04	0.17	0.21	0.06	0.06	0.02	0.18	0.10	0.03	0.03
50-54	0.02	0.11	0.09	0.03	0.03	0.03	0.15	0.18	0.05	0.05	0.02	0.20	0.11	0.03	0.04
55-59	0.02	0.11	0.09	0.03	0.03	0.03	0.13	0.16	0.04	0.05	0.02	0.20	0.12	0.03	0.04
60-64	0.02	0.11	0.09	0.03	0.03	0.03	0.14	0.15	0.04	0.04	0.02	0.25	0.12	0.04	0.04
65-69	0.02	0.11	0.07	0.02	0.02	0.02	0.13	0.12	0.04	0.03	0.02	0.20	0.10	0.03	0.03
70-74	0.02	0.13	0.07	0.03	0.02	0.03	0.17	0.12	0.04	0.03	0.02	0.20	0.09	0.04	0.02
75-79	0.02	0.16	0.08	0.03	0.02	0.03	0.22	0.15	0.06	0.04	0.02	0.23	0.10	0.04	0.02
80-84	0.02	0.26	0.10	0.05	0.03	0.05	0.36	0.20	0.10	0.07	0.03	0.40	0.12	0.06	0.03
85+	0.04	0.40	0.18	0.08	0.04	0.10	0.85	0.36	0.18	0.14	0.04	0.46	0.22	0.09	0.05

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.26S

Supplement to Table E.26*all period prevalent dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	6,409,838	108,728	153,297	2,549,826	3,521,241	2,720,894	70,375	70,141	1,028,196	1,510,081	3,235,837	31,867	73,152	1,290,735	1,817,178
0-14	13,897	142	249	4,522	8,325	*	*	.	*	*	12,852	140	246	4,178	7,697
15-19	16,801	527	286	7,274	8,289	273	.	*	169	*	15,143	519	230	6,516	7,487
20-24	51,451	908	1,488	24,416	23,528	5,473	*	*	2,698	2,415	40,086	592	1,234	18,845	18,742
25-29	99,479	1,986	1,903	49,309	44,561	24,224	226	151	10,294	13,231	63,577	1,374	1,554	33,120	26,623
30-34	173,791	2,765	3,971	81,807	82,839	56,556	1,096	941	18,026	35,723	100,362	1,578	2,784	55,567	39,592
35-39	247,839	4,241	4,677	120,877	115,703	81,222	1,352	1,486	26,614	50,901	140,626	2,281	2,713	80,922	53,618
40-44	325,926	5,611	7,490	170,838	138,058	112,545	2,959	2,366	42,116	63,509	179,050	2,181	4,163	109,039	62,258
45-49	401,354	9,225	8,536	201,256	175,492	160,481	6,113	2,594	64,964	84,275	199,366	2,468	5,230	113,525	75,653
50-54	483,004	11,611	11,790	221,647	231,161	232,143	8,171	5,369	95,857	118,440	208,661	2,870	5,440	104,907	94,047
55-59	567,574	13,625	12,920	258,811	273,657	302,097	10,630	6,565	126,020	153,031	218,241	2,229	5,349	108,561	100,894
60-64	691,594	14,965	14,780	302,024	349,239	353,270	10,909	7,739	146,487	181,327	254,470	2,729	5,372	112,342	132,046
65-69	990,927	16,681	24,773	375,192	561,938	518,000	12,571	14,337	191,608	291,532	416,906	3,463	8,869	153,531	247,851
70-74	998,725	13,894	26,295	333,101	616,117	458,141	9,959	14,580	158,345	269,096	500,451	3,568	10,788	154,342	329,049
75-79	760,343	7,605	18,789	228,339	499,819	273,963	4,184	8,487	94,839	163,066	459,901	3,234	9,746	122,620	322,323
80-84	413,125	3,538	10,386	115,108	281,029	110,978	1,627	3,759	38,112	66,302	288,381	1,740	6,244	71,542	207,356
85+	174,008	1,404	4,964	55,305	111,486	31,475	422	1,736	12,006	17,121	137,764	901	3,190	41,178	91,942

YEARS AT RISK

All	467,491	8,404	15,242	190,133	247,993	159,148	4,932	5,203	60,889	85,585	269,886	2,903	8,886	109,692	146,287
0-14	1,000	12	29	280	630	*	*	.	*	*	905	9	28	260	566
15-19	1,761	40	69	692	892	14	.	*	9	*	1,572	38	58	615	813
20-24	5,654	107	252	2,550	2,592	250	*	*	121	106	4,571	88	212	2,029	2,134
25-29	10,343	167	365	4,963	4,650	1,258	19	22	466	737	7,679	130	288	3,780	3,371
30-34	15,941	257	478	7,527	7,432	3,104	67	49	954	1,995	10,934	171	375	5,611	4,649
35-39	22,274	367	723	11,066	9,808	4,521	95	97	1,408	2,861	15,149	237	561	8,275	5,901
40-44	28,645	523	982	14,919	11,852	6,456	230	143	2,330	3,649	18,768	242	715	10,727	6,913
45-49	34,660	798	1,091	17,774	14,524	9,933	459	247	4,043	5,041	20,829	283	730	11,647	7,970
50-54	37,381	946	1,171	18,019	16,709	13,925	607	407	5,923	6,718	19,529	263	642	10,152	8,305
55-59	41,875	1,091	1,259	19,893	18,988	18,301	800	516	8,028	8,578	19,401	231	604	9,722	8,706
60-64	48,167	1,080	1,347	21,778	23,277	21,206	742	601	9,002	10,461	20,392	205	589	9,393	10,048
65-69	65,960	1,203	2,137	25,108	36,727	30,123	866	1,030	11,482	16,271	31,947	289	974	11,553	18,916
70-74	66,065	933	2,248	21,690	40,611	26,441	604	1,025	9,242	15,221	36,936	299	1,157	11,140	24,152
75-79	49,829	556	1,698	14,021	33,157	15,709	296	630	5,245	9,335	32,403	248	1,021	8,029	22,943
80-84	26,831	231	1,012	6,730	18,688	6,185	113	313	2,026	3,657	19,810	105	672	4,382	14,569
85+	11,104	93	382	3,123	7,456	1,716	24	116	608	951	9,061	65	259	2,377	6,332

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.27

Hospital Days per Patient Year at Risk: Male Dialysis Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	12	12	9	12	13	16	14	12	16	17	11	11	8	11	11
0-14	14	*	7	15	15	*	*	.	.	*	14	*	7	15	15
15-19	8	9	7	9	7	*	.	.	*	*	8	9	7	8	7
20-24	7	8	5	7	7	17	*	*	14	17	7	6	5	7	7
25-29	8	9	5	8	8	16	*	6	20	14	7	9	5	8	7
30-34	10	11	8	10	10	17	14	17	18	17	8	10	7	9	7
35-39	10	13	6	10	11	17	14	12	19	17	9	12	5	9	8
40-44	10	10	6	10	11	16	11	13	16	17	9	8	5	9	8
45-49	11	11	7	10	11	15	13	10	15	16	9	9	6	9	9
50-54	12	11	10	11	13	15	12	13	15	16	10	9	8	9	10
55-59	13	12	10	12	13	16	13	13	15	17	10	11	8	10	11
60-64	13	13	10	13	14	16	15	11	15	17	12	11	8	11	12
65-69	14	13	11	14	14	17	14	11	16	17	12	12	10	12	12
70-74	14	16	11	14	14	17	18	14	16	17	13	14	10	13	13
75-79	14	14	11	14	14	16	12	13	16	17	13	14	10	14	13
80-84	14	14	8	16	14	17	13	8	18	17	13	14	8	15	13
85	15	17	14	17	14	18	*	13	21	17	14	18	14	16	14

STANDARD ERRORS

All	0.01	0.06	0.04	0.01	0.01	0.02	0.08	0.07	0.03	0.02	0.01	0.08	0.04	0.01	0.01
0-14	0.16	*	0.70	0.29	0.20	*	*	.	.	*	0.16	*	0.70	0.29	0.21
15-19	0.09	0.80	0.47	0.15	0.12	*	.	.	*	*	0.10	0.80	0.54	0.16	0.13
20-24	0.05	0.39	0.21	0.07	0.07	0.42	*	*	0.58	0.58	0.05	0.37	0.24	0.08	0.08
25-29	0.04	0.34	0.15	0.05	0.06	0.17	*	0.62	0.31	0.20	0.04	0.37	0.18	0.06	0.06
30-34	0.03	0.30	0.17	0.05	0.05	0.10	0.72	0.86	0.20	0.12	0.04	0.35	0.19	0.05	0.05
35-39	0.03	0.25	0.13	0.04	0.04	0.08	0.54	0.52	0.16	0.10	0.03	0.30	0.13	0.04	0.05
40-44	0.02	0.17	0.11	0.03	0.04	0.07	0.29	0.40	0.12	0.09	0.03	0.22	0.12	0.04	0.04
45-49	0.02	0.16	0.11	0.03	0.04	0.05	0.23	0.29	0.09	0.07	0.03	0.23	0.13	0.04	0.04
50-54	0.02	0.15	0.12	0.03	0.04	0.05	0.20	0.22	0.07	0.07	0.03	0.24	0.16	0.04	0.05
55-59	0.02	0.16	0.12	0.03	0.04	0.04	0.19	0.22	0.07	0.06	0.03	0.31	0.17	0.04	0.05
60-64	0.02	0.17	0.12	0.04	0.03	0.04	0.23	0.20	0.07	0.06	0.03	0.32	0.17	0.05	0.05
65-69	0.02	0.17	0.11	0.04	0.03	0.04	0.21	0.16	0.06	0.05	0.03	0.30	0.15	0.05	0.03
70-74	0.02	0.22	0.11	0.04	0.03	0.04	0.33	0.19	0.08	0.05	0.03	0.31	0.13	0.05	0.03
75-79	0.02	0.27	0.12	0.05	0.03	0.05	0.40	0.22	0.10	0.06	0.03	0.35	0.14	0.06	0.03
80-84	0.03	0.42	0.13	0.08	0.04	0.08	0.68	0.24	0.18	0.10	0.04	0.56	0.16	0.09	0.04
85+	0.05	0.74	0.27	0.13	0.06	0.17	*	0.52	0.35	0.21	0.06	0.85	0.32	0.14	0.06

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.27S

Supplement to Table E.27

male period prevalent dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	2,989,977	46,781	69,546	1,083,715	1,752,708	1,151,943	28,002	29,247	364,305	710,090	1,637,155	16,364	35,867	617,796	955,385
0-14	8,622	*	110	2,744	5,464	*	*	.	.	*	7,835	*	107	2,484	4,974
15-19	7,233	126	195	3,037	3,691	*	.	.	*	*	6,403	126	164	2,707	3,231
20-24	21,509	412	558	10,050	10,035	1,662	*	*	612	830	17,108	243	532	8,112	7,924
25-29	45,430	708	922	23,289	19,763	9,737	*	87	4,163	5,224	30,783	630	824	16,554	12,472
30-34	88,608	1,285	2,090	41,925	42,292	29,493	391	403	8,388	19,908	49,939	862	1,551	28,669	18,493
35-39	137,689	2,541	2,028	67,766	63,991	44,897	726	554	12,759	30,406	78,256	1,579	1,297	47,227	27,503
40-44	181,473	3,270	3,057	94,362	78,645	60,824	1,516	999	19,396	37,996	101,889	1,429	1,786	64,346	33,582
45-49	216,737	5,193	3,898	109,132	94,442	81,960	3,482	1,297	28,856	46,616	112,657	1,441	2,362	68,378	39,250
50-54	239,499	5,278	6,444	106,937	117,219	108,491	3,648	3,258	39,650	59,629	109,229	1,420	2,626	57,167	47,236
55-59	272,562	6,332	6,148	117,473	137,592	138,498	4,619	3,324	51,097	76,046	109,490	1,227	2,272	54,680	50,539
60-64	307,353	6,160	6,749	123,082	167,015	147,401	4,657	3,223	52,715	83,966	125,576	1,081	2,515	52,718	68,193
65-69	422,156	6,141	10,138	137,579	262,125	201,920	4,255	5,011	61,144	127,717	203,644	1,669	4,288	67,536	128,139
70-74	435,909	5,078	11,728	113,687	301,786	173,441	3,134	5,777	46,426	115,863	249,085	1,944	5,686	60,692	179,509
75-79	339,533	2,618	8,873	74,924	250,693	101,587	944	3,447	24,688	71,141	228,785	1,614	5,180	46,331	174,742
80-84	188,308	1,085	4,078	39,671	142,123	41,032	387	1,225	10,734	28,196	142,258	653	2,802	26,746	111,465
85+	77,356	537	2,530	18,057	55,832	10,911	*	640	3,604	6,538	64,218	431	1,875	13,449	48,133

YEARS AT RISK

All	239,553	3,814	7,422	91,803	133,513	71,161	2,037	2,400	23,088	42,365	149,056	1,517	4,445	58,663	83,253
0-14	596	*	15	179	370	*	*	.	.	*	543	*	15	170	331
15-19	927	14	30	356	494	*	.	.	*	*	829	14	24	325	443
20-24	3,004	52	112	1,386	1,382	98	*	*	43	50	2,420	42	97	1,104	1,132
25-29	5,661	78	202	2,796	2,479	596	*	15	205	365	4,301	68	161	2,184	1,832
30-34	9,047	119	268	4,283	4,233	1,742	28	23	467	1,202	6,154	83	208	3,220	2,574
35-39	13,145	200	351	6,512	5,895	2,652	50	45	686	1,832	8,893	133	275	4,978	3,410
40-44	17,369	332	497	9,141	7,173	3,719	134	80	1,187	2,246	11,592	168	351	6,810	4,162
45-49	20,320	461	549	10,677	8,343	5,404	262	124	1,964	2,956	12,613	167	368	7,412	4,553
50-54	20,598	498	653	9,844	9,298	7,126	301	258	2,692	3,730	11,240	155	327	6,067	4,596
55-59	21,783	511	637	10,037	10,234	8,692	358	263	3,395	4,460	10,726	114	286	5,475	4,759
60-64	23,083	460	687	9,754	11,851	9,286	301	290	3,443	5,064	10,801	102	304	4,763	5,545
65-69	30,167	462	940	10,006	18,375	12,180	312	437	3,816	7,390	16,659	136	451	5,442	10,501
70-74	30,951	317	1,021	8,097	21,245	10,425	172	405	2,868	6,830	19,631	144	596	4,759	14,026
75-79	24,354	192	792	5,220	17,983	6,193	76	263	1,560	4,224	17,578	116	517	3,385	13,476
80-84	13,320	78	481	2,465	10,217	2,430	29	149	587	1,634	10,593	45	330	1,746	8,430
85+	5,229	31	185	1,050	3,941	607	*	48	170	380	4,482	25	135	822	3,483

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.28

Hospital Days per Patient Year at Risk: Female Dialysis Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	15	13	11	15	15	18	15	15	18	19	13	11	8	13	14
0-14	13	*	10	18	11	*	.	.	*	*	14	*	10	19	12
15-19	11	15	2	13	12	25	.	*	*	*	12	17	2	13	11
20-24	11	9	7	12	11	25	*	*	27	28	11	8	6	12	11
25-29	12	14	6	12	11	22	13	*	24	22	10	12	6	10	9
30-34	12	11	9	12	13	20	18	21	20	20	11	8	7	11	10
35-39	12	10	7	12	13	19	14	18	19	20	10	7	5	10	10
40-44	13	12	9	13	13	19	15	22	20	18	11	10	7	11	10
45-49	13	12	9	13	13	17	13	11	17	18	11	9	8	11	11
50-54	15	14	10	14	15	18	15	14	17	20	12	13	9	12	13
55-59	15	13	11	14	16	17	14	13	16	19	13	9	10	13	13
60-64	15	14	12	15	16	17	14	15	17	18	13	16	10	13	14
65-69	16	14	12	16	16	18	15	16	17	18	14	12	9	14	14
70-74	16	14	12	16	16	18	16	14	18	18	15	10	9	15	15
75-79	17	14	11	17	16	18	15	14	19	18	16	12	9	16	16
80-84	17	16	12	18	16	19	15	15	19	19	16	18	10	17	16
85	16	14	12	18	16	19	18	16	19	19	16	12	11	18	15

STANDARD ERRORS

All	0.01	0.05	0.04	0.01	0.01	0.01	0.07	0.07	0.02	0.02	0.01	0.09	0.04	0.02	0.01
0-14	0.18	*	0.87	0.42	0.21	*	.	.	*	*	0.20	*	0.87	0.46	0.22
15-19	0.12	0.76	0.24	0.19	0.17	1.78	.	*	*	*	0.13	0.84	0.24	0.21	0.18
20-24	0.07	0.41	0.22	0.10	0.10	0.41	*	*	0.58	0.70	0.07	0.40	0.23	0.11	0.10
25-29	0.05	0.40	0.19	0.07	0.07	0.18	0.86	*	0.30	0.24	0.05	0.44	0.21	0.08	0.08
30-34	0.04	0.28	0.21	0.06	0.06	0.12	0.67	0.89	0.20	0.16	0.05	0.30	0.21	0.07	0.07
35-39	0.04	0.25	0.14	0.05	0.06	0.10	0.56	0.59	0.16	0.14	0.04	0.26	0.13	0.06	0.06
40-44	0.03	0.25	0.14	0.05	0.05	0.08	0.40	0.58	0.13	0.11	0.04	0.37	0.13	0.05	0.06
45-49	0.03	0.19	0.13	0.04	0.05	0.06	0.26	0.29	0.09	0.09	0.04	0.28	0.15	0.05	0.06
50-54	0.03	0.18	0.14	0.04	0.05	0.05	0.22	0.31	0.07	0.08	0.04	0.35	0.17	0.05	0.06
55-59	0.03	0.15	0.13	0.04	0.04	0.04	0.18	0.22	0.06	0.07	0.04	0.27	0.17	0.05	0.06
60-64	0.02	0.15	0.14	0.04	0.04	0.04	0.18	0.22	0.06	0.06	0.04	0.39	0.19	0.05	0.06
65-69	0.02	0.14	0.10	0.03	0.03	0.03	0.16	0.16	0.05	0.05	0.03	0.28	0.13	0.05	0.04
70-74	0.02	0.15	0.10	0.03	0.03	0.03	0.19	0.15	0.05	0.05	0.03	0.26	0.13	0.05	0.04
75-79	0.03	0.19	0.11	0.04	0.03	0.04	0.26	0.19	0.07	0.06	0.03	0.30	0.13	0.06	0.04
80-84	0.04	0.32	0.15	0.06	0.04	0.07	0.42	0.31	0.12	0.10	0.04	0.56	0.17	0.08	0.05
85+	0.05	0.48	0.25	0.09	0.07	0.13	1.00	0.49	0.21	0.18	0.06	0.53	0.29	0.11	0.07

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.28S

Supplement to Table E.28

female period prevalent dialysis patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	3,419,861	61,947	83,751	1,466,111	1,768,533	1,568,951	42,373	40,894	663,891	799,991	1,598,682	15,503	37,285	672,939	861,793
0-14	5,275	*	139	1,778	2,861	*	.	.	*	*	5,017	*	139	1,694	2,723
15-19	9,568	401	91	4,237	4,598	196	.	*	*	*	8,740	393	66	3,809	4,256
20-24	29,942	496	930	14,366	13,493	3,811	*	*	2,086	1,585	22,978	349	702	10,733	10,818
25-29	54,049	1,278	981	26,020	24,798	14,487	226	*	6,131	8,007	32,794	744	730	16,566	14,151
30-34	85,183	1,480	1,881	39,882	40,547	27,063	705	538	9,638	15,815	50,423	716	1,233	26,898	21,099
35-39	110,150	1,700	2,649	53,111	51,712	36,325	626	932	13,855	20,495	62,370	702	1,416	33,695	26,115
40-44	144,453	2,341	4,433	76,476	59,413	51,721	1,443	1,367	22,720	25,513	77,161	752	2,377	44,693	28,676
45-49	184,617	4,032	4,638	92,124	81,050	78,521	2,631	1,297	36,108	37,659	86,709	1,027	2,868	45,147	36,403
50-54	243,505	6,333	5,346	114,710	113,942	123,652	4,523	2,111	56,207	58,811	99,432	1,450	2,814	47,740	46,811
55-59	295,012	7,293	6,772	141,338	136,065	163,599	6,011	3,241	74,923	76,985	108,751	1,002	3,077	53,881	50,355
60-64	384,241	8,805	8,031	178,942	182,224	205,869	6,252	4,516	93,772	97,361	128,894	1,648	2,857	59,624	63,853
65-69	568,771	10,540	14,635	237,613	299,813	316,080	8,316	9,326	130,464	163,815	213,262	1,794	4,581	85,995	119,712
70-74	562,816	8,816	14,567	219,414	314,331	284,700	6,825	8,803	111,919	153,233	251,366	1,624	5,102	93,650	149,540
75-79	420,810	4,987	9,916	153,415	249,126	172,376	3,240	5,040	70,151	91,925	231,116	1,620	4,566	76,289	147,581
80-84	224,817	2,453	6,308	75,437	138,906	69,946	1,240	2,534	27,378	38,106	146,123	1,087	3,442	44,796	95,891
85+	96,652	867	2,434	37,248	55,654	20,564	329	1,096	8,402	10,583	73,546	470	1,315	27,729	43,809

YEARS AT RISK

All	227,938	4,590	7,821	98,330	114,480	87,986	2,895	2,803	37,801	43,220	120,830	1,387	4,441	51,028	63,033
0-14	403	*	14	101	260	*	.	.	*	*	362	*	14	90	235
15-19	834	26	39	335	398	8	.	*	*	*	743	24	35	290	371
20-24	2,650	55	139	1,164	1,210	152	*	*	78	57	2,151	47	115	924	1,002
25-29	4,682	89	163	2,167	2,172	662	17	*	261	372	3,378	61	127	1,595	1,538
30-34	6,894	137	211	3,244	3,199	1,361	40	26	487	793	4,779	89	167	2,392	2,075
35-39	9,129	168	372	4,554	3,912	1,868	45	52	722	1,029	6,256	104	286	3,297	2,491
40-44	11,276	191	486	5,778	4,678	2,737	96	63	1,143	1,403	7,176	74	363	3,917	2,751
45-49	14,340	337	541	7,097	6,181	4,529	197	123	2,079	2,085	8,216	116	361	4,235	3,417
50-54	16,783	448	518	8,176	7,410	6,798	307	149	3,231	2,988	8,289	109	315	4,085	3,709
55-59	20,092	580	622	9,855	8,754	9,609	442	254	4,633	4,118	8,675	117	318	4,248	3,947
60-64	25,084	619	659	12,024	11,426	11,919	440	311	5,559	5,397	9,591	103	286	4,630	4,503
65-69	35,793	741	1,196	15,101	18,352	17,943	554	593	7,666	8,881	15,287	153	523	6,111	8,414
70-74	35,115	615	1,227	13,594	19,365	16,016	432	620	6,374	8,390	17,306	155	561	6,380	10,125
75-79	25,476	363	906	8,801	15,174	9,515	220	367	3,685	5,111	14,825	132	504	4,644	9,466
80-84	13,511	154	531	4,265	8,471	3,755	84	164	1,439	2,022	9,216	59	342	2,636	6,139
85+	5,876	62	197	2,073	3,515	1,109	18	68	438	571	4,580	41	123	1,554	2,849

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

Table E.29

Hospital Days per Patient Year at Risk: All Hemodialysis Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	13	12	10	13	14	16	14	13	16	17	12	10	8	11	12
0-14	14	*	13	12	15	*	*	.	*	*	14	*	13	12	16
15-19	8	11	4	8	9	20	.	*	19	*	8	12	4	8	8
20-24	8	6	7	8	8	21	*	*	21	25	8	6	7	8	8
25-29	9	10	5	9	9	19	9	5	22	17	8	10	5	8	8
30-34	10	11	8	10	10	17	19	17	17	17	9	9	7	9	8
35-39	10	11	6	10	11	17	13	11	18	17	9	10	5	9	8
40-44	11	10	6	11	11	16	12	14	17	17	9	8	5	10	8
45-49	11	11	7	11	11	15	13	10	15	16	9	8	7	9	9
50-54	12	11	10	12	13	16	12	13	15	16	10	11	8	10	11
55-59	13	12	10	12	13	16	13	13	15	17	10	8	9	10	11
60-64	14	13	11	13	14	16	15	12	16	16	12	12	9	11	12
65-69	14	13	11	14	15	16	14	13	16	17	13	11	8	13	13
70-74	15	15	11	15	15	17	16	13	16	17	13	12	9	13	13
75-79	15	13	10	16	14	17	14	12	18	17	14	13	9	15	13
80-84	15	15	10	17	15	17	13	11	18	18	14	16	9	16	14
85	15	15	12	17	15	18	18	15	19	17	15	14	11	17	14

STANDARD ERRORS

All	0.01	0.04	0.03	0.01	0.01	0.01	0.06	0.05	0.02	0.02	0.01	0.07	0.03	0.01	0.01
0-14	0.19	*	1.22	0.29	0.27	*	*	.	*	*	0.20	*	1.22	0.31	0.29
15-19	0.08	0.59	0.34	0.13	0.13	1.24	.	*	1.48	*	0.09	0.64	0.39	0.13	0.13
20-24	0.04	0.28	0.20	0.06	0.07	0.34	*	*	0.46	0.57	0.05	0.32	0.22	0.07	0.07
25-29	0.03	0.28	0.14	0.05	0.05	0.14	0.84	0.54	0.24	0.19	0.04	0.32	0.16	0.05	0.05
30-34	0.03	0.24	0.16	0.04	0.04	0.09	0.60	0.64	0.15	0.11	0.03	0.26	0.17	0.04	0.05
35-39	0.02	0.19	0.11	0.03	0.04	0.07	0.41	0.37	0.12	0.09	0.03	0.23	0.11	0.04	0.04
40-44	0.02	0.16	0.09	0.03	0.03	0.06	0.25	0.35	0.09	0.08	0.02	0.21	0.10	0.03	0.04
45-49	0.02	0.13	0.10	0.03	0.03	0.04	0.18	0.22	0.07	0.06	0.02	0.19	0.11	0.03	0.04
50-54	0.02	0.12	0.10	0.03	0.03	0.04	0.15	0.19	0.05	0.05	0.02	0.22	0.12	0.03	0.04
55-59	0.02	0.11	0.10	0.03	0.03	0.03	0.13	0.17	0.05	0.05	0.03	0.20	0.13	0.03	0.04
60-64	0.02	0.12	0.10	0.03	0.03	0.03	0.15	0.15	0.04	0.04	0.03	0.26	0.13	0.04	0.04
65-69	0.02	0.11	0.08	0.02	0.02	0.02	0.13	0.12	0.04	0.03	0.02	0.21	0.10	0.03	0.03
70-74	0.02	0.13	0.07	0.03	0.02	0.03	0.17	0.12	0.04	0.04	0.02	0.21	0.09	0.04	0.03
75-79	0.02	0.16	0.08	0.03	0.02	0.03	0.22	0.15	0.06	0.04	0.02	0.24	0.10	0.04	0.03
80-84	0.02	0.26	0.10	0.05	0.03	0.05	0.35	0.19	0.10	0.07	0.03	0.40	0.12	0.06	0.03
85+	0.04	0.41	0.19	0.08	0.05	0.11	0.85	0.37	0.18	0.14	0.04	0.47	0.22	0.09	0.05

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.29S

Supplement to Table E.29*all period prevalent hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	5,258,026	90,945	123,538	2,191,917	2,791,759	2,255,892	60,692	58,309	896,921	1,206,363	2,653,517	25,313	58,502	1,106,099	1,445,902
0-14	5,350	*	123	1701	3,304	*	*	.	*	*	4,947	*	123	1526	3,126
15-19	9,217	364	153	3,903	4,586	273	.	*	169	*	8,169	356	128	3,379	4,118
20-24	35,323	413	1292	17,160	15,786	4000	*	*	2024	1871	27,709	368	1063	13,250	12,629
25-29	72,066	1199	1404	37,233	31,155	17,338	123	84	8,335	8,658	46,396	960	1146	24,517	19,171
30-34	125,810	2156	2750	63,351	56,139	38,814	981	699	13,459	23,213	75,762	1133	1983	43,761	28,398
35-39	185,997	3304	3158	96,263	81,549	59,256	1080	944	21,284	35,334	108,544	1890	1832	65,057	38,893
40-44	247,731	4351	4637	138,821	96,729	84,690	2399	1628	34,817	44,574	139,525	1590	2740	89,501	44,514
45-49	314,504	7,417	6,125	165,871	129,773	125,778	5034	2158	53,790	62,829	158,723	1856	3570	94,615	56,678
50-54	380,750	9,136	9,248	184,926	172,352	184,340	6,386	4629	80,352	89,641	166,062	2307	3950	87,726	71,217
55-59	453,512	11,472	10,528	219,601	205,601	247,785	9,281	5631	109,274	119,300	171,207	1573	4289	91,230	73,208
60-64	568,274	13,183	12,106	264,311	270,366	293,749	9,850	6338	128,549	143,535	206,711	2185	4577	98,240	100,172
65-69	822,694	14,435	19,842	330,874	447,521	434,807	11,023	11,790	168,554	236,920	340,289	2816	6,817	135,941	191,947
70-74	848,516	12,326	22,781	300,134	505,329	394,720	8,926	12,522	142,277	225,777	419,958	3057	9,671	139,890	264,932
75-79	659,262	6,620	15,732	208,914	422,959	241,522	3722	6971	87,707	140,161	395,136	2713	8,233	111,535	270,971
80-84	369,964	3254	9,383	107,115	247,562	100,237	1439	3318	35,105	59,262	258,020	1644	5716	67,250	182,179
85+	159,056	1308	4276	51,739	101,048	28,530	422	1574	11,184	15,176	126,359	860	2664	38,681	83,749

YEARS AT RISK

All	400,642	7,315	12,694	170,770	205,186	138,957	4,416	4,576	55,756	72,065	230,238	2,419	7,244	98,160	120,734
0-14	392	*	9	141	215	*	*	.	*	*	346	*	9	127	192
15-19	1,132	32	37	493	535	13	.	*	9	*	1,002	30	29	434	487
20-24	4,313	72	176	2,082	1,872	188	*	*	98	76	3,515	61	150	1,672	1,556
25-29	8,036	122	274	4,097	3,410	924	13	17	387	501	6,074	98	217	3,141	2,542
30-34	12,493	197	338	6,322	5,460	2,257	52	41	775	1,364	8,810	129	266	4,769	3,555
35-39	17,882	297	522	9,382	7,447	3,487	81	82	1,203	2,073	12,374	190	392	7,059	4,601
40-44	23,200	424	724	12,837	8,919	5,141	198	115	2,049	2,692	15,446	188	533	9,252	5,338
45-49	28,686	670	820	15,499	11,323	8,261	396	207	3,559	3,985	17,388	230	526	10,217	6,263
50-54	31,288	800	963	15,853	13,236	11,884	522	357	5,291	5,498	16,337	219	504	8,928	6,547
55-59	35,679	964	1,039	17,827	15,332	15,886	715	445	7,273	7,156	16,434	197	488	8,706	6,926
60-64	41,650	981	1,152	19,887	19,051	18,608	676	515	8,290	8,780	17,410	179	508	8,566	8,031
65-69	57,305	1,091	1,807	23,238	30,492	26,642	797	883	10,625	13,928	27,222	249	820	10,710	15,258
70-74	58,514	845	2,022	20,371	34,750	23,844	553	931	8,680	13,365	32,258	266	1,042	10,480	20,298
75-79	45,004	502	1,523	13,328	29,287	14,454	275	571	5,005	8,417	28,976	216	911	7,621	20,080
80-84	24,674	222	935	6,415	16,946	5,763	107	298	1,928	3,359	18,154	101	611	4,191	13,175
85+	10,395	88	352	2,999	6,911	1,598	24	108	583	868	8,493	62	238	2,286	5,884

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.30

Hospital Days per Patient Year at Risk: Male Hemodialysis Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	12	12	9	11	13	15	13	12	15	16	11	10	8	10	11
0-14	15	*	14	13	18	*	*	.	.	*	16	*	14	13	19
15-19	6	8	6	6	7	*	.	.	*	*	6	8	7	6	6
20-24	6	6	6	6	7	12	*	*	11	13	6	6	6	7	7
25-29	7	10	4	8	7	15	*	4	20	13	7	10	5	7	6
30-34	9	10	7	9	9	16	16	13	17	16	8	10	8	8	7
35-39	10	12	5	10	10	16	14	8	17	16	8	11	4	9	8
40-44	10	9	5	10	10	16	11	11	16	16	8	8	4	9	8
45-49	10	11	7	10	11	14	12	10	14	15	9	9	6	9	8
50-54	11	10	10	10	12	14	12	13	14	15	9	8	8	9	10
55-59	12	12	9	11	13	15	13	12	14	16	9	8	7	9	10
60-64	13	13	9	12	13	15	15	10	15	15	11	10	8	11	12
65-69	13	13	10	13	14	16	13	11	15	16	12	12	9	12	12
70-74	13	15	11	13	14	16	17	13	15	16	12	12	9	12	12
75-79	13	14	11	14	13	16	13	13	15	16	13	13	10	13	12
80-84	14	13	8	16	13	17	13	8	18	17	13	14	9	15	13
85	15	17	13	17	14	17	*	14	21	16	14	18	13	16	14

STANDARD ERRORS

All	0.01	0.06	0.04	0.01	0.01	0.02	0.09	0.07	0.03	0.02	0.01	0.09	0.05	0.01	0.01
0-14	0.24	*	1.49	0.36	0.36	*	*	.	.	*	0.27	*	1.49	0.37	0.40
15-19	0.10	0.84	0.59	0.15	0.15	*	.	.	*	*	0.11	0.84	0.72	0.16	0.15
20-24	0.05	0.37	0.25	0.07	0.08	0.41	*	*	0.60	0.58	0.06	0.41	0.28	0.08	0.09
25-29	0.04	0.38	0.16	0.06	0.06	0.19	*	0.56	0.35	0.22	0.04	0.42	0.19	0.06	0.07
30-34	0.04	0.33	0.19	0.05	0.05	0.11	0.89	0.83	0.20	0.13	0.04	0.37	0.22	0.05	0.06
35-39	0.03	0.26	0.13	0.04	0.05	0.09	0.55	0.46	0.17	0.11	0.03	0.30	0.14	0.04	0.05
40-44	0.03	0.18	0.12	0.03	0.04	0.07	0.29	0.41	0.12	0.10	0.03	0.24	0.12	0.04	0.05
45-49	0.02	0.17	0.12	0.03	0.04	0.06	0.23	0.31	0.09	0.08	0.03	0.25	0.14	0.04	0.05
50-54	0.02	0.15	0.13	0.03	0.04	0.05	0.21	0.24	0.08	0.07	0.03	0.25	0.17	0.04	0.05
55-59	0.03	0.16	0.13	0.04	0.04	0.05	0.20	0.23	0.07	0.07	0.03	0.28	0.17	0.04	0.05
60-64	0.03	0.18	0.12	0.04	0.04	0.04	0.23	0.20	0.07	0.06	0.03	0.33	0.17	0.05	0.05
65-69	0.02	0.18	0.11	0.04	0.03	0.04	0.22	0.18	0.07	0.05	0.03	0.31	0.15	0.05	0.04
70-74	0.02	0.23	0.11	0.04	0.03	0.04	0.33	0.18	0.08	0.05	0.03	0.31	0.13	0.05	0.03
75-79	0.02	0.29	0.13	0.05	0.03	0.05	0.44	0.23	0.10	0.07	0.03	0.37	0.15	0.06	0.03
80-84	0.03	0.42	0.14	0.08	0.04	0.09	0.68	0.23	0.18	0.11	0.04	0.56	0.17	0.10	0.04
85+	0.05	0.74	0.27	0.13	0.06	0.18	*	0.55	0.36	0.22	0.06	0.85	0.32	0.14	0.06

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.30S

Supplement to Table E.30

male period prevalent hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	2,448,137	39,411	56,753	936,522	1,386,549	939,194	24,187	24,503	316,320	558,302	1,354,497	13,234	29,082	535,691	767,052
0-14	3,907	*	86	1,279	2,450	*	*	.	.	*	3,634	*	86	1,153	2,317
15-19	3,874	99	99	1,669	1,958	*	.	.	*	*	3,390	99	99	1,484	1,668
20-24	15,605	235	486	7,458	7,146	908	*	*	353	535	12,920	196	477	6,225	5,781
25-29	34,149	642	681	18,064	14,282	6,812	*	50	3,367	3,291	23,753	564	620	12,819	9,470
30-34	67,617	974	1,567	34,448	30,018	20,937	317	257	6,544	13,555	40,184	648	1,265	24,041	14,076
35-39	108,365	2,070	1,419	55,643	48,257	33,678	637	330	10,414	21,976	63,556	1,297	918	39,146	21,705
40-44	143,476	2,605	2,024	79,617	57,424	46,568	1,270	726	16,353	27,427	83,405	1,038	1,187	54,978	25,600
45-49	175,127	4,292	2,816	93,321	71,408	65,680	2,842	1,091	25,114	35,235	92,820	1,259	1,530	58,369	30,547
50-54	192,001	4,447	5,446	90,732	88,731	86,449	3,169	2,858	33,211	45,500	89,393	1,114	2,100	48,905	36,744
55-59	217,895	5,186	4,952	100,742	103,447	113,278	4,048	2,784	44,332	59,724	86,960	771	1,817	46,721	36,993
60-64	250,107	5,420	5,496	107,848	127,948	119,271	4,139	2,581	45,880	64,273	103,566	877	2,191	46,902	52,822
65-69	344,693	5,414	8,392	121,044	204,869	165,138	3,788	4,289	53,501	100,601	165,559	1,421	3,447	59,634	99,248
70-74	362,294	4,230	9,856	102,073	243,067	144,931	2,620	4,769	40,885	94,774	206,267	1,610	4,978	55,484	143,115
75-79	291,403	2,251	7,446	68,478	211,042	88,299	876	3,043	22,896	60,277	194,910	1,315	4,169	41,962	146,625
80-84	166,891	1,004	3,688	37,199	123,750	37,318	368	1,108	9,988	25,419	125,273	591	2,529	25,275	96,311
85+	70,733	537	2,299	16,907	50,752	9,838	*	615	3,409	5,701	58,907	431	1,669	12,593	44,030

YEARS AT RISK

All	205,763	3,355	6,282	82,985	110,666	61,195	1,828	2,116	21,056	35,121	128,789	1,308	3,729	53,210	69,575
0-14	256	*	6	98	138	*	*	.	.	*	227	*	6	91	120
15-19	611	12	17	266	300	*	.	.	*	*	546	12	14	244	267
20-24	2,445	42	87	1,180	1,080	74	*	*	32	40	1,989	34	79	957	885
25-29	4,617	66	160	2,392	1,930	442	*	13	167	256	3,580	57	129	1,896	1,460
30-34	7,426	95	211	3,736	3,274	1,321	20	19	395	870	5,207	68	165	2,839	2,080
35-39	11,007	177	281	5,703	4,700	2,086	46	40	597	1,371	7,625	118	213	4,402	2,816
40-44	14,537	282	390	8,067	5,610	2,998	121	66	1,054	1,695	9,903	136	279	6,030	3,377
45-49	17,262	393	429	9,550	6,650	4,548	228	105	1,766	2,369	10,885	142	278	6,678	3,693
50-54	17,579	438	554	8,823	7,509	6,102	271	222	2,417	3,073	9,711	134	274	5,469	3,753
55-59	18,624	450	532	9,067	8,274	7,466	322	225	3,066	3,679	9,269	98	244	4,982	3,861
60-64	19,900	418	595	8,955	9,657	8,006	274	252	3,156	4,160	9,368	89	270	4,416	4,524
65-69	25,875	418	802	9,268	15,062	10,530	285	373	3,526	6,156	14,193	120	388	5,061	8,512
70-74	26,936	285	915	7,582	17,908	9,192	154	374	2,667	5,862	16,952	131	529	4,488	11,709
75-79	21,683	166	688	4,943	15,732	5,594	68	239	1,483	3,740	15,552	99	439	3,205	11,733
80-84	12,130	75	441	2,350	9,191	2,261	28	142	566	1,498	9,600	43	296	1,664	7,556
85+	4,876	31	175	1,003	3,650	566	*	45	163	350	4,180	25	128	787	3,229

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.31

Hospital Days per Patient Year at Risk: Female Hemodialysis Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	14	13	10	14	15	17	14	14	17	18	13	11	8	13	13
0-14	11	*	*	10	11	*	.	.	*	*	11	*	*	10	11
15-19	10	13	3	10	11	26	.	*	*	*	10	14	2	10	11
20-24	11	6	9	11	11	27	*	*	25	37	10	6	8	10	10
25-29	11	10	6	11	11	22	11	*	23	22	9	10	6	9	9
30-34	11	12	9	11	12	19	21	20	18	20	10	8	7	10	10
35-39	11	10	7	11	12	18	12	14	18	19	9	8	5	10	10
40-44	12	12	8	12	12	18	15	18	19	17	10	11	6	11	10
45-49	12	11	8	12	12	16	13	10	16	17	10	7	8	10	10
50-54	14	13	9	13	15	17	13	13	16	18	12	14	8	11	12
55-59	14	12	11	14	14	16	13	13	15	17	12	8	10	12	12
60-64	15	14	12	14	15	16	14	14	16	17	13	15	10	12	14
65-69	15	13	11	15	16	17	14	15	16	18	13	11	8	14	14
70-74	15	14	12	15	16	17	16	14	17	17	14	11	9	14	14
75-79	16	13	10	17	16	17	14	12	18	17	15	12	9	16	15
80-84	16	15	12	17	16	18	14	14	18	18	16	18	10	17	15
85	16	14	11	17	15	18	18	15	19	18	16	11	9	17	15

STANDARD ERRORS

All	0.01	0.06	0.04	0.01	0.01	0.01	0.07	0.07	0.02	0.02	0.01	0.10	0.05	0.02	0.02
0-14	0.28	*	*	0.48	0.38	*	.	.	*	*	0.31	*	*	0.53	0.40
15-19	0.14	0.79	0.37	0.21	0.22	1.84	.	.	*	*	0.15	0.90	0.35	0.23	0.22
20-24	0.08	0.44	0.32	0.11	0.12	0.49	*	*	0.61	1.01	0.08	0.49	0.34	0.12	0.12
25-29	0.06	0.42	0.24	0.08	0.09	0.21	0.97	*	0.32	0.30	0.06	0.48	0.26	0.09	0.09
30-34	0.05	0.34	0.27	0.07	0.07	0.14	0.80	0.97	0.22	0.20	0.05	0.36	0.27	0.07	0.08
35-39	0.04	0.29	0.17	0.05	0.07	0.11	0.59	0.58	0.17	0.16	0.04	0.34	0.17	0.06	0.07
40-44	0.04	0.29	0.15	0.05	0.06	0.09	0.44	0.61	0.14	0.13	0.04	0.45	0.15	0.06	0.07
45-49	0.03	0.20	0.15	0.05	0.05	0.07	0.28	0.32	0.09	0.10	0.04	0.28	0.18	0.05	0.06
50-54	0.03	0.19	0.15	0.04	0.05	0.05	0.23	0.31	0.08	0.09	0.04	0.41	0.19	0.06	0.07
55-59	0.03	0.15	0.15	0.04	0.05	0.04	0.18	0.24	0.06	0.07	0.04	0.28	0.20	0.06	0.06
60-64	0.03	0.16	0.15	0.04	0.04	0.04	0.19	0.23	0.06	0.06	0.04	0.40	0.21	0.05	0.06
65-69	0.02	0.14	0.11	0.03	0.03	0.03	0.17	0.17	0.05	0.05	0.03	0.29	0.13	0.05	0.05
70-74	0.02	0.16	0.10	0.03	0.03	0.03	0.20	0.16	0.05	0.05	0.03	0.28	0.13	0.05	0.04
75-79	0.03	0.20	0.11	0.04	0.03	0.04	0.26	0.19	0.07	0.06	0.03	0.32	0.13	0.06	0.04
80-84	0.04	0.32	0.15	0.07	0.05	0.07	0.41	0.30	0.12	0.10	0.04	0.56	0.18	0.08	0.05
85+	0.05	0.49	0.25	0.09	0.07	0.13	1.00	0.49	0.21	0.19	0.06	0.55	0.29	0.11	0.08

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.31S

Supplement to Table E.31

female period prevalent hemodialysis patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	2,809,889	51,534	66,785	1,255,395	1,405,210	1,316,698	36,505	33,806	580,601	648,061	1,299,020	12,079	29,420	570,408	678,850
0-14	1,443	*	*	422	854	*	.	.	*	*	1,313	*	*	373	809
15-19	5,343	265	54	2,234	2,628	196	.	*	*	*	4,779	257	29	1,895	2,450
20-24	19,718	178	806	9,702	8,640	3092	*	*	1671	1336	14,789	172	586	7,025	6,848
25-29	37,917	557	723	19,169	16,873	10,526	123	*	4,968	5,367	22,643	396	526	11,698	9,701
30-34	58,193	1182	1183	28,903	26,121	17,877	664	442	6,915	9,658	35,578	485	718	19,720	14,322
35-39	77,632	1234	1739	40,620	33,292	25,578	443	614	10,870	13,358	44,988	593	914	25,911	17,188
40-44	104,255	1746	2613	59,204	39,305	38,122	1129	902	18,464	17,147	56,120	552	1553	34,523	18,914
45-49	139,377	3,125	3,309	72,550	58,365	60,098	2192	1067	28,676	27,594	65,903	597	2040	36,246	26,131
50-54	188,749	4,689	3,802	94,194	83,621	97,891	3,217	1771	47,141	44,141	76,669	1193	1850	38,821	34,473
55-59	235,617	6,286	5,576	118,859	102,154	134,507	5,233	2847	64,942	59,576	84,247	802	2472	44,509	36,215
60-64	318,167	7,763	6,610	156,463	142,418	174,478	5,711	3757	82,669	79,262	103,145	1308	2386	51,338	47,350
65-69	478,001	9,021	11,450	209,830	242,652	269,669	7,235	7,501	115,053	136,319	174,730	1395	3,370	76,307	92,699
70-74	486,222	8,096	12,925	198,061	262,262	249,789	6,306	7,753	101,392	131,003	213,691	1447	4,693	84,406	121,817
75-79	367,859	4,369	8,286	140,436	211,917	153,223	2846	3928	64,811	79,884	200,226	1398	4,064	69,573	124,346
80-84	203,073	2250	5,695	69,916	123,812	62,919	1071	2210	25,117	33,843	132,747	1053	3187	41,975	85,868
85+	88,323	771	1977	34,832	50,296	18,692	329	959	7,775	9,475	67,452	429	995	26,088	39,719

YEARS AT RISK

All	194,879	3,960	6,412	87,785	94,520	77,762	2,588	2,460	34,699	36,945	101,449	1,111	3,515	44,950	51,159
0-14	136	*	*	43	78	*	.	.	*	*	118	*	*	36	71
15-19	521	20	20	227	235	8	.	*	*	*	456	18	15	190	220
20-24	1,869	31	90	902	791	114	*	*	67	36	1,526	27	72	715	671
25-29	3,418	56	114	1,705	1,480	482	11	*	220	245	2,494	41	87	1,245	1,082
30-34	5,067	101	127	2,586	2,186	936	32	22	380	494	3,602	61	101	1,930	1,476
35-39	6,875	121	241	3,679	2,747	1,402	35	43	606	703	4,749	72	178	2,657	1,785
40-44	8,663	142	334	4,770	3,309	2,143	77	49	996	997	5,543	52	254	3,222	1,961
45-49	11,423	277	391	5,949	4,673	3,713	167	102	1,793	1,616	6,503	88	248	3,538	2,570
50-54	13,710	362	409	7,030	5,727	5,782	251	134	2,874	2,425	6,626	85	230	3,459	2,794
55-59	17,055	514	507	8,759	7,058	8,420	394	221	4,207	3,476	7,165	100	244	3,724	3,065
60-64	21,750	564	557	10,932	9,394	10,603	402	263	5,134	4,620	8,041	89	238	4,150	3,507
65-69	31,430	673	1,005	13,970	15,429	16,112	512	509	7,100	7,772	13,029	129	432	5,649	6,745
70-74	31,578	559	1,106	12,788	16,842	14,652	399	557	6,013	7,503	15,307	134	514	5,992	8,590
75-79	23,321	335	835	8,385	13,555	8,859	207	333	3,522	4,676	13,423	118	473	4,416	8,348
80-84	12,544	147	495	4,065	7,755	3,501	79	155	1,362	1,861	8,554	58	315	2,527	5,618
85+	5,519	57	177	1,996	3,261	1,032	18	63	420	518	4,312	38	109	1,500	2,655

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.32

Hospital Days per Patient Year at Risk: All CAPD/CCPD Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	15	15	10	16	15	21	17	17	23	20	13	12	8	14	13
0-14	13	*	4	19	12	13	*	4	19	12
15-19	11	20	3	15	10	*	11	20	4	16	10
20-24	11	14	3	14	10	20	*	*	24	17	11	9	3	14	10
25-29	11	18	6	12	10	16	*	*	19	15	10	13	6	12	8
30-34	12	8	8	13	12	18	7	29	20	17	11	8	7	13	10
35-39	13	10	8	13	13	19	16	40	24	18	11	7	5	12	11
40-44	13	12	10	14	13	20	17	29	25	18	11	9	7	12	11
45-49	13	13	8	14	13	19	16	11	21	19	11	12	8	12	10
50-54	15	16	11	15	16	22	20	14	22	22	12	11	10	13	12
55-59	17	16	10	18	17	21	15	12	22	22	15	16	9	15	15
60-64	18	18	12	19	17	21	15	15	23	21	15	20	8	16	15
65-69	17	18	13	21	17	21	19	16	24	21	14	17	11	18	14
70-74	18	19	13	22	17	23	21	21	25	22	15	16	8	19	15
75-79	18	17	13	22	17	21	20	17	24	21	16	14	12	22	16
80-84	17	*	6	21	17	20	*	7	24	20	16	*	6	20	16
85	16	*	8	18	16	17	.	*	13	19	16	*	9	20	16

STANDARD ERRORS

All	0.02	0.13	0.07	0.03	0.02	0.03	0.20	0.17	0.07	0.04	0.02	0.17	0.07	0.04	0.02
0-14	0.16	*	0.56	0.40	0.18	0.16	*	0.56	0.40	0.19
15-19	0.14	1.58	0.34	0.30	0.18	*	0.15	1.58	0.35	0.31	0.19
20-24	0.10	0.69	0.19	0.19	0.13	0.59	*	*	1.06	0.79	0.11	0.58	0.21	0.21	0.14
25-29	0.07	0.64	0.27	0.13	0.09	0.23	*	*	0.54	0.27	0.08	0.66	0.30	0.15	0.10
30-34	0.06	0.38	0.25	0.11	0.08	0.15	0.69	1.86	0.37	0.17	0.07	0.45	0.25	0.13	0.10
35-39	0.06	0.41	0.20	0.09	0.08	0.14	1.17	1.73	0.37	0.16	0.06	0.40	0.17	0.10	0.09
40-44	0.05	0.37	0.20	0.09	0.07	0.13	0.75	1.09	0.32	0.14	0.06	0.44	0.20	0.09	0.09
45-49	0.05	0.33	0.19	0.08	0.07	0.11	0.52	0.57	0.22	0.14	0.06	0.47	0.20	0.10	0.08
50-54	0.05	0.34	0.24	0.09	0.07	0.11	0.51	0.54	0.20	0.14	0.06	0.51	0.27	0.11	0.08
55-59	0.06	0.38	0.23	0.10	0.07	0.10	0.44	0.44	0.18	0.13	0.07	0.78	0.29	0.13	0.09
60-64	0.06	0.45	0.26	0.11	0.07	0.10	0.50	0.44	0.20	0.12	0.08	0.93	0.34	0.15	0.09
65-69	0.05	0.44	0.21	0.12	0.05	0.09	0.58	0.35	0.19	0.10	0.06	0.71	0.28	0.17	0.06
70-74	0.05	0.51	0.27	0.15	0.06	0.10	0.72	0.53	0.25	0.12	0.06	0.73	0.28	0.20	0.07
75-79	0.07	0.63	0.32	0.22	0.07	0.15	1.16	0.64	0.41	0.17	0.08	0.73	0.37	0.28	0.08
80-84	0.10	*	0.32	0.36	0.11	0.27	*	0.83	0.71	0.30	0.11	*	0.35	0.43	0.12
85+	0.18	*	0.60	0.60	0.20	0.45	.	*	1.11	0.53	0.20	*	0.82	0.76	0.21

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.32S

Supplement to Table E.32*all period prevalent CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	893,893	14,395	22,772	261,570	582,722	356,212	7,777	8,925	93,043	239,901	461,522	5,437	11,575	139,562	301,183
0-14	7,212	*	61	2,248	4,495	6,712	*	58	2,189	4,057
15-19	6,337	163	102	2,635	3,247	*	5,862	163	102	2,435	2,983
20-24	13,332	439	186	5,563	6,795	1,189	*	*	521	483	10,333	219	171	4,410	5,279
25-29	22,032	753	461	9,324	10,946	4,840	*	*	1,232	3,254	14,748	380	393	7,176	6,533
30-34	38,218	478	1,089	13,962	21,879	13,441	105	242	2,907	9,922	20,672	339	684	9,687	9,683
35-39	51,384	571	1,471	19,590	29,204	18,321	196	537	4,218	13,137	27,254	269	838	12,989	12,979
40-44	65,470	1,031	2,414	26,025	35,322	23,953	498	728	6,064	16,349	33,375	452	1,220	16,152	15,360
45-49	70,008	1,632	2,059	27,174	37,850	28,428	903	384	8,484	18,177	33,009	612	1,466	14,759	15,818
50-54	83,619	2,112	2,169	29,113	48,800	38,886	1,526	629	11,997	23,920	35,614	487	1,256	13,962	19,397
55-59	93,711	1,686	2,069	31,693	56,362	44,681	1,156	774	14,330	27,158	39,199	408	1,009	13,602	23,931
60-64	99,761	1,553	2,039	28,379	66,105	46,870	931	1,200	13,141	30,584	40,440	464	569	11,018	27,970
65-69	127,553	1,606	3,868	30,376	90,432	61,850	1,011	2,023	15,405	42,538	59,494	546	1,535	12,519	44,658
70-74	112,262	1,313	2,500	20,816	86,836	46,827	843	1,553	9,978	33,764	61,838	470	791	9,473	51,006
75-79	67,908	699	1,742	10,234	54,688	19,686	307	669	3,454	14,921	46,095	392	1,052	6,360	38,081
80-84	27,278	*	382	3,509	23,135	5,826	*	76	1,168	4,459	20,693	*	306	2,112	18,146
85+	7,808	*	160	929	6,626	1,414	.	*	144	1,235	6,184	*	125	719	5,302

YEARS AT RISK

All	57,913	953	2,274	16,058	37,754	17,168	448	540	4,088	11,754	35,147	437	1,508	9,935	22,889
0-14	543	*	14	120	381	502	*	14	116	343
15-19	558	8	29	172	319	*	512	8	29	157	295
20-24	1,192	31	71	395	655	58	*	*	22	28	955	26	62	311	527
25-29	2,081	43	81	754	1,144	298	*	*	65	213	1,474	29	67	575	772
30-34	3,102	58	132	1,050	1,798	758	15	8	147	577	1,954	41	103	767	1,009
35-39	3,961	59	195	1,477	2,166	940	12	13	178	726	2,550	41	166	1,102	1,203
40-44	4,926	87	245	1,840	2,692	1,205	30	25	243	892	3,050	48	174	1,343	1,455
45-49	5,325	122	243	1,961	2,910	1,493	57	35	410	967	3,134	53	189	1,267	1,580
50-54	5,442	134	193	1,903	3,127	1,795	77	46	546	1,079	2,948	44	131	1,108	1,642
55-59	5,478	108	201	1,783	3,278	2,116	77	64	654	1,251	2,697	26	110	894	1,650
60-64	5,674	88	175	1,519	3,801	2,239	61	79	573	1,478	2,673	23	70	686	1,864
65-69	7,382	90	293	1,450	5,468	2,890	54	130	653	1,999	4,147	33	142	678	3,274
70-74	6,280	71	188	961	5,019	2,080	40	75	394	1,543	4,019	30	101	498	3,379
75-79	3,856	42	131	458	3,197	926	15	40	145	712	2,835	27	87	289	2,419
80-84	1,623	*	61	165	1,387	286	*	11	48	222	1,302	*	50	108	1,139
85+	490	*	21	51	411	84	.	*	11	66	394	*	14	35	340

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.33

Hospital Days per Patient Year at Risk: Male CAPD/CCPD Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	14	14	10	15	15	19	16	17	21	19	13	13	8	13	13
0-14	13	*	1	16	13	12	*	1	15	12
15-19	10	*	6	14	9	10	*	6	14	8
20-24	10	*	3	12	9	22	*	.	10	29	9	*	3	13	8
25-29	9	5	6	11	9	16	.	*	16	15	9	6	6	12	7
30-34	11	9	8	11	12	17	*	*	19	17	9	8	5	11	9
35-39	13	19	9	13	12	19	*	*	26	17	10	17	6	12	9
40-44	13	14	9	13	13	19	19	24	21	18	10	12	8	11	10
45-49	12	12	10	13	12	17	17	13	16	18	10	7	10	12	9
50-54	14	13	9	14	15	20	14	11	20	20	12	15	7	13	12
55-59	16	16	10	16	16	19	12	14	20	19	14	24	10	14	14
60-64	17	16	12	17	17	20	18	17	21	20	15	11	9	15	15
65-69	16	14	11	20	15	20	14	9	24	20	14	14	12	18	13
70-74	17	27	16	19	16	22	29	34	25	21	14	28	7	16	14
75-79	15	10	13	16	15	18	*	18	15	19	14	12	12	17	14
80-84	16	*	6	23	15	20	*	*	35	18	15	*	6	20	15
85	15	.	16	14	15	18	.	*	*	20	15	.	*	15	15

STANDARD ERRORS

All	0.02	0.19	0.10	0.04	0.03	0.05	0.31	0.26	0.11	0.05	0.03	0.27	0.11	0.05	0.03
0-14	0.21	*	0.45	0.48	0.24	0.21	*	0.40	0.47	0.25
15-19	0.19	*	0.80	0.43	0.22	0.20	*	0.80	0.45	0.23
20-24	0.14	*	0.34	0.26	0.18	1.02	*	.	1.00	1.89	0.16	*	0.41	0.32	0.19
25-29	0.10	0.68	0.40	0.18	0.13	0.34	.	*	0.70	0.39	0.12	0.72	0.46	0.22	0.15
30-34	0.09	0.63	0.38	0.16	0.12	0.21	*	*	0.56	0.24	0.10	0.79	0.34	0.18	0.14
35-39	0.08	1.06	0.36	0.14	0.11	0.19	*	*	0.58	0.20	0.10	1.24	0.32	0.15	0.13
40-44	0.07	0.56	0.30	0.12	0.09	0.17	1.23	1.45	0.43	0.19	0.08	0.64	0.33	0.12	0.12
45-49	0.07	0.43	0.31	0.12	0.09	0.15	0.77	0.95	0.31	0.18	0.08	0.54	0.34	0.14	0.11
50-54	0.07	0.48	0.31	0.13	0.10	0.15	0.73	0.59	0.29	0.19	0.09	0.85	0.39	0.15	0.12
55-59	0.08	0.58	0.33	0.14	0.10	0.13	0.64	0.64	0.26	0.17	0.10	1.41	0.51	0.18	0.13
60-64	0.08	0.66	0.38	0.16	0.09	0.13	0.87	0.70	0.29	0.16	0.11	1.03	0.58	0.23	0.12
65-69	0.07	0.62	0.30	0.18	0.07	0.12	0.81	0.40	0.32	0.14	0.08	1.07	0.45	0.25	0.08
70-74	0.07	1.00	0.41	0.22	0.07	0.14	1.39	1.14	0.41	0.16	0.08	1.55	0.34	0.27	0.08
75-79	0.08	0.71	0.40	0.28	0.09	0.20	*	1.00	0.54	0.22	0.09	0.94	0.43	0.35	0.10
80-84	0.13	*	0.41	0.56	0.14	0.39	*	*	1.63	0.41	0.14	*	0.43	0.61	0.14
85+	0.24	.	1.32	0.80	0.26	0.77	.	*	*	0.91	0.26	.	*	1.02	0.27

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.33S

Supplement to Table E.33

male period prevalent CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk period

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	426,306	5,659	10,414	108,725	295,156	167,949	2,856	4,109	35,356	122,239	224,768	2,431	5,417	61,640	153,621
0-14	3,940	*	11	1,098	2,716	3,527	*	8	1,039	2,365
15-19	2,793	*	65	1,101	1,486	2,537	*	65	988	1,343
20-24	4,836	*	62	2,022	2,473	477	*	.	106	241	3,631	*	55	1,657	1,818
25-29	8,818	66	227	3,740	4,529	2,210	.	*	487	1,527	5,755	66	190	2,919	2,557
30-34	16,221	195	433	5,297	9,959	6,614	*	*	1,167	5,098	7,941	108	211	3,601	3,873
35-39	23,783	304	561	9,381	13,214	9,640	*	*	1,992	7,301	11,882	185	336	6,379	4,858
40-44	31,796	626	963	11,784	18,124	12,138	238	266	2,264	9,254	15,707	364	540	7,699	6,985
45-49	33,187	725	1,028	11,953	18,790	13,157	464	187	2,811	9,441	16,019	182	797	7,672	7,279
50-54	38,314	689	784	12,555	23,540	17,528	360	374	4,831	11,490	16,702	306	364	6,683	9,110
55-59	44,709	759	992	13,411	28,326	21,052	378	498	5,970	13,404	18,409	288	405	6,038	11,567
60-64	46,492	556	973	11,277	32,896	22,039	414	601	4,934	15,721	18,816	124	248	4,352	13,797
65-69	60,151	494	1,406	12,036	45,371	28,550	317	522	5,756	21,377	29,620	165	716	5,618	23,017
70-74	57,920	756	1,434	7,778	47,693	22,607	435	873	3,719	17,368	33,754	321	405	3,381	29,600
75-79	34,355	194	1,121	3,348	29,490	8,816	*	325	822	7,528	24,973	176	784	2,301	21,633
80-84	15,081	*	204	1,632	13,106	2,590	*	*	473	2,007	12,207	*	168	1,091	10,883
85+	3,910	.	150	312	3,443	531	.	*	*	482	3,288	.	*	222	2,936

YEARS AT RISK

All	29,437	394	1,017	7,354	20,228	8,688	175	249	1,687	6,406	17,929	185	654	4,672	12,238
0-14	305	*	7	70	213	283	*	7	69	192
15-19	278	*	10	77	174	256	*	10	69	161
20-24	488	*	23	172	270	21	*	.	10	8	386	*	18	128	222
25-29	929	12	37	337	508	138	.	*	31	100	654	11	30	249	348
30-34	1,442	22	54	466	865	381	*	*	61	303	859	13	43	340	450
35-39	1,901	16	65	701	1,087	521	*	*	77	431	1,139	11	58	519	534
40-44	2,537	44	102	934	1,426	654	13	11	110	513	1,544	30	70	706	724
45-49	2,682	62	105	942	1,531	766	28	14	171	538	1,540	25	83	626	788
50-54	2,652	54	89	876	1,587	898	26	33	236	577	1,392	21	49	528	782
55-59	2,777	48	95	833	1,748	1,082	30	35	292	691	1,317	12	40	429	829
60-64	2,791	36	81	650	1,974	1,116	23	35	239	796	1,284	11	27	282	946
65-69	3,745	36	127	599	2,939	1,424	22	57	238	1,078	2,173	12	60	305	1,786
70-74	3,455	28	92	401	2,917	1,047	15	26	150	844	2,335	12	59	216	2,043
75-79	2,232	20	84	204	1,913	477	*	18	53	394	1,725	14	65	136	1,505
80-84	962	*	35	72	848	131	*	*	13	109	816	*	30	54	728
85+	262	.	9	22	228	30	.	*	*	24	224	.	*	15	200

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.34
Hospital Days per Patient Year at Risk: Female CAPD/CCPD Patients
period prevalent patients, 1996-1998

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	16	16	10	18	16	22	18	17	24	22	14	12	7	15	14
0-14	14	*	*	23	11	15	*	*	24	11
15-19	13	*	2	16	12	*	13	*	2	17	12
20-24	12	12	3	16	11	19	*	*	37	12	12	9	3	15	11
25-29	11	22	5	13	10	16	*	*	22	15	11	17	5	13	9
30-34	13	8	8	15	13	18	*	*	20	18	12	8	8	14	10
35-39	13	6	7	13	15	21	19	36	22	20	11	3	5	11	12
40-44	14	10	10	16	14	21	15	34	28	19	12	5	7	13	11
45-49	14	15	7	15	14	21	15	10	24	20	11	16	6	11	11
50-54	16	18	13	16	16	24	23	19	23	25	12	8	11	13	12
55-59	18	15	10	19	18	23	17	10	23	25	15	9	9	16	15
60-64	18	19	11	20	18	22	14	14	25	22	16	27	7	16	15
65-69	19	20	15	22	18	23	21	21	23	23	15	18	10	18	15
70-74	19	13	11	23	19	23	16	14	26	23	17	8	9	22	16
75-79	21	22	13	27	20	24	30	16	29	23	19	17	12	27	18
80-84	18	*	7	20	19	21	*	*	20	22	17	*	7	19	18
85	17	*	1	21	17	16	.	*	15	18	17	*	0	24	17

	STANDARD ERRORS														
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	0.02	0.17	0.09	0.04	0.03	0.05	0.26	0.24	0.10	0.06	0.03	0.22	0.09	0.05	0.04
0-14	0.24	*	*	0.68	0.25	0.26	*	*	0.72	0.27
15-19	0.21	*	0.31	0.41	0.29	*	0.23	*	0.32	0.43	0.30
20-24	0.13	0.75	0.23	0.27	0.17	0.73	*	*	1.81	0.80	0.14	0.71	0.25	0.29	0.19
25-29	0.10	0.85	0.35	0.18	0.13	0.32	*	*	0.81	0.37	0.12	0.98	0.38	0.20	0.15
30-34	0.09	0.47	0.33	0.16	0.12	0.22	*	*	0.49	0.25	0.10	0.56	0.36	0.18	0.14
35-39	0.08	0.38	0.23	0.13	0.12	0.22	1.39	2.02	0.47	0.26	0.09	0.30	0.21	0.14	0.13
40-44	0.08	0.47	0.27	0.13	0.10	0.20	0.93	1.60	0.46	0.22	0.09	0.52	0.25	0.14	0.13
45-49	0.07	0.50	0.23	0.12	0.10	0.17	0.71	0.69	0.32	0.22	0.08	0.76	0.24	0.13	0.12
50-54	0.08	0.47	0.36	0.13	0.10	0.16	0.67	1.22	0.27	0.22	0.09	0.59	0.36	0.15	0.12
55-59	0.08	0.50	0.31	0.14	0.11	0.15	0.61	0.57	0.25	0.21	0.10	0.80	0.35	0.19	0.14
60-64	0.08	0.61	0.35	0.15	0.10	0.14	0.61	0.56	0.27	0.18	0.11	1.48	0.42	0.20	0.13
65-69	0.07	0.61	0.30	0.16	0.08	0.12	0.81	0.53	0.24	0.16	0.09	0.93	0.35	0.22	0.10
70-74	0.08	0.55	0.34	0.20	0.09	0.15	0.80	0.53	0.32	0.18	0.10	0.68	0.47	0.28	0.11
75-79	0.11	0.99	0.52	0.33	0.12	0.23	1.76	0.84	0.56	0.27	0.13	1.13	0.72	0.42	0.14
80-84	0.17	*	0.52	0.47	0.19	0.37	*	*	0.75	0.44	0.19	*	0.58	0.60	0.21
85+	0.27	*	0.27	0.86	0.31	0.55	.	*	1.34	0.66	0.32	*	0.00	1.08	0.35

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.34S

Supplement to Table E.34

female period prevalent CAPD/CCPD patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	467,587	8,736	12,358	152,845	287,566	188,263	4,921	4,816	57,687	117,662	236,754	3,006	6,158	77,922	147,562
0-14	3,272	*	*	1,150	1,779	3,185	*	*	1,150	1,692
15-19	3,544	*	37	1,534	1,761	*	3,325	*	37	1,447	1,640
20-24	8,496	264	124	3,541	4,322	712	*	*	415	242	6,702	174	116	2,753	3,461
25-29	13,214	687	234	5,584	6,417	2,630	*	*	745	1,727	8,993	314	203	4,257	3,976
30-34	21,997	283	656	8,665	11,920	6,827	*	*	1,740	4,824	12,731	231	473	6,086	5,810
35-39	27,601	267	910	10,209	15,990	8,681	177	318	2,226	5,836	15,372	84	502	6,610	8,121
40-44	33,674	405	1,451	14,241	17,198	11,815	260	462	3,800	7,095	17,668	88	680	8,453	8,375
45-49	36,821	907	1,031	15,221	19,060	15,271	439	197	5,673	8,736	16,990	430	669	7,087	8,539
50-54	45,305	1,423	1,385	16,558	25,260	21,358	1,166	255	7,166	12,430	18,912	181	892	7,279	10,287
55-59	49,002	927	1,077	18,282	28,036	23,629	778	276	8,360	13,754	20,790	120	604	7,564	12,364
60-64	53,269	997	1,066	17,102	33,209	24,831	517	599	8,207	14,863	21,624	340	321	6,666	14,173
65-69	67,402	1,112	2,462	18,340	45,061	33,300	694	1,501	9,649	21,161	29,874	381	819	6,901	21,641
70-74	54,342	557	1,066	13,038	39,143	24,220	408	680	6,259	16,396	28,084	149	386	6,092	21,406
75-79	33,553	505	621	6,886	25,198	10,870	289	344	2,632	7,393	21,122	216	268	4,059	16,448
80-84	12,197	*	178	1,877	10,029	3,236	*	*	695	2,452	8,486	*	138	1,021	7,263
85+	3,898	*	10	617	3,183	883	.	*	120	753	2,896	*	0	497	2,366

YEARS AT RISK

All	28,475	559	1,257	8,703	17,526	8,481	273	291	2,401	5,348	17,219	252	854	5,263	10,650
0-14	239	*	*	50	167	219	*	*	47	150
15-19	280	*	19	96	145	*	256	*	19	88	133
20-24	704	22	48	224	385	37	*	*	11	20	570	19	44	183	305
25-29	1,152	31	43	417	636	160	*	*	34	114	820	18	37	325	424
30-34	1,660	36	78	583	932	377	*	*	85	274	1,094	27	60	427	559
35-39	2,060	43	130	777	1,079	419	10	9	101	295	1,411	30	108	583	669
40-44	2,389	43	143	906	1,266	551	17	13	133	379	1,506	18	104	637	731
45-49	2,643	60	138	1,019	1,379	727	30	20	238	429	1,594	27	106	642	792
50-54	2,791	80	103	1,027	1,540	897	51	13	310	502	1,556	23	83	580	860
55-59	2,701	60	106	950	1,530	1,033	46	29	362	560	1,381	14	70	464	821
60-64	2,883	52	93	869	1,827	1,123	37	43	334	682	1,389	12	43	404	918
65-69	3,636	54	167	852	2,529	1,466	32	73	414	922	1,973	21	82	373	1,488
70-74	2,825	43	96	560	2,103	1,033	25	49	243	699	1,684	18	42	282	1,337
75-79	1,624	23	48	254	1,285	449	10	22	91	318	1,110	13	23	153	914
80-84	660	*	26	93	540	155	*	*	35	114	486	*	20	54	411
85+	228	*	12	29	184	54	.	*	8	42	170	*	8	21	139

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.35

Hospital Days per Patient Year at Risk: All ESRD Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	11	11	8	12	10	15	14	13	16	15	9	8	6	11	8
0-14	5	5	6	8	5	9	*	.	*	*	6	6	6	9	5
15-19	5	7	3	8	4	14	.	*	16	14	5	7	3	9	4
20-24	6	7	4	8	5	18	*	*	23	14	6	6	4	8	5
25-29	6	7	4	9	5	15	13	10	20	13	5	6	4	8	4
30-34	7	7	5	9	6	12	13	13	16	11	5	6	4	8	4
35-39	7	8	4	9	6	11	11	11	16	10	6	6	3	8	4
40-44	8	8	5	10	6	12	12	11	17	10	6	6	4	9	5
45-49	8	9	5	10	7	12	13	9	15	11	7	6	5	9	5
50-54	10	11	7	11	9	14	12	12	16	14	7	8	6	9	6
55-59	11	11	8	12	10	15	13	12	15	16	8	8	7	10	7
60-64	12	13	9	13	12	16	14	12	16	16	10	10	7	11	10
65-69	14	13	11	15	14	17	14	14	17	17	12	11	8	13	11
70-74	15	15	11	15	14	17	16	14	17	17	13	12	9	14	13
75-79	15	14	11	16	15	17	14	13	18	17	14	13	9	15	14
80-84	15	15	10	17	15	18	14	12	19	18	15	17	9	16	14
85	16	15	13	18	15	18	18	15	20	18	15	14	12	17	14

STANDARD ERRORS

All	0.00	0.03	0.02	0.01	0.00	0.01	0.05	0.05	0.02	0.01	0.00	0.04	0.02	0.01	0.01
0-14	0.03	0.27	0.18	0.09	0.03	0.97	*	.	*	*	0.03	0.30	0.19	0.10	0.03
15-19	0.03	0.25	0.13	0.07	0.03	0.69	.	*	1.06	1.04	0.03	0.26	0.13	0.08	0.03
20-24	0.02	0.18	0.09	0.05	0.03	0.21	*	*	0.38	0.26	0.02	0.18	0.10	0.05	0.03
25-29	0.02	0.15	0.07	0.03	0.02	0.08	0.66	0.56	0.17	0.09	0.02	0.15	0.07	0.04	0.02
30-34	0.01	0.13	0.06	0.03	0.02	0.04	0.36	0.39	0.11	0.04	0.01	0.14	0.06	0.03	0.02
35-39	0.01	0.11	0.05	0.02	0.01	0.03	0.27	0.25	0.09	0.03	0.01	0.12	0.05	0.03	0.02
40-44	0.01	0.10	0.05	0.02	0.01	0.03	0.20	0.21	0.07	0.03	0.01	0.11	0.05	0.02	0.01
45-49	0.01	0.09	0.05	0.02	0.01	0.03	0.15	0.15	0.06	0.03	0.01	0.11	0.05	0.02	0.02
50-54	0.01	0.09	0.06	0.02	0.02	0.03	0.13	0.15	0.05	0.04	0.01	0.14	0.06	0.03	0.02
55-59	0.01	0.09	0.06	0.02	0.02	0.03	0.12	0.14	0.04	0.04	0.02	0.14	0.07	0.03	0.02
60-64	0.01	0.10	0.07	0.02	0.02	0.03	0.13	0.13	0.04	0.04	0.02	0.18	0.08	0.03	0.02
65-69	0.01	0.10	0.07	0.02	0.02	0.02	0.12	0.11	0.04	0.03	0.02	0.18	0.08	0.03	0.02
70-74	0.01	0.12	0.07	0.03	0.02	0.03	0.16	0.12	0.04	0.03	0.02	0.20	0.08	0.03	0.02
75-79	0.02	0.16	0.08	0.03	0.02	0.03	0.22	0.15	0.06	0.04	0.02	0.22	0.09	0.04	0.02
80-84	0.02	0.26	0.10	0.05	0.03	0.05	0.36	0.20	0.10	0.07	0.03	0.40	0.12	0.06	0.03
85+	0.04	0.40	0.18	0.08	0.04	0.10	0.85	0.36	0.18	0.14	0.04	0.46	0.22	0.09	0.05

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.35S

Supplement to Table E.35*all period prevalent ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk***COUNTS OF HOSPITAL DAYS**

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	7,434,762	122,209	180,883	2,830,013	4,216,033	3,065,635	77,302	76,278	1,104,497	1,763,965	3,823,762	37,572	91,894	1,469,038	2,196,298
0-14	32,210	368	1085	8983	20,361	94	*	.	.	*	29,602	366	972	8346	18,573
15-19	32,850	701	703	12,709	17,900	406	.	*	224	180	29,612	693	624	11,218	16,281
20-24	78,238	1485	2270	33,409	39,432	7067	*	*	3626	3047	62,743	1124	1943	25,941	32,575
25-29	153,730	2408	3302	67,126	78,537	37,609	372	296	13,895	22,686	98,535	1609	2596	45,599	47,333
30-34	255,149	3290	5643	101,567	141,702	90,840	1252	1139	23,716	63,927	140,521	1902	4048	68,038	65,260
35-39	354,390	5293	6584	146,169	193,120	127,045	1728	2045	31,690	90,563	191,969	2867	4011	99,147	84,280
40-44	452,381	6697	10635	204,732	225,190	166,140	3581	2942	49,381	108,334	241,465	2593	6557	132,641	97,519
45-49	528,750	10,963	12,162	239,814	258,033	208,041	6978	3535	74,899	119,937	267,501	3172	7719	138,652	114,969
50-54	604,766	13,839	15,970	257,210	310,204	276,467	9,415	6592	106,775	149,144	274,573	3775	7927	126,163	134,861
55-59	682,965	15,837	16,636	294,626	346,257	344,353	12,079	7435	139,700	179,096	281,852	2969	7883	128,183	141,128
60-64	791,056	16,645	18,034	330,927	414,382	387,232	12,095	8750	157,354	202,020	309,709	3040	6999	127,033	170,466
65-69	1,077,136	17,693	26,352	394,637	625,537	538,904	13,117	14,676	198,342	304,766	474,491	3820	10,000	164,448	292,533
70-74	1,033,831	14,281	27,236	338,063	644,796	463,897	10,218	14,852	159,493	273,086	527,421	3696	11,381	157,449	352,142
75-79	769,232	7,767	18,846	229,564	507,264	275,034	4262	8490	95,220	163,675	466,994	3305	9800	123,419	328,492
80-84	413,957	3538	10,461	115,168	281,726	111,031	1627	3759	38,135	66,332	288,991	1740	6244	71,579	207,929
85+	174,121	1404	4964	55,309	111,592	31,475	422	1736	12,006	17,121	137,783	901	3190	41,182	91,957

YEARS AT RISK

All	691,796	11,094	23,259	231,179	417,859	202,212	5,668	6,033	67,129	120,607	421,987	4,611	15,256	138,916	259,616
0-14	5990	70	186	1069	4496	10	*	.	*	*	5217	65	166	894	3957
15-19	6,428	107	211	1555	4404	29	.	*	14	13	5,602	102	189	1317	3872
20-24	12,858	219	528	3,953	7,881	398	*	*	157	215	10,733	187	455	3,200	6,691
25-29	23,912	325	827	7,732	14,674	2,527	29	31	697	1749	18,356	271	683	5,946	11,238
30-34	37,625	442	1213	11,282	24,199	7,598	97	86	1464	5,899	25,653	312	1006	8,362	15,699
35-39	50,651	681	1696	15,619	31,998	11,591	153	183	1,969	9,206	33,018	460	1369	11,673	19,145
40-44	59,635	821	2154	20,326	35,518	14,265	297	263	2,972	10,588	38,268	448	1688	14,844	20,884
45-49	65,792	1162	2,229	23,840	37,732	17,204	546	385	4,929	11,175	40,953	532	1636	16,080	22,319
50-54	63,441	1315	2,195	23,140	35,941	19,261	755	530	6,867	10,803	36,780	452	1435	13,692	20,886
55-59	63,135	1,435	2,096	24,166	34,548	22,477	952	638	9,039	11,416	33,485	396	1209	12,400	19,249
60-64	64,785	1,319	1,951	25,147	35,562	24,244	844	714	9,816	12,451	30,755	308	987	11,344	17,913
65-69	77,497	1,342	2,447	27,069	45,759	31,906	926	1084	11,950	17,458	40,125	342	1177	12,753	25,602
70-74	70,920	966	2,402	22,286	44,659	27,004	625	1051	9,352	15,624	40,708	311	1,279	11,538	27,380
75-79	51,012	568	1,725	14,128	34,185	15,796	298	631	5,266	9,397	33,332	256	1044	8,105	23,764
80-84	26,979	231	1018	6,741	18,819	6,187	113	313	2,027	3,657	19,920	105	674	4,392	14,667
85+	11,137	93	382	3,125	7,484	1,716	24	116	608	951	9,081	65	259	2,379	6,350

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.36

Hospital Days per Patient Year at Risk: Male ESRD Patients

period prevalent patients, 1996-1998

HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	10	10	7	11	9	14	13	11	15	14	8	8	6	9	8
0-14	5	1	5	8	5	*	*	.	.	*	5	1	5	9	5
15-19	4	3	5	6	3	7	.	.	*	3	4	3	5	7	3
20-24	5	6	4	6	4	14	*	*	16	12	5	5	4	6	4
25-29	5	5	4	7	4	13	*	10	19	11	5	5	4	7	4
30-34	6	7	4	8	5	11	11	12	16	10	5	7	4	7	4
35-39	7	8	3	9	6	11	12	7	15	10	6	7	3	8	4
40-44	7	8	4	9	6	11	11	8	15	10	6	6	3	8	4
45-49	7	9	5	9	6	11	13	10	14	10	6	6	5	8	5
50-54	9	9	8	10	8	13	11	12	14	12	7	8	5	8	6
55-59	10	11	8	11	9	14	12	11	15	15	8	8	6	9	7
60-64	11	12	8	12	11	15	15	11	15	15	9	9	6	10	9
65-69	13	12	10	13	13	16	13	11	16	17	11	11	9	12	11
70-74	13	16	11	14	13	16	18	14	16	17	12	13	9	13	12
75-79	14	13	11	14	14	16	13	13	16	17	13	13	10	14	13
80-84	14	14	8	16	14	17	13	8	18	17	13	14	8	15	13
85	15	17	14	17	14	18	*	13	21	17	14	18	14	16	14

STANDARD ERRORS

All	0.01	0.04	0.02	0.01	0.01	0.01	0.07	0.06	0.02	0.01	0.01	0.06	0.03	0.01	0.01
0-14	0.04	0.15	0.22	0.10	0.04	*	*	.	.	*	0.04	0.18	0.25	0.12	0.04
15-19	0.03	0.25	0.22	0.08	0.04	0.69	.	.	*	0.64	0.04	0.26	0.24	0.09	0.04
20-24	0.03	0.23	0.12	0.05	0.03	0.29	*	*	0.51	0.34	0.03	0.23	0.13	0.06	0.03
25-29	0.02	0.17	0.09	0.04	0.02	0.10	*	0.78	0.26	0.11	0.02	0.17	0.09	0.04	0.02
30-34	0.02	0.18	0.08	0.04	0.02	0.05	0.54	0.58	0.15	0.06	0.02	0.20	0.08	0.04	0.02
35-39	0.02	0.15	0.06	0.03	0.02	0.04	0.41	0.29	0.12	0.04	0.02	0.17	0.06	0.03	0.02
40-44	0.01	0.12	0.06	0.03	0.02	0.04	0.25	0.22	0.10	0.04	0.02	0.14	0.06	0.03	0.02
45-49	0.01	0.12	0.07	0.03	0.02	0.03	0.20	0.22	0.07	0.04	0.02	0.14	0.08	0.03	0.02
50-54	0.02	0.11	0.08	0.03	0.02	0.03	0.17	0.19	0.07	0.04	0.02	0.17	0.09	0.03	0.02
55-59	0.02	0.12	0.08	0.03	0.02	0.04	0.16	0.18	0.06	0.05	0.02	0.19	0.10	0.04	0.02
60-64	0.02	0.15	0.09	0.03	0.02	0.04	0.21	0.17	0.06	0.05	0.02	0.24	0.11	0.04	0.03
65-69	0.02	0.15	0.09	0.03	0.02	0.03	0.19	0.15	0.06	0.05	0.02	0.26	0.13	0.04	0.03
70-74	0.02	0.22	0.10	0.04	0.02	0.04	0.31	0.18	0.07	0.05	0.02	0.30	0.11	0.05	0.03
75-79	0.02	0.26	0.12	0.05	0.03	0.05	0.41	0.22	0.10	0.06	0.03	0.33	0.14	0.06	0.03
80-84	0.03	0.42	0.13	0.08	0.04	0.08	0.68	0.24	0.18	0.10	0.04	0.56	0.16	0.09	0.04
85+	0.05	0.74	0.27	0.13	0.06	0.17	*	0.52	0.35	0.21	0.06	0.85	0.32	0.14	0.06

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.36S

Supplement to Table E.36

male period prevalent ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	3,584,613	54,075	85,002	1,241,639	2,160,804	1,349,664	31,431	32,687	403,822	860,325	1,979,496	19,825	46,051	722,258	1,175,815
0-14	19,688	29	437	5,587	12,764	*	*	.	.	*	18,110	27	397	5,234	11,613
15-19	15,091	178	471	5,742	8,270	106	.	.	*	26	13,651	178	440	5,184	7,428
20-24	34,610	737	911	14,466	17,795	2,498	*	*	1025	1,251	27,957	568	856	11,534	14,465
25-29	72,447	815	1,778	32,146	36,597	15,255	*	151	5,357	9,440	49,215	707	1,473	23,410	23,061
30-34	129,509	1,543	2,901	51,951	71,821	44,818	430	420	10,866	32,676	71,520	1,074	2,277	35,382	32,225
35-39	197,936	3,081	2,709	81,448	108,909	71,445	920	624	15,423	53,927	106,675	1,911	1,872	57,176	44,863
40-44	255,598	3,934	4,659	113,819	130,409	92,206	1,842	1,316	23,751	64,202	138,495	1,738	2,984	77,956	54,677
45-49	293,923	6,406	5,920	132,413	144,498	111,557	4,082	1,883	34,249	69,532	153,124	1,932	3,710	84,068	61,896
50-54	311,841	6,667	8,771	126,911	165,288	134,806	4,363	3,952	45,243	78,727	148,000	2,035	3,851	69,540	71,447
55-59	341,339	7,439	8,655	138,193	181,139	163,932	5,335	3,850	58,450	92,720	147,108	1,618	3,994	66,930	73,388
60-64	367,672	7,032	8,730	140,409	206,787	167,273	5,181	3,915	58,802	96,375	159,580	1,354	3,273	62,100	91,648
65-69	473,811	6,670	11,099	148,588	300,795	213,788	4,414	5,242	64,300	136,004	238,685	1,974	4,934	74,112	155,202
70-74	459,666	5,241	12,436	116,728	321,495	177,698	3,234	6,020	47,063	119,053	267,150	2,007	6,091	62,735	195,014
75-79	345,199	2,681	8,915	75,469	255,709	102,256	990	3,447	24,875	71,577	233,275	1,618	5,222	46,661	178,856
80-84	188,837	1,085	4,080	39,708	142,613	41,062	387	1,225	10,734	28,226	142,719	653	2,802	26,783	111,889
85+	77,446	537	2,530	18,061	55,915	10,911	*	640	3,604	6,538	64,232	431	1,875	13,453	48,143

YEARS AT RISK

All	373,751	5,339	11,770	116,668	235,360	96,915	2,429	2,898	26,617	63,539	240,219	2,513	7,838	76,598	151,169
0-14	3,782	35	94	722	2,822	*	*	.	.	*	3,293	30	81	613	2,487
15-19	3,674	53	101	904	2,528	15	.	.	*	8	3,207	51	88	782	2,211
20-24	7,104	117	256	2,242	4,344	173	*	*	62	103	5,943	105	224	1,823	3,691
25-29	13,471	167	480	4,423	8,210	1,181	*	16	285	863	10,666	153	404	3,539	6,451
30-34	21,387	214	657	6,374	13,844	4,015	38	35	695	3,213	14,874	163	564	4,810	9,170
35-39	29,642	371	859	9,102	18,904	6,766	74	85	995	5,565	19,336	265	693	6,920	11,231
40-44	36,081	512	1,131	12,457	21,491	8,447	173	162	1,584	6,426	23,456	291	866	9,343	12,710
45-49	39,455	679	1,119	14,532	22,616	9,913	312	196	2,510	6,782	24,906	312	812	10,245	13,310
50-54	36,557	729	1,169	13,072	21,086	10,558	392	336	3,234	6,417	21,654	268	705	8,331	12,165
55-59	34,640	700	1,125	12,637	19,687	11,306	444	342	4,001	6,262	19,063	209	625	7,099	10,991
60-64	33,117	572	1,055	11,793	19,297	11,089	347	364	3,900	6,280	17,018	154	538	5,950	10,259
65-69	37,000	546	1,116	11,144	23,765	13,302	344	475	4,072	8,182	21,431	172	560	6,132	14,407
70-74	34,061	335	1,134	8,461	23,851	10,847	182	426	2,939	7,146	22,037	150	683	5,010	16,083
75-79	25,120	200	807	5,282	18,661	6,260	77	263	1,576	4,273	18,169	120	529	3,422	14,012
80-84	13,413	78	484	2,474	10,298	2,431	29	149	587	1,635	10,671	45	332	1,755	8,497
85+	5,248	31	185	1,052	3,955	607	*	48	170	380	4,496	25	135	824	3,495

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.37
Hospital Days per Patient Year at Risk: Female ESRD Patients
period prevalent patients, 1996-1998

HOSPITAL DAYS																
	All patients					Diabetics					Non-diabetics					
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	
All	12	12	8	14	11	16	14	14	17	16	10	8	6	12	9	
0-14	6	10	7	10	5	*	.	.	*	*	6	10	7	11	5	
15-19	6	10	2	11	5	21	.	*	*	*	7	10	2	11	5	
20-24	8	7	5	11	6	20	*	*	27	16	7	7	5	10	6	
25-29	8	10	4	11	6	17	15	10	21	15	6	8	4	9	5	
30-34	8	8	5	10	7	13	14	14	17	12	6	6	4	9	5	
35-39	7	7	5	10	6	12	10	14	17	10	6	5	3	9	5	
40-44	8	9	6	12	7	13	14	16	18	11	7	5	4	10	5	
45-49	9	9	6	12	8	13	12	9	17	11	7	6	5	9	6	
50-54	11	12	7	13	10	16	14	14	17	16	8	9	6	11	7	
55-59	12	11	8	14	11	16	13	12	16	17	9	7	7	12	8	
60-64	13	13	10	14	13	17	14	14	17	17	11	11	8	12	10	
65-69	15	14	11	15	15	17	15	15	17	18	13	11	8	14	12	
70-74	16	14	12	16	16	18	16	14	18	18	14	10	9	15	14	
75-79	16	14	11	17	16	18	15	14	19	18	15	12	9	16	15	
80-84	17	16	12	18	16	19	15	15	19	19	16	18	10	17	16	
85	16	14	12	18	16	19	18	16	19	19	16	12	11	18	15	

STANDARD ERRORS																
All	0.01	0.05	0.03	0.01	0.01	0.01	0.07	0.07	0.02	0.02	0.01	0.06	0.03	0.01	0.01	
0-14	0.05	0.52	0.28	0.17	0.05	*	.	.	*	*	0.06	0.52	0.28	0.20	0.06	
15-19	0.05	0.43	0.14	0.13	0.05	1.21	.	*	*	*	0.05	0.45	0.13	0.15	0.06	
20-24	0.04	0.27	0.14	0.08	0.04	0.30	*	*	0.54	0.38	0.04	0.29	0.14	0.09	0.04	
25-29	0.03	0.25	0.11	0.06	0.03	0.11	0.79	0.79	0.22	0.13	0.03	0.26	0.12	0.06	0.03	
30-34	0.02	0.18	0.09	0.05	0.03	0.06	0.49	0.53	0.15	0.07	0.02	0.19	0.10	0.05	0.03	
35-39	0.02	0.15	0.07	0.04	0.02	0.05	0.36	0.38	0.13	0.05	0.02	0.16	0.07	0.04	0.03	
40-44	0.02	0.17	0.08	0.04	0.02	0.05	0.34	0.40	0.12	0.05	0.02	0.19	0.07	0.04	0.03	
45-49	0.02	0.14	0.07	0.04	0.02	0.04	0.23	0.22	0.08	0.05	0.02	0.16	0.08	0.04	0.03	
50-54	0.02	0.14	0.08	0.04	0.03	0.04	0.20	0.27	0.07	0.06	0.02	0.23	0.09	0.04	0.03	
55-59	0.02	0.12	0.09	0.03	0.03	0.04	0.16	0.20	0.06	0.06	0.03	0.20	0.11	0.05	0.03	
60-64	0.02	0.13	0.11	0.03	0.03	0.04	0.17	0.20	0.05	0.05	0.03	0.27	0.14	0.05	0.04	
65-69	0.02	0.13	0.09	0.03	0.03	0.03	0.16	0.16	0.05	0.04	0.03	0.25	0.12	0.05	0.03	
70-74	0.02	0.15	0.10	0.03	0.03	0.03	0.19	0.15	0.05	0.05	0.03	0.26	0.12	0.05	0.04	
75-79	0.03	0.19	0.11	0.04	0.03	0.04	0.26	0.19	0.07	0.06	0.03	0.30	0.13	0.06	0.04	
80-84	0.03	0.32	0.15	0.06	0.04	0.07	0.42	0.31	0.11	0.10	0.04	0.56	0.17	0.08	0.05	
85+	0.05	0.48	0.25	0.09	0.07	0.13	1.00	0.49	0.21	0.18	0.06	0.53	0.29	0.11	0.07	

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.



Table E.37S

Supplement to Table E.37

female period prevalent ESRD patients, 1996-1998, counts of hospital days & years at risk used to compute hospital days per patient year at risk

COUNTS OF HOSPITAL DAYS

	All patients					Diabetics					Non-diabetics				
	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White	All	N Am	Asian	Black	White
All	3,850,149	68,134	95,881	1,588,374	2,055,229	1,715,971	45,871	43,591	700,675	903,640	1,844,266	17,747	45,843	746,780	1,020,483
0-14	12,522	339	648	3396	7,597	*	.	.	*	*	11,492	339	575	3112	6,960
15-19	17,759	523	232	6,967	9,630	300	.	*	*	*	15,961	515	184	6,034	8,853
20-24	43,628	748	1359	18,943	21,637	4569	*	*	2601	1796	34,786	556	1087	14,407	18,110
25-29	81,283	1593	1524	34,980	41,940	22,354	362	145	8,538	13,246	49,320	902	1123	22,189	24,272
30-34	125,640	1747	2742	49,616	69,881	46,022	822	719	12,850	31,251	69,001	828	1771	32,656	33,035
35-39	156,454	2212	3875	64,721	84,211	55,600	808	1421	16,267	36,636	85,294	956	2139	41,971	39,417
40-44	196,783	2763	5976	90,913	94,781	73,934	1739	1626	25,630	44,132	102,970	855	3573	54,685	42,842
45-49	234,827	4,557	6,242	107,401	113,535	96,484	2896	1652	40,650	50,405	114,377	1240	4009	54,584	53,073
50-54	292,925	7,172	7,199	130,299	144,916	141,661	5,052	2640	61,532	70,417	126,573	1740	4076	56,623	63,414
55-59	341,626	8,398	7,981	156,433	165,118	180,421	6,744	3585	81,250	86,376	134,744	1351	3889	61,253	67,740
60-64	423,384	9,613	9,304	190,518	207,595	219,959	6,914	4835	98,552	105,645	150,129	1686	3726	64,933	78,818
65-69	603,325	11,023	15,253	246,049	324,742	325,116	8,703	9,434	134,042	168,762	235,806	1846	5,066	90,336	137,331
70-74	574,165	9,040	14,800	221,335	323,301	286,199	6,984	8,832	112,430	154,033	260,271	1689	5,290	94,714	157,128
75-79	424,033	5,086	9,931	154,095	251,555	172,778	3272	5043	70,345	92,098	233,719	1687	4,578	76,758	149,636
80-84	225,120	2,453	6,381	75,460	139,113	69,969	1240	2534	27,401	38,106	146,272	1087	3,442	44,796	96,040
85+	96,675	867	2,434	37,248	55,677	20,564	329	1096	8,402	10,583	73,551	470	1,315	27,729	43,814

YEARS AT RISK

All	318,045	5,756	11,490	114,511	182,499	105,297	3,239	3,134	40,513	57,068	181,769	2,098	7,418	62,318	108,447
0-14	2208	35	92	347	1674	*	.	.	*	*	1923	35	85	281	1470
15-19	2,754	53	111	652	1876	14	.	*	*	*	2,396	51	101	535	1661
20-24	5,754	102	272	1,712	3,537	226	*	*	95	111	4,790	82	231	1,377	3,000
25-29	10,442	158	347	3,310	6,465	1,346	24	15	413	886	7,690	118	279	2,407	4,786
30-34	16,237	228	556	4,908	10,354	3,583	59	50	769	2,687	10,780	150	442	3,551	6,529
35-39	21,009	309	837	6,517	13,094	4,825	79	98	974	3,641	13,682	196	676	4,753	7,914
40-44	23,553	308	1023	7,870	14,027	5,818	124	100	1,388	4,162	14,813	157	823	5,500	8,174
45-49	26,337	483	1,110	9,308	15,116	7,291	234	189	2,418	4,393	16,046	219	825	5,835	9,009
50-54	26,884	586	1,026	10,068	14,855	8,703	363	193	3,633	4,385	15,126	184	730	5,362	8,721
55-59	28,495	735	971	11,529	14,861	11,171	507	296	5,038	5,154	14,423	187	585	5,301	8,258
60-64	31,667	747	896	13,353	16,265	13,155	497	350	5,916	6,171	13,738	153	449	5,394	7,654
65-69	40,498	796	1,331	15,926	21,994	18,604	583	610	7,878	9,276	18,694	169	617	6,621	11,195
70-74	36,858	632	1,268	13,825	20,808	16,157	442	625	6,413	8,478	18,671	161	596	6,528	11,297
75-79	25,892	368	918	8,846	15,524	9,536	221	369	3,690	5,124	15,163	136	515	4,682	9,752
80-84	13,566	154	534	4,267	8,521	3,756	84	164	1,440	2,022	9,249	59	342	2,637	6,171
85+	5,889	62	197	2,073	3,528	1,109	18	68	438	571	4,586	41	123	1,554	2,855

." Zero patients in this cell.

* Values for cells with fewer than 10 patients are suppressed.

E

Table E.38

Total Hospital Discharges by General Diagnostic Related Group*period prevalent patients, 1996-1998*

	1996			1997			1998		
	Medical	Procedure	All	Medical	Procedure	All	Medical	Procedure	All
Nervous system	19,358	2,423	21,781	20,984	2,592	23,576	21,919	2,828	24,747
Eye	267	592	859	262	485	747	287	454	741
ENT	1,539	268	1,807	1,499	243	1,742	1,718	267	1,985
Respiratory system	31,080	1,433	32,513	32,587	1,513	34,100	34,349	1,642	35,991
Circulatory system	86,800	83,586	170,386	92,427	80,750	173,177	98,240	78,962	177,202
GI system	28,910	8,218	37,128	30,096	8,255	38,351	31,292	7,876	39,168
Hepatic system	6,050	2,813	8,863	6,679	2,890	9,569	6,699	2,899	9,598
Muscular/skeletal system	7,476	8,924	16,400	8,432	9,910	18,342	8,902	10,453	19,355
Skin/breast	5,265	3,007	8,272	5,477	2,918	8,395	6,187	3,059	9,246
Endocrine system	17,682	4,187	21,869	17,710	4,124	21,834	18,196	3,986	22,182
Renal system	45,947	30,349	76,296	47,584	29,281	76,865	48,156	27,709	75,865
Male reproduction system	328	722	1,050	276	726	1,002	349	667	1,016
Female reproduction system	316	764	1,080	340	860	1,200	388	843	1,231
Pregnancy	196	89	285	137	84	221	156	81	237
Hematologic system	3,337	285	3,622	3,577	267	3,844	3,907	251	4,158
Myeloproliferative system	1,103	295	1,398	1,259	325	1,584	1,341	313	1,654
Infection	19,977	5,772	25,749	21,951	5,951	27,902	21,936	5,652	27,588
Psych	5,160	300	5,460	5,311	315	5,626	5,133	276	5,409
Injury/poisoning	6,569	4,517	11,086	6,597	4,495	11,092	6,638	4,606	11,244
Burns	52	107	159	81	67	148	55	65	120
Other factors	8,867	872	9,739	9,757	899	10,656	11,012	952	11,964
Unclassified	.	3,114	3,114	.	3,389	3,389	.	3,598	3,598
HIV	2,079	237	2,316	1,719	237	1,956	1,684	172	1,856
ALL	298,358	162,874	461,232	314,742	160,576	475,318	328,544	157,611	486,155

"." Zero patients in this cell.

One DRG per discharge.

Includes all discharges after the date of first ESRD service.

Table E.39

Total Hospital Discharges by Specific Diagnostic Related Group*period prevalent patients, 1998*

Diagnostic Related Groups	Type	Discharges
001 Craniotomy age >17 except for trauma	Procedure	508
002 Craniotomy for trauma age >17	Procedure	145
004 Spinal procedures	Procedure	117
005 Extracranial vascular procedures	Procedure	1,132
006 Carpal tunnel release	Procedure	27
007 Peripheral & cranial nerve & other nervous system procedures w complication/comorbidity	Procedure	885
009 Spinal disorders & injuries	Medical	71
010 Nervous system neoplasms w complication/comorbidity	Medical	157
012 Degenerative nervous system disorders	Medical	608
013 Multiple sclerosis & cerebellar ataxia	Medical	29
014 Specific cerebrovascular disorders except transient ischemic attack	Medical	7,666
015 Transient ischemic attack & precerebral occlusions	Medical	2,129
016 Nonpecific cerebrovascular disorders w complication/comorbidity	Medical	800
017 Nonspecific cerebrovascular disorders w/o complication/comorbidity	Medical	40
018 Cranial & peripheral nerve disorders w complication/comorbidity	Medical	4,421
019 Cranial & peripheral nerve disorders w/o complication/comorbidity	Medical	127
020 Nervous system infection except viral meningitis	Medical	324
021 Viral meningitis	Medical	80
022 Hypertensive encephalopathy	Medical	296
023 Nontraumatic stupor & coma	Medical	451
024 Seizure & headache age >17 w complication/comorbidity	Medical	3,116
025 Seizure & headache age >17 w/o complication/comorbidity	Medical	43
026 Seizure & headache age 0-17	Medical	39
027 Traumatic stupor & coma, coma >1 hr	Medical	90
028 Traumatic stupor & coma, coma <1 hr age >17 w complication/comorbidity	Medical	321
029 Traumatic stupor & coma, coma <1 hr age >17 w/o complication/comorbidity	Medical	21
031 Concussion age >17 w complication/comorbidity	Medical	58
034 Other disorders of nervous system w complication/comorbidity	Medical	979
035 Other disorders of nervous system w/o complication/comorbidity	Medical	47
036 Retinal procedures	Procedure	189
037 Orbital procedures	Procedure	40
039 Lens procedures with or without vitrectomy	Procedure	46
040 Extraocular procedures except orbit age >17	Procedure	57
042 Intraocular procedures except retina, iris & lens	Procedure	118
044 Acute major eye infections	Medical	33
045 Neurological eye disorders	Medical	65
046 Other disorders of the eye age >17 w complication/comorbidity	Medical	170
047 Other disorders of the eye age >17 w/o complication/comorbidity	Medical	15
049 Major head & neck procedures	Procedure	22
050 Sialoadenectomy	Procedure	29
053 Sinus & mastoid procedures age >17	Procedure	60
055 Miscellaneous ear, nose, mouth & throat procedures	Procedure	24
057 Tonsil and adenoid procedures, except tonsillectomy &/or adenoidectomy only, age >17	Procedure	18
063 Other ear, nose, mouth & throat operating room procedures	Procedure	56
064 Ear, nose, mouth & throat malignancy	Medical	41
065 Dysequilibrium	Medical	330
066 Epistaxis	Medical	164
068 Otitis media upper respiratory infection age >17 w complication/comorbidity	Medical	741
070 Otitis media upper respiratory infection age 0-17	Medical	48
073 Other ear, nose, mouth & throat diagnoses age >17	Medical	170
075 Major chest procedures	Procedure	606
076 Other respiratory system operating room procedures w complication/comorbidity	Procedure	1,031
078 Pulmonary embolism	Medical	353
079 Respiratory infections & inflammations age >17 w complication/comorbidity	Medical	3,576
080 Respiratory infections & inflammations age >17 w/o complication/comorbidity	Medical	17
082 Respiratory neoplasms	Medical	579
083 Major chest trauma w complication/comorbidity	Medical	109
085 Pleural effusion w complication/comorbidity	Medical	1,539
086 Pleural effusion w/o complication/comorbidity	Medical	24
087 Pulmonary edema & respiratory failure	Medical	3,539
088 Chronic obstructive pulmonary disease	Medical	2,934
089 Simple pneumonia & pleurisy age >17 w complication/comorbidity	Medical	13,466
090 Simple pneumonia & pleurisy age >17 w/o complication/comorbidity	Medical	165
091 Simple pneumonia & pleurisy age 0-17	Medical	83
092 Interstitial lung disease w complication/comorbidity	Medical	201

Table E.39 (continued)

Diagnostic Related Groups	Type	Discharges
094 Pneumothorax w complication/comorbidity	Medical	216
096 Bronchitis & asthma age >17 w complication/comorbidity	Medical	1,983
097 Bronchitis & asthma age >17 w/o complication/comorbidity	Medical	23
098 Bronchitis & asthma age 0-17	Medical	27
099 Respiratory signs & symptoms w complication/comorbidity	Medical	832
100 Respiratory signs & symptoms w/o complication/comorbidity	Medical	89
101 Other respiratory system diagnoses w complication/comorbidity	Medical	548
102 Other respiratory system diagnoses w/o complication/comorbidity	Medical	17
103 Heart transplant	Procedure	15
104 Cardiac valve procedures w cardiac catheterization	Procedure	813
105 Cardiac valve procedures w/o cardiac catheterization	Procedure	705
106 Coronary bypass w cardiac catheterization	Procedure	1,242
107 Coronary bypass w/o cardiac catheterization	Procedure	1,269
108 Other cardiothoracic procedures	Procedure	164
109 Other cardiothoracic procedures w/o pump/coronary bypass w/o cardiac catheterization	Procedure	265
110 Major cardiovascular procedures w complication/comorbidity	Procedure	1,866
112 Percutaneous cardiovascular procedures	Procedure	1,636
113 Amputation for circulatory system disorders except+per limb & toe	Procedure	8,187
114 +per limb & toe amputation for circulatory system disorders	Procedure	2,037
115 Permanent cardiac pacemaker implant w AMI, heart failure or shock	Procedure	388
116 Other permanent cardiac pacemaker implant/aicd lead/generator proc/PTCA w coronary	Procedure	4,998
117 Cardiac pacemaker revision except device replacement	Procedure	69
118 Cardiac pacemaker device replacement	Procedure	57
119 Vein ligation & stripping	Procedure	128
120 Other circulatory system operating room procedures	Procedure	22,392
121 Circulatory disorders w AMI & c.v. comp discharged alive	Medical	4,923
122 Circulatory disorders w AMI w/o c.v. comp discharged alive	Medical	1,497
123 Circulatory disorders w AMI, expired	Medical	1,456
124 Circulatory disorders except AMI, w cardiac catheterization & complex diagnosis	Medical	4,375
125 Circulatory disorders except AMI, w cardiac catheterization w/o complex diagnosis	Medical	1,647
126 Acute & subacute endocarditis	Medical	735
127 Heart failure & shock	Medical	32,457
128 Deep vein thrombophlebitis	Medical	155
129 Cardiac arrest, unexplained	Medical	353
130 Peripheral vascular disorders w complication/comorbidity	Medical	5,355
131 Peripheral vascular disorders w/o complication/comorbidity	Medical	339
132 Atherosclerosis w complication/comorbidity	Medical	4,548
133 Atherosclerosis w/o complication/comorbidity	Medical	103
134 Hypertension	Medical	534
135 Cardiac congenital & valvular disorders age >17 w complication/comorbidity	Medical	303
138 Cardiac arrhythmia & conduction disorders w complication/comorbidity	Medical	6,403
139 Cardiac arrhythmia & conduction disorders w/o complication/comorbidity	Medical	66
140 Angina pectoris	Medical	1,801
141 Syncope & collapse w complication/comorbidity	Medical	2,199
142 Syncope & collapse w/o complication/comorbidity	Medical	30
143 Chest pain	Medical	4,292
144 Other circulatory system diagnoses w complication/comorbidity	Medical	24,445
145 Other circulatory system diagnoses w/o complication/comorbidity	Medical	217
146 Rectal resection w complication/comorbidity	Procedure	72
148 Major small & large bowel procedures w complication/comorbidity	Procedure	2,538
150 Peritoneal adhesiolysis w complication/comorbidity	Procedure	575
152 Minor small & large bowel procedures w complication/comorbidity	Procedure	191
154 Stomach, esophageal & duodenal procedures age >17 w complication/comorbidity	Procedure	552
157 Anal & stomal procedures w complication/comorbidity	Procedure	423
159 Hernia procedures except inguinal & femoral age >17 w complication/comorbidity	Procedure	924
160 Hernia procedures except inguinal & femoral age >17 w/o complication/comorbidity	Procedure	16
161 Inguinal & femoral hernia procedures age >17 w complication/comorbidity	Procedure	342
164 Appendectomy w complicated principal diagnosis w complication/comorbidity	Procedure	111
166 Appendectomy w/o complicated principal diagnosis w complication/comorbidity	Procedure	120
168 Mouth procedures w complication/comorbidity	Procedure	73
170 Other digestive system operating room procedures w complication/comorbidity	Procedure	1,888
172 Digestive malignancy w complication/comorbidity	Medical	332
174 Gastrointestinal hemorrhage w complication/comorbidity	Medical	9,460
175 Gastrointestinal hemorrhage w/o complication/comorbidity	Medical	53
176 Complicated peptic ulcer	Medical	599
177 Uncomplicated peptic ulcer w complication/comorbidity	Medical	401
179 Inflammatory bowel disease	Medical	183

Table E.39 (continued)

Diagnostic Related Groups	Type	Discharges
180 Gastrointestinal obstruction w complication/comorbidity	Medical	1,947
181 Gastrointestinal obstruction w/o complication/comorbidity	Medical	33
182 Esophagitis, gastroenteritis & miscellaneous digestive disorders age >17 w complication/comorbidity	Medical	11,410
183 Esophagitis, gastroenteritis & miscellaneous digestive disorders age >17 w/o complication/comorbidity	Medical	151
184 Esophagitis, gastroenteritis & miscellaneous digestive disorders age 0-17	Medical	122
185 Dental & oral disorders except extractions & restorations, age >17	Medical	133
187 Dental extractions & restorations	Medical	50
188 Other digestive system diagnoses age >17 w complication/comorbidity	Medical	6,418
189 Other digestive system diagnoses age >17 w/o complication/comorbidity	Medical	54
190 Other digestive system diagnoses age 0-17	Medical	116
191 Pancreas, liver & shunt procedures w complication/comorbidity	Procedure	316
193 Biliary tract procedures except only cholecystectomy w or w/o c.d.e. w complication/comorbidity	Procedure	102
195 Cholecystectomy w c.d.e. w complication/comorbidity	Procedure	89
197 Cholecystectomy except by laparoscope w/o c.d.e. w complication/comorbidity	Procedure	605
200 Hepatobiliary diagnostic procedure for non-malignancy	Procedure	64
201 Other hepatobiliary or pancreas operating room procedures	Procedure	84
202 Cirrhosis & alcoholic hepatitis	Medical	505
203 Malignancy of hepatobiliary system or pancreas	Medical	261
204 Disorders of pancreas except malignancy	Medical	3,783
205 Disorders of liver except malignancy, cirrhosis, alcoholic hepatitis w complication/comorbidity	Medical	1,214
206 Disorders of liver except malignancy, cirrhosis, alcoholic hepatitis w/o complication/comorbidity	Medical	21
207 Disorders of the biliary tract w complication/comorbidity	Medical	906
209 Major joint & limb reattachment procedures of lower extremity	Procedure	2,286
210 Hip & femur procedures except major joint age >17 w complication/comorbidity	Procedure	1,874
212 Hip & femur procedures except major joint age 0-17	Procedure	20
213 Amputation for musculoskeletal system & connective tissue disorders	Procedure	1,362
216 Biopsies of musculoskeletal system & connective tissue	Procedure	191
217 Wound debridement & skin graft except hand, for musculoskeletal & connective tissue disorders	Procedure	1,671
218 Lower extremity & humerus procedures except hip,foot,femur age >17 w complication/comorbidity	Procedure	566
223 Major shoulder/elbow procedure, or other+per extremity procedure w complication/comorbidity	Procedure	194
225 Foot procedures	Procedure	239
226 Soft tissue procedures w complication/comorbidity	Procedure	322
228 Major thumb or joint procedures,or other hand or wrist procedures w complication/comorbidity	Procedure	99
230 Local excision & removal of internal fixation devices of hip & femur	Procedure	49
231 Local excision & removal of internal fixation devices except hip & femur	Procedure	259
233 Other musculoskeletal system & connective tissue operating room proc w complication/comorbidity	Procedure	126
235 Fractures of femur	Medical	157
236 Fractures of hip & pelvis	Medical	1,061
237 Sprains, strains, & dislocations of hip, pelvis & thigh	Medical	39
238 Osteomyelitis	Medical	618
239 Pathological fractures & musculoskeletal & connective tissue malignancy	Medical	699
240 Connective tissue disorders w complication/comorbidity	Medical	833
241 Connective tissue disorders w/o complication/comorbidity	Medical	30
242 Septic arthritis	Medical	231
243 Medical back problems	Medical	1,442
244 Bone diseases & specific arthropathies w complication/comorbidity	Medical	566
245 Bone diseases & specific arthropathies w/o complication/comorbidity	Medical	76
246 Non-specific arthropathies	Medical	64
247 Signs & symptoms of musculoskeletal system & connective tissue	Medical	508
248 Tendonitis, myositis & bursitis	Medical	488
249 Aftercare, musculoskeletal system & connective tissue	Medical	234
250 Fractures, sprains, strains & dislocations of forearm, hand, foot age >17 w complication/comorbidity	Medical	98
253 Fractures, sprains, strains & dislocations of+arm,lowleg ex foot age >17 w complication/comorbidity	Medical	576
254 Fractures, sprains, strains & dislocations of+arm,lowleg ex foot age >17 w/o complication/comorbidity	Medical	57
256 Other musculoskeletal system & connective tissue diagnoses	Medical	1,112
257 Total mastectomy for malignancy w complication/comorbidity	Procedure	203
259 Subtotal mastectomy for malignancy w complication/comorbidity	Procedure	50
261 Breast procedures for non-malignancy except biopsy & local excision	Procedure	25
262 Breast biopsy & local excision for non-malignancy	Procedure	34
263 Skin graft &/or debridement for skin ulcer or cellulitis w complication/comorbidity	Procedure	1,670
264 Skin graft &/or debridement for skin ulcer or cellulitis w/o complication/comorbidity	Procedure	36
265 Skin graft &/or debridement except for skin ulcer or cellulitis w complication/comorbidity	Procedure	174
267 Perianal & pilonidal procedures	Procedure	24
268 Skin, subcutaneous tissue & breast plastic procedures	Procedure	22
269 Other skin, subcutaneous tissue & breast procedures w complication/comorbidity	Procedure	794
270 Other skin, subcutaneous tissue & breast procedures w/o complication/comorbidity	Procedure	16
271 Skin ulcers	Medical	1,362

Table E.39 (continued)

Diagnostic Related Groups	Type	Discharges
272 Major skin disorders w complication/comorbidity	Medical	258
274 Malignant breast disorders w complication/comorbidity	Medical	22
276 Non-malignant breast disorders	Medical	37
277 Cellulitis age >17 w complication/comorbidity	Medical	3,614
278 Cellulitis age >17 w/o complication/comorbidity	Medical	122
279 Cellulitis age 0-17	Medical	22
280 Trauma to the skin, subcutaneous tissue & breast age >17 w complication/comorbidity	Medical	439
281 Trauma to the skin, subcutaneous tissue & breast age >17 w/o complication/comorbidity	Medical	15
283 Minor skin disorders w complication/comorbidity	Medical	285
285 Amputation of lower limb for endocrine,nutritional,& metabolic disorders	Procedure	839
286 Adrenal & pituitary procedures	Procedure	18
287 Skin grafts & wound debridement for endocrine, nutritional & metabolic disorders	Procedure	635
288 Operating room procedures for obesity	Procedure	31
289 Parathyroid procedures	Procedure	530
290 Thyroid procedures	Procedure	130
292 Other endocrine, nutritional & metabolic operating room procedures w complication/comorbidity	Procedure	1,796
294 Diabetes age >35	Medical	4,878
295 Diabetes age 0-35	Medical	740
296 Nutritional & miscellaneous metabolic disorders age >17 w complication/comorbidity	Medical	11,805
297 Nutritional & miscellaneous metabolic disorders age >17 w/o complication/comorbidity	Medical	111
298 Nutritional & miscellaneous metabolic disorders age 0-17	Medical	128
299 Inborn errors of metabolism	Medical	88
300 Endocrine disorders w complication/comorbidity	Medical	443
302 Kidney transplant	Procedure	8,014
303 Kidney, ureter & major bladder procedures for neoplasm	Procedure	491
304 Kidney, ureter & major bladder proc for non-neoplasm w complication/comorbidity	Procedure	2,556
305 Kidney, ureter & major bladder proc for non-neoplasm w/o complication/comorbidity	Procedure	162
306 Prostatectomy w complication/comorbidity	Procedure	132
308 Minor bladder procedures w complication/comorbidity	Procedure	121
310 Transurethral procedures w complication/comorbidity	Procedure	484
312 Urethral procedures, age >17 w complication/comorbidity	Procedure	43
315 Other kidney & urinary tract operating room procedures	Procedure	15,693
316 Renal failure	Medical	28,912
317 Admit for renal dialysis	Medical	842
318 Kidney & urinary tract neoplasms w complication/comorbidity	Medical	118
320 Kidney & urinary tract infections age >17 w complication/comorbidity	Medical	4,775
321 Kidney & urinary tract infections age >17 w/o complication/comorbidity	Medical	48
322 Kidney & urinary tract infections age 0-17	Medical	116
323 Urinary stones w complication/comorbidity, &/or extracorporeal shock wave lithotripsy	Medical	310
325 Kidney & urinary tract signs & symptoms age >17 w complication/comorbidity	Medical	271
327 Kidney & urinary tract signs & symptoms age 0-17	Medical	17
331 Other kidney & urinary tract diagnoses age >17 w complication/comorbidity	Medical	10,956
332 Other kidney & urinary tract diagnoses age >17 w/o complication/comorbidity	Medical	1,291
333 Other kidney & urinary tract diagnoses age 0-17	Medical	463
334 Major male pelvic procedures w complication/comorbidity	Procedure	62
336 Transurethral prostatectomy w complication/comorbidity	Procedure	363
339 Testes procedures, non-malignancy age >17	Procedure	50
341 Penis procedures	Procedure	121
345 Other male reproductive system operating room procedures except for malignancy	Procedure	19
346 Malignancy, male reproductive system, w complication/comorbidity	Medical	36
348 Benign prostatic hypertrophy w complication/comorbidity	Medical	40
350 Inflammation of the male reproductive system	Medical	234
352 Other male reproductive system diagnoses	Medical	38
353 Pelvic evisceration, radical hysterectomy & radical vulvectomy	Procedure	17
354 Uterine,adnexa procedures for non-ovarian/adnexal malignancy w complication/comorbidity	Procedure	77
356 Female reproductive system reconstructive procedures	Procedure	26
357 Uterine & adnexa procedures for ovarian or adnexal malignancy	Procedure	18
358 Uterine & adnexa procedures for non-malignancy w complication/comorbidity	Procedure	447
360 Vagina, cervix & vulva procedures	Procedure	112
363 Dilation & curettage, conization & radio-implant, for malignancy	Procedure	33
364 Dilation & curettage, conization except for malignancy	Procedure	78
365 Other female reproductive system operating room procedures	Procedure	25
366 Malignancy, female reproductive system w complication/comorbidity	Medical	39
368 Infections, female reproductive system	Medical	191
369 Menstrual & other female reproductive system disorders	Medical	157
370 Cesarean section w complication/comorbidity	Procedure	50
372 Vaginal delivery w complicating diagnoses	Medical	34

Table E.39 (continued)

Diagnostic Related Groups	Type	Discharges
490 HIV w or w/o other related condition	Medical	538
491 Major joint & limb reattachment procedures of+per extremity	Procedure	78
493 Laparoscopic cholecystectomy w/o c.d.e. w complication/comorbidity	Procedure	1,586
496 Combined anterior/posterior spinal fusion	Procedure	22
497 Spinal fusion w complication/comorbidity	Procedure	297
499 Back & neck procedures except spinal fusion w complication/comorbidity	Procedure	430
500 Back & neck procedures except spinal fusion w/o complication/comorbidity	Procedure	19
501 Knee procedures w pdx of infection w complication/comorbidity	Procedure	150
503 Knee procedures w/o pdx of infection	Procedure	104

One DRG per discharge

Includes all discharges after the date of first ESRD service.

*Values for cells with fewer than 15 discharges are excluded

E