

B

 **SECTION B**
PREVALENCE OF
REPORTED ESRD

B



CONTENTS

- 305 B.1 Point Prevalent Counts of Reported ESRD Patients
patients alive on December 31 of each year; by demographic characteristics & primary diagnosis
- 306 B.2 Period Prevalent Counts of Reported ESRD Patients
patients alive during the calendar year; by demographic characteristics & primary diagnosis
- 307 B.3 Point Prevalent Rates of Reported ESRD
patients alive on December 31 of each year; per million population, by demographic characteristics & primary diagnosis, unadjusted
- 308 B.4 Point Prevalent Rates of Reported ESRD
patients alive on December 31 of each year; per million population, by demographic characteristics, adjusted for age, gender, & race
- 309 B.5 Point Prevalent Counts of Reported ESRD Patients: by Time Period
patients alive on December 31 of each year; grouped by age, gender, & race
- 310 B.6 Point Prevalent Rates of Reported ESRD, 1994-1996
patients alive on December 31 of each year; per million population, adjusted for and grouped by age, gender, & race
- 310 B.7 Point Prevalent Rates of Reported ESRD, 1997-1999
patients alive on December 31 of each year; per million population, adjusted for and grouped by age, gender, & race
- 311 B.8 Point Prevalent Counts of Reported ESRD Patients: by Primary Diagnosis
patients alive on December 31 of each year; 1996-1999, grouped by age, gender, & race
- 313 B.9 Point Prevalent Rates of Reported ESRD: by Primary Diagnosis
patients alive on December 31 of each year; 1996-1999, per ten million population, adjusted for & grouped by age, gender, & race
- 316 B.10 Point Prevalent Counts of Reported ESRD Patients: by Diabetic Status & State
patients alive on December 31 of each year; after dropping patients in U.S. Territories & in states designated as "unknown"
- 319 B.11 Point Prevalent Rates of Reported ESRD: by Diabetic Status & State
patients alive on December 31 of each year; per million population, adjusted for age, gender, & race
- 322 B.12 Point Prevalent Counts of Reported ESRD Patients: by Diabetic Status & Network
patients alive on December 31 of each year; after dropping patients in U.S. Territories & in networks designated as "unknown"
- 323 B.13 Point Prevalent Rates of Reported ESRD: by Diabetic Status & Network
patients alive on December 31 of each year; per million population, adjusted for age, gender, & race

B

Table B.1
Point Prevalent Counts of Reported ESRD Patients
patients alive on December 31 of each year; by demographic characteristics and primary diagnosis

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
0-4	343	373	399	419	443	450	472	434	440	458
5-9	729	770	771	810	847	860	845	925	889	903
10-14	1,188	1,222	1,289	1,353	1,462	1,575	1,619	1,624	1,696	1,708
15-19	2,316	2,361	2,421	2,573	2,770	2,894	2,915	3,007	3,035	3,085
20-24	4,613	4,888	5,175	5,317	5,524	5,544	5,448	5,415	5,493	5,512
25-29	8,430	8,644	8,850	9,042	9,484	9,778	9,834	10,027	10,146	9,883
30-34	11,897	12,845	13,547	14,367	15,349	15,790	15,530	15,473	15,382	15,210
35-39	14,608	15,688	16,992	17,987	19,697	20,712	21,075	21,641	22,066	22,207
40-44	15,617	17,431	19,019	20,575	22,406	24,298	25,207	26,459	27,418	28,042
45-49	14,614	16,749	18,787	21,025	24,070	26,838	28,651	29,925	31,373	32,080
50-54	15,157	16,559	18,740	20,762	23,797	25,796	27,881	30,494	32,834	35,180
55-59	16,223	18,024	19,794	21,641	24,332	26,481	28,109	30,628	32,861	34,223
60-64	18,663	20,332	22,017	23,562	26,169	28,549	30,058	32,009	33,717	34,477
65-69	19,356	21,668	24,200	26,360	28,868	30,521	31,797	33,565	34,613	35,258
70-74	15,493	18,379	20,903	23,152	26,081	27,791	29,166	31,468	32,726	33,091
75-79	10,573	12,461	14,121	15,475	17,728	19,649	21,487	23,903	25,592	26,785
80-84	5,438	6,380	7,579	8,577	9,838	10,835	11,744	13,091	14,075	14,713
85+	2,084	2,562	3,033	3,582	4,126	4,682	5,266	6,011	6,804	7,446
Male	96,120	106,963	117,641	127,935	141,618	152,400	160,631	171,404	180,095	185,655
Female	81,222	90,373	99,996	108,644	121,373	130,643	136,473	144,695	151,065	154,606
White	111,294	123,499	135,208	145,428	158,939	169,406	177,384	189,267	198,100	205,019
Black	56,130	62,477	69,391	76,007	84,590	92,092	97,941	103,727	108,589	110,314
Native American	2,246	2,602	3,024	3,341	3,770	4,293	4,785	4,862	5,323	5,361
Asian	5,027	5,767	6,561	7,578	8,817	10,040	10,877	11,576	12,332	12,650
Other/unknown	2,645	2,991	3,453	4,225	6,875	7,212	6,117	6,667	6,816	6,917
Hispanic						20,526	25,275	28,810	31,928	33,952
Non-Hispanic						262,517	271,829	287,289	299,232	306,309
Diabetes	42,687	50,253	57,895	63,950	73,179	82,844	92,128	102,287	110,031	114,478
Hypertension	41,309	46,789	52,704	56,696	63,000	66,223	69,220	73,092	76,238	77,978
Glomerulonephritis	32,766	35,431	38,085	40,534	43,632	46,516	48,868	51,266	53,165	53,994
Cystic kidney	8,743	9,487	10,243	10,863	11,671	12,469	13,011	13,667	14,353	14,854
Other urologic	3,030	3,584	4,038	4,300	4,671	5,143	5,615	6,044	6,378	6,635
Other cause	22,327	23,735	25,160	26,281	28,224	31,074	32,971	34,965	36,758	37,743
Unknown cause	9,147	9,874	10,536	10,886	11,592	12,005	12,477	13,042	13,561	13,771
Missing disease	17,333	18,183	18,976	23,069	27,022	26,769	22,814	21,736	20,676	20,808
U.S.	174,424	193,977	213,656	231,657	253,749	274,917	292,810	312,352	327,674	336,871
Presumed U.S.	2,918	3,359	3,981	4,922	9,242	8,126	4,294	3,747	3,486	3,390
Puerto Rico	2,011	2,210	2,482	2,642	2,899	3,053	3,277	3,479	3,592	3,664
Other non-U.S.	72	86	104	103	109	126	151	169	175	169
All	179,425	199,632	220,223	239,324	265,999	286,222	300,532	319,747	334,927	344,094
Total lost to follow up	7,779	8,307	9,217	10,537	12,179	14,187	21,533	26,626	35,401	47,831

Table B.2
Period Prevalent Counts of Reported ESRD Patients
patients alive during the calendar year, by demographic characteristics & primary diagnosis

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
0-4	512	520	535	579	591	638	661	670	631	639
5-9	812	869	895	920	993	1,011	1,018	998	1,077	1,065
10-14	1,335	1,437	1,464	1,544	1,633	1,765	1,872	1,923	1,920	2,026
15-19	2,863	2,808	2,887	2,981	3,170	3,378	3,534	3,491	3,590	3,682
20-24	5,341	5,590	5,956	6,225	6,487	6,657	6,656	6,485	6,507	6,496
25-29	9,600	10,081	10,303	10,593	11,087	11,267	11,591	11,673	11,915	11,955
30-34	13,384	14,176	15,209	16,003	17,275	18,067	18,406	18,118	18,124	18,026
35-39	16,002	17,397	18,728	20,004	21,814	23,265	24,284	24,649	25,232	25,718
40-44	16,790	19,027	21,066	22,668	24,951	26,850	28,907	29,753	31,330	32,280
45-49	16,561	18,194	20,693	23,042	26,305	29,448	32,525	34,477	36,200	37,829
50-54	17,366	19,041	21,054	23,477	26,869	29,804	31,988	34,725	37,931	40,779
55-59	19,302	21,210	23,462	25,446	28,758	31,349	33,723	35,980	39,159	41,836
60-64	22,873	25,245	27,269	29,184	32,099	34,863	37,411	39,481	41,977	43,699
65-69	24,681	27,519	30,456	33,323	36,590	38,715	40,771	43,012	44,848	45,892
70-74	19,583	22,935	26,649	29,631	33,085	35,889	38,341	40,801	43,251	44,654
75-79	14,038	16,069	18,566	20,526	22,889	25,213	27,902	31,056	34,124	36,553
80-84	6,955	8,255	9,675	11,050	12,718	14,168	15,700	17,625	19,225	20,710
85+	2,639	3,217	3,862	4,545	5,281	5,987	6,876	7,956	9,144	10,340
Male	114,274	126,502	139,727	152,026	168,012	181,595	194,962	206,467	219,554	230,036
Female	96,363	107,088	119,002	129,715	144,583	156,739	167,204	176,406	186,631	194,143
White	133,959	148,159	163,334	175,946	191,982	205,478	217,767	231,809	245,917	257,619
Black	65,389	72,811	80,744	88,836	98,702	107,717	116,358	122,900	130,119	135,151
Native American	2,600	2,976	3,485	3,863	4,341	4,956	5,626	5,750	6,252	6,418
Asian	5,740	6,449	7,396	8,438	9,939	11,367	12,758	13,556	14,593	15,373
Other/unknown	2,949	3,195	3,770	4,658	7,631	8,816	9,657	8,858	9,304	9,618
Hispanic						24,203	31,135	36,608	41,396	44,954
Non-Hispanic						314,131	331,031	346,265	364,789	379,225
Diabetes	53,407	62,554	72,363	80,147	90,951	103,182	116,116	128,910	141,292	150,404
Hypertension	50,850	57,533	64,854	70,083	77,561	81,849	86,144	91,252	96,207	100,169
Glomerulonephritis	36,808	39,569	42,559	45,179	48,612	51,943	55,341	57,830	60,410	62,119
Cystic kidney	9,611	10,328	11,178	11,895	12,744	13,656	14,436	15,098	15,929	16,606
Other urologic	3,648	4,212	4,794	5,121	5,524	6,039	6,715	7,184	7,667	8,077
Other cause	25,980	27,523	29,269	30,672	32,991	36,515	39,788	42,257	44,760	46,819
Unknown cause	10,893	11,652	12,634	13,011	13,657	14,364	15,127	15,808	16,643	17,124
Missing disease	19,440	20,219	21,078	25,633	30,555	30,786	28,499	24,534	23,277	22,861
All	210,637	233,590	258,729	281,741	312,595	338,334	362,166	382,873	406,185	424,179

Table B.3

Point Prevalent Rates of Reported ESRD*patients alive on December 31 of each year; per million population, by demographic characteristics & primary diagnosis, unadjusted*

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
0-4	17	19	20	21	21	21	23	21	21	22
5-9	39	40	40	42	43	43	42	45	42	43
10-14	65	66	68	70	74	80	81	81	84	83
15-19	128	133	136	141	147	150	148	149	148	149
20-24	234	248	264	277	291	300	301	296	295	290
25-29	392	412	434	453	479	498	506	520	535	530
30-34	527	565	595	633	674	707	718	736	750	758
35-39	704	735	777	806	859	893	911	933	954	962
40-44	836	909	978	1,031	1,082	1,145	1,165	1,194	1,215	1,221
45-49	1,025	1,113	1,176	1,261	1,367	1,454	1,519	1,566	1,604	1,599
50-54	1,294	1,371	1,483	1,567	1,718	1,814	1,871	1,927	1,993	2,044
55-59	1,531	1,698	1,839	1,962	2,139	2,288	2,370	2,473	2,540	2,552
60-64	1,744	1,914	2,103	2,283	2,533	2,774	2,930	3,076	3,169	3,165
65-69	1,916	2,154	2,404	2,613	2,855	3,022	3,181	3,406	3,575	3,700
70-74	1,899	2,190	2,432	2,648	2,937	3,117	3,290	3,542	3,679	3,732
75-79	1,698	1,961	2,186	2,357	2,643	2,860	3,046	3,315	3,488	3,594
80-84	1,361	1,556	1,801	1,982	2,204	2,367	2,523	2,764	2,926	3,006
85+	665	784	892	1,015	1,124	1,234	1,354	1,497	1,644	1,743
0-19	61	63	64	67	70	73	73	74	74	75
20-44	535	573	612	647	690	727	743	762	778	782
45-64	1,369	1,483	1,593	1,697	1,851	1,974	2,052	2,132	2,194	2,208
65-74	1,909	2,170	2,417	2,629	2,894	3,067	3,232	3,471	3,625	3,716
75+	1,355	1,560	1,759	1,916	2,136	2,308	2,468	2,694	2,852	2,945
Male	773	851	925	994	1,080	1,152	1,209	1,277	1,329	1,357
Female	624	686	750	805	883	943	980	1,029	1,067	1,083
White	530	583	632	675	732	774	805	852	885	909
Black	1,817	1,989	2,173	2,343	2,572	2,763	2,901	3,032	3,134	3,145
Other	739	816	897	985	1,097	1,209	1,278	1,299	1,355	1,343
Hispanic						690	804	875	940	969
Non-Hispanic						1,086	1,127	1,184	1,227	1,250
Diabetes	170	197	224	245	277	309	340	374	399	411
Hypertension	164	184	205	218	239	248	257	269	278	282
Glomerulonephritis	130	139	147	155	165	174	181	188	193	194
Cystic kidney	35	37	40	42	44	47	48	50	52	54
Other urologic	12	14	16	16	18	19	21	22	23	24
Other cause	89	93	98	101	107	116	122	128	134	136
Unknown cause	36	39	41	41	43	45	46	48	49	49
Missing disease	62	64	65	79	87	86	76	72	68	68
Crude rate	697	766	835	897	979	1,045	1,092	1,150	1,195	1,217

Table B.4

Point Prevalent Rates of Reported ESRD*patients alive on December 31 of each year; per million population, demographic characteristics, adjusted for age, gender, & race*

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
0-4	17	19	20	21	21	21	22	21	20	22
5-9	38	40	40	41	42	43	41	44	42	42
10-14	64	65	67	69	73	78	80	80	82	82
15-19	125	130	133	137	143	146	143	144	143	145
20-24	230	243	259	270	282	290	291	285	285	280
25-29	389	408	429	447	471	489	495	507	519	512
30-34	529	566	596	633	672	703	712	727	739	746
35-39	715	744	785	811	862	896	913	933	951	958
40-44	877	945	1,009	1,059	1,109	1,170	1,186	1,211	1,228	1,229
45-49	1,101	1,200	1,267	1,353	1,459	1,544	1,600	1,635	1,665	1,651
50-54	1,402	1,483	1,608	1,706	1,872	1,978	2,048	2,108	2,166	2,207
55-59	1,689	1,870	2,022	2,154	2,343	2,501	2,592	2,708	2,790	2,803
60-64	1,983	2,163	2,368	2,553	2,818	3,074	3,241	3,388	3,489	3,476
65-69	2,224	2,490	2,757	2,993	3,241	3,409	3,568	3,786	3,949	4,056
70-74	2,259	2,588	2,874	3,152	3,497	3,717	3,895	4,144	4,272	4,271
75-79	2,055	2,374	2,648	2,868	3,214	3,462	3,678	3,965	4,165	4,267
80-84	1,753	2,000	2,326	2,543	2,821	3,023	3,217	3,490	3,683	3,753
85+	946	1,128	1,272	1,419	1,560	1,692	1,886	2,036	2,212	2,325
0-19	61	63	65	67	70	72	72	72	72	73
20-44	548	581	615	644	679	710	719	733	744	745
45-64	1,544	1,679	1,816	1,942	2,123	2,274	2,370	2,460	2,527	2,534
65-74	2,242	2,539	2,815	3,072	3,369	3,563	3,732	3,965	4,110	4,163
75+	1,585	1,834	2,082	2,277	2,532	2,726	2,927	3,163	3,353	3,449
Male	874	958	1,035	1,106	1,195	1,264	1,318	1,380	1,425	1,442
Female	618	676	735	784	855	908	938	977	1,005	1,014
White	529	579	626	665	718	757	782	824	852	871
Black	2,396	2,619	2,855	3,069	3,347	3,564	3,715	3,855	3,952	3,926
Native American	1,594	1,813	2,081	2,241	2,469	2,743	2,979	2,944	3,155	3,089
Asian	881	959	1,035	1,140	1,271	1,390	1,442	1,467	1,495	1,466
Hispanic						352	414	404	448	433
Non-Hispanic						266	272	293	302	308
Diabetes	180	208	235	255	287	318	348	379	400	409
Hypertension	179	198	218	230	250	258	265	273	279	280
Glomerulonephritis	137	145	154	161	170	178	184	190	194	194
Cystic kidney	37	40	42	44	46	49	50	51	53	53
Other urologic	12	15	16	17	18	20	21	22	23	24
Other cause	91	96	100	103	109	118	124	129	134	136
Unknown cause	38	40	42	43	45	46	47	48	49	49
Missing disease	65	67	68	82	90	88	78	73	68	67
Crude rate	700	771	840	901	984	1,050	1,097	1,156	1,200	1,222
Adjusted rate	740	810	877	935	1,014	1,075	1,116	1,165	1,200	1,212

Table B.5

Point Prevalent Counts of Reported ESRD Patients: by Time Period*patients alive on December 31 of each year; grouped by age, gender, & race*

1994-1996	Males					Females					Both Genders				
	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All
0-4	613	167	*	15	802	352	79	*	22	460	965	246	14	37	1,262
5-9	1,250	289	22	30	1,591	685	135	16	41	877	1,935	424	38	71	2,468
10-14	2,011	590	28	85	2,714	1,305	334	18	82	1,739	3,316	924	46	167	4,453
15-19	3,154	1,245	71	154	4,624	2,475	893	74	155	3,597	5,629	2,138	145	309	8,221
20-29	15,125	8,080	306	916	24,427	12,296	6,151	293	800	19,540	27,421	14,231	599	1,716	43,967
30-39	38,361	18,870	672	1,924	59,827	28,598	13,996	598	1,786	44,978	66,959	32,866	1,270	3,710	104,805
40-49	51,632	31,962	1,332	2,777	87,703	35,234	20,612	972	2,635	59,453	86,866	52,574	2,304	5,412	147,156
50-59	49,128	30,327	1,642	3,071	84,168	37,048	26,559	1,544	2,561	67,712	86,176	56,886	3,186	5,632	151,880
60-64	25,568	14,367	714	1,486	42,135	21,686	16,555	935	1,358	40,534	47,254	30,922	1,649	2,844	82,669
65-69	28,461	12,953	631	1,436	43,481	25,924	17,673	877	1,695	46,169	54,385	30,626	1,508	3,131	89,650
70-79	50,047	16,230	628	2,428	69,333	42,382	24,971	1,064	2,640	71,057	92,429	41,201	1,692	5,068	140,390
80+	17,600	4,353	158	826	22,937	14,794	7,232	239	811	23,076	32,394	11,585	397	1,637	46,013
All	282,950	139,433	6,211	15,148	443,742	222,779	135,190	6,637	14,586	379,192	505,729	274,623	12,848	29,734	822,934
1997-1999															
0-4	596	144	*	27	771	336	89	*	14	445	932	233	10	41	1,216
5-9	1,207	327	17	36	1,587	747	188	15	44	994	1,954	515	32	80	2,581
10-14	2,131	581	39	74	2,825	1,452	427	20	88	1,987	3,583	1,008	59	162	4,812
15-19	3,473	1,351	54	139	5,017	2,488	985	58	199	3,730	5,961	2,336	112	338	8,747
20-29	15,123	8,496	332	1,027	24,978	11,883	6,751	353	908	19,895	27,006	15,247	685	1,935	44,873
30-39	38,993	20,707	734	2,084	62,518	28,575	15,483	649	1,879	46,586	67,568	36,190	1,383	3,963	109,104
40-49	59,511	37,580	1,531	3,270	101,892	40,113	24,966	1,130	3,172	69,381	99,624	62,546	2,661	6,442	171,273
50-59	64,033	38,448	2,175	3,793	108,449	46,300	31,423	1,987	3,455	83,165	110,333	69,871	4,162	7,248	191,614
60-64	30,706	17,101	972	1,930	50,709	25,331	18,989	1,093	1,725	47,138	56,037	36,090	2,065	3,655	97,847
65-69	32,687	15,158	702	1,813	50,360	28,565	19,748	1,093	1,936	51,342	61,252	34,906	1,795	3,749	101,702
70-79	62,561	19,219	817	3,081	85,678	51,493	29,792	1,309	3,415	86,009	114,054	49,011	2,126	6,496	171,687
80+	24,185	5,392	148	1,212	30,937	19,897	9,285	308	1,237	30,727	44,082	14,677	456	2,449	61,664
All	335,206	164,504	7,525	18,486	525,721	257,180	158,126	8,021	18,072	441,399	592,386	322,630	15,546	36,558	967,120

*Values for cells with fewer than 10 patients are suppressed.

Table B.6

Point Prevalent Rates of Reported ESRD, 1994-1996*patients alive on December 31 of each year; per million population, adjusted for and grouped by age, gender, & race*

	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender & Race	
	White	Black	N Am	Asian	White	Black	N Am	Asian	White	Black	N Am	Asian	Male	Female		
0-4	26	37	23	12	16	18	23	18	21	27	23	15	27	16	21	
5-9	53	62	64	26	31	30	48	38	42	46	56	32	53	31	42	
10-14	87	134	78	73	59	78	52	73	73	105	64	73	92	62	77	
15-19	139	285	225	143	116	211	239	149	127	247	233	146	158	131	144	
20-29	336	1,058	533	391	282	760	539	323	306	908	537	356	431	344	386	
30-39	703	2,387	1,230	770	530	1,563	1,084	653	613	1,966	1,159	711	924	671	793	
40-49	1,070	5,302	3,184	1,388	725	2,923	2,196	1,158	899	4,175	2,754	1,286	1,664	1,047	1,345	
50-59	1,550	8,898	6,741	2,670	1,115	6,221	5,802	2,001	1,341	7,616	6,389	2,365	2,603	1,866	2,222	
60-64	2,057	11,240	8,684	3,872	1,587	9,736	9,957	2,840	1,817	10,468	9,328	3,337	3,358	2,749	3,044	
65-69	2,382	10,927	9,761	4,739	1,837	11,116	11,332	4,022	2,104	11,020	10,556	4,367	3,629	3,190	3,406	
70-79	2,798	11,179	7,493	6,147	1,757	11,260	9,709	5,026	2,265	11,078	8,484	5,617	4,031	3,141	3,577	
80+	2,391	7,603	4,503	5,366	976	5,857	3,815	4,039	1,602	6,546	4,093	4,462	3,046	1,717	2,366	
All	879	2,940	1,839	1,090	666	2,572	1,928	981	770	2,747	1,884	1,034	1,147	935	1,039	
Age Adj	907	4,025	2,757	1,534	625	3,093	2,693	1,231	752	3,542	2,730	1,367	1,259	900	1,063	

Table B.7

Point Prevalent Rates of Reported ESRD, 1997-1999*patients alive on December 31 of each year; per million population adjusted for and grouped by age, gender, & race*

	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender & Race	
	White	Black	N Am	Asian	White	Black	N Am	Asian	White	Black	N Am	Asian	Male	Female		
0-4	26	34	13	20	15	21	20	11	20	27	17	15	26	16	21	
5-9	50	68	50	27	33	40	46	35	41	54	48	31	51	34	42	
10-14	90	125	104	59	65	95	55	74	77	110	79	67	94	69	81	
15-19	144	292	155	114	110	221	168	166	127	256	161	141	162	127	144	
20-29	343	1,101	565	430	278	828	623	350	309	967	595	384	446	353	398	
30-39	746	2,628	1,323	785	551	1,741	1,191	633	641	2,165	1,253	707	985	708	842	
40-49	1,159	5,508	3,351	1,418	777	3,160	2,355	1,219	971	4,403	2,906	1,333	1,770	1,125	1,436	
50-59	1,773	9,924	7,895	2,720	1,226	6,473	6,585	2,182	1,512	8,293	7,404	2,519	2,944	2,014	2,464	
60-64	2,389	12,804	10,909	4,233	1,805	10,596	10,739	3,234	2,090	11,674	10,815	3,721	3,864	3,062	3,451	
65-69	2,844	12,629	10,434	5,273	2,144	12,290	13,378	4,182	2,488	12,456	11,930	4,714	4,256	3,618	3,930	
70-79	3,377	12,338	8,739	6,740	2,108	12,883	10,979	5,387	2,732	12,548	9,696	6,096	4,704	3,674	4,180	
80+	2,961	8,775	3,563	6,491	1,242	7,149	4,164	4,770	2,025	7,823	3,896	5,458	3,715	2,152	2,916	
All	1,017	3,334	2,129	1,204	753	2,897	2,225	1,089	882	3,104	2,178	1,144	1,321	1,060	1,188	
Age Adj	1,034	4,441	3,068	1,659	697	3,415	3,027	1,330	849	3,911	3,063	1,476	1,416	999	1,187	

Table B.8

Point Prevalent Counts of Reported ESRD Patients: by Primary Diagnosis

patients alive on December 31 of each year; 1996-1999, grouped by age, gender, & race

DIABETES																
	Males				Females				Gender				Race		Gender	
	White	Black	N Am	Asian	White	Black	N Am	Asian	White	Black	N Am	Asian	Male	Female	& Race	
0-4	16	*	.	.	18	12	12	.	*	26	28	14	.	*	44	
5-9	*	.	.	.	*	*	*	.	.	*	*	*	.	.	12	
10-14	*	*	.	.	*	.	*	.	.	*	*	10	.	.	12	
15-19	15	*	.	.	24	16	17	.	*	34	31	26	.	*	58	
20-29	1,504	628	*	20	2,158	1,645	959	49	40	2,693	3,149	1,587	55	60	4,851	
30-39	14,514	3,294	234	252	18,294	10,612	3,375	234	291	14,512	25,126	6,669	468	543	32,806	
40-49	25,961	8,519	909	853	36,242	17,264	7,911	750	645	26,570	43,225	16,430	1,659	1,498	62,812	
50-59	30,114	15,834	1,799	1,818	49,565	22,137	18,117	1,853	1,374	43,481	52,251	33,951	3,652	3,192	93,046	
60-64	15,439	8,940	841	1,043	26,263	15,028	13,051	1,051	1,091	30,221	30,467	21,991	1,892	2,134	56,484	
65-69	16,144	8,040	629	1,093	25,906	17,434	13,776	1,074	1,272	33,556	33,578	21,816	1,703	2,365	59,462	
70-79	24,096	9,068	590	1,534	35,288	27,028	18,661	1,189	2,197	49,075	51,124	27,729	1,779	3,731	84,363	
80+	5,109	1,680	71	477	7,337	6,007	3,941	213	531	10,692	11,116	5,621	284	1,008	18,029	
All	132,917	56,016	5,079	7,090	201,102	117,188	79,832	6,413	7,444	210,877	250,105	135,848	11,492	14,534	411,979	
HYPERTENSION																
0-4	*	*	.	.	13	*	17	*	.	27	15	23	*	.	40	
5-9	15	*	.	.	17	28	*	*	.	35	43	*	*	.	52	
10-14	22	*	.	.	26	34	16	*	.	51	56	20	*	.	77	
15-19	76	119	*	*	205	87	66	*	*	164	163	185	11	10	369	
20-29	1,372	3,032	57	165	4,626	873	1,438	67	74	2,452	2,245	4,470	124	239	7,078	
30-39	4,408	9,822	138	440	14,808	2,260	4,996	77	304	7,637	6,668	14,818	215	744	22,445	
40-49	7,771	20,747	307	801	29,626	3,798	10,061	183	627	14,669	11,569	30,808	490	1,428	44,295	
50-59	10,569	19,677	329	901	31,476	6,184	11,771	205	803	18,963	16,753	31,448	534	1,704	50,439	
60-64	6,905	8,057	133	530	15,625	4,274	6,843	132	391	11,640	11,179	14,900	265	921	27,265	
65-69	9,808	7,321	107	529	17,765	6,374	7,603	128	561	14,666	16,182	14,924	235	1,090	32,431	
70-79	27,191	10,325	206	1,299	39,021	18,017	14,110	267	1,119	33,513	45,208	24,435	473	2,418	72,534	
80+	14,342	3,565	62	664	18,633	11,097	5,977	108	656	17,838	25,439	9,542	170	1,320	36,471	
All	82,486	82,677	1,346	5,332	171,841	53,034	62,903	1,176	4,542	121,655	135,520	145,580	2,522	9,874	293,496	
GLOMERULONEPHRITIS																
0-4	50	*	.	*	67	34	12	.	*	52	84	20	.	15	119	
5-9	199	53	*	12	271	244	43	*	15	307	443	96	12	27	578	
10-14	473	135	16	28	652	456	182	10	40	688	929	317	26	68	1,340	
15-19	1,041	655	19	68	1,783	927	476	39	91	1,533	1,968	1,131	58	159	3,316	
20-29	6,628	3,988	197	620	11,433	4,833	2,858	176	478	8,345	11,461	6,846	373	1,098	19,778	
30-39	14,661	6,712	297	1,236	22,906	8,856	4,774	295	978	14,903	23,517	11,486	592	2,214	37,809	
40-49	19,011	8,740	432	1,598	29,781	10,785	5,231	287	1,595	17,898	29,796	13,971	719	3,193	47,679	
50-59	16,107	5,458	320	1,186	23,071	8,883	3,450	227	1,046	13,606	24,990	8,908	547	2,232	36,677	
60-64	6,571	1,698	112	408	8,789	3,672	1,392	103	301	5,468	10,243	3,090	215	709	14,257	
65-69	6,190	1,274	84	317	7,865	3,799	1,192	93	261	5,345	9,989	2,466	177	578	13,210	
70-79	10,722	1,605	107	557	12,991	6,525	1,695	97	462	8,779	17,247	3,300	204	1,019	21,770	
80+	3,643	411	22	180	4,256	2,626	487	30	164	3,307	6,269	898	52	344	7,563	
All	85,296	30,737	1,613	6,219	123,865	51,640	21,792	1,362	5,437	80,231	136,936	52,529	2,975	11,656	204,096	
CYSTIC KIDNEY																
0-4	49	*	.	.	58	58	*	.	*	62	107	12	.	*	120	
5-9	106	15	*	*	127	91	*	*	*	108	197	22	*	*	235	
10-14	122	27	*	*	158	144	16	*	*	164	266	43	*	*	322	
15-19	176	33	*	*	219	147	32	.	24	203	323	65	*	30	422	
20-29	456	57	12	18	543	509	52	*	20	583	965	109	14	38	1,126	
30-39	1,329	217	17	39	1,602	1,069	219	16	30	1,334	2,398	436	33	69	2,936	
40-49	5,519	745	62	150	6,476	3,604	812	30	116	4,562	9,123	1,557	92	266	11,038	
50-59	8,334	982	67	239	9,622	6,964	1,199	49	162	8,374	15,298	2,181	116	401	17,996	
60-64	3,052	420	13	97	3,582	3,111	448	32	82	3,673	6,163	868	45	179	7,255	
65-69	2,458	259	12	69	2,798	2,730	375	11	70	3,186	5,188	634	23	139	5,984	
70-79	2,588	355	*	87	3,038	3,102	447	10	74	3,633	5,690	802	18	161	6,671	
80+	508	98	.	20	626	551	102	*	15	670	1,059	200	*	35	1,296	
All	24,697	3,217	206	729	28,849	22,080	3,712	156	604	26,552	46,777	6,929	362	1,333	55,401	

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

B

Table B.8 (continued)
Point Prevalent Counts of Reported ESRD Patients: by Primary Diagnosis
patients alive on December 31 of each year; 1996-1999, grouped by age, gender, & race

	OTHER UROLOGIC				Females				Gender				Race		Gender
	White	Black	N Am	Asian	White	Black	N Am	Asian	White	Black	N Am	Asian	Male	Female	& Race
0-4	25	*	.	*	34	*	.	.	.	*	31	*	.	*	40
5-9	78	32	.	*	113	32	*	.	.	38	110	38	.	*	151
10-14	185	54	.	11	250	104	19	.	*	126	289	73	.	14	376
15-19	324	67	.	14	405	209	26	.	*	243	533	93	.	22	648
20-29	1,094	236	10	26	1,366	858	83	13	16	970	1,952	319	23	42	2,336
30-39	1,434	277	42	41	1,794	1,243	97	21	36	1,397	2,677	374	63	77	3,191
40-49	1,481	299	18	55	1,853	1,283	212	*	73	1,571	2,764	511	21	128	3,424
50-59	1,235	300	26	44	1,605	1,188	245	12	100	1,545	2,423	545	38	144	3,150
60-64	846	187	14	46	1,093	600	106	*	33	743	1,446	293	18	79	1,836
65-69	1,012	301	13	38	1,364	606	124	*	39	772	1,618	425	16	77	2,136
70-79	2,801	509	29	66	3,405	1,088	199	17	83	1,387	3,889	708	46	149	4,792
80+	1,477	222	22	41	1,762	407	101	*	27	536	1,884	323	23	68	2,298
All	11,992	2,492	174	386	15,044	7,624	1,218	74	418	9,334	19,616	3,710	248	804	24,378
UNKNOWN CAUSE															
0-4	534	138	*	20	697	251	60	*	*	325	785	198	12	27	1,022
5-9	810	211	*	16	1,045	355	110	*	18	492	1,165	321	17	34	1,537
10-14	1,303	374	20	40	1,737	691	154	12	40	897	1,994	528	32	80	2,634
15-19	1,927	525	41	69	2,562	1,165	353	30	83	1,631	3,092	878	71	152	4,193
20-29	5,540	1,643	110	239	7,532	4,447	2,372	96	363	7,278	9,987	4,015	206	602	14,810
30-39	8,347	3,560	139	286	12,332	7,963	4,750	147	492	13,352	16,310	8,310	286	778	25,684
40-49	8,404	4,676	165	302	13,547	8,502	4,830	154	570	14,056	16,906	9,506	319	872	27,603
50-59	6,871	2,610	126	231	9,838	7,699	2,716	119	435	10,969	14,570	5,326	245	666	20,807
60-64	3,362	905	64	113	4,444	3,297	1,075	23	151	4,546	6,659	1,980	87	264	8,990
65-69	3,834	710	37	118	4,699	3,589	895	49	137	4,670	7,423	1,605	86	255	9,369
70-79	7,590	1,205	52	198	9,045	6,587	1,355	66	220	8,228	14,177	2,560	118	418	17,273
80+	3,021	401	16	86	3,524	2,495	520	15	62	3,092	5,516	921	31	148	6,616
All	51,543	16,958	783	1,718	71,002	47,041	19,190	727	2,578	69,536	98,584	36,148	1,510	4,296	140,538
OTHER CAUSE															
0-4	33	*	.	*	36	16	*	.	.	20	49	*	.	*	56
5-9	74	17	.	.	91	45	*	.	.	53	119	25	.	.	144
10-14	107	51	*	*	170	136	47	*	12	199	243	98	*	20	369
15-19	242	145	*	10	398	276	96	*	13	386	518	241	*	23	784
20-29	1,516	689	35	110	2,350	1,090	397	31	70	1,588	2,606	1,086	66	180	3,938
30-39	2,672	1,420	77	198	4,367	2,062	766	52	139	3,019	4,734	2,186	129	337	7,386
40-49	3,289	1,973	83	220	5,565	2,473	1,171	48	210	3,902	5,762	3,144	131	430	9,467
50-59	2,803	1,405	52	197	4,457	2,155	950	58	245	3,408	4,958	2,355	110	442	7,865
60-64	1,362	586	19	115	2,082	1,126	569	41	91	1,827	2,488	1,155	60	206	3,909
65-69	1,639	533	36	80	2,288	1,285	561	21	86	1,953	2,924	1,094	57	166	4,241
70-79	3,865	836	47	157	4,905	2,644	920	51	205	3,820	6,509	1,756	98	362	8,725
80+	2,198	330	*	77	2,611	1,711	475	30	85	2,301	3,909	805	36	162	4,912
All	19,800	7,986	360	1,174	29,320	15,019	5,964	337	1,156	22,476	34,819	13,950	697	2,330	51,796
MISSING DISEASE															
0-4	84	27	*	*	116	76	13	.	*	93	160	40	*	*	209
5-9	337	98	*	13	453	177	46	.	16	239	514	144	*	29	692
10-14	618	148	*	14	781	326	109	.	18	453	944	257	*	32	1,234
15-19	783	231	*	16	1,034	466	222	*	30	725	1,249	453	11	46	1,759
20-29	2,039	1,003	15	144	3,201	1,681	757	25	116	2,579	3,720	1,760	40	260	5,780
30-39	4,502	1,977	41	251	6,771	4,053	1,447	37	229	5,766	8,555	3,424	78	480	12,537
40-49	6,319	3,392	65	295	10,071	4,848	2,271	36	319	7,474	11,167	5,663	101	614	17,545
50-59	5,690	3,150	63	310	9,213	4,277	2,422	64	251	7,014	9,967	5,572	127	561	16,227
60-64	2,250	1,512	30	125	3,917	1,786	1,401	39	88	3,314	4,036	2,913	69	213	7,231
65-69	1,640	1,285	21	91	3,037	1,617	1,364	23	122	3,126	3,257	2,649	44	213	6,163
70-79	1,593	1,119	13	71	2,796	1,512	1,313	27	48	2,900	3,105	2,432	40	119	5,696
80+	349	265	*	17	634	390	305	*	17	716	739	570	*	34	1,350
All	26,204	14,207	263	1,350	42,024	21,209	11,670	262	1,258	34,399	47,413	25,877	525	2,608	76,423

*Values for cells with fewer than 10 patients are suppressed.
 ." Zero patients in this cell.

Table B.9

Point Prevalent Rates of Reported ESRD: by Primary Diagnosis

patients alive on December 31 of each year; 1996-1999, per ten million population, adjusted for & grouped by age, gender, & race

DIABETES

	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender & Race	
	White	Black	N Am	Asian	White	Black	N Am	Asian	White	Black	N Am	Asian	Male	Female		
0-4	*	*	.	.	*	21	.	11	*	13	.	.	*	*	*	
5-9	*	.	.	.	*	*	*	
10-14	*	*	.	.	.	13	.	.	.	*	*	
15-19	*	15	.	.	*	29	.	*	*	22	.	.	*	*	*	
20-29	256	613	77	63	288	885	654	116	268	755	375	86	291	354	324	
30-39	2,065	3,129	3,170	719	1,523	2,839	3,211	745	1,763	2,967	3,186	733	2,127	1,662	1,889	
40-49	3,824	9,539	15,129	2,835	2,529	7,635	11,865	1,896	3,186	8,902	13,969	2,425	4,699	3,293	3,979	
50-59	6,397	31,375	50,001	10,089	4,497	28,645	47,043	6,739	5,504	30,859	50,053	8,760	10,322	8,242	9,256	
60-64	9,089	50,687	71,806	17,642	8,095	55,219	78,578	15,627	8,569	52,935	75,122	16,585	15,257	15,006	15,138	
65-69	10,446	50,272	70,565	24,336	9,703	64,325	99,490	20,893	10,088	57,456	85,258	22,548	16,615	17,916	17,304	
70-79	9,810	44,173	48,155	25,767	8,314	60,952	75,808	26,759	8,952	51,838	60,528	26,273	14,940	16,146	15,588	
80+	4,770	20,767	13,154	19,742	2,837	22,945	22,169	15,976	3,576	21,353	17,954	17,086	6,985	6,039	6,508	
All	3,035	8,570	10,860	3,518	2,582	11,037	13,444	3,423	2,804	9,866	12,165	3,469	3,808	3,815	3,811	
Age Adj	3,053	12,326	16,571	5,315	2,373	13,493	19,155	4,571	2,691	13,011	18,074	4,914	4,082	3,576	3,823	

HYPERTENSION

0-4	*	10	.	.	*	30	50	.	*	20	.	.	*	*	*
5-9	*	*	.	.	*	*	46	.	*	.	.	.	*	*	*
10-14	*	*	.	.	11	27	21	.	*	17	.	.	*	13	*
15-19	24	195	153	19	29	112	88	45	27	152	121	33	47	41	44
20-29	233	2,958	731	519	153	1,327	894	215	191	2,140	815	356	600	310	449
30-39	627	9,331	1,869	1,255	324	4,203	1,057	778	469	6,668	1,453	1,012	1,762	838	1,281
40-49	1,145	23,230	5,110	2,662	556	9,710	2,895	1,843	853	16,707	4,060	2,274	4,147	1,825	2,936
50-59	2,245	38,990	9,144	5,000	1,256	18,612	5,204	3,938	1,778	28,861	7,113	4,629	7,189	3,677	5,359
60-64	4,065	45,681	11,356	8,965	2,302	28,953	9,869	5,601	3,164	37,129	10,578	7,237	9,631	5,900	7,696
65-69	6,347	45,776	12,004	11,778	3,548	35,501	11,857	9,215	4,918	40,521	11,923	10,453	11,641	7,923	9,727
70-79	11,070	50,296	16,814	21,820	5,542	46,088	17,023	13,629	8,359	48,300	17,056	18,019	16,753	11,195	13,912
80+	13,392	44,069	11,487	27,482	5,240	34,800	11,241	19,737	8,995	38,801	11,400	22,805	17,317	9,581	13,360
All	1,884	12,648	2,878	2,646	1,168	8,697	2,465	2,089	1,520	10,573	2,670	2,357	3,254	2,201	2,715
Age Adj	2,007	17,338	4,375	4,148	1,005	10,538	3,493	2,847	1,433	13,790	3,928	3,411	3,665	1,999	2,729

GLOMERULONEPHRITIS

0-4	16	14	.	50	12	21	.	34	*	20	.	.	17	14	15
5-9	62	83	155	69	80	69	114	92	*	.	.	.	66	79	73
10-14	151	220	322	170	153	307	208	254	*	17	.	.	162	177	170
15-19	327	1,072	415	426	310	805	861	583	27	152	121	33	427	389	407
20-29	1,127	3,891	2,525	1,951	847	2,637	2,349	1,390	191	2,140	815	356	1,523	1,104	1,307
30-39	2,086	6,377	4,023	3,526	1,271	4,016	4,049	2,503	469	6,668	1,453	1,012	2,698	1,691	2,180
40-49	2,800	9,786	7,190	5,310	1,580	5,049	4,540	4,689	853	16,707	4,060	2,274	3,856	2,182	2,994
50-59	3,422	10,815	8,894	6,582	1,805	5,455	5,763	5,130	1,778	28,861	7,113	4,629	4,541	2,433	3,457
60-64	3,868	9,627	9,563	6,901	1,978	5,890	7,701	4,311	3,164	37,129	10,578	7,237	4,769	2,618	3,666
65-69	4,005	7,966	9,424	7,058	2,114	5,566	8,615	4,287	4,918	40,521	11,923	10,453	4,680	2,699	3,666
70-79	4,365	7,818	8,733	9,356	2,007	5,536	6,184	5,627	8,359	48,300	17,056	18,019	5,037	2,634	3,808
80+	3,402	5,081	4,076	7,450	1,240	2,835	3,122	4,934	8,995	38,801	11,400	22,805	3,641	1,591	2,592
All	1,948	4,702	3,449	3,086	1,138	3,013	2,855	2,500	1,535	3,815	3,149	2,782	2,345	1,451	1,888
Age Adj	1,959	5,531	4,442	3,679	1,092	3,255	3,410	2,714	1,496	4,350	3,896	3,156	2,448	1,412	1,894

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

Table B.9 (continued)

Point Prevalent Rates of Reported ESRD: by Primary Diagnosis

patients alive on December 31 of each year; 1996-1999, per ten million population, adjusted for & grouped by age, gender, & race

CYSTIC KIDNEY

	Specific Rates (Unadjusted)								Rates Adjusted For							
	Males				Females				Gender				Race		Gender & Race	
	White	Black	N Am	Asian	White	Black	N Am	Asian	White	Black	N Am	Asian	Male	Female		
0-4	16	16	.	.	20	*	.	*	18	10	.	.	15	17	16	
5-9	33	24	88	12	30	11	68	43	31	17	.	.	32	28	30	
10-14	39	44	141	12	48	27	21	19	44	35	.	.	39	44	42	
15-19	55	54	87	38	49	54	.	154	52	54	.	97	55	54	54	
20-29	78	56	154	57	89	48	27	58	83	52	89	56	74	82	78	
30-39	189	206	230	111	153	184	220	77	168	193	225	94	185	153	169	
40-49	813	834	1,032	498	528	784	475	341	682	839	769	435	827	566	694	
50-59	1,770	1,946	1,862	1,326	1,415	1,896	1,244	795	1,607	1,940	1,532	1,083	1,795	1,469	1,629	
60-64	1,797	2,381	1,110	1,641	1,676	1,895	2,392	1,175	1,734	2,133	1,771	1,399	1,858	1,690	1,771	
65-69	1,591	1,619	1,346	1,536	1,519	1,751	1,019	1,150	1,556	1,687	1,181	1,334	1,591	1,531	1,561	
70-79	1,054	1,729	653	1,461	954	1,460	638	901	984	1,566	609	1,141	1,127	999	1,061	
80+	474	1,211	.	828	260	594	208	451	351	868	.	597	547	307	423	
All	564	492	440	362	486	513	327	278	524	503	383	318	546	480	513	
Age Adj	562	674	560	476	458	603	423	326	508	634	493	395	568	468	515	

OTHER UROLOGIC

0-4	*	14	.	*	*	.	.	.	*	.	.	.	*	.	*
5-9	24	50	.	17	10	*	.	.	17	29	.	.	27	*	18
10-14	59	88	.	67	35	32	.	19	47	60	.	42	63	34	48
15-19	102	110	.	88	70	44	.	51	86	76	.	69	101	65	83
20-29	186	230	128	82	150	77	174	47	167	152	151	64	187	137	161
30-39	204	263	569	117	178	82	288	92	192	170	426	104	212	164	187
40-49	218	335	300	183	188	205	47	215	203	268	164	199	233	190	211
50-59	262	594	723	244	241	387	305	490	254	499	548	385	316	272	293
60-64	498	1,060	1,195	778	323	448	299	473	408	747	733	624	587	344	462
65-69	655	1,882	1,458	846	337	579	278	641	493	1,216	851	739	827	380	597
70-79	1,140	2,479	2,367	1,109	335	650	1,084	1,011	741	1,542	1,644	1,029	1,339	408	861
80+	1,379	2,744	4,076	1,697	192	588	104	812	759	1,631	1,981	1,252	1,564	266	899
All	274	381	372	192	168	168	155	192	220	269	263	192	285	169	226
Age Adj	286	547	595	275	161	196	197	237	213	350	368	251	311	164	226

UNKNOWN CAUSE

0-4	11	*	.	11	*	*	.	.	*	.	.	.	*	*	*
5-9	23	27	.	15	13	.	.	.	19	20	.	.	22	14	18
10-14	34	83	81	48	46	79	83	76	40	81	.	63	41	51	47
15-19	76	237	22	63	92	162	22	83	84	199	.	74	96	100	98
20-29	258	672	449	346	191	366	414	203	223	519	431	273	316	215	264
30-39	380	1,349	1,043	565	296	644	714	356	336	986	873	458	516	345	428
40-49	484	2,209	1,381	731	362	1,130	759	617	424	1,681	1,072	680	727	479	599
50-59	595	2,784	1,445	1,093	438	1,502	1,472	1,202	519	2,127	1,476	1,144	904	617	756
60-64	802	3,322	1,622	1,945	607	2,407	3,065	1,303	702	2,856	2,356	1,626	1,177	885	1,026
65-69	1,061	3,333	4,039	1,781	715	2,620	1,945	1,413	884	2,968	2,969	1,594	1,406	996	1,196
70-79	1,574	4,072	3,836	2,637	813	3,005	3,252	2,497	1,200	3,517	3,456	2,687	1,982	1,183	1,573
80+	2,052	4,079	1,112	3,187	808	2,766	3,122	2,557	1,395	3,366	2,197	2,836	2,302	1,145	1,710
All	452	1,222	770	583	331	825	706	532	390	1,013	738	556	555	407	479
Age Adj	468	1,576	1,060	773	307	953	933	650	377	1,248	1,002	706	601	386	481

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.



Table B.9 (continued)

Point Prevalent Rates of Reported ESRD: by Primary Diagnosis

patients alive on December 31 of each year; 1996-1999, per ten million population, adjusted for & grouped by age, gender, & race

	OTHER CAUSE								MISSING DISEASE						
	Specific Rates (Unadjusted)				Rates Adjusted For				Specific Rates (Unadjusted)				Rates Adjusted For		
	Males		Females		Gender				Race		Gender & Race				
	White	Black	N Am	Asian	White	Black	N Am	Asian	White	Black	N Am	Asian	Male	Female	& Race
0-4	173	239	123	111	85	107	176	40	128	172	150	75	178	87	132
5-9	253	331	177	92	116	178	205	111	183	252	191	103	256	125	189
10-14	416	610	403	242	232	260	249	254	322	431	324	249	434	237	333
15-19	606	859	895	432	390	597	663	532	495	724	775	484	633	425	527
20-29	942	1,603	1,410	752	779	2,189	1,281	1,055	856	1,905	1,345	907	1,023	971	998
30-39	1,187	3,382	1,883	816	1,143	3,996	2,017	1,259	1,164	3,686	1,952	1,043	1,459	1,516	1,489
40-49	1,238	5,236	2,746	1,004	1,245	4,662	2,436	1,676	1,244	4,958	2,610	1,361	1,760	1,711	1,734
50-59	1,460	5,172	3,502	1,282	1,564	4,294	3,021	2,133	1,525	4,708	3,312	1,727	1,951	1,959	1,954
60-64	1,979	5,131	5,464	1,911	1,776	4,548	1,720	2,163	1,874	4,834	3,539	2,046	2,407	2,145	2,272
65-69	2,481	4,439	4,151	2,627	1,998	4,179	4,539	2,250	2,236	4,306	4,350	2,435	2,754	2,310	2,527
70-79	3,090	5,870	4,244	3,326	2,026	4,426	4,208	2,680	2,551	5,145	4,103	2,991	3,483	2,369	2,912
80+	2,821	4,957	2,964	3,559	1,178	3,028	1,561	1,865	1,920	3,923	2,197	2,667	3,014	1,436	2,207
All	1,177	2,594	1,674	853	1,036	2,653	1,524	1,185	1,105	2,625	1,598	1,025	1,344	1,258	1,300
Age Adj	1,193	3,096	2,086	1,057	993	2,846	1,799	1,271	1,081	2,953	1,934	1,154	1,407	1,223	1,302
0-4	27	47	49	17	26	23	.	23	26	35	.	.	29	25	27
5-9	105	154	110	75	58	74	.	99	81	113	.	87	110	61	85
10-14	197	242	20	85	110	184	.	115	152	213	.	100	197	118	157
15-19	246	378	87	100	156	375	155	192	200	377	121	148	256	185	220
20-29	347	979	192	453	295	699	334	337	319	838	266	389	430	346	387
30-39	640	1,878	555	716	582	1,217	508	586	606	1,536	530	649	794	660	724
40-49	931	3,798	1,082	980	710	2,192	570	938	822	3,048	824	973	1,320	913	1,109
50-59	1,209	6,242	1,751	1,720	869	3,830	1,625	1,231	1,035	5,093	1,735	1,506	1,890	1,279	1,574
60-64	1,325	8,573	2,561	2,114	962	5,928	2,916	1,261	1,140	7,248	2,752	1,681	2,295	1,630	1,951
65-69	1,061	8,035	2,356	2,026	900	6,369	2,131	2,004	979	7,183	2,244	2,022	2,001	1,651	1,820
70-79	649	5,451	1,061	1,193	465	4,289	1,721	585	547	4,788	1,326	831	1,271	948	1,104
80+	326	3,276	556	704	184	1,776	416	511	254	2,487	.	606	714	402	552
All	598	2,173	562	670	467	1,613	549	578	532	1,879	556	622	796	622	707
Age Adj	594	2,776	746	773	457	1,838	698	611	523	2,283	723	686	829	607	710

." Zero patients in this cell.

Table B.10

Point Prevalent Counts of Reported ESRD Patients: by Diabetic Status & State*patients alive on December 31 of each year; after dropping patients in the U.S. Territories & in states designated as "unknown"*

ALL PATIENTS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Alabama	3,630	3,977	4,373	4,710	5,141	5,570	6,094	6,571	6,782	6,900
Alaska	154	180	211	235	398	634	529	397	394	396
Arizona	2,614	2,955	3,330	3,684	4,005	4,367	4,697	5,097	5,383	5,557
Arkansas	1,518	1,711	1,855	2,041	2,324	2,574	2,745	2,950	3,062	3,146
California	19,045	21,425	23,490	25,454	28,053	30,294	32,523	34,587	36,138	36,665
Colorado	1,681	1,860	2,095	2,303	2,524	2,658	2,858	3,080	3,250	3,317
Connecticut	2,176	2,413	2,603	2,771	3,054	3,259	3,472	3,703	3,806	3,823
Delaware	542	612	711	777	843	906	949	995	1,025	1,063
District of Columbia	941	1,048	1,170	1,259	1,296	1,405	1,492	1,569	1,577	1,560
Florida	9,985	11,152	12,412	13,423	14,453	15,538	16,822	17,819	18,458	18,585
Georgia	5,495	6,241	6,998	7,643	8,506	9,269	9,954	10,577	11,127	11,539
Hawaii	912	1,018	1,108	1,241	1,398	1,491	1,576	1,704	1,729	1,707
Idaho	497	548	585	637	701	745	821	905	947	1,032
Illinois	8,780	9,730	10,526	11,459	12,537	13,468	14,197	15,058	15,754	15,869
Indiana	3,603	3,952	4,383	4,767	4,996	5,536	5,859	6,262	6,658	6,902
Iowa	1,712	1,857	2,064	2,197	2,381	2,463	2,600	2,725	2,862	3,032
Kansas	1,500	1,655	1,793	1,874	2,058	2,188	2,304	2,517	2,605	2,692
Kentucky	2,234	2,504	2,811	3,036	3,107	3,446	3,641	3,887	4,111	4,256
Louisiana	3,675	4,058	4,497	4,845	5,281	5,803	6,181	6,744	7,154	7,536
Maine	603	644	691	767	853	946	996	1,066	1,133	1,150
Maryland	3,741	4,252	4,716	5,138	5,559	6,190	6,436	6,942	7,251	7,513
Massachusetts	3,621	3,996	4,421	4,777	5,202	5,535	5,807	6,186	6,435	6,263
Michigan	6,411	6,999	7,786	8,502	9,377	10,180	11,067	11,704	12,253	12,435
Minnesota	2,718	3,001	3,284	3,546	3,906	4,165	4,398	4,693	4,875	5,016
Mississippi	2,273	2,537	2,789	3,066	3,464	3,759	4,057	4,370	4,603	4,769
Missouri	3,655	4,036	4,372	4,767	5,204	5,597	5,962	6,297	6,632	6,850
Montana	435	491	520	574	621	689	724	781	810	876
Nebraska	903	995	1,139	1,207	1,343	1,442	1,501	1,620	1,699	1,780
Nevada	684	791	890	999	1,132	1,243	1,380	1,498	1,606	1,707
New Hampshire	551	597	630	662	723	776	800	848	896	907
New Jersey	5,747	6,440	6,987	7,460	8,211	8,878	9,401	9,969	10,521	11,007
New Mexico	1,059	1,218	1,364	1,499	1,603	1,750	1,921	2,101	2,187	2,270
New York	12,523	13,700	14,933	16,127	17,812	19,240	20,295	21,700	22,874	23,562
North Carolina	5,296	5,946	6,674	7,409	8,236	8,859	9,524	10,256	10,863	11,129
North Dakota	377	420	469	512	556	549	567	607	630	646
Ohio	7,469	8,229	9,063	9,763	10,394	11,515	12,206	12,916	13,605	14,064
Oklahoma	1,871	2,037	2,274	2,522	2,753	2,980	3,160	3,436	3,667	3,769
Oregon	1,613	1,833	1,948	2,108	2,300	2,444	2,582	2,705	2,823	2,888
Pennsylvania	9,041	9,929	10,765	11,407	12,592	13,628	14,358	15,089	15,587	15,938
Rhode Island	642	702	750	824	914	952	1,014	1,052	1,110	1,107
South Carolina	3,230	3,558	3,934	4,296	4,800	5,213	5,562	5,958	6,278	6,547
South Dakota	424	455	476	527	580	657	724	778	813	864
Tennessee	3,725	4,152	4,589	4,867	5,455	5,894	6,246	6,648	6,976	7,296
Texas	12,207	13,712	15,364	16,856	18,602	20,135	21,767	23,371	24,766	26,023
Utah	821	915	974	1,114	1,204	1,321	1,376	1,435	1,550	1,631
Vermont	252	289	307	325	354	400	431	479	516	537
Virginia	4,635	5,197	5,815	6,292	6,732	7,391	7,667	8,381	8,867	9,158
Washington	2,723	3,006	3,245	3,521	3,851	4,157	4,394	4,620	4,850	5,092
West Virginia	1,097	1,223	1,324	1,413	1,517	1,643	1,651	1,838	1,978	2,038
Wisconsin	3,180	3,568	3,925	4,214	4,588	4,899	5,220	5,533	5,860	6,099
Wyoming	203	213	223	240	255	276	302	328	338	363
All	174,424	193,977	213,656	231,657	253,749	274,917	292,810	312,352	327,674	336,871

Table B.10 (continued)

Point Prevalent Counts of Reported ESRD Patients: by Diabetic Status & State*patients alive on December 31 of each year; after dropping patients in the U.S. Territories & in states designated as "unknown"*

DIABETICS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Alabama	631	762	924	1,041	1,245	1,456	1,700	1,968	2,081	2,173
Alaska	32	33	45	58	102	192	171	146	135	143
Arizona	863	1,034	1,244	1,419	1,627	1,850	2,005	2,248	2,391	2,468
Arkansas	313	390	440	483	585	706	819	908	940	975
California	4,934	5,905	6,685	7,344	8,447	9,471	10,563	11,688	12,439	12,713
Colorado	500	579	686	786	860	920	1,025	1,135	1,198	1,248
Connecticut	492	599	658	715	820	931	1,016	1,166	1,203	1,180
Delaware	141	164	181	197	226	249	269	300	318	345
District of Columbia	231	242	292	308	308	341	415	447	431	433
Florida	2,218	2,601	3,045	3,350	3,748	4,076	4,725	5,237	5,532	5,670
Georgia	1,278	1,515	1,779	1,990	2,304	2,646	3,064	3,366	3,641	3,869
Hawaii	316	377	414	494	587	648	698	763	769	750
Idaho	147	156	174	198	226	237	272	316	340	384
Illinois	1,823	2,150	2,353	2,575	2,997	3,492	3,909	4,318	4,637	4,767
Indiana	825	973	1,142	1,222	1,248	1,522	1,726	1,909	2,131	2,256
Iowa	392	436	522	580	658	724	795	848	915	976
Kansas	373	442	490	516	608	657	719	798	890	932
Kentucky	481	572	676	732	725	891	1,013	1,136	1,254	1,340
Louisiana	852	1,040	1,239	1,332	1,489	1,703	1,959	2,250	2,467	2,634
Maine	129	138	152	174	202	235	256	293	326	325
Maryland	882	1,074	1,242	1,346	1,449	1,655	1,848	2,125	2,259	2,354
Massachusetts	726	852	1,036	1,123	1,300	1,462	1,596	1,770	1,864	1,798
Michigan	1,605	1,887	2,190	2,406	2,796	3,144	3,627	3,949	4,243	4,324
Minnesota	832	937	1,015	1,113	1,208	1,294	1,376	1,499	1,582	1,616
Mississippi	462	574	678	772	925	1,064	1,220	1,363	1,477	1,576
Missouri	839	988	1,120	1,278	1,470	1,654	1,815	2,018	2,215	2,264
Montana	149	167	186	200	219	262	279	304	317	342
Nebraska	270	303	358	401	441	517	550	599	635	674
Nevada	157	202	232	275	321	383	416	481	549	588
New Hampshire	127	138	147	151	174	198	208	235	259	261
New Jersey	1,311	1,584	1,751	1,888	2,209	2,560	2,866	3,131	3,437	3,662
New Mexico	355	451	545	628	699	788	907	1,010	1,072	1,139
New York	2,779	3,145	3,603	3,934	4,415	5,087	5,789	6,486	6,986	7,300
North Carolina	1,238	1,499	1,769	1,987	2,351	2,648	3,047	3,422	3,752	3,867
North Dakota	131	146	172	183	197	196	195	214	232	226
Ohio	1,949	2,166	2,482	2,718	2,955	3,429	3,846	4,289	4,725	4,983
Oklahoma	571	658	766	869	967	1,096	1,177	1,338	1,478	1,541
Oregon	422	477	520	564	642	713	786	872	892	925
Pennsylvania	2,156	2,489	2,818	2,978	3,392	3,912	4,220	4,592	4,903	5,050
Rhode Island	134	144	168	184	210	234	274	306	345	345
South Carolina	747	895	1,036	1,143	1,328	1,495	1,694	1,855	2,083	2,227
South Dakota	126	150	178	205	225	263	294	319	322	359
Tennessee	707	880	1,048	1,169	1,392	1,628	1,820	2,021	2,169	2,292
Texas	3,658	4,290	4,942	5,570	6,399	7,221	8,158	9,119	9,910	10,522
Utah	281	312	332	391	443	504	531	554	592	616
Vermont	66	73	80	83	102	125	139	158	177	182
Virginia	1,007	1,217	1,438	1,584	1,755	1,975	2,190	2,571	2,822	2,969
Washington	687	807	932	1,042	1,163	1,281	1,400	1,540	1,647	1,739
West Virginia	272	315	379	377	426	487	529	628	699	745
Wisconsin	873	1,045	1,187	1,275	1,398	1,527	1,654	1,819	1,940	2,026
Wyoming	61	62	60	74	87	107	120	133	135	146
All	42,551	50,035	57,551	63,425	72,070	81,856	91,690	101,960	109,756	114,239

Table B.10 (continued)

Point Prevalent Counts of Reported ESRD Patients: by Diabetic Status & State*patients alive on December 31 of each year; after dropping patients in the U.S. Territories & in states designated as "unknown"*

NON-DIABETICS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Alabama	2,999	3,215	3,449	3,669	3,896	4,114	4,394	4,603	4,701	4,727
Alaska	122	147	166	177	296	442	358	251	259	253
Arizona	1,751	1,921	2,086	2,265	2,378	2,517	2,692	2,849	2,992	3,089
Arkansas	1,205	1,321	1,415	1,558	1,739	1,868	1,926	2,042	2,122	2,171
California	14,111	15,520	16,805	18,110	19,606	20,823	21,960	22,899	23,699	23,952
Colorado	1,181	1,281	1,409	1,517	1,664	1,738	1,833	1,945	2,052	2,069
Connecticut	1,684	1,814	1,945	2,056	2,234	2,328	2,456	2,537	2,603	2,643
Delaware	401	448	530	580	617	657	680	695	707	718
District of Columbia	710	806	878	951	988	1,064	1,077	1,122	1,146	1,127
Florida	7,767	8,551	9,367	10,073	10,705	11,462	12,097	12,582	12,926	12,915
Georgia	4,217	4,726	5,219	5,653	6,202	6,623	6,890	7,211	7,486	7,670
Hawaii	596	641	694	747	811	843	878	941	960	957
Idaho	350	392	411	439	475	508	549	589	607	648
Illinois	6,957	7,580	8,173	8,884	9,540	9,976	10,288	10,740	11,117	11,102
Indiana	2,778	2,979	3,241	3,545	3,748	4,014	4,133	4,353	4,527	4,646
Iowa	1,320	1,421	1,542	1,617	1,723	1,739	1,805	1,877	1,947	2,056
Kansas	1,127	1,213	1,303	1,358	1,450	1,531	1,585	1,719	1,715	1,760
Kentucky	1,753	1,932	2,135	2,304	2,382	2,555	2,628	2,751	2,857	2,916
Louisiana	2,823	3,018	3,258	3,513	3,792	4,100	4,222	4,494	4,687	4,902
Maine	474	506	539	593	651	711	740	773	807	825
Maryland	2,859	3,178	3,474	3,792	4,110	4,535	4,588	4,817	4,992	5,159
Massachusetts	2,895	3,144	3,385	3,654	3,902	4,073	4,211	4,416	4,571	4,465
Michigan	4,806	5,112	5,596	6,096	6,581	7,036	7,440	7,755	8,010	8,111
Minnesota	1,886	2,064	2,269	2,433	2,698	2,871	3,022	3,194	3,293	3,400
Mississippi	1,811	1,963	2,111	2,294	2,539	2,695	2,837	3,007	3,126	3,193
Missouri	2,816	3,048	3,252	3,489	3,734	3,943	4,147	4,279	4,417	4,586
Montana	286	324	334	374	402	427	445	477	493	534
Nebraska	633	692	781	806	902	925	951	1,021	1,064	1,106
Nevada	527	589	658	724	811	860	964	1,017	1,057	1,119
New Hampshire	424	459	483	511	549	578	592	613	637	646
New Jersey	4,436	4,856	5,236	5,572	6,002	6,318	6,535	6,838	7,084	7,345
New Mexico	704	767	819	871	904	962	1,014	1,091	1,115	1,131
New York	9,744	10,555	11,330	12,193	13,397	14,153	14,506	15,214	15,888	16,262
North Carolina	4,058	4,447	4,905	5,422	5,885	6,211	6,477	6,834	7,111	7,262
North Dakota	246	274	297	329	359	353	372	393	398	420
Ohio	5,520	6,063	6,581	7,045	7,439	8,086	8,360	8,627	8,880	9,081
Oklahoma	1,300	1,379	1,508	1,653	1,786	1,884	1,983	2,098	2,189	2,228
Oregon	1,191	1,356	1,428	1,544	1,658	1,731	1,796	1,833	1,931	1,963
Pennsylvania	6,885	7,440	7,947	8,429	9,200	9,716	10,138	10,497	10,684	10,888
Rhode Island	508	558	582	640	704	718	740	746	765	762
South Carolina	2,483	2,663	2,898	3,153	3,472	3,718	3,868	4,103	4,195	4,320
South Dakota	298	305	298	322	355	394	430	459	491	505
Tennessee	3,018	3,272	3,541	3,698	4,063	4,266	4,426	4,627	4,807	5,004
Texas	8,549	9,422	10,422	11,286	12,203	12,914	13,609	14,252	14,856	15,501
Utah	540	603	642	723	761	817	845	881	958	1,015
Vermont	186	216	227	242	252	275	292	321	339	355
Virginia	3,628	3,980	4,377	4,708	4,977	5,416	5,477	5,810	6,045	6,189
Washington	2,036	2,199	2,313	2,479	2,688	2,876	2,994	3,080	3,203	3,353
West Virginia	825	908	945	1,036	1,091	1,156	1,122	1,210	1,279	1,293
Wisconsin	2,307	2,523	2,738	2,939	3,190	3,372	3,566	3,714	3,920	4,073
Wyoming	142	151	163	166	168	169	182	195	203	217
All	131,873	143,942	156,105	168,232	181,679	193,061	201,120	210,392	217,918	222,632

Table B.11

Point Prevalent Rates of Report ESRD: by Diabetic Status & State*patients alive on December 31 of each year; per million population, adjusted for age, gender, & race*

ALL PATIENTS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Alabama	941	1,018	1,097	1,161	1,250	1,338	1,442	1,529	1,552	1,555
Alaska	307	347	388	416	666	1,051	874	649	630	624
Arizona	735	805	874	922	955	1,002	1,038	1,090	1,118	1,120
Arkansas	661	739	787	853	959	1,048	1,103	1,170	1,199	1,215
California	659	725	781	832	903	957	997	1,027	1,053	1,047
Colorado	531	571	618	655	695	710	743	779	799	796
Connecticut	703	774	828	874	958	1,012	1,065	1,123	1,144	1,136
Delaware	889	984	1,121	1,183	1,246	1,304	1,331	1,352	1,354	1,373
District of Columbia	1,643	1,855	2,089	2,270	2,382	2,621	2,805	2,957	2,960	2,921
Florida	814	884	961	1,016	1,064	1,112	1,172	1,206	1,218	1,195
Georgia	905	999	1,085	1,150	1,242	1,317	1,371	1,409	1,435	1,442
Hawaii	874	939	1,004	1,100	1,220	1,282	1,319	1,398	1,412	1,368
Idaho	498	529	546	578	618	642	689	743	760	805
Illinois	751	825	884	953	1,034	1,102	1,150	1,207	1,249	1,247
Indiana	669	723	790	850	880	960	1,006	1,063	1,118	1,144
Iowa	639	683	751	793	849	871	915	953	993	1,044
Kansas	627	680	725	749	809	844	878	945	964	988
Kentucky	628	696	770	821	827	907	947	997	1,039	1,058
Louisiana	947	1,031	1,122	1,192	1,281	1,384	1,453	1,562	1,633	1,697
Maine	512	542	582	641	705	776	809	856	901	906
Maryland	865	962	1,045	1,113	1,177	1,275	1,295	1,364	1,391	1,409
Massachusetts	636	699	768	818	881	924	953	1,000	1,026	982
Michigan	717	772	847	913	994	1,064	1,143	1,194	1,237	1,244
Minnesota	655	711	763	808	873	914	949	995	1,017	1,028
Mississippi	938	1,032	1,118	1,207	1,337	1,429	1,521	1,607	1,666	1,699
Missouri	736	802	859	925	997	1,059	1,115	1,163	1,210	1,237
Montana	563	619	643	697	740	803	834	892	914	980
Nebraska	594	646	728	767	841	887	911	971	1,010	1,050
Nevada	600	645	692	735	783	811	847	866	889	903
New Hampshire	522	560	585	604	650	682	692	719	744	739
New Jersey	777	861	926	975	1,057	1,125	1,171	1,221	1,265	1,305
New Mexico	735	819	886	948	986	1,052	1,126	1,202	1,220	1,235
New York	727	790	855	916	995	1,058	1,103	1,162	1,205	1,225
North Carolina	825	910	1,002	1,088	1,182	1,245	1,308	1,375	1,423	1,427
North Dakota	641	715	773	845	903	876	895	955	991	1,011
Ohio	716	780	847	902	950	1,043	1,096	1,150	1,200	1,232
Oklahoma	621	667	731	799	863	920	962	1,030	1,084	1,098
Oregon	575	637	661	698	749	779	807	829	850	856
Pennsylvania	781	852	916	966	1,060	1,139	1,195	1,251	1,286	1,308
Rhode Island	666	726	780	852	941	973	1,028	1,060	1,107	1,093
South Carolina	990	1,071	1,162	1,242	1,360	1,449	1,513	1,578	1,622	1,652
South Dakota	622	663	686	751	818	916	999	1,067	1,105	1,163
Tennessee	794	868	943	979	1,076	1,139	1,183	1,235	1,273	1,308
Texas	754	824	896	957	1,027	1,074	1,124	1,173	1,213	1,244
Utah	480	521	538	593	621	661	670	684	724	751
Vermont	478	541	567	591	634	711	753	819	868	889
Virginia	800	876	956	1,012	1,061	1,139	1,159	1,239	1,283	1,297
Washington	578	617	649	687	731	768	794	817	840	865
West Virginia	632	700	750	796	851	918	919	1,020	1,092	1,119
Wisconsin	687	755	815	861	920	967	1,016	1,064	1,113	1,145
Wyoming	472	488	501	529	558	591	637	685	698	741

Table B.11 (continued)

Point Prevalent Rates of Report ESRD: by Diabetic Status & State*patients alive on December 31 of each year; per million population, adjusted for age, gender, & race*

DIABETICS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Alabama	163	195	232	258	304	350	402	458	477	491
Alaska	66	64	83	104	183	330	284	239	214	222
Arizona	248	287	331	359	389	427	445	482	499	498
Arkansas	133	165	185	201	242	286	329	361	368	376
California	172	201	223	241	273	299	322	345	362	364
Colorado	160	180	204	225	238	247	268	287	294	298
Connecticut	160	192	210	227	258	289	312	354	363	352
Delaware	233	263	283	297	332	358	377	405	417	445
District of Columbia	410	435	532	566	575	649	794	858	823	826
Florida	183	208	238	255	277	294	331	355	365	363
Georgia	211	244	277	301	338	378	424	450	470	484
Hawaii	310	355	387	451	527	570	592	635	633	606
Idaho	149	152	163	180	199	203	228	259	273	298
Illinois	164	191	206	222	256	295	325	355	376	384
Indiana	151	177	206	219	221	265	296	324	357	373
Iowa	149	162	190	209	235	257	281	297	318	337
Kansas	157	183	198	207	240	253	271	296	326	339
Kentucky	137	161	186	200	194	236	265	292	317	333
Louisiana	219	266	311	330	364	409	463	522	563	592
Maine	114	118	132	149	169	196	209	236	261	257
Maryland	206	244	276	292	308	342	373	420	436	442
Massachusetts	128	150	181	194	222	245	262	286	296	281
Michigan	178	207	237	258	296	329	375	403	430	434
Minnesota	205	225	238	257	273	287	299	320	332	332
Mississippi	191	235	272	305	358	406	458	503	535	561
Missouri	170	198	221	249	282	315	341	374	405	409
Montana	198	210	230	243	262	308	323	347	356	381
Nebraska	181	201	234	259	277	319	333	357	375	395
Nevada	143	168	182	205	225	252	256	279	305	313
New Hampshire	124	133	140	143	161	175	181	200	217	215
New Jersey	178	212	232	248	286	326	357	383	413	431
New Mexico	250	309	360	404	439	484	545	588	606	626
New York	165	185	210	227	250	282	315	347	368	379
North Carolina	192	229	266	293	339	374	420	460	493	497
North Dakota	224	247	287	309	321	310	306	334	365	353
Ohio	187	205	232	250	270	311	346	382	418	438
Oklahoma	191	217	248	278	305	340	360	401	435	447
Oregon	152	165	176	186	209	228	247	268	269	275
Pennsylvania	185	212	239	252	285	327	351	381	405	415
Rhode Island	138	147	172	188	216	239	277	308	345	342
South Carolina	229	270	307	331	379	418	463	493	539	563
South Dakota	181	222	261	296	320	372	408	441	440	481
Tennessee	152	185	214	235	275	315	346	376	397	412
Texas	228	260	290	318	356	386	420	456	484	502
Utah	165	177	185	211	230	253	260	265	277	284
Vermont	128	141	153	155	185	224	244	272	299	302
Virginia	172	203	236	255	278	306	333	382	411	424
Washington	146	165	186	202	220	236	252	272	285	296
West Virginia	156	180	214	215	241	273	296	349	386	410
Wisconsin	191	224	248	262	282	302	322	351	369	381
Wyoming	137	137	135	164	191	230	252	276	277	297

Table B.11 (continued)

Point Prevalent Rates of Report ESRD: by Diabetic Status & State*patients alive on December 31 of each year; per million population, adjusted for age, gender, & race*

NON-DIABETICS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Alabama	778	823	866	904	946	988	1,040	1,071	1,075	1,064
Alaska	241	284	305	313	483	721	590	411	416	401
Arizona	487	518	543	563	566	576	593	608	620	622
Arkansas	528	573	602	652	717	761	774	809	831	840
California	487	525	558	591	630	658	675	682	691	683
Colorado	372	391	414	430	457	463	475	491	505	498
Connecticut	544	582	618	647	700	723	753	769	781	784
Delaware	656	721	838	885	914	946	955	946	938	928
District of Columbia	1,232	1,421	1,557	1,704	1,807	1,972	2,011	2,098	2,138	2,096
Florida	630	676	723	760	787	818	842	851	853	832
Georgia	694	755	808	850	904	939	946	959	965	958
Hawaii	564	584	617	649	694	712	726	764	779	762
Idaho	349	378	383	398	419	438	461	483	487	507
Illinois	587	634	678	731	778	807	825	852	873	863
Indiana	517	546	583	632	659	696	710	740	761	771
Iowa	490	521	561	584	615	614	635	656	675	707
Kansas	470	497	527	541	569	591	607	649	638	649
Kentucky	491	535	584	621	633	671	682	705	722	725
Louisiana	727	766	811	862	917	976	990	1,039	1,070	1,105
Maine	399	425	451	492	536	580	600	620	641	649
Maryland	659	718	769	821	870	934	922	944	956	967
Massachusetts	508	549	587	625	659	679	692	715	729	701
Michigan	539	565	610	655	698	735	768	790	807	809
Minnesota	450	486	526	551	600	627	650	675	685	696
Mississippi	747	797	846	901	979	1,023	1,063	1,105	1,131	1,138
Missouri	566	604	638	677	715	744	774	789	806	828
Montana	366	409	414	454	478	495	511	545	557	599
Nebraska	413	445	495	508	563	568	578	614	635	655
Nevada	457	477	510	530	558	558	591	588	584	590
New Hampshire	398	428	445	461	489	507	511	518	527	525
New Jersey	599	649	694	727	771	799	814	837	853	874
New Mexico	485	510	526	544	548	568	581	614	614	610
New York	563	605	645	689	745	777	787	815	837	846
North Carolina	632	681	736	796	844	871	888	915	930	930
North Dakota	417	469	486	537	581	566	589	621	626	658
Ohio	529	575	616	652	680	732	750	767	783	795
Oklahoma	430	449	483	522	558	580	603	629	648	651
Oregon	424	472	485	512	540	551	560	561	581	581
Pennsylvania	596	640	677	714	774	812	844	870	881	892
Rhode Island	528	579	608	665	726	734	750	751	762	752
South Carolina	762	801	855	911	981	1,031	1,050	1,086	1,083	1,090
South Dakota	440	441	426	455	498	545	591	625	665	682
Tennessee	642	683	728	745	801	824	838	859	876	895
Texas	525	564	606	639	672	688	704	717	729	743
Utah	315	344	353	382	391	407	410	419	447	467
Vermont	350	401	415	437	449	487	509	547	569	587
Virginia	628	673	720	757	783	834	826	858	872	873
Washington	432	452	464	484	511	532	542	546	554	569
West Virginia	476	520	535	582	610	645	623	671	705	710
Wisconsin	496	531	567	598	638	665	694	714	744	764
Wyoming	335	351	366	365	366	362	385	409	421	444

Table B.12

Point Prevalent Counts of Reported ESRD Patients: by Diabetic Status & Network*patients alive on December 31 of each year; after dropping patients in U.S. Territories & in networks designated as "unknown"*

ALL PATIENTS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
1 CT, MA, ME, NH, RI, VT	7,851	8,645	9,406	10,133	11,107	11,887	12,539	13,346	13,907	13,801
2 NY	12,524	13,700	14,947	16,136	17,931	19,388	20,351	21,721	22,888	23,566
3 NJ, PR	5,743	6,440	6,977	7,449	8,206	8,891	9,398	9,955	10,502	10,982
4 DE, PA	9,587	10,548	11,487	12,194	13,401	14,413	15,225	16,078	16,611	17,010
5 MD, DC, VA, WV	10,412	11,719	13,021	14,096	15,090	16,623	17,248	18,733	19,678	20,274
6 NC, SC, GA	14,022	15,744	17,603	19,346	21,539	23,347	25,051	26,797	28,272	29,216
7 FL	9,985	11,150	12,409	13,421	14,430	15,510	16,809	17,811	18,452	18,580
8 AL, MS, TN	9,630	10,668	11,752	12,648	14,064	15,237	16,411	17,598	18,371	18,975
9 IN, KY, OH	13,309	14,687	16,264	17,570	18,506	20,524	21,715	23,066	24,375	25,222
10 IL	8,781	9,727	10,523	11,459	12,589	13,540	14,231	15,059	15,750	15,859
11 MI, MN, ND, SD, WI	13,110	14,447	15,945	17,311	19,050	20,518	22,032	23,356	24,479	25,110
12 IA, KS, MO, NE	7,771	8,545	9,373	10,051	10,990	11,700	12,375	13,163	13,802	14,358
13 AR, LA, OK	7,066	7,808	8,628	9,408	10,368	11,376	12,095	13,132	13,883	14,446
14 TX	12,207	13,713	15,365	16,860	18,520	20,093	21,784	23,373	24,772	26,027
15 AZ, CO, NV, NM, UT, WY	7,061	7,952	8,876	9,841	10,736	11,648	12,549	13,537	14,310	14,845
16 AK, ID, MT, OR, WA	5,417	6,055	6,494	7,046	7,731	8,329	8,834	9,341	9,770	10,235
17 N. CA, HI, GUAM, AS	8,319	9,286	10,127	11,068	12,141	12,959	13,847	14,906	15,363	15,529
18 S. CA	11,629	13,143	14,459	15,620	17,350	18,934	20,316	21,380	22,489	22,836
All	174,424	193,977	213,656	231,657	253,749	274,917	292,810	312,352	327,674	336,871
DIABETICS										
1 CT, MA, ME, NH, RI, VT	1,674	1,943	2,241	2,432	2,812	3,190	3,494	3,930	4,174	4,092
2 NY	2,779	3,145	3,607	3,937	4,435	5,109	5,800	6,491	6,987	7,299
3 NJ, PR	1,311	1,585	1,749	1,887	2,209	2,569	2,870	3,132	3,437	3,662
4 DE, PA	2,297	2,652	2,999	3,172	3,599	4,099	4,441	4,879	5,211	5,388
5 MD, DC, VA, WV	2,391	2,847	3,349	3,612	3,932	4,455	4,981	5,770	6,209	6,500
6 NC, SC, GA	3,262	3,908	4,582	5,119	5,984	6,793	7,810	8,647	9,480	9,965
7 FL	2,218	2,601	3,045	3,350	3,741	4,066	4,721	5,234	5,530	5,669
8 AL, MS, TN	1,801	2,217	2,651	2,985	3,568	4,156	4,744	5,354	5,728	6,042
9 IN, KY, OH	3,256	3,713	4,302	4,673	4,941	5,862	6,590	7,336	8,111	8,579
10 IL	1,825	2,151	2,353	2,575	3,009	3,515	3,925	4,322	4,640	4,767
11 MI, MN, ND, SD, WI	3,566	4,165	4,742	5,183	5,834	6,444	7,167	7,816	8,338	8,574
12 IA, KS, MO, NE	1,874	2,169	2,490	2,776	3,174	3,549	3,876	4,261	4,652	4,843
13 AR, LA, OK	1,736	2,088	2,445	2,684	3,045	3,515	3,960	4,498	4,887	5,149
14 TX	3,658	4,289	4,941	5,569	6,364	7,205	8,163	9,119	9,912	10,522
15 AZ, CO, NV, NM, UT, WY	2,217	2,640	3,100	3,575	4,045	4,572	5,017	5,565	5,939	6,208
16 AK, ID, MT, OR, WA	1,438	1,643	1,858	2,056	2,318	2,586	2,842	3,156	3,317	3,523
17 N. CA, HI, GUAM, AS	2,166	2,539	2,838	3,214	3,690	4,067	4,528	5,050	5,302	5,352
18 S. CA	3,082	3,740	4,259	4,626	5,370	6,104	6,761	7,400	7,902	8,105
All	42,551	50,035	57,551	63,425	72,070	81,856	91,690	101,960	109,756	114,239
NON-DIABETICS										
1 CT, MA, ME, NH, RI, VT	6,177	6,702	7,165	7,701	8,295	8,697	9,045	9,416	9,733	9,709
2 NY	9,745	10,555	11,340	12,199	13,496	14,279	14,551	15,230	15,901	16,267
3 NJ, PR	4,432	4,855	5,228	5,562	5,997	6,322	6,528	6,823	7,065	7,320
4 DE, PA	7,290	7,896	8,488	9,022	9,802	10,314	10,784	11,199	11,400	11,622
5 MD, DC, VA, WV	8,021	8,872	9,672	10,484	11,158	12,168	12,267	12,963	13,469	13,774
6 NC, SC, GA	10,760	11,836	13,021	14,227	15,555	16,554	17,241	18,150	18,792	19,251
7 FL	7,767	8,549	9,364	10,071	10,689	11,444	12,088	12,577	12,922	12,911
8 AL, MS, TN	7,829	8,451	9,101	9,663	10,496	11,081	11,667	12,244	12,643	12,933
9 IN, KY, OH	10,053	10,974	11,962	12,897	13,565	14,662	15,125	15,730	16,264	16,643
10 IL	6,956	7,576	8,170	8,884	9,580	10,025	10,306	10,737	11,110	11,092
11 MI, MN, ND, SD, WI	9,544	10,282	11,203	12,128	13,216	14,074	14,865	15,540	16,141	16,536
12 IA, KS, MO, NE	5,897	6,376	6,883	7,275	7,816	8,151	8,499	8,902	9,150	9,515
13 AR, LA, OK	5,330	5,720	6,183	6,724	7,323	7,861	8,135	8,634	8,996	9,297
14 TX	8,549	9,424	10,424	11,291	12,156	12,888	13,621	14,254	14,860	15,505
15 AZ, CO, NV, NM, UT, WY	4,844	5,312	5,776	6,266	6,691	7,076	7,532	7,972	8,371	8,637
16 AK, ID, MT, OR, WA	3,979	4,412	4,636	4,990	5,413	5,743	5,992	6,185	6,453	6,712
17 N. CA, HI, GUAM, AS	6,153	6,747	7,289	7,854	8,451	8,892	9,319	9,856	10,061	10,177
18 S. CA	8,547	9,403	10,200	10,994	11,980	12,830	13,555	13,980	14,587	14,731
All	131,873	143,942	156,105	168,232	181,679	193,061	201,120	210,392	217,918	222,632

Table B.13

Point Prevalent Rates of Reported ESRD: by Diabetic Status & Network*patients alive on December 31 of each year; per million population, adjusted for age, gender, & race*

ALL PATIENTS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
1 CT, MA, ME, NH, RI, VT	629	689	744	794	860	910	946	995	1,025	1,005
2 NY	738	801	868	931	1,015	1,078	1,119	1,180	1,223	1,244
3 NJ, PR	791	878	942	993	1,076	1,147	1,197	1,249	1,296	1,337
4 DE, PA	786	858	928	979	1,068	1,142	1,200	1,262	1,296	1,318
5 MD, DC, VA, WV	840	929	1,013	1,076	1,134	1,227	1,254	1,336	1,378	1,395
6 NC, SC, GA	892	979	1,068	1,146	1,245	1,295	1,337	1,405	1,453	1,471
7 FL	814	884	960	1,014	1,063	1,111	1,173	1,210	1,223	1,199
8 AL, MS, TN	877	956	1,036	1,095	1,197	1,275	1,350	1,422	1,459	1,483
9 IN, KY, OH	685	747	816	872	908	997	1,044	1,099	1,150	1,178
10 IL	758	832	888	959	1,043	1,114	1,161	1,218	1,261	1,261
11 MI, MN, ND, SD, WI	678	737	801	857	927	982	1,044	1,094	1,133	1,149
12 IA, KS, MO, NE	668	724	784	831	898	942	984	1,037	1,077	1,111
13 AR, LA, OK	762	832	902	970	1,056	1,142	1,197	1,280	1,334	1,371
14 TX	752	824	900	961	1,027	1,079	1,134	1,183	1,203	1,241
15 AZ, CO, NV, NM, UT, WY	570	619	663	701	735	772	799	837	860	870
16 AK, ID, MT, OR, WA	547	591	619	655	697	727	753	781	799	822
17 N. CA, HI, GUAM, AS	655	717	766	817	876	908	940	984	1,004	995
18 S. CA	641	706	760	800	872	932	976	996	1,025	1,020
DIABETICS										
1 CT, MA, ME, NH, RI, VT	136	157	180	193	220	246	265	294	310	300
2 NY	167	188	213	231	256	286	320	354	375	387
3 NJ, PR	181	218	239	255	294	336	369	397	427	446
4 DE, PA	187	214	241	254	287	326	351	385	409	420
5 MD, DC, VA, WV	194	228	263	279	299	332	367	417	440	453
6 NC, SC, GA	208	243	278	303	346	376	415	453	487	502
7 FL	183	209	238	256	278	294	332	358	367	366
8 AL, MS, TN	163	199	232	259	304	347	389	432	455	473
9 IN, KY, OH	168	189	216	232	243	286	318	351	384	402
10 IL	166	194	208	225	260	300	331	360	382	390
11 MI, MN, ND, SD, WI	180	208	233	251	279	303	334	361	381	387
12 IA, KS, MO, NE	161	184	207	228	258	284	306	332	360	372
13 AR, LA, OK	176	212	245	266	299	339	380	425	453	471
14 TX	227	260	292	321	357	390	426	463	481	501
15 AZ, CO, NV, NM, UT, WY	162	189	212	232	252	278	293	315	328	334
16 AK, ID, MT, OR, WA	143	156	173	188	205	221	237	259	267	277
17 N. CA, HI, GUAM, AS	165	191	210	230	259	273	293	320	335	334
18 S. CA	170	202	224	238	271	301	326	345	362	365
NON-DIABETICS										
1 CT, MA, ME, NH, RI, VT	493	532	565	601	641	664	682	701	716	705
2 NY	571	614	654	700	759	791	798	827	849	858
3 NJ, PR	610	660	703	738	782	811	828	852	870	891
4 DE, PA	598	644	687	725	781	816	849	877	887	897
5 MD, DC, VA, WV	645	702	750	797	835	895	887	919	938	942
6 NC, SC, GA	684	736	790	843	899	919	922	953	966	969
7 FL	631	675	723	759	785	816	841	852	856	833
8 AL, MS, TN	713	758	803	836	893	927	960	989	1,004	1,011
9 IN, KY, OH	517	558	600	640	665	711	726	748	766	776
10 IL	592	638	680	734	783	814	830	858	879	871
11 MI, MN, ND, SD, WI	498	529	568	605	648	679	710	733	752	763
12 IA, KS, MO, NE	507	540	577	603	639	658	679	704	717	739
13 AR, LA, OK	586	619	657	705	757	803	817	855	881	900
14 TX	525	563	608	641	670	689	708	720	723	740
15 AZ, CO, NV, NM, UT, WY	408	431	451	469	483	494	506	521	532	536
16 AK, ID, MT, OR, WA	404	435	446	467	492	506	516	522	532	545
17 N. CA, HI, GUAM, AS	490	526	556	587	617	635	646	664	669	662
18 S. CA	470	504	535	562	601	631	650	650	663	655

B