

 **SECTION D**

TREATMENT
MODALITIES

D

CONTENTS

- 349 D.1 Living ESRD Patients on December 31
point prevalent patients by treatment modality
- 350 D.2 Living ESRD Patients on December 31
point prevalent patients by dialysis/functioning graft status & age
- 351 D.3 Living ESRD Patients on December 31
point prevalent patients by dialysis/functioning graft status, gender, race, ethnicity, & primary diagnosis
- 352 D.4 Living ESRD Patients on December 31 for Selected Years
point prevalent patients by age
- 353 D.5 Living ESRD Patients on December 31 for Selected Years
point prevalent patients by gender, race, ethnicity, & primary diagnosis
- 355 D.6 Treatment Status Two Years after First ESRD Service
incident patients by gender, age at first service, & modality at 90 days, 1995-1997 combined
- 358 D.7 Living ESRD Patients on December 31 for Selected Years
point prevalent patients by year-end treatment modality & number of years patient has had ESRD
- 360 D.8 Living ESRD Patients on December 31 for Selected Years
point prevalent patients by year-end treatment modality & number of years on modality
- 362 D.9 Living Dialysis Patients on December 31 for Selected Years
point prevalent patients by state
- 365 D.10 Living Dialysis Patients on December 31
point prevalent patients by state, 1997-1999 combined

D

Table D.1
Living ESRD Patients on December 31
point prevalent patients by treatment modality

COUNTS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Modality										
Dialysis	128,498	143,077	158,304	171,426	193,143	209,069	218,149	231,497	240,097	243,320
Functioning graft	51,011	56,658	62,027	68,020	73,074	77,422	82,920	88,861	95,194	101,000
Dialysis type										
Center hemo	100,964	112,764	124,332	133,171	146,867	162,696	174,593	191,334	205,567	212,084
Center self hemo	1,064	1,030	973	850	706	699	660	631	583	517
Home hemo	3,179	3,407	3,643	3,587	3,527	4,521	4,965	4,401	3,721	3,148
CAPD	16,028	17,751	19,546	20,832	21,489	20,836	19,458	17,542	15,072	13,406
CCPD	1,805	2,274	3,004	3,762	4,875	7,445	9,072	9,844	9,772	9,178
Other PD	544	484	491	480	695	662	464	271	233	213
Uncertain Dialysis	4,914	5,367	6,315	8,744	14,984	12,210	8,937	7,474	5,149	4,774
All	179,509	199,735	220,331	239,446	266,217	286,491	301,069	320,358	335,291	344,320
PERCENTAGES										
Modality										
Dialysis	71.6	71.6	71.8	71.6	72.6	73.0	72.5	72.3	71.6	70.7
Functioning graft	28.4	28.4	28.2	28.4	27.4	27.0	27.5	27.7	28.4	29.3
Dialysis type										
Center hemo	78.6	78.8	78.5	77.7	76.0	77.8	80.0	82.7	85.6	87.2
Center self hemo	0.8	0.7	0.6	0.5	0.4	0.3	0.3	0.3	0.2	0.2
Home hemo	2.5	2.4	2.3	2.1	1.8	2.2	2.3	1.9	1.5	1.3
CAPD	12.5	12.4	12.3	12.2	11.1	10.0	8.9	7.6	6.3	5.5
CCPD	1.4	1.6	1.9	2.2	2.5	3.6	4.2	4.3	4.1	3.8
Other PD	0.4	0.3	0.3	0.3	0.4	0.3	0.2	0.1	0.1	0.1
Uncertain Dialysis	3.8	3.8	4.0	5.1	7.8	5.8	4.1	3.2	2.1	2.0
All	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table D.2

Living ESRD Patients on December 31*point prevalent patients by dialysis/functioning graft status & age*

DIALYSIS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
0 - 4	138	156	169	177	221	254	253	227	228	232
5 - 9	170	147	150	155	206	211	195	213	188	190
10 - 14	359	349	359	368	421	453	431	442	435	394
15 - 19	920	922	972	1,019	1,039	1,107	1,105	1,124	1,125	1,041
20 - 24	2,162	2,263	2,450	2,543	2,787	2,924	2,804	2,753	2,778	2,662
25 - 29	3,945	4,019	4,224	4,328	4,816	5,108	5,068	5,175	5,288	5,103
30 - 34	5,745	6,139	6,481	6,888	7,691	8,063	7,826	7,766	7,588	7,451
35 - 39	7,284	7,831	8,603	9,065	10,323	11,045	10,923	11,091	11,139	11,075
40 - 44	8,646	9,565	10,410	11,142	12,383	13,701	14,064	14,698	15,000	14,942
45 - 49	8,996	10,258	11,357	12,556	14,628	16,537	17,470	18,093	18,697	18,827
50 - 54	10,287	11,233	12,670	13,856	16,197	17,592	18,687	20,071	21,212	22,281
55 - 59	12,407	13,624	14,853	16,047	18,155	19,819	20,833	22,351	23,538	23,991
60 - 64	15,841	16,978	18,212	19,302	21,487	23,385	24,213	25,577	26,520	26,547
65 - 69	18,140	20,087	22,179	23,857	25,894	27,117	27,925	29,185	29,700	29,772
70 - 74	15,251	17,983	20,356	22,381	25,097	26,565	27,638	29,556	30,441	30,442
75 - 79	10,587	12,459	14,114	15,434	17,647	19,455	21,211	23,529	25,058	26,095
80 - 84	5,482	6,433	7,623	8,634	9,900	10,886	11,775	13,086	14,045	14,657
85+	2,096	2,573	3,053	3,602	4,154	4,706	5,287	6,031	6,813	7,454
Missing/unknown	42	58	69	72	97	141	441	529	304	164
All	128,498	143,077	158,304	171,426	193,143	209,069	218,149	231,497	240,097	243,320
FUNCTIONING GRAFT										
0 - 4	187	202	215	232	222	198	220	212	214	226
5 - 9	561	628	626	665	648	653	657	719	705	720
10 - 14	835	880	939	993	1,053	1,132	1,198	1,196	1,271	1,319
15 - 19	1,419	1,467	1,475	1,579	1,760	1,824	1,838	1,910	1,943	2,072
20 - 24	2,493	2,674	2,785	2,830	2,803	2,686	2,709	2,719	2,774	2,910
25 - 29	4,560	4,698	4,699	4,803	4,767	4,784	4,888	4,990	4,981	4,888
30 - 34	6,267	6,824	7,190	7,596	7,794	7,863	7,855	7,864	7,972	7,940
35 - 39	7,492	8,009	8,545	9,082	9,546	9,859	10,350	10,747	11,111	11,335
40 - 44	7,160	8,078	8,840	9,671	10,269	10,854	11,397	12,000	12,683	13,336
45 - 49	5,824	6,736	7,697	8,733	9,748	10,624	11,549	12,218	13,059	13,643
50 - 54	5,084	5,586	6,369	7,218	7,961	8,601	9,619	10,869	12,066	13,353
55 - 59	4,063	4,680	5,270	5,944	6,543	7,050	7,711	8,779	9,839	10,771
60 - 64	3,080	3,615	4,077	4,576	5,062	5,581	6,286	6,913	7,688	8,426
65 - 69	1,412	1,793	2,290	2,811	3,287	3,736	4,242	4,773	5,341	5,933
70 - 74	393	576	782	1,002	1,256	1,509	1,803	2,209	2,607	2,965
75 - 79	93	118	138	185	244	351	451	582	736	906
80 - 84	15	19	18	29	40	46	69	80	110	156
85+	11	14	12	11	11	15	20	22	35	43
Missing/unknown	62	61	60	60	60	56	58	59	59	58
All	51,011	56,658	62,027	68,020	73,074	77,422	82,920	88,861	95,194	101,000

Table D.3

Living ESRD Patients on December 31*point prevalent patients by dialysis/functioning graft status, gender, race, ethnicity, & primary diagnosis*

DIALYSIS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Male	66,690	74,386	82,112	88,994	99,851	108,137	113,352	120,653	125,818	128,101
Female	61,783	68,648	76,140	82,368	93,135	100,721	104,318	110,293	113,975	115,051
Unknown	25	43	52	64	157	211	479	551	304	168
White	74,162	82,276	90,191	95,989	106,311	113,649	117,784	125,678	130,075	133,119
Black	48,335	53,732	59,790	65,395	72,771	79,305	83,882	88,319	91,918	92,356
Native American	1,727	2,005	2,355	2,598	2,943	3,404	3,839	3,850	4,240	4,184
Asian	3,554	4,086	4,604	5,373	6,353	7,369	7,924	8,298	8,722	8,766
Other/unknown	720	978	1,364	2,071	4,765	5,342	4,720	5,352	5,142	4,895
Hispanic						15,755	20,282	23,468	25,981	27,422
Non-Hispanic						193,314	197,867	208,029	214,116	215,898
Diabetes	35,015	41,567	48,342	53,007	61,138	69,872	77,859	86,699	92,918	96,147
Hypertension	35,970	40,873	46,116	49,425	54,937	57,506	59,701	62,788	65,079	66,080
Glomerulonephritis	20,050	21,413	22,846	24,134	26,115	28,088	29,264	30,292	30,700	30,186
Cystic kidney	5,449	5,764	6,033	6,216	6,643	6,998	7,075	7,130	7,211	7,184
Other urologic	2,330	2,767	3,122	3,230	3,485	3,840	4,159	4,455	4,588	4,681
Other cause	14,995	15,630	16,364	16,759	18,156	20,416	21,589	22,773	23,710	24,024
Unknown cause	6,428	6,947	7,419	7,561	8,075	8,410	8,729	9,076	9,377	9,464
Missing cause	8,261	8,116	8,062	11,094	14,594	13,939	9,773	8,284	6,514	5,554
All	128,498	143,077	158,304	171,426	193,143	209,069	218,149	231,497	240,097	243,320
FUNCTIONING GRAFT										
Male	30,777	34,041	37,131	40,633	43,634	46,245	49,389	52,993	56,603	59,928
Female	20,233	22,616	24,895	27,386	29,438	31,175	33,526	35,862	38,585	41,066
Unknown	*	*	*	*	*	*	*	*	*	*
White	38,688	42,963	46,989	51,513	54,962	58,059	61,851	65,908	70,371	74,317
Black	8,216	9,188	10,080	11,128	12,340	13,289	14,559	15,904	17,169	18,445
Native American	524	603	675	750	833	894	951	1,017	1,088	1,181
Asian	1,523	1,731	2,010	2,258	2,515	2,730	3,014	3,335	3,664	3,945
Other/unknown	2,060	2,173	2,273	2,371	2,424	2,450	2,545	2,697	2,902	3,112
Hispanic						6,590	7,299	8,031	8,888	9,656
Non-Hispanic						70,832	75,621	80,830	86,306	91,344
Diabetes	8,314	9,444	10,466	11,894	13,119	14,124	15,561	17,007	18,616	19,935
Hypertension	5,690	6,295	7,018	7,745	8,609	9,290	10,120	10,929	11,798	12,506
Glomerulonephritis	13,247	14,601	15,868	17,046	18,181	19,138	20,346	21,766	23,274	24,616
Cystic kidney	3,359	3,792	4,295	4,743	5,141	5,586	6,068	6,673	7,285	7,809
Other urologic	753	860	957	1,116	1,228	1,352	1,518	1,665	1,861	2,033
Other cause	7,514	8,306	9,024	9,775	10,378	10,968	11,694	12,504	13,363	14,025
Unknown cause	2,844	3,056	3,247	3,455	3,648	3,743	3,903	4,122	4,346	4,477
Missing cause	9,290	10,304	11,152	12,246	12,770	13,221	13,710	14,195	14,651	15,599
All	51,011	56,658	62,027	68,020	73,074	77,422	82,920	88,861	95,194	101,000

*Values for cells with fewer than 10 patients are suppressed.

D

Table D.4
Living ESRD Patients on December 31 for Selected Years
point prevalent patients by age

1991	Center	Center	Home	CAPD	CCPD	Other PD	Uncertain		All
	Hemo	Self Hemo	Hemo				Dialysis	Transplant	
0-4	19	.	*	52	41	*	34	202	358
5-9	42	.	*	33	34	12	25	628	775
10-14	125	.	*	85	68	11	52	880	1,229
15-19	511	*	26	191	96	16	75	1,467	2,389
20-29	4,434	64	199	1,053	186	19	327	7,372	13,654
30-39	9,948	139	458	2,460	316	52	597	14,833	28,803
40-49	14,709	189	584	3,233	377	62	669	14,814	34,637
50-59	19,555	192	643	3,306	372	56	733	10,266	35,123
60-64	13,780	107	381	1,961	204	46	499	3,615	20,593
65-69	16,250	131	412	2,203	238	69	784	1,793	21,880
70-79	25,491	169	565	2,653	279	93	1,192	694	31,136
80+	7,856	31	126	515	62	40	376	33	9,039
Unknown	44	*	*	*	*	.	*	61	119
All	112,764	1,030	3,407	17,751	2,274	484	5,367	56,658	199,735
1995									
0-4	67	*	*	24	109	*	41	198	452
5-9	65	.	*	24	75	*	35	653	864
10-14	165	.	12	48	116	17	95	1,132	1,585
15-19	603	*	24	134	171	13	160	1,824	2,931
20-29	5,395	36	226	1,089	482	24	780	7,470	15,502
30-39	13,094	103	569	2,606	938	69	1,729	17,722	36,830
40-49	21,731	131	852	3,886	1,298	138	2,202	21,478	51,716
50-59	28,402	130	921	4,283	1,347	125	2,203	15,651	53,062
60-64	18,526	66	414	2,279	764	80	1,256	5,581	28,966
65-69	21,994	76	540	2,423	821	67	1,196	3,736	30,853
70-79	38,819	122	756	3,263	1,120	92	1,848	1,860	47,880
80+	13,722	32	194	767	197	23	657	61	15,653
Unknown	113	.	*	10	*	.	*	56	197
All	162,696	699	4,521	20,836	7,445	662	12,210	77,422	286,491
1999									
0-4	55	.	*	23	129	*	19	226	458
5-9	71	.	*	10	84	*	19	720	910
10-14	169	.	*	18	151	*	45	1,319	1,713
15-19	664	*	13	65	196	*	99	2,072	3,113
20-29	6,161	24	122	578	507	14	359	7,798	15,563
30-39	14,875	51	324	1,564	1,024	23	665	19,275	37,801
40-49	27,862	111	646	2,482	1,624	37	1,007	26,979	60,748
50-59	39,577	83	671	3,046	1,845	45	1,005	24,124	70,396
60-64	23,407	46	285	1,457	830	21	501	8,426	34,973
65-69	26,625	56	329	1,447	974	13	328	5,933	35,705
70-79	51,692	112	571	2,154	1,476	34	498	3,871	60,408
80+	20,787	33	174	554	327	*	228	199	22,310
Unknown	139	.	*	*	11	.	*	58	222
All	212,084	517	3,148	13,406	9,178	213	4,774	101,000	344,320

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

Table D.5
Living ESRD Patients on December 31 for Selected Years

point prevalent patients by gender, race, ethnicity, & primary diagnosis

	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	Transplant	All
1991									
Male	58,304	583	1,775	9,435	1,199	251	2,839	34,041	108,427
Female	54,428	446	1,630	8,310	1,075	233	2,526	22,616	91,264
Unknown	32	*	*	*	.	.	*	*	44
White	61,748	615	2,097	12,523	1,619	317	3,357	42,963	125,239
Black	45,684	353	1,148	4,518	586	152	1,291	9,188	62,920
Native American	1,576	12	75	258	21	*	55	603	2,608
Asian	3,388	40	73	412	47	*	120	1,731	5,817
Other/unknown	368	10	14	40	*	*	544	2,173	3,151
Hispanic									
Non-Hispanic									
Diabetes	33,198	184	709	5,274	582	138	1,482	9,444	51,011
Hypertension	33,763	213	739	4,236	497	108	1,317	6,295	47,168
Glomerulonephritis	15,752	240	729	3,442	461	65	724	14,601	36,014
Cystic kidney	4,280	70	246	876	132	14	146	3,792	9,556
Other urologic	2,253	31	52	268	35	14	114	860	3,627
Other cause	11,934	122	433	2,181	358	84	518	8,306	23,936
Unknown cause	5,522	48	165	798	101	30	283	3,056	10,003
Missing cause	6,062	122	334	676	108	31	783	10,304	18,420
All	112,764	1,030	3,407	17,751	2,274	484	5,367	56,658	199,735
1995									
Male	84,267	392	2,336	10,674	3,979	370	6,119	46,245	154,382
Female	78,317	307	2,182	10,152	3,459	292	6,012	31,175	131,896
Unknown	112	.	*	10	*	.	79	*	213
White	85,549	403	2,615	13,756	5,099	390	5,837	58,059	171,708
Black	66,831	248	1,564	5,689	1,898	203	2,872	13,289	92,594
Native American	2,683	12	192	340	79	14	84	894	4,298
Asian	5,757	32	127	848	281	33	291	2,730	10,099
Other/unknown	1,876	*	23	203	88	22	3,126	2,450	7,792
Hispanic	12,688	24	366	1,529	574	58	516	6,590	22,345
Non-Hispanic	150,008	675	4,155	19,307	6,871	604	11,694	70,832	264,146
Diabetes	56,788	132	1,221	6,829	2,295	228	2,379	14,124	83,996
Hypertension	47,869	147	1,061	4,898	1,649	133	1,749	9,290	66,796
Glomerulonephritis	20,392	175	877	3,862	1,393	108	1,281	19,138	47,226
Cystic kidney	5,061	43	244	934	366	38	312	5,586	12,584
Other urologic	3,107	24	70	352	124	10	153	1,352	5,192
Other cause	15,482	88	538	2,290	1,015	104	899	10,968	31,384
Unknown cause	6,646	31	209	817	285	30	392	3,743	12,153
Missing cause	7,351	59	301	854	318	11	5,045	13,221	27,160
All	162,696	699	4,521	20,836	7,445	662	12,210	77,422	286,491

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

On our website: living ESRD patients by age, gender, race, and primary diagnosis (Table D.a), and by ESRD network (Table D.b).

D

Table D.5 (continued)

Living ESRD Patients on December 31 for Selected Years*point prevalent patients by gender, race, ethnicity, & primary diagnosis*

1999	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain		All
							Dialysis	Transplant	
Male	111,907	289	1,669	6,669	4,801	100	2,666	59,928	188,029
Female	100,038	228	1,474	6,729	4,366	113	2,103	41,066	156,117
Unknown	139	.	*	*	11	.	*	*	174
White	113,198	291	1,622	8,877	5,980	111	3,040	74,317	207,436
Black	83,661	186	1,236	3,438	2,497	80	1,258	18,445	110,801
Native American	3,655	10	141	230	108	*	39	1,181	5,365
Asian	7,521	23	113	606	347	11	145	3,945	12,711
Other/unknown	4,049	*	36	255	246	10	292	3,112	8,007
Hispanic	24,173	34	341	1,365	1,115	30	364	9,656	37,078
Non-Hispanic	187,911	483	2,807	12,041	8,063	183	4,410	91,344	307,242
Diabetes	86,045	134	828	4,979	3,062	71	1,028	19,935	116,082
Hypertension	59,459	118	812	2,968	2,007	32	684	12,506	78,586
Glomerulonephritis	24,368	115	621	2,446	1,747	45	844	24,616	54,802
Cystic kidney	5,779	27	154	611	412	*	193	7,809	14,993
Other urologic	4,078	15	52	251	180	*	97	2,033	6,714
Other cause	20,239	52	366	1,446	1,218	38	665	14,025	38,049
Unknown cause	8,200	27	151	518	376	*	183	4,477	13,941
Missing cause	3,916	29	164	187	176	*	1,080	15,599	21,153
All	212,084	517	3,148	13,406	9,178	213	4,774	101,000	344,320

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

Table D.6

Treatment Status Two Years after First ESRD Service*incident patients by gender, age at first service, & modality at 90 days, 1995-1997 combined*

ALL PATIENTS	Treatment status two years after first ESRD service (% of patients)						Patient Count
	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk Dialysis	Transplant	Death	
Age at first service							
0-19	21.3	0.8	14.7	3.8	54.3	5.1	2,674
20-44	46.8	1.0	11.5	2.3	24.9	13.5	31,757
45-64	53.8	1.0	9.5	1.7	9.6	24.5	68,017
65+	46.8	0.6	4.6	1.1	0.9	46.1	91,078
Modality on day 90							
Center hemo	58.5	0.1	2.0	0.4	5.5	33.5	150,567
Home hemo	4.7	39.7	10.1	0.6	7.1	37.9	2,297
CAPD/CCPD	13.1	1.9	41.5	1.0	13.9	28.6	26,112
Other/unknown dialysis	28.9	0.7	6.0	19.2	5.0	40.2	10,159
Transplant	1.4	0.1	0.5	1.4	93.5	3.2	4,391
Interaction of age at first service & modality on day 90							
0-19	Center hemo						
	47.8	0.1	4.5	2.0	38.7	6.9	992
	Home hemo						
	8.1	37.8	13.5	2.7	35.1	2.7	37
	CAPD/CCPD						
	6.9	0.6	33.4	1.9	50.8	6.3	939
	Other/unknown dialysis						
	14.7	.	14.0	34.6	34.6	2.2	136
	Transplant						
	1.2	0.2	1.8	2.6	93.2	1.1	570
20-44	Center hemo						
	62.1	0.2	3.9	0.8	18.1	14.8	21,907
	Home hemo						
	6.8	43.1	16.0	0.5	17.8	15.8	399
	CAPD/CCPD						
	13.4	1.8	43.5	1.3	28.7	11.3	5,965
	Other/unknown dialysis						
	26.5	0.7	8.9	31.8	15.3	16.7	1,428
	Transplant						
	1.8	.	0.4	1.2	94.2	2.4	2,058
45-64	Center hemo						
	65.4	0.1	2.6	0.5	6.6	24.8	52,045
	Home hemo						
	5.3	49.1	9.5	0.4	8.8	26.9	804
	CAPD/CCPD						
	13.9	2.0	45.8	1.1	12.5	24.8	10,445
	Other/unknown dialysis						
	33.4	1.0	7.8	23.7	7.0	27.0	3,136
	Transplant						
	0.8	0.1	0.3	1.3	92.7	4.8	1,587
65+	Center hemo						
	52.8	0.1	0.9	0.3	0.7	45.2	75,623
	Home hemo						
	3.3	31.4	8.1	0.7	0.7	55.8	1,057
	CAPD/CCPD						
	12.7	1.9	35.8	0.7	1.5	47.4	8,763
	Other/unknown dialysis						
	27.2	0.5	4.0	13.0	0.5	54.8	5,459
	Transplant						
	1.7	.	.	0.6	93.2	4.5	176
All	48.9	0.8	7.6	1.5	8.6	32.6	193,526

*Values for cells with fewer than 10 patients are suppressed.

"." Zero patients in this cell.

Excludes ESRD patients with unknown age.

On our website: modality at two years after first ESRD service by gender, age, and modality at 90 days--pediatric patients (Table D.c), and by age, gender, race, and diabetic status (Table D.d).

D

Table D.6 (continued)

Treatment Status Two Years after First ESRD Service

incident patients by gender, age at first service, & modality at 90 days, 1995-1997 combined

MALES	Treatment status two years after first ESRD service (% of patients)						Patient Count
	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk Dialysis	Transplant	Death	
Age at first service							
0-19	19.7	0.8	12.0	3.7	58.7	5.0	1,519
20-44	48.1	1.0	9.8	2.1	24.9	14.1	18,933
45-64	53.1	1.1	9.2	1.5	10.9	24.3	36,552
65+	45.2	0.6	5.1	0.9	1.2	47.0	46,014
Modality on day 90							
Center hemo	57.8	0.1	2.0	0.4	6.5	33.3	79,929
Home hemo	5.0	38.6	10.1	0.5	9.0	36.8	1,254
CAPD/CCPD	12.9	2.1	40.6	1.0	14.7	28.8	14,074
Other/unknown dialysis	29.4	0.8	6.5	18.1	5.7	39.5	5,192
Transplant	1.3	0.1	0.4	1.2	94.0	3.0	2,569
Interaction of age at first service & modality on day 90							
0-19	Center hemo						
	44.8	.	2.9	1.8	43.9	6.6	558
	Home hemo						
	5.3	36.8	10.5	5.3	36.8	5.3	19
	CAPD/CCPD						
	6.5	0.8	30.1	2.4	53.9	6.3	492
	Other/unknown dialysis						
	17.5		15.0	33.8	30.0	3.8	80
	Transplant						
	0.8	0.3	1.4	1.6	94.9	1.1	370
20-44	Center hemo						
	62.1	0.1	3.1	0.6	18.6	15.3	13,496
	Home hemo						
	7.1	41.6	14.3	0.4	20.6	16.0	238
	CAPD/CCPD						
	14.0	2.1	41.4	1.2	29.3	12.0	3,235
	Other/unknown dialysis						
	28.3	0.7	7.5	32.2	14.3	17.0	817
	Transplant						
	1.7	.	0.3	1.0	94.5	2.4	1,147
45-64	Center hemo						
	64.6	0.1	2.5	0.5	7.6	24.7	28,017
	Home hemo						
	6.2	48.1	8.5	0.4	11.3	25.5	470
	CAPD/CCPD						
	13.1	2.3	45.1	1.1	13.8	24.6	5,493
	Other/unknown dialysis						
	33.9	1.2	7.7	21.2	8.7	27.2	1,624
	Transplant						
	1.1	0.2	0.1	1.4	92.8	4.4	948
65+	Center hemo						
	51.4	0.1	1.1	0.2	0.9	46.4	37,858
	Home hemo						
	3.0	28.8	9.7	0.4	0.8	57.3	527
	CAPD/CCPD						
	12.4	2.1	36.0	0.6	1.9	46.9	4,854
	Other/unknown dialysis						
	27.3	0.6	5.2	11.4	0.4	55.0	2,671
	Transplant						
	1.9	.	.	.	95.2	2.9	104
All	48.2	0.9	7.5	1.4	9.8	32.3	103,018

." Zero patients in this cell.

Table D.6 (continued)

Treatment Status Two Years after First ESRD Service*incident patients by gender, age at first service, ethnicity, & modality at 90 days, 1995-1997 combined*

FEMALES	Treatment status two years after first ESRD service (% of patients)						Patient Count	
	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk Dialysis	Transplant	Death		
Age at first service								
0-19	23.3	0.9	18.2	3.9	48.5	5.3	1,155	
20-44	44.9	1.1	14.0	2.5	25.0	12.5	12,824	
45-64	54.6	0.9	9.8	1.8	8.0	24.7	31,465	
65+	48.3	0.6	4.0	1.3	0.7	45.1	45,064	
Modality on day 90								
Center hemo	59.3	0.1	2.0	0.5	4.4	33.8	70,638	
Home hemo	4.3	41.1	10.0	0.7	4.7	39.2	1,043	
CAPD/CCPD	13.5	1.6	42.5	1.0	13.0	28.4	12,038	
Other/unknown dialysis	28.3	0.6	5.5	20.5	4.3	40.8	4,967	
Transplant	1.4	.	0.7	1.6	92.8	3.5	1,822	
Interaction of age at first service & modality on day 90								
0-19	Center hemo	51.6	0.2	6.7	2.3	32.0	7.1	434
	Home hemo	11.1	38.9	16.7		33.3	.	18
	CAPD/CCPD	7.4	0.4	37.1	1.3	47.4	6.3	447
	Other/unknown dialysis	10.7	.	12.5	35.7	41.1	.	56
	Transplant	2.0	.	2.5	4.5	90.0	1.0	200
20-44	Center hemo	62.2	0.2	5.2	1.0	17.4	14.0	8,411
	Home hemo	6.2	45.3	18.6	0.6	13.7	15.5	161
	CAPD/CCPD	12.7	1.5	46.0	1.4	27.9	10.4	2,730
	Other/unknown dialysis	24.2	0.7	10.8	31.3	16.7	16.4	611
	Transplant	2.0	.	0.4	1.3	93.9	2.4	911
45-64	Center hemo	66.4	0.1	2.6	0.5	5.4	25.0	24,028
	Home hemo	4.2	50.6	10.8	0.3	5.4	28.7	334
	CAPD/CCPD	14.8	1.6	46.6	1.1	11.0	24.9	4,952
	Other/unknown dialysis	32.9	0.7	7.9	26.4	5.2	26.9	1,512
	Transplant	0.5	.	0.5	1.3	92.5	5.3	639
65+	Center hemo	54.3	0.1	0.8	0.3	0.5	44.1	37,765
	Home hemo	3.6	34.0	6.6	0.9	0.6	54.3	530
	CAPD/CCPD	13.0	1.7	35.5	0.7	1.1	48.1	3,909
	Other/unknown dialysis	27.1	0.5	2.9	14.6	0.5	54.5	2,788
	Transplant	1.4	.	.	1.4	90.3	6.9	72
All		49.7	0.8	7.6	1.7	7.3	32.9	90,508

." Zero patients in this cell.

D

Table D.7

Living ESRD Patients on December 31 for Selected Years*point prevalent patients by year-end treatment modality & number of years patient has had ESRD*

1991	Dialysis	Functioning Graft	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	All
0	45,040	3,041	33,820	151	307	6,342	682	173	3,565	48,081
1	28,767	5,070	22,876	128	412	4,042	583	104	622	33,837
2	18,684	6,255	15,243	102	397	2,363	349	55	175	24,939
3	12,529	6,151	10,305	68	366	1,383	193	37	177	18,680
4	8,549	5,404	6,970	69	330	920	117	29	114	13,953
5	6,179	4,886	4,990	61	301	622	76	22	107	11,065
6	4,601	4,247	3,676	61	218	492	57	20	77	8,848
7	3,635	3,734	2,959	46	161	350	38	12	69	7,369
8	2,958	3,216	2,379	55	151	271	34	*	62	6,174
9	2,383	3,052	1,894	46	119	219	41	*	55	5,435
10	2,041	2,521	1,668	50	92	157	29	*	40	4,562
11	1,493	1,841	1,187	37	96	125	19	*	27	3,334
12	1,390	1,721	1,111	32	95	108	17	*	23	3,111
13	1,142	1,459	906	34	79	90	11	*	20	2,601
14	1,763	1,613	1,435	45	147	96	14	*	22	3,376
15	478	569	357	12	40	42	*	.	26	1,047
16	526	533	379	*	34	47	*	.	54	1,059
17	421	451	267	17	33	31	*	.	69	872
18	345	407	234	*	20	29	*	.	51	752
19	47	118	32	.	*	*	.	.	*	165
20	42	92	30	.	*	*	.	.	*	134
21	21	57	15	.	*	*	*	.	*	78
22	17	144	14	*	.	*	.	.	*	161
23	12	28	*	.	*	*	.	.	*	40
24	*	*	*	.	.	*	.	.	.	*
25	*	*	.	.	.	*	.	.	.	10
26	*	32	*	.	.	*	.	.	.	41
27	.	*	*
28	*	*	*	*
All	143,077	56,658	112,764	1,030	3,407	17,751	2,274	484	5,367	199,735
1995										
0	64,738	2,830	47,592	108	636	6,616	2,502	248	7,036	67,568
1	43,763	5,163	34,209	47	595	4,844	1,633	248	2,187	48,926
2	26,857	6,744	21,502	41	543	2,983	1,114	40	634	33,601
3	19,206	7,264	15,503	62	491	1,907	654	34	555	26,470
4	13,382	7,053	10,820	56	403	1,236	411	20	436	20,435
5	9,242	6,811	7,583	41	304	783	271	16	244	16,053
6	6,830	6,317	5,643	35	229	549	176	*	190	13,147
7	5,002	5,576	4,092	19	201	395	134	*	153	10,578
8	3,684	4,636	2,953	30	173	276	121	*	125	8,320
9	2,910	4,020	2,314	29	155	236	69	12	95	6,930
10	2,431	3,433	1,907	27	121	198	80	*	92	5,864
11	1,962	2,987	1,548	27	106	156	51	*	71	4,949
12	1,665	2,605	1,311	27	85	135	50	*	53	4,270
13	1,421	2,431	1,097	22	85	116	39	*	60	3,852
14	1,190	2,052	950	26	56	80	27	*	49	3,242
15	943	1,530	719	16	63	74	34	*	35	2,473
16	895	1,419	679	20	68	67	18	*	42	2,314
17	684	1,221	538	19	48	48	12	.	19	1,905
18	1,007	1,376	820	21	80	44	19	.	23	2,383
19	313	460	236	*	22	24	*	.	17	773
20	322	440	243	*	19	19	*	.	29	762
21	252	385	170	11	18	15	*	*	31	637
22	220	346	160	*	13	16	*	.	22	566
23	41	101	27	.	*	*	*	.	*	142
24	24	78	15	.	*	*	*	.	*	102
25	15	45	10	.	.	*	*	.	*	60
26	47	49	38	.	*	*	*	.	*	96
27	10	27	*	.	*	*	.	.	*	37
28	*	*	*	*
29	*	*	*	.	10
30	11	*	*	.	.	*	.	.	.	17
31	.	*	*
32	.	*	*
All	209,069	77,422	162,696	699	4,521	20,836	7,445	662	12,210	286,491

Table D.7 (continued)

Living ESRD Patients on December 31 for Selected Years

point prevalent patients by year-end treatment modality & number of years patient has had ESRD

1999	Dialysis	Functioning Graft	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	All
0	74,057	3,051	65,302	57	281	4,552	2,401	61	1,403	77,108
1	53,269	5,329	46,560	76	223	3,272	2,268	59	811	58,598
2	27,013	7,265	23,820	46	211	1,355	1,182	18	381	34,278
3	21,368	8,075	18,586	40	403	1,132	919	19	269	29,443
4	16,810	8,861	14,681	45	305	807	693	20	259	25,671
5	11,765	8,301	10,324	13	264	532	424	10	198	20,066
6	8,480	7,755	7,360	14	218	393	283	*	209	16,235
7	6,365	7,171	5,494	20	187	301	205	*	154	13,536
8	4,759	6,254	4,032	26	160	233	152	*	150	11,013
9	3,554	5,769	3,026	16	125	139	120	*	126	9,323
10	2,791	5,145	2,371	13	91	119	73	*	119	7,936
11	2,344	4,494	1,981	*	88	95	86	*	88	6,838
12	1,793	3,612	1,461	15	77	79	69	*	90	5,405
13	1,498	3,157	1,200	15	69	84	50	*	79	4,655
14	1,221	2,680	986	15	60	56	40	.	64	3,901
15	1,096	2,365	890	18	52	40	41	.	55	3,461
16	937	2,077	759	11	52	46	34	.	35	3,014
17	842	1,913	657	10	54	37	40	.	44	2,755
18	654	1,655	536	15	33	21	19	.	30	2,309
19	521	1,277	410	*	33	24	18	*	29	1,798
20	494	1,152	395	*	33	23	16	.	22	1,646
21	401	1,014	304	11	32	16	*	*	30	1,415
22	554	1,123	442	12	47	15	13	.	25	1,677
23	174	380	127	*	13	*	*	.	18	554
24	209	327	149	*	15	11	*	.	26	536
25	159	289	104	*	13	*	*	.	22	448
26	119	261	84	*	*	*	*	.	20	380
27	27	84	15	.	*	*	*	.	*	111
28	16	56	*	.	*	*	.	.	*	72
29	*	31	*	35
30	13	39	*	.	.	*	.	.	*	52
31	*	21	*	.	.	*	*	.	*	25
32	.	*	*
33	*	*	*	10
34	*	*	*	*
35	.	*	*
36	*	*	*	*	*
All	243,320	101,000	212,084	517	3,148	13,406	9,178	213	4,774	344,320

*Values for cells with fewer than 10 patients are suppressed.

"." Zero patients in this cell.

D

Table D.8
Living ESRD Patients on December 31 for Selected Years
point prevalent patients by year-end treatment modality & number of years on modality

1991	Functioning		Center	Center	Home	CAPD	CCPD	Other PD	Uncertain	All
	Dialysis	Graft	Hemo	Self Hemo	Hemo				Dialysis	
0	58,690	9,239	40,928	236	1,295	9,674	1,732	379	4,446	67,929
1	29,852	8,116	24,132	156	544	4,091	399	64	466	37,968
2	18,146	6,932	15,636	105	383	1,832	92	11	87	25,078
3	11,056	6,213	9,702	85	288	883	25	*	65	17,269
4	7,469	5,252	6,465	86	285	567	21	*	36	12,721
5	4,939	4,677	4,367	62	216	262	*	*	26	9,616
6	3,565	3,544	3,058	61	197	223	*	.	25	7,109
7	2,430	2,848	2,183	41	74	121	.	*	*	5,278
8	1,960	2,260	1,762	81	36	74	*	*	*	4,220
9	1,226	1,797	1,142	38	21	16	.	.	*	3,023
10	996	1,350	957	27	*	*	.	*	*	2,346
11	631	1,098	601	13	*	*	.	.	*	1,729
12	514	931	483	12	14	.	.	*	*	1,445
13	374	790	352	*	*	.	.	*	*	1,164
14	804	572	742	18	39	.	.	*	*	1,376
15	121	174	105	16	295
16	178	196	129	.	.	*	.	.	48	374
17	65	150	*	59	215
18	51	141	*	45	192
19	*	90	*	*	93
20	*	72	*	75
21	*	36	*	39
22	*	125	*	126
23	.	13	13
24	.	*	*
25	.	*	*
26	.	28	28
27	.	*	*
28	.	*	*
All	143,077	56,658	112,764	1,030	3,407	17,751	2,274	484	5,367	199,735
1995										
0	83,662	10,318	57,861	156	2,256	10,840	5,613	454	6,482	93,980
1	47,725	9,053	36,113	44	491	4,792	1,154	179	4,952	56,778
2	24,306	8,582	20,823	54	427	2,320	394	*	279	32,888
3	16,458	7,385	14,668	75	268	1,146	149	*	143	23,843
4	11,454	6,955	10,184	67	274	757	70	.	102	18,409
5	7,380	6,123	6,652	42	193	395	42	*	53	13,503
6	5,150	5,215	4,704	38	140	215	14	*	37	10,365
7	3,460	4,585	3,151	30	109	135	*	*	32	8,045
8	2,484	3,835	2,229	42	110	80	*	*	16	6,319
9	1,749	3,368	1,578	22	78	56	*	*	13	5,117
10	1,380	2,503	1,214	23	85	49	.	.	*	3,883
11	916	2,008	841	18	32	22	.	*	*	2,924
12	816	1,696	739	39	15	20	*	*	*	2,512
13	500	1,377	460	17	11	*	.	.	*	1,877
14	412	1,042	398	11	*	.	.	.	*	1,454
15	281	851	262	*	*	*	.	.	*	1,132
16	235	737	218	*	*	.	.	.	*	972
17	166	642	157	*	*	.	.	.	*	808
18	357	434	337	*	14	.	.	.	*	791
19	53	132	43	10	185
20	74	160	56	18	234
21	24	115	*	22	139
22	22	115	*	19	137
23	*	72	*	74
24	*	55	*	56
25	*	23	*	25
26	.	19	19
27	.	10	10
28	.	*	*
29	.	*	*
30	.	*	*
All	209,069	77,422	162,696	699	4,521	20,836	7,445	662	12,210	286,491



Table D.8 (continued)

Living ESRD Patients on December 31 for Selected Years*point prevalent patients by year-end treatment modality & number of years on modality*

1999	Dialysis	Functioning Graft	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	All
0	89,069	12,027	72,977	95	662	6,434	4,669	113	4,119	101,096
1	59,384	11,918	52,061	95	413	3,664	2,698	69	384	71,302
2	28,775	10,506	26,035	52	340	1,289	999	17	43	39,281
3	18,811	9,272	17,104	36	481	734	412	*	36	28,083
4	15,202	8,014	13,910	42	458	514	266	*	11	23,216
5	9,512	6,858	8,907	*	160	289	61	*	83	16,370
6	6,244	6,444	5,848	11	138	169	40	*	37	12,688
7	4,546	5,322	4,311	24	77	101	12	*	20	9,868
8	3,279	5,051	3,036	24	110	84	14	.	11	8,330
9	2,220	4,424	2,075	18	64	51	*	.	*	6,644
10	1,603	3,788	1,499	13	57	30	*	.	*	5,391
11	1,158	3,283	1,086	12	46	12	.	.	*	4,441
12	877	2,687	804	20	39	12	.	.	*	3,564
13	655	2,363	605	*	31	*	.	.	*	3,018
14	499	1,782	444	10	39	*	.	.	*	2,281
15	375	1,488	353	10	*	*	.	.	*	1,863
16	310	1,289	278	21	*	*	.	.	.	1,599
17	189	1,096	176	*	*	*	.	.	.	1,285
18	162	829	155	*	*	991
19	111	691	106	*	*	*	.	.	.	802
20	80	581	76	*	*	661
21	68	506	64	*	*	.	.	.	*	574
22	135	340	128	*	*	.	.	.	*	475
23	15	72	15	87
24	31	98	28	*	129
25	*	80	*	*	85
26	*	76	*	*	79
27	*	52	*	53
28	*	34	*	35
29	.	11	11
30	.	*	*
31	.	*	*
32	.	*	*
33	.	*	*
34	.	*	*
All	243,320	101,000	212,084	517	3,148	13,406	9,178	213	4,774	344,320

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

Table D.9
Living Dialysis Patients on December 31 for Selected Years

point prevalent patients by state

1991 ALL	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	Transplant	All
Alabama	2,400	*	46	335	72	*	64	1,047	3,977
Alaska	69	*	*	11	*	*	*	89	180
Arizona	1,741	28	46	204	62	.	90	784	2,955
Arkansas	964	*	40	191	21	*	29	455	1,711
California	12,843	87	214	1,435	211	*	606	6,015	21,418
Colorado	916	*	27	141	35	*	58	669	1,860
Connecticut	1,203	.	41	367	47	*	70	676	2,413
Delaware	365	*	*	91	*	*	17	130	612
District of Columbia	840	*	.	20	*	.	17	167	1,048
Florida	7,111	19	142	756	145	17	283	2,679	11,152
Georgia	4,023	*	99	490	117	11	154	1,340	6,241
Hawaii	722	17	12	42	*	.	21	201	1,018
Idaho	234	*	22	61	*	*	14	210	548
Illinois	5,352	47	92	702	73	22	240	3,228	9,756
Indiana	1,918	15	116	666	15	*	93	1,127	3,952
Iowa	787	16	56	196	24	*	38	738	1,857
Kansas	807	12	45	251	*	*	31	499	1,655
Kentucky	1,223	*	40	295	21	13	52	855	2,504
Louisiana	2,809	*	48	300	62	*	78	754	4,058
Maine	281	.	*	47	10	.	17	284	644
Maryland	2,651	44	47	397	24	20	82	987	4,252
Massachusetts	2,174	14	118	289	45	*	82	1,269	3,996
Michigan	3,491	19	144	1,060	36	21	133	2,095	6,999
Minnesota	1,428	*	42	138	*	.	65	1,320	3,001
Mississippi	1,767	33	97	183	*	*	45	405	2,537
Missouri	2,079	38	60	464	43	*	101	1,243	4,036
Montana	212	*	20	53	*	*	11	186	491
Nebraska	330	15	13	212	23	.	29	373	995
Nevada	360	*	18	72	19	.	19	294	791
New Hampshire	272	*	*	49	26	*	17	220	597
New Jersey	3,864	43	104	728	103	75	225	1,298	6,440
New Mexico	656	*	11	148	16	*	30	353	1,218
New York	8,367	130	265	1,504	127	27	287	3,007	13,714
North Carolina	3,477	11	146	708	201	31	152	1,220	5,946
North Dakota	176	.	*	24	*	.	*	207	420
Ohio	4,208	*	106	825	74	45	227	2,738	8,229
Oklahoma	1,065	*	30	270	18	11	33	609	2,037
Oregon	800	*	54	277	40	*	40	613	1,833
Pennsylvania	5,733	71	133	723	79	41	316	2,833	9,929
Rhode Island	444	.	19	31	15	.	11	182	702
South Carolina	2,420	29	26	227	51	*	93	705	3,558
South Dakota	212	*	24	20	*	.	12	182	455
Tennessee	2,400	33	76	350	54	*	104	1,131	4,152
Texas	8,692	75	187	895	197	17	253	3,396	13,712
Utah	354	*	17	45	*	*	13	481	915
Vermont	130	*	*	37	*	.	*	107	289
Virginia	3,005	24	293	464	36	10	106	1,259	5,197
Washington	1,459	79	126	175	14	29	68	1,056	3,006
West Virginia	576	14	25	150	13	*	23	414	1,223
Wisconsin	1,369	19	61	353	48	*	96	1,619	3,568
Wyoming	70	*	*	32	*	.	*	93	213
American Samoa	24	24
Guam	59	*	*	11	78
Northern Marianas	13	*	14
Puerto Rico	1,566	*	17	211	*	*	42	365	2,210
All	112,511	1,025	3,402	17,715	2,271	483	4,710	54,219	196,336

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

Table D.9 (continued)

Living Dialysis Patients on December 31 for Selected Years*point prevalent patients by state*

1995	Center	Center	Home				Uncertain		
ALL	Hemo	Self Hemo	Hemo	CAPD	CCPD	Other PD	Dialysis	Transplant	All
Alabama	3,405	*	74	399	130	13	100	1,446	5,570
Alaska	419	*	*	46	*	*	12	138	634
Arizona	2,694	16	46	223	186	*	108	1,089	4,367
Arkansas	1,464	*	48	244	57	*	59	695	2,574
California	17,783	57	341	1,913	844	89	790	8,469	30,286
Colorado	1,337	*	42	166	91	*	64	945	2,658
Connecticut	1,629	.	80	348	200	*	102	894	3,259
Delaware	542	*	*	79	10	*	48	221	906
District of Columbia	1,057	.	12	42	*	*	83	202	1,405
Florida	9,644	10	303	832	424	18	505	3,802	15,538
Georgia	6,100	*	205	598	261	14	203	1,881	9,269
Hawaii	1,083	*	10	76	*	.	24	284	1,491
Idaho	293	*	*	84	46	.	20	294	745
Illinois	7,392	32	177	921	344	21	365	4,241	13,493
Indiana	2,763	*	132	762	106	*	222	1,535	5,536
Iowa	1,051	15	62	203	65	.	52	1,015	2,463
Kansas	1,098	*	54	248	66	*	44	671	2,188
Kentucky	1,727	*	51	241	111	22	109	1,181	3,446
Louisiana	4,061	*	54	311	174	*	76	1,120	5,803
Maine	460	.	10	54	40	*	21	360	946
Maryland	3,569	25	117	450	156	14	645	1,214	6,190
Massachusetts	3,103	*	86	298	171	*	137	1,725	5,535
Michigan	5,326	*	218	1,228	165	15	218	3,005	10,180
Minnesota	1,955	*	51	159	35	*	100	1,861	4,165
Mississippi	2,709	20	89	207	46	*	91	590	3,759
Missouri	2,974	14	83	455	211	*	129	1,723	5,597
Montana	309	*	18	55	12	*	*	280	689
Nebraska	535	*	25	288	30	.	28	534	1,442
Nevada	649	*	14	103	25	*	41	403	1,243
New Hampshire	340	*	11	76	38	*	19	290	776
New Jersey	5,380	32	149	800	345	37	219	1,916	8,878
New Mexico	929	*	28	188	68	20	29	485	1,750
New York	11,717	132	353	1,618	367	70	677	4,319	19,253
North Carolina	5,525	*	208	787	359	69	191	1,713	8,859
North Dakota	226	.	*	45	12	.	14	249	549
Ohio	5,812	.	155	1,130	355	29	438	3,596	11,515
Oklahoma	1,657	*	42	267	40	17	48	907	2,980
Oregon	1,123	*	48	269	79	*	63	855	2,444
Pennsylvania	8,073	46	167	768	246	23	466	3,839	13,628
Rhode Island	575	.	11	52	30	.	30	254	952
South Carolina	3,380	13	84	401	155	*	107	1,070	5,214
South Dakota	344	*	24	35	11	.	12	230	657
Tennessee	3,641	26	93	336	126	10	136	1,526	5,894
Texas	13,003	57	237	1,021	537	31	400	4,849	20,135
Utah	520	*	11	71	10	*	24	682	1,321
Vermont	155	*	*	50	*	.	10	174	400
Virginia	4,482	*	189	521	195	*	617	1,372	7,391
Washington	2,050	65	109	265	83	18	99	1,468	4,157
West Virginia	768	*	36	166	59	*	183	424	1,643
Wisconsin	2,033	11	81	394	127	*	112	2,135	4,899
Wyoming	113	*	*	25	10	.	*	119	276
American Samoa	33	33
Guam	96	*	.	29	*	.	*	18	150
Northern Marianas	32	*	*	35
Puerto Rico	1,943	*	53	392	134	*	76	443	3,053
All	161,081	697	4,514	20,739	7,422	633	8,380	74,753	278,219

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

Table D.9 (continued)

Living Dialysis Patients on December 31 for Selected Years*point prevalent patients by state*

1999 ALL	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	Transplant	All
Alabama	4,502	*	37	283	190	*	69	1,816	6,900
Alaska	151	*	*	33	*	.	*	199	396
Arizona	3,664	10	37	199	116	*	74	1,455	5,557
Arkansas	1,865	*	88	202	55	*	35	896	3,146
California	22,348	26	188	1,527	815	11	510	11,230	36,655
Colorado	1,784	*	33	104	87	*	52	1,254	3,317
Connecticut	2,082	*	37	299	215	*	66	1,121	3,823
Delaware	653	*	*	22	33	.	18	330	1,063
District of Columbia	1,254	.	*	13	23	*	21	238	1,560
Florida	12,012	15	334	476	523	*	251	4,966	18,585
Georgia	8,006	*	198	508	276	.	168	2,378	11,539
Hawaii	1,190	*	10	75	28	.	22	379	1,707
Idaho	471	*	*	92	32	.	15	414	1,032
Illinois	9,109	13	130	548	383	*	317	5,386	15,890
Indiana	4,098	*	85	429	212	*	77	1,990	6,902
Iowa	1,480	*	33	150	74	.	78	1,212	3,032
Kansas	1,505	*	25	190	59	.	105	802	2,692
Kentucky	2,450	*	29	153	118	12	69	1,424	4,256
Louisiana	5,646	*	47	174	170	.	67	1,428	7,536
Maine	631	.	*	26	27	.	23	437	1,150
Maryland	4,863	*	64	263	191	*	106	2,016	7,513
Massachusetts	3,529	*	40	161	164	*	88	2,268	6,263
Michigan	7,247	*	105	771	245	*	117	3,943	12,435
Minnesota	2,290	*	*	87	89	.	48	2,492	5,016
Mississippi	3,484	18	81	195	115	*	51	823	4,769
Missouri	4,032	*	73	343	209	.	143	2,045	6,850
Montana	440	*	*	41	10	.	*	369	876
Nebraska	787	.	11	249	62	*	46	624	1,780
Nevada	1,014	*	16	74	29	*	25	547	1,707
New Hampshire	428	*	*	48	21	.	21	385	907
New Jersey	7,205	42	74	390	377	*	193	2,725	11,007
New Mexico	1,419	*	17	92	105	.	19	614	2,270
New York	15,624	123	228	846	521	32	270	5,931	23,575
North Carolina	7,625	*	142	499	405	49	106	2,295	11,129
North Dakota	283	*	*	33	11	.	*	309	646
Ohio	8,298	*	74	748	380	40	147	4,368	14,064
Oklahoma	2,297	*	25	208	114	*	47	1,072	3,769
Oregon	1,432	*	31	180	83	*	31	1,128	2,888
Pennsylvania	9,850	30	102	397	357	*	252	4,943	15,938
Rhode Island	667	.	*	27	11	.	23	370	1,107
South Carolina	4,488	*	66	207	278	*	65	1,434	6,547
South Dakota	474	.	*	40	28	.	14	299	864
Tennessee	4,721	13	79	208	240	*	99	1,935	7,296
Texas	17,660	52	214	648	707	*	342	6,398	26,025
Utah	656	.	*	56	13	.	21	879	1,631
Vermont	272	.	*	14	21	.	14	212	537
Virginia	6,167	*	109	346	270	*	107	2,149	9,158
Washington	2,624	39	92	190	91	*	79	1,976	5,092
West Virginia	1,143	*	17	92	104	.	19	660	2,038
Wisconsin	2,863	*	51	231	157	.	40	2,752	6,099
Wyoming	176	*	*	20	11	.	*	147	363
American Samoa	44	*	*	47
Guam	183	*	.	11	.	.	*	15	215
Northern Marianas	61	*	*	67
Puerto Rico	2,494	*	42	178	302	*	23	615	3,664
All	211,741	516	3,140	13,396	9,163	212	4,623	98,099	340,890

*Values for cells with fewer than 10 patients are suppressed.

"." Zero patients in this cell.

Table D.10
Living Dialysis Patients on December 31
point prevalent patients by state, 1997-1999 combined

ALL PATIENTS	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	All
Alabama	13,073	*	142	991	583	*	242	15,041
Alaska	492	*	*	100	12	.	14	631
Arizona	10,523	29	114	608	448	*	269	11,997
Arkansas	5,307	14	378	607	164	*	116	6,591
California	65,174	101	608	5,078	2,796	42	1,782	75,581
Colorado	5,109	11	112	397	305	*	158	6,098
Connecticut	6,076	*	144	950	715	*	238	8,130
Delaware	1,868	*	15	94	114	.	72	2,168
District of Columbia	3,808	.	43	51	61	*	83	4,053
Florida	35,113	54	1,443	1,684	1,725	23	862	40,904
Georgia	22,618	18	652	1,522	884	*	786	26,482
Hawaii	3,676	14	25	235	68	.	72	4,090
Idaho	1,302	*	18	253	110	.	42	1,730
Illinois	26,754	47	434	1,871	1,199	22	1,061	31,388
Indiana	11,359	18	288	1,580	638	11	305	14,199
Iowa	4,108	19	116	436	236	.	201	5,116
Kansas	4,308	16	92	684	203	.	197	5,500
Kentucky	6,859	*	94	530	363	34	240	8,127
Louisiana	15,807	*	141	610	548	*	235	17,348
Maine	1,837	.	18	92	93	*	79	2,120
Maryland	14,088	39	266	982	612	10	388	16,385
Massachusetts	10,810	20	155	569	582	*	308	12,452
Michigan	20,909	23	396	2,652	792	*	451	25,227
Minnesota	6,751	*	54	317	241	.	193	7,560
Mississippi	10,075	54	268	579	315	*	165	11,459
Missouri	11,395	31	238	1,166	685	*	356	13,872
Montana	1,195	*	28	115	35	.	28	1,406
Nebraska	2,160	*	44	795	151	*	139	3,295
Nevada	2,777	*	39	239	115	*	77	3,256
New Hampshire	1,232	*	15	169	83	.	59	1,562
New Jersey	20,301	125	281	1,419	1,185	36	632	23,979
New Mexico	3,979	10	62	361	306	*	73	4,799
New York	44,541	399	776	3,183	1,599	144	1,096	51,738
North Carolina	21,668	26	505	1,825	1,202	159	391	25,776
North Dakota	846	*	*	104	33	.	23	1,016
Ohio	23,213	22	282	2,510	1,175	83	706	27,991
Oklahoma	6,554	13	97	653	343	*	165	7,828
Oregon	4,103	*	123	651	263	*	95	5,244
Pennsylvania	28,754	106	386	1,413	1,078	14	899	32,650
Rhode Island	1,970	.	34	102	56	.	72	2,234
South Carolina	12,744	22	250	684	796	*	240	14,739
South Dakota	1,324	*	36	133	85	.	41	1,621
Tennessee	13,428	45	243	670	666	*	349	15,408
Texas	49,841	161	656	2,189	2,216	18	1,096	56,177
Utah	1,830	*	23	177	55	*	76	2,165
Vermont	767	*	13	61	61	.	23	926
Virginia	17,760	20	400	1,146	818	*	411	20,562
Washington	7,444	117	293	654	290	*	277	9,083
West Virginia	3,284	13	58	316	299	*	108	4,080
Wisconsin	7,988	22	181	841	440	*	185	9,659
Wyoming	470	10	13	65	31	.	13	602
American Samoa	120	*	123
Guam	520	*	.	48	.	.	*	584
Northern Marianas	170	*	172
Puerto Rico	7,121	10	136	771	862	23	152	9,075
All	607,303	1,725	11,240	45,932	28,735	711	16,353	711,999

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

D

Table D.10 (continued)

Living Dialysis Patients on December 31*point prevalent patients by state, 1997-1999 combined*

UNDER 65	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	All
Alabama	7,315	*	113	743	428	*	166	8,774
Alaska	322	*	*	68	10	.	12	420
Arizona	5,757	27	69	457	339	*	167	6,818
Arkansas	3,122	12	157	420	122	*	73	3,911
California	34,417	64	415	3,622	2,098	27	1,167	41,810
Colorado	2,786	*	92	267	222	*	110	3,487
Connecticut	2,683	*	86	615	431	.	134	3,954
Delaware	1,037	*	10	57	92	.	34	1,233
District of Columbia	2,394	.	25	41	52	*	58	2,577
Florida	17,720	34	960	1,210	1,209	16	425	21,574
Georgia	13,919	15	499	1,238	693	*	456	16,822
Hawaii	2,020	10	19	187	50	.	40	2,326
Idaho	663	*	12	158	82	.	28	946
Illinois	13,845	31	219	1,271	759	12	626	16,763
Indiana	5,623	12	186	1,078	397	11	159	7,466
Iowa	1,895	12	62	238	145	.	121	2,473
Kansas	2,109	10	62	453	142	.	130	2,906
Kentucky	3,738	*	63	415	256	25	141	4,644
Louisiana	9,389	*	98	477	415	*	145	10,530
Maine	821	.	10	50	56	*	58	996
Maryland	7,897	36	179	674	411	10	250	9,457
Massachusetts	4,480	10	81	366	380	*	182	5,502
Michigan	10,748	10	251	1,747	537	*	232	13,527
Minnesota	2,818	*	32	175	154	.	112	3,292
Mississippi	6,187	41	228	438	248	*	107	7,252
Missouri	5,784	25	115	731	493	*	239	7,388
Montana	621	*	19	63	25	.	21	751
Nebraska	1,132	*	25	414	90	*	75	1,741
Nevada	1,580	*	32	159	75	*	49	1,903
New Hampshire	540	.	*	114	62	.	40	765
New Jersey	10,139	59	184	903	725	15	378	12,403
New Mexico	2,207	*	46	263	234	*	50	2,814
New York	23,747	274	491	2,232	1,135	106	617	28,602
North Carolina	12,553	13	377	1,349	927	104	260	15,583
North Dakota	440	*	*	47	26	.	17	537
Ohio	11,680	13	165	1,696	766	65	368	14,753
Oklahoma	3,714	*	62	450	247	*	97	4,577
Oregon	2,094	*	75	430	190	*	63	2,861
Pennsylvania	13,495	57	240	953	713	11	503	15,972
Rhode Island	781	.	23	73	37	.	38	952
South Carolina	7,719	20	192	565	578	*	166	9,243
South Dakota	623	.	21	102	63	.	25	834
Tennessee	7,662	38	189	497	500	*	234	9,124
Texas	29,565	106	459	1,620	1,600	13	729	34,092
Utah	1,009	*	16	128	42	.	55	1,251
Vermont	329	*	*	47	37	.	15	433
Virginia	9,887	11	246	844	583	*	252	11,828
Washington	4,064	35	189	437	216	*	175	5,123
West Virginia	1,564	*	32	198	198	*	53	2,049
Wisconsin	3,591	13	122	423	218	.	109	4,476
Wyoming	255	*	10	45	23	.	10	349
American Samoa	90	*	93
Guam	342	*	.	43	.	.	*	393
Northern Marianas	128	*	129
Puerto Rico	4,570	*	104	630	687	19	91	6,105
All	325,610	1,084	7,382	31,921	20,218	498	9,871	396,584

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

Table D.10 (continued)

Living Dialysis Patients on December 31

point prevalent patients by state, 1997-1999 combined

65+	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other PD	Uncertain Dialysis	All
Alabama	5,758	*	29	248	155	.	76	6,267
Alaska	170	*	*	32	*	.	*	211
Arizona	4,766	*	45	151	109	*	102	5,179
Arkansas	2,185	*	221	187	42	.	43	2,680
California	30,757	37	193	1,456	698	15	615	33,771
Colorado	2,323	*	20	130	83	*	48	2,611
Connecticut	3,393	*	58	335	284	*	104	4,176
Delaware	831	*	*	37	22	.	38	935
District of Columbia	1,414	.	18	10	*	.	25	1,476
Florida	17,393	20	483	474	516	*	437	19,330
Georgia	8,699	*	153	284	191	.	330	9,660
Hawaii	1,656	*	*	48	18	.	32	1,764
Idaho	639	*	*	95	28	.	14	784
Illinois	12,908	16	215	600	440	10	435	14,624
Indiana	5,736	*	102	502	241	.	146	6,733
Iowa	2,213	*	54	198	91	.	80	2,643
Kansas	2,199	*	30	231	61	.	67	2,594
Kentucky	3,121	*	31	115	107	*	99	3,483
Louisiana	6,418	*	43	133	133	.	90	6,818
Maine	1,016	.	*	42	37	.	21	1,124
Maryland	6,191	*	87	308	201	.	138	6,928
Massachusetts	6,330	10	74	203	202	*	126	6,950
Michigan	10,161	13	145	905	255	*	219	11,700
Minnesota	3,933	*	22	142	87	.	81	4,268
Mississippi	3,888	13	40	141	67	.	58	4,207
Missouri	5,611	*	123	435	192	.	117	6,484
Montana	574	*	*	52	10	.	*	655
Nebraska	1,028	*	19	381	61	.	64	1,554
Nevada	1,197	*	*	80	40	.	28	1,353
New Hampshire	692	*	*	55	21	.	19	797
New Jersey	10,162	66	97	516	460	21	254	11,576
New Mexico	1,772	*	16	98	72	*	23	1,985
New York	20,794	125	285	951	464	38	479	23,136
North Carolina	9,115	13	128	476	275	55	131	10,193
North Dakota	406	*	*	57	*	.	*	479
Ohio	11,533	*	117	814	409	18	337	13,237
Oklahoma	2,840	*	35	203	96	*	68	3,251
Oregon	2,009	.	48	221	73	.	32	2,383
Pennsylvania	15,259	49	146	460	365	*	396	16,678
Rhode Island	1,189	.	11	29	19	.	34	1,282
South Carolina	5,023	*	58	119	218	.	74	5,494
South Dakota	701	*	15	31	22	.	16	787
Tennessee	5,766	*	54	173	166	*	115	6,284
Texas	20,276	55	197	569	616	*	366	22,084
Utah	821	*	*	49	13	*	21	914
Vermont	438	.	*	14	24	.	*	493
Virginia	7,873	*	154	302	235	*	159	8,734
Washington	3,380	82	104	217	74	*	102	3,960
West Virginia	1,720	10	26	118	101	*	55	2,031
Wisconsin	4,397	*	59	418	222	*	76	5,183
Wyoming	215	*	*	20	*	.	*	253
American Samoa	30	30
Guam	178	*	.	*	.	.	*	191
Northern Marianas	42	*	43
Puerto Rico	2,551	*	32	141	175	*	61	2,970
All	281,690	641	3,858	14,011	8,517	213	6,480	315,410

*Values for cells with fewer than 10 patients are suppressed.

." Zero patients in this cell.

D