



# SECTION I

PATIENT  
SURVIVAL



# CONTENTS

- 483 I.1 Incident Patient Counts  
*all patients alive on day 91*
- 484 I.2 Incident Patient Counts  
*patients aged 65 & over, alive on day 1*
- 485 I.3 Incident Patient Counts  
*dialysis patients alive on day 91*
- 486 I.4 Patient Counts  
*first renal transplant, cadaveric donor*
- 487 I.5 Patient Counts  
*first renal transplant, living donor*
- 488 I.6 One-year Survival Probabilities  
*all incident patients, from day 91 to one year + 90 days, unadjusted*
- 488 I.7 One-year Survival Probabilities  
*all incident patients, from day 91 to one year + 90 days, adjusted for age, gender, race, & primary diagnosis*
- 489 I.8 Two-year Survival Probabilities  
*all incident patients, from day 91 to two years + 90 days, unadjusted*
- 489 I.9 Two-year Survival Probabilities  
*all incident patients, from day 91 to two years + 90 days, adjusted for age, gender, race, & primary diagnosis*
- 490 I.10 Five-year Survival Probabilities  
*all incident patients, from day 91 to five years + 90 days, unadjusted*
- 490 I.11 Five-year Survival Probabilities  
*all incident patients, from day 91 to five years + 90 days, adjusted for age, gender, race, & primary diagnosis*
- 491 I.12 Ten-year Survival Probabilities  
*all incident patients, from day 91 to ten years + 90 days, unadjusted*
- 491 I.13 Ten-year Survival Probabilities  
*all incident patients, from day 91 to ten years + 90 days, adjusted for age, gender, race, & primary diagnosis*
- 492 I.14 One-year Survival Probabilities  
*incident patients aged 65 & over, from day 1 to one year, unadjusted*
- 492 I.15 One-year Survival Probabilities  
*incident patients aged 65 & over, from day 1 to one year, adjusted for age, gender, race, & primary diagnosis*
- 493 I.16 Two-year Survival Probabilities  
*incident patients aged 65 & over, from day 1 to two years, unadjusted*
- 493 I.17 Two-year Survival Probabilities  
*incident patients aged 65 & over, from day 1 to two years, adjusted for age, gender, race, & primary diagnosis*
- 494 I.18 Five-year Survival Probabilities  
*incident patients aged 65 & over, from day 1 to five years, unadjusted*
- 494 I.19 Five-year Survival Probabilities  
*incident patients aged 65 & over, from day 1 to five years, adjusted for age, gender, race, & primary diagnosis*

- 495 I.20 Ten-year Survival Probabilities  
*incident patients aged 65 & over, from day 1 to ten years, unadjusted*
- 495 I.21 Ten-year Survival Probabilities  
*incident patients aged 65 & over, from day 1 to ten years, adjusted for age, gender, race, & primary diagnosis*
- 496 I.22 One-year Survival Probabilities  
*incident dialysis patients (censored at transplant), from day 91 to one year + 90 days, unadjusted*
- 496 I.23 One-year Survival Probabilities  
*incident dialysis patients (censored at transplant), from day 91 to one year + 90 days, adjusted for age, gender, race, & primary diagnosis*
- 497 I.24 Two-year Survival Probabilities  
*incident dialysis patients (censored at transplant), from day 91 to two years + 90 days, unadjusted*
- 497 I.25 Two-year Survival Probabilities  
*incident dialysis patients (censored at transplant), from day 91 to two years + 90 days, adjusted for age, gender, race, & primary diagnosis*
- 498 I.26 Five-year Survival Probabilities  
*incident dialysis patients (censored at transplant), from day 91 to five years + 90 days, unadjusted*
- 498 I.27 Five-year Survival Probabilities  
*incident dialysis patients (censored at transplant), from day 91 to five years + 90 days, adjusted for age, gender, race, & primary diagnosis*
- 499 I.28 Ten-year Survival Probabilities  
*incident dialysis patients (censored at transplant), from day 91 to ten years + 90 days, unadjusted*
- 499 I.29 Ten-year Survival Probabilities  
*incident dialysis patients (censored at transplant), from day 91 to ten years + 90 days, adjusted for age, gender, race, & primary diagnosis*
- 500 I.30 One-year Survival Probabilities  
*first transplant patients (cadaveric donor), from day of transplant to one year, unadjusted*
- 500 I.31 One-year Survival Probabilities  
*first transplant patients (cadaveric donor), from day of transplant to one year, adjusted for age, gender, race, & primary diagnosis*
- 501 I.32 Two-year Survival Probabilities  
*first transplant patients (cadaveric donor), from day of transplant to two years, unadjusted*
- 501 I.33 Two-year Survival Probabilities  
*first transplant patients (cadaveric donor), from day of transplant to two years, adjusted for age, gender, race, & primary diagnosis*
- 502 I.34 Five-year Survival Probabilities  
*first transplant patients (cadaveric donor), from day of transplant to five years, unadjusted*
- 502 I.35 Five-year Survival Probabilities  
*first transplant patients (cadaveric donor), from day of transplant to five years, adjusted for age, gender, race, & primary diagnosis*
- 503 I.36 Ten-year Survival Probabilities  
*first transplant patients (cadaveric donor), from day of transplant to ten years, unadjusted*
- 503 I.37 Ten-year Survival Probabilities  
*first transplant patients (cadaveric donor), from day of transplant to ten years, adjusted for age, gender, race, & primary diagnosis*
- 504 I.38 One-year Survival Probabilities  
*first transplant patients (living donor), from day of transplant to one year, unadjusted*
- 504 I.39 One-year Survival Probabilities  
*first transplant patients (living donor), from day of transplant to one year, adjusted for age, gender, race, & primary diagnosis*
- 505 I.40 Two-year Survival Probabilities  
*first transplant patients (living donor), from day of transplant to two years, unadjusted*
- 505 I.41 Two-year Survival Probabilities  
*first transplant patients (living donor), from day of transplant to two years, adjusted for age, gender, race, & primary diagnosis*
- 506 I.42 Five-year Survival Probabilities  
*first transplant patients (living donor), from day of transplant to five years, unadjusted*

- 506 I.43 Five-year Survival Probabilities  
*first transplant patients (living donor), from day of transplant to five years, adjusted for age, gender, race, & primary diagnosis*
- 507 I.44 Ten-year Survival Probabilities  
*first transplant patients (living donor), from day of transplant to ten years, unadjusted*
- 507 I.45 Ten-year Survival Probabilities  
*first transplant patients (living donor), from day of transplant to ten years, adjusted for age, gender, race, & primary diagnosis*



Table I.1  
**Incident Patient Counts**  
*all patients alive on day 91*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
0-4	29	40	66	93	97	100	121	112	121	123
5-9	85	88	95	101	89	102	96	109	97	96
10-14	181	169	183	211	199	217	194	187	209	210
15-19	428	411	462	444	422	408	398	422	451	452
20-29	1,433	1,440	1,634	1,848	1,754	1,878	1,946	2,013	2,006	2,116
30-39	1,840	2,079	2,408	2,643	2,737	2,902	3,108	3,394	3,443	3,829
40-49	2,276	2,287	2,621	2,751	3,070	3,165	3,467	3,732	4,136	4,514
50-59	3,330	3,492	4,125	4,451	4,559	4,797	5,096	5,345	5,753	6,427
60-64	1,770	1,947	2,244	2,565	2,996	3,280	3,592	3,746	4,239	4,589
65-69	1,714	1,937	1,972	2,273	3,054	3,091	3,517	4,025	4,582	5,107
70-79	1,934	2,144	2,312	2,891	4,152	4,271	4,972	5,724	6,535	7,198
80+	272	338	346	497	822	881	1,116	1,366	1,600	1,944
Male	8,471	9,133	10,211	11,441	13,154	13,857	15,016	16,504	17,940	19,732
Female	6,821	7,239	8,257	9,327	10,797	11,235	12,607	13,671	15,232	16,873
White	9,455	10,094	11,714	13,930	15,648	16,475	18,125	19,810	21,538	23,640
Black	5,247	5,606	6,001	6,145	7,362	7,481	8,230	8,863	9,938	11,157
Other	590	672	753	693	941	1,136	1,268	1,502	1,696	1,808
Hispanic										
Non-Hispanic										
Diabetes	1,577	2,180	3,480	4,808	5,605	6,770	7,811	9,021	10,094	11,361
Hypertension	1,988	2,464	3,807	5,143	5,584	6,245	7,159	7,792	8,837	10,016
Glomerulonephritis	2,011	2,097	3,005	3,761	3,955	4,178	4,386	4,472	4,748	5,046
Cystic kidney	586	617	843	1,009	1,044	1,076	1,133	1,217	1,248	1,246
Other urologic	227	250	374	390	468	461	592	602	602	665
Other cause	1,344	1,533	2,158	2,956	3,307	3,530	3,862	3,937	4,073	4,121
Unknown cause	1,300	1,323	1,541	1,322	1,296	1,352	1,343	1,583	1,871	1,819
Missing cause	6,259	5,908	3,260	1,379	2,692	1,480	1,337	1,551	1,699	2,331
All	15,292	16,372	18,468	20,768	23,951	25,092	27,623	30,175	33,172	36,605
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	133	119	159	141	156	124	177	198	185	182
5-9	124	142	129	116	133	155	154	150	143	142
10-14	203	212	236	227	238	249	285	285	291	276
15-19	502	483	459	476	511	513	576	596	541	549
20-29	2,286	2,348	2,411	2,488	2,502	2,624	2,662	2,700	2,637	2,750
30-39	4,175	4,362	4,626	4,940	4,893	5,453	5,770	5,697	5,683	5,742
40-49	5,169	5,598	6,370	6,837	7,025	7,894	8,919	9,414	9,438	10,192
50-59	6,952	7,456	8,054	8,981	9,189	10,925	11,737	12,137	13,334	14,392
60-64	5,036	5,391	5,992	6,317	6,475	7,258	7,807	7,936	8,432	8,878
65-69	5,912	6,491	7,317	7,859	8,164	8,920	8,813	9,154	9,929	10,009
70-79	8,537	9,397	11,297	12,531	13,090	14,836	15,035	16,210	18,259	18,914
80+	2,399	2,759	3,261	3,808	4,120	4,690	5,069	5,780	6,934	7,456
Male	22,426	24,184	26,982	28,996	30,202	33,691	35,370	37,555	40,286	42,210
Female	19,002	20,574	23,329	25,725	26,294	29,950	31,634	32,702	35,520	37,272
White	26,771	29,003	32,586	35,151	35,590	39,539	40,562	42,067	47,358	49,243
Black	13,042	13,786	15,517	17,005	18,016	20,264	21,411	22,501	23,116	24,433
Other	1,615	1,969	2,208	2,565	2,890	3,838	5,031	5,689	5,332	5,806
Hispanic								8,329	8,493	9,310
Non-Hispanic								61,928	67,313	70,172
Diabetes	13,844	15,452	18,157	20,138	19,996	23,896	27,077	30,071	33,126	34,970
Hypertension	11,826	12,661	14,510	16,149	15,444	18,114	16,718	17,683	19,422	20,372
Glomerulonephritis	5,400	5,679	6,034	6,276	6,167	6,892	7,339	7,773	7,857	7,955
Cystic kidney	1,257	1,411	1,491	1,577	1,527	1,679	1,835	1,805	1,906	2,099
Other urologic	731	765	1,047	1,087	955	1,042	1,228	1,425	1,406	1,428
Other cause	4,573	4,415	4,664	4,929	4,856	5,643	7,217	7,484	7,975	8,414
Unknown cause	1,692	1,803	2,159	2,354	2,103	2,287	2,371	2,657	2,812	3,048
Missing cause	2,105	2,572	2,249	2,211	5,448	4,088	3,219	1,359	1,302	1,196
All	41,428	44,758	50,311	54,721	56,496	63,641	67,004	70,257	75,806	79,482

Table I.2  
**Incident Patient Counts**  
*patients aged 65 & over, alive on day 1*

	1979-80	1981-82	1983-84	1985-86	1987-88	1989-90	1991-92	1993-94	1995-96	1997-98
65-69	4,044	4,704	6,791	8,303	10,555	13,476	16,448	18,416	19,436	21,734
70-74	2,961	3,767	5,789	7,229	8,986	11,494	15,324	17,906	19,810	22,848
75-79	1,695	2,158	3,791	5,004	6,511	8,695	11,350	13,354	15,422	19,410
80-84	607	803	1,566	2,218	3,099	4,410	5,971	7,355	9,004	11,843
85 +	133	195	472	754	1,075	1,742	2,375	3,092	3,976	5,737
Male	5,135	6,337	9,819	12,355	15,654	20,684	26,324	30,413	34,467	41,736
Female	4,305	5,290	8,590	11,153	14,572	19,133	25,144	29,710	33,181	39,836
White	6,198	8,319	13,149	16,920	21,756	28,821	37,192	42,668	47,473	58,544
Black	2,911	2,971	4,673	5,707	7,266	9,729	12,447	14,743	15,926	18,433
Other	331	337	587	881	1,204	1,267	1,829	2,712	4,249	4,595
Hispanic									3,343	7,389
Non-Hispanic									31,882	74,183
Diabetes	730	1,928	3,365	5,308	7,690	11,600	16,728	19,885	26,615	33,662
Hypertension	1,597	4,000	6,126	8,577	11,680	15,988	20,617	22,769	22,933	27,761
Glomerulonephritis	719	1,453	2,101	2,638	3,088	3,836	4,339	4,677	5,278	5,646
Cystic kidney	195	358	456	504	605	660	764	861	971	1,030
Other urologic	249	382	537	735	826	971	1,280	1,124	1,452	1,597
Other cause	670	1,462	2,243	2,944	3,242	3,670	3,936	4,216	6,137	7,392
Unknown cause	958	1,258	1,313	1,561	2,100	2,018	2,689	2,541	3,002	3,695
Missing cause	4,322	786	2,268	1,241	995	1,074	1,115	4,050	1,260	789
All	9,440	11,627	18,409	23,508	30,226	39,817	51,468	60,123	67,648	81,572



Table I.3  
**Incident Patient Counts**  
*dialysis patients alive on day 91*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
0-4	16	26	50	62	75	80	90	88	79	86
5-9	53	55	63	73	67	73	56	77	67	59
10-14	119	128	146	163	150	150	131	118	124	126
15-19	345	345	372	357	361	324	322	307	334	352
20-29	1,217	1,234	1,408	1,616	1,540	1,657	1,687	1,732	1,737	1,803
30-39	1,659	1,888	2,161	2,407	2,486	2,641	2,801	3,004	3,042	3,383
40-49	2,142	2,152	2,503	2,609	2,928	3,001	3,280	3,475	3,832	4,175
50-59	3,268	3,428	4,073	4,354	4,477	4,701	5,008	5,193	5,543	6,213
60-64	1,760	1,942	2,235	2,559	2,979	3,270	3,572	3,718	4,191	4,551
65-69	1,714	1,933	1,971	2,273	3,051	3,082	3,508	4,016	4,568	5,094
70-79	1,933	2,144	2,311	2,891	4,150	4,264	4,967	5,717	6,529	7,190
80+	272	337	345	497	822	880	1,114	1,363	1,599	1,944
Male	7,951	8,644	9,669	10,848	12,586	13,259	14,361	15,650	17,005	18,741
Female	6,547	6,968	7,969	9,013	10,500	10,864	12,175	13,158	14,640	16,235
White	8,840	9,499	11,066	13,223	14,984	15,721	17,262	18,722	20,343	22,346
Black	5,134	5,521	5,899	6,025	7,256	7,373	8,119	8,727	9,763	10,915
Other	524	592	673	613	846	1,029	1,155	1,359	1,539	1,715
Hispanic										
Non-Hispanic										
Diabetes	1,506	2,100	3,340	4,624	5,431	6,547	7,579	8,700	9,767	11,055
Hypertension	1,950	2,428	3,756	5,081	5,532	6,189	7,096	7,709	8,751	9,899
Glomerulonephritis	1,878	1,975	2,856	3,561	3,768	3,966	4,159	4,231	4,451	4,790
Cystic kidney	566	606	817	984	1,012	1,027	1,081	1,129	1,162	1,150
Other urologic	214	247	363	370	452	449	569	570	589	646
Other cause	1,254	1,427	2,043	2,843	3,188	3,367	3,683	3,738	3,850	3,933
Unknown cause	1,251	1,284	1,496	1,266	1,264	1,318	1,286	1,532	1,812	1,773
Missing cause	5,879	5,545	2,967	1,132	2,439	1,260	1,083	1,199	1,263	1,730
All	14,498	15,612	17,638	19,861	23,086	24,123	26,536	28,808	31,645	34,976
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	97	79	110	93	94	96	143	146	144	152
5-9	64	82	62	52	65	106	97	99	89	97
10-14	110	134	147	150	154	172	192	210	215	201
15-19	397	352	330	386	365	385	448	479	443	467
20-29	1,934	1,986	2,047	2,154	2,114	2,323	2,401	2,492	2,407	2,502
30-39	3,743	3,848	4,062	4,396	4,312	4,944	5,254	5,251	5,253	5,260
40-49	4,830	5,139	5,847	6,327	6,526	7,396	8,422	8,919	8,965	9,657
50-59	6,752	7,191	7,784	8,679	8,848	10,611	11,419	11,814	12,965	13,962
60-64	4,980	5,333	5,922	6,231	6,364	7,170	7,708	7,841	8,325	8,762
65-69	5,897	6,464	7,282	7,819	8,109	8,883	8,770	9,110	9,858	9,945
70-79	8,532	9,386	11,291	12,521	13,073	14,825	15,020	16,197	18,245	18,900
80+	2,399	2,758	3,260	3,806	4,120	4,689	5,069	5,780	6,933	7,454
Male	21,421	23,025	25,723	27,825	28,845	32,531	34,205	36,389	39,126	41,007
Female	18,314	19,727	22,421	24,789	25,299	29,069	30,738	31,949	34,716	36,352
White	25,408	27,416	30,832	33,492	33,760	38,079	39,120	40,637	45,737	47,444
Black	12,804	13,522	15,252	16,718	17,675	19,834	20,917	22,124	22,888	24,215
Other	1,523	1,814	2,060	2,404	2,709	3,687	4,906	5,577	5,217	5,700
Hispanic								8,229	8,402	9,199
Non-Hispanic								60,109	65,440	68,160
Diabetes	13,516	15,116	17,766	19,783	19,641	23,520	26,681	29,621	32,696	34,561
Hypertension	11,743	12,547	14,392	16,004	15,340	17,997	16,604	17,583	19,313	20,240
Glomerulonephritis	5,116	5,366	5,740	5,956	5,850	6,557	6,968	7,412	7,487	7,540
Cystic kidney	1,167	1,266	1,343	1,429	1,398	1,556	1,657	1,629	1,735	1,840
Other urologic	707	738	994	1,044	903	1,001	1,171	1,359	1,341	1,360
Other cause	4,357	4,200	4,429	4,721	4,604	5,397	6,920	7,194	7,639	8,131
Unknown cause	1,643	1,729	2,087	2,293	2,036	2,224	2,311	2,586	2,743	2,994
Missing cause	1,486	1,790	1,393	1,384	4,372	3,348	2,631	954	888	693
All	39,735	42,752	48,144	52,614	54,144	61,600	64,943	68,338	73,842	77,359

Table I.4

**Patient Counts***first renal transplant, cadaveric donor*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
0-17	210	185	190	224	228	239	264	264	272	286
18-29	587	614	672	738	776	843	855	955	917	857
30-44	872	920	1,087	1,277	1,480	1,670	1,699	1,988	2,059	2,366
45-54	434	487	480	613	689	798	840	1,051	1,113	1,422
55+	152	163	180	219	297	398	476	649	795	1,123
Male	1,428	1,493	1,692	1,942	2,202	2,476	2,583	3,110	3,188	3,669
Female	827	876	917	1,129	1,268	1,472	1,551	1,797	1,968	2,385
White	1,683	1,712	1,851	2,215	2,489	2,835	2,911	3,488	3,679	4,261
Black	450	523	568	726	828	933	1,027	1,162	1,191	1,433
Other	122	134	190	130	153	180	196	257	286	360
Hispanic										
Non-Hispanic										
Diabetes	178	213	300	448	534	700	803	1,043	1,084	1,228
Hypertension	189	237	277	397	461	511	609	719	762	987
Glomerulonephritis	569	574	649	822	955	1,087	1,060	1,269	1,345	1,459
Cystic kidney	105	108	127	173	202	277	288	349	411	544
Other urologic	25	23	25	42	50	43	49	80	64	72
Other cause	299	323	338	431	567	661	716	788	790	828
Unknown cause	222	201	214	233	230	231	230	223	232	279
Missing cause	668	690	679	525	471	438	379	436	468	657
All	2,255	2,369	2,609	3,071	3,470	3,948	4,134	4,907	5,156	6,054
	<b>1989</b>	<b>1990</b>	<b>1991</b>	<b>1992</b>	<b>1993</b>	<b>1994</b>	<b>1995</b>	<b>1996</b>	<b>1997</b>	<b>1998</b>
0-17	243	262	223	226	256	276	258	267	254	226
18-29	979	998	964	877	912	823	859	729	707	685
30-44	2,331	2,542	2,560	2,532	2,718	2,607	2,588	2,495	2,379	2,527
45-54	1,359	1,526	1,538	1,601	1,810	1,827	1,925	1,994	2,077	2,069
55+	1,100	1,355	1,418	1,472	1,694	1,725	1,816	1,989	2,099	2,334
Male	3,654	4,043	4,078	4,022	4,426	4,450	4,633	4,512	4,514	4,730
Female	2,358	2,640	2,625	2,686	2,964	2,808	2,813	2,962	3,002	3,111
White	4,257	4,681	4,710	4,648	5,182	4,749	4,892	4,850	4,876	5,113
Black	1,409	1,573	1,575	1,604	1,764	2,039	2,113	2,106	2,092	2,110
Other	346	429	418	456	444	470	441	518	548	618
Hispanic								734	769	877
Non-Hispanic								6,740	6,747	6,964
Diabetes	1,344	1,470	1,559	1,589	1,921	1,918	1,986	2,105	2,188	2,400
Hypertension	919	1,090	1,058	1,132	1,211	1,352	1,339	1,332	1,309	1,340
Glomerulonephritis	1,421	1,573	1,559	1,468	1,496	1,538	1,605	1,557	1,581	1,666
Cystic kidney	502	565	533	589	605	525	622	617	644	620
Other urologic	55	79	99	81	139	104	110	123	121	168
Other cause	802	807	790	793	815	783	823	820	809	858
Unknown cause	272	302	271	285	288	309	260	262	300	267
Missing cause	697	797	834	771	915	729	701	658	564	522
All	6,012	6,683	6,703	6,708	7,390	7,258	7,446	7,474	7,516	7,841

Table I.5  
**Patient Counts**  
*first renal transplant, living donor*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
0-17	141	109	132	157	189	236	213	218	257	247
18-29	348	327	358	509	527	477	544	609	541	500
30-44	280	320	427	528	586	662	774	1,006	888	622
45-54	118	98	140	205	225	256	399	459	453	200
55+	28	15	34	71	80	120	184	287	290	89
Male	563	508	658	943	974	1,088	1,288	1,566	1,463	1,012
Female	352	361	433	527	633	663	826	1,013	966	646
White	744	717	884	1,173	1,288	1,399	1,699	2,062	1,908	1,356
Black	115	102	121	218	241	249	297	348	351	217
Other	56	50	86	79	78	103	118	169	170	85
Hispanic										
Non-Hispanic										
Diabetes	62	87	126	227	256	302	412	519	479	327
Hypertension	63	56	90	150	154	181	227	280	275	143
Glomerulonephritis	246	240	308	453	488	543	608	716	684	490
Cystic kidney	24	27	38	62	82	100	124	176	189	63
Other urologic	8	8	16	26	30	24	47	34	41	29
Other cause	136	128	163	194	288	349	389	486	418	301
Unknown cause	97	69	89	109	107	90	109	123	114	62
Missing cause	279	254	261	249	202	162	198	245	229	243
All	915	869	1,091	1,470	1,607	1,751	2,114	2,579	2,429	1,658
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-17	273	261	329	292	362	264	355	343	333	337
18-29	489	549	574	548	641	612	568	628	641	645
30-44	643	731	841	887	940	978	1,088	1,101	1,178	1,307
45-54	232	260	322	383	456	498	614	725	750	862
55+	129	146	191	278	309	324	445	538	677	761
Male	1,025	1,104	1,290	1,353	1,593	1,534	1,760	1,945	2,088	2,233
Female	741	843	967	1,035	1,115	1,142	1,310	1,390	1,491	1,679
White	1,477	1,626	1,839	1,916	2,148	2,024	2,319	2,492	2,757	3,063
Black	215	223	307	328	411	487	568	620	568	585
Other	74	98	111	144	149	165	183	223	254	264
Hispanic								381	441	475
Non-Hispanic								2,954	3,138	3,437
Diabetes	333	364	443	430	485	526	576	695	694	839
Hypertension	157	158	219	279	313	354	377	410	440	467
Glomerulonephritis	510	556	575	638	668	732	833	913	1,040	1,059
Cystic kidney	70	93	110	125	129	136	194	223	241	320
Other urologic	36	44	60	75	86	79	96	114	121	113
Other cause	338	348	387	377	452	423	526	578	640	667
Unknown cause	76	88	92	117	143	126	133	141	156	191
Missing cause	246	296	371	347	432	300	335	261	247	256
All	1,766	1,947	2,257	2,388	2,708	2,676	3,070	3,335	3,579	3,912

Table I.6

**One-year Survival Probabilities***all incident patients, from day 91 to one year + 90 days, unadjusted*

	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	82.9	85.7	90.8	88.1	92.2	89.7	91.1	93.2	92.4	92.4	91.7
5-9	100.0	98.4	97.9	98.4	98.3	97.7	99.4	98.7	96.7	96.5	100.0
10-14	96.7	96.1	97.6	97.5	95.6	95.8	99.6	97.5	96.8	97.9	98.2
15-19	97.6	98.2	97.7	96.5	97.1	97.7	96.5	97.2	97.0	98.3	97.0
20-29	93.2	93.1	93.7	93.5	94.5	94.0	94.1	93.3	94.6	95.7	95.7
30-39	90.4	90.1	91.0	90.3	91.0	90.6	90.6	89.5	90.8	91.8	92.0
40-49	88.9	88.7	89.6	88.6	89.1	89.7	89.4	89.7	90.0	90.6	89.7
50-59	83.6	83.4	84.5	84.6	85.5	85.4	86.1	86.3	85.9	86.4	86.3
60-64	76.7	78.3	79.0	79.5	80.1	81.5	81.6	80.7	81.9	82.4	81.3
65-69	73.3	73.9	75.6	75.0	75.5	77.2	76.4	77.1	77.5	76.1	76.3
70-79	65.9	67.3	68.6	68.0	68.4	70.0	70.0	70.1	70.3	69.1	69.9
80+	55.4	57.7	59.5	59.0	58.5	60.8	60.8	60.1	59.6	58.9	57.9
Male	78.0	78.6	79.6	78.9	79.0	80.2	80.0	80.1	80.2	79.7	79.7
Female	79.2	79.0	79.7	78.8	79.4	79.7	79.9	79.9	79.8	78.9	78.7
White	76.1	76.3	77.2	76.2	76.5	77.4	77.3	77.5	77.4	76.5	76.6
Black	83.1	82.9	83.9	83.3	83.7	83.8	83.8	83.5	83.9	83.9	83.2
Other	82.9	86.2	86.9	87.7	86.4	88.2	86.5	85.0	84.5	85.4	84.9
Hispanic									84.1	83.9	83.9
Non-Hispanic									79.5	78.8	78.6
Diabetes	75.9	76.7	76.9	77.1	77.5	79.4	78.9	78.9	79.2	78.4	77.9
Hypertension	75.5	76.1	77.5	76.2	76.6	77.3	77.3	78.7	78.4	77.4	77.2
Glomerulonephritis	86.7	86.6	87.4	85.9	87.7	88.7	87.2	88.2	89.0	88.5	89.1
Other	80.4	80.5	82.1	81.3	81.0	80.0	81.4	79.5	79.1	79.1	79.8
Total Crude Prob.	78.5	78.8	79.7	78.9	79.2	80.0	79.9	80.0	80.1	79.3	79.2

Table I.7

**One-year Survival Probabilities***all incident patients, from day 91 to one year + 90 days, adjusted for age, gender, race, & primary diagnosis*

	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-19	95.5	96.0	96.8	95.5	96.1	96.0	97.0	96.9	96.2	97.1	96.8
20-44	90.7	90.4	91.3	90.6	91.2	90.8	91.2	90.6	91.6	92.4	92.1
45-64	81.1	82.2	83.1	83.3	84.2	84.8	85.1	85.0	85.5	86.2	85.6
65-74	70.1	71.1	72.8	72.3	73.0	74.6	73.9	74.8	75.1	74.1	74.6
75 +	59.5	61.8	63.0	62.5	62.4	63.6	64.6	63.9	63.8	63.0	63.1
Male	74.7	76.2	77.7	77.5	78.0	79.3	79.3	79.3	79.9	80.1	80.2
Female	76.4	76.9	78.1	77.8	78.6	78.8	79.3	79.3	79.5	79.2	79.0
White	71.9	73.3	74.6	74.3	75.1	76.2	76.8	77.1	77.4	77.2	77.4
Black	81.8	81.8	83.2	82.8	83.3	83.7	83.5	83.0	83.7	83.8	83.3
Other	80.3	84.5	85.5	86.6	85.7	87.8	85.7	84.8	84.4	85.6	85.1
Diabetes	73.3	74.6	75.4	76.0	76.6	78.7	78.6	78.5	78.9	78.7	78.2
Hypertension	73.2	74.3	76.2	75.3	75.5	76.4	76.6	77.7	77.6	77.2	77.0
Glomerulonephritis	85.1	85.7	86.5	85.4	87.1	87.9	87.1	87.6	88.7	88.2	88.8
Other	78.9	79.1	80.7	80.0	80.4	80.4	80.4	78.5	78.2	78.8	79.3
Total Adjusted Prob.	75.5	76.5	77.9	77.6	78.2	79.1	79.3	79.3	79.7	79.7	79.6

Table I.8

**Two-year Survival Probabilities***all incident patients, from day 91 to two years + 90 days, unadjusted*

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0-4	87.6	78.9	82.0	86.6	85.5	92.2	87.2	85.5	90.4	88.4	90.3
5-9	96.9	97.9	97.6	95.1	98.4	98.3	93.2	96.8	97.4	96.0	95.1
10-14	98.6	95.7	94.1	95.3	96.6	94.3	94.5	98.4	95.4	95.8	96.2
15-19	94.5	95.4	96.8	95.9	94.3	95.6	95.5	95.1	95.5	94.0	95.5
20-29	86.2	88.5	88.9	88.9	88.6	89.8	90.2	90.2	89.0	90.7	91.6
30-39	81.1	83.1	82.7	83.3	82.5	83.3	84.1	83.3	83.2	84.1	85.3
40-49	78.2	78.9	78.4	80.7	78.4	80.0	80.1	80.5	81.0	81.2	82.2
50-59	68.9	69.6	70.6	71.1	71.5	72.4	73.2	74.6	74.1	74.3	74.9
60-64	59.8	60.5	62.1	62.4	63.5	64.0	65.8	66.6	65.7	67.5	68.0
65-69	55.4	56.1	56.1	56.6	56.9	58.1	59.9	59.0	59.9	60.6	58.9
70-79	45.6	46.4	47.7	48.1	48.0	49.1	50.1	50.2	50.6	51.3	49.2
80+	33.2	33.1	37.3	36.7	36.0	36.7	37.3	38.3	38.4	37.9	36.7
Male	63.4	63.9	64.4	64.8	64.1	64.6	65.9	65.8	66.5	66.4	65.4
Female	64.1	64.7	64.8	64.8	63.8	64.8	64.8	65.3	65.3	65.8	64.3
White	60.7	60.8	61.1	61.2	60.2	60.8	61.3	61.4	61.9	61.8	60.5
Black	69.2	70.9	70.5	70.9	69.9	71.0	71.6	72.0	72.0	72.3	71.8
Other	69.2	70.2	75.0	75.1	78.0	75.8	77.5	75.6	73.5	73.6	74.1
Hispanic										71.6	71.2
Non-Hispanic										65.4	64.1
Diabetes	56.5	57.8	59.4	58.6	59.2	60.2	62.1	61.7	62.2	62.7	61.6
Hypertension	59.9	60.7	61.2	61.4	60.4	61.5	62.1	62.5	64.2	64.1	62.3
Glomerulonephritis	76.6	77.5	76.5	77.5	75.7	77.9	79.3	77.8	79.1	80.0	79.5
Other	68.5	68.5	69.3	70.9	69.9	69.6	67.5	70.0	68.1	68.2	67.8
Total Crude Prob.	63.7	64.3	64.6	64.8	64.0	64.7	65.4	65.6	66.0	66.1	64.9

Table I.9

**Two-year Survival Probabilities***all incident patients, from day 91 to two years + 90 days, adjusted for age, gender, race, & primary diagnosis*

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0-19	94.6	93.3	94.3	94.4	93.8	95.1	93.7	95.1	95.1	93.8	94.9
20-44	81.5	83.2	83.2	84.0	82.8	83.9	83.9	84.2	83.9	85.0	86.2
45-64	65.2	66.3	68.1	68.9	69.5	70.6	71.7	72.7	72.6	73.5	74.4
65-74	50.6	51.8	52.5	53.0	53.4	54.9	55.6	55.5	57.0	57.4	55.8
75 +	37.3	37.9	41.2	41.1	40.8	41.4	42.3	43.2	42.6	43.2	41.8
Male	57.0	58.4	60.3	61.1	61.3	62.3	64.0	64.3	64.8	65.4	65.5
Female	58.7	59.8	61.0	61.6	61.6	63.0	62.9	64.0	63.8	64.8	64.2
White	52.9	54.0	56.0	56.6	56.7	58.2	58.9	60.1	60.7	61.4	61.0
Black	66.7	68.4	68.4	69.4	68.9	70.0	71.2	71.1	70.8	71.7	71.5
Other	63.1	65.5	71.7	72.0	75.8	74.3	76.4	74.0	72.7	73.1	74.1
Diabetes	51.3	53.5	55.9	55.8	57.1	58.4	60.7	60.9	61.2	62.0	61.7
Hypertension	55.1	56.4	57.7	58.6	58.0	59.0	59.9	60.8	61.9	62.0	61.0
Glomerulonephritis	72.9	74.1	74.1	75.1	74.1	76.2	77.3	76.9	77.4	78.7	78.3
Other	65.7	65.5	66.7	68.1	67.2	67.9	67.4	67.8	65.9	66.2	66.6
Total Adjusted Prob.	57.8	59.0	60.6	61.3	61.4	62.6	63.5	64.1	64.3	65.1	64.9

Table I.10

**Five-year Survival Probabilities***all incident patients, from day 91 to five years + 90 days, unadjusted*

	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
0-4	76.0	80.2	83.9	80.2	76.4	78.9	84.0	83.6	87.9	82.7	81.5
5-9	87.3	87.5	90.8	94.8	94.8	95.2	91.5	96.1	94.0	91.0	94.1
10-14	90.8	91.8	91.4	95.7	92.9	90.1	91.0	91.9	89.4	90.8	94.0
15-19	87.3	84.9	88.2	88.0	88.5	90.6	90.9	88.9	91.4	90.8	90.1
20-29	76.3	76.1	78.8	76.6	79.1	78.4	79.8	80.0	80.0	81.4	82.1
30-39	65.0	64.5	66.4	63.7	68.0	68.5	68.7	67.5	67.7	69.9	69.0
40-49	56.9	56.4	57.3	58.1	58.6	57.3	58.9	57.9	59.5	60.1	59.9
50-59	40.0	39.2	41.2	42.7	41.8	42.2	42.1	44.0	43.5	45.6	46.7
60-64	27.8	28.0	29.4	28.5	30.6	30.8	31.3	31.2	32.3	33.1	34.8
65-69	22.4	22.6	22.4	23.3	23.3	23.5	23.5	23.0	24.5	25.3	26.3
70-79	15.5	15.5	14.9	15.4	15.6	16.1	15.9	16.0	16.1	16.8	17.2
80+	7.6	8.5	7.8	7.6	6.6	8.9	8.7	7.6	7.7	8.2	8.4
Male	40.1	38.9	39.7	38.9	39.1	39.3	39.1	38.3	38.0	39.3	39.4
Female	40.2	39.4	39.0	38.1	38.6	37.5	37.3	36.2	36.7	36.7	37.5
White	38.1	37.3	37.1	35.9	35.5	35.2	34.7	33.7	33.7	34.3	33.9
Black	43.8	42.0	43.0	42.5	44.6	43.4	43.9	42.8	43.4	43.7	45.3
Other	47.2	45.4	48.6	48.6	47.8	52.5	51.2	51.5	48.7	50.3	50.1
Hispanic											
Non-Hispanic											
Diabetes	26.5	26.4	28.3	27.3	28.3	28.4	27.7	28.1	28.7	30.0	30.3
Hypertension	36.2	35.6	34.2	32.6	33.7	33.5	33.9	32.2	33.0	33.6	33.6
Glomerulonephritis	57.9	55.5	56.4	55.7	57.2	56.7	56.6	55.5	56.7	59.0	57.6
Other	45.8	45.4	46.5	47.4	46.7	48.0	48.6	48.8	47.6	45.1	48.8
Total Crude Prob.	40.2	39.1	39.4	38.5	38.9	38.5	38.2	37.3	37.4	38.1	38.5

Table I.11

**Five-year Survival Probabilities***all incident patients, from day 91 to five years + 90 days, adjusted for age, gender, race, & primary diagnosis*

	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
0-19	86.5	85.6	88.4	89.3	88.5	89.6	90.1	89.5	90.8	89.6	90.7
20-44	65.3	64.7	67.0	65.3	67.7	68.3	69.1	68.0	68.5	69.7	69.9
45-64	33.9	34.1	36.4	36.9	38.0	38.9	39.2	40.9	41.5	42.9	44.4
65-74	17.8	18.2	17.7	18.9	19.4	20.0	20.2	19.9	21.3	21.4	22.6
75 +	9.8	10.4	10.3	9.9	9.4	11.3	10.4	10.8	10.1	10.9	11.3
Male	26.9	27.1	28.9	28.9	29.8	31.8	31.7	32.3	32.5	34.3	35.0
Female	27.8	28.1	28.8	29.1	29.9	30.2	30.6	31.0	32.0	32.1	33.6
White	23.0	23.6	24.4	24.6	25.3	26.9	26.6	27.3	28.2	29.2	30.4
Black	36.3	35.4	37.4	37.4	39.2	38.6	39.9	39.7	40.2	41.2	42.3
Other	30.6	32.3	36.6	38.6	39.5	46.0	44.1	46.1	44.6	46.6	45.8
Diabetes	18.2	18.9	21.1	21.1	22.5	23.4	23.4	24.6	25.6	27.3	28.3
Hypertension	24.2	25.1	24.7	24.5	25.7	26.4	27.2	26.3	26.7	27.6	28.2
Glomerulonephritis	46.8	44.7	47.0	46.6	48.6	49.7	49.0	50.0	50.5	52.6	52.8
Other	37.9	37.7	39.3	40.3	39.6	41.5	41.4	41.7	42.0	41.6	42.9
Total Adjusted Prob.	27.3	27.6	28.9	29.0	29.9	31.1	31.2	31.7	32.3	33.3	34.4

Table I.12

**Ten-year Survival Probabilities***all incident patients, from day 91 to ten years + 90 days, unadjusted*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
0-4	69.0	75.0	69.7	77.4	75.3	71.0	73.6	81.3	79.3	68.3	77.2
5-9	74.1	81.8	82.1	78.2	82.0	84.3	81.3	85.3	82.5	92.7	89.5
10-14	75.1	78.7	77.6	77.7	83.9	82.5	83.0	85.0	88.5	84.8	81.7
15-19	76.6	79.8	80.3	79.7	80.6	78.7	75.9	79.4	79.2	79.6	84.3
20-29	64.1	64.7	62.8	66.0	63.2	64.0	64.7	65.5	64.8	67.7	65.4
30-39	46.7	47.3	47.6	48.2	49.2	49.0	47.3	49.5	47.7	49.9	50.6
40-49	32.2	32.4	32.9	33.7	33.8	35.8	35.7	36.6	36.1	36.5	35.1
50-59	17.5	16.0	18.0	18.2	16.8	17.2	17.8	18.3	19.8	18.1	18.5
60-64	8.1	8.2	8.6	6.7	8.8	8.3	9.2	9.0	8.5	9.2	9.0
65-69	4.9	4.5	5.0	4.0	4.7	5.2	6.1	5.0	4.8	5.0	4.8
70-79	2.1	2.4	2.0	2.8	2.1	2.9	2.7	2.3	2.5	2.2	2.1
80+	.	1.5	0.6	1.6	0.2	1.2	0.9	0.8	0.7	0.4	0.6
Male	26.0	24.9	25.7	26.1	23.4	23.7	23.0	23.4	22.3	21.8	21.4
Female	25.1	25.0	25.8	24.3	21.6	22.5	21.7	20.8	20.0	20.2	19.1
White	26.8	26.1	26.3	25.6	22.8	23.1	22.3	21.9	21.0	20.0	19.4
Black	22.9	22.1	23.8	23.2	20.8	21.8	21.4	21.2	20.3	22.0	21.1
Other	29.3	30.8	32.7	37.5	33.8	32.3	30.6	32.5	30.1	29.4	31.0
Hispanic											
Non-Hispanic											
Diabetes	11.8	11.7	11.6	11.5	11.0	11.6	11.9	12.1	11.5	11.1	11.0
Hypertension	23.1	21.7	19.1	18.3	16.9	17.1	16.1	16.1	14.1	14.9	14.6
Glomerulonephritis	45.5	45.9	42.0	42.3	40.0	40.0	39.3	39.8	38.2	38.8	38.4
Other	24.2	24.2	28.9	30.7	25.8	28.8	28.9	29.0	29.9	29.4	30.1
Total Crude Prob.	25.6	24.9	25.7	25.3	22.6	23.1	22.4	22.2	21.3	21.1	20.4

Table I.13

**Ten-year Survival Probabilities***all incident patients, from day 91 to ten years + 90 days, adjusted for age, gender, race, & primary diagnosis*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
0-19	75.3	79.2	78.7	77.9	80.4	79.0	77.2	81.5	81.7	80.9	83.7
20-44	42.9	44.3	44.7	47.2	46.9	48.7	48.7	50.1	48.6	50.3	50.8
45-64	11.7	11.4	13.0	13.6	13.7	14.3	15.0	16.1	16.6	16.4	17.0
65-74	2.5	2.7	3.0	3.0	3.0	3.6	4.3	3.5	3.5	3.5	3.6
75 +	0.9	1.1	1.1	1.6	0.7	1.5	1.3	1.1	1.3	1.1	0.8
Male	9.9	9.8	10.2	11.5	10.9	11.8	12.6	13.3	13.0	12.8	13.6
Female	9.0	9.4	10.6	10.7	10.2	11.7	11.9	11.5	11.9	12.1	12.0
White	8.2	8.4	8.8	9.6	9.3	10.5	10.9	11.1	11.3	10.9	11.6
Black	13.3	12.7	13.7	13.4	12.7	13.9	14.5	14.6	14.4	15.4	14.9
Other	7.4	10.5	13.0	17.1	15.9	16.2	16.9	19.3	18.8	19.7	21.9
Diabetes	5.2	5.5	5.6	5.9	5.8	6.5	7.1	7.4	7.4	7.3	7.4
Hypertension	7.6	7.3	6.6	7.1	7.0	7.1	7.4	7.4	7.0	7.3	7.5
Glomerulonephritis	24.6	24.8	24.1	24.1	24.0	26.0	26.0	27.4	26.0	26.6	27.2
Other	13.9	13.7	15.7	17.3	15.9	18.3	18.8	18.6	19.8	19.3	20.2
Total Adjusted Prob.	9.5	9.6	10.4	11.1	10.6	11.8	12.3	12.5	12.5	12.5	12.9

"." Zero patients in this cell.

Table I.14

**One-year Survival Probabilities***incident patients aged 65 & over, from day 1 to one year, unadjusted*

	1989-90	1991-92	1993-94	1995-96	1997-98
65-69	73.6	74.1	75.8	75.6	74.4
70-74	67.7	68.7	70.5	69.8	69.1
75-79	62.6	63.6	64.2	64.1	62.8
80-84	57.2	57.7	59.4	58.6	56.7
85 +	49.5	52.2	51.0	49.9	47.9
Male	65.2	66.0	67.7	66.5	65.3
Female	68.2	68.6	69.0	68.6	66.2
White	63.8	64.5	65.5	65.1	63.5
Black	73.8	74.0	75.0	73.3	71.0
Other	75.7	76.7	78.0	72.8	72.4
Hispanic				71.5	70.8
Non-Hispanic				66.6	65.2
Diabetes	67.6	68.8	70.2	69.5	67.8
Hypertension	65.3	65.1	66.3	66.8	65.1
Glomerulonephritis	72.5	73.3	74.5	74.2	73.4
Other	65.1	66.5	66.8	61.9	59.1
Total Crude Prob.	66.6	67.2	68.4	67.5	65.7

Table I.15

**One-year Survival Probabilities***incident patients aged 65 & over, from day 1 to one year, adjusted for age, gender, race, & primary diagnosis*

	1989-90	1991-92	1993-94	1995-96	1997-98
65-69	73.2	74.0	75.5	75.6	74.6
70-74	67.2	68.5	70.2	69.8	69.2
75-79	62.2	63.3	64.0	63.9	63.1
80-84	56.9	57.3	59.2	58.5	56.9
85 +	49.3	51.9	50.8	49.7	48.0
Male	63.6	64.9	66.9	66.2	65.8
Female	66.7	67.6	68.1	68.2	66.6
White	62.2	63.4	64.8	65.0	64.1
Black	72.7	73.4	74.4	73.2	71.2
Other	74.5	75.8	77.2	72.7	72.7
Diabetes	66.3	67.8	69.5	69.0	68.1
Hypertension	63.8	64.0	65.6	66.5	65.4
Glomerulonephritis	71.4	72.5	74.0	74.0	73.5
Other	63.8	65.6	65.8	61.9	59.8
Total Adjusted Prob.	65.1	66.2	67.5	67.2	66.2



Table I.16

**Two-year Survival Probabilities***incident patients aged 65 & over, from day 1 to two years, unadjusted*

	1987-88	1989-90	1991-92	1993-94	1995-96	1997-98
65-69	54.8	55.7	56.6	59.0	59.2	57.8
70-74	47.4	48.9	49.9	51.4	52.0	50.8
75-79	40.4	42.8	43.9	45.2	45.0	43.9
80-84	33.5	36.7	37.0	38.4	38.4	36.5
85 +	27.0	28.9	28.9	30.1	29.5	27.9
Male	44.0	46.2	46.8	48.6	48.3	46.7
Female	48.9	49.1	49.8	50.7	50.4	48.0
White	43.0	44.3	44.9	45.9	46.3	44.5
Black	55.5	56.3	56.5	58.2	56.8	54.1
Other	50.4	57.2	61.4	62.1	56.0	56.9
Hispanic					53.7	52.9
Non-Hispanic					48.8	46.8
Diabetes	43.5	45.9	47.6	50.0	49.7	48.0
Hypertension	45.3	46.5	46.7	48.2	49.0	47.0
Glomerulonephritis	55.0	54.6	55.9	57.0	57.6	56.3
Other	47.3	49.0	49.2	49.1	45.8	42.9
Total Crude Prob.	46.3	47.6	48.3	49.6	49.4	47.3

Table I.17

**Two-year Survival Probabilities***incident patients aged 65 & over, from day 1 to two years, adjusted for age, gender, race, & primary diagnosis*

	1987-88	1989-90	1991-92	1993-94	1995-96	1997-98
65-69	53.5	54.9	56.3	58.4	59.2	58.1
70-74	46.3	48.1	49.6	50.9	52.0	50.9
75-79	39.3	42.1	43.4	44.8	44.7	44.2
80-84	32.8	36.2	36.5	38.0	38.2	36.7
85 +	26.4	28.6	28.5	29.9	29.2	28.0
Male	40.9	44.0	45.1	47.3	47.7	47.1
Female	45.7	46.9	48.1	49.2	49.7	48.2
White	40.0	42.1	43.3	44.9	46.0	45.1
Black	53.3	54.5	55.4	57.1	56.4	54.1
Other	47.7	55.3	59.8	60.7	55.6	57.0
Diabetes	40.6	44.0	45.9	48.7	48.8	48.0
Hypertension	42.3	44.3	45.0	46.9	48.3	47.2
Glomerulonephritis	52.2	52.8	54.6	56.0	57.1	56.2
Other	45.0	47.2	47.8	47.5	45.6	43.4
Total Adjusted Prob.	43.2	45.4	46.6	48.2	48.7	47.6

Table I.18

**Five-year Survival Probabilities***incident patients aged 65 & over, from day 1 to five years, unadjusted*

	1985-86	1987-88	1989-90	1991-92	1993-94
65-69	22.0	23.1	23.3	23.6	25.6
70-74	16.1	17.2	17.8	18.0	19.1
75-79	12.6	12.1	12.3	13.0	13.3
80-84	8.5	7.6	9.3	8.5	8.9
85 +	4.5	4.3	5.9	5.2	6.0
Male	14.9	15.1	16.3	15.9	16.8
Female	18.0	18.4	17.7	18.1	19.0
White	14.5	14.4	14.5	14.5	15.1
Black	21.5	23.1	23.2	23.2	24.4
Other	17.9	20.0	24.3	26.1	25.9
Hispanic					
Non-Hispanic					
Diabetes	12.2	12.6	13.3	14.4	15.8
Hypertension	16.1	16.3	16.7	15.9	17.2
Glomerulonephritis	20.8	22.2	22.4	23.9	24.2
Other	18.1	19.2	20.1	20.7	20.1
Total Crude Prob.	16.4	16.7	17.0	17.0	17.9

Table I.19

**Five-year Survival Probabilities***incident patients aged 65 & over, from day 1 to five years, adjusted for age, gender, race, & primary diagnosis*

	1985-86	1987-88	1989-90	1991-92	1993-94
65-69	20.2	21.5	22.3	23.2	24.9
70-74	14.8	16.1	16.9	17.6	18.6
75-79	11.4	11.1	11.8	12.5	13.0
80-84	7.8	7.0	9.0	8.2	8.6
85 +	4.2	4.0	5.7	4.9	5.8
Male	12.3	12.7	14.5	14.5	15.6
Female	14.9	15.5	15.8	16.6	17.6
White	11.9	12.1	13.1	13.4	14.5
Black	19.5	21.0	21.6	22.1	23.2
Other	15.9	17.8	22.9	24.5	24.5
Diabetes	10.1	10.4	11.6	12.7	14.4
Hypertension	13.1	13.7	14.6	14.2	15.6
Glomerulonephritis	18.1	19.2	20.5	22.3	22.8
Other	16.5	17.4	18.7	19.5	18.8
Total Adjusted Prob.	13.5	14.0	15.1	15.5	16.5

Table I.20

**Ten-year Survival Probabilities***incident patients aged 65 & over, from day 1 to ten years, unadjusted*

	1979-80	1981-82	1983-84	1985-86	1987-88	1989-90
65-69	4.7	4.5	4.9	5.6	4.9	5.0
70-74	2.8	2.8	2.8	2.9	2.7	2.7
75-79	1.5	1.7	1.5	1.6	1.8	1.0
80-84	0.7	1.2	0.8	0.7	0.6	0.6
85 +	0.8	0.0	0.4	0.7	0.1	0.3
Male	2.9	2.5	2.6	3.1	2.8	2.6
Female	3.6	4.0	3.6	3.5	3.2	3.0
White	3.0	2.8	2.7	3.0	2.5	2.3
Black	3.8	4.1	4.0	4.0	4.2	4.1
Other	1.8	3.6	3.9	4.1	4.6	4.8
Hispanic						
Non-Hispanic						
Diabetes	1.8	1.9	1.9	2.1	1.6	1.6
Hypertension	3.1	2.6	2.8	2.7	2.5	2.5
Glomerulonephritis	5.1	4.0	4.6	4.7	5.2	4.3
Other	3.2	4.0	3.5	4.3	4.2	4.2
Total Crude Prob.	3.2	3.1	3.1	3.3	3.0	2.8

Table I.21

**Ten-year Survival Probabilities***incident patients aged 65 & over, from day 1 to ten years, adjusted for age, gender, race, & primary diagnosis*

	1979-80	1981-82	1983-84	1985-86	1987-88	1989-90
65-69	3.2	3.5	3.9	4.8	4.2	4.6
70-74	2.0	2.3	2.3	2.5	2.4	2.5
75-79	1.2	1.3	1.2	1.3	1.5	0.9
80-84	0.5	1.0	0.7	0.6	0.5	0.5
85 +	0.8	.	0.3	0.6	0.1	0.2
Male	1.5	1.5	1.6	2.3	1.9	1.9
Female	1.8	2.3	2.3	2.3	2.2	2.3
White	1.6	1.6	1.7	2.1	1.7	1.7
Black	2.6	2.8	2.9	3.2	3.3	3.3
Other	0.9	2.3	2.8	3.3	3.6	3.9
Diabetes	1.1	1.2	1.3	1.5	1.1	1.1
Hypertension	1.4	1.3	1.5	1.6	1.5	1.6
Glomerulonephritis	3.0	2.6	3.1	3.5	3.7	3.1
Other	2.2	2.9	2.7	3.6	3.4	3.6
Total Adjusted Prob.	1.6	1.8	1.9	2.3	2.0	2.0

"." Zero patients in this cell.

Table I.22

**One-year Survival Probabilities***incident dialysis patients (censored at transplant), from day 91 to one year + 90 days, unadjusted*

	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-4	79.7	85.7	87.0	81.5	87.3	86.1	90.0	91.4	89.8	89.4	89.8
5-9	100.0	100.0	94.7	95.2	94.2	96.5	98.7	98.9	93.8	97.4	100.0
10-14	96.7	95.4	96.4	97.5	93.1	93.5	99.2	97.5	95.7	96.5	97.6
15-19	96.8	98.0	97.1	95.5	97.1	96.7	95.5	97.0	96.7	97.8	96.2
20-29	91.8	91.5	92.0	91.9	93.2	92.2	93.0	92.1	93.6	95.1	94.8
30-39	88.6	88.3	89.3	88.4	89.6	88.9	89.3	88.1	89.6	90.8	90.9
40-49	87.7	87.8	88.8	87.2	87.9	88.7	88.5	89.0	89.3	89.9	88.9
50-59	83.2	82.8	83.9	83.9	84.9	84.9	85.7	85.8	85.5	85.8	85.7
60-64	76.5	78.0	78.6	79.2	79.7	81.2	81.4	80.3	81.6	82.1	80.9
65-69	73.3	73.8	75.5	74.9	75.3	77.1	76.3	76.9	77.4	75.9	76.1
70-79	65.9	67.3	68.5	67.9	68.4	69.9	69.9	70.0	70.3	69.0	69.9
80+	55.4	57.7	59.5	59.0	58.5	60.8	60.8	60.1	59.6	58.9	57.9
Male	76.2	77.0	78.1	77.4	77.7	78.9	78.9	79.0	79.3	78.7	78.7
Female	78.1	77.8	78.6	77.6	78.3	78.6	79.0	79.1	79.1	78.2	77.9
White	73.9	74.3	75.3	74.2	74.7	75.6	75.9	76.2	76.1	75.1	75.2
Black	82.6	82.4	83.5	82.8	83.3	83.4	83.4	83.1	83.5	83.6	82.9
Other	81.7	84.9	85.7	86.5	85.2	87.3	85.8	84.4	84.1	84.9	84.4
Hispanic									83.7	83.5	83.5
Non-Hispanic									78.6	77.8	77.7
Diabetes	74.8	75.7	76.2	76.3	76.8	78.8	78.3	78.4	78.7	77.9	77.4
Hypertension	75.0	75.7	77.1	75.8	76.2	76.9	77.0	78.3	78.2	77.1	77.0
Glomerulonephritis	85.3	85.1	86.0	84.4	86.3	87.5	86.0	86.9	87.9	87.4	88.1
Other	78.0	78.0	79.4	78.2	78.3	77.4	79.4	77.4	77.2	77.1	77.7
Total Crude Prob.	77.1	77.4	78.3	77.5	77.9	78.8	78.9	79.1	79.2	78.5	78.4

Table I.23

**One-year Survival Probabilities***incident dialysis patients (censored at transplant), from day 91 to one year + 90 days, adjusted for age, gender, race, & primary diagnosis*

	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-19	94.5	96.0	95.4	93.6	94.7	94.5	96.1	96.4	95.2	96.2	95.8
20-44	89.4	88.8	90.1	89.0	89.7	89.3	89.9	89.3	90.4	91.3	91.0
45-64	80.6	81.6	82.5	82.6	83.5	84.3	84.6	84.5	84.9	85.6	84.9
65-74	70.1	71.1	72.8	72.3	72.9	74.5	73.8	74.6	75.0	73.9	74.4
75 +	59.4	61.8	62.9	62.5	62.4	63.6	64.6	63.9	63.8	63.0	63.0
Male	74.0	75.5	76.9	76.6	77.1	78.5	78.5	78.5	79.1	79.2	79.2
Female	76.0	76.4	77.6	77.0	77.8	78.2	78.7	78.7	78.8	78.5	78.2
White	71.2	72.5	73.8	73.2	74.1	75.2	75.8	76.1	76.4	76.0	76.2
Black	81.6	81.6	82.9	82.5	83.0	83.5	83.2	82.7	83.4	83.6	83.0
Other	80.1	83.9	85.0	86.0	85.0	87.3	85.3	84.2	84.0	85.0	84.5
Diabetes	73.1	74.4	75.1	75.6	76.2	78.3	78.1	78.0	78.4	78.2	77.6
Hypertension	73.0	74.3	76.1	75.1	75.3	76.2	76.5	77.6	77.4	77.0	76.8
Glomerulonephritis	84.5	85.0	85.8	84.6	86.3	87.2	86.3	86.7	87.8	87.4	88.0
Other	77.2	77.5	78.9	77.9	78.3	78.1	78.7	76.7	76.6	77.0	77.5
Total Adjusted Prob.	75.0	75.9	77.2	76.8	77.4	78.4	78.6	78.6	79.0	78.9	78.8

Table I.24

**Two-year Survival Probabilities***incident dialysis patients (censored at transplant), from day 91 to two years + 90 days, unadjusted*

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0-4	84.4	70.2	80.3	79.6	77.4	87.3	84.4	82.4	88.0	84.7	85.9
5-9	100.0	100.0	95.8	86.0	95.2	94.2	82.5	94.6	96.7	92.1	95.1
10-14	98.8	94.1	95.4	89.1	96.1	90.4	90.5	95.7	93.6	93.4	92.8
15-19	93.6	94.6	95.6	93.8	92.1	94.8	92.7	93.5	94.2	91.6	93.4
20-29	80.8	84.7	84.7	84.2	84.2	86.4	86.7	87.4	86.1	88.2	89.5
30-39	76.3	78.8	78.2	78.7	77.7	79.3	80.2	79.9	80.0	81.2	82.9
40-49	73.9	75.8	75.4	78.4	74.7	76.9	77.0	77.9	79.0	79.3	80.1
50-59	66.7	67.7	68.9	69.2	69.4	70.5	71.5	73.1	72.6	73.0	73.3
60-64	59.1	59.7	61.1	61.3	62.6	63.0	64.9	65.8	64.7	66.6	67.1
65-69	55.2	55.9	55.8	56.3	56.6	57.8	59.6	58.6	59.4	60.2	58.2
70-79	45.5	46.3	47.7	48.0	47.9	49.1	50.0	50.2	50.5	51.2	49.1
80+	33.1	33.1	37.3	36.7	36.0	36.7	37.3	38.3	38.4	37.9	36.7
Male	58.7	59.8	60.6	61.0	60.5	61.3	62.7	63.1	63.8	64.0	63.0
Female	60.8	61.8	61.9	62.0	61.0	62.3	62.3	63.2	63.3	64.1	62.5
White	55.4	55.7	56.3	56.5	55.6	56.7	57.0	57.9	58.5	58.7	57.2
Black	67.5	69.5	69.3	69.8	68.7	69.9	70.6	70.8	70.8	71.4	71.1
Other	64.1	67.2	71.6	71.7	74.9	73.2	75.1	73.8	71.8	72.3	72.8
Hispanic										70.3	70.0
Non-Hispanic										63.2	61.8
Diabetes	53.0	54.9	56.7	56.4	57.1	58.2	60.4	60.0	60.7	61.3	60.3
Hypertension	58.2	59.2	60.0	60.1	59.2	60.3	60.9	61.5	63.2	63.2	61.4
Glomerulonephritis	71.7	73.4	72.0	73.5	71.4	74.2	75.7	74.5	76.1	77.0	76.4
Other	63.4	63.6	64.2	65.4	63.9	64.2	62.2	65.8	63.9	64.6	63.9
Total Crude Prob.	59.7	60.7	61.2	61.5	60.7	61.8	62.5	63.1	63.6	64.0	62.8

Table I.25

**Two-year Survival Probabilities***incident dialysis patients (censored at transplant), from day 91 to two years + 90 days, adjusted for age, gender, race, & primary diagnosis*

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0-19	94.2	91.3	93.6	90.2	90.8	92.7	90.4	92.8	93.4	91.1	92.3
20-44	76.9	79.2	78.8	80.1	78.3	79.9	79.9	80.7	80.6	81.9	83.6
45-64	63.2	64.5	66.3	67.1	67.4	68.5	69.9	71.1	70.9	71.9	72.6
65-74	50.5	51.7	52.4	52.8	53.2	54.7	55.4	55.3	56.6	57.0	55.4
75 +	37.2	37.9	41.2	41.1	40.8	41.4	42.2	43.2	42.6	43.2	41.7
Male	55.1	56.6	58.4	59.1	59.2	60.2	62.0	62.5	62.9	63.6	63.5
Female	57.4	58.7	59.7	60.3	59.9	61.5	61.4	62.5	62.5	63.5	62.7
White	51.2	52.2	54.1	54.6	54.5	56.0	56.6	58.0	58.6	59.3	58.7
Black	65.9	67.8	67.8	68.8	68.1	69.3	70.5	70.3	70.1	71.0	70.9
Other	61.1	64.5	70.2	70.5	74.2	73.0	75.1	72.9	71.5	72.0	73.0
Diabetes	49.8	52.3	54.6	54.7	55.8	57.1	59.5	59.5	59.9	60.6	60.3
Hypertension	54.6	56.0	57.4	58.1	57.5	58.5	59.4	60.3	61.4	61.6	60.5
Glomerulonephritis	71.0	72.4	71.9	73.3	71.8	74.2	75.4	75.0	75.6	76.8	76.4
Other Cause	62.4	62.4	63.5	64.6	63.3	64.2	63.2	64.6	62.7	63.5	63.5
Total Adjusted Prob.	56.2	57.6	59.0	59.7	59.6	60.8	61.7	62.5	62.7	63.5	63.1

Table I.26

**Five-year Survival Probabilities***incident dialysis patients (censored at transplant), from day 91 to five years + 90 days, unadjusted*

	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
0-4	60.9	63.1	85.9	80.0	66.7	75.8	70.7	69.3	69.8	68.3	69.8
5-9	84.4	54.9	72.6	81.8	92.3	87.1	76.9	95.2	69.0	75.0	85.9
10-14	82.8	96.1	80.0	83.7	82.8	84.7	81.4	81.0	77.1	81.4	82.9
15-19	82.8	70.4	75.2	83.2	76.5	80.1	85.3	82.2	85.2	80.3	82.4
20-29	62.1	59.2	65.7	61.9	67.7	63.8	67.1	66.9	69.2	70.8	73.0
30-39	53.4	51.1	51.2	49.0	55.2	55.4	54.9	54.2	56.0	58.7	58.7
40-49	48.0	47.0	47.2	47.1	48.8	46.2	48.2	47.4	48.6	49.7	51.0
50-59	35.2	34.2	35.2	36.3	35.6	35.6	35.2	37.5	36.9	39.3	40.5
60-64	26.2	26.3	27.5	26.0	27.8	27.9	28.3	28.5	29.0	29.9	32.1
65-69	22.0	22.2	22.0	22.6	22.5	22.4	22.4	21.7	23.4	23.9	25.1
70-79	15.3	15.4	14.8	15.3	15.4	16.0	15.7	15.8	15.9	16.6	17.0
80+	7.6	8.4	7.5	7.6	6.6	8.9	8.6	7.5	7.7	8.2	8.4
Male	29.0	27.4	28.0	27.9	28.7	29.0	28.8	28.6	28.7	30.1	31.3
Female	32.0	31.1	30.4	29.7	30.6	29.4	29.6	28.7	29.5	29.8	31.2
White	26.1	24.8	24.0	23.6	23.4	23.3	22.8	22.5	22.9	23.5	24.6
Black	38.5	37.3	38.1	37.4	39.8	38.5	39.4	38.6	39.0	39.5	41.1
Other	33.4	31.0	35.6	36.4	38.2	41.7	40.2	40.5	40.1	42.0	43.0
Hispanic											
Non-Hispanic											
Diabetes	18.4	17.8	19.9	19.7	21.3	21.3	21.4	22.2	22.8	24.5	25.2
Hypertension	31.0	30.7	29.1	27.7	29.1	29.3	29.4	28.1	28.9	29.4	30.1
Glomerulonephritis	44.2	40.2	40.6	41.0	43.4	42.1	42.9	42.8	43.8	46.6	45.9
Other	34.5	34.3	34.6	35.4	34.5	35.3	35.1	34.9	34.7	33.1	38.3
Total Crude Prob.	30.4	29.2	29.2	28.8	29.6	29.2	29.1	28.6	29.1	30.0	31.3

Table I.27

**Five-year Survival Probabilities***incident dialysis patients (censored at transplant), from day 91 to five years + 90 days, adjusted for age, gender, race, & primary diagnosis*

	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
0-19	80.3	71.8	77.0	83.4	77.4	81.3	81.9	80.7	81.5	78.9	82.0
20-44	51.8	48.8	52.2	50.3	54.2	53.5	55.0	53.5	55.2	56.7	57.9
45-64	29.4	29.3	30.7	30.6	31.7	32.2	32.5	34.5	34.4	36.3	38.1
65-74	17.6	17.9	17.4	18.4	18.9	19.3	19.4	19.0	20.6	20.5	21.8
75 +	9.8	10.3	10.2	9.9	9.4	11.3	10.4	10.8	10.1	10.8	11.2
Male	22.7	22.6	23.7	23.7	24.6	26.2	25.9	26.8	26.9	28.6	29.8
Female	25.3	25.2	25.5	25.6	26.4	26.3	26.9	26.9	28.1	28.2	29.8
White	19.7	19.8	19.9	20.0	20.4	21.7	21.3	22.0	22.7	23.7	25.2
Black	34.2	33.6	35.3	35.0	36.9	36.0	37.5	37.4	37.6	38.8	39.9
Other	26.2	26.8	31.4	33.2	34.9	40.6	38.8	40.6	40.2	42.1	41.9
Diabetes	14.6	14.6	16.6	16.7	18.4	18.9	19.1	20.3	21.1	22.9	24.0
Hypertension	22.7	23.7	23.1	22.8	23.9	24.7	25.3	24.6	24.9	25.6	26.5
Glomerulonephritis	41.7	38.4	39.6	39.7	42.0	42.0	41.9	43.3	43.5	45.8	46.0
Other Cause	32.4	32.3	33.1	33.7	32.5	34.0	33.4	33.6	34.0	33.3	36.0
Total Adjusted Prob.	24.0	23.8	24.6	24.6	25.4	26.3	26.3	26.9	27.4	28.4	29.8

Table I.28

**Ten-year Survival Probabilities***incident dialysis patients (censored at transplant), from day 91 to ten years + 90 days, unadjusted*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
0-4	48.0	77.6	73.2	64.5	63.2	53.3	25.3	85.9	80.0	48.5	75.8
5-9	73.9	88.4	71.2	58.4	80.0	84.4	36.6	72.6	81.8	92.3	76.2
10-14	60.7	58.0	56.8	62.9	78.8	66.5	75.5	72.0	78.1	67.6	58.8
15-19	76.4	77.7	63.0	63.6	73.0	59.2	54.6	55.6	62.2	62.1	67.4
20-29	55.6	54.1	47.0	47.6	43.9	43.5	42.7	43.0	41.3	45.7	41.1
30-39	39.6	38.6	34.8	31.2	32.7	31.5	29.8	29.0	27.8	29.5	30.9
40-49	26.0	24.7	23.8	22.5	21.9	23.4	21.2	20.9	21.3	22.6	19.2
50-59	15.6	12.9	14.1	14.0	11.7	11.1	12.1	10.6	11.2	10.6	10.6
60-64	7.8	7.8	7.8	6.0	7.5	6.8	7.3	7.0	6.0	6.7	6.1
65-69	4.8	4.5	4.9	3.8	4.6	4.8	5.7	4.5	4.1	4.3	4.0
70-79	2.2	2.4	2.0	2.8	2.1	2.8	2.6	2.2	2.4	2.1	2.0
80+	0.0	1.5	0.6	1.6	0.2	1.1	0.8	0.6	0.7	0.4	0.6
Male	15.2	13.5	12.5	11.4	10.1	10.1	9.7	9.4	9.2	9.1	8.6
Female	16.4	15.4	15.3	12.9	11.6	11.2	10.9	9.4	9.0	9.6	8.8
White	14.6	12.9	11.3	10.3	8.7	8.6	7.8	6.9	6.8	6.2	5.7
Black	17.6	16.8	17.7	15.5	14.2	14.2	14.6	13.5	12.8	14.4	13.5
Other	15.0	11.4	14.7	14.5	15.4	13.6	11.9	14.2	13.1	13.9	13.6
Hispanic											
Non-Hispanic											
Diabetes	6.1	6.1	5.1	4.5	4.4	4.2	4.2	4.0	4.2	4.4	4.0
Hypertension	15.4	13.7	12.4	10.8	10.6	10.5	10.1	9.2	7.9	8.7	8.8
Glomerulonephritis	28.7	27.4	22.6	20.0	18.6	19.1	17.7	17.2	17.0	17.6	16.1
Other	15.4	14.4	16.0	15.7	12.6	13.0	13.7	12.7	13.2	13.1	12.8
Total Crude Prob.	15.8	14.4	13.8	12.1	10.8	10.6	10.3	9.4	9.1	9.3	8.7

Table I.29

**Ten-year Survival Probabilities***incident dialysis patients (censored at transplant), from day 91 to ten years + 90 days, adjusted for age, gender, race, & primary diagnosis*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
0-19	72.5	74.5	63.6	62.4	73.9	61.2	53.6	60.1	68.3	64.1	68.3
20-44	32.1	32.1	28.9	26.6	27.1	27.5	25.9	26.5	25.4	26.8	26.6
45-64	9.7	8.7	9.1	9.3	8.6	8.4	8.9	8.7	8.8	9.0	8.8
65-74	2.6	2.7	2.9	2.9	2.9	3.4	4.0	3.2	3.1	3.0	3.1
75 +	0.9	1.1	1.1	1.6	0.6	1.5	1.2	1.0	1.3	1.0	0.8
Male	7.7	7.0	6.5	6.8	6.2	6.8	7.4	7.2	6.9	6.5	6.7
Female	7.9	7.6	8.1	7.7	7.1	7.7	7.9	6.8	7.1	7.7	7.3
White	6.6	6.1	5.5	5.7	5.1	5.8	6.1	5.5	5.5	5.1	5.3
Black	12.2	11.6	12.2	11.0	10.6	11.0	11.9	10.9	10.9	12.1	11.2
Other	5.7	5.6	8.5	9.9	10.2	9.3	9.3	11.3	11.2	11.6	13.4
Diabetes	3.5	3.7	3.1	2.9	2.8	3.0	3.2	2.9	3.1	3.3	2.9
Hypertension	6.3	5.7	5.3	5.3	5.3	5.4	5.8	5.4	5.0	5.0	5.3
Glomerulonephritis	21.4	19.8	17.8	16.5	15.4	17.4	16.9	16.4	15.5	16.2	15.2
Other Cause	11.0	10.4	11.2	11.8	10.2	11.4	12.0	11.0	11.4	10.9	11.2
Total Adjusted Prob.	7.7	7.3	7.2	7.2	6.6	7.2	7.6	7.0	7.0	7.0	7.0

Table I.30

**One-year Survival Probabilities***first transplant patients (cadaveric donor), from day of transplant to one year, unadjusted*

	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-17	96.2	96.3	95.4	97.8	99.1	98.0	97.8	98.4	98.5	98.8	98.7
18-29	96.4	96.1	96.9	97.5	97.0	97.1	97.3	97.4	98.4	98.6	98.2
30-44	93.7	94.3	94.7	96.0	95.6	96.4	95.7	96.3	96.2	96.3	97.1
45-54	91.1	92.0	92.0	94.7	93.6	93.0	93.9	94.1	94.5	94.0	94.9
55+	87.1	88.0	88.6	89.8	89.7	89.9	89.9	90.0	91.2	90.0	91.2
Male	91.9	92.4	92.9	94.4	93.9	94.2	93.8	94.2	94.6	94.3	94.8
Female	93.1	94.0	93.7	95.0	94.5	94.3	94.7	94.7	94.9	94.1	95.0
White	92.1	93.0	92.8	94.5	93.7	94.0	93.6	93.7	94.5	94.1	94.7
Black	93.4	93.4	94.4	94.9	94.5	94.6	94.8	95.8	95.2	93.8	94.7
Other	91.7	92.2	93.7	95.5	97.1	95.7	96.6	95.2	94.4	96.7	96.9
Hispanic									96.5	96.5	96.7
Non-Hispanic									94.5	94.0	94.7
Diabetes	88.7	91.2	90.9	91.3	91.6	91.7	92.0	92.3	92.7	92.7	93.2
Hypertension	93.2	92.6	92.1	95.2	92.8	93.5	93.9	94.1	94.8	93.0	94.5
Glomerulonephritis	92.9	94.0	94.9	95.7	95.8	96.5	96.4	95.7	95.6	95.6	96.3
Other	93.6	93.6	94.0	95.9	95.3	95.1	94.5	95.4	95.8	95.4	95.8
Total Crude Prob.	92.4	93.0	93.2	94.7	94.1	94.2	94.1	94.4	94.7	94.2	94.9

Table I.31

**One-year Survival Probabilities***first transplant patients (cadaveric donor), from day of transplant to one year, adjusted for age, gender, race, & primary diagnosis*

	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-17	96.1	96.3	95.3	97.7	99.1	98.1	97.9	98.5	98.5	98.8	98.7
18-29	96.3	96.1	96.9	97.5	97.0	97.2	97.2	97.5	98.4	98.6	98.2
30-44	93.4	94.2	94.5	95.9	95.5	96.4	95.8	96.4	96.3	96.4	97.1
45-54	90.7	91.5	91.8	94.5	93.5	93.0	93.9	94.1	94.6	94.1	95.1
55+	86.5	87.5	88.1	89.6	89.5	89.8	90.0	90.1	91.3	90.3	91.5
Male	90.8	91.4	92.2	94.0	93.6	94.1	93.9	94.4	94.9	94.8	95.4
Female	92.2	93.3	93.0	94.7	94.2	94.1	94.7	94.7	95.3	94.6	95.5
White	90.8	91.9	92.0	94.2	93.5	93.8	93.7	93.9	94.9	94.6	95.3
Black	92.9	92.8	93.9	94.5	94.1	94.6	94.7	95.8	95.4	94.3	95.2
Other	90.6	91.5	92.9	94.9	96.8	95.6	96.8	95.2	94.8	96.9	97.3
Diabetes	87.5	90.2	90.1	90.8	91.3	91.5	92.1	92.4	93.0	93.1	93.7
Hypertension	92.7	92.1	91.7	95.0	92.6	93.5	93.8	94.1	95.0	93.3	94.8
Glomerulonephritis	92.4	93.5	94.6	95.4	95.7	96.4	96.5	95.8	95.8	95.9	96.5
Other	93.2	93.2	93.7	95.8	95.2	95.1	94.5	95.4	96.0	95.6	96.1
Total Adjusted Prob.	91.3	92.1	92.5	94.3	93.8	94.1	94.2	94.5	95.0	94.7	95.4

"." Zero patients in this cell.



Table I.32

**Two-year Survival Probabilities***first transplant patients (cadaveric donor), from day of transplant to two years, unadjusted*

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0-17	95.6	95.1	95.9	94.7	97.3	97.8	96.9	96.0	97.7	96.6	98.0
18-29	93.6	94.2	94.4	95.0	95.9	95.2	95.4	96.6	96.3	97.0	96.9
30-44	88.5	90.8	91.5	92.3	93.9	92.7	94.2	93.2	94.6	94.3	94.5
45-54	84.3	86.3	88.0	88.7	91.2	90.4	89.0	90.1	91.1	90.8	91.0
55+	77.6	82.0	81.8	84.8	85.7	84.6	85.1	84.9	85.5	86.6	86.0
Male	85.9	88.0	88.8	90.1	91.6	90.8	91.0	90.3	91.3	91.7	91.4
Female	89.4	90.1	90.8	91.0	92.4	91.0	91.2	91.8	92.5	91.6	91.7
White	87.1	88.7	89.7	90.2	91.8	90.6	90.8	90.3	91.2	91.3	91.2
Black	86.6	89.0	89.4	91.0	91.9	91.0	91.0	91.5	92.8	92.1	91.6
Other	91.3	89.7	89.3	91.8	93.8	93.6	94.1	94.3	93.4	92.9	94.2
Hispanic										93.3	93.9
Non-Hispanic										91.5	91.3
Diabetes	80.7	83.0	86.2	85.9	86.9	86.3	87.4	87.5	88.7	88.6	88.5
Hypertension	86.2	89.3	88.4	88.7	92.1	88.7	89.8	91.1	90.8	91.1	90.5
Glomerulonephritis	91.0	90.7	91.6	93.0	93.9	94.2	94.3	94.2	94.0	93.3	93.7
Other	88.5	90.5	90.9	92.2	93.8	92.8	92.4	91.4	93.3	93.5	93.4
Total Crude Prob.	87.2	88.8	89.6	90.5	91.9	90.9	91.1	90.9	91.8	91.7	91.5

Table I.33

**Two-year Survival Probabilities***first transplant patients (cadaveric donor), from day of transplant to two years, adjusted for age, gender, race, & primary diagnosis*

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0-17	95.5	95.1	95.9	94.6	97.3	97.8	96.9	96.1	97.7	96.6	98.0
18-29	93.4	94.1	94.4	95.0	95.8	95.1	95.5	96.5	96.3	97.0	96.9
30-44	88.1	90.4	91.4	92.0	93.7	92.6	94.2	93.3	94.7	94.5	94.7
45-54	83.7	85.8	87.4	88.4	91.0	90.3	88.9	90.2	91.2	91.1	91.3
55+	76.7	81.2	81.2	84.3	85.4	84.3	85.1	85.1	85.8	86.8	86.5
Male	83.5	86.6	87.6	89.4	91.2	90.5	91.0	90.6	91.7	92.3	92.3
Female	87.5	89.0	89.9	90.2	92.1	90.8	91.2	92.1	92.7	92.3	92.6
White	84.5	87.1	88.4	89.4	91.4	90.4	90.7	90.7	91.7	92.1	92.2
Black	85.3	88.3	88.6	90.3	91.4	90.4	91.2	91.6	92.7	92.5	92.3
Other	89.6	88.8	88.6	91.0	93.1	93.0	94.2	94.7	93.5	93.5	94.6
Diabetes	78.6	81.6	84.9	85.0	86.4	86.1	87.2	87.8	89.0	89.2	89.3
Hypertension	84.5	88.6	87.7	88.2	91.8	88.4	89.9	91.1	90.9	91.4	90.9
Glomerulonephritis	89.5	90.1	91.0	92.8	93.6	94.1	94.2	94.3	94.2	93.7	94.2
Other	87.4	90.0	90.4	91.9	93.7	92.7	92.4	91.5	93.4	93.8	93.8
Total Adjusted Prob.	85.0	87.5	88.5	89.7	91.5	90.6	91.1	91.2	92.1	92.3	92.4

". " Zero patients in this cell.

Table I.34

**Five-year Survival Probabilities***first transplant patients (cadaveric donor), from day of transplant to five years, unadjusted*

	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
0-17	90.8	88.3	88.6	93.4	89.9	92.2	93.1	92.4	95.1	94.5	94.6
18-29	84.9	86.4	84.5	88.1	88.8	87.6	89.6	90.9	89.7	90.1	91.6
30-44	73.2	76.6	75.8	76.4	80.0	83.0	84.4	85.2	84.3	86.1	85.0
45-54	67.4	65.7	64.1	67.9	73.2	76.1	75.6	78.3	76.4	76.9	79.9
55+	55.3	56.7	58.9	58.6	65.0	65.8	68.8	66.6	67.2	66.8	66.6
Male	72.1	73.5	71.2	72.5	75.8	78.0	79.3	79.1	79.4	79.6	79.5
Female	76.6	77.2	77.3	78.6	79.7	81.6	82.0	83.4	80.2	81.1	81.9
White	74.1	75.9	73.7	74.9	77.4	79.5	79.7	80.9	79.6	80.1	80.5
Black	72.1	70.6	70.9	72.4	76.1	78.4	81.1	79.6	78.6	78.9	79.5
Other	77.2	83.2	81.7	83.9	80.6	82.4	84.6	83.5	85.5	86.3	84.0
Hispanic											
Non-Hispanic											
Diabetes	59.1	62.6	61.5	62.5	65.6	70.8	70.1	72.4	69.1	71.5	72.9
Hypertension	71.0	71.3	72.5	69.2	75.5	76.2	77.9	79.1	76.2	77.4	78.9
Glomerulonephritis	81.0	83.3	79.9	81.0	81.8	84.4	85.1	84.2	86.0	86.3	85.9
Other	76.2	76.8	76.1	79.6	81.4	82.6	84.3	84.5	84.4	84.2	83.8
Total Crude Prob.	73.8	74.9	73.4	74.8	77.3	79.4	80.3	80.8	79.7	80.2	80.4

Table I.35

**Five-year Survival Probabilities***first transplant patients (cadaveric donor), from day of transplant to five years, adjusted for age, gender, race, & primary diagnosis*

	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
0-17	90.8	88.0	88.4	93.3	89.8	92.3	93.1	92.3	95.1	94.6	94.8
18-29	84.1	86.0	84.1	87.7	88.6	87.6	89.7	90.8	89.6	90.3	91.5
30-44	71.6	75.7	75.2	75.7	79.2	82.9	84.0	85.0	84.0	86.3	85.5
45-54	65.6	64.7	63.1	67.1	72.6	75.2	75.3	78.1	76.4	77.1	80.4
55+	53.1	55.3	57.3	57.5	64.0	65.2	68.2	66.5	66.9	67.0	67.4
Male	65.8	68.2	67.0	69.6	74.6	76.9	78.9	78.9	79.6	80.6	81.0
Female	71.4	73.5	74.2	76.1	78.6	80.8	81.4	83.5	80.6	82.0	83.4
White	67.9	70.5	69.5	71.7	76.0	78.3	79.4	81.2	80.3	81.1	82.2
Black	66.9	67.5	68.1	70.7	75.6	77.7	80.4	79.0	78.1	79.8	80.4
Other	71.8	77.8	77.6	82.0	79.9	82.3	84.0	82.4	84.9	87.1	85.8
Diabetes	53.7	58.9	57.7	60.4	64.6	69.5	69.7	72.7	69.3	72.2	74.4
Hypertension	67.7	67.2	69.6	66.3	74.7	75.3	77.6	78.9	76.4	77.9	79.4
Glomerulonephritis	76.9	80.0	76.8	78.9	81.3	84.2	85.3	84.1	86.3	86.7	86.7
Other	72.7	73.5	73.9	78.2	81.2	82.2	84.2	84.6	84.7	84.7	84.4
Total Adjusted Prob.	67.9	70.2	69.7	72.1	76.1	78.4	79.9	80.8	80.0	81.2	81.9

Table I.36

**Ten-year Survival Probabilities***first transplant patients (cadaveric donor), from day of transplant to ten years, unadjusted*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
0-17	67.6	83.8	76.8	79.5	85.5	81.2	80.7	82.2	86.0	83.6	86.8
18-29	67.5	68.2	71.3	71.3	72.8	72.7	74.6	71.6	77.5	77.4	76.4
30-44	48.5	50.0	50.8	55.9	55.8	55.4	58.0	57.3	57.9	63.2	64.5
45-54	34.3	38.0	39.2	38.2	38.0	42.5	40.4	41.1	46.2	48.4	52.3
55+	19.7	20.9	21.1	26.9	26.9	25.6	26.1	27.7	31.7	35.4	36.7
Male	48.5	51.6	52.4	53.3	53.8	52.5	54.2	51.7	53.8	55.5	57.4
Female	54.1	55.1	56.4	59.9	58.6	59.4	58.0	58.1	60.5	60.7	62.8
White	50.8	54.3	56.0	56.4	57.4	55.7	57.4	54.5	56.8	58.1	60.4
Black	46.7	45.9	44.7	50.8	46.9	51.0	48.7	49.0	52.0	54.2	55.6
Other	61.5	62.7	59.5	70.8	73.2	66.7	66.3	70.4	67.8	64.2	63.6
Hispanic											
Non-Hispanic											
Diabetes	30.3	30.5	37.3	37.3	33.0	35.3	37.5	35.7	38.7	39.4	43.5
Hypertension	49.7	52.3	48.4	52.1	50.5	48.9	48.3	47.0	47.2	50.7	53.2
Glomerulonephritis	59.8	66.2	64.9	64.7	66.2	63.6	67.8	66.4	65.2	66.0	67.9
Other	49.4	50.9	53.2	57.3	58.4	59.8	59.3	58.6	63.5	64.5	66.1
Total Crude Prob.	50.6	52.9	53.8	55.7	55.6	55.1	55.6	54.0	56.3	57.5	59.5

Table I.37

**Ten-year Survival Probabilities***first transplant patients (cadaveric donor), from day of transplant to ten years, adjusted for age, gender, race, & primary diagnosis*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
0-17	66.6	83.4	76.5	79.3	85.5	81.4	80.4	82.0	85.8	83.8	87.3
18-29	64.1	64.9	69.0	69.8	71.4	72.0	74.5	71.8	77.4	77.6	76.8
30-44	43.6	45.9	47.1	53.9	53.5	53.9	57.1	57.0	57.3	62.4	64.9
45-54	30.2	34.4	36.4	35.5	36.2	40.9	39.8	40.5	45.9	47.9	51.6
55+	17.1	18.1	18.5	25.1	25.8	24.4	25.0	26.8	31.2	34.9	36.6
Male	37.4	41.2	42.9	45.3	46.7	47.3	49.5	48.9	52.6	56.3	58.4
Female	42.3	45.8	46.9	53.0	53.1	55.1	55.7	56.6	59.8	62.1	64.5
White	38.7	43.6	46.3	48.0	50.5	50.6	53.2	52.4	55.8	59.2	61.9
Black	38.9	39.4	38.1	45.2	41.7	46.3	45.9	46.5	51.1	54.8	55.8
Other	47.7	50.6	51.3	64.0	65.2	62.7	58.8	66.7	67.4	65.6	66.6
Diabetes	25.1	25.9	33.0	32.5	29.6	31.8	34.7	33.4	38.3	40.0	43.5
Hypertension	40.6	43.8	40.1	45.7	46.0	46.2	44.9	44.4	45.1	50.8	53.3
Glomerulonephritis	51.1	58.7	55.9	58.6	60.7	59.5	64.7	64.5	64.0	67.3	69.2
Other	42.8	45.6	47.7	52.2	53.7	56.4	56.0	56.8	62.9	65.7	67.3
Total Adjusted Prob.	39.2	43.0	44.4	48.1	49.1	50.1	51.8	51.7	55.2	58.4	60.6

Table I.38

**One-year Survival Probabilities***first transplant patients (living donor), from day of transplant to one year, unadjusted*

	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-17	96.4	97.8	97.3	99.1	96.9	98.1	98.1	97.5	99.1	99.4	99.1
18-29	99.0	98.0	99.3	98.8	98.2	98.8	99.7	99.1	99.7	99.1	99.7
30-44	96.9	98.1	98.2	98.2	98.3	98.1	98.2	98.4	98.9	98.7	98.8
45-54	95.5	98.3	96.2	97.8	97.1	96.7	97.2	97.4	97.2	95.9	97.4
55+	88.8	91.5	91.8	93.2	93.2	93.9	95.4	93.5	94.4	95.6	95.4
Male	96.7	97.3	97.7	98.0	97.5	97.4	97.3	97.2	98.0	98.1	98.0
Female	97.1	98.0	97.5	98.0	97.1	97.7	98.9	97.9	97.9	97.0	98.0
White	96.5	97.6	97.4	98.0	97.4	97.7	98.2	97.5	98.0	97.6	98.2
Black	98.2	96.7	98.2	97.1	96.0	96.4	97.5	97.2	97.7	97.4	96.9
Other	98.8	100.0	100.0	100.0	98.6	98.0	97.0	98.9	99.1	99.2	98.5
Hispanic									97.1	98.9	98.7
Non-Hispanic									98.1	97.5	97.9
Diabetes	95.7	97.9	96.2	95.7	95.6	94.8	96.8	96.0	96.8	95.0	96.1
Hypertension	95.1	96.2	94.3	97.3	96.8	96.8	97.2	96.8	97.3	97.0	97.9
Glomerulonephritis	98.0	96.9	98.4	98.6	98.0	98.8	98.8	98.7	99.1	98.8	99.2
Other	97.0	98.2	98.4	98.8	97.8	98.1	98.3	97.7	98.0	98.3	98.3
Total Crude Prob.	96.9	97.6	97.6	98.0	97.3	97.5	98.0	97.5	98.0	97.7	98.0

Table I.39

**One-year Survival Probabilities***first transplant patients (living donor), from day of transplant to one year, adjusted for age, gender, race, & primary diagnosis*

	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
0-17	96.4	97.8	97.3	99.1	96.8	98.0	98.2	97.6	99.2	99.4	99.1
18-29	99.1	98.0	99.3	98.8	98.2	98.8	99.7	99.1	99.7	99.0	99.7
30-44	97.1	98.2	98.2	98.3	98.3	98.1	98.2	98.4	98.9	98.7	98.7
45-54	95.1	98.2	95.9	97.8	97.1	96.6	97.2	97.4	97.4	95.9	97.5
55+	88.0	90.7	91.1	93.1	92.7	93.7	95.3	93.5	94.5	95.6	95.6
Male	95.7	96.6	97.1	97.6	97.2	97.2	97.3	97.3	98.3	98.3	98.4
Female	96.2	97.5	97.0	97.8	97.0	97.5	98.9	98.0	98.1	97.3	98.2
White	95.5	97.0	96.9	97.7	97.2	97.5	98.1	97.6	98.1	97.8	98.5
Black	97.7	96.0	97.6	96.7	96.0	96.2	97.4	97.2	97.9	97.6	97.3
Other	98.3	100.0	100.0	100.0	98.3	97.7	97.1	98.8	99.2	99.3	98.8
Diabetes	94.5	97.4	95.4	95.2	95.2	94.6	96.7	96.1	97.0	95.5	96.6
Hypertension	94.3	95.2	93.1	96.7	96.6	96.6	97.1	96.9	97.6	97.4	98.0
Glomerulonephritis	97.6	96.5	98.1	98.4	97.9	98.7	98.7	98.8	99.2	98.9	99.2
Other	96.2	97.9	98.2	98.7	97.7	98.0	98.4	97.7	98.2	98.5	98.5
Total Adjusted Prob.	95.9	97.0	97.1	97.7	97.1	97.3	98.0	97.6	98.2	97.9	98.3

Table I.40

**Two-year Survival Probabilities***first transplant patients (living donor), from day of transplant to two years, unadjusted*

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0-17	97.3	94.3	97.8	96.9	99.1	96.9	97.2	98.1	96.9	98.0	98.2
18-29	96.3	97.6	96.3	99.1	98.3	97.1	98.4	99.2	98.2	99.0	98.8
30-44	94.6	95.8	96.4	96.7	96.0	97.1	97.1	97.0	97.1	97.2	98.0
45-54	92.5	93.5	95.7	92.3	96.0	95.8	95.0	94.0	95.9	94.9	94.7
55+	94.1	84.3	89.1	88.4	90.6	91.4	91.6	90.7	88.8	92.0	93.6
Male	94.7	95.0	95.4	96.5	96.5	96.4	96.6	96.0	95.6	96.5	97.0
Female	95.0	95.7	96.8	95.8	96.6	95.9	96.2	96.8	96.1	96.0	96.1
White	94.5	95.1	96.1	96.1	96.5	96.5	96.7	96.6	95.8	96.3	96.6
Black	96.0	95.9	94.0	96.4	95.8	93.9	94.4	95.1	95.8	95.5	96.0
Other	95.9	96.5	98.6	98.0	100.0	97.9	98.0	95.8	96.2	98.2	98.4
Hispanic										96.3	98.0
Non-Hispanic										96.3	96.4
Diabetes	89.4	92.0	94.6	93.7	92.1	92.6	92.8	94.5	92.2	94.0	92.9
Hypertension	95.3	93.7	96.2	92.4	96.3	95.3	94.6	95.5	95.2	94.6	96.1
Glomerulonephritis	96.3	97.1	95.7	97.3	97.7	97.3	98.5	97.5	97.2	98.0	98.7
Other	96.3	95.7	96.7	97.2	97.8	97.2	97.3	96.6	96.7	96.8	97.1
Total Crude Prob.	94.8	95.2	96.0	96.2	96.5	96.2	96.5	96.3	95.8	96.3	96.6

Table I.41

**Two-year Survival Probabilities***first transplant patients (living donor), from day of transplant to two years, adjusted for age, gender, race, & primary diagnosis*

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0-17	97.2	94.4	97.8	96.9	99.1	96.8	97.2	98.2	97.0	98.0	98.2
18-29	96.5	97.7	96.5	99.1	98.3	97.1	98.4	99.2	98.2	99.0	98.6
30-44	94.8	96.0	96.5	96.6	96.0	97.0	97.1	97.0	97.0	97.2	97.9
45-54	92.1	93.0	95.5	91.8	95.9	95.8	94.8	94.1	95.9	95.2	94.7
55+	93.4	83.7	88.6	87.7	90.6	90.9	91.6	90.7	89.0	92.3	93.8
Male	94.5	93.7	94.5	95.7	96.0	96.1	96.4	96.0	95.9	96.9	97.4
Female	94.9	94.7	96.2	95.1	96.3	95.9	96.1	96.8	96.3	96.4	96.5
White	94.3	93.9	95.5	95.4	96.1	96.2	96.6	96.7	96.1	96.7	97.0
Black	96.1	94.9	92.6	95.3	95.3	94.0	94.3	94.9	95.9	95.8	96.4
Other	95.3	95.4	98.4	97.6	100.0	97.5	97.8	96.1	95.9	98.4	98.7
Diabetes	88.0	90.3	93.7	92.7	91.5	92.2	92.7	94.5	92.7	94.6	93.9
Hypertension	94.8	92.9	95.4	91.0	95.8	95.2	94.4	95.4	95.4	95.2	96.6
Glomerulonephritis	96.5	96.7	95.2	96.9	97.5	97.3	98.4	97.4	97.4	98.2	98.8
Other	96.5	94.7	96.3	96.9	97.6	97.1	97.2	96.7	96.9	97.0	97.4
Total Adjusted Prob.	94.6	94.1	95.2	95.5	96.1	96.0	96.3	96.3	96.1	96.7	97.1

Table I.42

**Five-year Survival Probabilities***first transplant patients (living donor), from day of transplant to five years, unadjusted*

	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
0-17	95.3	97.2	94.5	94.2	91.9	96.7	94.6	97.9	93.8	95.3	97.0
18-29	91.8	91.9	91.0	92.4	94.2	94.1	96.9	95.8	94.2	95.5	95.8
30-44	89.3	87.9	89.9	89.2	88.1	90.7	91.4	90.5	92.2	91.7	91.2
45-54	79.3	82.7	88.5	88.1	85.5	85.8	83.5	85.1	86.9	85.5	86.5
55+	80.8	83.7	85.4	82.1	71.9	72.9	76.0	81.2	81.7	73.5	73.1
Male	89.4	88.0	89.3	88.9	89.5	90.7	91.7	91.2	91.3	90.0	89.2
Female	87.6	89.2	90.5	90.2	89.0	90.4	90.5	91.5	90.1	89.9	90.5
White	89.1	88.5	89.5	89.2	90.3	90.9	90.9	91.7	91.3	90.3	90.5
Black	84.3	87.2	89.7	90.0	83.4	86.5	91.5	87.9	86.9	87.8	87.7
Other	95.1	91.5	93.5	90.6	89.4	97.3	94.9	95.5	93.1	91.3	86.7
Hispanic											
Non-Hispanic											
Diabetes	75.5	75.2	80.7	79.7	82.0	84.7	84.1	79.9	81.6	79.4	81.4
Hypertension	89.5	91.6	91.4	90.9	83.2	86.0	84.8	89.0	90.0	86.6	86.7
Glomerulonephritis	90.2	90.5	92.0	92.4	94.1	92.5	94.1	94.3	93.4	94.5	94.0
Other	93.0	92.6	92.2	91.5	90.7	92.8	93.4	95.2	93.2	92.5	92.0
Total Crude Prob.	88.7	88.5	89.8	89.4	89.3	90.6	91.2	91.4	90.8	90.0	89.8

Table I.43

**Five-year Survival Probabilities***first transplant patients (living donor), from day of transplant to five years, adjusted for age, gender, race, & primary diagnosis*

	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
0-17	95.3	97.2	94.2	94.1	92.0	96.7	94.6	97.8	93.7	95.2	97.1
18-29	91.6	92.2	91.2	92.5	94.2	94.0	97.0	95.7	93.9	95.2	95.6
30-44	88.9	87.5	89.9	89.4	88.4	90.6	91.0	90.4	91.8	91.5	91.1
45-54	77.9	82.1	87.9	87.7	84.6	85.4	82.7	85.3	87.3	85.4	87.2
55+	79.2	83.1	84.2	80.9	72.1	73.1	75.7	82.0	81.6	74.1	73.9
Male	87.9	88.0	89.5	89.2	87.9	89.7	90.6	90.7	91.2	90.0	89.8
Female	85.7	88.3	90.3	90.4	87.4	89.3	89.5	91.4	90.5	90.1	91.3
White	87.5	88.2	89.7	89.4	88.8	89.9	90.1	91.3	91.3	90.2	91.1
Black	82.5	86.8	89.6	90.7	80.9	84.4	89.6	87.5	87.8	88.2	88.0
Other	94.2	90.4	92.4	90.3	88.2	97.3	94.7	95.3	92.2	91.3	88.3
Diabetes	72.4	74.0	79.7	79.4	80.0	83.8	83.2	80.2	82.4	80.5	82.8
Hypertension	88.8	91.3	91.2	90.9	82.3	84.4	83.4	88.3	90.3	86.9	87.0
Glomerulonephritis	89.6	90.5	92.6	92.9	93.5	92.0	93.3	93.8	93.6	94.4	93.9
Other	92.6	92.9	92.7	92.3	88.9	92.0	92.9	94.8	93.1	92.5	92.4
Total Adjusted Prob.	87.1	88.1	89.8	89.7	87.7	89.5	90.1	91.0	90.9	90.0	90.4

Table I.44

**Ten-year Survival Probabilities***first transplant patients (living donor), from day of transplant to ten years, unadjusted*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
0-17	85.8	79.8	87.1	84.1	82.0	90.7	93.9	87.6	87.5	88.3	92.3
18-29	79.6	86.9	83.2	81.7	80.8	81.8	82.9	82.3	81.9	89.4	86.5
30-44	65.0	69.7	66.0	67.6	71.7	73.1	73.8	74.4	74.7	72.3	78.7
45-54	57.6	53.1	54.3	59.0	64.9	65.6	63.9	68.8	66.4	66.0	65.5
55+	53.6	40.0	50.0	42.3	61.3	59.2	53.8	57.1	56.9	49.4	45.0
Male	69.6	75.0	70.2	71.0	73.6	75.4	73.1	72.5	72.8	77.8	78.0
Female	77.0	75.1	75.3	73.2	75.7	76.5	76.8	77.5	75.8	78.0	79.8
White	72.6	75.5	72.7	71.3	75.1	76.6	75.2	73.8	74.0	78.6	78.8
Black	67.8	71.6	64.5	73.4	68.0	66.3	67.3	71.8	71.8	71.9	75.3
Other	80.4	76.0	77.9	75.9	83.3	87.4	83.1	88.2	78.2	81.2	87.8
Hispanic											
Non-Hispanic											
Diabetes	48.4	51.7	46.0	46.7	46.9	49.7	51.5	55.5	57.6	61.2	62.5
Hypertension	73.0	66.1	74.4	64.7	73.4	77.9	71.8	71.8	70.9	69.9	72.0
Glomerulonephritis	78.9	83.3	79.5	82.6	82.0	79.7	81.4	81.6	79.7	84.3	83.7
Other	72.2	76.1	73.7	74.8	79.4	83.2	81.4	79.6	78.8	82.8	83.9
Total Crude Prob.	72.5	75.0	72.2	71.8	74.4	75.8	74.6	74.4	74.0	77.9	78.8

Table I.45

**Ten-year Survival Probabilities***first transplant patients (living donor), from day of transplant to ten years, adjusted for age, gender, race, & primary diagnosis*

	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
0-17	85.7	79.7	86.7	84.1	81.4	90.7	93.8	87.7	87.5	88.2	92.4
18-29	76.5	84.8	79.8	81.3	80.1	81.3	83.6	82.6	81.8	89.6	86.4
30-44	57.6	65.6	62.4	65.0	70.1	72.0	72.6	74.1	75.1	72.9	78.6
45-54	51.0	47.0	52.4	55.6	62.3	63.9	63.6	68.2	66.2	65.1	65.6
55+	52.1	40.5	48.8	42.8	59.3	57.8	53.2	56.2	55.5	49.8	45.9
Male	59.2	67.7	63.5	66.9	70.3	73.1	73.7	73.9	74.2	75.4	76.6
Female	70.0	67.4	70.9	68.8	72.9	74.6	76.5	78.5	77.7	76.7	78.9
White	63.4	67.7	66.1	67.0	71.4	74.7	75.7	75.4	75.5	76.8	77.8
Black	60.6	66.0	64.5	69.4	66.3	63.6	66.9	72.6	74.0	68.9	72.4
Other	71.0	66.8	69.7	71.7	79.6	86.7	82.2	88.2	79.6	81.4	89.1
Diabetes	43.3	48.2	45.7	43.3	44.7	47.5	51.5	55.9	58.8	59.3	62.1
Hypertension	64.9	59.2	72.4	60.1	73.2	77.1	71.4	72.8	71.6	68.4	70.1
Glomerulonephritis	74.0	78.8	76.1	79.6	79.9	78.8	81.6	83.0	81.3	83.1	82.5
Other	69.3	72.7	69.8	74.0	77.9	82.5	82.3	81.0	80.5	80.3	82.6
Total Adjusted Prob.	63.3	67.5	66.3	67.7	71.4	73.8	74.8	75.8	75.6	75.9	77.5

