

Table of Contents

Section A: Incidence of Reported ESRD

- A.1 Incident Counts of Reported ESRD: All Patients
by Demographic Characteristics & Primary Diagnosis
- A.3 Incident Rates of Reported ESRD, unAdjusted
per Million Population, by Demographic Characteristics & Primary Diagnosis
- A.5 Incident Counts of Reported ESRD Patients: by Time Period
by Age; Grouped by Gender & Race
- A.16 Incident Counts of Reported ESRD Patients, by Diabetic Status & State/Territory: All Patients
- A.18 Incident Rates of Reported ESRD, by Diabetic Status & State
per Million Population, Adjusted for Age, Gender, & Race
- A. 19 Incident Counts of Reported ESRD Patients, by Diabetic Status & ESRD Network: All Patients
- A.21 Incident Rates of Reported ESRD, by Diabetic Status & ESRD Network
per Million Population, Adjusted for Age, Gender, & Race

Table A.1
Incident Counts of Reported ESRD: All Patients

by demographic characteristics & primary diagnosis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	131	117	120	95	124	128	108	98	93	129
5-9	108	91	97	122	102	94	79	84	93	80
10-14	211	193	194	202	211	208	186	181	175	174
15-19	402	438	425	411	453	424	347	372	385	351
20-24	818	892	827	815	824	810	720	744	668	664
25-29	1,430	1,424	1,443	1,404	1,331	1,295	1,248	1,254	1,202	1,211
30-34	1,994	2,049	2,050	2,050	2,035	1,897	1,763	1,817	1,767	1,714
35-39	2,425	2,647	2,545	2,683	2,709	2,629	2,489	2,458	2,559	2,375
40-44	3,002	3,123	3,083	3,140	3,419	3,420	3,265	3,466	3,368	3,380
45-49	3,146	3,457	3,657	3,957	4,189	4,276	4,161	4,524	4,613	4,599
50-54	3,486	3,979	4,086	4,662	4,771	4,751	5,100	5,455	5,840	5,905
55-59	4,475	4,848	4,912	5,546	5,580	5,642	5,999	6,486	6,783	6,836
60-64	5,962	6,243	6,364	6,757	7,120	7,121	7,314	7,735	7,813	7,991
65-69	7,895	8,471	8,765	9,502	9,351	9,902	10,353	10,658	10,660	10,683
70-74	7,215	8,027	8,432	9,383	9,464	10,332	10,871	11,342	11,547	11,623
75-79	5,337	5,947	6,228	7,091	7,255	8,182	9,077	9,862	10,761	10,983
80-84	2,734	3,200	3,386	3,948	4,184	4,813	5,591	5,979	6,566	7,036
85+	1,100	1,262	1,465	1,603	1,794	2,182	2,524	3,059	3,461	3,700
Unknown	*	12	*	*	*	*	*	*	*	10
0-19	852	839	836	830	890	854	720	735	746	734
20-44	9,669	10,135	9,948	10,092	10,318	10,051	9,485	9,739	9,564	9,344
45-64	17,069	18,527	19,019	20,922	21,660	21,790	22,574	24,200	25,049	25,331
65-74	15,110	16,498	17,197	18,885	18,815	20,234	21,224	22,000	22,207	22,306
75+	9,171	10,409	11,079	12,642	13,233	15,177	17,192	18,900	20,788	21,719
Unknown	*	12	*	*	*	*	*	*	*	10
Male	27,852	30,020	31,130	33,694	34,515	36,721	38,135	40,469	42,274	42,826
Female	24,024	26,400	26,951	29,671	30,401	31,379	33,060	35,107	36,081	36,615
Unknown	.	.	.	*	*	*	*	*	*	*
White	34,073	36,836	37,217	40,931	41,165	42,952	46,454	48,794	51,549	52,622
Black	15,706	17,177	18,201	19,237	19,559	20,503	20,661	22,164	22,260	22,040
Native American	700	845	787	873	1,043	1,150	821	1,231	920	953
Asian	1,290	1,445	1,683	1,933	2,090	2,260	2,121	2,459	2,611	2,510
Other/unknown	107	117	193	400	1,062	1,242	1,140	934	1,019	1,319
†Hispanic	1,610	2,043	2,548	2,694	6,101	7,499	7,435	8,239	8,350	8,482
†Non-Hispanic	50,266	54,377	55,533	60,680	58,818	60,608	63,762	67,343	70,009	70,962
Diabetes	18,746	20,775	20,594	23,929	26,324	29,219	31,273	33,615	34,852	35,310
Hypertension	15,498	17,285	16,465	18,846	16,862	17,948	19,264	20,503	21,260	21,038
Glomerulonephritis	6,103	6,352	6,185	6,661	6,765	7,113	6,883	6,951	6,770	6,187
Cystic kidney	1,491	1,579	1,519	1,616	1,691	1,590	1,620	1,701	1,738	1,604
Other urologic	1,101	1,131	999	1,051	1,185	1,385	1,296	1,336	1,412	1,339
Other cause	4,859	5,142	5,048	5,566	6,731	7,061	7,319	7,686	7,902	7,972
Unknown cause	2,242	2,449	2,167	2,231	2,257	2,553	2,694	2,947	2,935	3,081
Missing disease	1,836	1,707	5,104	3,474	3,104	1,238	848	843	1,490	2,913
U.S.	51,162	55,581	57,294	62,385	64,014	67,140	70,212	74,516	77,250	78,363
U.S. territories	56	83	59	61	80	95	107	121	113	123
Puerto Rico	609	710	667	786	791	855	861	915	969	931
Foreign	13	11	10	23	11	13	12	21	13	19
Unknown	36	35	51	119	23	*	*	*	14	*
All	51,876	56,420	58,081	63,374	64,919	68,107	71,197	75,582	78,359	79,444

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

†CMS has only started collecting Hispanic ethnicity data as of April, 1995, so Hispanic data in years prior to 1995 has been left blank.

*Values for cells with fewer than 10 patients are suppressed.

Table A.3
Incident Rates of Reported ESRD, Unadjusted

per million population, by demographic characteristics & primary diagnosis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	7	6	6	5	6	6	5	5	4	6
5-9	6	5	5	6	5	5	4	4	4	4
10-14	12	10	10	10	11	10	9	9	9	8
15-19	23	25	24	22	24	21	17	18	19	16
20-24	42	46	43	43	44	44	39	40	35	33
25-29	68	70	73	71	68	66	63	65	64	64
30-34	89	91	91	91	90	86	82	87	86	84
35-39	117	124	116	119	118	113	107	106	110	103
40-44	157	163	158	156	164	159	149	154	148	143
45-49	218	221	226	231	233	223	218	234	232	223
50-54	293	322	314	344	337	330	324	336	343	331
55-59	420	451	450	493	485	478	493	507	509	493
60-64	555	587	610	655	688	689	705	732	722	724
65-69	776	833	860	935	915	975	1,030	1,086	1,101	1,107
70-74	863	934	965	1,057	1,053	1,153	1,218	1,264	1,294	1,304
75-79	843	919	948	1,063	1,064	1,164	1,258	1,347	1,445	1,459
80-84	671	768	787	890	921	1,036	1,183	1,252	1,343	1,418
85+	341	376	419	441	479	565	634	748	817	852
0-19	11	11	11	11	11	10	9	9	9	9
20-44	94	99	97	97	99	96	91	93	92	89
45-64	358	375	376	401	401	391	393	410	410	400
65-74	815	879	909	992	980	1,059	1,119	1,171	1,194	1,202
75+	673	744	771	858	876	976	1,080	1,167	1,255	1,290
Male	223	237	243	259	261	275	284	299	309	309
Female	183	199	201	218	221	225	235	249	253	254
White	159	170	171	186	187	193	207	216	227	230
Black	501	537	560	585	587	608	605	640	635	622
Native American	330	392	359	392	462	502	353	521	383	391
Asian	158	167	188	208	216	225	202	227	233	214
†Hispanic	176	212	201	224	217	212
†Non-Hispanic	248	254	266	279	289	290
Diabetes	73	80	78	90	97	106	113	121	124	124
Hypertension	61	67	63	71	63	67	71	75	77	75
Glomerulonephritis	24	24	24	25	25	26	25	25	24	22
Cystic kidney	6	6	6	6	6	6	6	6	6	6
Other urologic	4	4	4	4	4	5	5	5	5	5
Other cause	19	20	19	21	25	26	27	28	29	28
Unknown cause	9	9	8	8	8	9	10	11	11	11
Missing disease	7	6	19	13	11	4	3	3	5	9
All	202	217	222	238	240	250	259	273	280	281

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

†CMS has only started collecting Hispanic ethnicity data as of April, 1995, so Hispanic data in years prior to 1995 has been left blank.

Table A.5
Incident Counts of Reported ESRD Patients: by Time Period

by age; grouped by gender & race

1995-1997	Male					Female					All				
	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All
0-4	159	36	*	*	202	91	26	*	*	124	250	62	*	10	326
5-9	107	40	*	*	152	92	15	*	*	113	199	55	*	*	265
10-14	206	84	*	*	302	169	78	*	16	271	375	162	11	25	573
15-19	409	224	*	24	664	290	177	*	26	501	699	401	15	50	1,165
20-29	1,739	1,400	46	119	3,304	1,387	1,114	55	115	2,671	3,126	2,514	101	234	5,975
30-39	4,292	3,392	120	194	7,998	2,666	2,129	92	224	5,111	6,958	5,521	212	418	13,109
40-49	7,054	5,516	272	342	13,184	4,674	3,621	188	326	8,809	11,728	9,137	460	668	21,993
50-59	10,005	5,815	355	538	16,713	7,743	5,473	386	393	13,995	17,748	11,288	741	931	30,708
60-64	7,032	3,137	165	301	10,635	5,887	3,871	215	289	10,262	12,919	7,008	380	590	20,897
65-69	10,535	3,255	163	451	14,404	8,987	4,664	269	484	14,404	19,522	7,919	432	935	28,808
70-79	22,346	4,819	200	845	28,210	17,433	7,299	331	875	25,938	39,779	12,118	531	1,720	54,148
80+	8,567	1,544	39	351	10,501	7,162	2,692	83	334	10,271	15,729	4,236	122	685	20,772
0-19	881	384	12	43	1,320	642	296	22	49	1,009	1,523	680	34	92	2,329
20-44	9,213	7,382	279	459	17,333	6,018	4,841	209	488	11,556	15,231	12,223	488	947	28,889
45-64	20,909	11,878	679	1,035	34,501	16,339	11,367	727	859	29,292	37,248	23,245	1,406	1,894	63,793
65-74	22,649	6,056	282	897	29,884	18,589	8,973	483	969	29,014	41,238	15,029	765	1,866	58,898
75+	18,799	3,562	120	750	23,231	14,993	5,682	200	724	21,599	33,792	9,244	320	1,474	44,830
All	72,451	29,262	1,372	3,184	106,269	56,581	31,159	1,641	3,089	92,470	129,032	60,421	3,013	6,273	198,739
1998-2000															
0-4	147	32	*	*	183	87	14	*	*	106	234	46	*	*	289
5-9	98	21	*	*	124	81	32	*	*	117	179	53	*	*	241
10-14	179	78	*	*	270	146	75	*	10	233	325	153	*	17	503
15-19	322	187	*	20	535	295	188	*	21	509	617	375	11	41	1,044
20-29	1,633	1,223	32	140	3,028	1,198	1,094	45	118	2,455	2,831	2,317	77	258	5,483
30-39	3,964	3,045	96	213	7,318	2,547	2,125	73	202	4,947	6,511	5,170	169	415	12,265
40-49	7,437	5,864	250	395	13,946	4,835	3,937	201	315	9,288	12,272	9,801	451	710	23,234
50-59	12,045	6,940	434	622	20,041	9,128	6,028	368	480	16,004	21,173	12,968	802	1,102	36,045
60-64	7,863	3,374	199	355	11,791	6,542	3,943	231	316	11,032	14,405	7,317	430	671	22,823
65-69	11,605	3,698	169	495	15,967	9,585	4,953	244	505	15,287	21,190	8,651	413	1,000	31,254
70-79	26,901	5,568	244	1,077	33,790	21,542	8,273	341	1,057	31,213	48,443	13,841	585	2,134	65,003
80+	12,673	1,979	60	470	15,182	10,220	3,466	86	490	14,262	22,893	5,445	146	960	29,444
0-19	746	318	17	31	1,112	609	309	11	36	965	1,355	627	28	67	2,077
20-44	8,729	6,843	233	521	16,326	5,794	4,906	176	451	11,327	14,523	11,749	409	972	27,653
45-64	24,213	13,603	778	1,204	39,798	18,456	12,221	742	980	32,399	42,669	25,824	1,520	2,184	72,197
65-74	25,152	6,831	327	1,053	33,363	20,682	9,567	442	1,076	31,767	45,834	16,398	769	2,129	65,130
75+	26,027	4,414	146	989	31,576	20,665	7,125	229	976	28,995	46,692	11,539	375	1,965	60,571
All	84,867	32,009	1,501	3,798	122,175	66,206	34,128	1,600	3,519	105,453	151,073	66,137	3,101	7,317	227,628

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

*Values for cells with fewer than 10 patients are suppressed.

**Table A.16
Incident Counts of Reported ESRD Pts, by Diabetic Status & State/Territory: All Pts**

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	1,021	1,120	1,095	1,213	1,286	1,361	1,500	1,462	1,546	1,574
Alaska	44	42	36	63	57	57	72	65	66	73
Arizona	791	961	974	1,009	1,035	1,093	1,182	1,289	1,353	1,354
Arkansas	498	512	556	677	693	672	777	707	758	797
California	5,727	5,814	6,130	6,928	6,754	7,010	7,402	8,045	8,371	8,554
Colorado	451	497	502	494	488	554	563	655	661	652
Connecticut	649	663	653	823	789	841	809	819	799	851
Delaware	168	195	180	204	210	204	194	196	226	222
District of Columbia	296	309	305	277	333	309	290	285	309	327
Florida	3,233	3,602	3,601	3,893	4,015	4,503	4,505	4,627	4,908	5,114
Georgia	1,668	1,871	1,837	2,070	2,131	2,203	2,248	2,413	2,631	2,796
Hawaii	262	281	314	380	359	353	385	411	426	459
Idaho	133	122	132	173	179	203	212	200	231	241
Illinois	2,586	2,647	2,945	3,070	3,103	3,130	3,204	3,412	3,436	3,455
Indiana	998	1,148	1,220	1,124	1,468	1,398	1,437	1,676	1,616	1,709
Iowa	439	512	508	553	500	552	550	597	678	631
Kansas	401	433	402	485	462	517	582	591	615	620
Kentucky	696	756	794	720	888	886	916	1,015	1,109	1,068
Louisiana	1,137	1,296	1,272	1,415	1,463	1,462	1,645	1,794	1,902	1,793
Maine	135	148	152	187	214	201	240	243	215	276
Maryland	1,151	1,228	1,293	1,291	1,587	1,615	1,609	1,726	1,704	1,717
Massachusetts	1,001	1,137	1,171	1,271	1,226	1,317	1,349	1,351	1,179	1,385
Michigan	1,804	2,042	2,128	2,190	2,240	2,476	2,442	2,613	2,670	2,750
Minnesota	632	695	702	778	702	752	783	858	828	927
Mississippi	640	727	764	894	849	919	1,001	1,043	1,100	1,017
Missouri	1,083	1,138	1,208	1,327	1,344	1,406	1,471	1,609	1,626	1,645
Montana	138	120	134	131	151	137	132	151	180	149
Nebraska	247	284	267	315	302	333	375	385	423	457
Nevada	236	236	270	332	326	334	362	391	491	449
New Hampshire	140	149	142	174	177	158	175	192	189	225
New Jersey	1,880	1,995	2,117	2,278	2,366	2,328	2,517	2,707	2,823	2,599
New Mexico	326	321	342	342	406	427	442	417	496	493
New York	3,503	3,892	4,114	4,386	4,392	4,695	4,865	5,061	5,223	5,136
North Carolina	1,592	1,773	1,903	2,089	2,006	2,170	2,396	2,562	2,545	2,794
North Dakota	95	122	121	145	115	124	134	130	133	150
Ohio	2,052	2,347	2,409	2,463	3,005	3,012	3,033	3,338	3,494	3,679
Oklahoma	537	644	689	719	743	772	876	939	935	974
Oregon	492	470	525	542	530	534	560	579	614	643
Pennsylvania	2,626	2,841	2,738	3,266	3,164	3,478	3,558	3,613	3,725	3,640
Rhode Island	199	199	221	249	217	250	247	257	251	284
South Carolina	948	1,022	1,058	1,270	1,172	1,229	1,334	1,480	1,512	1,439
South Dakota	97	110	125	132	171	178	185	177	192	210
Tennessee	1,128	1,197	1,159	1,380	1,408	1,417	1,569	1,643	1,754	1,666
Texas	3,638	4,076	4,121	4,370	4,543	4,909	5,167	5,531	5,912	5,969
Utah	187	192	246	237	243	241	233	317	307	295
Vermont	83	61	70	82	95	100	97	100	113	113
Virginia	1,411	1,542	1,519	1,621	1,768	1,852	2,029	2,082	2,091	1,939
Washington	725	741	781	870	827	865	881	919	1,039	1,082
West Virginia	352	374	398	433	474	503	554	592	595	660
Wisconsin	841	936	900	1,007	974	1,039	1,061	1,181	1,172	1,238
Wyoming	45	41	51	43	64	61	62	70	78	73
American Samoa	13	11	10	23	11	13	12	21	13	19
Guam	*	13	*	*	*	10	*	*	14	20
Puerto Rico	609	710	667	786	791	855	861	915	969	931
Saipan	27	38	29	29	35	45	51	57	54	57
Virgin Islands	*	*	*	*	11	12	16	22	15	20
Foreign	17	23	16	19	28	28	33	36	30	26
Unknown	36	35	51	119	23	*	*	*	14	*
All	51,876	56,420	58,081	63,374	64,919	68,107	71,197	75,582	78,359	79,444

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
*Values for cells with fewer than 10 patients are suppressed.

Table A.16 (continued)
Incident Counts of Reported ESRD Pts, by Diabetic Status & State/Territory: All Pts

DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	309	380	362	450	491	539	651	616	709	683
Alaska	12	14	18	22	34	28	39	30	35	31
Arizona	364	464	459	474	521	525	619	663	688	697
Arkansas	180	170	177	216	269	285	304	284	312	328
California	2,230	2,271	2,309	2,832	2,916	3,117	3,531	3,794	3,930	4,062
Colorado	197	204	233	204	227	277	260	318	312	320
Connecticut	222	232	218	307	308	324	359	337	327	364
Delaware	56	55	58	66	73	71	72	78	96	100
District of Columbia	79	106	82	72	99	128	112	106	112	123
Florida	968	1,119	1,057	1,258	1,234	1,646	1,742	1,757	1,918	2,071
Georgia	530	638	602	729	850	950	936	1,039	1,129	1,196
Hawaii	139	146	179	218	212	213	223	238	235	275
Idaho	39	59	51	76	70	84	95	92	104	112
Illinois	827	808	856	1,064	1,180	1,242	1,230	1,331	1,438	1,395
Indiana	353	403	368	339	558	593	612	749	706	695
Iowa	144	186	191	209	216	234	225	244	274	258
Kansas	159	148	146	194	176	214	231	282	286	295
Kentucky	239	240	270	223	316	373	398	451	495	465
Louisiana	430	494	413	521	569	643	717	804	842	758
Maine	40	50	56	57	69	70	92	89	91	118
Maryland	406	458	420	441	514	650	688	720	703	659
Massachusetts	332	397	369	475	468	528	522	548	444	521
Michigan	715	808	763	870	937	1,118	1,099	1,215	1,194	1,226
Minnesota	240	253	259	290	279	289	306	330	299	355
Mississippi	219	258	259	317	347	401	402	466	487	427
Missouri	368	417	446	498	538	615	667	718	703	737
Montana	61	63	51	58	78	60	58	76	81	70
Nebraska	98	113	107	119	152	144	159	162	195	198
Nevada	85	77	89	116	147	118	165	182	223	209
New Hampshire	45	42	41	51	67	57	68	78	67	77
New Jersey	649	640	691	820	955	998	1,045	1,192	1,187	1,049
New Mexico	183	185	195	183	229	256	249	249	301	300
New York	1,180	1,311	1,305	1,496	1,676	1,939	2,003	2,062	2,175	2,123
North Carolina	571	624	688	823	821	946	1,061	1,181	1,124	1,228
North Dakota	37	60	49	61	50	42	58	61	39	60
Ohio	701	883	865	898	1,192	1,318	1,363	1,556	1,652	1,733
Oklahoma	237	308	301	321	365	362	424	503	489	479
Oregon	158	171	185	199	209	201	230	217	260	269
Pennsylvania	937	1,027	915	1,197	1,286	1,395	1,457	1,513	1,563	1,550
Rhode Island	52	65	68	76	77	97	101	103	93	86
South Carolina	342	365	358	464	462	527	547	686	668	641
South Dakota	51	56	60	56	87	82	83	79	104	86
Tennessee	351	418	390	477	568	568	641	657	705	730
Texas	1,537	1,699	1,807	1,985	2,203	2,476	2,718	2,870	3,016	3,128
Utah	82	82	106	110	135	116	110	146	147	149
Vermont	31	16	27	40	46	40	43	44	52	40
Virginia	451	505	515	596	601	730	868	910	886	858
Washington	277	305	298	331	334	364	393	394	450	481
West Virginia	122	153	135	164	196	222	250	257	296	349
Wisconsin	332	373	337	376	408	419	462	485	490	486
Wyoming	14	*	24	22	37	28	32	31	36	38
American Samoa	*	*	*	12	*	*	*	*	*	*
Guam	*	*	*	*	*	*	*	*	*	16
Puerto Rico	316	390	317	412	414	491	484	544	605	548
Saipan	14	24	15	15	22	32	34	35	37	28
Virgin Islands	*	*	*	*	10	*	13	16	10	14
Foreign	*	*	*	*	15	16	16	16	17	13
Unknown	19	14	21	17	*	.	.	*	*	.
All	18,746	20,775	20,594	23,929	26,324	29,219	31,273	33,615	34,852	35,310

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

*Values for cells with fewer than 10 patients are suppressed.

." Zero values in this cell.

Table A.16 (continued)
Incident Counts of Reported ESRD Pts, by Diabetic Status & State/Territory: All Pts

NON-DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	712	740	733	763	795	822	849	846	837	891
Alaska	32	28	18	41	23	29	33	35	31	42
Arizona	427	497	515	535	514	568	563	626	665	657
Arkansas	318	342	379	461	424	387	473	423	446	469
California	3,497	3,543	3,821	4,096	3,838	3,893	3,871	4,251	4,441	4,492
Colorado	254	293	269	290	261	277	303	337	349	332
Connecticut	427	431	435	516	481	517	450	482	472	487
Delaware	112	140	122	138	137	133	122	118	130	122
District of Columbia	217	203	223	205	234	181	178	179	197	204
Florida	2,265	2,483	2,544	2,635	2,781	2,857	2,763	2,870	2,990	3,043
Georgia	1,138	1,233	1,235	1,341	1,281	1,253	1,312	1,374	1,502	1,600
Hawaii	123	135	135	162	147	140	162	173	191	184
Idaho	94	63	81	97	109	119	117	108	127	129
Illinois	1,759	1,839	2,089	2,006	1,923	1,888	1,974	2,081	1,998	2,060
Indiana	645	745	852	785	910	805	825	927	910	1,014
Iowa	295	326	317	344	284	318	325	353	404	373
Kansas	242	285	256	291	286	303	351	309	329	325
Kentucky	457	516	524	497	572	513	518	564	614	603
Louisiana	707	802	859	894	894	819	928	990	1,060	1,035
Maine	95	98	96	130	145	131	148	154	124	158
Maryland	745	770	873	850	1,073	965	921	1,006	1,001	1,058
Massachusetts	669	740	802	796	758	789	827	803	735	864
Michigan	1,089	1,234	1,365	1,320	1,303	1,358	1,343	1,398	1,476	1,524
Minnesota	392	442	443	488	423	463	477	528	529	572
Mississippi	421	469	505	577	502	518	599	577	613	590
Missouri	715	721	762	829	806	791	804	891	923	908
Montana	77	57	83	73	73	77	74	75	99	79
Nebraska	149	171	160	196	150	189	216	223	228	259
Nevada	151	159	181	216	179	216	197	209	268	240
New Hampshire	95	107	101	123	110	101	107	114	122	148
New Jersey	1,231	1,355	1,426	1,458	1,411	1,330	1,472	1,515	1,636	1,550
New Mexico	143	136	147	159	177	171	193	168	195	193
New York	2,323	2,581	2,809	2,890	2,716	2,756	2,862	2,999	3,048	3,013
North Carolina	1,021	1,149	1,215	1,266	1,185	1,224	1,335	1,381	1,421	1,566
North Dakota	58	62	72	84	65	82	76	69	94	90
Ohio	1,351	1,464	1,544	1,565	1,813	1,694	1,670	1,782	1,842	1,946
Oklahoma	300	336	388	398	378	410	452	436	446	495
Oregon	334	299	340	343	321	333	330	362	354	374
Pennsylvania	1,689	1,814	1,823	2,069	1,878	2,083	2,101	2,100	2,162	2,090
Rhode Island	147	134	153	173	140	153	146	154	158	198
South Carolina	606	657	700	806	710	702	787	794	844	798
South Dakota	46	54	65	76	84	96	102	98	88	124
Tennessee	777	779	769	903	840	849	928	986	1,049	936
Texas	2,101	2,377	2,314	2,385	2,340	2,433	2,449	2,661	2,896	2,841
Utah	105	110	140	127	108	125	123	171	160	146
Vermont	52	45	43	42	49	60	54	56	61	73
Virginia	960	1,037	1,004	1,025	1,167	1,122	1,161	1,172	1,205	1,081
Washington	448	436	483	539	493	501	488	525	589	601
West Virginia	230	221	263	269	278	281	304	335	299	311
Wisconsin	509	563	563	631	566	620	599	696	682	752
Wyoming	31	32	27	21	27	33	30	39	42	35
American Samoa	*	*	*	11	*	*	*	16	*	16
Guam	*	*	*	*	*	*	*	*	*	*
Puerto Rico	293	320	350	374	377	364	377	371	364	383
Saipan	13	14	14	14	13	13	17	22	17	29
Virgin Islands	*	*	*	*	*	*	*	*	*	*
Foreign	12	17	11	15	13	12	17	20	13	13
Unknown	17	21	30	102	20	*	*	*	13	*
All	33,130	35,645	37,487	39,445	38,595	38,888	39,924	41,967	43,507	44,134

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 *Values for cells with fewer than 10 patients are suppressed.

Table A.18
Incident Rates of Reported ESRD, by Diabetic Status & State
per million population, adjusted for age, gender, & race

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	198	219	203	237	242	262	273	274	273	277
Alaska	177	141	142	201	159	208	268	195	157	208
Arizona	238	275	264	247	247	264	274	295	280	282
Arkansas	196	203	213	252	273	253	287	257	277	275
California	232	229	234	259	244	248	258	282	280	281
Colorado	178	188	182	177	172	183	187	213	208	207
Connecticut	220	225	213	271	254	269	249	254	243	260
Delaware	245	282	236	261	266	252	236	228	257	251
District of Columbia	160	208	186	134	200	181	135	142	171	203
Florida	218	237	234	241	242	272	252	256	262	268
Georgia	218	237	228	253	316	334	256	271	291	303
Hawaii	160	171	206	201	145	158	180	146	170	170
Idaho	185	268	378	326	186	277	328	199	235	198
Illinois	226	247	251	259	257	258	261	275	278	275
Indiana	202	230	249	226	284	275	267	312	298	309
Iowa	228	249	243	282	227	300	231	258	275	255
Kansas	199	206	200	228	214	247	258	268	275	270
Kentucky	213	245	237	211	272	259	259	286	307	288
Louisiana	237	257	250	272	274	267	300	318	359	330
Maine	157	259	106	279	408	330	200	275	191	267
Maryland	207	217	220	217	259	258	259	272	278	268
Massachusetts	192	224	218	240	232	240	240	239	201	230
Michigan	196	217	226	236	233	252	247	262	265	269
Minnesota	205	205	247	244	222	210	207	243	239	242
Mississippi	190	204	215	244	250	246	269	273	304	276
Missouri	214	228	247	263	260	280	275	297	300	297
Montana	299	116	132	119	359	119	148	219	271	135
Nebraska	206	208	243	271	210	265	247	279	309	301
Nevada	217	203	226	270	247	220	229	241	291	248
New Hampshire	215	226	172	177	195	221	151	241	148	177
New Jersey	236	247	257	274	280	271	288	304	314	284
New Mexico	230	214	199	218	255	250	263	216	260	261
New York	186	203	211	223	218	233	242	248	252	244
North Carolina	200	214	226	241	267	285	270	275	267	293
North Dakota	121	172	1,095	389	290	150	305	155	164	312
Ohio	196	223	223	221	270	272	270	292	305	314
Oklahoma	177	205	231	224	226	232	261	275	269	268
Oregon	235	196	242	234	212	215	196	264	240	226
Pennsylvania	218	234	224	265	250	272	272	275	284	274
Rhode Island	226	224	247	295	256	285	272	278	270	299
South Carolina	213	232	225	267	358	403	270	283	286	267
South Dakota	452	358	122	153	186	224	337	321	180	223
Tennessee	227	238	217	255	258	256	277	287	295	282
Texas	248	269	266	276	271	288	297	325	329	319
Utah	170	197	257	184	186	246	184	261	222	234
Vermont	585	217	338	128	362	242	349	250	194	201
Virginia	212	227	221	227	245	253	271	275	272	250
Washington	194	207	210	217	191	201	207	208	217	240
West Virginia	231	228	254	280	303	307	315	327	331	352
Wisconsin	219	242	242	243	241	247	244	272	273	286
Wyoming	306	135	182	136	177	219	193	220	245	180
All	213	227	231	247	247	255	263	275	280	279

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Standard Errors

ALL PATIENTS	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	7.2	9.1	6.9	9.2	8.9	10.2	8.7	10.0	8.5	8.0
Alaska	44.2	28.9	33.0	36.0	27.9	36.8	44.2	32.9	24.1	31.1
Arizona	12.0	12.3	11.5	10.4	10.2	10.8	10.8	10.9	9.7	9.8
Arkansas	9.3	10.3	10.2	10.4	12.7	11.4	12.5	10.9	11.7	10.9
California	3.3	3.2	3.2	3.3	3.2	3.2	3.2	3.3	3.3	3.3
Colorado	10.1	10.1	9.7	9.4	9.2	9.1	9.2	9.7	9.3	9.5
Connecticut	9.4	9.6	8.9	10.0	9.6	9.9	9.2	9.4	9.0	9.3
Delaware	20.8	21.8	18.1	19.2	18.8	18.3	17.5	16.9	17.6	17.3
District of Columbia	21.7	27.5	25.1	20.1	24.3	23.8	17.7	19.0	22.4	26.4
Florida	4.2	4.3	4.3	4.1	4.1	4.3	3.9	3.9	3.9	3.9
Georgia	6.4	6.4	6.1	6.4	9.2	9.3	6.2	6.3	6.4	6.6
Hawaii	45.2	36.9	43.1	34.9	22.8	25.8	26.9	21.2	23.9	20.9
Idaho	56.7	162.4	119.2	106.9	43.0	60.5	86.8	36.1	45.0	18.3
Illinois	4.6	5.5	4.8	4.8	4.7	4.7	4.7	4.8	4.8	4.8
Indiana	7.0	7.4	7.9	7.7	8.1	8.5	7.3	8.4	8.0	7.8
Iowa	19.7	19.2	18.7	21.3	17.6	22.1	16.5	17.6	17.1	16.4
Kansas	11.9	11.7	11.8	11.7	11.7	12.9	12.1	12.7	12.4	12.1
Kentucky	9.0	11.4	9.1	9.0	11.3	9.8	9.4	9.7	10.7	9.7
Louisiana	9.1	8.5	8.6	8.6	8.8	8.2	8.8	8.9	9.8	9.2
Maine	42.0	110.6	8.7	88.4	111.2	102.5	26.2	62.5	40.3	51.4
Maryland	6.8	6.8	6.7	6.7	7.2	7.1	7.2	7.3	7.4	7.2
Massachusetts	7.1	7.7	7.3	7.7	7.6	7.6	7.4	7.3	6.5	6.8
Michigan	4.8	5.0	5.3	5.5	5.2	5.2	5.2	5.3	5.3	5.3
Minnesota	13.8	13.1	16.8	14.6	14.2	11.8	11.2	13.0	12.8	11.7
Mississippi	10.9	9.0	10.1	10.9	13.3	9.9	10.1	10.3	12.5	11.5
Missouri	6.8	7.3	8.2	7.8	7.7	8.2	7.7	7.7	8.0	7.6
Montana	128.4	11.2	11.8	15.1	156.5	10.7	28.4	57.3	104.6	15.7
Nebraska	17.3	15.8	20.3	20.6	15.4	18.8	15.7	18.0	18.7	17.1
Nevada	16.1	14.5	15.1	16.4	14.8	12.7	12.9	12.9	14.0	12.4
New Hampshire	69.1	69.8	42.5	25.4	36.5	51.0	14.4	39.8	11.2	12.5
New Jersey	5.6	5.6	5.7	5.9	5.9	5.7	5.8	5.9	6.0	5.7
New Mexico	20.7	19.0	16.1	18.6	18.8	17.9	17.8	14.5	15.9	16.6
New York	3.2	3.3	3.4	3.5	3.4	3.5	3.6	3.6	3.6	3.5
North Carolina	6.7	5.7	6.1	6.0	8.8	8.6	6.5	6.0	5.8	6.0
North Dakota	12.9	21.9	664.3	214.3	131.5	14.0	139.4	14.2	16.8	103.8
Ohio	4.8	5.2	4.9	4.6	5.1	5.4	5.2	5.3	5.4	5.3
Oklahoma	8.7	9.4	10.4	9.8	9.5	9.8	10.2	10.2	10.1	10.1
Oregon	18.2	15.6	18.5	16.8	14.9	15.2	13.1	18.5	15.9	13.9
Pennsylvania	4.7	4.8	4.6	5.0	4.7	5.0	4.8	4.8	4.9	4.8
Rhode Island	21.1	20.7	21.1	23.5	21.5	22.8	20.9	21.1	20.6	21.4
South Carolina	9.7	10.1	8.8	9.9	18.1	21.3	9.5	9.1	9.0	8.7
South Dakota	289.3	224.6	12.1	24.7	23.9	46.1	114.9	85.1	14.2	26.7
Tennessee	8.9	8.4	7.0	7.5	7.8	7.5	7.6	7.9	7.4	7.4
Texas	4.3	4.3	4.3	4.3	4.2	4.2	4.2	4.5	4.4	4.2
Utah	27.6	34.1	41.8	20.9	23.5	41.3	31.0	36.0	25.3	28.0
Vermont	267.7	118.4	203.5	14.3	132.3	68.3	121.3	87.2	29.4	40.1
Virginia	6.1	6.2	6.0	6.0	6.2	6.2	6.4	6.4	6.3	6.0
Washington	9.9	10.7	10.4	9.9	8.8	8.9	9.3	9.1	8.3	9.5
West Virginia	16.4	15.1	16.9	17.8	18.8	17.7	17.8	18.7	17.8	16.9
Wisconsin	9.6	10.5	10.2	9.6	9.7	9.5	9.1	9.6	9.8	9.9
Wyoming	121.0	45.4	65.3	41.7	50.1	73.6	70.1	56.7	56.9	50.1
All	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Table A.18 (continued)
Incident Rates of Reported ESRD, by Diabetic Status & State
per million population, adjusted for age, gender, & race

DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	56	73	65	87	90	103	116	106	120	117
Alaska	37	44	74	86	101	92	169	103	64	96
Arizona	99	125	117	107	119	120	139	141	135	137
Arkansas	70	70	70	81	107	105	108	103	116	114
California	90	89	88	106	105	110	122	132	131	134
Colorado	77	76	79	71	75	95	80	101	96	101
Connecticut	77	82	71	105	101	106	115	107	103	113
Delaware	74	79	76	87	91	87	87	88	108	112
District of Columbia	35	63	31	25	58	78	47	39	51	67
Florida	68	77	71	80	77	101	100	100	104	110
Georgia	72	81	75	89	125	143	105	114	123	127
Hawaii	39	53	66	108	79	87	75	80	82	81
Idaho	34	54	210	65	57	127	151	92	74	85
Illinois	72	74	72	90	97	102	100	107	117	113
Indiana	69	81	77	69	105	115	114	139	130	124
Iowa	77	79	97	114	111	140	109	120	119	108
Kansas	83	71	75	93	86	98	108	130	132	133
Kentucky	74	83	83	66	96	108	112	127	140	126
Louisiana	82	94	83	95	104	113	125	139	158	131
Maine	73	115	38	47	153	118	82	151	60	164
Maryland	71	80	72	74	84	103	108	112	116	102
Massachusetts	65	80	70	94	93	98	94	105	80	89
Michigan	77	84	80	92	97	114	112	122	119	120
Minnesota	74	75	98	92	90	86	87	96	94	104
Mississippi	66	75	67	88	108	104	109	123	134	115
Missouri	74	87	86	99	106	120	125	132	131	135
Montana	164	55	47	50	181	47	44	101	173	56
Nebraska	89	88	107	102	116	105	112	126	154	141
Nevada	68	61	71	90	110	70	101	112	128	116
New Hampshire	41	53	71	63	82	59	55	126	51	62
New Jersey	80	78	83	99	113	115	119	132	131	115
New Mexico	105	100	99	106	123	142	138	114	149	140
New York	62	67	67	76	83	95	99	101	104	100
North Carolina	68	74	79	93	107	119	116	121	115	124
North Dakota	48	75	685	285	56	50	206	70	40	160
Ohio	65	82	80	80	105	118	121	135	142	147
Oklahoma	74	90	91	89	102	105	113	136	129	124
Oregon	71	73	90	93	89	83	84	87	105	91
Pennsylvania	77	85	73	96	101	108	112	116	119	115
Rhode Island	59	80	72	99	96	122	108	121	107	109
South Carolina	80	79	76	102	132	155	105	129	127	114
South Dakota	327	265	51	48	95	72	121	155	84	64
Tennessee	73	86	73	90	104	102	112	112	119	123
Texas	104	112	116	125	131	145	156	168	167	167
Utah	72	75	127	88	116	112	100	161	113	124
Vermont	151	144	241	62	70	123	142	77	81	93
Virginia	64	74	73	83	82	98	115	118	113	111
Washington	82	96	89	80	82	86	96	91	95	109
West Virginia	83	89	81	99	135	139	135	141	172	182
Wisconsin	86	89	88	89	102	105	111	115	123	115
Wyoming	29	*	44	72	70	50	120	83	82	62
All	76.23	82.96	81.24	92.65	99.64	108.9	114.7	121.8	124.02	123.6

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly. *Values for cells with fewer than 10 patients are suppressed.

Standard Errors

DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	3.4	5.5	3.7	5.7	5.5	6.2	6.2	4.9	5.5	4.8
Alaska	14.4	12.9	24.2	25.8	22.2	24.5	38.3	26.1	12.9	19.8
Arizona	7.6	8.5	7.9	6.7	7.2	7.3	7.9	7.4	6.8	6.9
Arkansas	5.4	6.3	5.7	5.6	8.1	6.3	6.3	6.7	8.0	6.9
California	2.0	2.0	2.0	2.1	2.1	2.1	2.2	2.3	2.2	2.2
Colorado	6.9	6.3	6.1	6.1	6.0	6.8	5.9	6.7	6.4	6.7
Connecticut	5.6	6.0	5.3	6.5	6.2	6.3	6.4	6.1	5.9	6.2
Delaware	10.1	11.3	10.3	11.2	10.8	10.8	10.6	10.2	11.3	11.6
District of Columbia	9.6	14.7	8.4	6.0	13.2	16.0	10.2	8.1	11.0	14.1
Florida	2.3	2.5	2.4	2.4	2.3	2.6	2.5	2.5	2.5	2.5
Georgia	4.0	3.6	3.4	3.7	5.7	6.1	4.0	4.1	4.1	4.2
Hawaii	9.7	11.9	19.9	26.4	16.3	22.3	16.4	17.1	18.2	15.0
Idaho	5.5	7.6	102.6	8.1	6.8	44.8	54.3	25.3	7.3	9.1
Illinois	2.6	2.9	2.6	2.8	2.9	3.0	2.9	3.0	3.1	3.1
Indiana	3.9	4.7	4.9	4.5	5.0	5.4	4.8	5.5	5.3	4.9
Iowa	11.6	9.5	12.3	14.0	13.2	15.6	12.5	13.1	11.9	10.7
Kansas	7.8	6.7	7.0	7.6	7.5	7.9	8.1	8.9	8.7	8.6
Kentucky	5.2	8.0	5.4	5.7	7.2	6.4	6.3	6.4	8.0	6.3
Louisiana	5.3	5.1	5.3	4.8	5.4	5.4	5.4	5.9	6.7	5.6
Maine	37.3	80.1	5.2	9.1	70.3	71.8	19.8	59.7	6.3	50.7
Maryland	3.8	4.1	3.8	3.9	4.1	4.4	4.5	4.7	4.8	4.4
Massachusetts	4.2	4.7	4.2	5.0	5.0	4.9	4.7	5.1	4.3	4.3
Michigan	3.1	3.0	3.2	3.3	3.4	3.6	3.5	3.6	3.6	3.5
Minnesota	8.5	8.0	10.9	9.3	9.2	8.1	7.9	8.6	8.7	8.5
Mississippi	8.2	5.6	5.0	7.6	9.1	6.6	6.6	7.3	8.8	7.5
Missouri	4.0	4.9	4.2	4.9	5.1	5.2	5.2	5.1	5.3	5.2
Montana	114.4	7.6	7.0	12.6	114.1	6.6	6.5	32.5	104.0	7.3
Nebraska	12.0	10.5	13.7	12.6	12.4	11.2	11.1	12.8	13.7	12.3
Nevada	8.4	7.7	8.3	9.1	9.9	6.7	8.5	8.8	9.1	8.5
New Hampshire	6.6	19.0	38.1	22.1	30.6	16.2	7.0	33.8	6.2	8.0
New Jersey	3.2	3.1	3.2	3.6	3.8	3.7	3.8	3.9	3.9	3.6
New Mexico	11.1	10.5	11.3	13.0	11.9	13.7	13.0	10.3	12.0	11.7
New York	1.9	1.9	1.9	2.0	2.1	2.2	2.3	2.3	2.3	2.3
North Carolina	3.1	3.2	3.2	3.6	5.4	5.3	4.2	3.8	3.8	3.8
North Dakota	8.4	11.5	623.9	214.0	8.3	8.1	139.0	9.5	6.9	92.2
Ohio	2.7	3.2	3.0	2.8	3.1	3.5	3.5	3.6	3.6	3.6
Oklahoma	5.8	6.2	6.4	5.9	6.4	7.0	6.8	7.2	6.8	6.8
Oregon	9.5	9.2	11.8	11.4	10.3	9.5	9.0	9.8	10.8	8.4
Pennsylvania	2.9	3.0	2.6	3.1	3.0	3.1	3.1	3.2	3.2	3.0
Rhode Island	11.2	12.7	10.7	14.2	13.8	15.7	12.7	14.5	13.7	14.3
South Carolina	7.5	5.2	5.0	7.0	10.1	11.7	5.8	6.5	6.3	5.4
South Dakota	280.4	222.1	7.9	7.5	21.6	9.1	49.0	69.1	9.6	8.2
Tennessee	5.6	5.9	4.0	4.9	5.1	4.6	4.9	4.7	4.8	4.8
Texas	2.7	2.8	2.8	2.9	2.9	3.0	3.1	3.2	3.1	3.1
Utah	17.6	17.7	32.6	14.9	21.4	24.4	24.2	34.6	20.2	21.0
Vermont	85.4	117.9	201.0	9.9	10.4	63.9	80.4	15.5	11.7	38.1
Virginia	3.2	3.6	3.4	3.6	3.5	3.8	4.1	4.1	4.0	4.0
Washington	7.3	8.0	7.5	6.0	6.3	6.1	6.7	6.2	5.6	6.5
West Virginia	10.2	8.8	9.4	10.1	13.5	12.2	10.6	10.9	13.7	12.1
Wisconsin	6.0	5.6	6.0	5.6	6.3	6.4	6.4	6.4	7.0	6.4
Wyoming	7.9	*	9.2	33.6	11.6	9.8	67.2	29.5	24.3	10.6
All	0.57	0.59	0.58	0.61	0.63	0.65	0.66	0.67	0.67	0.67

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

*Values for cells with fewer than 10 patients are suppressed.

Table A.18 (continued)
Incident Rates of Reported ESRD, by Diabetic Status & State
per million population, adjusted for age, gender, & race

NON-DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	142	146	138	150	152	159	157	169	153	160
Alaska	140	97	68	115	58	116	99	92	93	112
Arizona	139	150	147	140	128	144	135	153	146	145
Arkansas	126	133	143	171	166	147	179	154	161	161
California	142	140	146	154	139	139	135	149	148	147
Colorado	101	113	103	106	97	88	106	111	112	106
Connecticut	143	143	141	166	152	162	134	147	140	148
Delaware	170	202	160	175	175	164	149	140	149	139
District of Columbia	125	145	155	110	142	104	88	103	119	136
Florida	150	160	162	160	165	171	152	156	159	158
Georgia	145	156	154	164	191	191	151	157	168	176
Hawaii	121	118	140	93	67	71	105	66	87	89
Idaho	151	214	168	261	129	150	177	108	161	113
Illinois	154	173	179	169	160	156	161	168	161	163
Indiana	132	148	171	157	179	161	153	173	168	186
Iowa	151	170	147	168	116	161	122	138	156	147
Kansas	115	135	125	135	128	149	150	139	143	137
Kentucky	139	162	154	145	176	151	148	159	167	162
Louisiana	155	164	167	176	170	153	176	179	201	199
Maine	84	144	67	232	256	211	118	124	131	103
Maryland	136	137	148	142	175	155	151	160	162	166
Massachusetts	128	144	148	146	139	142	146	134	121	140
Michigan	119	133	145	144	136	138	135	140	146	149
Minnesota	130	129	149	152	132	124	120	147	145	139
Mississippi	123	129	148	156	142	142	160	149	170	160
Missouri	140	140	161	163	154	159	149	165	170	162
Montana	135	61	85	69	178	72	104	118	98	79
Nebraska	117	120	136	169	94	159	135	153	155	160
Nevada	149	142	156	180	137	151	128	129	164	132
New Hampshire	174	173	100	114	113	161	95	115	98	114
New Jersey	156	169	173	175	167	156	169	171	183	169
New Mexico	124	113	100	111	132	108	125	102	111	121
New York	124	135	145	147	135	139	143	147	148	144
North Carolina	132	140	147	148	160	166	154	154	152	169
North Dakota	74	97	410	104	235	101	100	85	124	151
Ohio	131	141	143	141	166	155	149	157	163	168
Oklahoma	103	115	141	135	124	128	149	139	140	145
Oregon	164	123	152	141	123	132	112	177	136	135
Pennsylvania	141	149	150	168	148	163	161	159	165	159
Rhode Island	167	143	175	197	160	163	164	157	163	190
South Carolina	133	153	149	165	227	248	166	154	160	153
South Dakota	125	93	71	105	91	152	216	166	96	159
Tennessee	154	152	144	166	153	154	165	176	175	159
Texas	143	157	150	151	140	143	141	157	162	152
Utah	98	122	129	96	70	134	84	100	109	111
Vermont	435	73	97	67	292	119	207	173	113	108
Virginia	148	153	147	144	163	155	156	157	159	139
Washington	112	111	121	137	109	115	110	117	122	131
West Virginia	148	139	173	181	169	168	180	186	159	169
Wisconsin	133	154	154	155	140	143	133	158	149	171
Wyoming	277	120	138	64	107	170	73	137	163	117
All	136.64	144.5	149.31	154.08	147.8	146.41	147.88	153.4	156.47	155.5

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Standard Errors

NON-DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	6.3	7.2	5.8	7.3	7.0	8.1	6.1	8.7	6.5	6.4
Alaska	41.8	25.8	22.5	25.0	16.9	27.5	22.1	20.1	20.3	24.0
Arizona	9.3	9.0	8.4	7.9	7.2	8.0	7.3	8.0	6.9	7.0
Arkansas	7.6	8.1	8.4	8.7	9.8	9.5	10.9	8.7	8.5	8.4
California	2.6	2.5	2.5	2.6	2.4	2.4	2.3	2.4	2.4	2.4
Colorado	7.4	7.9	7.5	7.2	7.0	6.0	7.1	7.0	6.8	6.7
Connecticut	7.6	7.4	7.1	7.7	7.3	7.6	6.6	7.1	6.8	7.0
Delaware	18.2	18.6	14.9	15.6	15.4	14.8	14.0	13.5	13.5	12.9
District of Columbia	19.4	23.3	23.6	19.2	20.3	17.6	14.5	17.2	19.5	22.4
Florida	3.5	3.5	3.5	3.3	3.3	3.4	3.0	3.0	3.0	3.0
Georgia	5.0	5.3	5.1	5.3	7.2	7.1	4.7	4.9	4.9	5.1
Hawaii	44.1	34.9	38.2	22.8	16.0	12.9	21.3	12.5	15.6	14.6
Idaho	56.4	162.2	60.6	106.6	42.5	40.6	67.7	25.7	44.4	15.9
Illinois	3.8	4.7	4.0	3.9	3.7	3.7	3.7	3.8	3.6	3.7
Indiana	5.8	5.7	6.3	6.3	6.4	6.6	5.5	6.3	6.0	6.1
Iowa	16.0	16.7	14.0	16.0	11.6	15.7	10.8	11.8	12.4	12.5
Kansas	9.0	9.6	9.5	8.9	9.0	10.2	9.0	9.1	8.9	8.5
Kentucky	7.3	8.1	7.2	7.0	8.6	7.5	7.0	7.2	7.1	7.4
Louisiana	7.4	6.8	6.8	7.1	7.0	6.2	6.9	6.8	7.2	7.3
Maine	19.3	76.3	7.0	87.9	86.2	73.0	17.1	18.7	39.8	8.3
Maryland	5.6	5.5	5.5	5.5	6.0	5.6	5.5	5.6	5.7	5.7
Massachusetts	5.8	6.2	6.0	5.9	5.8	5.8	5.7	5.2	4.9	5.3
Michigan	3.7	4.0	4.2	4.4	4.0	3.8	3.8	3.9	3.9	4.0
Minnesota	11.0	10.5	12.8	11.3	10.8	8.6	8.0	9.8	9.3	8.0
Mississippi	7.2	7.0	8.8	7.7	9.7	7.4	7.7	7.3	8.8	8.7
Missouri	5.4	5.4	7.1	6.0	5.8	6.4	5.7	5.8	6.0	5.6
Montana	58.4	8.2	9.5	8.4	107.1	8.4	27.7	47.2	11.6	13.9
Nebraska	12.5	11.8	14.9	16.3	9.2	15.1	11.1	12.6	12.7	11.9
Nevada	13.8	12.3	12.7	13.6	11.1	10.8	9.7	9.4	10.7	9.1
New Hampshire	68.8	67.2	18.8	12.6	19.9	48.4	12.5	21.0	9.3	9.6
New Jersey	4.6	4.7	4.7	4.6	4.6	4.3	4.5	4.5	4.6	4.4
New Mexico	17.5	15.8	11.5	13.3	14.5	11.6	12.2	10.1	10.4	11.7
New York	2.6	2.7	2.8	2.8	2.7	2.7	2.8	2.8	2.8	2.7
North Carolina	5.9	4.8	5.2	4.8	7.0	6.8	4.9	4.6	4.4	4.7
North Dakota	9.9	18.7	228.0	11.6	131.3	11.4	11.6	10.5	15.3	47.7
Ohio	3.9	4.1	3.8	3.7	4.0	4.1	3.8	3.9	4.0	3.9
Oklahoma	6.5	7.0	8.2	7.8	7.1	7.0	7.6	7.3	7.5	7.5
Oregon	15.5	12.5	14.2	12.4	10.8	11.9	9.6	15.6	11.7	11.1
Pennsylvania	3.8	3.8	3.8	4.0	3.7	3.9	3.7	3.7	3.8	3.7
Rhode Island	17.9	16.4	18.1	18.7	16.5	16.6	16.7	15.3	15.4	15.9
South Carolina	6.2	8.7	7.3	6.9	15.0	17.8	7.6	6.3	6.4	6.9
South Dakota	71.2	33.0	9.3	23.5	10.3	45.2	103.9	49.7	10.4	25.4
Tennessee	6.9	6.0	5.7	5.7	6.0	6.0	5.9	6.3	5.6	5.6
Texas	3.3	3.3	3.2	3.2	3.0	3.0	2.9	3.1	3.1	2.9
Utah	21.2	29.2	26.2	14.7	9.8	33.3	19.4	9.9	15.3	18.6
Vermont	253.7	11.0	32.1	10.3	131.9	24.0	90.8	85.8	26.9	12.7
Virginia	5.2	5.1	5.0	4.8	5.1	4.9	4.9	4.8	4.9	4.5
Washington	6.8	7.1	7.2	7.9	6.2	6.5	6.5	6.6	6.1	6.8
West Virginia	12.8	12.3	14.0	14.7	13.2	12.8	14.3	15.1	11.4	11.8
Wisconsin	7.5	8.8	8.3	7.8	7.4	7.0	6.5	7.2	6.9	7.6
Wyoming	120.7	45.1	64.7	24.8	48.7	72.9	20.0	48.4	51.4	48.9
All	0.76	0.78	0.78	0.79	0.76	0.75	0.75	0.76	0.76	0.75

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

**Table A.19
Incident Counts of Reported ESRD Pts, by Diabetic Status & ESRD Network: All Pts**

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	2,207	2,357	2,412	2,791	2,718	2,868	2,917	2,965	2,747	3,135
2 NY	3,510	3,901	4,118	4,412	4,393	4,699	4,867	5,064	5,225	5,136
3 NJ, PR, VI	2,507	2,729	2,804	3,088	3,185	3,212	3,412	3,658	3,822	3,556
4 DE, PA	2,794	3,038	2,919	3,478	3,375	3,683	3,752	3,810	3,953	3,863
5 MD, DC, VA, WV	3,214	3,453	3,515	3,629	4,167	4,279	4,483	4,688	4,700	4,644
6 NC, SC, GA	4,212	4,669	4,801	5,442	5,312	5,603	5,978	6,455	6,688	7,029
7 FL	3,235	3,604	3,602	3,898	4,017	4,507	4,505	4,629	4,912	5,117
8 AL, MS, TN	2,789	3,047	3,021	3,494	3,548	3,697	4,070	4,148	4,400	4,257
9 IN, KY, OH	3,749	4,252	4,426	4,310	5,362	5,296	5,387	6,030	6,219	6,458
10 IL	2,586	2,650	2,947	3,083	3,107	3,130	3,204	3,414	3,436	3,454
11 MI, MN, ND, SD, WI	3,470	3,906	3,981	4,261	4,203	4,569	4,604	4,959	4,995	5,276
12 IA, KS, MO, NE	2,171	2,368	2,387	2,684	2,608	2,809	2,978	3,183	3,342	3,354
13 AR, LA, OK	2,173	2,455	2,524	2,814	2,900	2,906	3,300	3,443	3,594	3,565
14 TX	3,639	4,078	4,128	4,374	4,549	4,912	5,169	5,533	5,917	5,973
15 AZ, CO, NV, NM, UT, WY	2,037	2,250	2,385	2,460	2,563	2,709	2,845	3,139	3,387	3,318
16 AK, ID, MT, OR, WA	1,536	1,494	1,609	1,778	1,742	1,797	1,860	1,914	2,132	2,190
17 N. CA, HI, GUAM, AS	2,444	2,500	2,638	2,945	2,915	3,012	3,137	3,414	3,528	3,718
18 S. CA	3,582	3,647	3,847	4,223	4,253	4,417	4,726	5,130	5,352	5,391
Unknown	21	22	17	10 *	*	*	*		10	10
All	51,876	56,420	58,081	63,374	64,919	68,107	71,197	75,582	78,359	79,444
DIABETIC										
1 CT, MA, ME, NH, RI, VT	722	802	781	1,005	1,035	1,116	1,185	1,200	1,074	1,206
2 NY	1,184	1,312	1,306	1,501	1,676	1,941	2,003	2,062	2,176	2,123
3 NJ, PR, VI	971	1,037	1,013	1,238	1,384	1,504	1,545	1,752	1,809	1,610
4 DE, PA	993	1,083	973	1,264	1,358	1,466	1,529	1,591	1,659	1,650
5 MD, DC, VA, WV	1,061	1,222	1,152	1,273	1,411	1,730	1,918	1,995	1,998	1,989
6 NC, SC, GA	1,444	1,629	1,649	2,018	2,135	2,423	2,544	2,906	2,921	3,065
7 FL	970	1,119	1,058	1,258	1,234	1,647	1,742	1,758	1,919	2,071
8 AL, MS, TN	879	1,057	1,011	1,246	1,406	1,508	1,693	1,739	1,901	1,840
9 IN, KY, OH	1,296	1,527	1,505	1,460	2,067	2,284	2,374	2,756	2,853	2,893
10 IL	827	809	857	1,065	1,180	1,242	1,230	1,332	1,438	1,395
11 MI, MN, ND, SD, WI	1,376	1,550	1,471	1,654	1,762	1,950	2,007	2,170	2,126	2,213
12 IA, KS, MO, NE	769	864	892	1,022	1,082	1,208	1,282	1,407	1,458	1,488
13 AR, LA, OK	847	974	894	1,058	1,204	1,290	1,445	1,592	1,643	1,565
14 TX	1,538	1,699	1,811	1,988	2,204	2,478	2,720	2,871	3,019	3,130
15 AZ, CO, NV, NM, UT, WY	925	1,023	1,106	1,111	1,296	1,319	1,436	1,589	1,706	1,715
16 AK, ID, MT, OR, WA	550	612	603	686	725	737	816	809	932	964
17 N. CA, HI, GUAM, AS	933	996	1,051	1,273	1,314	1,421	1,519	1,663	1,639	1,811
18 S. CA	1,451	1,448	1,456	1,806	1,851	1,955	2,285	2,423	2,581	2,582
Unknown	10	12	* *
All	18,746	20,775	20,594	23,929	26,324	29,219	31,273	33,615	34,852	35,310
NON-DIABETIC										
1 CT, MA, ME, NH, RI, VT	1,485	1,555	1,631	1,786	1,683	1,752	1,732	1,765	1,673	1,929
2 NY	2,326	2,589	2,812	2,911	2,717	2,758	2,864	3,002	3,049	3,013
3 NJ, PR, VI	1,536	1,692	1,791	1,850	1,801	1,708	1,867	1,906	2,013	1,946
4 DE, PA	1,801	1,955	1,946	2,214	2,017	2,217	2,223	2,219	2,294	2,213
5 MD, DC, VA, WV	2,153	2,231	2,363	2,356	2,756	2,549	2,565	2,693	2,702	2,655
6 NC, SC, GA	2,768	3,040	3,152	3,424	3,177	3,180	3,434	3,549	3,767	3,964
7 FL	2,265	2,485	2,544	2,640	2,783	2,860	2,763	2,871	2,993	3,046
8 AL, MS, TN	1,910	1,990	2,010	2,248	2,142	2,189	2,377	2,409	2,499	2,417
9 IN, KY, OH	2,453	2,725	2,921	2,850	3,295	3,012	3,013	3,274	3,366	3,565
10 IL	1,759	1,841	2,090	2,018	1,927	1,888	1,974	2,082	1,998	2,059
11 MI, MN, ND, SD, WI	2,094	2,356	2,510	2,607	2,441	2,619	2,597	2,789	2,869	3,063
12 IA, KS, MO, NE	1,402	1,504	1,495	1,662	1,526	1,601	1,696	1,776	1,884	1,866
13 AR, LA, OK	1,326	1,481	1,630	1,756	1,696	1,616	1,855	1,851	1,951	2,000
14 TX	2,101	2,379	2,317	2,386	2,345	2,434	2,449	2,662	2,898	2,843
15 AZ, CO, NV, NM, UT, WY	1,112	1,227	1,279	1,349	1,267	1,390	1,409	1,550	1,681	1,603
16 AK, ID, MT, OR, WA	986	882	1,006	1,092	1,017	1,060	1,044	1,105	1,200	1,226
17 N. CA, HI, GUAM, AS	1,511	1,504	1,587	1,672	1,601	1,591	1,618	1,751	1,889	1,907
18 S. CA	2,131	2,199	2,391	2,617	2,402	2,462	2,441	2,707	2,771	2,809
Unknown	11	10	12 *	*	*	*	*		10	10
All	33,130	35,645	37,487	39,445	38,595	38,888	39,924	41,967	43,507	44,134

Incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

*Values for cells with fewer than 10 patients are suppressed.

." Zero values in this cell.

Table A.21
Incident Rates of Reported ESRD, by Diabetic Status & ESRD Network

per million population, adjusted for age, gender, & race

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	201	217	211	250	240	247	243	246	222	248
2 NY	186	203	211	223	218	233	242	248	252	244
3 NJ	236	247	257	274	280	271	288	304	314	284
4 DE, PA	220	238	225	266	251	272	270	274	283	273
5 MD, DC, VA, WV	209	222	221	225	254	258	269	279	279	272
6 NC, SC, GA	208	224	225	249	284	299	262	275	279	290
7 FL	218	237	234	240	242	272	252	256	262	268
8 AL, MS, TN	208	223	210	245	248	255	273	278	287	278
9 IN, KY, OH	200	228	232	219	273	270	267	295	303	308
10 IL	226	247	251	259	257	258	261	275	278	275
11 MI, MN, ND, SD, WI	198	219	224	235	229	240	240	258	258	268
12 IA, KS, MO, NE	211	225	232	255	238	265	260	282	293	285
13 AR, LA, OK	206	226	230	251	257	250	284	288	305	296
14 TX	248	269	266	276	271	288	297	325	329	319
15 AZ, CO, NV, NM, UT, WY	208	220	222	222	224	224	229	250	256	246
16 AK, ID, MT, OR, WA	204	196	217	217	196	205	209	221	221	233
17 N. CA, HI	224	220	226	239	226	232	240	257	251	264
18 S. CA	237	234	239	272	255	258	269	296	297	290
All	213	227	231	247	247	255	263	275	280	279
DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	68	77	69	95	95	100	102	107	91	99
2 NY	62	67	67	76	83	95	99	101	104	100
3 NJ	80	78	83	99	113	115	119	132	131	115
4 DE, PA	77	85	74	96	101	107	110	115	118	116
5 MD, DC, VA, WV	66	78	72	79	86	103	114	117	118	118
6 NC, SC, GA	72	77	76	93	111	125	109	120	120	123
7 FL	68	77	71	80	77	101	100	100	104	110
8 AL, MS, TN	67	79	69	88	99	102	112	112	123	119
9 IN, KY, OH	68	82	79	74	103	115	118	134	138	136
10 IL	72	74	72	90	97	102	100	107	117	113
11 MI, MN, ND, SD, WI	78	86	82	90	95	104	105	113	112	112
12 IA, KS, MO, NE	77	86	86	98	102	113	115	127	131	130
13 AR, LA, OK	77	87	81	91	103	108	119	129	137	125
14 TX	104	112	116	125	131	145	156	168	167	167
15 AZ, CO, NV, NM, UT, WY	85	92	95	93	107	103	110	121	123	122
16 AK, ID, MT, OR, WA	77	87	89	82	85	85	97	92	96	103
17 N. CA, HI	81	84	87	98	96	103	111	122	111	122
18 S. CA	96	92	90	112	111	114	130	140	144	141
All	76	83	81	93	100	109	115	122	124	124
NON-DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	133	140	143	155	146	147	141	139	130	149
2 NY	124	135	145	147	135	139	143	147	148	144
3 NJ	156	169	173	174	167	156	169	171	183	169
4 DE, PA	143	153	151	170	150	164	160	159	164	158
5 MD, DC, VA, WV	143	144	149	146	168	155	156	162	161	155
6 NC, SC, GA	136	147	149	156	173	174	154	155	159	167
7 FL	150	160	162	160	165	171	152	156	159	158
8 AL, MS, TN	141	144	141	157	149	152	161	166	163	159
9 IN, KY, OH	133	147	152	146	170	155	149	161	165	171
10 IL	154	173	179	170	161	156	161	168	161	162
11 MI, MN, ND, SD, WI	121	134	143	145	135	137	135	144	146	155
12 IA, KS, MO, NE	134	139	146	157	136	152	145	155	162	155
13 AR, LA, OK	129	139	149	160	154	142	165	160	168	171
14 TX	143	157	150	151	140	143	141	157	162	152
15 AZ, CO, NV, NM, UT, WY	123	128	128	129	117	121	119	129	133	125
16 AK, ID, MT, OR, WA	128	110	128	135	111	120	112	128	125	130
17 N. CA, HI	142	136	139	141	130	129	129	135	140	142
18 S. CA	141	142	150	161	144	144	139	156	153	149
All	137	144	149	154	148	146	148	153	156	156

Incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Standard Errors

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	5.15	5.32	5.05	5.55	5.40	5.39	5.18	5.18	4.83	5.00
2 NY	3.24	3.33	3.37	3.47	3.43	3.53	3.58	3.59	3.61	3.53
3 NJ	5.60	5.63	5.65	5.86	5.91	5.72	5.83	5.93	6.00	5.69
4 DE, PA	4.59	4.72	4.45	4.88	4.57	4.78	4.62	4.66	4.72	4.59
5 MD, DC, VA, WV	4.01	4.09	4.02	4.04	4.24	4.24	4.30	4.37	4.36	4.27
6 NC, SC, GA	3.99	3.84	3.76	3.86	5.42	5.41	3.89	3.88	3.81	3.88
7 FL	4.21	4.34	4.25	4.10	4.06	4.27	3.92	3.93	3.91	3.88
8 AL, MS, TN	5.29	5.12	4.40	5.02	5.34	5.04	4.93	5.19	4.99	4.83
9 IN, KY, OH	3.63	3.98	3.80	3.58	3.95	4.09	3.83	4.02	4.06	3.96
10 IL	4.63	5.49	4.77	4.81	4.73	4.72	4.67	4.78	4.80	4.78
11 MI, MN, ND, SD, WI	3.63	3.78	3.82	3.91	3.80	3.75	3.73	3.84	3.83	3.87
12 IA, KS, MO, NE	5.23	5.26	5.53	5.63	5.32	5.74	5.27	5.57	5.59	5.34
13 AR, LA, OK	5.20	5.09	5.22	5.20	5.35	5.04	5.46	5.38	5.61	5.43
14 TX	4.28	4.32	4.25	4.27	4.15	4.24	4.23	4.48	4.35	4.23
15 AZ, CO, NV, NM, UT, WY	6.17	6.08	5.96	5.80	5.66	5.40	5.41	5.54	5.36	5.22
16 AK, ID, MT, OR, WA	8.25	8.14	8.54	7.86	6.96	7.16	7.28	7.58	6.78	7.15
17 N. CA, HI	5.18	5.08	5.10	5.11	4.91	4.96	5.02	5.12	4.96	5.03
18 S. CA	4.16	4.08	4.08	4.32	4.16	4.14	4.19	4.35	4.28	4.20
All	0.95	0.97	0.97	1.00	0.99	0.99	1.00	1.01	1.01	1.00
DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	3.08	3.25	2.90	3.56	3.47	3.53	3.44	3.58	3.21	3.23
2 NY	1.88	1.91	1.89	2.02	2.13	2.24	2.29	2.30	2.32	2.26
3 NJ	3.22	3.14	3.21	3.60	3.76	3.73	3.75	3.92	3.87	3.62
4 DE, PA	2.74	2.87	2.55	2.94	2.86	3.01	2.96	3.03	3.04	2.94
5 MD, DC, VA, WV	2.18	2.42	2.29	2.37	2.44	2.65	2.77	2.80	2.83	2.82
6 NC, SC, GA	2.45	2.12	2.06	2.34	3.26	3.35	2.49	2.53	2.49	2.48
7 FL	2.31	2.52	2.35	2.40	2.33	2.62	2.49	2.49	2.45	2.49
8 AL, MS, TN	3.49	3.39	2.39	3.28	3.49	3.13	3.23	3.09	3.36	3.10
9 IN, KY, OH	2.07	2.45	2.35	2.11	2.42	2.63	2.58	2.70	2.72	2.60
10 IL	2.63	2.91	2.55	2.82	2.90	2.99	2.89	2.96	3.14	3.06
11 MI, MN, ND, SD, WI	2.23	2.31	2.28	2.36	2.40	2.50	2.48	2.55	2.56	2.52
12 IA, KS, MO, NE	3.11	3.32	3.21	3.48	3.59	3.68	3.53	3.76	3.75	3.67
13 AR, LA, OK	3.15	3.19	3.19	2.96	3.27	3.36	3.43	3.53	3.82	3.44
14 TX	2.74	2.78	2.79	2.86	2.89	3.00	3.05	3.21	3.08	3.06
15 AZ, CO, NV, NM, UT, WY	3.78	3.86	3.80	3.69	3.88	3.64	3.76	3.84	3.70	3.70
16 AK, ID, MT, OR, WA	5.45	5.78	5.98	4.90	4.95	4.82	5.30	4.91	4.56	4.81
17 N. CA, HI	3.10	3.13	3.15	3.25	3.20	3.31	3.41	3.54	3.28	3.41
18 S. CA	2.63	2.54	2.48	2.76	2.74	2.76	2.91	2.99	2.98	2.93
All	0.57	0.59	0.58	0.61	0.63	0.65	0.66	0.67	0.67	0.67
NON-DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	4.13	4.22	4.14	4.26	4.13	4.07	3.87	3.75	3.61	3.81
2 NY	2.64	2.72	2.79	2.81	2.69	2.72	2.75	2.76	2.76	2.71
3 NJ	4.57	4.67	4.65	4.62	4.57	4.33	4.46	4.45	4.58	4.39
4 DE, PA	3.69	3.74	3.65	3.89	3.57	3.71	3.55	3.55	3.61	3.53
5 MD, DC, VA, WV	3.37	3.30	3.30	3.27	3.46	3.31	3.29	3.35	3.32	3.21
6 NC, SC, GA	3.15	3.19	3.15	3.07	4.33	4.25	2.99	2.94	2.89	2.98
7 FL	3.52	3.53	3.54	3.33	3.32	3.37	3.03	3.04	3.04	2.98
8 AL, MS, TN	3.97	3.83	3.70	3.80	4.05	3.96	3.72	4.17	3.68	3.71
9 IN, KY, OH	2.98	3.13	2.99	2.90	3.12	3.13	2.83	2.97	3.02	3.00
10 IL	3.81	4.66	4.04	3.89	3.74	3.66	3.67	3.75	3.62	3.66
11 MI, MN, ND, SD, WI	2.87	3.00	3.07	3.11	2.95	2.79	2.79	2.87	2.85	2.94
12 IA, KS, MO, NE	4.21	4.07	4.50	4.42	3.92	4.41	3.91	4.11	4.14	3.89
13 AR, LA, OK	4.14	3.97	4.13	4.27	4.23	3.75	4.24	4.06	4.11	4.20
14 TX	3.28	3.31	3.21	3.17	2.98	2.99	2.93	3.13	3.07	2.93
15 AZ, CO, NV, NM, UT, WY	4.88	4.70	4.59	4.47	4.11	3.99	3.89	3.99	3.88	3.68
16 AK, ID, MT, OR, WA	6.19	5.74	6.10	6.15	4.90	5.30	4.99	5.77	5.02	5.30
17 N. CA, HI	4.15	4.01	4.01	3.95	3.73	3.70	3.68	3.69	3.72	3.70
18 S. CA	3.22	3.20	3.24	3.32	3.12	3.09	3.01	3.16	3.08	3.01
All	0.76	0.78	0.78	0.79	0.76	0.75	0.75	0.76	0.76	0.75