

Table of Contents

Section B: Prevalence of Reported ESRD

- B.1 Point Prevalent Counts of Reported ESRD Patients
Patients Alive on December 31 of Each Year, by Demographic Characteristics & Primary Diagnosis
- B.2 Period Prevalent Counts of Reported ESRD Patients: All Patients
Patients Alive During the Calendar Year; by Demographic Characteristics & Primary Diagnosis
- B.4 Point Prevalent Rates of Reported ESRD, UnAdjusted
Per Million Population, Patients Alive on December 31 of Each Year, by Demographic Characteristics & Primary Diagnosis
- B.11 Point Prevalent Counts of Reported ESRD Patients, by Diabetic Status & State/Territory: All Patients
Patients Alive on December 31 of Each Year
- B.13 Point Prevalent Rates of Reported ESRD: by Diabetic Status & State
Per Million Population, Patients Alive on December 31 of Each Year, Adjusted for Age, Gender, & Race
- B.14 Point Prevalent Counts of Reported ESRD Patients, by Diabetic Status & ESRD Network: All Patients
Patients Alive on December 31 of Each Year
- B.16 Point Prevalent Rates of Reported ESRD: by Diabetic Status & ESRD Network
Patients Alive on December 31 of Each Year

Table B.1
Point Prevalent Counts of Reported ESRD Patients

patients alive on December 31 of each year; by demographic characteristics & primary diagnosis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	274	299	310	304	313	317	289	285	291	304
5-9	493	488	499	506	531	531	561	550	571	517
10-14	814	844	876	883	931	979	965	1,021	1,021	1,025
15-19	1,742	1,767	1,836	1,855	1,997	2,004	2,023	2,039	2,060	1,970
20-24	3,889	4,117	4,182	4,174	4,177	4,165	4,107	4,173	4,252	4,242
25-29	6,985	7,194	7,333	7,367	7,651	7,811	7,943	8,083	8,087	7,805
30-34	10,615	11,164	11,822	12,072	12,459	12,438	12,333	12,377	12,514	12,533
35-39	13,132	14,222	15,022	15,802	16,542	17,020	17,365	17,772	18,240	18,235
40-44	15,032	16,216	17,427	18,231	19,655	20,634	21,656	22,498	23,359	23,593
45-49	14,769	16,531	18,327	20,187	22,314	24,026	24,899	26,209	27,421	28,508
50-54	15,069	16,927	18,632	20,471	22,102	23,993	26,079	28,202	30,850	32,847
55-59	16,775	18,340	19,855	21,455	23,090	24,691	26,820	29,036	30,882	32,191
60-64	19,307	20,742	22,071	23,483	25,346	26,929	28,542	30,231	31,769	32,954
65-69	21,810	24,275	26,417	28,553	30,121	31,899	33,379	34,716	36,122	37,102
70-74	18,590	21,108	23,326	26,066	27,826	29,632	31,681	33,168	34,044	34,879
75-79	12,633	14,268	15,626	17,771	19,686	21,919	24,126	26,011	27,722	28,892
80-84	6,476	7,659	8,673	9,859	10,902	12,000	13,264	14,345	15,296	16,876
85+	2,589	3,067	3,607	4,112	4,669	5,390	6,083	6,937	7,734	8,297
Unknown	14	15	10 *	*	*	*		13	17	21
0-19	3,323	3,398	3,521	3,548	3,772	3,831	3,838	3,895	3,943	3,816
20-44	49,653	52,913	55,786	57,646	60,484	62,068	63,404	64,903	66,452	66,408
45-64	65,920	72,540	78,885	85,596	92,852	99,639	106,340	113,678	120,922	126,500
65-74	40,400	45,383	49,743	54,619	57,947	61,531	65,060	67,884	70,166	71,981
75+	21,698	24,994	27,906	31,742	35,257	39,309	43,473	47,293	50,752	54,065
Unknown	14	15	10 *	*	*	*		13	17	21
Male	97,786	107,427	116,582	125,952	135,275	144,405	153,438	162,321	170,956	177,222
Female	83,222	91,815	99,268	107,193	115,027	121,957	128,670	135,327	141,279	145,550
Unknown	*	*	*	*	12	18	12	18	17	19
White	111,919	122,434	131,323	141,047	150,158	158,556	168,133	176,952	186,317	193,205
Black	60,669	67,246	73,662	79,801	85,605	91,133	96,068	101,273	105,366	107,964
Native American	2,471	2,878	3,164	3,480	3,908	4,362	4,451	4,951	5,057	5,074
Asian	5,389	6,084	6,992	7,829	8,783	9,592	10,201	10,993	11,758	12,322
Other/unknown	560	601	710	997	1,860	2,737	3,267	3,497	3,754	4,226
†Hispanic	6,090	8,099	10,584	12,207	16,782	21,329	24,891	28,364	31,337	33,721
†Non-Hispanic	174,918	191,144	205,267	220,947	233,532	245,051	257,229	269,302	280,915	289,070
Diabetes	49,547	56,938	62,639	70,346	78,752	87,700	96,682	104,901	111,844	117,431
Hypertension	46,180	51,916	55,798	60,929	63,419	66,669	70,006	73,620	76,690	78,555
Glomerulonephritis	31,938	34,352	36,506	38,440	40,865	43,054	44,987	46,847	48,564	48,929
Cystic kidney	8,696	9,355	9,870	10,376	10,981	11,420	11,874	12,471	13,111	13,374
Other urologic	3,390	3,826	4,094	4,329	4,695	5,140	5,529	5,846	6,204	6,300
Other cause	21,657	22,930	23,886	24,880	26,991	28,682	30,353	32,018	33,521	34,311
Unknown cause	8,398	8,908	9,149	9,516	9,766	10,220	10,680	11,231	11,687	12,019
Missing disease	11,202	11,018	13,909	14,338	14,845	13,495	12,009	10,732	10,631	11,872
U.S.	178,441	196,389	212,813	229,813	246,794	262,658	278,284	293,696	308,108	318,550
U.S. territories	174	217	230	237	281	328	369	409	456	494
Puerto Rico	2,167	2,419	2,569	2,786	2,924	3,126	3,285	3,390	3,517	3,586
Foreign	84	80	81	93	88	88	83	83	84	81
Unknown	142	138	158	225	227	180	99	88	87	80
All	181,008	199,243	215,851	233,154	250,314	266,380	282,120	297,666	312,252	322,791
Total lost-to-followup	5,055	5,626	6,354	6,972	7,666	9,461	11,501	14,166	16,995	21,597
Lost-to-followup & all	186,063	204,869	222,205	240,126	257,980	275,841	293,621	311,832	329,247	344,388

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

The age of the point prevalent patient is determined as of December 31 of the selected calendar year.

†CMS has only started collecting Hispanic ethnicity data as of April, 1995, so Hispanic data in years prior to 1995 has been left blank.

Table B.2
Period Prevalent Counts of Reported ESRD Patients: All Patients
patients alive during the calendar year, by demographic characteristics & primary diagnosis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	387	391	419	405	428	441	425	387	378	420
5-9	576	584	585	621	608	625	610	645	643	651
10-14	1,007	1,007	1,038	1,078	1,094	1,139	1,165	1,146	1,196	1,195
15-19	2,130	2,180	2,192	2,247	2,308	2,421	2,351	2,395	2,424	2,411
20-24	4,459	4,781	4,944	4,997	4,998	4,987	4,885	4,851	4,841	4,916
25-29	8,240	8,409	8,637	8,737	8,698	8,946	9,059	9,197	9,285	9,298
30-34	11,824	12,664	13,214	13,872	14,107	14,356	14,201	14,150	14,144	14,228
35-39	14,679	15,779	16,767	17,705	18,511	19,171	19,509	19,823	20,331	20,615
40-44	16,515	18,155	19,299	20,567	21,650	23,075	23,899	25,122	25,866	26,739
45-49	16,086	18,226	20,188	22,284	24,376	26,590	28,187	29,423	30,822	32,020
50-54	17,314	19,048	21,013	23,294	25,242	26,853	29,093	31,534	34,042	36,755
55-59	19,654	21,623	23,252	25,401	27,035	28,732	30,690	33,306	35,819	37,718
60-64	23,747	25,550	27,106	28,828	30,603	32,467	34,243	36,277	38,044	39,760
65-69	27,466	30,281	33,040	35,919	37,904	40,023	42,252	44,037	45,376	46,805
70-74	22,970	26,617	29,540	32,709	35,530	38,158	40,503	43,023	44,715	45,667
75-79	16,144	18,580	20,496	22,717	25,026	27,868	30,996	33,988	36,772	38,705
80-84	8,277	9,676	11,045	12,621	14,043	15,715	17,591	19,243	20,911	22,332
85+	3,229	3,851	4,532	5,210	5,906	6,851	7,914	9,142	10,398	11,434
Unknown	22	26	17	13 *	*	*		13	18	27
0-19	4,100	4,162	4,234	4,351	4,438	4,626	4,551	4,573	4,641	4,677
20-44	55,717	59,788	62,861	65,878	67,964	70,535	71,553	73,143	74,467	75,796
45-64	76,801	84,447	91,559	99,807	107,256	114,642	122,213	130,540	138,727	146,253
65-74	50,436	56,898	62,580	68,628	73,434	78,181	82,755	87,060	90,091	92,472
75+	27,650	32,107	36,073	40,548	44,975	50,434	56,501	62,373	68,081	72,471
Unknown	22	26	17	13	*	*	*	13	18	27
Male	115,857	127,806	138,557	150,276	160,467	171,996	182,540	193,907	204,595	213,782
Female	98,869	109,622	118,766	128,939	137,594	146,406	155,017	163,777	171,408	177,894
Unknown		*		10	12	19	20	18	22	20
White	135,123	148,755	159,651	172,254	182,212	193,110	205,010	216,927	228,501	238,939
Black	70,145	77,846	85,447	92,899	99,360	106,108	111,794	118,232	123,533	127,406
Native American	2,828	3,316	3,665	4,037	4,523	5,058	5,183	5,682	5,871	6,010
Asian	6,019	6,834	7,767	8,925	9,919	11,043	11,713	12,660	13,604	14,268
Other/unknown	611	677	794	1,110	2,059	3,102	3,877	4,201	4,516	5,073
†Hispanic	6,081	8,133	10,647	13,278	18,308	24,281	28,764	33,130	36,714	39,819
†Non-Hispanic	208,645	229,295	246,677	265,947	279,765	294,140	308,813	324,572	339,311	351,877
Diabetes	60,869	70,322	77,532	86,568	96,670	107,971	118,973	130,297	139,753	147,154
Hypertension	56,320	63,465	68,381	74,644	77,791	81,367	85,933	90,509	94,880	97,728
Glomerulonephritis	35,663	38,290	40,537	43,167	45,205	47,978	49,937	51,938	53,617	54,751
Cystic kidney	9,556	10,275	10,874	11,486	12,067	12,571	13,040	13,575	14,209	14,715
Other urologic	3,971	4,521	4,825	5,145	5,514	6,080	6,436	6,865	7,258	7,543
Other cause	25,292	26,799	27,978	29,452	31,611	34,052	36,001	38,039	39,920	41,493
Unknown cause	10,046	10,847	11,075	11,380	11,773	12,319	12,914	13,627	14,166	14,768
Missing disease	13,009	12,909	16,122	17,383	17,442	16,083	14,343	12,852	12,222	13,544
U.S.	211,685	234,022	253,683	275,198	293,827	313,934	332,870	352,800	370,946	386,471
U.S. territories	205	257	276	291	317	376	435	490	522	579
Puerto Rico	2,579	2,877	3,086	3,355	3,577	3,779	3,987	4,200	4,359	4,448
Foreign	98	95	90	104	104	101	100	104	96	103
Unknown	159	177	189	277	248	231	185	108	102	95
All	214,726	237,428	257,324	279,225	298,073	318,421	337,577	357,702	376,025	391,696

The period prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

The age of the period prevalent patient is determined as of December 31 of the selected calendar year.

†CMS has only started collecting Hispanic ethnicity data as of April, 1995, so Hispanic data in years prior to 1995 has been left blank.

Table B.4
Point Prevalent Rates of Reported ESRD, Unadjusted
per million population, patients alive on December 31 of each year; by demographic characteristics & primary diagnosis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	14	15	15	15	15	15	14	13	14	15
5-9	26	26	26	26	27	26	27	26	27	25
10-14	45	46	46	46	48	50	49	51	50	49
15-19	99	100	102	101	105	102	101	100	100	94
20-24	200	214	221	225	230	231	226	226	225	217
25-29	337	357	373	381	396	404	413	427	435	426
30-34	471	495	526	541	568	579	589	604	619	623
35-39	620	656	679	703	724	739	752	771	796	804
40-44	786	837	879	896	938	957	981	998	1,020	1,011
45-49	980	1,034	1,103	1,160	1,218	1,272	1,301	1,339	1,364	1,379
50-54	1,243	1,335	1,406	1,490	1,563	1,605	1,643	1,708	1,783	1,810
55-59	1,571	1,696	1,797	1,905	2,005	2,077	2,155	2,232	2,290	2,308
60-64	1,804	1,973	2,134	2,286	2,471	2,616	2,733	2,831	2,920	2,982
65-69	2,151	2,392	2,602	2,822	2,978	3,172	3,369	3,563	3,740	3,849
70-74	2,196	2,434	2,649	2,922	3,106	3,318	3,543	3,706	3,819	3,923
75-79	1,971	2,191	2,364	2,641	2,855	3,087	3,321	3,523	3,702	3,817
80-84	1,563	1,806	1,988	2,201	2,375	2,561	2,789	2,967	3,107	3,372
85+	786	895	1,016	1,119	1,232	1,379	1,508	1,669	1,803	1,881
0-19	45	45	46	46	48	48	48	48	48	46
20-44	482	513	542	559	586	601	613	628	643	641
45-64	1,358	1,451	1,539	1,625	1,712	1,778	1,836	1,901	1,957	1,981
65-74	2,171	2,411	2,624	2,869	3,038	3,241	3,452	3,632	3,778	3,885
75+	1,567	1,763	1,922	2,133	2,308	2,504	2,707	2,887	3,038	3,182
Male	776	843	905	967	1,027	1,083	1,139	1,194	1,244	1,275
Female	631	689	737	788	836	876	916	955	988	1,009
White	519	563	599	638	675	708	746	780	815	839
Black	1,916	2,089	2,253	2,409	2,552	2,683	2,793	2,908	2,988	3,025
Native American	1,155	1,323	1,431	1,550	1,716	1,887	1,896	2,077	2,089	2,063
Asian	646	695	767	827	893	939	963	1,004	1,034	1,039
†Hispanic	513	619	691	765	817	850
†Non-Hispanic	978	1,021	1,066	1,111	1,153	1,178
Diabetes	192	218	237	264	291	320	350	376	397	413
Hypertension	180	200	213	230	237	246	256	267	276	280
Glomerulonephritis	123	131	138	144	151	158	163	168	172	172
Cystic kidney	34	36	38	39	41	42	43	45	47	47
Other urologic	13	15	16	16	17	19	20	21	22	22
Other cause	84	88	91	94	100	106	111	116	120	122
Unknown cause	32	34	35	36	36	37	39	40	42	42
Missing disease	43	42	52	53	54	49	43	38	37	41
All	702	764	819	875	929	977	1,025	1,072	1,113	1,139

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule. The age of the point prevalent patient is determined as of December 31 of the selected calendar year.

†CMS has only started collecting Hispanic ethnicity data as of April, 1995, so Hispanic data in years prior to 1995 has been left blank.

U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Table B.11
Point Prevalent Counts of Reported ESRD Patients, by Diabetic Status & State/Territory: All Patients
patients alive on December 31 of each year

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	3,680	4,056	4,376	4,753	5,125	5,606	6,037	6,306	6,556	6,903
Alaska	153	170	178	209	231	249	276	286	303	318
Arizona	2,709	3,080	3,403	3,665	3,941	4,200	4,522	4,790	5,051	5,227
Arkansas	1,637	1,771	1,940	2,210	2,443	2,617	2,806	2,915	3,026	3,107
California	19,699	21,452	23,084	25,032	26,627	28,237	29,635	31,203	32,428	33,536
Colorado	1,662	1,858	2,044	2,223	2,348	2,470	2,610	2,779	2,963	3,041
Connecticut	2,166	2,338	2,495	2,725	2,946	3,166	3,329	3,436	3,524	3,612
Delaware	574	667	724	775	831	875	919	931	995	1,012
District of Columbia	963	1,077	1,163	1,199	1,266	1,294	1,322	1,324	1,397	1,442
Florida	10,644	11,860	12,853	13,750	14,631	15,859	16,703	17,372	17,878	18,448
Georgia	5,919	6,646	7,257	8,021	8,684	9,265	9,879	10,454	11,067	11,592
Hawaii	965	1,046	1,172	1,307	1,371	1,454	1,571	1,639	1,714	1,817
Idaho	508	541	584	645	679	747	826	871	973	989
Illinois	8,368	9,096	9,963	10,695	11,413	12,061	12,600	13,215	13,741	14,043
Indiana	3,603	4,005	4,349	4,528	4,976	5,294	5,599	6,030	6,352	6,659
Iowa	1,589	1,785	1,893	2,041	2,103	2,235	2,294	2,417	2,589	2,697
Kansas	1,487	1,621	1,682	1,813	1,917	2,030	2,192	2,294	2,433	2,482
Kentucky	2,296	2,573	2,784	2,814	3,122	3,316	3,519	3,735	3,942	4,068
Louisiana	3,891	4,322	4,641	5,006	5,449	5,777	6,267	6,651	7,064	7,297
Maine	553	592	651	720	811	869	940	1,005	1,031	1,074
Maryland	3,984	4,391	4,804	5,143	5,652	5,854	6,248	6,590	6,908	7,104
Massachusetts	3,621	3,990	4,330	4,653	4,905	5,156	5,422	5,608	5,548	5,618
Michigan	6,454	7,193	7,857	8,392	9,011	9,774	10,220	10,779	11,132	11,588
Minnesota	2,452	2,674	2,881	3,079	3,251	3,463	3,629	3,779	3,927	4,098
Mississippi	2,468	2,709	2,991	3,348	3,597	3,884	4,169	4,431	4,669	4,787
Missouri	3,705	3,989	4,347	4,700	5,031	5,361	5,596	5,932	6,247	6,405
Montana	444	465	508	532	583	624	676	711	768	787
Nebraska	879	997	1,065	1,169	1,249	1,298	1,410	1,476	1,576	1,657
Nevada	730	819	931	1,034	1,133	1,251	1,361	1,467	1,607	1,632
New Hampshire	525	554	576	626	680	702	728	757	788	834
New Jersey	6,115	6,598	7,048	7,603	8,135	8,562	9,002	9,595	10,200	10,271
New Mexico	1,110	1,240	1,364	1,459	1,616	1,744	1,905	1,996	2,128	2,264
New York	12,650	13,769	14,882	15,878	16,941	17,922	18,976	20,058	21,083	21,670
North Carolina	5,602	6,333	7,066	7,811	8,385	8,968	9,719	10,316	10,754	11,336
North Dakota	348	399	434	472	469	484	513	546	570	574
Ohio	7,372	8,099	8,737	9,303	10,271	10,905	11,510	12,212	12,890	13,423
Oklahoma	1,872	2,084	2,320	2,517	2,728	2,904	3,136	3,339	3,510	3,674
Oregon	1,609	1,717	1,854	2,007	2,120	2,219	2,299	2,402	2,510	2,563
Pennsylvania	9,144	9,889	10,461	11,309	12,073	12,821	13,399	13,883	14,375	14,553
Rhode Island	665	712	782	860	889	958	976	1,022	1,038	1,063
South Carolina	3,418	3,776	4,126	4,595	4,961	5,233	5,631	5,984	6,358	6,476
South Dakota	386	405	452	492	553	610	668	697	758	780
Tennessee	3,896	4,318	4,606	5,108	5,519	5,830	6,188	6,581	6,949	7,218
Texas	12,954	14,518	15,820	17,189	18,528	20,013	21,386	22,865	24,573	25,803
Utah	756	805	922	991	1,079	1,139	1,172	1,282	1,380	1,464
Vermont	247	258	274	303	337	375	410	435	466	495
Virginia	4,899	5,478	5,919	6,277	6,783	7,053	7,628	8,181	8,602	8,794
Washington	2,675	2,848	3,072	3,314	3,503	3,691	3,839	4,068	4,303	4,484
West Virginia	1,123	1,218	1,297	1,376	1,495	1,522	1,674	1,792	1,915	2,060
Wisconsin	3,083	3,395	3,642	3,921	4,156	4,454	4,660	4,955	5,217	5,351
Wyoming	189	193	209	221	247	263	288	304	332	360
American Samoa	24	31	30	27	29	35	37	32	43	54
Guam	74	95	107	114	133	151	170	184	203	225
Puerto Rico	2167	2419	2569	2786	2924	3126	3285	3390	3517	3586
Saipan	15	21	23	22	34	43	50	69	78	86
Virgin Islands	61	70	70	74	85	99	112	124	132	129
Foreign	84	80	81	93	88	88	83	83	84	81
Unknown	142	138	158	225	227	180	99	88	87	80
All	181,008	199,243	215,851	233,154	250,314	266,380	282,120	297,666	312,252	322,791

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

*Values for cells with fewer than 10 patients are suppressed.

Table B.11 (continued)
Point Prevalent Counts of Reported ESRD Pts, by Diabetic Status & State/Territory: All Patients
patients alive on December 31 of each year

DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	751	909	1028	1,228	1,409	1,627	1,869	2,010	2,174	2,384
Alaska	32	41	47	60	83	93	111	108	124	116
Arizona	999	1,213	1,384	1,569	1,725	1,850	2,066	2,209	2,335	2,439
Arkansas	392	438	480	582	704	806	889	932	976	1024
California	5,779	6,503	7,137	8,127	8,890	9,722	10,625	11,401	12,018	12,633
Colorado	564	655	752	812	865	938	1,011	1,087	1,181	1,243
Connecticut	573	632	686	781	889	983	1,099	1,135	1,145	1,216
Delaware	157	178	190	214	236	254	282	298	332	369
District of Columbia	233	285	307	303	319	368	385	375	404	427
Florida	2,562	2,994	3,291	3,677	3,954	4,562	5,054	5,388	5,639	5,945
Georgia	1,488	1,747	1,952	2,256	2,570	2,930	3,239	3,542	3,838	4,067
Hawaii	378	413	492	581	629	670	725	765	799	885
Idaho	147	165	183	213	227	263	304	333	375	380
Illinois	2,058	2,263	2,478	2,812	3,230	3,604	3,882	4,197	4,517	4,714
Indiana	937	1,102	1,171	1,187	1,445	1,634	1,808	2,029	2,203	2,322
Iowa	411	496	555	630	679	746	774	833	911	959
Kansas	420	464	486	565	610	674	733	829	905	942
Kentucky	566	665	725	711	852	970	1,079	1,203	1,314	1,387
Louisiana	1032	1,229	1,314	1,453	1,644	1,881	2,127	2,335	2,512	2,625
Maine	128	140	161	182	219	243	279	313	320	350
Maryland	1041	1,210	1,327	1,415	1,582	1,767	1,996	2,172	2,282	2,283
Massachusetts	819	994	1,083	1,240	1,360	1,498	1,633	1,708	1,698	1,736
Michigan	1,836	2,126	2,342	2,634	2,922	3,366	3,619	3,916	4,064	4,318
Minnesota	841	900	993	1,053	1,117	1,188	1,271	1,344	1,372	1,455
Mississippi	573	676	767	909	1044	1,183	1,308	1,457	1,571	1,610
Missouri	954	1082	1,237	1,416	1,579	1,735	1,909	2,096	2,211	2,328
Montana	161	175	186	199	235	254	275	287	311	333
Nebraska	288	336	377	406	470	502	547	585	637	667
Nevada	193	220	265	304	361	388	454	522	566	585
New Hampshire	129	136	137	159	181	191	216	237	242	250
New Jersey	1,561	1,719	1,854	2,134	2,437	2,721	2,956	3,276	3,524	3,532
New Mexico	441	533	611	677	772	867	963	1,030	1,117	1,230
New York	3,098	3,525	3,838	4,223	4,778	5,399	5,938	6,438	6,943	7,224
North Carolina	1,480	1,748	1,975	2,318	2,590	2,955	3,349	3,688	3,870	4,142
North Dakota	136	160	169	177	179	180	196	218	207	217
Ohio	2,077	2,375	2,593	2,813	3,245	3,622	4,006	4,469	4,810	5,104
Oklahoma	647	749	854	941	1067	1,136	1,285	1,413	1,515	1,558
Oregon	450	485	523	590	656	715	789	802	852	886
Pennsylvania	2,425	2,752	2,911	3,265	3,671	3,981	4,312	4,610	4,835	4,962
Rhode Island	142	167	182	207	224	267	295	330	335	333
South Carolina	896	1034	1,140	1,320	1,482	1,644	1,807	2,048	2,230	2,307
South Dakota	143	170	195	209	240	263	293	298	341	342
Tennessee	872	1043	1,161	1,370	1,604	1,780	1,969	2,137	2,271	2,406
Texas	4,235	4,876	5,448	6,167	6,924	7,821	8,689	9,537	10,358	11,108
Utah	279	302	355	398	452	474	484	527	563	608
Vermont	69	73	77	97	117	134	145	162	174	178
Virginia	1,192	1,414	1,557	1,726	1,909	2,095	2,432	2,710	2,912	3,044
Washington	769	880	976	1,078	1,151	1,245	1,371	1,466	1,552	1,639
West Virginia	302	366	360	410	469	508	588	651	735	839
Wisconsin	986	1,119	1,199	1,305	1,406	1,509	1,625	1,739	1,848	1,848
Wyoming	59	54	66	80	101	108	123	126	134	150
American Samoa	11	13	11	11	13	17	15	16	23	32
Guam	28	39	46	45	60	74	88	98	115	116
Puerto Rico	735	879	923	1027	1084	1200	1299	1356	1474	1511
Saipan	*	*	*	*	17	22	27	40	45	53
Virgin Islands	*	*	12	12	22	33	39	46	55	50
Foreign	13	13	10	18	13	13	14	12	18	16
Unknown	48	47	53	42	39	27	16	12	12	*
All	49,547	56,938	62,639	70,346	78,752	87,700	96,682	104,901	111,844	117,431

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

*Values for cells with fewer than 10 patients are suppressed.

." Zero values in this cell.

Table B.11 (continued)
Point Prevalent Counts of Reported ESRD Pts, by Diabetic Status & State/Territory: All Patients
patients alive on December 31 of each year

NON-DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	2,929	3,147	3,348	3,525	3,716	3,979	4,168	4,296	4,382	4,519
Alaska	121	129	131	149	148	156	165	178	179	202
Arizona	1,710	1,867	2,019	2,096	2,216	2,350	2,456	2,581	2,716	2,788
Arkansas	1,245	1,333	1,460	1,628	1,739	1,811	1,917	1,983	2,050	2,083
California	13,920	14,949	15,947	16,905	17,737	18,515	19,010	19,802	20,410	20,903
Colorado	1,098	1,203	1,292	1,411	1,483	1,532	1,599	1,692	1,782	1,798
Connecticut	1,593	1,706	1,809	1,944	2,057	2,183	2,230	2,301	2,379	2,396
Delaware	417	489	534	561	595	621	637	633	663	643
District of Columbia	730	792	856	896	947	926	937	949	993	1,015
Florida	8,082	8,866	9,562	10,073	10,677	11,297	11,649	11,984	12,239	12,503
Georgia	4,431	4,899	5,305	5,765	6,114	6,335	6,640	6,912	7,229	7,525
Hawaii	587	633	680	726	742	784	846	874	915	932
Idaho	361	376	401	432	452	484	522	538	598	609
Illinois	6,310	6,833	7,485	7,883	8,183	8,457	8,718	9,018	9,224	9,329
Indiana	2,666	2,903	3,178	3,341	3,531	3,660	3,791	4,001	4,149	4,337
Iowa	1,178	1,289	1,338	1,411	1,424	1,489	1,520	1,584	1,678	1,738
Kansas	1,067	1,157	1,196	1,248	1,307	1,356	1,459	1,465	1,528	1,540
Kentucky	1,730	1,908	2,059	2,103	2,270	2,346	2,440	2,532	2,628	2,681
Louisiana	2,859	3,093	3,327	3,553	3,805	3,896	4,140	4,316	4,552	4,672
Maine	425	452	490	538	592	626	661	692	711	724
Maryland	2,943	3,181	3,477	3,728	4,070	4,087	4,252	4,418	4,626	4,821
Massachusetts	2,802	2,996	3,247	3,413	3,545	3,658	3,789	3,900	3,850	3,882
Michigan	4,618	5,067	5,515	5,758	6,089	6,408	6,601	6,863	7,068	7,270
Minnesota	1,611	1,774	1,888	2,026	2,134	2,275	2,358	2,435	2,555	2,643
Mississippi	1,895	2,033	2,224	2,439	2,553	2,701	2,861	2,974	3,098	3,177
Missouri	2,751	2,907	3,110	3,284	3,452	3,626	3,687	3,836	4,036	4,077
Montana	283	290	322	333	348	370	401	424	457	454
Nebraska	591	661	688	763	779	796	863	891	939	990
Nevada	537	599	666	730	772	863	907	945	1,041	1,047
New Hampshire	396	418	439	467	499	511	512	520	546	584
New Jersey	4,554	4,879	5,194	5,469	5,698	5,841	6,046	6,319	6,676	6,739
New Mexico	669	707	753	782	844	877	942	966	1,011	1,034
New York	9,552	10,244	11,044	11,655	12,163	12,523	13,038	13,620	14,140	14,446
North Carolina	4,122	4,585	5,091	5,493	5,795	6,013	6,370	6,628	6,884	7,194
North Dakota	212	239	265	295	290	304	317	328	363	357
Ohio	5,295	5,724	6,144	6,490	7,026	7,283	7,504	7,743	8,080	8,319
Oklahoma	1,225	1,335	1,466	1,576	1,661	1,768	1,851	1,926	1,995	2,116
Oregon	1,159	1,232	1,331	1,417	1,464	1,504	1,510	1,600	1,658	1,677
Pennsylvania	6,719	7,137	7,550	8,044	8,402	8,840	9,087	9,273	9,540	9,591
Rhode Island	523	545	600	653	665	691	681	692	703	730
South Carolina	2,522	2,742	2,986	3,275	3,479	3,589	3,824	3,936	4,128	4,169
South Dakota	243	235	257	283	313	347	375	399	417	438
Tennessee	3,024	3,275	3,445	3,738	3,915	4,050	4,219	4,444	4,678	4,812
Texas	8,719	9,642	10,372	11,022	11,604	12,192	12,697	13,328	14,215	14,695
Utah	477	503	567	593	627	665	688	755	817	856
Vermont	178	185	197	206	220	241	265	273	292	317
Virginia	3,707	4,064	4,362	4,551	4,874	4,958	5,196	5,471	5,690	5,750
Washington	1,906	1,968	2,096	2,236	2,352	2,446	2,468	2,602	2,751	2,845
West Virginia	821	852	937	966	1,026	1,014	1,086	1,141	1,180	1,221
Wisconsin	2,097	2,276	2,443	2,616	2,750	2,945	3,035	3,216	3,369	3,503
Wyoming	130	139	143	141	146	155	165	178	198	210
American Samoa	13	18	19	16	16	18	22	16	20	22
Guam	46	56	61	69	73	77	82	86	88	109
Puerto Rico	1,432	1,540	1,646	1,759	1,840	1,926	1,986	2,034	2,043	2,075
Saipan	*	14	16	14	17	21	23	29	33	33
Virgin Islands	56	61	58	62	63	66	73	78	77	79
Foreign	71	67	71	75	75	75	69	71	66	65
Unknown	94	91	105	183	188	153	83	76	75	76
All	131,461	142,305	153,212	162,808	171,562	178,680	185,438	192,765	200,408	205,360

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 *Values for cells with fewer than 10 patients are suppressed.

Table B.13
Point Prevalent Rates of Reported ESRD: by Diabetic Status & State

per million population, patients alive on December 31 of each year; adjusted for age, gender, & race

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	954	1,031	1,093	1,171	1,246	1,342	1,419	1,459	1,496	1,555
Alaska	302	325	324	374	403	431	466	471	485	494
Arizona	737	806	851	874	905	931	972	1,003	1,032	1,048
Arkansas	716	760	820	922	1,004	1,062	1,124	1,154	1,176	1,181
California	680	727	771	823	858	887	904	932	947	955
Colorado	516	555	588	620	635	649	666	691	718	719
Connecticut	707	756	799	869	930	988	1,027	1,049	1,061	1,067
Delaware	938	1,068	1,118	1,166	1,215	1,249	1,272	1,252	1,304	1,296
District of Columbia	1,731	1,956	2,132	2,240	2,412	2,490	2,554	2,547	2,682	2,769
Florida	855	929	984	1,024	1,059	1,118	1,144	1,160	1,166	1,179
Georgia	961	1,044	1,107	1,187	1,249	1,291	1,333	1,366	1,403	1,427
Hawaii	921	978	1,071	1,171	1,209	1,247	1,321	1,362	1,407	1,485
Idaho	493	508	533	572	588	628	680	701	767	769
Illinois	751	805	870	924	974	1,018	1,051	1,089	1,122	1,134
Indiana	663	726	780	802	870	914	956	1,019	1,061	1,101
Iowa	590	655	688	734	750	792	808	845	898	929
Kansas	613	657	673	715	743	779	831	857	902	913
Kentucky	644	711	760	755	829	869	911	952	990	1,009
Louisiana	1,003	1,093	1,156	1,230	1,317	1,376	1,469	1,537	1,613	1,648
Maine	474	507	551	603	673	713	764	809	820	845
Maryland	919	993	1,061	1,112	1,191	1,203	1,254	1,294	1,323	1,325
Massachusetts	640	702	751	798	831	860	891	909	885	882
Michigan	718	789	850	898	950	1,018	1,053	1,099	1,124	1,154
Minnesota	584	625	662	696	722	756	780	800	816	835
Mississippi	1,015	1,098	1,190	1,310	1,385	1,470	1,548	1,620	1,680	1,700
Missouri	741	787	848	906	959	1,010	1,041	1,091	1,137	1,153
Montana	565	581	624	642	688	727	779	809	863	874
Nebraska	573	640	681	737	773	793	852	885	937	976
Nevada	607	645	695	727	752	783	802	823	860	833
New Hampshire	495	517	528	567	601	611	622	635	649	675
New Jersey	826	883	931	991	1,043	1,081	1,119	1,174	1,231	1,221
New Mexico	775	834	891	929	1,002	1,053	1,123	1,148	1,194	1,246
New York	748	808	866	914	960	1,002	1,047	1,092	1,129	1,140
North Carolina	864	957	1,045	1,129	1,187	1,242	1,314	1,363	1,394	1,446
North Dakota	596	659	721	772	757	776	819	870	903	899
Ohio	705	764	815	857	939	988	1,034	1,088	1,141	1,179
Oklahoma	622	678	745	799	853	895	951	1,000	1,034	1,060
Oregon	565	588	620	659	683	701	712	731	752	756
Pennsylvania	791	850	895	962	1,020	1,078	1,122	1,157	1,192	1,200
Rhode Island	694	745	812	891	916	979	992	1,027	1,030	1,043
South Carolina	1,043	1,130	1,208	1,318	1,397	1,444	1,512	1,566	1,626	1,622
South Dakota	560	585	649	696	778	848	924	957	1,030	1,045
Tennessee	823	896	936	1,019	1,079	1,116	1,161	1,213	1,259	1,288
Texas	790	858	910	962	1,003	1,049	1,090	1,136	1,191	1,216
Utah	431	448	495	517	545	561	564	607	639	663
Vermont	474	487	508	549	604	662	711	743	782	814
Virginia	838	913	966	1,003	1,062	1,082	1,146	1,204	1,237	1,237
Washington	555	576	606	636	656	676	688	715	742	758
West Virginia	649	695	736	777	842	856	937	997	1,061	1,134
Wisconsin	658	709	749	793	827	873	903	950	988	998
Wyoming	440	440	468	496	540	569	614	640	687	726
All	744	804	857	910	959	1,001	1,041	1,080	1,113	1,131

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Standard Errors

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	16.0	16.4	16.7	17.1	17.5	18.0	18.3	18.4	18.5	18.8
Alaska	25.9	25.9	25.1	26.5	26.9	27.6	28.2	27.9	28.0	27.8
Arizona	14.4	14.7	14.8	14.6	14.6	14.5	14.6	14.6	14.6	14.6
Arkansas	18.0	18.3	18.8	19.8	20.4	20.8	21.3	21.4	21.4	21.2
California	4.9	5.1	5.2	5.3	5.3	5.4	5.3	5.4	5.3	5.3
Colorado	13.0	13.1	13.2	13.3	13.2	13.2	13.1	13.2	13.2	13.1
Connecticut	15.5	15.9	16.2	16.8	17.3	17.7	17.9	18.0	18.0	17.9
Delaware	39.9	42.0	42.0	42.2	42.4	42.4	42.1	41.2	41.5	40.9
District of Columbia	56.8	60.5	63.3	65.4	68.4	69.7	70.6	70.2	71.9	73.2
Florida	8.4	8.7	8.8	8.8	8.8	8.9	8.9	8.8	8.8	8.7
Georgia	12.7	13.0	13.1	13.3	13.5	13.5	13.4	13.4	13.4	13.3
Hawaii	31.2	31.4	32.3	33.2	33.2	33.3	33.9	34.1	34.5	35.4
Idaho	22.3	22.2	22.4	22.7	22.7	23.1	23.8	23.8	24.6	24.5
Illinois	8.3	8.5	8.8	9.0	9.2	9.3	9.4	9.5	9.6	9.6
Indiana	11.2	11.6	11.9	12.0	12.4	12.6	12.8	13.1	13.4	13.5
Iowa	15.0	15.7	16.0	16.3	16.4	16.8	16.9	17.2	17.7	17.9
Kansas	16.2	16.5	16.6	16.9	17.1	17.4	17.9	18.0	18.4	18.5
Kentucky	13.6	14.2	14.5	14.3	14.9	15.1	15.4	15.6	15.8	15.8
Louisiana	16.3	16.8	17.1	17.5	17.9	18.2	18.6	18.9	19.2	19.3
Maine	20.5	21.1	21.8	22.6	23.8	24.3	25.0	25.5	25.6	25.8
Maryland	14.8	15.2	15.5	15.6	15.9	15.8	15.9	16.0	16.0	15.8
Massachusetts	10.9	11.3	11.6	11.8	12.0	12.1	12.2	12.2	12.0	11.9
Michigan	9.1	9.4	9.7	9.9	10.1	10.3	10.4	10.6	10.7	10.7
Minnesota	12.0	12.3	12.5	12.7	12.8	12.9	13.0	13.0	13.0	13.1
Mississippi	20.8	21.4	22.0	22.8	23.2	23.7	24.0	24.3	24.6	24.6
Missouri	12.3	12.6	12.9	13.3	13.6	13.8	13.9	14.2	14.4	14.4
Montana	27.5	27.4	28.1	28.1	28.8	29.3	30.1	30.4	31.2	31.3
Nebraska	19.7	20.5	21.1	21.7	22.0	22.2	22.8	23.2	23.7	24.1
Nevada	23.1	23.0	23.2	22.9	22.6	22.3	21.9	21.6	21.6	20.8
New Hampshire	22.0	22.3	22.2	22.9	23.2	23.2	23.1	23.1	23.2	23.5
New Jersey	10.8	11.1	11.2	11.5	11.7	11.8	11.9	12.1	12.3	12.2
New Mexico	23.7	24.1	24.5	24.6	25.2	25.5	26.0	25.9	26.2	26.5
New York	6.8	7.0	7.2	7.3	7.5	7.6	7.7	7.8	7.9	7.9
North Carolina	11.7	12.2	12.5	12.9	13.0	13.2	13.4	13.4	13.5	13.6
North Dakota	35.1	33.7	35.5	36.4	35.4	35.5	36.3	37.3	37.8	37.6
Ohio	8.3	8.6	8.8	8.9	9.3	9.5	9.7	9.9	10.1	10.2
Oklahoma	14.6	15.0	15.6	16.0	16.4	16.7	17.1	17.4	17.5	17.6
Oregon	14.4	14.5	14.6	14.9	14.9	15.0	14.9	14.9	15.0	15.0
Pennsylvania	8.4	8.7	8.8	9.1	9.3	9.6	9.7	9.9	10.0	10.0
Rhode Island	27.5	28.5	29.4	30.7	31.0	31.9	32.0	32.3	32.2	32.3
South Carolina	18.1	18.6	19.0	19.6	19.9	20.0	20.2	20.3	20.4	20.2
South Dakota	29.3	29.7	31.0	31.8	33.4	34.5	35.9	36.3	37.4	37.5
Tennessee	13.4	13.8	13.9	14.4	14.6	14.7	14.8	15.0	15.1	15.2
Texas	7.1	7.2	7.3	7.4	7.5	7.5	7.5	7.6	7.7	7.7
Utah	15.9	16.0	16.5	16.5	16.7	16.7	16.6	17.0	17.3	17.4
Vermont	31.0	30.9	31.2	31.8	33.1	34.3	35.2	35.7	36.2	36.6
Virginia	12.2	12.5	12.7	12.7	13.0	12.9	13.2	13.3	13.4	13.2
Washington	11.0	11.0	11.1	11.2	11.2	11.2	11.1	11.2	11.3	11.4
West Virginia	19.7	20.2	20.7	21.1	21.9	22.0	22.9	23.6	24.2	25.0
Wisconsin	12.0	12.3	12.5	12.7	12.9	13.1	13.3	13.5	13.7	13.7
Wyoming	32.8	32.4	33.0	34.0	34.9	35.4	36.4	36.9	37.8	38.6
All	2	2	2	2	2	2	2	2	2	2

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Table B.13 (continued)
Point Prevalent Rates of Reported ESRD: by Diabetic Status & State

per million population, patients alive on December 31 of each year; adjusted for age, gender, & race

DIABETIC	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	195	231	258	303	343	389	439	465	496	538
Alaska	62	80	87	110	147	163	188	178	197	178
Arizona	271	317	346	372	396	410	444	463	477	489
Arkansas	168	186	202	243	289	327	356	369	378	389
California	198	219	237	266	285	303	321	338	350	360
Colorado	176	196	217	226	234	247	257	269	285	292
Connecticut	185	204	219	248	279	306	339	346	345	359
Delaware	257	283	292	320	344	362	390	400	435	474
District of Columbia	421	522	568	568	613	711	747	724	777	824
Florida	208	236	254	275	288	323	347	360	367	379
Georgia	243	275	298	334	371	410	438	464	487	501
Hawaii	365	397	461	533	563	579	615	638	656	723
Idaho	141	155	168	190	196	221	251	269	296	297
Illinois	184	199	215	242	274	302	322	344	368	381
Indiana	171	199	210	210	252	281	308	342	367	382
Iowa	153	181	200	225	242	264	273	291	316	330
Kansas	173	187	195	223	235	256	274	307	333	345
Kentucky	160	184	199	192	227	256	281	307	330	344
Louisiana	267	313	329	360	400	451	500	540	574	593
Maine	110	122	139	153	185	200	226	252	255	276
Maryland	241	274	293	306	334	364	402	428	438	426
Massachusetts	145	175	188	213	231	249	267	276	270	271
Michigan	202	232	252	280	308	350	373	399	410	430
Minnesota	201	210	229	238	248	259	273	284	285	296
Mississippi	236	274	307	357	403	448	487	533	566	572
Missouri	192	215	241	273	302	328	356	386	402	419
Montana	203	218	227	240	279	298	317	325	348	367
Nebraska	190	218	242	256	290	305	328	348	376	392
Nevada	161	172	197	213	239	242	266	291	304	301
New Hampshire	124	130	130	149	161	167	185	200	200	203
New Jersey	211	230	245	279	313	343	366	399	423	418
New Mexico	308	359	401	435	483	530	573	597	629	676
New York	184	207	224	243	270	300	326	349	370	378
North Carolina	227	264	292	335	368	411	453	488	502	529
North Dakota	228	266	287	292	285	286	311	348	328	339
Ohio	197	223	240	258	296	328	360	398	426	449
Oklahoma	214	243	274	298	333	351	389	421	444	448
Oregon	156	165	173	192	211	226	245	245	256	262
Pennsylvania	207	234	247	276	308	333	359	383	400	409
Rhode Island	146	171	185	213	229	273	300	331	331	329
South Carolina	274	311	334	381	419	455	486	537	571	579
South Dakota	211	251	283	298	342	368	409	411	464	459
Tennessee	185	215	235	273	313	341	369	394	412	430
Texas	260	289	315	346	375	409	442	473	501	522
Utah	157	168	191	207	228	234	233	250	261	275
Vermont	136	144	147	179	212	239	253	277	292	292
Virginia	200	233	253	275	297	321	366	399	420	431
Washington	158	176	191	206	214	227	245	257	267	277
West Virginia	174	208	207	233	265	287	330	363	407	462
Wisconsin	212	234	248	265	280	295	315	333	350	344
Wyoming	132	123	149	181	221	233	260	263	275	300
All	203	229	248	274	301	329	355	379	397	410

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Standard Errors

DIABETICS	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Alabama	7.2	7.8	8.1	8.7	9.2	9.7	10.2	10.4	10.7	11.0
Alaska	11.6	13.0	13.1	14.6	16.4	17.1	18.0	17.2	17.8	16.7
Arizona	8.7	9.2	9.4	9.5	9.6	9.6	9.8	9.9	9.9	10.0
Arkansas	8.7	9.0	9.3	10.2	10.9	11.6	12.0	12.1	12.2	12.2
California	2.7	2.8	2.9	3.0	3.1	3.1	3.2	3.2	3.2	3.2
Colorado	7.6	7.8	8.0	8.0	8.0	8.2	8.2	8.2	8.3	8.3
Connecticut	7.9	8.2	8.5	8.9	9.4	9.8	10.3	10.3	10.2	10.4
Delaware	20.8	21.5	21.4	22.0	22.5	22.8	23.3	23.3	24.0	24.8
District of Columbia	27.9	31.2	32.7	32.9	34.5	37.2	38.2	37.4	38.7	39.9
Florida	4.2	4.4	4.5	4.6	4.6	4.8	4.9	4.9	4.9	4.9
Georgia	6.4	6.7	6.8	7.1	7.4	7.6	7.7	7.8	7.9	7.9
Hawaii	19.5	20.1	21.4	22.7	22.8	22.8	23.1	23.4	23.6	24.6
Idaho	11.8	12.2	12.6	13.1	13.1	13.7	14.4	14.7	15.3	15.2
Illinois	4.1	4.2	4.4	4.6	4.9	5.1	5.2	5.4	5.5	5.6
Indiana	5.7	6.1	6.2	6.1	6.7	7.0	7.3	7.6	7.9	8.0
Iowa	7.6	8.2	8.6	9.0	9.3	9.7	9.8	10.1	10.5	10.7
Kansas	8.6	8.8	8.9	9.4	9.6	10.0	10.3	10.8	11.2	11.4
Kentucky	6.8	7.2	7.5	7.2	7.8	8.2	8.6	8.9	9.1	9.3
Louisiana	8.4	9.0	9.2	9.5	9.9	10.4	10.9	11.2	11.5	11.6
Maine	9.9	10.5	11.1	11.4	12.6	12.9	13.6	14.3	14.2	14.8
Maryland	7.6	8.0	8.1	8.2	8.4	8.7	9.0	9.2	9.2	9.0
Massachusetts	5.2	5.6	5.8	6.1	6.3	6.5	6.7	6.7	6.6	6.6
Michigan	4.8	5.1	5.3	5.5	5.7	6.1	6.2	6.4	6.4	6.6
Minnesota	7.1	7.1	7.3	7.4	7.5	7.6	7.7	7.8	7.7	7.8
Mississippi	10.1	10.7	11.2	11.9	12.6	13.1	13.5	14.0	14.3	14.3
Missouri	6.3	6.6	6.9	7.3	7.6	7.9	8.2	8.4	8.6	8.7
Montana	16.5	16.9	16.9	17.2	18.4	18.8	19.2	19.3	19.8	20.2
Nebraska	11.4	12.1	12.6	12.8	13.5	13.8	14.2	14.5	15.0	15.3
Nevada	11.9	11.8	12.3	12.3	12.7	12.4	12.6	12.9	12.8	12.5
New Hampshire	11.1	11.3	11.3	11.9	12.1	12.1	12.6	13.0	12.9	12.8
New Jersey	5.4	5.6	5.8	6.1	6.4	6.6	6.8	7.0	7.2	7.1
New Mexico	14.9	15.8	16.4	16.9	17.6	18.1	18.6	18.7	19.0	19.5
New York	3.4	3.5	3.6	3.8	4.0	4.2	4.3	4.4	4.5	4.5
North Carolina	6.0	6.4	6.6	7.0	7.3	7.6	7.9	8.0	8.1	8.2
North Dakota	20.1	21.5	23.1	23.1	21.8	21.6	22.4	23.6	22.8	23.1
Ohio	4.4	4.6	4.8	4.9	5.2	5.5	5.7	6.0	6.2	6.3
Oklahoma	8.6	9.0	9.4	9.8	10.3	10.5	10.9	11.3	11.5	11.4
Oregon	7.5	7.6	7.7	8.0	8.3	8.5	8.7	8.6	8.8	8.8
Pennsylvania	4.3	4.5	4.6	4.9	5.1	5.3	5.5	5.7	5.8	5.8
Rhode Island	12.5	13.5	13.9	15.0	15.5	16.8	17.6	18.3	18.3	18.2
South Carolina	9.3	9.8	10.0	10.6	10.9	11.3	11.5	11.9	12.1	12.1
South Dakota	18.3	19.6	20.6	20.8	22.2	22.7	23.9	23.8	25.1	24.9
Tennessee	6.4	6.8	7.0	7.4	7.9	8.1	8.3	8.5	8.6	8.8
Texas	4.1	4.2	4.3	4.5	4.6	4.7	4.8	4.9	5.0	5.0
Utah	9.5	9.8	10.2	10.5	10.8	10.8	10.7	10.9	11.0	11.2
Vermont	16.8	17.2	17.0	18.3	19.7	20.7	21.0	21.8	22.1	21.9
Virginia	5.9	6.3	6.5	6.7	6.8	7.0	7.4	7.7	7.8	7.8
Washington	5.8	6.0	6.2	6.3	6.4	6.5	6.7	6.7	6.8	6.9
West Virginia	10.2	11.0	11.0	11.6	12.3	12.8	13.6	14.2	15.0	16.0
Wisconsin	6.9	7.1	7.2	7.4	7.5	7.6	7.8	8.0	8.1	8.0
Wyoming	17.5	17.1	18.6	20.5	22.2	22.6	23.7	23.6	23.9	24.8
All	1	1	1	1	1	1	1	1	1	1

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
U.S. only; patients of unknown age or gender, or of other or unknown race are excluded so that rates can be calculated properly.

Table B.14
Point Prevalent Counts of Reported ESRD Pts, by Diabetic Status & ESRD Network: All Pts
patients alive on December 31 of each year

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	7,785	8,451	9,118	9,900	10,580	11,239	11,816	12,276	12,405	12,704
2 NY	12,669	13,795	14,908	15,925	16,980	17,955	18,995	20,078	21,104	21,680
3 NJ, PR, VI	8,351	9,095	9,697	10,476	11,157	11,797	12,403	13,112	13,851	13,987
4 DE, PA	9,725	10,565	11,193	12,096	12,918	13,709	14,327	14,822	15,379	15,574
5 MD, DC, VA, WV	10,979	12,171	13,188	14,005	15,211	15,739	16,878	17,895	18,830	19,406
6 NC, SC, GA	14,953	16,767	18,462	20,446	22,053	23,487	25,241	26,763	28,186	29,410
7 FL	10,653	11,868	12,859	13,761	14,643	15,871	16,711	17,379	17,888	18,461
8 AL, MS, TN	10,047	11,088	11,981	13,223	14,258	15,334	16,404	17,325	18,181	18,915
9 IN, KY, OH	13,280	14,686	15,884	16,660	18,382	19,525	20,637	21,987	23,191	24,157
10 IL	8,378	9,104	9,972	10,714	11,434	12,077	12,605	13,220	13,745	14,045
11 MI, MN, ND, SD, WI	12,732	14,074	15,276	16,371	17,455	18,795	19,693	20,757	21,605	22,393
12 IA, KS, MO, NE	7,665	8,395	8,993	9,729	10,306	10,928	11,495	12,122	12,848	13,244
13 AR, LA, OK	7,407	8,182	8,910	9,739	10,628	11,305	12,214	12,914	13,606	14,084
14 TX	12,960	14,526	15,832	17,201	18,545	20,031	21,401	22,876	24,586	25,818
15 AZ, CO, NV, NM, UT, WY	7,163	8,004	8,878	9,600	10,372	11,071	11,863	12,621	13,466	13,993
16 AK, ID, MT, OR, WA	5,399	5,748	6,202	6,711	7,118	7,535	7,923	8,345	8,866	9,149
17 N. CA, HI, GUAM, AS	8,589	9,317	10,105	10,928	11,579	12,219	12,965	13,593	14,187	14,807
18 S. CA	12,169	13,305	14,290	15,582	16,623	17,692	18,490	19,524	20,265	20,902
Unknown network	104	102	103	87	72	71	59	57	63	62
All	181,008	199,243	215,851	233,154	250,314	266,380	282,120	297,666	312,252	322,791
DIABETIC										
1 CT, MA, ME, NH, RI, VT	1,860	2,142	2,328	2,666	2,989	3,316	3,667	3,886	3,914	4,063
2 NY	3,104	3,531	3,842	4,229	4,783	5,405	5,940	6,441	6,947	7,225
3 NJ, PR, VI	2,304	2,610	2,791	3,176	3,546	3,955	4,295	4,679	5,054	5,093
4 DE, PA	2,584	2,933	3,103	3,481	3,908	4,236	4,595	4,908	5,167	5,331
5 MD, DC, VA, WV	2,772	3,278	3,553	3,854	4,279	4,738	5,401	5,909	6,337	6,594
6 NC, SC, GA	3,866	4,532	5,071	5,897	6,646	7,532	8,398	9,280	9,939	10,516
7 FL	2,565	2,995	3,292	3,678	3,955	4,563	5,055	5,390	5,642	5,948
8 AL, MS, TN	2,198	2,631	2,959	3,511	4,061	4,593	5,148	5,605	6,016	6,400
9 IN, KY, OH	3,586	4,149	4,496	4,716	5,546	6,228	6,895	7,703	8,329	8,814
10 IL	2,062	2,266	2,481	2,814	3,231	3,605	3,883	4,198	4,518	4,715
11 MI, MN, ND, SD, WI	3,945	4,477	4,902	5,381	5,868	6,508	7,005	7,514	7,831	8,179
12 IA, KS, MO, NE	2,074	2,378	2,658	3,020	3,341	3,659	3,965	4,345	4,666	4,897
13 AR, LA, OK	2,074	2,419	2,652	2,978	3,418	3,826	4,302	4,683	5,004	5,208
14 TX	4,238	4,879	5,454	6,173	6,930	7,828	8,694	9,541	10,365	11,116
15 AZ, CO, NV, NM, UT, WY	2,535	2,979	3,434	3,843	4,278	4,625	5,102	5,501	5,895	6,256
16 AK, ID, MT, OR, WA	1,565	1,749	1,918	2,142	2,353	2,571	2,851	2,998	3,218	3,357
17 N. CA, HI, GUAM, AS	2,522	2,802	3,159	3,594	3,921	4,289	4,706	5,080	5,377	5,746
18 S. CA	3,670	4,162	4,527	5,180	5,691	6,214	6,775	7,236	7,620	7,970
Unknown network	23	26	19	13	*	*	*	*	*	*
All	49,547	56,938	62,639	70,346	78,752	87,700	96,682	104,901	111,844	117,431
NON-DIABETIC										
1 CT, MA, ME, NH, RI, VT	5,925	6,309	6,790	7,234	7,591	7,923	8,149	8,390	8,491	8,641
2 NY	9,565	10,264	11,066	11,696	12,197	12,550	13,055	13,637	14,157	14,455
3 NJ, PR, VI	6,047	6,485	6,906	7,300	7,611	7,842	8,108	8,433	8,797	8,894
4 DE, PA	7,141	7,632	8,090	8,615	9,010	9,473	9,732	9,914	10,212	10,243
5 MD, DC, VA, WV	8,207	8,893	9,635	10,151	10,932	11,001	11,477	11,986	12,493	12,812
6 NC, SC, GA	11,087	12,235	13,391	14,549	15,407	15,955	16,843	17,483	18,247	18,894
7 FL	8,088	8,873	9,567	10,083	10,688	11,308	11,656	11,989	12,246	12,513
8 AL, MS, TN	7,849	8,457	9,022	9,712	10,197	10,741	11,256	11,720	12,165	12,515
9 IN, KY, OH	9,694	10,537	11,388	11,944	12,836	13,297	13,742	14,284	14,862	15,343
10 IL	6,316	6,838	7,491	7,900	8,203	8,472	8,722	9,022	9,227	9,330
11 MI, MN, ND, SD, WI	8,787	9,597	10,374	10,990	11,587	12,287	12,688	13,243	13,774	14,214
12 IA, KS, MO, NE	5,591	6,017	6,335	6,709	6,965	7,269	7,530	7,777	8,182	8,347
13 AR, LA, OK	5,333	5,763	6,258	6,761	7,210	7,479	7,912	8,231	8,602	8,876
14 TX	8,722	9,647	10,378	11,028	11,615	12,203	12,707	13,335	14,221	14,702
15 AZ, CO, NV, NM, UT, WY	4,628	5,025	5,444	5,757	6,094	6,446	6,761	7,120	7,571	7,737
16 AK, ID, MT, OR, WA	3,834	3,999	4,284	4,569	4,765	4,964	5,072	5,347	5,648	5,792
17 N. CA, HI, GUAM, AS	6,067	6,515	6,946	7,334	7,658	7,930	8,259	8,513	8,810	9,061
18 S. CA	8,499	9,143	9,763	10,402	10,932	11,478	11,715	12,288	12,645	12,932
Unknown network	81	76	84	74	64	62	54	53	58	59
All	131,461	142,305	153,212	162,808	171,562	178,680	185,438	192,765	200,408	205,360

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 *Values for cells with fewer than 10 patients are suppressed.

Table B.16
Point Prevalent Rates of Reported ESRD: by Diabetic Status & ESRD Network

patients alive on December 31 of each year

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	625	674	719	773	817	856	888	911	907	914
2 NY	748	808	866	914	960	1,002	1,047	1,092	1,129	1,140
3 NJ	826	883	931	991	1,043	1,081	1,119	1,174	1,231	1,221
4 DE, PA	800	862	908	973	1,031	1,088	1,131	1,162	1,199	1,205
5 MD, DC, VA, WV	874	951	1,013	1,058	1,129	1,147	1,209	1,258	1,298	1,310
6 NC, SC, GA	939	1,027	1,103	1,190	1,254	1,302	1,361	1,405	1,444	1,473
7 FL	855	929	984	1,024	1,058	1,118	1,144	1,160	1,166	1,179
8 AL, MS, TN	910	987	1,046	1,135	1,204	1,271	1,335	1,387	1,433	1,471
9 IN, KY, OH	681	743	794	822	899	945	989	1,043	1,090	1,125
10 IL	751	805	870	924	974	1,018	1,051	1,089	1,122	1,134
11 MI, MN, ND, SD, WI	663	721	771	815	856	910	943	983	1,011	1,032
12 IA, KS, MO, NE	657	711	753	804	842	884	919	959	1,007	1,029
13 AR, LA, OK	806	874	937	1,012	1,087	1,140	1,213	1,266	1,315	1,339
14 TX	790	858	910	962	1,003	1,049	1,090	1,136	1,191	1,216
15 AZ, CO, NV, NM, UT, WY	614	660	704	732	763	788	818	846	878	890
16 AK, ID, MT, OR, WA	539	559	589	622	645	668	689	712	743	753
17 N. CA, HI	720	764	814	863	893	917	946	970	989	1,009
18 S. CA	668	718	760	817	856	888	900	931	945	949
All	744	804	857	910	959	1,001	1,041	1,080	1,113	1,131
DIABETIC										
1 CT, MA, ME, NH, RI, VT	150	172	184	209	231	252	275	288	286	292
2 NY	184	207	224	243	270	300	326	349	370	378
3 NJ	211	230	245	279	314	343	366	399	423	418
4 DE, PA	210	237	250	278	311	334	361	384	402	413
5 MD, DC, VA, WV	219	255	272	291	317	346	388	416	438	447
6 NC, SC, GA	243	278	303	344	379	419	454	488	510	528
7 FL	208	236	254	275	288	323	347	360	367	379
8 AL, MS, TN	199	233	258	302	343	381	419	449	475	498
9 IN, KY, OH	183	209	224	232	271	301	330	365	391	410
10 IL	184	199	215	242	274	302	322	344	368	381
11 MI, MN, ND, SD, WI	205	229	247	267	287	315	335	356	367	377
12 IA, KS, MO, NE	179	202	222	249	273	295	316	343	365	380
13 AR, LA, OK	225	258	279	310	350	387	428	459	483	494
14 TX	260	289	314	346	375	409	442	473	501	522
15 AZ, CO, NV, NM, UT, WY	217	246	273	293	315	330	352	369	384	397
16 AK, ID, MT, OR, WA	154	169	181	197	212	228	248	256	270	276
17 N. CA, HI	213	231	255	283	301	320	340	357	369	387
18 S. CA	200	223	239	271	291	309	326	343	355	362
All	203	229	248	274	301	329	355	379	397	410
NON-DIABETIC										
1 CT, MA, ME, NH, RI, VT	476	503	535	564	586	603	613	623	621	622
2 NY	564	601	643	671	691	701	721	742	759	763
3 NJ	616	654	686	712	730	737	752	775	808	803
4 DE, PA	590	626	658	695	721	754	770	779	797	792
5 MD, DC, VA, WV	655	696	741	767	812	802	822	842	860	863
6 NC, SC, GA	696	749	800	846	875	883	907	917	934	946
7 FL	647	693	730	749	770	794	797	800	799	800
8 AL, MS, TN	711	753	788	834	861	890	916	938	959	972
9 IN, KY, OH	498	534	570	590	628	644	659	678	699	715
10 IL	567	606	655	682	700	716	729	744	754	753
11 MI, MN, ND, SD, WI	458	492	524	547	569	595	608	627	644	655
12 IA, KS, MO, NE	479	509	530	555	569	588	603	616	642	649
13 AR, LA, OK	581	616	658	701	737	753	786	807	832	845
14 TX	530	569	596	615	628	640	648	663	690	694
15 AZ, CO, NV, NM, UT, WY	397	414	432	439	448	458	466	477	494	492
16 AK, ID, MT, OR, WA	385	390	408	425	433	441	441	456	473	477
17 N. CA, HI	507	534	559	579	593	598	606	612	619	622
18 S. CA	468	495	521	547	565	579	574	588	590	587
All	541	575	609	636	658	673	686	701	716	721

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

U.S. only; unknown age, gender, & race; other & unknown are excluded so that values can be calculated appropriately.

Standard Errors

ALL	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1 CT, MA, ME, NH, RI, VT	7.2	7.5	7.6	7.8	8.0	8.1	8.2	8.3	8.2	8.2
2 NY	6.8	7.0	7.2	7.3	7.5	7.6	7.7	7.8	7.9	7.9
3 NJ	10.8	11.1	11.2	11.5	11.7	11.8	11.9	12.1	12.3	12.2
4 DE, PA	8.2	8.5	8.7	8.9	9.1	9.3	9.5	9.6	9.7	9.7
5 MD, DC, VA, WV	8.5	8.7	8.9	9.0	9.2	9.2	9.3	9.4	9.5	9.4
6 NC, SC, GA	7.8	8.0	8.2	8.4	8.5	8.5	8.6	8.6	8.6	8.6
7 FL	8.4	8.7	8.8	8.8	8.8	8.9	8.9	8.8	8.8	8.7
8 AL, MS, TN	9.2	9.5	9.7	10.0	10.1	10.3	10.4	10.6	10.6	10.7
9 IN, KY, OH	6.0	6.2	6.4	6.4	6.7	6.8	6.9	7.1	7.2	7.3
10 IL	8.3	8.5	8.8	9.0	9.2	9.3	9.4	9.5	9.6	9.6
11 MI, MN, ND, SD, WI	6.0	6.2	6.3	6.4	6.5	6.7	6.7	6.8	6.9	6.9
12 IA, KS, MO, NE	7.6	7.8	8.0	8.2	8.3	8.5	8.6	8.7	8.9	9.0
13 AR, LA, OK	9.5	9.8	10.0	10.3	10.6	10.8	11.0	11.2	11.3	11.3
14 TX	7.1	7.2	7.3	7.4	7.5	7.5	7.5	7.6	7.7	7.7
15 AZ, CO, NV, NM, UT, WY	7.4	7.5	7.6	7.6	7.6	7.5	7.6	7.6	7.6	7.6
16 AK, ID, MT, OR, WA	7.5	7.5	7.6	7.7	7.7	7.7	7.8	7.8	7.9	7.9
17 N. CA, HI	8.0	8.1	8.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5
18 S. CA	6.2	6.3	6.5	6.6	6.7	6.8	6.7	6.8	6.7	6.7
All	2	2	2	2	2	2	2	2	2	2
DIABETIC										
1 CT, MA, ME, NH, RI, VT	3.5	3.8	3.9	4.1	4.3	4.4	4.6	4.7	4.6	4.6
2 NY	3.4	3.5	3.6	3.8	4.0	4.2	4.3	4.4	4.5	4.5
3 NJ	5.4	5.6	5.8	6.1	6.4	6.6	6.8	7.0	7.2	7.1
4 DE, PA	4.2	4.4	4.5	4.8	5.0	5.2	5.4	5.5	5.6	5.7
5 MD, DC, VA, WV	4.2	4.5	4.6	4.7	4.9	5.0	5.3	5.4	5.5	5.5
6 NC, SC, GA	4.0	4.2	4.3	4.5	4.7	4.9	5.0	5.1	5.1	5.2
7 FL	4.2	4.4	4.5	4.6	4.6	4.8	4.9	4.9	4.9	4.9
8 AL, MS, TN	4.3	4.6	4.8	5.1	5.4	5.6	5.9	6.0	6.1	6.2
9 IN, KY, OH	3.1	3.3	3.4	3.4	3.7	3.8	4.0	4.2	4.3	4.4
10 IL	4.1	4.2	4.4	4.6	4.9	5.1	5.2	5.4	5.5	5.6
11 MI, MN, ND, SD, WI	3.3	3.5	3.6	3.7	3.8	3.9	4.0	4.1	4.2	4.2
12 IA, KS, MO, NE	4.0	4.2	4.4	4.6	4.8	4.9	5.1	5.2	5.4	5.5
13 AR, LA, OK	5.0	5.3	5.5	5.7	6.0	6.3	6.5	6.7	6.8	6.9
14 TX	4.1	4.2	4.3	4.5	4.6	4.7	4.8	4.9	5.0	5.0
15 AZ, CO, NV, NM, UT, WY	4.4	4.6	4.7	4.8	4.9	4.9	5.0	5.0	5.0	5.1
16 AK, ID, MT, OR, WA	4.0	4.1	4.2	4.3	4.4	4.5	4.7	4.7	4.8	4.8
17 N. CA, HI	4.4	4.5	4.6	4.9	4.9	5.0	5.1	5.2	5.2	5.3
18 S. CA	3.4	3.5	3.6	3.8	3.9	4.0	4.1	4.1	4.1	4.1
All	1	1	1	1	1	1	1	1	1	1
NON-DIABETIC										
1 CT, MA, ME, NH, RI, VT	6.3	6.4	6.6	6.7	6.8	6.8	6.8	6.8	6.8	6.7
2 NY	5.9	6.0	6.2	6.3	6.3	6.3	6.4	6.4	6.5	6.4
3 NJ	9.3	9.5	9.6	9.7	9.8	9.7	9.7	9.8	9.9	9.9
4 DE, PA	7.1	7.3	7.4	7.6	7.6	7.8	7.8	7.8	7.9	7.9
5 MD, DC, VA, WV	7.3	7.5	7.6	7.7	7.8	7.7	7.7	7.7	7.7	7.7
6 NC, SC, GA	6.7	6.9	7.0	7.1	7.1	7.0	7.0	7.0	6.9	6.9
7 FL	7.3	7.5	7.6	7.5	7.5	7.5	7.4	7.3	7.2	7.2
8 AL, MS, TN	8.2	8.3	8.4	8.5	8.6	8.6	8.7	8.7	8.7	8.7
9 IN, KY, OH	5.1	5.3	5.4	5.4	5.6	5.6	5.6	5.7	5.7	5.8
10 IL	7.2	7.4	7.6	7.7	7.8	7.8	7.8	7.9	7.9	7.8
11 MI, MN, ND, SD, WI	5.0	5.1	5.2	5.3	5.3	5.4	5.4	5.5	5.5	5.5
12 IA, KS, MO, NE	6.5	6.6	6.7	6.8	6.9	6.9	7.0	7.0	7.1	7.1
13 AR, LA, OK	8.1	8.2	8.4	8.6	8.7	8.7	8.9	8.9	9.0	9.0
14 TX	5.8	5.9	5.9	5.9	5.9	5.9	5.8	5.8	5.8	5.8
15 AZ, CO, NV, NM, UT, WY	6.0	5.9	5.9	5.9	5.8	5.8	5.7	5.7	5.7	5.6
16 AK, ID, MT, OR, WA	6.4	6.3	6.3	6.3	6.3	6.3	6.2	6.3	6.3	6.3
17 N. CA, HI	6.7	6.8	6.9	6.9	6.9	6.9	6.8	6.8	6.7	6.7
18 S. CA	5.2	5.3	5.4	5.4	5.5	5.5	5.4	5.4	5.3	5.2
All	2	2	2	2	2	2	2	2	2	2

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

U.S. only; unknown age, gender, & race; other & unknown are excluded so that values can be calculated appropriately.