

Table of Contents

Section D: Treatment Modalities

- D.1 Counts of Reported ESRD Patients: by Treatment Modality
Incident & Point Prevalent Patients
- D.2 Incident ESRD Patients: by Dialysis/Functioning Graft Status, by Demographic Characteristics & Primary Diagnosis
- D.3 Prevalent ESRD Patients, by Dialysis/functioning graft Status, by Demographic Characteristics & Primary Diagnosis
Point Prevalent Patients on December 31
- D.11 Incident ESRD Patients for Selected Years, by Diabetic Status & State/Territory
- D.12 Prevalent ESRD Patients for Selected Years, by Diabetic Status & State/Territory
Point Prevalent Patients on December 31

Table D.1
Counts of Reported ESRD Patients: by Treatment Modality
incident & point prevalent patients

INCIDENT COUNTS	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
INCIDENT COUNTS																								
Modality																								
Dialysis	13,812	15,538	16,617	18,662	21,007	24,535	25,733	28,450	30,915	33,719	37,171	42,177	45,726	50,948	55,475	57,119	62,480	64,006	68,038	70,964	75,146	78,466	80,123	80,668
Functioning graft	327	355	373	377	438	404	426	523	691	767	838	919	987	987	995	1,003	1,000	1,000	880	826	805	850	1,004	1,157
Dialysis type																								
Center hemodialysis	12,030	13,573	14,442	15,932	17,407	20,245	21,156	22,811	24,978	27,521	30,657	35,317	38,267	42,463	46,736	48,290	52,896	54,091	57,148	62,559	67,329	70,465	72,632	74,079
Center self hemodialysis	306	477	358	201	119	172	156	102	104	94	95	71	91	74	67	52	41	66	62	53	46	45	31	37
Home hemodialysis	56	54	52	23	14	22	38	204	225	156	116	78	89	69	58	54	66	305	869	153	184	305	181	167
CAPD	478	591	888	1,803	3,074	3,722	3,871	3,971	4,028	4,319	4,578	4,961	5,668	5,793	5,954	6,113	5,947	5,965	5,422	4,842	4,438	4,239	4,055	4,004
CCPD	*	.	.	*	*	*	22	115	193	267	255	394	503	711	929	870	1,065	1,742	1,964	1,810	1,862	1,898	1,831	1,845
Other PD	403	660	595	362	187	207	216	534	688	614	636	639	527	700	731	666	788	599	485	468	407	302	312	283
Uncertain dialysis	538	183	282	340	204	164	274	713	699	748	834	717	581	1,138	1,000	1,074	1,677	1,238	2,088	1,079	880	1,212	1,081	253
All	14,139	15,893	16,990	19,039	21,445	24,939	26,159	28,973	31,606	34,486	38,009	43,096	46,713	51,935	56,470	58,122	63,480	65,006	68,918	71,790	75,951	79,316	81,127	81,825
PERCENTAGES																								
Modality																								
Dialysis	97.7	97.8	97.8	98.0	98.0	98.4	98.4	98.2	97.8	97.8	97.8	97.9	97.9	98.1	98.2	98.3	98.4	98.5	98.7	98.8	98.9	98.9	98.8	98.6
Functioning graft	2.3	2.2	2.2	2.0	2.0	1.6	1.6	1.8	2.2	2.2	2.2	2.1	2.1	1.9	1.8	1.7	1.6	1.5	1.3	1.2	1.1	1.1	1.2	1.4
Dialysis type																								
Center hemodialysis	87.1	87.4	86.9	85.4	82.9	82.5	82.2	80.2	80.8	81.6	82.5	83.7	83.7	83.3	84.2	84.5	84.7	84.5	84.0	88.2	89.6	89.8	90.7	91.8
Center self hemodialysis	2.2	3.1	2.2	1.1	0.6	0.7	0.6	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
Home hemo	0.4	0.3	0.3	0.1	0.1	0.1	0.1	0.7	0.7	0.5	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.5	1.3	0.2	0.2	0.4	0.2	0.2
CAPD	3.5	3.8	5.3	9.7	14.6	15.2	15.0	14.0	13.0	12.8	12.3	11.8	12.4	11.4	10.7	10.7	9.5	9.3	8.0	6.8	5.9	5.4	5.1	5.0
CCPD	0.0	.	.	0.0	0.0	0.0	0.1	0.4	0.6	0.8	0.7	0.9	1.1	1.4	1.7	1.5	1.7	2.7	2.9	2.6	2.5	2.4	2.3	2.3
Other PD	2.9	4.2	3.6	1.9	0.9	0.8	0.8	1.9	2.2	1.8	1.7	1.5	1.2	1.4	1.3	1.2	1.3	0.9	0.7	0.7	0.5	0.4	0.4	0.4
Uncertain dialysis	3.9	1.2	1.7	1.8	1.0	0.7	1.1	2.5	2.3	2.2	2.2	1.7	1.3	2.2	1.8	1.9	2.7	1.9	3.1	1.5	1.2	1.5	1.3	0.3
All	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
POINT PREVALENT COUNTS																								
Modality																								
Dialysis	35,921	42,013	46,937	52,370	58,933	69,181	76,516	82,647	88,905	96,463	104,735	116,072	128,066	142,200	156,796	169,082	183,777	196,455	209,859	222,206	233,908	245,170	255,779	263,333
Functioning graft	4,349	6,121	7,765	9,285	10,975	13,106	15,776	18,890	22,756	26,187	28,780	31,383	35,083	39,028	42,833	47,182	49,959	54,566	59,216	63,594	68,186	72,977	77,049	81,220
Dialysis type																								
Center hemodialysis	31,015	36,537	40,444	45,980	51,046	57,267	61,063	62,604	68,141	75,500	84,528	94,512	103,570	115,134	127,067	139,345	150,959	161,291	174,530	189,033	203,325	215,801	228,092	237,537
Center self hemodialysis	851	963	1,141	1,332	1,458	1,979	1,479	1,319	1,258	1,248	1,249	1,068	939	731	806	148	225	522	550	485	368	338	281	332
Home hemodialysis	1,880	2,000	1,848	694	464	1,286	2,639	5,812	5,499	4,667	2,973	2,696	2,491	2,181	2,242	656	978	1,921	2,150	1,694	1,393	1,301	1,194	980
CAPD	195	311	702	2,303	3,883	6,459	8,632	10,347	11,137	12,028	12,823	14,361	16,360	18,006	19,794	21,225	21,934	20,714	18,434	16,117	13,947	12,523	11,379	10,456
CCPD	*	21	217	544	778	931	1,007	1,333	2,187	2,798	3,670	4,305	5,245	7,548	9,320	9,892	9,947	10,537	11,026	11,481
Other PD	846	1,251	1,482	1,115	1,075	914	739	884	865	809	762	703	557	600	613	565	692	628	531	469	396	367	387	379
Uncertain dialysis	1,134	951	1,320	946	1,005	1,255	1,747	1,137	1,227	1,280	1,393	1,399	1,962	2,750	2,604	2,838	3,744	3,831	4,344	4,516	4,532	4,303	3,420	2,168
All	40,270	48,134	54,702	61,655	69,908	82,287	92,292	101,537	111,661	122,650	133,515	147,455	163,149	181,228	199,629	216,264	233,736	251,021	269,075	285,800	302,094	318,147	332,828	344,553
PERCENTAGES																								
Modality																								
Dialysis	89.2	87.3	85.8	84.9	84.3	84.1	82.9	81.4	79.6	78.6	78.4	78.7	78.5	78.5	78.5	78.2	78.6	78.3	78.0	77.7	77.4	77.1	76.9	76.4
Functioning graft	10.8	12.7	14.2	15.1	15.7	15.9	17.1	18.6	20.4	21.4	21.6	21.3	21.5	21.5	21.5	21.8	21.4	21.7	22.0	22.3	22.6	22.9	23.1	23.6
Dialysis type																								
Center hemodialysis	86.3	87.0	86.2	87.8	86.6	82.8	79.8	75.7	76.6	78.3	80.7	81.4	80.9	81.0	81.0	82.4	82.1	82.1	83.2	85.1	86.9	88.0	89.2	90.2
Center self hemodialysis	2.4	2.3	2.4	2.5	2.5	2.9	1.9	1.6	1.4	1.3	1.2	0.9	0.7	0.5	0.5	0.1	0.1	0.3	0.3	0.2	0.2	0.1	0.1	0.1
Home hemodialysis	5.2	4.8	3.9	1.3	0.8	1.9	3.4	7.0	6.2	4.8	2.8	2.3	1.9	1.5	1.4	0.4	0.5	1.0	1.0	0.8	0.6	0.5	0.5	0.4
CAPD	0.5	0.7	1.5	4.4	6.6	9.3	11.3	12.5	12.5	12.5	12.4	12.4	12.8	12.7	12.6	12.6	11.9	10.5	8.8	7.3	6.0	5.1	4.4	4.0
CCPD	0.0	0.0	0.3	0.7	0.9	1.0	1.0	1.1	1.7	2.0	2.3	2.5	2.9	3.8	4.4	4.5	4.3	4.3	4.3	4.4
Other PD	2.4	3.0	3.2	2.1	1.8	1.3	1.0	1.1	1.0	0.8	0.7	0.6	0.4	0.4	0.4	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.2	0.1
Uncertain dialysis	3.2	2.3	2.8	1.8	1.7	1.8	2.3	1.4	1.4	1.3	1.3	1.2	1.5	1.9	1.7	1.7	2.0	2.0	2.1	2.0	1.9	1.8	1.3	0.8
All	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
* Values for cells with fewer than 10 patients are suppressed.
"." Zero values in this cell.

Table D.2 (continued)
Incident ESRD Patients: by Dialysis/Functioning Graft Status, by Demographic Characteristics & Primary Diagnosis

PERITONEAL DIALYSIS	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0-4	*	*	10	23	47	59	67	75	75	74	78	66	59	80	74	67	55	76	87	67	72	62	82	64	
5-9	*	12	14	17	35	45	50	41	60	49	40	40	53	46	37	40	52	42	45	36	38	49	42	39	
10-14	10	12	12	32	66	71	89	68	65	67	75	52	66	80	72	71	67	78	91	78	68	70	70	56	
15-19	17	*	*	29	60	72	78	79	77	94	75	101	91	78	107	92	83	106	99	85	72	72	74	74	
20-24	13	20	23	49	77	81	121	83	109	121	134	111	139	123	144	138	134	121	120	101	84	73	77	74	
25-29	27	34	39	90	140	163	187	181	214	201	225	228	257	246	221	251	229	232	228	196	179	159	151	132	
30-34	40	39	64	117	213	256	227	257	276	276	279	335	350	381	399	382	362	367	342	273	274	255	214	194	
35-39	35	33	58	110	192	256	251	294	305	326	368	388	440	475	469	459	458	504	426	365	325	323	299	262	
40-44	29	41	60	98	201	247	244	254	303	336	366	399	493	607	564	562	498	573	569	475	402	402	406	366	
45-49	36	51	73	108	208	266	277	322	322	323	371	454	473	557	585	629	612	768	675	536	502	502	458	458	
50-54	51	63	96	178	273	334	344	336	365	416	388	449	539	575	638	646	689	750	707	680	653	606	592	634	
55-59	63	74	122	238	342	393	428	447	422	440	475	554	611	592	692	668	695	792	742	711	691	665	591	676	
60-64	65	74	101	229	350	448	467	530	498	532	610	597	722	771	828	761	803	918	825	761	672	695	673	640	
65-69	36	49	75	207	329	374	421	433	452	528	510	613	754	744	732	847	796	900	821	751	765	714	694	670	
70-74	31	39	76	160	284	338	325	335	326	409	419	445	564	586	639	679	736	706	813	701	668	660	615	629	
75-79	13	30	38	71	167	205	192	225	213	243	260	333	334	365	428	419	443	470	473	503	468	481	482	475	
80-84	*	*	13	40	56	88	90	93	106	106	119	138	175	151	185	203	224	228	227	232	234	236	227	286	
85+	*	*	*	*	33	29	34	33	32	45	41	50	51	47	67	69	76	76	95	101	96	113	95	118	
Missing/unknown	*	.	*	.	*	.	.	*	.	.	*	.	.	.	*	*	
0-19	35	34	45	101	208	247	284	263	277	284	268	259	269	284	290	270	257	302	322	266	250	253	268	233	
20-44	144	167	244	464	823	1,003	1,030	1,069	1,207	1,260	1,372	1,461	1,679	1,832	1,797	1,792	1,681	1,797	1,685	1,410	1,264	1,212	1,147	1,028	
45-64	215	262	392	753	1,173	1,441	1,516	1,635	1,607	1,711	1,844	2,054	2,345	2,495	2,743	2,704	2,799	3,228	2,949	2,688	2,555	2,468	2,358	2,408	
65-74	67	88	151	367	613	712	746	768	778	937	929	1,058	1,318	1,330	1,371	1,526	1,532	1,606	1,634	1,452	1,433	1,374	1,309	1,299	
75+	18	40	56	119	256	322	316	351	351	394	420	521	560	563	680	691	743	774	795	836	798	830	804	879	
Unknown	*	.	*	.	*	.	.	*	.	.	*	.	.	.	*	*	
Male	225	289	465	880	1,601	1,991	2,130	2,176	2,305	2,452	2,602	2,873	3,330	3,590	3,694	3,689	3,729	4,101	3,969	3,515	3,293	3,246	3,161	3,093	
Female	254	302	423	924	1,475	1,734	1,763	1,910	1,916	2,134	2,231	2,482	2,841	2,914	3,188	3,294	3,283	3,606	3,417	3,137	3,007	2,891	2,725	2,754	
Unknown	*	*
White	322	425	647	1,287	2,236	2,683	2,804	3,058	3,104	3,346	3,551	3,901	4,602	4,737	4,998	4,977	4,996	5,420	5,221	4,881	4,560	4,543	4,319	4,283	
Black	127	141	213	470	782	947	949	882	929	1,067	1,115	1,288	1,388	1,553	1,619	1,704	1,650	1,765	1,585	1,364	1,320	1,258	1,191	1,190	
Native American	*	*	*	17	23	30	41	46	59	61	63	67	75	84	92	80	99	125	128	79	105	60	87	76	
Asian	10	*	*	16	32	57	93	86	114	105	97	93	97	128	168	211	241	290	295	211	226	203	207	216	
Other/unknown	13	15	17	14	*	*	*	14	15	*	*	*	*	*	*	11	26	107	157	117	89	73	82	84	
†Hispanic	746	632	632	624	613	558
†Non-Hispanic	6,640	6,020	5,668	5,513	5,273	5,291
Diabetes	127	176	243	503	926	1,096	1,196	1,322	1,426	1,550	1,609	1,935	2,263	2,503	2,724	2,589	2,752	3,242	3,352	2,986	2,826	2,795	2,678	2,557	
Hypertension	80	97	179	380	766	838	806	869	864	937	1,072	1,208	1,467	1,471	1,545	1,545	1,580	1,520	1,370	1,331	1,287	1,224	1,185	1,215	
Glomerulonephritis	111	108	176	303	549	613	680	705	727	763	833	889	975	1,012	1,085	1,008	1,028	1,192	1,179	1,015	955	830	842	807	
Cystic kidney	27	33	38	89	119	147	173	161	188	194	204	212	272	306	308	324	322	349	307	278	263	297	269	281	
Other urologic	*	11	13	42	58	66	72	65	60	65	50	55	71	81	105	103	96	116	125	103	96	104	100	98	
Other cause	52	78	123	222	412	548	582	607	567	642	584	621	667	700	676	683	652	799	753	680	660	638	592	655	
Unknown cause	79	82	93	197	194	204	217	181	216	207	200	198	225	236	242	242	210	223	249	227	196	193	180	213	
Missing cause	.	*	23	68	52	213	167	176	173	228	281	237	231	195	198	489	372	266	51	32	17	56	40	23	
All	479	591	888	1,804	3,076	3,725	3,893	4,086	4,221	4,586	4,833	5,355	6,171	6,504	6,883	6,983	7,012	7,707	7,386	6,652	6,300	6,137	5,886	5,849	

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

* Values for cells with fewer than 10 patients are suppressed.

." Zero values in this cell.

Table D.2 (continued)
Incident ESRD Patients: by Dialysis/Functioning Graft Status, by Demographic Characteristics & Primary Diagnosis

TRANSPLANT	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0-4	*	*	*	12	19	17	13	14	10	17	20	19	17	16	19	22	11	15	18	12	*	11	15	16	
5-9	10	16	15	21	18	*	12	21	19	19	15	29	30	34	30	17	31	25	22	21	18	17	17	13	
10-14	19	23	19	16	18	21	28	28	47	47	35	45	48	48	36	38	37	36	27	29	26	34	32	26	
15-19	22	31	26	32	35	31	31	39	49	55	49	50	59	44	39	61	61	58	48	37	26	36	39	40	
20-24	34	39	34	29	30	35	35	52	47	41	58	58	62	49	49	44	44	41	43	40	41	28	30	36	
25-29	52	54	56	50	63	56	49	67	73	74	97	118	109	97	92	87	80	77	49	55	49	51	57	67	
30-34	40	39	55	90	56	61	59	69	119	100	131	113	134	149	133	132	131	112	84	67	75	56	72	80	
35-39	29	34	43	34	49	51	57	65	96	117	113	134	135	125	135	132	125	151	103	83	118	84	94	96	
40-44	29	35	34	26	46	38	43	59	58	87	100	115	141	156	137	123	129	117	115	104	88	109	116	136	
45-49	34	30	44	27	39	33	33	37	63	62	71	82	91	98	108	115	129	120	115	100	92	113	119	146	
50-54	25	24	26	22	42	28	33	26	45	56	76	43	57	57	86	92	83	94	102	85	99	92	122	154	
55-59	23	17	*	10	19	12	13	20	31	50	38	63	57	57	64	57	76	62	60	86	71	78	105	131	
60-64	*	*	*	*	*	*	*	10	16	25	22	28	24	35	39	46	40	50	59	55	41	60	82	99	
65-69	*	.	*	*	.	*	*	11	10	*	14	16	17	21	24	19	29	29	44	46	53	67	83		
70-74	.	*	.	*	.	*	*	*	*	*	*	*	*	*	*	*	12	*	*	*	*	26	35	27	
75-79	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
80-84	*	*	*	*	*	*	*	.	.	.
85+	*	.	*	*	*	*	.	*	*
Missing/unknown	*
0-19	55	76	66	81	90	78	84	102	125	138	119	143	154	142	124	138	140	134	115	99	74	98	103	95	
20-44	184	201	222	229	244	241	243	312	393	419	499	538	581	576	546	518	509	498	394	349	371	328	369	415	
45-64	84	77	79	64	103	80	83	93	155	193	207	216	229	247	297	310	328	326	336	326	303	343	428	530	
65-74	*	*	*	*	*	*	13	11	16	13	12	20	19	21	27	33	21	41	33	49	53	79	102	110	
75+	*	.	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Unknown	*
Male	229	227	252	254	292	260	275	321	425	453	497	540	577	578	562	591	558	565	508	481	445	484	546	651	
Female	98	128	121	123	146	144	151	202	266	314	341	379	410	409	433	412	442	435	372	345	360	366	458	506	
Unknown																									
White	253	281	300	298	351	328	358	452	604	650	717	804	859	873	859	890	869	854	765	737	719	749	888	1,029	
Black	57	56	50	60	76	58	53	46	64	70	94	91	94	78	107	83	97	107	73	67	55	69	75	86	
Native American	*	*	*	10	*	*	*	*	*	*	10	*	*	15	*	*	10	13	*	*	*	*	*	*	*
Asian	*	*	*	*	*	*	*	12	12	33	12	19	25	21	20	18	21	22	22	10	20	21	25	28	
Other/unknown	11	14	20	*	*	*	*	*	*	*	*	*	*	.	*	*	*	*	11	*	*	*	11	*	*
†Hispanic																		48	40	56	55	75	66		
†Non-Hispanic																		832	786	749	795	929	1,091		
Diabetes	17	26	30	44	85	62	102	108	171	170	178	214	207	223	221	221	221	219	232	204	192	189	203	252	
Hypertension	12	14	16	20	35	26	23	22	33	50	52	50	58	49	65	57	62	54	47	56	48	56	75	93	
Glomerulonephritis	41	43	43	55	63	72	74	111	100	134	131	155	173	152	180	166	159	201	176	157	161	157	190	201	
Cystic kidney	*	*	*	11	11	18	20	24	40	59	60	57	78	94	92	88	70	107	111	84	98	100	127	162	
Other urologic	*	*	*	*	*	*	*	*	14	*	10	16	17	37	29	41	29	32	33	34	31	20	37	35	
Other cause	20	27	46	51	53	57	82	85	120	129	114	124	152	141	141	143	141	167	159	166	132	145	164	225	
Unknown cause	*	*	*	12	22	20	19	27	21	26	29	30	41	36	34	47	33	30	35	32	27	15	48	46	
Missing cause	220	225	229	178	161	141	103	139	192	194	264	273	261	255	233	240	285	190	87	93	116	168	160	143	
All	327	355	373	377	438	404	426	523	691	767	838	919	987	987	995	1,003	1,000	1,000	880	826	805	850	1,004	1,157	

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

* Values for cells with fewer than 10 patients are suppressed.

." Zero values in this cell.

Table D.3 (continued)
Prevalent ESRD Patients, by Dialysis/Functioning Graft Status, by Demographic Characteristics & Primary Diagnosis

point prevalent patients on December 31, by demographic characteristics & primary diagnosis

PERITONEAL DIALYSIS!	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0-4	*	*	12	25	44	68	81	98	104	96	89	97	90	102	120	102	111	120	133	112	109	100	118	102	
5-9	.	*	*	18	43	65	83	73	86	83	72	88	96	77	82	83	92	91	90	89	68	77	90	85	
10-14	*	*	11	32	58	121	146	133	155	146	149	145	156	178	178	182	174	171	179	184	178	149	166	138	
15-19	*	*	10	37	82	129	163	228	212	226	227	276	290	302	320	324	304	301	338	305	281	257	247	231	
20-24	*	10	21	56	87	191	263	274	314	327	344	363	427	461	538	591	580	561	543	494	450	458	416	394	
25-29	15	18	25	118	181	318	422	482	524	571	650	707	794	828	887	921	948	968	937	890	823	729	713	714	
30-34	*	20	55	170	258	469	645	740	766	794	863	991	1,185	1,303	1,414	1,561	1,580	1,563	1,473	1,291	1,198	1,156	1,072	1,044	
35-39	15	13	45	162	281	524	701	900	938	1,068	1,134	1,235	1,470	1,594	1,775	1,911	1,973	1,980	1,857	1,731	1,551	1,530	1,458	1,364	
40-44	14	22	61	175	275	519	685	813	952	1,021	1,129	1,290	1,587	1,882	2,020	2,167	2,258	2,413	2,374	2,226	1,962	1,882	1,793	1,710	
45-49	13	33	61	172	309	572	744	910	927	988	1,118	1,361	1,593	1,867	2,130	2,362	2,559	2,747	2,714	2,508	2,361	2,206	2,189	2,102	
50-54	23	42	78	255	388	671	822	981	1,019	1,124	1,171	1,345	1,668	1,842	2,169	2,348	2,664	2,767	2,837	2,591	2,423	2,500	2,464	2,426	
55-59	27	30	100	311	442	755	1,088	1,266	1,367	1,396	1,388	1,569	1,786	1,959	2,173	2,383	2,567	2,779	2,771	2,726	2,531	2,457	2,402	2,435	
60-64	20	28	57	289	469	803	1,074	1,380	1,478	1,631	1,724	1,875	2,161	2,234	2,580	2,623	2,787	3,008	2,912	2,716	2,392	2,305	2,269	2,192	
65-69	16	30	78	220	394	569	886	1,183	1,402	1,538	1,639	1,875	2,220	2,537	2,805	3,148	3,258	3,317	3,216	2,926	2,650	2,562	2,449	2,406	
70-74	11	19	43	151	326	390	593	815	931	1,050	1,168	1,313	1,575	1,913	2,253	2,589	2,807	2,806	2,728	2,545	2,438	2,275	2,152	2,102	
75-79	12	18	27	68	154	211	314	420	500	602	630	749	932	1,126	1,315	1,428	1,573	1,667	1,661	1,677	1,550	1,484	1,492	1,495	
80-84	*	*	*	35	62	77	104	147	194	240	264	329	396	459	528	604	734	771	738	732	679	671	671	740	
85+	*	*	*	*	31	28	35	48	46	58	71	86	121	140	176	202	209	232	253	266	250	262	244	257	
Missing/unknown	*	*	*	*	
0-19	10	22	42	112	227	383	473	532	557	551	537	606	632	659	700	691	681	683	740	690	636	583	621	556	
20-44	59	83	207	681	1,082	2,021	2,716	3,209	3,494	3,781	4,120	4,586	5,463	6,068	6,634	7,151	7,339	7,485	7,184	6,632	5,984	5,755	5,452	5,226	
45-64	83	133	296	1,027	1,608	2,801	3,728	4,537	4,791	5,139	5,401	6,150	7,208	7,902	9,052	9,716	10,577	11,301	11,234	10,541	9,707	9,468	9,324	9,155	
65-74	27	49	121	371	720	959	1,479	1,998	2,333	2,588	2,807	3,188	3,795	4,450	5,058	5,737	6,065	6,123	5,944	5,471	5,088	4,837	4,601	4,508	
75+	16	24	36	112	247	316	453	615	740	900	965	1,164	1,449	1,725	2,019	2,234	2,516	2,670	2,652	2,675	2,479	2,417	2,407	2,492	
Unknown	*	*	*	*
Male	95	160	372	1,187	2,029	3,541	4,777	5,833	6,291	6,832	7,256	8,269	9,729	11,064	12,373	13,447	14,204	14,738	14,381	13,363	12,199	11,755	11,529	11,271	
Female	100	151	330	1,116	1,856	2,939	4,072	5,058	5,624	6,127	6,574	7,425	8,818	9,740	11,090	12,082	12,974	13,524	13,373	12,646	11,695	11,305	10,876	10,666	
Unknown	*	*	*
White	137	216	528	1,694	2,865	4,832	6,504	8,044	8,691	9,412	9,996	11,203	13,206	14,676	16,436	17,518	18,444	18,969	18,365	17,207	15,724	15,190	14,739	14,508	
Black	49	81	151	554	925	1,453	2,014	2,440	2,743	2,989	3,286	3,868	4,652	5,359	6,048	6,840	7,364	7,555	7,395	6,867	6,329	6,094	5,889	5,678	
Native American	*	*	*	16	35	66	118	133	164	183	182	219	251	292	349	362	400	437	439	416	415	368	350	354	
Asian	*	*	*	18	42	87	174	228	280	337	327	372	407	457	601	766	907	1,103	1,189	1,114	1,059	1,065	1,103	1,064	
Other/unknown	*	*	10	21	18	42	39	46	37	38	39	32	31	20	30	44	64	198	366	405	367	343	324	333	
†Hispanic	2,475	2,530	2,465	2,519	2,540	2,447	
†Non-Hispanic	25,279	23,479	21,429	20,541	19,865	19,490	
Diabetes	50	95	157	486	927	1,300	1,911	2,437	2,765	3,127	3,441	4,183	5,118	6,059	7,146	7,586	8,311	9,034	9,274	8,893	8,209	8,007	7,863	7,750	
Hypertension	35	61	129	396	770	1,144	1,551	2,053	2,375	2,639	2,884	3,381	4,222	4,935	5,601	6,112	6,592	6,557	6,171	5,727	5,287	5,174	5,080	4,918	
Glomerulonephritis	43	65	143	468	752	1,395	1,961	2,391	2,594	2,777	3,023	3,300	3,744	4,052	4,496	4,827	5,112	5,329	5,362	5,092	4,654	4,391	4,277	4,058	
Cystic kidney	12	15	39	131	226	399	532	659	730	754	729	803	969	1,058	1,177	1,248	1,275	1,322	1,286	1,158	1,060	1,032	978	970	
Other urologic	*	*	13	44	80	108	149	189	194	190	202	222	265	309	390	440	476	469	487	494	459	449	451	451	
Other cause	23	41	83	276	523	925	1,300	1,636	1,756	1,898	1,976	2,241	2,508	2,661	2,867	3,108	3,132	3,313	3,248	3,046	2,876	2,808	2,674	2,744	
Unknown cause	28	27	74	224	320	451	568	616	663	713	723	715	823	907	969	1,045	1,076	1,058	1,057	1,007	932	852	811	859	
Missing cause	.	*	64	278	287	758	877	910	838	861	852	849	898	823	818	1,164	1,205	1,180	869	592	417	347	271	187	
All	195	311	702	2,303	3,885	6,480	8,849	10,891	11,915	12,959	13,830	15,694	18,547	20,804	23,464	25,530	27,179	28,262	27,754	26,009	23,894	23,060	22,405	21,937	

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

* Values for cells with fewer than 10 patients are suppressed.

." Zero values in this cell.

Table D.3 (continued)
Prevalent ESRD Patients, by Dialysis/Functioning Graft Status, by Demographic Characteristics & Primary Diagnosis

point prevalent patients on December 31, by demographic characteristics & primary diagnosis

TRANSPLANT	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0-4	13	17	23	35	59	75	83	96	111	135	139	134	123	130	137	152	144	136	146	139	136	150	146	152	
5-9	50	78	92	90	100	116	153	202	224	238	249	273	299	336	338	346	337	366	378	405	414	420	364	366	
10-14	155	211	226	236	247	269	315	359	394	416	421	439	461	476	503	527	514	561	625	633	675	713	710	661	
15-19	321	464	518	530	535	607	656	713	797	847	810	809	844	853	840	884	966	1,077	1,082	1,102	1,098	1,180	1,178	1,176	
20-24	508	662	822	939	1,061	1,186	1,249	1,368	1,470	1,473	1,443	1,461	1,533	1,679	1,747	1,756	1,697	1,700	1,734	1,714	1,746	1,827	1,852	1,842	
25-29	643	900	1,168	1,346	1,516	1,723	1,987	2,197	2,457	2,670	2,678	2,727	2,930	3,059	3,089	3,185	3,125	3,275	3,356	3,437	3,425	3,414	3,310	3,221	
30-34	621	910	1,179	1,504	1,753	2,136	2,519	2,897	3,425	3,669	3,760	3,902	4,164	4,556	4,829	5,155	5,199	5,423	5,500	5,481	5,574	5,551	5,585	5,665	
35-39	545	771	993	1,253	1,561	1,894	2,380	2,924	3,460	3,889	4,239	4,521	5,057	5,399	5,802	6,206	6,452	6,851	7,283	7,487	7,756	7,941	8,032	7,948	
40-44	490	655	844	1,016	1,249	1,517	1,838	2,289	2,897	3,450	3,882	4,356	4,955	5,532	6,012	6,621	6,925	7,468	7,906	8,365	8,863	9,377	9,632	9,887	
45-49	406	594	733	862	1,060	1,293	1,582	1,992	2,412	2,904	3,340	3,668	4,048	4,662	5,338	6,058	6,639	7,394	8,107	8,531	9,059	9,519	10,162	10,665	
50-54	320	440	589	754	909	1,081	1,338	1,620	2,068	2,518	2,900	3,216	3,640	3,964	4,469	5,061	5,453	6,099	6,875	7,845	8,583	9,559	10,337	11,015	
55-59	183	273	370	448	577	744	1,005	1,257	1,654	2,009	2,273	2,563	2,936	3,349	3,785	4,227	4,551	5,002	5,541	6,303	7,127	7,863	8,394	9,235	
60-64	59	103	136	180	230	315	461	647	905	1,226	1,612	1,956	2,306	2,694	2,995	3,340	3,557	4,018	4,589	5,090	5,635	6,282	6,834	7,512	
65-69	24	32	55	69	88	114	159	246	358	558	781	1,028	1,315	1,663	2,075	2,547	2,982	3,429	3,945	4,437	4,927	5,484	6,090	6,754	
70-74	*	*	13	14	20	28	39	59	88	134	189	248	362	536	722	918	1,159	1,399	1,667	2,020	2,390	2,715	3,228	3,703	
75-79	*	*	*	*	*	*	*	13	21	37	49	67	87	111	128	168	220	321	410	523	666	821	987	1,163	
80-84	*	*	11	10	*	11	15	19	19	26	35	39	62	72	94	137	178	222	
85+	*	.	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10	10	18	24	30	33	
Missing/unknown	*	*	*	*	*	*	*	*	*	
0-19	539	770	859	891	941	1,067	1,207	1,370	1,526	1,636	1,619	1,655	1,727	1,795	1,818	1,909	1,961	2,140	2,231	2,279	2,323	2,463	2,398	2,355	
20-44	2,807	3,898	5,006	6,058	7,140	8,456	9,973	11,675	13,709	15,151	16,002	16,967	18,639	20,225	21,479	22,923	23,398	24,717	25,779	26,484	27,364	28,110	28,411	28,563	
45-64	968	1,410	1,828	2,244	2,776	3,433	4,386	5,516	7,039	8,657	10,125	11,403	12,930	14,669	16,587	18,686	20,200	22,513	25,112	27,769	30,404	33,223	35,727	38,427	
65-74	32	41	68	83	108	142	198	305	446	692	970	1,276	1,677	2,199	2,797	3,465	4,141	4,828	5,612	6,457	7,317	8,199	9,318	10,457	
75+	*	*	*	*	10	*	12	23	35	50	63	81	109	139	152	198	259	368	482	605	778	982	1,195	1,418	
Unknown	*	*	*	*	*	*	*	*	*	
Male	2,611	3,731	4,748	5,758	6,901	8,260	9,932	11,940	14,380	16,478	17,958	19,435	21,597	23,864	26,070	28,646	30,446	33,272	35,948	38,580	41,178	43,938	46,347	48,783	
Female	1,738	2,390	3,017	3,527	4,074	4,846	5,844	6,950	8,376	9,709	10,822	11,948	13,486	15,164	16,763	18,536	19,513	21,294	23,268	25,014	27,008	29,039	30,702	32,437	
Unknown
White	3,468	4,876	6,147	7,290	8,569	10,184	12,271	14,620	17,593	20,221	22,106	24,102	26,952	29,935	32,758	36,030	37,916	41,285	44,549	47,527	50,678	54,010	56,874	59,750	
Black	697	971	1,272	1,536	1,914	2,370	2,885	3,513	4,184	4,779	5,264	5,695	6,345	7,092	7,812	8,664	9,385	10,382	11,434	12,497	13,517	14,524	15,346	16,267	
Native American	23	37	43	108	128	149	156	191	228	267	315	372	432	495	560	617	675	724	784	843	896	985	1,037	1,072	
Asian	39	58	87	122	161	219	309	413	590	740	926	1,057	1,201	1,341	1,541	1,708	1,823	2,001	2,218	2,425	2,685	2,921	3,161	3,389	
Other/unknown	122	179	216	229	203	184	155	153	161	180	169	157	153	165	162	163	160	174	231	302	410	537	631	742	
†Hispanic	5,773	6,390	7,148	7,889	8,554	9,205
†Non-Hispanic	53,443	57,204	61,038	65,088	68,495	72,015
Diabetes	280	425	601	884	1,258	1,727	2,284	3,056	4,007	4,824	5,515	6,254	7,204	8,190	9,056	10,330	11,319	12,482	13,746	14,925	16,174	17,411	18,552	19,712	
Hypertension	373	500	644	833	1,115	1,458	1,803	2,270	2,821	3,324	3,805	4,216	4,798	5,362	6,026	6,740	7,379	8,168	8,975	9,644	10,326	11,010	11,571	12,269	
Glomerulonephritis	1,194	1,655	2,098	2,471	3,047	3,692	4,541	5,411	6,395	7,365	7,984	8,593	9,579	10,623	11,615	12,573	13,094	14,212	15,305	16,366	17,500	18,726	19,745	20,641	
Cystic kidney	133	221	288	372	493	627	870	1,077	1,393	1,743	2,066	2,295	2,637	2,951	3,351	3,683	3,890	4,301	4,716	5,150	5,579	6,064	6,458	6,831	
Other urologic	40	71	89	115	136	186	216	279	357	412	441	469	538	628	727	883	937	1,052	1,160	1,273	1,427	1,573	1,649	1,780	
Other cause	665	955	1,244	1,481	1,713	2,107	2,681	3,301	4,014	4,501	4,736	5,038	5,485	6,077	6,647	7,221	7,406	7,990	8,649	9,236	9,902	10,613	11,164	11,767	
Unknown cause	383	547	657	742	804	902	986	1,068	1,192	1,309	1,389	1,500	1,598	1,702	1,773	1,926	2,000	2,147	2,300	2,492	2,719	2,926	3,154	3,359	
Missing cause	1,281	1,747	2,144	2,387	2,409	2,407	2,395	2,428	2,577	2,709	2,844	3,018	3,244	3,495	3,638	3,826	3,934	4,214	4,365	4,508	4,559	4,654	4,756	4,861	
All	4,349	6,121	7,765	9,285	10,975	13,106	15,776	18,890	22,756	26,187	28,780	31,383	35,083	39,028	42,833	47,182	49,959	54,566	59,216	63,594	68,186	72,977	77,049	81,220	

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

The age of the point prevalent patient is determined as of December 31 of each calendar year.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

* Values for cells with fewer than 10 patients are suppressed.

.. Zero values in this cell.

**Table D.11
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory**

1993	Center	Center	Home				Uncertain			
ALL	hemo	self hemo	hemo	CAPD	CCPD	Other PD	dialysis	Transplant	All	
Alabama	932	*	.	96	17	15	*	31	1,098	
Alaska	33	.	.	*	.	.	.	*	37	
Arizona	856	.	*	85	*	.	10	11	976	
Arkansas	430	.	.	91	13	*	*	14	557	
California	4,967	10	*	562	41	16	445	84	6,128	
Colorado	412	.	.	52	13	.	*	14	495	
Connecticut	457	.	*	147	18	*	*	16	651	
Delaware	148	.	.	22	*	*	*	*	182	
District of Columbia	285	.	*	15	*	.	*	.	307	
Florida	3,138	*	*	274	75	38	31	42	3,607	
Georgia	1,525	.	*	204	36	32	19	21	1,839	
Hawaii	291	.	.	16	.	.	*	*	312	
Idaho	97	.	.	26	*	*	*	*	132	
Illinois	2,439	*	*	275	27	17	110	63	2,938	
Indiana	942	.	.	213	*	*	18	33	1,222	
Iowa	415	*	.	58	*	*	*	21	507	
Kansas	322	.	.	68	*	*	.	*	402	
Kentucky	659	.	.	84	12	12	*	21	792	
Louisiana	1,121	.	.	110	18	*	*	10	1,271	
Maine	134	.	.	15	*	*	.	*	154	
Maryland	1,115	.	*	123	12	*	16	17	1,290	
Massachusetts	1,021	*	.	96	*	12	*	22	1,165	
Michigan	1,748	*	*	311	*	*	*	48	2,132	
Minnesota	638	.	.	29	*	*	*	25	703	
Mississippi	665	*	.	69	16	*	*	*	763	
Missouri	1,012	.	*	135	23	*	*	24	1,208	
Montana	100	.	.	13	.	*	.	12	133	
Nebraska	169	.	.	82	*	*	*	*	270	
Nevada	231	*	.	28	*	*	*	*	273	
New Hampshire	114	.	.	17	*	*	.	*	141	
New Jersey	1,667	*	*	285	77	37	40	16	2,124	
New Mexico	270	.	.	52	*	.	*	*	341	
New York	3,379	*	*	537	54	63	20	44	4,102	
North Carolina	1,438	*	*	228	126	71	19	17	1,904	
North Dakota	113	.	.	*	.	.	.	*	122	
Ohio	1,921	.	*	299	27	76	16	68	2,410	
Oklahoma	544	.	.	87	*	37	*	15	687	
Oregon	380	.	.	79	*	13	41	*	524	
Pennsylvania	2,321	*	*	215	27	50	84	45	2,747	
Rhode Island	203	.	.	11	*	.	*	*	220	
South Carolina	884	*	*	101	18	*	20	15	1,052	
South Dakota	110	.	*	*	*	.	*	*	126	
Tennessee	1,032	.	.	90	*	*	*	19	1,162	
Texas	3,663	*	*	285	73	25	43	54	4,147	
Utah	213	.	.	10	*	*	*	13	245	
Vermont	57	.	.	*	*	.	.	*	71	
Virginia	1,298	.	.	171	*	28	12	15	1,532	
Washington	647	17	.	57	18	*	*	31	781	
West Virginia	303	.	.	81	*	*	*	*	404	
Wisconsin	713	*	.	113	15	*	14	42	904	
Wyoming	42	.	.	*	*	*	.	*	51	
American Samoa	*	*	
Guam	19	.	.	10	29	
Puerto Rico	590	.	.	50	13	*	*	*	669	
Saipan	*	*	
Virgin Islands	15	.	.	*	16	
Foreign	10	10	
Unknown	28	.	.	*	*	.	*	.	43	
All	48,290	52	54	6,113	870	666	1,074	1,003	58,122	

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.11 (continued)
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory

1993 DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	314	.	.	29	*	.	*	*	363
Alaska	16	.	.	*	.	.	.	*	18
Arizona	416	.	*	36	*	.	*	.	461
Arkansas	124	.	.	40	*	*	.	*	175
California	1,932	*	*	209	10	*	147	10	2,319
Colorado	194	.	.	25	*	.	.	*	232
Connecticut	141	.	*	61	*	*	*	*	218
Delaware	50	.	.	*	.	*	*	.	60
District of Columbia	76	.	.	*	.	.	.	*	83
Florida	922	*	*	84	18	16	10	*	1,062
Georgia	509	.	*	68	*	12	*	*	603
Hawaii	167	.	.	10	.	.	*	.	178
Idaho	40	.	.	*	.	.	*	.	51
Illinois	706	.	*	99	*	*	21	17	856
Indiana	287	.	.	69	*	*	*	*	369
Iowa	155	*	.	28	.	*	.	*	193
Kansas	116	.	.	34	*	.	.	.	151
Kentucky	228	.	.	30	*	*	*	*	269
Louisiana	361	.	.	39	*	*	*	.	414
Maine	48	.	.	*	.	.	.	*	57
Maryland	370	.	.	37	*	*	*	*	420
Massachusetts	333	.	.	23	*	*	*	*	369
Michigan	621	*	.	121	*	*	*	15	765
Minnesota	226	.	.	19	*	*	*	*	260
Mississippi	226	.	.	24	*	*	*	*	258
Missouri	367	.	.	63	14	*	*	*	455
Montana	35	.	.	*	.	*	.	*	50
Nebraska	69	.	.	34	*	*	.	*	108
Nevada	78	.	.	*	*	.	.	*	89
New Hampshire	35	.	.	*	*	.	.	.	41
New Jersey	524	.	*	115	28	15	*	*	694
New Mexico	153	.	.	34	*	.	*	*	195
New York	1,061	.	*	188	18	28	*	*	1,304
North Carolina	523	*	.	95	42	21	*	*	689
North Dakota	47	.	.	*	.	.	.	*	50
Ohio	702	.	.	108	*	30	*	16	867
Oklahoma	243	.	.	40	.	14	*	*	302
Oregon	133	.	.	33	*	*	12	*	184
Pennsylvania	788	.	*	82	10	17	20	.	921
Rhode Island	65	.	.	*	66
South Carolina	305	.	*	34	*	*	*	*	355
South Dakota	57	.	*	.	*	.	*	*	61
Tennessee	353	.	.	28	*	.	*	*	390
Texas	1,641	.	*	105	24	12	16	10	1,809
Utah	90	.	.	*	*	.	*	*	106
Vermont	23	.	.	*	.	.	.	*	27
Virginia	431	.	.	68	*	12	*	*	518
Washington	242	*	.	27	*	*	.	14	297
West Virginia	94	.	.	37	*	*	*	.	136
Wisconsin	260	*	.	43	*	*	*	15	337
Wyoming	21	.	.	*	.	.	.	*	24
American Samoa	*	*
Guam	11	.	.	*	15
Puerto Rico	287	.	.	20	*	*	*	.	318
Saipan	*	*
Virgin Islands	*	*
Foreign	*	*
Unknown	10	.	.	*	*	.	*	.	17
All	17,239	17	16	2,312	277	247	313	221	20,642

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 ." Zero values in this cell.

Table D.11 (continued)
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory

1993	Center	Center	Home				Uncertain		
NON-DIABETIC	hemo	self hemo	hemo	CAPD	CCPD	Other PD	dialysis	Transplant	All
Alabama	618	*	.	67	10	*	*	27	735
Alaska	17	.	.	*	19
Arizona	440	.	*	49	*	*	*	11	515
Arkansas	306	.	.	51	*	*	*	10	382
California	3,035	*	*	353	31	11	298	74	3,809
Colorado	218	.	.	27	*	.	*	*	263
Connecticut	316	.	*	86	13	*	*	11	433
Delaware	98	.	.	15	*	.	*	*	122
District of Columbia	209	.	*	*	*	.	*	.	224
Florida	2,216	.	*	190	57	22	21	33	2,545
Georgia	1,016	.	*	136	27	20	16	20	1,236
Hawaii	124	.	.	*	.	.	*	*	134
Idaho	57	.	.	17	*	*	.	*	81
Illinois	1,733	*	*	176	20	12	89	46	2,082
Indiana	655	.	.	144	*	*	14	28	853
Iowa	260	.	.	30	*	*	*	14	314
Kansas	206	.	.	34	*	*	.	*	251
Kentucky	431	.	.	54	*	*	*	19	523
Louisiana	760	.	.	71	*	*	*	10	857
Maine	86	.	.	*	*	*	.	*	97
Maryland	745	.	*	86	10	*	*	14	870
Massachusetts	688	*	.	73	*	*	*	17	796
Michigan	1,127	*	*	190	*	*	*	33	1,367
Minnesota	412	.	.	10	.	*	*	16	443
Mississippi	439	*	.	45	12	.	*	*	505
Missouri	645	.	*	72	*	*	*	16	753
Montana	65	.	.	*	.	*	.	*	83
Nebraska	100	.	.	48	*	*	*	*	162
Nevada	153	*	.	19	*	*	*	*	184
New Hampshire	79	.	.	12	.	*	.	*	100
New Jersey	1,143	*	.	170	49	22	32	13	1,430
New Mexico	117	.	.	18	*	.	*	*	146
New York	2,318	*	*	349	36	35	17	39	2,798
North Carolina	915	*	*	133	84	50	16	13	1,215
North Dakota	66	.	.	*	.	.	.	*	72
Ohio	1,219	.	*	191	21	46	11	52	1,543
Oklahoma	301	.	.	47	*	23	*	11	385
Oregon	247	.	.	46	*	*	29	*	340
Pennsylvania	1,533	*	.	133	17	33	64	45	1,826
Rhode Island	138	.	.	10	*	.	*	*	154
South Carolina	579	*	*	67	13	*	15	11	697
South Dakota	53	.	.	*	*	.	*	*	65
Tennessee	679	.	.	62	*	*	*	14	772
Texas	2,022	*	*	180	49	13	27	44	2,338
Utah	123	.	.	*	*	*	*	*	139
Vermont	34	.	.	*	*	.	.	*	44
Virginia	867	.	.	103	*	16	*	13	1,014
Washington	405	11	.	30	14	*	*	17	484
West Virginia	209	.	.	44	*	*	*	*	268
Wisconsin	453	*	.	70	*	*	*	27	567
Wyoming	21	.	.	*	*	*	.	*	27
American Samoa	*	*
Guam	*	.	.	*	14
Puerto Rico	303	.	.	30	*	*	*	*	351
Saipan	*	*
Virgin Islands	10	.	.	*	11
Foreign	*	*
Unknown	18	.	.	*	*	.	*	.	26
All	31,051	35	38	3,801	593	419	761	782	37,480

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.11 (continued)
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory

1997	Center	Center	Home					Uncertain			
ALL	hemo	self hemo	hemo	CAPD	CCPD	Other PD	dialysis	Transplant	ALL		
Alabama	1,306	.	*	135	37	*	*	19	1,509		
Alaska	55	*	.	15	*	.	.	*	74		
Arizona	1,081	.	*	69	10	.	*	13	1,188		
Arkansas	671	.	*	70	22	*	*	11	782		
California	6,620	*	*	543	86	11	105	58	7,430		
Colorado	491	.	.	45	10	*	*	*	560		
Connecticut	614	*	.	139	24	*	25	*	811		
Delaware	169	.	*	11	*	.	*	*	197		
District of Columbia	290	.	.	*	.	.	*	*	300		
Florida	3,973	*	40	205	165	27	85	49	4,546		
Georgia	2,009	*	*	166	42	19	27	14	2,286		
Hawaii	357	.	.	20	*	.	*	*	390		
Idaho	170	.	*	22	*	.	*	*	211		
Illinois	2,853	.	*	196	68	10	56	52	3,244		
Indiana	1,196	*	*	170	23	*	33	21	1,450		
Iowa	445	*	*	54	17	*	20	13	552		
Kansas	492	*	.	75	*	*	*	*	585		
Kentucky	791	.	*	56	27	12	28	11	926		
Louisiana	1,533	.	.	61	32	*	*	17	1,649		
Maine	226	.	.	11	*	.	*	*	247		
Maryland	1,453	.	10	64	58	*	15	24	1,626		
Massachusetts	1,233	.	*	67	23	*	16	12	1,355		
Michigan	2,097	.	*	246	30	*	46	27	2,458		
Minnesota	699	*	.	32	15	*	11	26	786		
Mississippi	873	.	*	75	33	14	*	*	1,010		
Missouri	1,236	.	*	155	45	*	15	24	1,482		
Montana	114	.	*	*	*	*	*	*	132		
Nebraska	264	.	.	91	*	.	*	*	376		
Nevada	313	*	*	29	*	.	*	14	371		
New Hampshire	145	*	*	15	*	.	*	*	174		
New Jersey	2,124	.	.	172	144	19	52	24	2,535		
New Mexico	374	*	*	34	23	*	*	*	445		
New York	4,331	14	11	273	82	50	73	46	4,880		
North Carolina	1,981	.	*	189	139	73	32	15	2,430		
North Dakota	112	.	.	11	.	.	*	*	133		
Ohio	2,562	.	*	251	76	77	71	39	3,078		
Oklahoma	744	*	*	68	19	29	*	*	878		
Oregon	469	.	*	72	*	.	*	*	556		
Pennsylvania	3,264	.	*	133	81	23	85	24	3,618		
Rhode Island	231	.	.	17	.	.	*	.	251		
South Carolina	1,197	*	*	67	36	*	21	21	1,346		
South Dakota	155	.	.	18	*	.	*	*	186		
Tennessee	1,421	*	*	54	56	*	17	21	1,577		
Texas	4,763	*	*	211	130	*	45	33	5,197		
Utah	187	.	*	20	*	.	*	16	233		
Vermont	84	.	.	10	*	.	*	*	102		
Virginia	1,827	.	*	109	48	24	34	20	2,066		
Washington	755	20	*	67	14	*	*	22	885		
West Virginia	474	.	.	32	26	*	17	*	562		
Wisconsin	866	.	.	99	31	*	40	30	1,073		
Wyoming	49	.	.	11	*	.	.	*	63		
American Samoa	*	*		
Guam	50	50		
Puerto Rico	697	.	*	74	73	*	*	*	863		
Saipan	16	16		
Virgin Islands	33	.	.	.	*	.	.	.	34		
Foreign	12	*	13		
Unknown	*	*	*		
All	62,559	53	153	4,842	1,810	468	1,079	826	71,790		

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.11 (continued)
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory

1997 DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	582	.	.	48	16	*	*	*	654
Alaska	33	.	.	*	.	.	.	*	40
Arizona	580	.	*	36	*	.	*	*	633
Arkansas	259	.	.	31	*	*	*	*	303
California	3,213	*	*	249	41	*	46	11	3,570
Colorado	234	.	.	22	*	*	*	*	262
Connecticut	261	*	.	78	*	*	*	*	360
Delaware	65	.	.	*	.	.	*	*	75
District of Columbia	116	.	.	*	.	.	*	*	121
Florida	1,533	*	13	101	62	18	31	*	1,768
Georgia	854	*	*	64	19	*	13	*	967
Hawaii	210	.	.	12	.	.	*	.	226
Idaho	72	.	.	14	*	.	*	*	95
Illinois	1,092	.	*	75	31	*	19	23	1,248
Indiana	510	*	*	75	*	*	13	*	615
Iowa	184	.	.	25	*	.	*	*	226
Kansas	198	.	.	31	*	*	*	.	235
Kentucky	347	.	.	26	10	*	13	*	403
Louisiana	686	.	.	17	*	.	*	*	721
Maine	85	.	.	*	*	.	*	*	97
Maryland	641	.	*	24	20	*	*	*	700
Massachusetts	474	.	*	26	12	.	*	*	522
Michigan	944	.	*	123	10	*	25	12	1,117
Minnesota	274	*	.	12	*	*	*	*	309
Mississippi	370	.	*	23	*	*	.	*	409
Missouri	563	.	*	81	21	*	*	*	679
Montana	53	.	.	*	.	*	*	.	59
Nebraska	115	.	.	31	*	.	*	*	160
Nevada	144	.	.	18	*	.	*	*	171
New Hampshire	58	.	.	*	*	.	*	.	71
New Jersey	893	.	.	72	57	*	21	*	1,054
New Mexico	227	.	.	14	10	*	.	.	253
New York	1,796	*	*	118	37	14	28	*	2,013
North Carolina	878	.	.	92	53	32	20	*	1,078
North Dakota	51	.	.	*	.	.	.	*	57
Ohio	1,135	.	.	135	32	43	32	*	1,386
Oklahoma	361	*	*	35	*	17	*	*	426
Oregon	187	.	*	38	*	.	.	.	229
Pennsylvania	1,357	.	*	60	25	*	37	*	1,491
Rhode Island	93	.	.	*	.	.	*	.	103
South Carolina	501	*	*	21	16	*	*	*	555
South Dakota	68	.	.	*	*	.	.	*	84
Tennessee	572	*	*	24	31	*	*	*	643
Texas	2,534	*	*	124	57	*	20	*	2,748
Utah	88	.	*	14	*	.	*	*	110
Vermont	39	.	.	*	.	.	*	*	46
Virginia	787	.	*	58	14	*	16	*	889
Washington	338	*	*	33	*	.	*	*	393
West Virginia	209	.	.	20	13	*	11	*	256
Wisconsin	375	.	.	54	12	*	12	*	465
Wyoming	26	.	.	*	*	.	.	.	33
American Samoa	*	*
Guam	34	34
Puerto Rico	404	.	*	42	36	*	*	.	491
Saipan	13	13
Virgin Islands	16	.	.	.	*	.	.	.	17
Foreign	*	*
Unknown
All	27,738	29	57	2,254	732	213	462	204	31,689

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 ." Zero values in this cell.

Table D.11 (continued)
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory

1997 NON-DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	724	.	*	87	21	*	*	17	855
Alaska	22	.	.	*	*	.	.	*	34
Arizona	501	.	*	33	*	.	*	11	555
Arkansas	412	.	*	39	16	*	*	*	479
California	3,407	.	*	294	45	*	59	47	3,860
Colorado	257	.	.	23	*	.	*	*	298
Connecticut	353	.	.	61	16	.	17	*	451
Delaware	104	.	*	*	*	.	*	*	122
District of Columbia	174	.	.	*	.	.	*	.	179
Florida	2,440	.	27	104	103	*	54	41	2,778
Georgia	1,155	.	*	102	23	10	14	11	1,319
Hawaii	147	.	.	*	*	.	*	*	164
Idaho	98	.	*	*	*	.	.	*	116
Illinois	1,761	.	*	121	37	*	37	29	1,996
Indiana	686	.	*	95	14	.	20	18	835
Iowa	261	*	*	29	11	*	12	10	326
Kansas	294	*	.	44	*	*	*	*	350
Kentucky	444	.	*	30	17	*	15	*	523
Louisiana	847	.	.	44	23	*	*	11	928
Maine	141	.	.	*	*	.	*	.	150
Maryland	812	.	*	40	38	.	13	16	926
Massachusetts	759	.	.	41	11	*	10	*	833
Michigan	1,153	.	*	123	20	*	21	15	1,341
Minnesota	425	.	.	20	*	.	*	17	477
Mississippi	503	.	*	52	24	*	*	*	601
Missouri	673	.	*	74	24	*	10	18	803
Montana	61	.	*	*	*	.	.	*	73
Nebraska	149	.	.	60	*	.	*	*	216
Nevada	169	*	*	11	*	.	*	10	200
New Hampshire	87	*	*	*	*	.	*	*	103
New Jersey	1,231	.	.	100	87	13	31	19	1,481
New Mexico	147	*	*	20	13	.	*	*	192
New York	2,535	*	*	155	45	36	45	37	2,867
North Carolina	1,103	.	*	97	86	41	12	12	1,352
North Dakota	61	.	.	*	.	.	*	*	76
Ohio	1,427	.	*	116	44	34	39	30	1,692
Oklahoma	383	.	.	33	13	12	*	*	452
Oregon	282	.	*	34	*	.	*	*	327
Pennsylvania	1,907	.	*	73	56	16	48	22	2,127
Rhode Island	138	.	.	10	148
South Carolina	696	.	.	46	20	.	13	16	791
South Dakota	87	.	.	10	*	.	*	*	102
Tennessee	849	.	*	30	25	*	*	19	934
Texas	2,229	.	*	87	73	*	25	30	2,449
Utah	99	.	.	*	*	.	.	12	123
Vermont	45	.	.	*	*	.	*	*	56
Virginia	1,040	.	*	51	34	16	18	15	1,177
Washington	417	11	*	34	11	*	.	14	492
West Virginia	265	.	.	12	13	*	*	*	306
Wisconsin	491	.	.	45	19	*	28	21	608
Wyoming	23	.	.	*	*	.	.	*	30
American Samoa	*	*
Guam	16	16
Puerto Rico	293	.	.	32	37	*	*	*	372
Saipan	*	*
Virgin Islands	17	17
Foreign	*	*	10
Unknown	*	*	*
All	34,821	24	96	2,588	1,078	255	617	622	40,101

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.11 (continued)
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory

2001	Center	Center	Home				Uncertain			
ALL	hemo	self hemo	hemo	CAPD	CCPD	Other PD	dialysis	Transplant	ALL	
Alabama	1,472	.	*	78	52	*	*	18	1,623	
Alaska	65	.	.	14	.	.	.	*	83	
Arizona	1,283	.	*	66	32	*	*	12	1,406	
Arkansas	695	.	.	78	15	*	.	11	801	
California	8,044	.	*	508	101	*	35	72	8,769	
Colorado	622	.	.	29	*	.	*	15	673	
Connecticut	684	.	*	83	30	.	*	*	810	
Delaware	214	.	.	10	*	.	.	*	230	
District of Columbia	300	.	.	*	*	.	*	*	312	
Florida	4,709	*	53	199	90	27	22	81	5,182	
Georgia	2,571	.	*	175	72	*	*	27	2,860	
Hawaii	388	.	.	12	*	.	*	*	416	
Idaho	204	.	*	42	.	.	.	*	252	
Illinois	3,090	.	42	188	76	*	18	62	3,480	
Indiana	1,482	*	.	142	24	*	*	18	1,672	
Iowa	584	.	*	44	11	.	*	28	676	
Kansas	504	.	.	62	*	.	*	*	581	
Kentucky	993	.	*	78	17	12	*	10	1,116	
Louisiana	1,831	.	.	58	29	.	*	16	1,935	
Maine	242	.	.	10	*	.	.	10	269	
Maryland	1,629	.	*	77	54	*	*	27	1,802	
Massachusetts	1,206	.	*	51	42	.	*	12	1,318	
Michigan	2,619	*	.	187	26	*	*	36	2,884	
Minnesota	872	.	.	24	11	*	*	65	977	
Mississippi	1,009	*	*	70	28	*	*	*	1,127	
Missouri	1,505	.	*	116	45	*	*	20	1,697	
Montana	171	.	.	18	*	.	.	*	198	
Nebraska	414	.	.	56	*	*	*	*	490	
Nevada	474	.	.	32	*	.	.	*	523	
New Hampshire	166	.	.	23	*	.	*	*	195	
New Jersey	2,546	.	*	95	77	*	*	65	2,791	
New Mexico	423	.	.	35	14	.	*	*	482	
New York	4,930	*	*	160	94	55	20	66	5,334	
North Carolina	2,451	*	*	144	112	70	*	34	2,819	
North Dakota	149	.	.	14	*	.	.	17	182	
Ohio	3,170	*	*	233	76	*	10	62	3,568	
Oklahoma	889	.	.	55	37	16	*	*	1,006	
Oregon	614	.	*	52	10	.	*	14	692	
Pennsylvania	3,536	.	*	70	70	*	11	43	3,736	
Rhode Island	255	.	.	*	*	*	*	*	273	
South Carolina	1,370	*	.	67	69	.	*	14	1,524	
South Dakota	169	.	.	*	11	.	.	11	197	
Tennessee	1,498	*	.	43	85	*	*	16	1,650	
Texas	5,861	.	11	207	172	12	27	58	6,348	
Utah	316	.	.	15	11	.	*	11	354	
Vermont	92	.	.	*	*	*	.	*	99	
Virginia	1,957	*	*	92	32	*	*	30	2,122	
Washington	947	14	*	54	12	*	*	26	1,060	
West Virginia	582	.	*	28	50	*	*	*	670	
Wisconsin	1,157	.	*	58	34	14	*	46	1,313	
Wyoming	69	*	.	*	*	.	.	*	82	
American Samoa	13	*	.	14	
Guam	61	.	.	*	.	.	*	.	64	
Puerto Rico	915	.	*	24	64	*	*	*	1,015	
Saipan	*	*	
Virgin Islands	34	.	.	.	*	.	.	.	35	
Foreign	15	15	
Unknown	*	.	.	*	*	.	*	.	14	
All	74,079	37	167	4,004	1,845	283	253	1,157	81,825	

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.11 (continued)
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory

2001 DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	700	.	*	33	21	.	.	*	759
Alaska	38	.	.	*	45
Arizona	668	.	*	32	19	.	*	*	729
Arkansas	282	.	.	39	*	*	.	*	332
California	3,899	.	*	218	39	*	*	16	4,184
Colorado	300	.	.	17	*	.	.	*	326
Connecticut	282	.	*	31	13	.	.	.	327
Delaware	88	.	.	*	.	.	.	*	90
District of Columbia	124	.	.	.	*	.	.	.	125
Florida	2,002	.	17	85	37	10	10	17	2,178
Georgia	1,093	.	*	73	26	*	*	*	1,205
Hawaii	245	.	.	*	*	.	*	.	258
Idaho	81	.	.	17	98
Illinois	1,307	.	18	75	33	*	*	12	1,448
Indiana	649	*	.	52	10	*	*	*	719
Iowa	241	.	*	20	*	.	.	*	278
Kansas	236	.	.	27	*	.	*	*	267
Kentucky	472	.	*	38	*	*	*	*	526
Louisiana	843	.	.	17	10	.	.	*	872
Maine	113	.	.	*	*	.	.	*	116
Maryland	709	.	.	33	19	*	*	*	767
Massachusetts	537	.	.	21	22	.	*	*	585
Michigan	1,233	.	.	92	10	*	.	16	1,355
Minnesota	324	.	.	*	*	*	.	15	350
Mississippi	443	*	*	32	11	*	.	.	490
Missouri	639	.	*	55	24	*	*	*	726
Montana	92	.	.	11	.	.	.	*	107
Nebraska	192	.	.	27	*	.	.	*	224
Nevada	228	.	.	14	*	.	.	*	245
New Hampshire	59	.	.	*	*	.	*	*	70
New Jersey	1,082	.	.	38	30	*	.	12	1,163
New Mexico	267	.	.	21	*	.	.	*	300
New York	2,175	*	*	74	36	18	*	11	2,321
North Carolina	1,094	.	*	73	35	41	.	*	1,252
North Dakota	68	.	.	*	.	.	.	*	77
Ohio	1,545	*	*	119	31	*	.	*	1,710
Oklahoma	431	.	.	30	19	*	.	*	489
Oregon	252	.	*	25	*	.	*	*	288
Pennsylvania	1,587	.	*	29	29	*	*	*	1,657
Rhode Island	97	.	.	*	*	*	.	*	104
South Carolina	634	.	.	29	33	.	*	*	700
South Dakota	78	.	.	*	*	.	.	*	89
Tennessee	673	.	.	18	40	*	.	*	735
Texas	3,138	.	*	101	76	*	11	12	3,349
Utah	168	.	.	*	*	.	.	*	180
Vermont	39	.	.	*	*	.	.	*	42
Virginia	904	*	*	45	12	*	.	*	972
Washington	423	*	.	25	*	*	*	*	465
West Virginia	300	.	*	15	24	*	*	*	344
Wisconsin	475	.	.	18	*	*	*	10	517
Wyoming	30	*	.	*	.	.	.	*	35
American Samoa	*	*	.	10
Guam	40	.	.	*	41
Puerto Rico	590	.	*	14	41	*	.	*	652
Saipan	*	*
Virgin Islands	19	19
Foreign	*	*
Unknown
All	34,253	14	69	1,788	769	126	57	252	37,328

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 ." Zero values in this cell.

Table D.11 (continued)
Incident ESRD Patients for Selected Years: by Diabetic Status & State/Territory

2001 NON-DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	772	.	.	45	31	*	*	14	864
Alaska	27	.	.	*	.	.	.	*	38
Arizona	615	.	*	34	13	*	*	*	677
Arkansas	413	.	.	39	*	*	.	*	469
California	4,145	.	*	290	62	*	26	56	4,585
Colorado	322	.	.	12	*	.	*	*	347
Connecticut	402	.	*	52	17	.	*	*	483
Delaware	126	.	.	*	*	.	.	*	140
District of Columbia	176	.	.	*	.	.	*	*	187
Florida	2,707	*	36	114	53	17	12	64	3,004
Georgia	1,478	.	*	102	46	*	*	19	1,655
Hawaii	143	.	.	*	*	.	.	*	158
Idaho	123	.	*	25	.	.	.	*	154
Illinois	1,783	.	24	113	43	*	16	50	2,032
Indiana	833	.	.	90	14	*	*	13	953
Iowa	343	.	*	24	*	.	*	21	398
Kansas	268	.	.	35	*	.	*	*	314
Kentucky	521	.	.	40	10	*	*	*	590
Louisiana	988	.	.	41	19	.	*	14	1,063
Maine	129	.	.	*	*	.	.	*	153
Maryland	920	.	*	44	35	*	*	23	1,035
Massachusetts	669	.	*	30	20	.	*	*	733
Michigan	1,386	*	.	95	16	*	*	20	1,529
Minnesota	548	.	.	18	*	.	*	50	627
Mississippi	566	*	.	38	17	*	*	*	637
Missouri	866	.	*	61	21	*	*	17	971
Montana	79	.	.	*	*	.	.	*	91
Nebraska	222	.	.	29	*	*	*	*	266
Nevada	246	.	.	18	*	.	.	*	278
New Hampshire	107	.	.	15	*	.	.	.	125
New Jersey	1,464	.	*	57	47	*	*	53	1,628
New Mexico	156	.	.	14	*	.	*	*	182
New York	2,755	*	*	86	58	37	16	55	3,013
North Carolina	1,357	*	*	71	77	29	*	26	1,567
North Dakota	81	.	.	*	*	.	.	14	105
Ohio	1,625	*	*	114	45	*	10	54	1,858
Oklahoma	458	.	.	25	18	*	*	*	517
Oregon	362	.	.	27	*	.	.	*	404
Pennsylvania	1,949	.	*	41	41	*	10	36	2,079
Rhode Island	158	.	.	*	*	.	*	*	169
South Carolina	736	*	.	38	36	.	*	11	824
South Dakota	91	.	.	*	*	.	.	*	108
Tennessee	825	*	.	25	45	*	*	13	915
Texas	2,723	.	*	106	96	*	16	46	2,999
Utah	148	.	.	*	*	.	*	*	174
Vermont	53	.	.	*	*	*	.	*	57
Virginia	1,053	.	*	47	20	*	*	25	1,150
Washington	524	*	*	29	11	*	*	20	595
West Virginia	282	.	.	13	26	*	.	*	326
Wisconsin	682	.	*	40	25	10	*	36	796
Wyoming	39	.	.	*	*	.	.	*	47
American Samoa	*	*
Guam	21	.	.	*	.	.	*	.	23
Puerto Rico	325	.	.	10	23	.	*	*	363
Saipan
Virgin Islands	15	.	.	.	*	.	.	.	16
Foreign	*	*
Unknown	*	.	.	*	*	.	*	.	14
All	39,826	23	98	2,216	1,076	157	196	905	44,497

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.12
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

1993	Center	Center	Home				Uncertain		
ALL	hemo	self hemo	hemo	CAPD	CCPD	Other PD	dialysis	Transplant	All
Alabama	2,938	.	*	362	106	*	23	946	4,386
Alaska	81	*	.	21	.	*	*	73	178
Arizona	2,350	.	12	254	108	*	29	658	3,416
Arkansas	1,175	.	*	233	34	*	11	476	1,942
California	14,679	59	28	1,866	432	18	802	5,218	23,102
Colorado	1,174	*	*	216	51	*	22	572	2,042
Connecticut	1,402	.	11	440	92	*	13	530	2,495
Delaware	483	.	*	86	*	.	*	143	728
District of Columbia	1,008	.	*	34	*	.	*	119	1,167
Florida	8,877	.	27	949	289	23	99	2,640	12,904
Georgia	5,173	.	21	620	160	18	51	1,236	7,279
Hawaii	910	.	.	59	*	.	15	189	1,175
Idaho	273	.	*	94	*	*	10	195	580
Illinois	6,521	*	19	880	178	*	147	2,199	9,953
Indiana	2,559	.	*	755	39	*	40	958	4,359
Iowa	1,016	*	22	220	40	*	19	566	1,893
Kansas	961	.	*	282	32	.	*	404	1,688
Kentucky	1,607	.	*	289	67	*	19	798	2,792
Louisiana	3,407	*	*	396	91	*	18	732	4,650
Maine	359	.	.	54	18	.	*	220	656
Maryland	3,258	*	17	428	56	*	39	999	4,809
Massachusetts	2,784	.	*	347	66	12	28	1,088	4,328
Michigan	4,539	*	16	1,190	88	16	42	1,974	7,867
Minnesota	1,705	.	.	170	14	*	25	970	2,887
Mississippi	2,290	.	46	192	41	*	14	400	2,990
Missouri	2,664	*	23	497	130	*	13	1,026	4,362
Montana	257	.	.	62	*	*	*	177	506
Nebraska	443	.	*	270	25	*	*	326	1,075
Nevada	512	.	*	104	23	*	11	280	940
New Hampshire	306	.	.	63	26	*	*	172	573
New Jersey	4,541	12	47	829	258	44	178	1,167	7,076
New Mexico	832	*	.	208	26	*	15	285	1,369
New York	10,247	14	47	1,727	249	50	94	2,455	14,883
North Carolina	4,669	*	18	882	305	50	67	1,081	7,073
North Dakota	229	.	.	30	*	.	*	163	437
Ohio	5,213	.	10	992	158	50	68	2,256	8,747
Oklahoma	1,408	*	*	276	18	17	16	580	2,323
Oregon	978	.	*	295	39	*	58	480	1,857
Pennsylvania	6,831	*	14	807	140	60	144	2,490	10,490
Rhode Island	542	.	.	47	13	.	*	177	783
South Carolina	2,852	*	13	310	137	*	85	711	4,118
South Dakota	286	.	*	21	*	.	*	130	454
Tennessee	2,981	*	55	378	75	*	27	1,094	4,615
Texas	10,873	*	20	1,039	372	46	356	3,196	15,905
Utah	466	.	.	54	*	*	14	389	931
Vermont	146	.	.	37	*	*	.	86	276
Virginia	4,025	*	17	635	76	10	48	1,125	5,937
Washington	1,810	13	71	222	49	26	28	861	3,080
West Virginia	676	*	*	205	28	*	12	373	1,302
Wisconsin	1,776	13	13	429	52	*	58	1,305	3,648
Wyoming	83	.	*	40	.	.	*	80	208
American Samoa	30	.	.	*	31
Guam	65	*	.	26	.	.	.	14	106
Puerto Rico	1,861	.	26	271	55	*	15	339	2,572
Saipan	20	*	*	23
Virgin Islands	57	.	.	*	*	.	.	*	71
Foreign	44	.	*	*	.	.	*	26	81
Unknown	93	.	.	15	*	.	*	28	146
All	139,345	148	656	21,225	4,305	565	2,838	47,182	216,264

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.12 (continued)
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

1993 DIABETIC	Center		Home	CAPD	CCPD	Other PD	Uncertain		Transplant	All
	hemo	self hemo	hemo				dialysis			
Alabama	794	.	.	85	28	*	*	.	117	1,030
Alaska	26	.	*	*	13	47
Arizona	1,082	.	*	104	33	*	12	.	156	1,391
Arkansas	301	.	.	80	*	*	*	.	93	480
California	5,187	*	*	562	98	*	282	.	1,013	7,160
Colorado	463	*	.	84	17	*	*	.	182	754
Connecticut	399	.	*	139	30	*	*	.	106	686
Delaware	143	.	.	17	*	.	.	.	32	194
District of Columbia	284	.	.	*	17	308
Florida	2,408	.	*	243	73	12	25	.	536	3,301
Georgia	1,507	.	*	153	35	*	*	.	246	1,958
Hawaii	431	.	.	27	.	.	12	.	24	494
Idaho	84	.	.	37	*	.	*	.	57	184
Illinois	1,659	*	*	244	56	*	33	.	489	2,487
Indiana	728	.	*	221	10	*	12	.	200	1,173
Iowa	297	*	*	73	13	.	*	.	162	557
Kansas	295	.	*	110	*	.	.	.	77	491
Kentucky	491	.	*	76	22	*	*	.	135	729
Louisiana	1,040	.	.	105	25	.	*	.	138	1,315
Maine	102	.	.	15	*	.	.	.	43	163
Maryland	996	.	*	103	16	*	12	.	194	1,329
Massachusetts	740	.	*	78	22	*	10	.	228	1,083
Michigan	1,423	*	*	405	21	*	12	.	475	2,346
Minnesota	569	.	.	63	*	*	*	.	349	993
Mississippi	630	.	*	60	12	*	*	.	51	767
Missouri	819	.	*	165	39	*	*	.	217	1,250
Montana	96	.	.	25	*	.	.	.	63	187
Nebraska	157	.	*	92	*	*	.	.	118	380
Nevada	153	.	*	32	*	.	*	.	70	268
New Hampshire	70	.	.	20	*	*	*	.	42	137
New Jersey	1,259	.	*	244	75	10	61	.	200	1,856
New Mexico	432	.	.	102	11	*	*	.	60	612
New York	2,838	*	10	470	68	18	21	.	416	3,844
North Carolina	1,399	.	*	249	88	15	15	.	209	1,979
North Dakota	98	.	.	13	*	.	*	.	53	171
Ohio	1,646	.	*	294	45	22	19	.	572	2,601
Oklahoma	568	.	*	112	*	13	*	.	145	852
Oregon	273	.	.	91	12	*	19	.	126	522
Pennsylvania	2,016	*	*	256	55	17	29	.	554	2,934
Rhode Island	141	.	.	*	*	.	*	.	30	181
South Carolina	877	*	*	78	26	*	27	.	123	1,135
South Dakota	143	.	*	*	*	.	*	.	43	195
Tennessee	830	*	*	105	16	*	*	.	195	1,159
Texas	4,163	.	*	342	90	18	143	.	706	5,465
Utah	179	.	.	21	.	.	*	.	154	357
Vermont	43	.	.	*	*	.	.	.	26	78
Virginia	1,140	.	*	176	23	*	11	.	209	1,564
Washington	561	*	19	77	21	*	*	.	281	974
West Virginia	196	.	.	64	*	*	*	.	89	360
Wisconsin	580	*	*	142	12	.	25	.	436	1,200
Wyoming	29	.	.	11	26	66
American Samoa	11	11
Guam	32	*	.	13	.	.	*	.	*	47
Puerto Rico	770	.	10	87	20	*	*	.	29	923
Saipan	*	*	.	.	*
Virgin Islands	10	.	.	*	*	12
Foreign	*	.	.	*	*	11
Unknown	30	.	.	10	.	.	*	.	*	45
All	43,650	30	125	6,415	1,171	188	894		10,330	62,803

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 ." Zero values in this cell.

Table D.12 (continued)
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

1993	Center	Center	Home				Uncertain		
NON-DIABETIC	hemo	self hemo	hemo	CAPD	CCPD	Other PD	dialysis	Transplant	All
Alabama	2,144	.	*	277	78	.	19	829	3,356
Alaska	55	.	.	14	.	*	*	60	131
Arizona	1,268	.	11	150	75	*	17	502	2,025
Arkansas	874	.	*	153	31	*	*	383	1,462
California	9,492	50	23	1,304	334	14	520	4,205	15,942
Colorado	711	.	*	132	34	*	16	390	1,288
Connecticut	1,003	.	*	301	62	*	*	424	1,809
Delaware	340	.	*	69	*	.	*	111	534
District of Columbia	724	.	*	27	*	.	*	102	859
Florida	6,469	.	23	706	216	11	74	2,104	9,603
Georgia	3,666	.	18	467	125	13	42	990	5,321
Hawaii	479	.	.	32	*	.	*	165	681
Idaho	189	.	*	57	*	*	*	138	396
Illinois	4,862	*	16	636	122	*	114	1,710	7,466
Indiana	1,831	.	*	534	29	*	28	758	3,186
Iowa	719	*	18	147	27	*	12	404	1,336
Kansas	666	.	*	172	26	.	*	327	1,197
Kentucky	1,116	.	*	213	45	*	16	663	2,063
Louisiana	2,367	*	*	291	66	*	11	594	3,335
Maine	257	.	.	39	15	.	*	177	493
Maryland	2,262	*	12	325	40	*	27	805	3,480
Massachusetts	2,044	.	*	269	44	*	18	860	3,245
Michigan	3,116	*	15	785	67	*	30	1,499	5,521
Minnesota	1,136	.	.	107	12	.	18	621	1,894
Mississippi	1,660	.	41	132	29	*	*	349	2,223
Missouri	1,845	*	17	332	91	*	10	809	3,112
Montana	161	.	.	37	*	*	*	114	319
Nebraska	286	.	*	178	16	.	*	208	695
Nevada	359	.	*	72	16	*	10	210	672
New Hampshire	236	.	.	43	23	*	*	130	436
New Jersey	3,282	12	40	585	183	34	117	967	5,220
New Mexico	400	*	.	106	15	*	*	225	757
New York	7,409	11	37	1,257	181	32	73	2,039	11,039
North Carolina	3,270	*	14	633	217	35	52	872	5,094
North Dakota	131	.	.	17	*	.	*	110	266
Ohio	3,567	.	*	698	113	28	49	1,684	6,146
Oklahoma	840	*	*	164	12	*	10	435	1,471
Oregon	705	.	*	204	27	*	39	354	1,335
Pennsylvania	4,815	*	10	551	85	43	115	1,936	7,556
Rhode Island	401	.	.	39	12	.	*	147	602
South Carolina	1,975	*	12	232	111	*	58	588	2,983
South Dakota	143	.	*	16	*	.	*	87	259
Tennessee	2,151	*	51	273	59	*	20	899	3,456
Texas	6,710	*	17	697	282	28	213	2,490	10,440
Utah	287	.	.	33	*	*	11	235	574
Vermont	103	.	.	29	*	*	.	60	198
Virginia	2,885	*	14	459	53	*	37	916	4,373
Washington	1,249	*	52	145	28	22	21	580	2,106
West Virginia	480	*	*	141	21	*	10	284	942
Wisconsin	1,196	10	11	287	40	*	33	869	2,448
Wyoming	54	.	*	29	.	.	*	54	142
American Samoa	19	.	.	*	20
Guam	33	.	.	13	.	.	.	13	59
Puerto Rico	1,091	.	16	184	35	*	11	310	1,649
Saipan	14	*	16
Virgin Islands	47	.	.	*	.	.	.	*	59
Foreign	38	.	*	*	.	.	*	25	70
Unknown	63	.	.	*	*	.	*	25	101
All	95,695	118	531	14,810	3,134	377	1,944	36,852	153,461

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.12 (continued)
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

1997	Center	Center	Home				Uncertain			
ALL	hemo	self hemo	hemo	CAPD	CCPD	Other PD	dialysis	Transplant	All	
Alabama	4,184	.	16	360	204	*	27	1,264	6,061	
Alaska	147	*	*	33	*	.	*	96	283	
Arizona	3,208	15	41	171	165	*	62	925	4,591	
Arkansas	1,819	*	17	201	60	*	19	700	2,819	
California	19,310	29	36	1,608	1,010	33	1,038	6,926	29,990	
Colorado	1,544	.	13	144	110	*	29	782	2,625	
Connecticut	2,031	*	*	296	234	*	53	724	3,351	
Delaware	630	.	*	34	44	.	13	227	950	
District of Columbia	1,164	.	*	26	18	*	11	144	1,370	
Florida	11,540	26	264	669	588	20	291	3,590	16,988	
Georgia	7,336	*	90	495	322	15	94	1,636	9,993	
Hawaii	1,227	.	*	80	23	*	20	237	1,593	
Idaho	407	.	*	88	36	.	11	268	819	
Illinois	8,313	*	95	693	405	*	191	3,066	12,771	
Indiana	3,566	.	22	566	216	*	104	1,238	5,721	
Iowa	1,271	.	23	151	78	.	32	742	2,297	
Kansas	1,355	.	17	245	84	.	16	482	2,199	
Kentucky	2,131	.	*	189	125	15	79	1,028	3,571	
Louisiana	4,830	.	17	220	187	*	27	1,006	6,290	
Maine	594	.	.	34	40	.	15	277	960	
Maryland	4,445	15	43	348	215	*	65	1,484	6,624	
Massachusetts	3,458	*	42	197	205	10	65	1,464	5,444	
Michigan	6,393	.	37	916	255	16	115	2,551	10,283	
Minnesota	2,104	.	*	114	74	.	47	1,319	3,663	
Mississippi	3,232	.	74	184	89	*	14	594	4,194	
Missouri	3,553	*	61	407	249	*	40	1,319	5,632	
Montana	369	*	*	38	13	*	*	246	675	
Nebraska	688	*	*	246	75	*	21	389	1,423	
Nevada	831	.	*	82	43	.	28	394	1,385	
New Hampshire	388	.	*	68	29	.	13	222	722	
New Jersey	6,054	69	57	494	381	36	241	1,787	9,119	
New Mexico	1,239	*	*	141	96	*	11	422	1,916	
New York	13,331	207	133	1,165	541	55	185	3,499	19,116	
North Carolina	6,859	*	33	669	441	95	85	1,601	9,784	
North Dakota	274	*	.	33	*	.	*	190	512	
Ohio	7,162	*	50	882	431	31	183	2,922	11,664	
Oklahoma	2,059	*	*	222	93	16	31	721	3,155	
Oregon	1,259	*	47	212	92	.	47	648	2,306	
Pennsylvania	9,189	38	47	519	365	12	216	3,270	13,656	
Rhode Island	653	.	.	41	26	.	13	254	987	
South Carolina	4,035	*	17	241	251	*	87	1,035	5,671	
South Dakota	427	.	*	39	26	.	*	164	667	
Tennessee	4,283	*	36	255	212	*	53	1,395	6,239	
Texas	15,213	24	67	779	726	12	493	4,260	21,574	
Utah	567	.	*	57	26	*	10	509	1,173	
Vermont	225	.	*	29	23	.	*	136	423	
Virginia	5,562	*	52	415	276	17	116	1,591	8,030	
Washington	2,303	16	120	226	112	*	21	1,083	3,883	
West Virginia	1,058	*	*	113	91	*	35	486	1,799	
Wisconsin	2,406	.	23	301	170	*	89	1,699	4,692	
Wyoming	144	*	*	26	10	*	*	96	290	
American Samoa	39	39	
Guam	140	.	.	17	.	.	.	12	169	
Puerto Rico	2,234	*	10	330	291	*	21	411	3,307	
Saipan	46	*	50	
Virgin Islands	102	.	.	*	*	.	*	*	115	
Foreign	54	*	*	*	.	.	.	31	89	
Unknown	48	.	*	*	*	.	11	21	88	
All	189,033	485	1,694	16,117	9,892	469	4,516	63,594	285,800	

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.12 (continued)
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

1997 DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	1,479	.	*	105	65	*	*	220	1,881
Alaska	75	.	.	12	.	.	*	23	111
Arizona	1,665	*	23	76	63	*	29	262	2,123
Arkansas	618	.	*	82	18	.	*	160	889
California	8,052	*	*	579	291	13	444	1,435	10,828
Colorado	668	.	*	55	33	*	*	254	1,021
Connecticut	744	*	.	117	76	*	20	150	1,111
Delaware	222	.	*	*	*	.	*	57	297
District of Columbia	369	.	*	*	*	.	*	24	404
Florida	3,796	*	102	210	199	11	86	750	5,159
Georgia	2,634	*	29	160	105	*	29	338	3,300
Hawaii	652	.	*	37	*	.	*	32	739
Idaho	161	.	*	41	12	.	*	81	304
Illinois	2,766	.	32	220	141	*	58	742	3,961
Indiana	1,264	.	*	196	65	*	40	278	1,852
Iowa	470	.	*	61	24	.	12	211	782
Kansas	498	.	*	76	36	.	*	121	742
Kentucky	755	.	*	71	42	*	33	195	1,103
Louisiana	1,801	.	*	55	41	*	*	225	2,136
Maine	194	.	.	*	10	.	*	66	287
Maryland	1,567	*	13	96	58	*	22	358	2,118
Massachusetts	1,179	.	*	51	70	*	28	312	1,652
Michigan	2,502	.	*	345	68	*	53	676	3,658
Minnesota	721	.	.	40	29	.	15	476	1,281
Mississippi	1,138	.	11	55	28	*	.	94	1,329
Missouri	1,357	.	26	157	83	.	*	308	1,939
Montana	163	*	.	15	*	*	*	93	279
Nebraska	268	.	.	87	32	*	*	158	552
Nevada	305	.	*	35	23	.	14	95	473
New Hampshire	131	.	.	25	10	.	*	46	218
New Jersey	2,186	22	*	167	121	*	100	382	2,992
New Mexico	728	.	.	67	45	.	*	125	972
New York	4,644	47	24	373	161	18	57	673	5,997
North Carolina	2,597	.	*	193	140	41	40	375	3,392
North Dakota	114	.	.	16	*	.	*	61	197
Ohio	2,722	*	16	358	165	15	67	743	4,088
Oklahoma	947	*	*	91	39	10	10	191	1,290
Oregon	466	.	10	92	31	.	20	180	799
Pennsylvania	3,294	*	14	166	122	*	72	769	4,452
Rhode Island	222	.	.	12	*	.	*	48	298
South Carolina	1,443	*	*	58	75	*	40	199	1,819
South Dakota	201	.	.	16	12	.	*	62	293
Tennessee	1,517	.	*	75	97	.	20	271	1,985
Texas	6,976	10	*	313	275	*	221	983	8,791
Utah	251	.	.	26	*	.	*	195	483
Vermont	90	.	.	12	*	.	*	44	153
Virginia	1,984	.	13	130	72	*	36	312	2,555
Washington	892	*	31	90	19	.	*	329	1,378
West Virginia	419	*	*	36	41	*	20	109	631
Wisconsin	884	.	*	113	49	*	32	557	1,641
Wyoming	69	.	*	12	*	*	*	33	125
American Samoa	16	16
Guam	82	.	.	*	.	.	.	*	89
Puerto Rico	1,009	.	.	129	128	*	*	37	1,313
Saipan	28	28
Virgin Islands	39	.	.	.	*	.	.	.	40
Foreign	11	*	*	16
Unknown	*	.	*	.	*	.	.	*	11
All	72,052	123	440	5,630	3,263	187	1,753	14,925	98,373

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.12 (continued)
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

1997 NON-DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	2,705	.	14	255	139	*	18	1,044	4,180
Alaska	72	*	*	21	*	.	.	73	172
Arizona	1,543	14	18	95	102	.	33	663	2,468
Arkansas	1,201	*	13	119	42	*	12	540	1,930
California	11,258	20	31	1,029	719	20	594	5,491	19,162
Colorado	876	.	12	89	77	*	20	528	1,604
Connecticut	1,287	.	*	179	158	*	33	574	2,240
Delaware	408	.	*	27	38	.	*	170	653
District of Columbia	795	.	*	22	16	*	*	120	966
Florida	7,744	21	162	459	389	*	205	2,840	11,829
Georgia	4,702	*	61	335	217	12	65	1,298	6,693
Hawaii	575	.	*	43	16	.	12	205	854
Idaho	246	.	*	47	24	.	*	187	515
Illinois	5,547	*	63	473	264	*	133	2,324	8,810
Indiana	2,302	.	17	370	151	*	64	960	3,869
Iowa	801	.	19	90	54	.	20	531	1,515
Kansas	857	.	13	169	48	.	*	361	1,457
Kentucky	1,376	.	*	118	83	*	46	833	2,468
Louisiana	3,029	.	13	165	146	*	18	781	4,154
Maine	400	.	.	25	30	.	*	211	673
Maryland	2,878	14	30	252	157	*	43	1,126	4,506
Massachusetts	2,279	*	35	146	135	*	37	1,152	3,792
Michigan	3,891	.	28	571	187	11	62	1,875	6,625
Minnesota	1,383	.	*	74	45	.	32	843	2,382
Mississippi	2,094	.	63	129	61	*	14	500	2,865
Missouri	2,196	*	35	250	166	*	32	1,011	3,693
Montana	206	.	*	23	*	.	*	153	396
Nebraska	420	*	*	159	43	.	15	231	871
Nevada	526	.	*	47	20	.	14	299	912
New Hampshire	257	.	*	43	19	.	*	176	504
New Jersey	3,868	47	51	327	260	28	141	1,405	6,127
New Mexico	511	*	*	74	51	*	*	297	944
New York	8,687	160	109	792	380	37	128	2,826	13,119
North Carolina	4,262	*	27	476	301	54	45	1,226	6,392
North Dakota	160	*	.	17	*	.	*	129	315
Ohio	4,440	*	34	524	266	16	116	2,179	7,576
Oklahoma	1,112	*	*	131	54	*	21	530	1,865
Oregon	793	*	37	120	61	.	27	468	1,507
Pennsylvania	5,895	29	33	353	243	*	144	2,501	9,204
Rhode Island	431	.	.	29	18	.	*	206	689
South Carolina	2,592	*	15	183	176	*	47	836	3,852
South Dakota	226	.	*	23	14	.	*	102	374
Tennessee	2,766	*	31	180	115	*	33	1,124	4,254
Texas	8,237	14	58	466	451	*	272	3,277	12,783
Utah	316	.	*	31	19	*	*	314	690
Vermont	135	.	*	17	18	.	*	92	270
Virginia	3,578	*	39	285	204	*	80	1,279	5,475
Washington	1,411	*	89	136	93	*	13	754	2,505
West Virginia	639	*	*	77	50	*	15	377	1,168
Wisconsin	1,522	.	18	188	121	*	57	1,142	3,051
Wyoming	75	*	*	14	*	.	*	63	165
American Samoa	23	23
Guam	58	.	.	11	.	.	.	11	80
Puerto Rico	1,225	*	10	201	163	*	14	374	1,994
Saipan	18	*	22
Virgin Islands	63	.	.	*	*	.	*	*	75
Foreign	43	.	*	*	.	.	.	27	73
Unknown	41	.	.	*	*	.	11	19	77
All	116,981	362	1,254	10,487	6,629	282	2,763	48,669	187,427

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

* Values for cells with fewer than 10 patients are suppressed.

." Zero values in this cell.

Table D.12 (continued)
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

2001	Center	Center	Home				Uncertain			
All	hemo	self hemo	hemo	CAPD	CCPD	Other PD	dialysis	Transplant	All	
Alabama	5,165	*	18	208	282	*	19	1,558	7,259	
Alaska	176	*	*	44	13	.	*	128	367	
Arizona	4,024	*	18	151	168	.	26	1,251	5,643	
Arkansas	2,032	63	*	209	91	*	21	820	3,246	
California	24,975	24	31	1,241	1,150	19	411	8,610	36,461	
Colorado	2,069	.	14	74	83	*	16	992	3,251	
Connecticut	2,379	.	*	186	234	*	*	876	3,694	
Delaware	747	.	*	16	34	.	*	322	1,125	
District of Columbia	1,317	.	*	16	21	.	*	192	1,553	
Florida	13,872	*	84	416	688	17	117	4,668	19,868	
Georgia	9,389	*	58	358	393	13	58	2,083	12,354	
Hawaii	1,484	.	*	64	42	.	16	321	1,931	
Idaho	522	*	*	103	39	.	*	361	1,035	
Illinois	10,102	*	66	450	446	*	81	3,758	14,909	
Indiana	4,735	.	21	379	249	*	25	1,609	7,021	
Iowa	1,715	*	17	118	69	.	21	967	2,908	
Kansas	1,679	.	18	135	93	*	20	604	2,552	
Kentucky	2,864	.	10	144	144	*	26	1,175	4,370	
Louisiana	5,994	.	*	137	197	*	23	1,237	7,601	
Maine	720	.	*	22	51	.	*	371	1,170	
Maryland	5,130	.	15	258	255	12	32	2,147	7,849	
Massachusetts	3,689	*	17	136	171	19	19	1,756	5,808	
Michigan	8,185	*	14	577	310	*	39	3,115	12,246	
Minnesota	2,518	.	*	72	80	*	17	1,742	4,432	
Mississippi	3,874	*	33	158	203	*	12	794	5,086	
Missouri	4,620	*	35	287	269	*	14	1,612	6,840	
Montana	474	.	10	34	29	.	*	302	855	
Nebraska	1,053	.	*	117	87	*	12	500	1,774	
Nevada	1,151	.	*	72	69	*	30	505	1,830	
New Hampshire	508	.	*	53	29	.	*	265	862	
New Jersey	7,773	12	23	240	369	*	91	2,445	10,959	
New Mexico	1,652	.	*	94	116	.	*	526	2,402	
New York	16,531	180	75	591	556	36	86	4,733	22,788	
North Carolina	8,950	.	25	337	466	119	48	2,120	12,065	
North Dakota	337	.	.	25	*	.	*	262	634	
Ohio	9,523	*	31	578	505	*	114	3,502	14,262	
Oklahoma	2,617	*	*	158	170	12	25	881	3,868	
Oregon	1,674	.	17	119	114	*	27	864	2,817	
Pennsylvania	10,572	*	24	292	368	*	71	4,113	15,453	
Rhode Island	719	.	.	20	21	*	*	334	1,104	
South Carolina	4,975	*	*	154	343	*	54	1,330	6,867	
South Dakota	526	.	*	26	36	.	*	228	818	
Tennessee	5,222	.	26	197	317	*	24	1,726	7,521	
Texas	20,425	*	47	544	951	14	368	5,476	27,827	
Utah	800	.	*	56	21	*	*	681	1,565	
Vermont	341	.	*	*	15	.	*	154	521	
Virginia	6,788	.	50	285	340	10	43	2,099	9,615	
Washington	2,963	*	69	141	126	*	24	1,488	4,829	
West Virginia	1,390	*	*	72	157	*	*	662	2,291	
Wisconsin	3,167	.	20	170	166	*	43	2,097	5,669	
Wyoming	214	.	*	11	20	.	.	127	376	
American Samoa	61	*	.	62	
Guam	209	.	.	13	.	.	*	14	240	
Puerto Rico	2,687	.	*	89	299	*	13	645	3,742	
Saipan	70	*	*	83	
Virgin Islands	120	.	.	*	*	.	.	16	141	
Foreign	42	.	.	*	*	.	*	31	80	
Unknown	27	.	.	*	*	.	*	17	54	
All	237,537	332	980	10,456	11,481	379	2,168	81,220	344,553	

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

* Values for cells with fewer than 10 patients are suppressed.

." Zero values in this cell.

Table D.12 (continued)
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

2001 DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	2,164	.	*	57	77	*	13	298	2,615
Alaska	85	.	*	14	*	.	.	29	137
Arizona	2,181	.	*	56	69	.	11	366	2,689
Arkansas	761	25	*	90	29	.	*	191	1,106
California	11,386	*	*	451	378	12	168	1,898	14,302
Colorado	965	.	*	31	23	*	*	325	1,358
Connecticut	918	.	*	80	81	.	.	169	1,250
Delaware	311	.	.	*	*	.	.	89	409
District of Columbia	426	.	*	*	*	.	.	39	477
Florida	5,305	*	25	135	215	*	38	1,004	6,729
Georgia	3,690	.	15	105	107	*	20	469	4,410
Hawaii	861	.	.	29	24	.	*	64	986
Idaho	234	*	*	37	19	.	.	103	396
Illinois	3,798	.	23	145	155	*	15	920	5,059
Indiana	1,900	.	10	127	87	*	*	373	2,505
Iowa	671	.	*	52	23	.	*	289	1,043
Kansas	736	.	*	55	27	*	*	156	983
Kentucky	1,202	.	*	53	50	*	*	249	1,567
Louisiana	2,378	.	*	39	50	*	*	291	2,764
Maine	309	.	.	*	14	.	*	83	411
Maryland	1,940	.	*	81	76	*	*	518	2,627
Massachusetts	1,390	.	*	43	55	*	*	379	1,881
Michigan	3,458	.	*	237	113	*	12	855	4,682
Minnesota	936	.	.	21	20	*	*	581	1,566
Mississippi	1,463	.	*	58	74	*	*	140	1,747
Missouri	1,891	.	*	114	93	.	*	387	2,496
Montana	228	.	*	18	13	.	*	121	382
Nebraska	451	.	.	49	32	.	*	182	716
Nevada	492	.	*	31	27	*	12	117	681
New Hampshire	170	.	.	19	*	.	.	68	266
New Jersey	3,084	*	*	80	115	*	30	544	3,859
New Mexico	1,012	.	.	47	57	.	*	187	1,309
New York	6,374	51	16	197	177	17	26	951	7,809
North Carolina	3,634	.	*	109	126	50	16	526	4,469
North Dakota	136	.	.	12	*	.	*	86	240
Ohio	4,131	*	*	250	188	*	42	933	5,557
Oklahoma	1,263	.	.	77	76	*	13	225	1,660
Oregon	634	.	*	54	47	*	15	243	1,000
Pennsylvania	4,174	.	*	107	116	*	18	990	5,413
Rhode Island	254	.	.	*	*	*	*	75	347
South Carolina	2,069	.	.	54	117	*	27	279	2,547
South Dakota	269	.	.	11	10	.	*	74	365
Tennessee	2,024	.	*	50	130	*	*	340	2,560
Texas	10,144	*	12	212	355	*	167	1,390	12,284
Utah	384	.	*	25	*	.	.	237	654
Vermont	140	.	*	.	*	.	.	44	192
Virginia	2,745	.	12	104	112	*	11	446	3,432
Washington	1,245	*	17	44	42	*	*	436	1,798
West Virginia	673	*	*	36	80	.	*	156	949
Wisconsin	1,168	.	*	51	53	*	23	664	1,962
Wyoming	99	.	*	*	*	.	.	43	158
American Samoa	36	*	.	37
Guam	125	.	*	*	.	.	*	*	131
Puerto Rico	1,389	.	*	38	141	*	*	80	1,656
Saipan	55	*	*	59
Virgin Islands	56	.	.	*	*	.	.	*	61
Foreign	10	.	.	.	*	.	.	*	15
Unknown	*	*
All	100,027	95	233	3,811	3,939	155	792	19,712	128,764

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.

Table D.12 (continued)
Prevalent ESRD Patients for Selected Years: by Diabetic Status & State/Territory

point prevalent patients on December 31

2001 NON-DIABETIC	Center hemo	Center self hemo	Home hemo	CAPD	CCPD	Other PD	Uncertain dialysis	Transplant	All
Alabama	3,001	*	14	151	205	*	*	1,260	4,644
Alaska	91	*	*	30	*	.	*	99	230
Arizona	1,843	*	12	95	99	.	15	885	2,954
Arkansas	1,271	38	*	119	62	*	12	629	2,140
California	13,589	19	27	790	772	*	243	6,712	22,159
Colorado	1,104	.	*	43	60	*	*	667	1,893
Connecticut	1,461	.	*	106	153	*	*	707	2,444
Delaware	436	.	*	15	26	.	*	233	716
District of Columbia	891	.	*	11	15	.	*	153	1,076
Florida	8,567	*	59	281	473	11	79	3,664	13,139
Georgia	5,699	*	43	253	286	*	38	1,614	7,944
Hawaii	623	.	*	35	18	.	*	257	945
Idaho	288	.	*	66	20	.	*	258	639
Illinois	6,304	*	43	305	291	*	66	2,838	9,850
Indiana	2,835	.	11	252	162	*	18	1,236	4,516
Iowa	1,044	*	12	66	46	.	18	678	1,865
Kansas	943	.	15	80	66	*	16	448	1,569
Kentucky	1,662	.	*	91	94	*	20	926	2,803
Louisiana	3,616	.	*	98	147	*	19	946	4,837
Maine	411	.	*	18	37	.	*	288	759
Maryland	3,190	.	11	177	179	10	26	1,629	5,222
Massachusetts	2,299	*	12	93	116	11	18	1,377	3,927
Michigan	4,727	*	*	340	197	*	27	2,260	7,564
Minnesota	1,582	.	*	51	60	.	10	1,161	2,866
Mississippi	2,411	*	29	100	129	*	*	654	3,339
Missouri	2,729	*	27	173	176	*	11	1,225	4,344
Montana	246	.	*	16	16	.	*	181	473
Nebraska	602	.	*	68	55	*	10	318	1,058
Nevada	659	.	*	41	42	.	18	388	1,149
New Hampshire	338	.	*	34	20	.	*	197	596
New Jersey	4,689	10	22	160	254	*	61	1,901	7,100
New Mexico	640	.	*	47	59	.	*	339	1,093
New York	10,157	129	59	394	379	19	60	3,782	14,979
North Carolina	5,316	.	17	228	340	69	32	1,594	7,596
North Dakota	201	.	.	13	*	.	.	176	394
Ohio	5,392	*	24	328	317	*	72	2,569	8,705
Oklahoma	1,354	*	*	81	94	*	12	656	2,208
Oregon	1,040	.	11	65	67	*	12	621	1,817
Pennsylvania	6,398	*	20	185	252	*	53	3,123	10,040
Rhode Island	465	.	.	14	13	.	*	259	757
South Carolina	2,906	*	*	100	226	.	27	1,051	4,320
South Dakota	257	.	*	15	26	.	.	154	453
Tennessee	3,198	.	25	147	187	*	15	1,386	4,961
Texas	10,281	*	35	332	596	11	201	4,086	15,543
Utah	416	.	*	31	14	*	*	444	911
Vermont	201	.	*	*	*	.	*	110	329
Virginia	4,043	.	38	181	228	*	32	1,653	6,183
Washington	1,718	*	52	97	84	*	18	1,052	3,031
West Virginia	717	.	*	36	77	*	*	506	1,342
Wisconsin	1,999	.	18	119	113	*	20	1,433	3,707
Wyoming	115	.	*	*	12	.	.	84	218
American Samoa	25	25
Guam	84	.	.	10	.	.	*	13	109
Puerto Rico	1,298	.	*	51	158	*	*	565	2,086
Saipan	15	*	*	24
Virgin Islands	64	.	.	*	*	.	.	13	80
Foreign	32	.	.	*	.	.	*	27	65
Unknown	27	.	.	*	*	.	*	16	53
All	137,510	237	747	6,645	7,542	224	1,376	61,508	215,789

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 * Values for cells with fewer than 10 patients are suppressed.
 "." Zero values in this cell.