

Table of Contents

Section A: Incidence of Reported ESRD

- A.1 Incident counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis
- A.2 Incident rates of reported ESRD
per million population, by age, gender, race, ethnicity, & primary diagnosis
- A.4 Incident counts of reported ESRD patients, 2002-2004
by age & primary diagnosis
- A.8 Incident counts of reported ESRD patients, by diabetic status & state/territory
- A.9 Incident rates of reported ESRD, by diabetic status & state, adjusted
per million population
- A.10 Incident counts of reported ESRD patients, by diabetic status & ESRD network
- A.11 Incident rates of reported ESRD, by diabetic status & ESRD network, adjusted
per million population

Table A.1
Incident counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	40	63	91	95	98	123	122	113	120	125	110	138	122
5-9	86	79	99	82	95	91	110	100	82	101	125	102	92
10-14	161	164	200	180	213	192	188	187	186	167	193	208	194
15-19	396	428	405	390	379	389	405	430	426	456	433	390	438
20-29	1,402	1,546	1,730	1,677	1,811	1,877	1,944	1,924	2,039	2,184	2,205	2,240	2,297
30-39	2,063	2,323	2,562	2,629	2,820	3,012	3,374	3,402	3,720	4,027	4,200	4,374	4,661
40-49	2,313	2,589	2,689	2,999	3,138	3,406	3,688	4,124	4,439	5,074	5,474	6,132	6,540
50-59	3,560	4,131	4,413	4,537	4,768	5,096	5,366	5,739	6,428	6,918	7,429	7,990	8,784
60-64	2,009	2,296	2,565	2,991	3,275	3,671	3,784	4,222	4,589	4,952	5,405	5,974	6,198
65-69	2,138	2,213	2,543	3,272	3,443	3,852	4,379	5,005	5,525	6,398	7,094	7,876	8,465
70-79	2,472	2,670	3,315	4,618	4,835	5,667	6,489	7,319	8,159	9,619	10,703	12,529	13,982
80+	425	471	638	1,007	1,073	1,361	1,638	1,910	2,257	2,857	3,303	3,831	4,475
Unknown	.	*	*	*	*	12	*	*	*	*	*	.	*
0-19	683	734	795	747	785	795	825	830	814	849	861	838	846
20-44	4,525	5,096	5,552	5,702	6,088	6,482	7,052	7,324	7,895	8,599	9,124	9,608	10,057
45-64	6,822	7,789	8,407	9,131	9,724	10,580	11,104	12,087	13,320	14,556	15,589	17,102	18,423
65-74	3,701	3,912	4,652	6,104	6,323	7,263	8,146	9,291	10,213	11,824	13,255	15,065	16,495
75+	1,334	1,442	1,844	2,793	3,028	3,617	4,360	4,943	5,728	7,050	7,845	9,171	10,427
Unknown	.	*	*	*	*	12	*	*	*	*	*	.	*
Male	9,554	10,562	11,763	13,520	14,379	15,671	17,310	18,791	20,541	23,309	25,292	27,821	29,964
Female	7,511	8,412	9,490	10,961	11,574	13,078	14,182	15,689	17,431	19,576	21,385	23,963	26,285
Unknown	.	.	.	*	*
White	11,999	13,322	14,959	16,862	17,900	19,857	21,827	23,653	25,805	29,123	31,716	34,981	37,808
Black	4,594	5,149	5,801	6,995	7,353	8,063	8,694	9,750	10,860	12,436	13,374	15,016	16,398
Native American	95	124	152	228	237	255	317	369	440	484	514	556	659
Asian	95	146	285	321	410	516	587	653	777	816	1,054	1,212	1,353
Other/unknown	282	233	56	76	54	58	67	55	90	26	19	19	31
†Hispanic													
†Non-Hispanic													
Diabetes	2,533	3,845	5,038	5,881	7,108	8,233	9,557	10,817	12,195	14,736	16,822	19,309	21,305
Hypertension	2,977	4,299	5,548	6,064	6,809	7,808	8,514	9,802	11,162	13,066	14,394	16,009	17,831
Glomerulonephritis	2,625	3,426	4,027	4,241	4,564	4,788	5,016	5,438	5,727	6,069	6,417	6,629	6,801
Cystic kidney	733	898	1,029	1,068	1,097	1,171	1,272	1,305	1,334	1,330	1,479	1,540	1,620
Other urologic	440	641	816	925	915	1,134	1,156	1,259	1,259	1,300	1,189	1,388	1,431
Other cause	1,653	2,056	2,614	2,881	3,083	3,322	3,402	3,409	3,620	4,203	4,305	4,692	5,060
Unknown cause	1,483	1,527	1,264	1,273	1,317	1,386	1,610	1,757	1,794	1,556	1,645	1,838	1,898
Missing disease	4,621	2,282	917	2,149	1,061	907	965	693	881	625	426	379	303
U.S.	16,790	18,689	20,920	24,131	25,557	28,327	31,057	34,017	37,449	42,280	46,053	51,103	55,451
U.S territories	*	14	18	16	13	23	23	29	40	45	54	57	83
Puerto Rico	230	236	285	295	361	363	383	408	461	532	543	607	698
Foreign	*	12	*	13	12	18	13	11	*	14	19	13	14
Unknown	29	23	22	27	11	18	16	15	12	14	*	*	*
All	17,065	18,974	21,253	24,482	25,954	28,749	31,492	34,480	37,972	42,885	46,677	51,784	56,249

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
The age of the incident patient is determined as of the date of ESRD initiation.
†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.
*Values for cells with ten or fewer patients are suppressed.
"." Zero values in this cell.

Table A.1
Incident counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	127	101	119	124	109	92	90	119	108	121	110	129
5-9	96	123	97	95	79	84	91	89	89	118	84	92
10-14	198	207	204	203	189	177	175	195	176	222	204	206
15-19	428	405	430	425	349	381	392	366	388	379	411	397
20-29	2,278	2,202	2,103	2,105	1,961	1,986	1,872	1,929	1,966	1,808	1,799	1,796
30-39	4,610	4,738	4,569	4,547	4,271	4,261	4,341	4,210	4,241	4,321	4,189	4,159
40-49	6,824	7,030	7,371	7,736	7,473	8,037	8,021	8,228	8,259	8,569	8,840	8,770
50-59	9,136	10,146	10,076	10,492	11,188	12,010	12,764	13,153	13,850	14,430	14,893	15,052
60-64	6,451	6,676	6,904	7,201	7,393	7,775	7,911	8,214	8,490	8,666	9,111	9,179
65-69	8,782	9,387	9,362	10,198	10,596	10,843	10,900	11,023	11,266	11,509	11,759	11,569
70-79	14,771	16,343	16,854	19,017	20,456	21,520	22,830	23,194	23,485	24,572	24,387	24,000
80+	4,883	5,544	6,008	7,123	8,255	9,120	10,246	10,999	11,539	13,249	13,618	14,020
Unknown	*	*	*	.	*	*	.	*
0-19	849	836	850	847	726	734	748	769	761	840	809	824
20-44	10,005	10,037	9,998	10,094	9,513	9,724	9,604	9,644	9,726	9,682	9,646	9,563
45-64	19,294	20,755	21,025	21,987	22,773	24,345	25,305	26,090	27,080	28,112	29,186	29,393
65-74	17,275	18,722	18,892	20,845	21,736	22,337	22,738	23,015	23,415	23,995	23,907	23,620
75+	11,161	12,552	13,332	15,493	17,571	19,146	21,238	22,201	22,875	25,335	25,857	25,969
Unknown	*	*	*	.	*	*	.	*
Male	31,459	33,434	34,038	37,255	38,692	40,849	42,877	43,918	45,333	48,018	48,778	49,586
Female	27,126	29,471	30,062	32,011	33,628	35,437	36,754	37,801	38,524	39,947	40,619	39,770
Unknown	*	.	.	.	*	14
White	39,061	41,874	42,082	45,808	48,030	50,276	53,139	54,841	56,039	58,688	59,606	60,033
Black	17,214	18,374	18,784	19,842	20,688	22,107	22,283	22,569	23,385	24,555	24,919	24,114
Native American	662	715	754	779	808	904	928	961	959	973	942	998
Asian	1,602	1,818	1,866	2,066	2,082	2,343	2,599	2,578	2,712	2,923	2,935	2,978
Other/unknown	46	124	614	771	712	656	684	770	762	826	1,003	1,247
†Hispanic				7,507	7,589	8,048	8,756	10,225	9,430	9,997	10,629	10,501
†Non-Hispanic				61,759	64,731	68,238	70,877	71,494	74,427	77,968	78,776	78,869
Diabetes	22,652	25,024	27,130	30,277	32,162	34,277	35,919	37,377	38,412	39,763	40,305	40,110
Hypertension	18,388	19,745	17,650	18,667	19,935	20,974	22,065	22,385	23,201	24,669	25,490	24,910
Glomerulonephritis	6,958	7,402	7,344	7,676	7,392	7,420	7,368	7,123	7,040	7,285	7,000	6,893
Cystic kidney	1,662	1,690	1,731	1,617	1,647	1,721	1,780	1,757	1,825	1,869	1,901	1,848
Other urologic	1,238	1,283	1,825	2,071	2,075	2,086	2,393	2,295	2,374	2,529	2,428	2,418
Other cause	5,293	5,548	6,018	6,214	6,330	6,746	6,922	7,298	7,435	8,115	8,246	8,497
Unknown cause	1,950	1,987	2,208	2,562	2,627	2,855	2,934	3,210	3,391	3,424	3,480	3,327
Missing disease	444	226	194	182	152	207	252	274	179	311	555	1,367
U.S.	57,838	62,043	63,215	68,300	71,328	75,227	78,512	80,610	82,677	86,721	88,087	88,095
U.S territories	58	64	79	94	109	119	115	122	121	144	141	138
Puerto Rico	677	775	792	858	868	917	985	964	1,038	1,077	1,154	1,124
Foreign	*	22	14	14	15	23	21	23	20	22	21	11
Unknown	*	*	*	*	*	*
All	58,585	62,905	64,100	69,266	72,320	76,286	79,633	81,719	83,857	87,965	89,405	89,370

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
The age of the incident patient is determined as of the date of ESRD initiation.
†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.
*Values for cells with ten or fewer patients are suppressed.
"." Zero values in this cell.

Table A.1 (continued)
Incident counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	39	63	91	94	97	121	118	111	118	125	108	136	121
5-9	84	78	98	80	94	91	110	99	82	100	125	99	91
10-14	158	159	197	179	207	187	187	185	182	166	191	202	192
15-19	394	420	399	388	376	383	403	423	421	452	429	381	435
20-29	1,365	1,519	1,706	1,652	1,775	1,847	1,916	1,902	2,008	2,160	2,172	2,206	2,265
30-39	2,007	2,266	2,524	2,585	2,771	2,973	3,332	3,347	3,670	3,966	4,154	4,334	4,612
40-49	2,245	2,520	2,619	2,943	3,084	3,346	3,618	4,054	4,342	4,994	5,379	6,023	6,436
50-59	3,446	4,032	4,305	4,452	4,678	4,997	5,262	5,634	6,305	6,791	7,285	7,837	8,593
60-64	1,929	2,231	2,513	2,924	3,220	3,597	3,724	4,149	4,519	4,858	5,314	5,887	6,104
65-69	2,074	2,142	2,507	3,218	3,385	3,794	4,304	4,927	5,454	6,321	7,018	7,781	8,327
70-79	2,373	2,582	3,277	4,552	4,757	5,587	6,399	7,237	8,033	9,501	10,592	12,401	13,809
80+	413	460	628	986	1,053	1,339	1,617	1,889	2,224	2,816	3,266	3,799	4,440
0-19	675	720	785	741	774	782	818	818	803	843	853	818	839
20-44	4,398	4,982	5,461	5,605	5,981	6,378	6,951	7,219	7,768	8,478	8,997	9,487	9,931
45-64	6,594	7,586	8,206	8,951	9,547	10,382	10,901	11,867	13,076	14,291	15,307	16,800	18,079
65-74	3,572	3,782	4,593	6,007	6,225	7,158	8,011	9,163	10,076	11,690	13,115	14,886	16,247
75+	1,288	1,402	1,819	2,749	2,970	3,562	4,309	4,890	5,635	6,948	7,761	9,095	10,329
Male	9,247	10,265	11,527	13,267	14,093	15,383	16,990	18,465	20,196	22,909	24,895	27,409	29,513
Female	7,280	8,207	9,337	10,786	11,404	12,879	14,000	15,492	17,162	19,341	21,138	23,677	25,912
White	11,785	13,099	14,700	16,565	17,575	19,510	21,480	23,283	25,380	28,631	31,216	34,416	37,179
Black	4,552	5,108	5,736	6,950	7,284	7,991	8,623	9,665	10,792	12,354	13,291	14,943	16,294
Native American	95	123	151	228	235	254	316	368	439	484	511	555	658
Asian	95	142	277	310	403	507	571	641	747	781	1,015	1,172	1,294
†Hispanic													
†Non-Hispanic													
Diabetes	2,437	3,730	4,935	5,761	6,956	8,071	9,361	10,590	11,947	14,428	16,520	18,947	20,856
Hypertension	2,921	4,211	5,491	6,010	6,744	7,710	8,433	9,713	11,061	12,967	14,279	15,897	17,683
Glomerulonephritis	2,570	3,342	3,943	4,148	4,462	4,701	4,932	5,347	5,615	5,955	6,296	6,520	6,702
Cystic kidney	722	891	1,023	1,059	1,087	1,157	1,257	1,288	1,321	1,320	1,455	1,526	1,601
Other urologic	429	622	790	901	885	1,112	1,136	1,239	1,229	1,268	1,166	1,370	1,401
Other cause	1,629	2,033	2,589	2,854	3,062	3,286	3,366	3,381	3,580	4,164	4,282	4,645	5,011
Unknown cause	1,415	1,482	1,238	1,242	1,291	1,363	1,584	1,727	1,766	1,536	1,618	1,810	1,876
Missing disease	4,404	2,161	855	2,078	1,010	862	921	672	839	612	417	371	295
All	16,527	18,472	20,864	24,053	25,497	28,262	30,990	33,957	37,358	42,250	46,033	51,086	55,425
Patients dropped	538	502	389	429	457	487	502	523	614	635	644	698	824

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
The age of the incident patient is determined as of the date of ESRD initiation.
†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.
*Values for cells with ten or fewer patients are suppressed.
"." Zero values in this cell.

Table A.1 (continued)
Incident counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	126	100	117	119	105	91	88	116	104	111	107	120
5-9	93	122	97	93	79	83	88	89	87	115	81	84
10-14	198	201	199	201	186	174	171	191	171	215	198	185
15-19	420	398	420	415	345	371	387	349	378	358	398	376
20-29	2,252	2,158	2,066	2,054	1,921	1,941	1,837	1,870	1,906	1,739	1,737	1,710
30-39	4,568	4,671	4,481	4,463	4,199	4,170	4,229	4,127	4,121	4,209	4,040	3,987
40-49	6,734	6,904	7,202	7,526	7,305	7,866	7,853	8,034	8,090	8,367	8,604	8,463
50-59	8,965	9,924	9,796	10,207	10,862	11,680	12,415	12,800	13,478	14,054	14,442	14,578
60-64	6,343	6,560	6,744	7,006	7,206	7,571	7,716	7,995	8,264	8,436	8,838	8,876
65-69	8,662	9,262	9,145	9,995	10,361	10,618	10,662	10,782	11,011	11,260	11,469	11,297
70-79	14,604	16,177	16,613	18,713	20,132	21,195	22,507	22,835	23,118	24,173	23,967	23,599
80+	4,835	5,471	5,932	7,036	8,151	9,042	10,108	10,875	11,416	13,094	13,430	13,833
0-19	837	821	833	828	715	719	734	745	740	799	784	765
20-44	9,896	9,878	9,799	9,882	9,346	9,513	9,397	9,417	9,477	9,421	9,339	9,177
45-64	18,966	20,339	20,490	21,374	22,147	23,715	24,653	25,409	26,382	27,384	28,322	28,437
65-74	17,060	18,497	18,540	20,472	21,326	21,917	22,317	22,568	22,964	23,518	23,385	23,147
75+	11,041	12,413	13,150	15,272	17,318	18,938	20,960	21,924	22,581	25,009	25,481	25,582
Male	30,999	32,860	33,282	36,423	37,861	39,968	41,963	42,917	44,286	46,885	47,539	48,228
Female	26,801	29,088	29,530	31,405	32,991	34,834	36,098	37,146	37,858	39,246	39,772	38,880
White	38,463	41,179	41,544	45,301	47,436	49,646	52,454	54,137	55,289	57,912	58,739	59,236
Black	17,122	18,282	18,701	19,751	20,601	21,993	22,166	22,479	23,267	24,421	24,795	23,989
Native American	659	713	754	779	808	904	927	961	959	973	942	996
Asian	1,556	1,774	1,813	1,997	2,007	2,259	2,514	2,486	2,629	2,825	2,835	2,887
†Hispanic				6,275	6,321	6,802	7,402	8,822	7,968	8,458	8,932	8,827
†Non-Hispanic				61,553	64,531	68,000	70,659	71,241	74,176	77,673	78,379	78,281
Diabetes	22,252	24,515	26,409	29,413	31,286	33,392	34,941	36,380	37,341	38,648	39,066	38,858
Hypertension	18,224	19,553	17,397	18,450	19,679	20,717	21,832	22,128	22,947	24,398	25,122	24,542
Glomerulonephritis	6,864	7,282	7,209	7,527	7,240	7,269	7,222	6,969	6,877	7,113	6,823	6,687
Cystic kidney	1,640	1,662	1,708	1,588	1,622	1,697	1,761	1,725	1,795	1,833	1,861	1,807
Other urologic	1,225	1,273	1,794	2,043	2,041	2,054	2,349	2,255	2,342	2,485	2,399	2,380
Other cause	5,237	5,473	5,939	6,120	6,247	6,664	6,826	7,182	7,333	7,982	8,124	8,349
Unknown cause	1,928	1,969	2,166	2,512	2,586	2,811	2,890	3,156	3,347	3,384	3,423	3,263
Missing disease	430	221	190	175	151	198	240	268	162	288	493	1,222
All	57,800	61,948	62,812	67,828	70,852	74,802	78,061	80,063	82,144	86,131	87,311	87,108
Patients dropped	785	957	1,288	1,438	1,468	1,484	1,572	1,656	1,713	1,834	2,094	2,262

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.
The age of the incident patient is determined as of the date of ESRD initiation.
†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.
*Values for cells with ten or fewer patients are suppressed.
"." Zero values in this cell.

Table A.2

Incident rates of reported ESRD*per million population, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	2	4	5	5	5	7	7	6	6	7	6	7	6
5-9	5	5	6	5	6	5	6	6	5	6	7	5	5
10-14	9	9	11	10	12	11	11	11	11	10	11	11	11
15-19	19	20	20	20	20	20	21	23	23	25	24	22	25
20-29	33	36	40	39	41	43	45	45	49	53	54	55	57
30-39	63	68	74	73	76	79	85	85	91	96	99	101	106
40-49	99	110	112	121	123	130	138	145	149	164	170	183	188
50-59	148	174	188	197	210	226	240	259	290	312	333	354	379
60-64	190	215	238	274	298	330	343	385	419	454	500	555	583
65-69	235	241	278	353	367	406	451	506	555	635	696	775	833
70-79	203	216	268	363	372	429	483	537	586	682	747	853	927
80+	79	86	113	173	179	221	260	294	338	415	467	525	594
0-19	9	10	11	10	11	11	12	12	11	12	12	11	11
20-44	52	57	61	62	64	67	72	74	79	86	90	93	97
45-64	148	171	185	201	214	233	244	265	288	312	331	358	372
65-74	228	238	284	366	374	425	467	526	572	654	724	814	879
75+	128	136	171	251	264	308	363	401	451	542	590	673	745
Male	84	92	102	117	123	133	145	157	170	190	205	222	236
Female	62	70	78	90	94	105	114	125	137	153	165	183	197
White	60	67	74	83	88	97	106	114	123	138	149	163	174
Black	170	188	209	249	258	280	298	330	363	410	434	478	510
Native American	66	83	98	143	142	148	177	199	228	242	248	261	299
Asian	25	34	60	63	77	90	96	101	111	109	134	147	154
†Hispanic													
†Non-Hispanic													
Diabetes	11	16	21	25	30	34	39	44	49	58	66	75	81
Hypertension	13	18	24	26	29	32	35	40	45	53	57	63	69
Glomerulonephritis	11	15	17	18	19	20	21	22	23	24	25	26	26
Cystic kidney	3	4	4	5	5	5	5	5	5	5	6	6	6
Other urologic	2	3	3	4	4	5	5	5	5	5	5	5	5
Other cause	7	9	11	12	13	14	14	14	15	17	17	18	20
Unknown cause	6	6	5	5	5	6	7	7	7	6	6	7	7
Missing disease	19	9	4	9	4	4	4	3	3	2	2	1	1
All	73	81	90	103	108	119	129	140	153	171	184	202	216

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race & ethnicity are adjusted for gender & age.

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Table A.2

Incident rates of reported ESRD*per million population, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	5	6	6	5	5	5	6	5	6	5	6
5-9	6	5	5	4	4	4	4	4	6	4	4
10-14	11	10	10	9	9	8	9	8	10	9	9
15-19	22	23	22	18	19	19	17	19	18	19	18
20-29	56	54	54	51	51	48	49	49	44	44	42
30-39	104	100	100	95	95	97	96	96	99	96	96
40-49	189	190	191	183	192	188	188	186	189	192	187
50-59	407	391	398	396	407	414	409	413	416	415	405
60-64	646	665	693	707	726	722	736	744	734	730	705
65-69	925	917	1003	1052	1097	1117	1133	1155	1175	1177	1135
70-79	1052	1065	1187	1264	1315	1388	1402	1424	1497	1492	1483
80+	688	724	836	946	1025	1119	1173	1194	1329	1325	1328
0-19	11	11	11	9	9	9	9	9	10	10	9
20-44	96	95	96	90	92	90	90	91	90	89	87
45-64	396	388	393	394	407	408	407	410	411	413	402
65-74	984	983	1088	1141	1180	1212	1229	1253	1287	1275	1254
75+	854	882	997	1102	1180	1280	1312	1328	1445	1448	1435
Male	256	256	276	284	296	307	310	316	331	332	334
Female	216	217	228	237	248	254	258	261	268	269	261
White	189	189	204	211	219	229	235	238	247	249	249
Black	550	553	574	588	618	613	612	625	648	650	621
Native American	302	309	307	308	332	327	321	316	317	303	316
Asian	193	189	199	192	208	222	209	213	221	215	212
†Hispanic			213.0	204.6	210.1	218.1	247.5	215.0	219.8	223.9	213.6
†Non-Hispanic			256.5	266.9	279.3	288.3	289.0	299.1	311.4	312.4	310.2
Diabetes	93	99	109	115	121	125	129	131	134	134	132
Hypertension	74	65	68	72	75	78	78	80	85	86	84
Glomerulonephritis	28	27	28	27	26	26	25	24	25	23	23
Cystic kidney	6	6	6	6	6	6	6	6	6	6	6
Other urologic	5	7	8	7	7	8	8	8	9	8	8
Other cause	21	22	23	23	24	24	25	26	28	28	28
Unknown cause	7	8	9	9	10	10	11	12	12	12	11
Missing disease	1	1	1	1	1	1	1	1	1	2	4
All	235	236	252	260	271	280	284	288	299	300	297

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race & ethnicity are adjusted for gender & age.

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Table A.2 (continued)

Incident rates of reported ESRD*per million population, by age, gender, race, ethnicity, & primary diagnosis*

ADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	2	4	5	5	5	7	6	6	6	7	6	7	6
5-9	5	5	6	5	6	5	6	6	5	5	7	5	5
10-14	8	9	11	10	12	11	11	11	11	10	11	11	11
15-19	18	20	20	20	19	20	21	22	22	24	23	22	24
20-29	34	37	41	39	42	43	45	45	48	52	53	54	56
30-39	67	73	78	78	80	83	89	88	95	100	102	104	108
40-49	105	117	120	132	135	142	150	160	165	183	187	203	207
50-59	162	192	209	219	233	251	265	287	322	343	369	392	421
60-64	212	238	266	315	338	378	385	434	470	512	559	617	651
65-69	258	265	311	395	415	460	513	579	627	713	794	879	937
70-79	221	239	301	421	432	490	559	612	678	792	867	986	1069
80+	92	102	141	216	230	287	323	361	423	513	582	667	738
0-19	9	9	11	10	11	11	11	11	11	12	12	11	12
20-44	59	65	68	69	72	74	79	81	85	91	94	97	100
45-64	164	188	205	226	240	261	272	298	326	354	378	410	434
65-74	249	264	319	416	427	485	535	603	652	746	832	929	999
75+	129	140	186	279	295	348	403	440	508	610	677	776	851
Male	99	109	121	140	147	159	173	186	202	226	242	263	278
Female	65	73	82	93	97	108	116	126	138	152	164	181	194
White	63	70	77	86	90	99	107	115	124	138	149	161	172
Black	233	258	284	344	352	384	408	450	495	559	592	658	703
Native American	104	129	155	234	228	239	286	324	369	405	415	435	498
Asian	27	43	82	91	113	136	139	146	167	163	209	229	237
†Hispanic													
†Non-Hispanic													
Diabetes	12	18	24	28	33	38	43	48	53	63	72	81	88
Hypertension	15	21	27	30	32	37	39	45	50	57	62	68	74
Glomerulonephritis	12	16	18	20	21	22	22	24	25	26	27	27	28
Cystic kidney	4	4	5	5	5	6	6	6	6	6	7	7	7
Other urologic	2	3	4	4	4	5	5	5	5	5	5	6	6
Other cause	7	9	12	13	14	14	15	14	15	18	18	19	20
Unknown cause	7	7	6	6	6	6	7	8	8	7	7	8	8
Missing disease	22	11	4	10	5	4	4	3	4	3	2	2	1
All	81	90	100	114	120	131	142	153	166	185	199	217	231

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race & ethnicity are adjusted for gender & age.

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Table A.2 (continued)

Incident rates of reported ESRD*per million population, by age, gender, race, ethnicity, & primary diagnosis*

ADJUSTED	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	6	5	6	6	5	5	5	6	5	6	5	6
5-9	5	6	5	5	4	4	4	4	4	6	4	4
10-14	11	10	10	10	9	8	8	9	8	10	9	9
15-19	23	22	22	21	17	18	19	17	18	17	19	17
20-29	56	55	53	53	49	49	46	47	48	43	43	41
30-39	105	106	101	100	95	95	97	95	95	98	95	95
40-49	209	207	205	204	194	203	197	196	193	196	198	192
50-59	424	454	437	444	445	458	463	455	460	458	454	440
60-64	683	709	731	755	772	793	786	793	809	798	796	768
65-69	977	1034	1016	1109	1160	1201	1220	1233	1251	1270	1275	1226
70-79	1116	1226	1241	1367	1452	1519	1585	1585	1605	1692	1676	1646
80+	779	858	900	1047	1157	1272	1381	1432	1439	1590	1584	1570
0-19	11	11	11	11	9	9	9	9	9	10	9	9
20-44	98	97	95	95	89	90	88	88	88	87	86	85
45-64	445	467	462	471	473	489	489	485	491	488	486	470
65-74	1047	1120	1117	1226	1285	1323	1345	1355	1378	1420	1402	1373
75+	891	987	1021	1162	1270	1379	1487	1519	1528	1665	1663	1638
Male	286	300	299	322	329	343	354	355	360	375	373	372
Female	198	211	210	219	226	234	239	241	242	246	246	236
White	175	185	184	198	204	211	220	224	226	234	234	232
Black	723	761	762	792	815	852	841	838	850	875	869	822
Native American	493	491	519	502	521	559	550	527	487	485	449	458
Asian	267	298	294	310	291	315	332	306	302	312	294	283
†Hispanic				412	402	420	439	497	418	424	423	398
†Non-Hispanic				252	260	270	277	276	284	293	292	288
Diabetes	92	100	106	116	120	126	130	132	134	136	134	131
Hypertension	75	79	69	72	75	78	81	80	82	85	86	83
Glomerulonephritis	28	29	28	29	27	27	27	25	24	25	23	23
Cystic kidney	7	7	7	6	6	6	7	6	6	6	6	6
Other urologic	5	5	7	8	8	8	9	8	8	9	8	8
Other cause	21	21	23	23	23	25	25	26	26	28	28	28
Unknown cause	8	8	9	10	10	11	11	11	12	12	12	11
Missing disease	2	1	1	1	1	1	1	1	1	1	2	4
All	237	250	249	264	271	281	288	290	293	302	300	294

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race & ethnicity are adjusted for gender & age.

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Table A.4
Incident counts of reported ESRD patients, 2002-2004
by age & primary diagnosis

	Male					Female					All				
	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All
0-4	163	48	*	*	217	102	15	*	*	121	265	63	*	*	338
5-9	113	41	.	*	155	103	21	.	*	125	216	62	.	*	280
10-14	210	84	*	11	309	195	76	*	*	289	405	160	14	19	598
15-19	404	199	*	28	635	292	173	*	24	497	696	372	12	52	1,132
20-29	1,561	1,039	43	145	2,788	1,158	1,076	40	124	2,398	2,719	2,115	83	269	5,186
30-39	3,784	3,107	89	250	7,230	2,502	2,210	86	208	5,006	6,286	5,317	175	458	12,236
40-49	8,573	6,240	221	384	15,418	5,168	4,319	188	341	10,016	13,741	10,559	409	725	25,434
50-59	15,090	8,464	359	798	24,711	10,653	6,813	328	569	18,363	25,743	15,277	687	1,367	43,074
60-64	9,642	3,930	178	483	14,233	7,327	4,075	188	327	11,917	16,969	8,005	366	810	26,150
65-69	12,797	4,244	193	613	17,847	10,250	5,166	266	497	16,179	23,047	9,410	459	1,110	34,026
70-79	30,015	6,444	218	1,177	37,854	23,579	8,771	329	1,206	33,885	53,594	15,215	547	2,383	71,739
80+	18,054	2,465	64	672	21,255	14,152	4,185	91	674	19,102	32,206	6,650	155	1,346	40,357
0-19	890	372	*	44	1,316	692	285	20	35	1,032	1,582	657	30	79	2,348
20-44	8,903	6,802	230	534	16,469	5,669	5,087	209	503	11,468	14,572	11,889	439	1,037	27,937
45-64	29,747	15,978	660	1,526	47,911	21,139	13,406	621	1,066	36,232	50,886	29,384	1,281	2,592	84,143
65-74	27,399	7,850	318	1,191	36,758	21,708	9,985	463	1,136	33,292	49,107	17,835	781	2,327	70,050
75+	33,467	5,303	157	1,271	40,198	26,273	8,137	223	1,241	35,874	59,740	13,440	380	2,512	76,072
Diabetes	42,812	14,734	964	2,214	60,724	34,891	17,878	1,178	1,901	55,848	77,703	32,612	2,142	4,115	116,572
Hypertension	26,893	13,427	138	1,232	41,690	19,155	12,071	121	1,025	32,372	46,048	25,498	259	2,257	74,062
Glomerulonephritis	8,992	2,869	122	562	12,545	5,458	2,041	80	499	8,078	14,450	4,910	202	1,061	20,623
Other cause	21,709	5,275	151	558	27,693	15,977	4,910	157	556	21,600	37,686	10,185	308	1,114	49,293
All	100,406	36,305	1,375	4,566	142,652	75,481	36,900	1,536	3,981	117,898	175,887	73,205	2,911	8,547	260,550

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.8

Incident counts of reported ESRD patients, by diabetic status & state/territory: all patients

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	326	364	393	515	492	532	563	662	769	904	880	990	1108
Alaska	*	*	12	17	12	14	33	24	29	41	30	43	40
Arizona	236	262	288	360	368	418	501	569	569	661	709	773	972
Arkansas	136	151	165	224	243	254	279	351	369	379	401	501	519
California	1808	2177	2322	2775	2872	3172	3611	3829	4225	4715	5242	5673	5795
Colorado	168	183	182	181	219	254	303	306	337	404	396	443	491
Connecticut	218	226	279	366	348	477	450	468	476	545	583	671	658
Delaware	45	56	79	59	64	91	91	104	123	132	133	175	186
District of Columbia	112	122	166	155	150	186	149	176	172	259	241	286	295
Florida	1091	1158	1258	1421	1599	1721	1979	2216	2367	2707	2891	3255	3636
Georgia	475	625	617	759	783	798	925	1058	1155	1326	1391	1674	1851
Hawaii	83	98	97	109	124	173	172	203	205	220	267	264	287
Idaho	47	41	56	58	66	80	87	86	97	131	137	131	120
Illinois	784	927	1053	1196	1242	1445	1545	1657	1710	1892	2191	2615	2626
Indiana	329	400	442	547	529	577	590	699	802	837	938	1042	1158
Iowa	170	180	198	236	219	257	307	273	316	367	422	431	509
Kansas	124	138	194	180	206	219	245	267	292	361	388	402	425
Kentucky	225	245	261	274	317	365	395	444	463	526	602	707	768
Louisiana	318	397	414	460	539	589	669	748	865	980	1009	1142	1286
Maine	39	80	62	72	107	92	104	117	117	104	140	138	149
Maryland	306	379	419	451	528	574	563	722	738	930	1022	1151	1227
Massachusetts	385	336	467	571	565	571	616	647	735	805	886	984	1114
Michigan	685	744	790	857	1001	1027	1140	1213	1391	1625	1676	1820	2027
Minnesota	241	267	291	300	360	407	435	514	497	537	591	638	689
Mississippi	206	193	239	331	321	346	375	400	469	546	597	629	731
Missouri	319	344	425	457	533	587	645	739	785	852	979	1060	1149
Montana	30	59	36	66	71	63	64	76	75	110	114	136	117
Nebraska	88	112	98	104	113	139	145	168	192	216	217	247	283
Nevada	76	67	73	95	98	123	152	154	167	172	193	230	239
New Hampshire	52	72	62	69	70	86	84	97	111	128	121	138	149
New Jersey	722	685	800	948	888	1085	1132	1252	1323	1542	1653	1857	1996
New Mexico	104	93	115	134	140	163	166	185	239	238	257	319	326
New York	1389	1505	1643	1843	1948	2049	2319	2404	2640	2898	3249	3447	3847
North Carolina	491	498	584	682	692	871	906	1011	1093	1283	1364	1599	1776
North Dakota	25	36	37	39	45	49	69	60	70	99	97	92	124
Ohio	697	789	924	1015	1097	1209	1316	1409	1647	1774	1987	2145	2326
Oklahoma	193	212	228	243	283	283	342	377	462	482	567	539	643
Oregon	123	144	176	213	208	245	294	301	350	388	402	489	469
Pennsylvania	911	980	1104	1275	1447	1659	1743	1779	1974	2186	2532	2616	2832
Rhode Island	74	75	70	101	119	120	97	111	130	161	174	202	198
South Carolina	266	323	354	417	442	537	552	600	685	786	870	942	1018
South Dakota	35	54	49	49	68	64	58	88	89	86	84	99	109
Tennessee	323	337	406	522	457	553	576	717	719	988	994	1099	1189
Texas	1,049	1,241	1,460	1,667	1,659	1,868	2,107	2,292	2,645	2,984	3,295	3,623	4,102
Utah	87	105	82	91	139	117	128	141	176	176	183	185	192
Vermont	36	27	35	37	35	42	36	45	52	58	66	80	59
Virginia	494	507	579	715	718	739	799	910	1,006	1,070	1,164	1,413	1,550
Washington	235	231	274	322	360	382	448	468	510	626	658	723	743
West Virginia	114	117	151	183	214	195	232	241	290	268	291	355	371
Wisconsin	276	293	383	349	415	420	497	600	687	729	748	846	937
Wyoming	14	27	28	21	24	40	23	39	44	46	31	44	40
American Samoa	.	*	*	*	*	*	*	*	*	13	*	*	13
Guam	*	*	*	*	*	*	11	*	16	15	25	29	37
Puerto Rico	230	236	285	295	361	363	383	408	461	532	543	607	698
Saipan	*	*	*	*	*	*
Virgin Islands	*	*	11	*	*	13	*	16	13	12	18	16	24
Foreign	*	12	*	13	12	18	13	11	*	14	19	13	14
Unknown	29	23	22	27	11	18	16	15	12	14	*	*	*
All	17,065	18,974	21,253	24,482	25,954	28,749	31,492	34,480	37,972	42,885	46,677	51,784	56,249

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.8

Incident counts of reported ESRD patients, by diabetic status & state/territory: all patients

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	1117	1204	1276	1389	1522	1484	1553	1609	1653	1683	1705	1694
Alaska	37	68	52	61	74	62	65	71	84	71	96	109
Arizona	995	1006	1054	1124	1215	1321	1367	1424	1472	1560	1609	1693
Arkansas	564	668	690	676	782	717	770	796	803	881	856	896
California	6148	6840	6741	7183	7466	8094	8507	8772	8842	9542	9544	9467
Colorado	490	490	485	562	558	657	658	665	669	724	701	792
Connecticut	666	785	780	843	810	834	863	855	819	862	839	859
Delaware	176	194	216	212	197	206	241	247	241	264	306	285
District of Columbia	318	284	314	307	295	288	312	339	326	339	349	332
Florida	3652	3942	3986	4507	4691	4680	5004	5230	5374	5605	5701	5727
Georgia	1842	2040	2139	2285	2295	2446	2711	2863	2942	3018	3031	2899
Hawaii	311	378	358	363	389	411	434	458	413	454	433	520
Idaho	142	168	176	205	210	206	242	244	263	250	260	261
Illinois	2922	3025	3119	3224	3259	3443	3642	3569	3683	3999	3880	3728
Indiana	1232	1247	1317	1448	1461	1702	1635	1717	1736	1845	1852	1814
Iowa	513	535	500	559	557	594	680	645	688	727	719	695
Kansas	414	458	457	527	594	586	609	626	583	647	659	633
Kentucky	789	807	828	896	943	1033	1109	1115	1143	1148	1210	1277
Louisiana	1278	1403	1459	1470	1659	1785	1885	1755	1925	2053	2050	2006
Maine	160	179	213	200	243	251	237	272	277	287	295	312
Maryland	1317	1367	1505	1595	1648	1755	1739	1805	1906	1951	1942	1938
Massachusetts	1198	1238	1207	1329	1354	1353	1317	1406	1327	1412	1438	1462
Michigan	2158	2138	2215	2499	2456	2616	2687	2805	2945	3143	3125	3198
Minnesota	704	737	697	769	792	868	846	938	1001	1028	1011	1095
Mississippi	778	865	851	942	1028	1045	1114	1051	1144	1233	1227	1207
Missouri	1223	1302	1335	1422	1491	1625	1629	1673	1724	1641	1803	1745
Montana	136	128	149	146	134	143	174	153	200	166	180	175
Nebraska	283	294	311	338	377	399	423	451	486	460	453	474
Nevada	280	341	328	338	373	396	509	467	546	552	652	640
New Hampshire	152	172	174	165	181	195	218	234	208	231	244	260
New Jersey	2127	2235	2364	2354	2534	2705	2832	2739	2856	2915	2969	2901
New Mexico	345	343	404	426	446	425	504	491	505	499	544	556
New York	4172	4210	4353	4696	4872	5080	5177	5387	5524	5684	5653	5764
North Carolina	1912	2070	2017	2279	2457	2623	2594	2812	2898	2914	3034	2987
North Dakota	119	140	114	128	129	131	129	152	174	177	160	170
Ohio	2402	2701	2742	3110	3114	3366	3535	3782	3696	3876	4016	3876
Oklahoma	688	712	739	781	882	942	942	987	1008	1037	1149	1110
Oregon	528	536	527	538	568	588	620	638	686	771	808	764
Pennsylvania	2764	3151	3160	3549	3634	3648	3769	3937	3876	4139	3948	4049
Rhode Island	221	244	218	249	251	254	280	292	280	297	301	268
South Carolina	1052	1249	1163	1298	1353	1493	1529	1470	1565	1528	1720	1793
South Dakota	126	131	167	181	188	189	188	221	194	237	234	209
Tennessee	1181	1349	1410	1442	1589	1657	1799	1744	1696	1846	1898	1867
Texas	4,163	4,378	4,530	4,994	5,241	5,591	5,960	6,182	6,476	6,752	7,103	7,098
Utah	243	235	243	244	245	317	318	297	360	351	330	327
Vermont	74	79	93	103	101	104	123	115	99	123	127	113
Virginia	1,569	1,652	1,717	1,850	2,072	2,110	2,145	1,998	2,165	2,379	2,375	2,415
Washington	796	859	823	878	892	932	1,045	1,126	1,112	1,260	1,288	1,229
West Virginia	401	430	468	507	564	611	608	651	678	639	674	723
Wisconsin	911	992	965	1,045	1,079	1,196	1,162	1,256	1,325	1,447	1,500	1,599
Wyoming	49	44	66	64	63	70	73	78	81	74	86	84
American Samoa	*	*	*	11	*	*	19	19	15	13	18	20
Guam	30	30	35	45	51	55	52	57	62	72	66	52
Puerto Rico	677	775	792	858	868	917	985	964	1,038	1,077	1,154	1,124
Saipan	*	*	12	13	17	21	14	18	*	17	17	20
Virgin Islands	15	18	26	25	33	35	30	28	34	42	40	46
Foreign	*	22	14	14	15	23	21	23	20	22	21	11
Unknown	*	*	*	*	*	*
All	58,585	62,905	64,100	69,266	72,320	76,286	79,633	81,719	83,857	87,965	89,405	89,370

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.8 (continued)

Incident counts of reported ESRD patients, by diabetic status & state/territory: diabetic patients

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	26	41	62	87	99	118	141	180	184	261	283	330	387
Alaska	*	*	*	*	*	*	11	*	*	20	*	12	14
Arizona	50	73	93	117	138	156	210	258	243	313	315	380	470
Arkansas	*	22	30	51	58	65	77	112	101	121	121	181	170
California	201	450	573	697	788	1004	1167	1230	1362	1788	1964	2259	2315
Colorado	38	37	45	65	73	91	126	125	144	174	172	200	207
Connecticut	28	59	63	92	111	148	135	144	137	176	199	233	231
Delaware	*	12	16	*	16	24	30	28	46	55	48	63	57
District of Columbia	*	25	37	33	44	67	50	50	46	66	81	83	111
Florida	121	199	256	286	357	413	550	605	635	750	872	987	1134
Georgia	52	124	154	146	189	219	260	333	317	416	469	538	647
Hawaii	22	35	31	33	28	58	75	104	98	104	141	140	148
Idaho	*	*	16	21	18	16	28	35	36	50	49	40	59
Illinois	137	186	244	282	325	437	454	498	509	599	736	898	874
Indiana	43	81	78	131	130	148	156	220	244	252	337	390	444
Iowa	27	47	53	67	66	84	104	66	102	128	133	141	192
Kansas	22	32	53	51	66	64	56	76	97	105	131	160	145
Kentucky	37	46	47	77	102	92	109	145	137	173	208	264	270
Louisiana	30	60	77	71	131	128	183	202	266	325	331	438	492
Maine	*	*	15	15	21	22	26	40	34	32	40	42	52
Maryland	36	75	93	112	136	180	158	208	207	304	370	417	473
Massachusetts	60	83	95	103	115	119	150	151	178	246	290	333	389
Michigan	158	199	196	229	261	307	381	367	472	573	668	727	817
Minnesota	66	77	91	115	144	132	161	191	175	216	225	246	252
Mississippi	23	33	44	51	77	79	97	103	142	163	206	239	264
Missouri	18	69	117	101	133	172	173	211	233	277	320	370	425
Montana	*	12	*	14	24	21	17	26	33	50	54	61	61
Nebraska	16	33	27	34	31	38	46	56	65	81	79	98	114
Nevada	16	15	18	16	18	26	36	53	49	64	73	87	82
New Hampshire	*	*	11	15	16	20	21	28	34	41	41	45	43
New Jersey	102	143	184	225	224	299	327	346	421	462	607	663	644
New Mexico	20	30	40	60	59	54	78	90	123	116	112	183	185
New York	194	289	375	437	525	539	689	746	859	910	1,084	1,209	1,333
North Carolina	67	77	126	145	172	231	234	307	317	397	480	579	635
North Dakota	*	*	*	16	18	12	23	24	30	50	42	36	63
Ohio	142	198	254	271	330	380	431	493	572	645	731	816	950
Oklahoma	24	38	59	77	83	93	121	135	200	183	243	246	312
Oregon	19	26	55	54	49	68	85	99	115	130	139	158	170
Pennsylvania	169	188	251	298	421	438	510	547	630	714	889	961	1,079
Rhode Island	*	12	13	15	19	23	19	34	46	44	58	54	65
South Carolina	41	51	75	87	125	164	154	187	201	250	289	346	368
South Dakota	*	20	*	17	28	27	24	35	42	29	29	51	55
Tennessee	34	45	76	94	113	132	135	193	204	303	312	357	431
Texas	153	259	389	404	531	609	677	772	970	1,266	1,423	1,554	1,753
Utah	31	32	28	36	56	53	63	64	79	61	85	85	82
Vermont	*	*	14	*	*	15	*	15	*	23	21	31	14
Virginia	59	71	122	164	177	169	220	242	302	332	366	461	535
Washington	42	39	61	71	99	133	119	128	186	218	233	278	304
West Virginia	18	22	32	52	55	53	81	77	89	92	109	128	154
Wisconsin	65	75	119	112	141	129	175	213	228	266	295	339	380
Wyoming	*	*	*	*	*	17	*	14	15	21	12	14	*
American Samoa	.	*	*	.	.	*	*	.	*	*	*	*	*
Guam	*	.	*	*	*	*	*	*	*	*	11	16	24
Puerto Rico	39	50	83	100	136	127	162	191	201	274	266	325	399
Saipan	*	*	*	*	*	*
Virgin Islands	.	*	*	*	*	*	*	*	*	*	*	*	*
Foreign	.	.	*	.	*	*	*	*	.	*	*	*	*
Unknown	*	*	*	*	*	*	11	*	*	*	*	*	*
All	2,533	3,845	5,038	5,881	7,108	8,233	9,557	10,817	12,195	14,736	16,822	19,309	21,305

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.8 (continued)

Incident counts of reported ESRD patients, by diabetic status & state/territory: diabetic patients

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	413	458	495	557	661	628	710	715	769	733	760	771
Alaska	19	20	30	30	40	29	36	30	43	34	41	52
Arizona	498	480	543	546	644	681	707	747	760	809	813	862
Arkansas	194	221	268	285	305	289	322	337	342	384	379	383
California	2451	2852	2987	3240	3606	3843	4054	4333	4231	4560	4564	4547
Colorado	237	208	230	284	259	324	319	336	326	353	338	369
Connecticut	242	302	308	333	360	344	381	387	332	360	388	346
Delaware	65	66	75	75	80	81	101	113	95	112	134	118
District of Columbia	104	99	119	131	124	120	117	129	136	132	138	110
Florida	1188	1350	1428	1669	1844	1797	2029	2163	2282	2303	2403	2414
Georgia	649	746	873	995	979	1049	1174	1260	1255	1349	1342	1281
Hawaii	182	219	211	221	229	243	247	280	259	270	255	307
Idaho	55	74	70	82	96	100	107	110	100	107	95	115
Illinois	972	1099	1209	1307	1284	1360	1556	1482	1543	1628	1544	1456
Indiana	442	508	571	634	624	766	719	729	750	791	822	766
Iowa	202	215	214	240	229	239	278	262	285	302	283	290
Kansas	163	189	177	222	239	280	283	306	267	296	276	279
Kentucky	318	316	342	400	423	467	502	506	534	530	556	558
Louisiana	448	526	568	655	726	807	837	757	874	901	889	871
Maine	65	56	73	71	96	92	100	118	117	121	130	132
Maryland	498	521	579	681	706	744	732	723	815	860	751	717
Massachusetts	410	482	470	544	521	545	511	544	592	559	561	524
Michigan	844	884	946	1139	1122	1232	1210	1283	1385	1409	1367	1424
Minnesota	276	285	283	301	314	337	302	371	362	399	369	408
Mississippi	281	338	360	428	429	474	505	451	501	551	532	470
Missouri	476	491	547	632	684	721	709	752	737	729	796	757
Montana	52	58	79	64	61	72	80	75	109	83	96	88
Nebraska	117	116	153	150	164	172	196	194	219	193	196	226
Nevada	96	118	152	126	176	184	235	220	269	276	326	297
New Hampshire	50	51	67	59	71	78	82	88	75	89	100	111
New Jersey	766	836	966	1,016	1,051	1,203	1,222	1,163	1,187	1,250	1,231	1,204
New Mexico	208	185	235	262	258	253	308	308	313	285	307	348
New York	1,518	1,538	1,718	1,967	2,020	2,093	2,179	2,296	2,433	2,453	2,389	2,388
North Carolina	742	841	837	997	1,091	1,217	1,152	1,276	1,292	1,253	1,377	1,394
North Dakota	50	59	50	46	56	61	37	60	71	84	69	77
Ohio	979	1,159	1,216	1,415	1,454	1,621	1,681	1,801	1,784	1,786	1,805	1,767
Oklahoma	317	324	367	373	426	509	492	503	495	525	538	532
Oregon	191	197	215	206	237	217	264	270	285	283	309	310
Pennsylvania	1,035	1,233	1,322	1,458	1,501	1,555	1,609	1,728	1,728	1,778	1,709	1,737
Rhode Island	71	78	78	97	103	98	114	93	107	109	100	95
South Carolina	388	468	471	569	564	706	675	679	723	702	801	826
South Dakota	62	55	86	82	85	90	105	92	87	107	113	90
Tennessee	435	493	569	590	652	660	733	769	747	769	873	822
Texas	1,917	2,019	2,244	2,551	2,774	2,933	3,080	3,340	3,421	3,680	3,834	3,826
Utah	107	109	137	120	116	148	153	152	180	157	172	163
Vermont	30	39	46	44	48	47	57	45	40	52	48	42
Virginia	589	665	672	756	898	929	922	911	1,007	1,068	1,016	1,083
Washington	312	334	336	372	397	406	459	501	473	504	552	519
West Virginia	149	176	207	228	261	272	303	355	349	328	340	346
Wisconsin	365	379	409	428	467	496	490	498	519	544	579	656
Wyoming	24	22	39	29	34	29	33	40	34	36	43	37
American Samoa	*	*	*	*	*	*	*	18	12	*	13	16
Guam	16	16	23	32	34	34	38	32	41	44	45	37
Puerto Rico	357	422	423	502	503	557	626	611	683	690	756	702
Saipan	*	*	*	*	13	16	*	14	*	12	13	14
Virgin Islands	*	*	17	16	17	18	17	17	18	18	22	24
Foreign	*	11	*	*	*	*	11	*	*	13	*	*
Unknown	*	*
All	22,652	25,024	27,130	30,277	32,162	34,277	35,919	37,377	38,412	39,763	40,305	40,110

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.8 (continued)

Incident counts of reported ESRD patients, by diabetic status & state/territory: non-diabetic patients

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	300	323	331	428	393	414	422	482	585	643	597	660	721
Alaska	*	*	*	14	*	11	22	16	21	21	20	31	26
Arizona	186	189	195	243	230	262	291	311	326	348	394	393	502
Arkansas	128	129	135	173	185	189	202	239	268	258	280	320	349
California	1607	1727	1749	2078	2084	2168	2444	2599	2863	2927	3278	3414	3480
Colorado	130	146	137	116	146	163	177	181	193	230	224	243	284
Connecticut	190	167	216	274	237	329	315	324	339	369	384	438	427
Delaware	38	44	63	50	48	67	61	76	77	77	85	112	129
District of Columbia	103	97	129	122	106	119	99	126	126	193	160	203	184
Florida	970	959	1002	1135	1242	1308	1429	1611	1732	1957	2019	2268	2502
Georgia	423	501	463	613	594	579	665	725	838	910	922	1136	1204
Hawaii	61	63	66	76	96	115	97	99	107	116	126	124	139
Idaho	38	32	40	37	48	64	59	51	61	81	88	91	61
Illinois	647	741	809	914	917	1008	1091	1159	1201	1293	1455	1717	1752
Indiana	286	319	364	416	399	429	434	479	558	585	601	652	714
Iowa	143	133	145	169	153	173	203	207	214	239	289	290	317
Kansas	102	106	141	129	140	155	189	191	195	256	257	242	280
Kentucky	188	199	214	197	215	273	286	299	326	353	394	443	498
Louisiana	288	337	337	389	408	461	486	546	599	655	678	704	794
Maine	32	70	47	57	86	70	78	77	83	72	100	96	97
Maryland	270	304	326	339	392	394	405	514	531	626	652	734	754
Massachusetts	325	253	372	468	450	452	466	496	557	559	596	651	725
Michigan	527	545	594	628	740	720	759	846	919	1052	1008	1093	1210
Minnesota	175	190	200	185	216	275	274	323	322	321	366	392	437
Mississippi	183	160	195	280	244	267	278	297	327	383	391	390	467
Missouri	301	275	308	356	400	415	472	528	552	575	659	690	724
Montana	25	47	30	52	47	42	47	50	42	60	60	75	56
Nebraska	72	79	71	70	82	101	99	112	127	135	138	149	169
Nevada	60	52	55	79	80	97	116	101	118	108	120	143	157
New Hampshire	46	62	51	54	54	66	63	69	77	87	80	93	106
New Jersey	620	542	616	723	664	786	805	906	902	1,080	1,046	1,194	1,352
New Mexico	84	63	75	74	81	109	88	95	116	122	145	136	141
New York	1,195	1,216	1,268	1,406	1,423	1,510	1,630	1,658	1,781	1,988	2,165	2,238	2,514
North Carolina	424	421	458	537	520	640	672	704	776	886	884	1,020	1,141
North Dakota	18	30	29	23	27	37	46	36	40	49	55	56	61
Ohio	555	591	670	744	767	829	885	916	1,075	1,129	1,256	1,329	1,376
Oklahoma	169	174	169	166	200	190	221	242	262	299	324	293	331
Oregon	104	118	121	159	159	177	209	202	235	258	263	331	299
Pennsylvania	742	792	853	977	1,026	1,221	1,233	1,232	1,344	1,472	1,643	1,655	1,753
Rhode Island	65	63	57	86	100	97	78	77	84	117	116	148	133
South Carolina	225	272	279	330	317	373	398	413	484	536	581	596	650
South Dakota	26	34	39	32	40	37	34	53	47	57	55	48	54
Tennessee	289	292	330	428	344	421	441	524	515	685	682	742	758
Texas	896	982	1,071	1,263	1,128	1,259	1,430	1,520	1,675	1,718	1,872	2,069	2,349
Utah	56	73	54	55	83	64	65	77	97	115	98	100	110
Vermont	30	20	21	33	25	27	26	30	42	35	45	49	45
Virginia	435	436	457	551	541	570	579	668	704	738	798	952	1,015
Washington	193	192	213	251	261	249	329	340	324	408	425	445	439
West Virginia	96	95	119	131	159	142	151	164	201	176	182	227	217
Wisconsin	211	218	264	237	274	291	322	387	459	463	453	507	557
Wyoming	13	20	18	16	17	23	13	25	29	25	19	30	31
American Samoa	.	*	*	*	*	*	*	*	*	*	*	*	*
Guam	*	*	*	*	*	.	*	*	*	*	14	13	13
Puerto Rico	191	186	202	195	225	236	221	217	260	258	277	282	299
Saipan	*	*	*	.	*	*
Virgin Islands	*	*	*	*	*	12	*	14	*	*	17	12	19
Foreign	*	12	*	13	11	16	*	*	*	*	15	*	*
Unknown	28	20	16	18	*	12	*	*	11	*	*	*	*
All	14,532	15,129	16,215	18,601	18,846	20,516	21,935	23,663	25,777	28,149	29,855	32,475	34,944

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.8 (continued)

Incident counts of reported ESRD patients, by diabetic status & state/territory: non-diabetic patients

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	704	746	781	832	861	856	843	894	884	950	945	923
Alaska	18	48	22	31	34	33	29	41	41	37	55	57
Arizona	497	526	511	578	571	640	660	677	712	751	796	831
Arkansas	370	447	422	391	477	428	448	459	461	497	477	513
California	3697	3988	3754	3943	3860	4251	4453	4439	4611	4982	4980	4920
Colorado	253	282	255	278	299	333	339	329	343	371	363	423
Connecticut	424	483	472	510	450	490	482	468	487	502	451	513
Delaware	111	128	141	137	117	125	140	134	146	152	172	167
District of Columbia	214	185	195	176	171	168	195	210	190	207	211	222
Florida	2464	2592	2558	2838	2847	2883	2975	3067	3092	3302	3298	3313
Georgia	1193	1294	1266	1290	1316	1397	1537	1603	1687	1669	1689	1618
Hawaii	129	159	147	142	160	168	187	178	154	184	178	213
Idaho	87	94	106	123	114	106	135	134	163	143	165	146
Illinois	1950	1926	1910	1917	1975	2083	2086	2087	2140	2371	2336	2272
Indiana	790	739	746	814	837	936	916	988	986	1054	1030	1048
Iowa	311	320	286	319	328	355	402	383	403	425	436	405
Kansas	251	269	280	305	355	306	326	320	316	351	383	354
Kentucky	471	491	486	496	520	566	607	609	609	618	654	719
Louisiana	830	877	891	815	933	978	1048	998	1051	1152	1161	1135
Maine	95	123	140	129	147	159	137	154	160	166	165	180
Maryland	819	846	926	914	942	1011	1007	1082	1091	1091	1191	1221
Massachusetts	788	756	737	785	833	808	806	862	735	853	877	938
Michigan	1314	1254	1269	1360	1334	1384	1477	1522	1560	1734	1758	1774
Minnesota	428	452	414	468	478	531	544	567	639	629	642	687
Mississippi	497	527	491	514	599	571	609	600	643	682	695	737
Missouri	747	811	788	790	807	904	920	921	987	912	1007	988
Montana	84	70	70	82	73	71	94	78	91	83	84	87
Nebraska	166	178	158	188	213	227	227	257	267	267	257	248
Nevada	184	223	176	212	197	212	274	247	277	276	326	343
New Hampshire	102	121	107	106	110	117	136	146	133	142	144	149
New Jersey	1,361	1,399	1,398	1,338	1,483	1,502	1,610	1,576	1,669	1,665	1,738	1,697
New Mexico	137	158	169	164	188	172	196	183	192	214	237	208
New York	2,654	2,672	2,635	2,729	2,852	2,987	2,998	3,091	3,091	3,231	3,264	3,376
North Carolina	1,170	1,229	1,180	1,282	1,366	1,406	1,442	1,536	1,606	1,661	1,657	1,593
North Dakota	69	81	64	82	73	70	92	92	103	93	91	93
Ohio	1,423	1,542	1,526	1,695	1,660	1,745	1,854	1,981	1,912	2,090	2,211	2,109
Oklahoma	371	388	372	408	456	433	450	484	513	512	611	578
Oregon	337	339	312	332	331	371	356	368	401	488	499	454
Pennsylvania	1,729	1,918	1,838	2,091	2,133	2,093	2,160	2,209	2,148	2,361	2,239	2,312
Rhode Island	150	166	140	152	148	156	166	199	173	188	201	173
South Carolina	664	781	692	729	789	787	854	791	842	826	919	967
South Dakota	64	76	81	99	103	99	83	129	107	130	121	119
Tennessee	746	856	841	852	937	997	1,066	975	949	1,077	1,025	1,045
Texas	2,246	2,359	2,286	2,443	2,467	2,658	2,880	2,842	3,055	3,072	3,269	3,272
Utah	136	126	106	124	129	169	165	145	180	194	158	164
Vermont	44	40	47	59	53	57	66	70	59	71	79	71
Virginia	980	987	1,045	1,094	1,174	1,181	1,223	1,087	1,158	1,311	1,359	1,332
Washington	484	525	487	506	495	526	586	625	639	756	736	710
West Virginia	252	254	261	279	303	339	305	296	329	311	334	377
Wisconsin	546	613	556	617	612	700	672	758	806	903	921	943
Wyoming	25	22	27	35	29	41	40	38	47	38	43	47
American Samoa	*	*	*	*	*	*	11	*	*	*	*	*
Guam	14	14	12	13	17	21	14	25	21	28	21	15
Puerto Rico	320	353	369	356	365	360	359	353	355	387	398	422
Saipan	*	*	*	*	*	*	*	*	*	*	*	*
Virgin Islands	*	12	*	*	16	17	13	11	16	24	18	22
Foreign	*	11	*	*	12	18	*	19	11	*	14	*
Unknown	*	*	*	*	*
All	35,933	37,881	36,970	38,989	40,158	42,009	43,714	44,342	45,445	48,202	49,100	49,260

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.9

Incident rates of reported ESRD, by diabetic status & state, adjusted: all patients*per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	75.82	87.47	91.94	111.1	112.2	114.4	122.7	137.8	164.1	188.57	186.71	202.28	220.31
Alaska	43.07	30.55	32.04	54.3	42.71	44.65	95.4	81.657	88.991	125.7	103.36	127.09	126.73
Arizona	104.4	115	123.1	152.5	147.8	168.4	187.6	206.08	206.93	232.76	238.25	253.4	298.64
Arkansas	61.48	69.66	76.55	99.36	105.1	112.4	120.6	150.64	164.13	165.15	173.63	205.04	217.36
California	89.35	103.5	114.4	134.1	137.9	149.9	164.7	172.23	183.43	203.1	221.26	235.99	237.65
Colorado	80.88	88.51	85.84	88.43	97.58	117.3	134	138.85	150.97	180.36	173.72	187.67	202.36
Connecticut	80.42	84.23	100.5	133.6	128.7	161.7	164	164.87	168.36	187.29	195.08	218.67	221.71
Delaware	79.66	95.98	133.5	112	107.7	144	151.6	165.46	187.19	201.69	201.5	245.1	263.99
District of Columbia	78.79	90.25	115.6	116.4	108.2	130.5	107.5	119.94	119	168.49	170.06	194.97	214
Florida	102.1	108.8	115.2	124	133.8	146	156.5	168.33	178.9	196.14	206.12	222.09	241.26
Georgia	80.56	98.51	101.8	118.9	123.6	125.4	138.2	152.33	165.57	185.81	191.09	224.04	245.04
Hawaii	64.69	98.39	124.8	136.4	149.8	201	206.9	231.36	223.62	238.79	260.69	259.74	263.45
Idaho	80.74	65.05	82.2	84.61	99.51	124.9	132.2	130.91	143.61	190.47	201.34	198.11	173.35
Illinois	74.41	85.48	98.65	111.6	116.5	133.9	142.7	152.68	157.95	171.6	194.67	229.46	231.98
Indiana	74	87.44	96.65	119.6	120.8	125.5	129.3	148.7	167.06	178.64	195.44	213.94	236.07
Iowa	80.86	85.14	95.51	114.2	108.1	118.3	145.8	137.61	151.43	171.54	192.24	205.4	237.41
Kansas	67.27	73.62	100.6	100.5	107.3	113.2	127	139.48	151.88	180.01	193.35	204.72	214.97
Kentucky	73.8	81.73	85.63	91.52	103.9	117.1	127.5	142.43	147.02	166.65	188.82	217.59	239.26
Louisiana	74.32	88.72	93.57	105.7	113.9	128.3	142.2	165.15	190.92	210.03	218.05	240.07	268.59
Maine	55.43	86.74	78.68	86.5	118.3	108.4	118.3	131.6	133.84	122.63	142.43	143.48	153.3
Maryland	70.49	82.88	92.47	99.22	110	120.7	115.4	138.24	144.01	170.96	189.3	208.3	220.73
Massachusetts	79.26	75.21	95.04	121.6	120.5	118.4	127.6	133.28	149.36	165.87	174.16	189.82	215.01
Michigan	85.91	94.12	99.05	110.8	125.8	130.4	142.8	149.65	167.72	196.11	201.49	211.13	231.64
Minnesota	85.09	89.94	99.32	106.3	124	139	149.7	171.65	171.4	181.1	192.78	206.41	217.5
Mississippi	66.7	68.77	77.36	99.12	104	105.1	115.6	121.65	143.73	163.52	178.29	187.78	209.85
Missouri	72.21	79.08	96.54	104.9	117.9	129.5	142	161.7	174.29	183.85	203.27	223.97	244
Montana	74.32	95.22	73.22	96.81	120.4	115.1	111.8	126.8	130.62	181.09	193.73	230.42	202.28
Nebraska	78.08	91.7	88.92	91.64	96.15	113.3	124.7	142.48	163.17	179.99	179.91	203.78	233.52
Nevada	109.4	104.2	103.3	133.5	132.9	162.1	189.3	191.08	195.45	194.77	195.66	215.97	216.92
New Hampshire	82.64	102.3	94.82	104	102.4	117.1	118.3	129.95	148.78	172.14	158.66	169.59	186
New Jersey	100.4	99.87	110.7	131.9	124.5	145.3	153.2	164	172.81	199.43	213.23	235.89	251.53
New Mexico	101.6	98.97	111.2	133.6	130.5	155.9	155.4	167.23	208.63	219.63	220.89	263.21	270.38
New York	79.37	86.31	93.88	104.3	109.2	115.6	128.6	134.94	145.1	158.71	174.16	186.77	203.08
North Carolina	74.78	78.44	89.18	102.8	104.8	126	132.4	141.02	151.31	171.87	179.27	206.11	225.93
North Dakota	58.82	72.26	79.48	84.64	95.7	103.9	140.5	134.12	148.68	204.91	210.57	201.61	249.15
Ohio	72.52	81.83	94.05	106.1	114.4	123.5	133	142.19	159.9	176.42	194.23	208.4	222.86
Oklahoma	75.06	84.97	90.12	90.89	102	105.9	120.1	134.35	163.4	177.68	201.12	196.35	217.2
Oregon	71.12	69.48	87.28	101	106.7	125.9	142.6	147.38	164.44	183.53	185.55	220.99	211.06
Pennsylvania	81.03	89.13	98.38	114.2	127.8	144.3	152.3	155.19	165.94	183.6	209.63	219.24	234.27
Rhode Island	93.81	97.19	91.7	125.3	146.3	148.1	126.8	133.06	154.77	190.95	199.75	223.86	228.19
South Carolina	72.82	84.84	94.77	109.2	115.2	136.1	141.1	145.45	162.68	183.45	195.57	212.25	224.6
South Dakota	76.82	97.19	100.4	99.6	129.2	128.2	116	161.38	174.26	168.34	161.07	183.69	198.19
Tennessee	71.73	79.38	92.48	114	106.1	117.6	125.4	146.72	155.28	198.99	207.05	222.9	234.32
Texas	87.61	99.95	113	129	128.7	137.3	156.5	171.29	193.62	213.73	231.99	254.41	276.54
Utah	99.87	115.9	95.56	103.1	139.3	137	135	149.04	182.48	193.43	185.74	186.64	186.79
Vermont	92.96	80.33	92.14	104.9	97.73	109.1	101.3	114.06	135.53	153.51	162.77	188.86	155.31
Virginia	89.67	93.89	104.3	125.6	126.1	128.9	133.6	147.81	161.68	170.61	181.07	212.15	232.82
Washington	81.79	73	84.91	96.15	110.8	120.1	133.1	138.56	146.73	175.23	182.27	198.66	198.73
West Virginia	74.14	76.87	96.81	115.7	133.3	128.2	147.5	155.44	184.89	181.32	187.56	222.68	235.61
Wisconsin	79.32	82.4	104.1	104.6	117.9	120.9	139.1	164.6	189.25	203.64	204.13	222.66	242.07
Wyoming	51.66	76.62	85.26	73.31	72.49	122	84.14	117.78	144.97	159.52	113.47	138.42	134
All	81.59	90.57	101.1	115.6	120.8	132.2	143	154.58	168.15	187.07	200.87	219	233.26

Table A.9

Incident rates of reported ESRD, by diabetic status & state, adjusted: all patients*per million population*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	218.85	235.38	242.11	260.27	279.43	279.7	282.68	288.58	292.49	294.27	290.43	285.44
Alaska	111.07	177.27	147.32	163.44	192.98	174.4	161.4	177.1	196.8	173.95	209.08	237.76
Arizona	300.39	292.57	287.76	291.27	297.97	322.87	315.96	319.29	324.56	329.91	331.82	328.68
Arkansas	225.85	260.4	268.57	267.2	291.75	275.88	282.51	287.41	288.5	306.72	298.8	300.35
California	243.01	265.75	259.79	271.61	277.91	295.45	300.49	305.63	301.86	314.63	309.93	300.95
Colorado	196.7	191.21	181.93	199.05	195.2	222.26	219.56	213.98	208.72	215.78	207.49	217.56
Connecticut	218.24	252.15	253.07	268.15	254.54	255.26	258.02	254.18	240.47	246.85	238.75	236.82
Delaware	245.44	257.98	276	275.03	248.88	249.59	278.06	284.21	272.21	283.29	316.91	296.12
District of Columbia	226.8	212.52	226.86	232.74	220.74	218.63	243.46	268.58	258.75	267.8	280.34	275.32
Florida	240.84	248.4	242.63	261.28	263.76	261.87	267.75	271.58	276.93	280.55	274.07	266.07
Georgia	242.13	255.89	261.18	273.27	268.99	275.94	294.72	306.76	310.78	313.01	300.61	284.27
Hawaii	258.3	295.19	279	274.89	299.82	321.16	308.95	330.78	309.17	313.23	311.16	348.93
Idaho	195.24	218.52	219.51	256.63	252.75	261.85	272.37	273.72	285.21	269.14	261.11	256.58
Illinois	248.23	259.99	261.99	272.73	272.56	282.33	296.33	290.98	294.88	313.84	305	289.15
Indiana	245.9	247.72	251.34	277.86	278.12	309.4	303.13	306.16	309.75	325.42	320.78	306.81
Iowa	240.53	247.5	226.83	254.6	236.5	253.29	282.22	268.08	275.76	292.07	286.08	267.15
Kansas	207.78	221.43	216.66	247.66	261.64	267.28	274.38	274.89	258.32	276.02	279.33	262.89
Kentucky	241.48	243.57	242.26	263.36	270.81	288.57	305.62	302.82	305.85	308.72	313.11	320.2
Louisiana	262.85	278.23	283.52	287.98	311.13	326.98	355.88	337.02	348.19	367.15	367.68	356.97
Maine	160.36	180.86	209.69	204.12	225.25	236.59	220.89	234.82	236.75	246.24	249.13	247.06
Maryland	230.38	235.96	249.37	263.6	266.3	277.33	276.62	279.35	284.79	287.4	279.46	270.68
Massachusetts	228.75	240.18	231.55	246.47	245.78	244.25	233.4	238.9	226.45	236.71	238.37	234.02
Michigan	241.75	241.39	244.73	268.69	266.84	278.67	284.4	291.13	298.52	313.82	308.88	309.84
Minnesota	222.85	224.01	214.23	218.14	222.59	242.42	236.15	248.64	261.25	261.42	255.38	262.18
Mississippi	219.12	245.03	237.65	256.75	276.05	285.27	295.47	281.29	292.14	311.22	306.53	297.53
Missouri	253.85	266.31	268.73	285.2	285.07	306.96	310.65	307.53	313.01	299.43	310.47	301.55
Montana	223.05	206.93	216.76	225.46	199.32	217.97	238.65	218.07	258.66	229.61	226.71	220.93
Nebraska	233.81	238.85	240.65	266.35	273.75	296.77	310.64	320.1	339.44	328.96	311.9	311.18
Nevada	231.88	264.39	247.67	236.17	238	246.05	287.82	266.56	284.74	282.31	308.84	293.28
New Hampshire	185.98	207.42	208.96	197.03	200.05	212.8	229.94	239.11	212.28	226.95	235.56	236.04
New Jersey	262.25	272.55	281.44	283.1	292.68	308.85	321.05	309.41	312.15	317.93	318.12	307.58
New Mexico	272.74	270.93	296.39	306.15	310.33	302.5	322.29	317.33	317.3	309.13	324.46	318
New York	219.14	222.66	220.37	238.07	246.94	254.96	256.57	259.98	264.63	268.93	263.68	262.91
North Carolina	237.97	251.81	241.08	261.71	276.75	290.1	284.74	297.27	304.7	303.46	301.7	295.44
North Dakota	256.09	280.44	244.45	244.03	247.44	254.69	249.53	280.59	320.56	325.72	302.1	302.46
Ohio	227.02	247.62	249.67	281.47	282.82	296.32	310.57	323.85	320.89	329.64	333.73	322.18
Oklahoma	234.82	243.62	245.84	258.63	279.51	302.05	293.76	296.89	304.61	312.77	330.63	323.11
Oregon	230.5	227.67	213.12	220.31	219.44	237.49	231.77	234.61	246.18	266.38	272.45	257.29
Pennsylvania	226.02	249.66	249.69	272.97	278.75	277.53	283.54	293.53	288.15	300.76	289.83	288.01
Rhode Island	244.24	274.11	248.79	268.78	268.67	270.48	283.66	293.12	281.22	293.81	293.96	258.95
South Carolina	228.91	260.31	245.44	262.45	269.49	288.25	292.16	278.74	287.78	282.11	295.31	308.57
South Dakota	227.85	232.82	281.19	299.31	307.92	314.21	308.07	343.87	317.7	354.08	359.43	319.4
Tennessee	229.41	257.17	262.37	263.73	280.32	296.58	311.14	299.52	287.82	301.8	303.75	293.36
Texas	278.59	286.75	282.67	302.85	312.79	330.35	343.14	344.06	353.04	362.87	366.32	359.28
Utah	217.9	216.81	212.6	206.68	201.03	252.18	252.1	232.52	260.73	256.06	236.31	216.92
Vermont	168.99	187.36	212.97	234.68	224.03	224.62	249.12	235.03	199.21	231.64	241.41	209.47
Virginia	232.92	239.21	241.6	257.34	278.13	284.29	285.39	265.44	272.8	293.72	290.53	286.35
Washington	208.59	215.51	199.21	211.31	207.32	220.52	227.77	242.9	238.38	256.63	257.73	243.48
West Virginia	250.11	270.05	286.23	308.28	336.66	363.07	356.23	369.56	387.57	369.66	373.31	393.86
Wisconsin	238.16	246.27	243.21	246.32	251.72	276.87	271.62	282.17	292.66	308.57	319.39	329.48
Wyoming	149.95	141.1	187.37	192.62	180.59	201.48	201.76	202.93	209.62	190.69	205.87	196.41
All	239.43	252.49	251.58	266.46	273.14	283.67	290.79	292.83	295.52	304.25	302.71	296.63

Table A.9 (continued)

Incident rates of reported ESRD, by diabetic status & state, adjusted: diabetic patients*per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	6.3387	9.7218	14.175	19.5437	22.9815	26.6328	31.3238	38.9125	40.998	55.024	60.897	68.628	78.701
Alaska	6.2454	5.0231	6.8974	9.7604	15.3485	10.801	29.9323	27.9422	25.918	57.455	38.901	37.374	40.954
Arizona	23.0008	35.174	43.4044	52.5097	60.4797	65.5232	82.0762	98.3673	94.224	112.182	115.205	129.416	151.233
Arkansas	4.5319	9.4384	13.5181	21.5774	26.0016	28.735	33.321	46.1136	45.049	51.024	51.643	71.011	71.048
California	10.4332	20.1033	27.9111	33.2832	37.7445	45.5313	52.5195	54.8118	58.646	74.923	82.915	93.548	94.743
Colorado	16.7136	19.2786	21.229	29.2252	33.6772	40.5942	54.4204	57.0657	63.432	75.369	76.487	84.039	85.712
Connecticut	11.6954	21.1515	24.3498	33.1819	40.9618	52.8318	51.0485	52.1306	50.204	60.78	69.499	80.032	80.64
Delaware	11.7399	20.7541	28.4288	18.9236	26.1438	39.3322	49.5502	47.5077	69.312	85.773	77.292	91.22	85.771
District of Columbia	8.6681	18.1684	28.6149	26.401	32.5495	47.9435	41.7386	38.1264	35.793	49.035	60.607	63.971	82.453
Florida	12.3847	19.3256	24.4145	26.6354	31.5761	35.6128	44.8088	49.132	50.418	56.66	63.785	69.69	77.076
Georgia	10.3826	20.1163	26.0956	25.0743	30.4588	35.0011	40.6765	49.9658	49.718	61.493	69.409	77.347	89.694
Hawaii	8.2283	16.5242	34.5096	34.6491	29.8973	50.5954	68.1804	87.6967	85.031	93.831	114.368	119.357	114.047
Idaho	11.881	15.4135	24.4369	33.086	30.4839	26.2205	40.7293	53.3951	56.317	72.768	74.545	61.75	78.234
Illinois	12.7363	17.9834	23.2557	27.0575	31.2128	40.5714	43.8237	46.9034	48.229	55.528	66.814	80.417	79.997
Indiana	10.5541	18.1922	18.9419	28.6686	30.9166	33.6435	35.7966	47.5652	54.274	56.381	70.674	82.48	92.086
Iowa	13.4304	22.3509	26.1354	32.1377	33.3589	40.0958	49.7163	36.5519	46.497	59.511	63.24	66.116	84.17
Kansas	11.8285	17.5713	27.5391	28.4951	34.9112	34.7503	31.0271	38.6035	49.16	54.457	65.573	79.672	74.53
Kentucky	12.2076	16.501	16.9051	25.2424	34.4598	32.9986	36.7214	47.5268	47.389	56.355	67.237	83.547	86.982
Louisiana	7.3213	12.7058	16.7602	15.7459	26.0898	27.7922	36.9001	42.0705	54.086	67.738	69.504	86.751	98.934
Maine	8.5574	12.6616	18.2031	19.2645	25.1094	27.2679	31.0353	45.0421	41.861	37.703	44.068	47.001	55.034
Maryland	8.7918	16.0607	20.8489	24.3085	29.1282	37.0906	34.6917	41.1858	42.189	57.764	70.524	78.621	86.839
Massachusetts	12.8119	18.6254	21.314	22.8011	25.3123	25.8048	31.2069	32.5491	37.084	49.718	59.708	68.495	78.338
Michigan	18.7716	25.5208	25.738	28.7431	32.8308	37.7701	45.8076	45.4322	54.817	67.007	77.282	83.76	91.64
Minnesota	21.6393	28.3602	32.4324	40.0091	49.8838	47.6871	54.2422	64.2146	60.981	70.274	74.513	79.614	80.465
Mississippi	7.9402	11.5054	14.8105	17.019	24.6548	26.5195	31.1104	33.4951	43.892	52.232	63.328	73.266	80.492
Missouri	5.9982	14.7463	26.1044	24.8847	29.9342	38.2709	39.7154	46.0772	51.274	59.922	68.395	77.872	87.843
Montana	10.5485	21.0774	13.6512	22.9869	40.3468	38.6795	31.7946	43.2824	56.107	81.858	92.29	102.163	100.954
Nebraska	15.1173	27.1006	25.4626	29.2372	28.4293	32.4751	39.2188	47.6519	55.145	67.228	67.825	79.603	91.304
Nevada	22.0262	24.427	26.1253	23.8734	24.7346	33.116	44.368	62.1551	59.157	68.666	75.086	82.071	75.886
New Hampshire	9.3474	15.105	17.0929	22.1976	24.2682	28.9058	29.2911	37.682	46.027	54.341	55.913	59.792	57.181
New Jersey	14.53	20.8053	26.064	31.553	32.3822	40.0698	44.9364	46.9006	55.196	61.863	77.379	86.264	83.954
New Mexico	22.6214	33.7334	43.2645	61.4355	63.601	57.5428	74.6124	88.0167	114.913	114.91	108.021	157.226	164.667
New York	11.3581	16.9696	21.9033	25.1758	29.7414	31.0773	37.9785	41.6791	46.826	50.735	58.329	65.097	70.739
North Carolina	10.2313	13.0571	19.4253	22.6483	26.6378	34.1701	35.8183	43.571	46.111	55.603	65.716	77.025	83.792
North Dakota	13.8794	15.1313	17.7972	32.9236	39.8703	29.5725	46.4117	53.4943	64.627	103.496	97.369	82.773	125.7
Ohio	14.8969	21.3868	27.255	29.5681	35.1842	40.507	45.5958	51.2839	58.606	66.238	73.537	81.108	91.876
Oklahoma	9.6388	15.1846	22.2956	28.5533	31.7333	34.9096	44.0346	50.4896	71.336	71.418	87.15	91.58	108.192
Oregon	9.485	13.7485	26.523	29.0537	26.6295	33.4284	41.9039	48.8051	55.476	61.495	64.862	71.17	74.524
Pennsylvania	14.5882	18.4356	23.1542	27.5621	37.6179	40.9483	46.2351	49.6231	55.801	63.213	76.149	83.156	91.141
Rhode Island	11.6078	16.3389	17.6971	19.9222	24.6847	29.5647	25.939	40.0771	55.695	56.312	69.218	68.077	76.648
South Carolina	11.2284	14.9891	20.6555	23.9832	33.1811	43.0859	42.4539	47.7377	51.678	62.413	70.625	81.388	86.429
South Dakota	21.3666	40.5721	26.3963	33.4912	54.824	56.7769	50.8384	67.4225	82.398	63.977	57.976	92.086	104.345
Tennessee	7.6273	10.6237	16.7146	21.1792	25.522	29.3619	30.1172	40.1684	44.168	61.685	66.274	72.901	85.07
Texas	13.1898	21.0288	30.2991	32.2618	40.287	46.3616	51.0744	57.6047	70.947	91.581	103.857	111.659	121.789
Utah	34.242	41.0269	35.0567	41.2863	61.2287	62.1421	69.3773	72.536	85.412	71.558	87.367	89.665	83.687
Vermont	15.9299	20.9865	37.5965	17.7411	25.8265	40.6992	31.5189	39.5535	30.609	55.41	57.486	76.714	44.689
Virginia	10.4336	13.647	21.4575	28.9731	32.1133	30.7435	37.3422	41.2084	49.352	55.319	59.384	71.457	81.76
Washington	11.8136	13.4816	18.875	22.7308	30.4864	39.9938	38.0011	38.705	52.152	61.898	65.482	74.942	79.844
West Virginia	11.2789	15.0526	20.5772	32.5932	37.0841	36.1787	50.9636	52.5836	58.497	61.774	70.73	82.21	96.664
Wisconsin	17.4653	22.6797	32.9678	33.657	39.9968	38.2667	47.6933	58.5982	63.288	71.839	79.201	88.826	97.42
Wyoming	6.6802	20.4192	30.7969	19.5914	21.4391	48.8793	37.0221	44.1874	50.117	67.328	47.397	45.779	32.773
All	12.1123	18.4677	24.1478	28.1205	33.257	38.3564	43.7538	48.9028	54.366	64.541	73.128	82.172	88.822

Table A.9 (continued)

Incident rates of reported ESRD, by diabetic status & state, adjusted: diabetic patients*per million population*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	83.08	90.85	96.599	107.154	122.546	119.103	130.042	132.947	138.238	132.376	132.07	132.746
Alaska	52.369	56.926	79.245	83.924	105.593	84.783	86.954	78.234	99.319	85.811	91.552	109.083
Arizona	156.753	146.246	153.662	151.185	163.246	172.098	168.514	170.494	171.939	177.573	173.327	174.497
Arkansas	75.999	85.895	100.811	108.851	112.584	107.472	113.972	118.721	119.504	130.254	128.423	125.816
California	97.732	111	115.661	123.305	133.19	140.444	143.187	150.101	145.993	151.006	149.049	143.518
Colorado	92.579	83.172	85.657	101.302	93.028	107.996	106.727	106.662	102.513	106.559	100.906	104.004
Connecticut	82.44	99.072	103.605	109.596	114.562	110.6	116.527	118.268	102.734	105.336	109.783	100.897
Delaware	90.201	92.218	99.137	99.558	100.983	100.443	116.716	129.706	112.871	120.612	139.053	121.937
District of Columbia	81.855	80.122	90.534	102.405	98.993	94.983	95.806	105.526	111.002	108.084	113.444	99.254
Florida	79.346	86.781	89.533	99.297	105.609	103.039	109.335	114.603	117.974	116.557	116.938	114.952
Georgia	90.258	99.492	111.836	126.118	122.921	125.707	137.367	145.384	142.633	146.316	143.472	134.757
Hawaii	132.055	157.542	149.248	151.126	161.882	167.226	162.593	182.973	180.034	180.928	175.232	189.741
Idaho	76.574	93.668	92.677	100.934	112.812	118.374	119.081	118.592	108.412	109.622	97.284	105.67
Illinois	84.638	95.029	103.057	111.121	108.763	112.414	125.976	122.759	123.096	128.244	121.821	113.272
Indiana	92.215	102.284	113.543	125.014	123.204	143.129	138.213	135.216	136.924	142.657	145.17	134.664
Iowa	91.319	95.968	96.385	103.428	98.562	100.947	112.795	107.85	112.813	118.917	111.494	109.483
Kansas	78.857	89.666	85.731	99.143	106.464	123.77	127.532	133.07	120.191	125.437	118.192	114.892
Kentucky	97.835	99.438	104.515	119.348	125.106	135.351	142.565	141.75	145.725	144.423	146.115	144.205
Louisiana	91.225	101.909	109.352	124.29	135.149	146.743	154.113	142.886	153.823	159.43	155.871	151.651
Maine	67.52	61.807	73.317	74.506	91.908	92.843	94.458	105.308	105.361	106.035	109.216	108.492
Maryland	90.164	93.55	99.346	114.236	117.956	120.914	118.836	114.97	123.013	127.576	112.807	103.272
Massachusetts	82.925	94.65	93.935	103.5	99.793	101.777	94.602	95.858	101.892	97.633	94.17	88.118
Michigan	94.44	98.281	102.978	120.612	120.163	128.06	126.819	130.128	137.94	139.622	133.712	135.531
Minnesota	85.337	87.559	86.653	89.261	90.49	95.558	85.545	94.907	94.454	100.217	92.657	95.267
Mississippi	84.116	98.582	104.54	121.248	122.314	129.633	139.897	129.192	134.154	145.008	140.772	124.653
Missouri	96.944	100.508	108.453	123.408	131.241	137.336	134.524	137.469	134.635	131.027	137.109	131.401
Montana	86.819	89.664	115.962	101.034	90.202	101.133	108.702	102.264	133.511	113.999	117.287	107.882
Nebraska	94.395	93.145	114.962	114.907	119.904	126.837	140.06	138.891	150.939	138.066	132.587	146.047
Nevada	80.016	91.901	110.798	94.119	108.583	115.209	133.678	126.434	141.039	143.321	156.888	142.471
New Hampshire	62.713	64.251	78.761	73.562	80.515	88.445	89.657	91.605	78.742	86.163	94.276	101.222
New Jersey	94.206	103.793	116.154	122.646	123.683	136.333	139.097	131.923	130.592	134.522	131.7	127.276
New Mexico	175.26	158.521	183.558	203.315	196.857	187.932	206.203	209.081	207.034	190.924	193.261	208.26
New York	78.609	80.756	85.098	97.298	100.047	102.292	104.329	107.76	112.673	112.678	108.635	105.77
North Carolina	93.876	105.463	104.004	117.945	126.499	137.304	132.748	140.029	141.012	135.247	140.947	141.741
North Dakota	113.524	122.035	109.768	97.443	109.94	121.871	82.45	106.283	130.96	154.34	133.797	135.998
Ohio	95.151	109.258	115.404	130.984	134.524	146.118	152.057	159.281	158.271	156.083	154.456	149.926
Oklahoma	112.264	113.523	123.798	127.172	136.838	160.951	157.881	156.371	153.628	158.435	158.857	155.152
Oregon	80.801	83.028	88.3	84.638	90.929	85.76	94.485	97.284	100.338	98.744	102.725	100.64
Pennsylvania	88.673	101.116	109.095	118.194	120.371	123.905	126.162	132.551	133.277	134.995	129.321	128.159
Rhode Island	84.367	92.133	91.355	108.8	116.983	113.136	119.587	103.475	110.173	112.396	102.752	94.016
South Carolina	88.739	103.608	104.008	120.451	119.587	139.57	139.149	136.057	140.029	135.489	145.496	149.976
South Dakota	114.653	104.93	146.774	149.28	148.826	156.104	172.528	154.964	142.281	165.107	173.817	142.823
Tennessee	86.479	94.649	106.103	110.928	117.312	118.52	126.878	132.335	127.594	127.394	138.255	131.603
Texas	130.161	135.657	142.186	157.866	168.643	176.556	181.61	188.957	191.592	200.03	201.684	196.526
Utah	99.452	102.655	121.308	111.024	101.597	121.088	124.729	120.139	134.849	122.479	123.337	115.428
Vermont	67.427	91.803	109.009	105.893	108.377	106.904	119.161	98.039	82.5	96.462	92.796	79.28
Virginia	88.225	97.991	98.021	107.018	122.032	127.03	124.903	121.058	127.737	133.478	125.884	128.112
Washington	80.583	83.931	83.67	88.77	92.667	93.756	99.888	106.637	101.579	103.491	109.373	101.644
West Virginia	96.009	108.485	127.245	140.68	155.906	164.973	177.257	200.522	202.47	190.377	188.994	188.336
Wisconsin	94.456	95.228	100.732	104.323	109.771	115.71	112.914	110.925	112.548	116.119	120.144	131.075
Wyoming	66.871	69.842	109.825	93.995	93.941	86.264	89.005	99.868	88.633	89.939	101.599	89.588
All	93.176	101.061	106.977	116.977	121.805	127.752	131.045	133.81	135.042	136.996	135.655	132.325

Table A.9 (continued)

Incident rates of reported ESRD, by diabetic status & state, adjusted: non-diabetic patients*per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	70.459	76.9576	78.254	92.375	88.859	88.573	90.099	99.777	120.59	133.323	126.576	134.111	141.59
Alaska	37.0373	25.3962	26.707	48.22	29.38	35.007	68.618	55.577	68.291	71.322	66.753	93.487	87.507
Arizona	84.0948	82.6439	80.92	101.922	93.461	104.638	109.415	114.675	117.34	120.946	130.078	130.396	151.016
Arkansas	56.5171	58.2053	60.493	73.88	76.827	79.888	83.906	97.662	111.277	109.125	114.422	127.211	137.398
California	79.0063	83.1562	86.423	100.342	99.547	103.607	111.245	116.89	123.912	127.548	137.15	142.387	142.43
Colorado	64.8476	68.8145	62.382	58.012	63.811	74.527	77.497	81.039	84.866	98.227	95.852	101.472	112.389
Connecticut	69.1039	64.3612	76.787	100.439	87.927	110.692	112.961	113.69	118.562	127.193	127.05	140.72	141.689
Delaware	68.3795	76.0027	105.906	94.233	82.785	106.578	103.772	119.026	120.223	119.335	126.692	156.286	177.689
District of Columbia	73.378	75.0375	89.263	94.173	80.578	86.404	71.481	88.04	89.751	127.417	122.274	145.371	142.975
Florida	89.7147	89.7609	90.894	97.347	101.678	108.973	110.079	118.854	128.129	137.756	138.631	149.805	161.453
Georgia	71.4618	79.7712	76.909	95.186	95.056	92.519	98.886	104.923	120.372	128.013	125.682	148.708	159.291
Hawaii	53.4256	74.1699	85.053	96.869	113.07	144.059	120.465	119.773	116.035	124.949	126.291	121.869	127.79
Idaho	65.9533	48.2604	56.925	53.533	70.525	91.792	89.474	73.835	88.637	107.822	116.552	126.344	87.177
Illinois	61.7148	67.874	75.98	85.114	85.872	94.202	100.265	106.346	111.382	117.599	129.405	150.552	154.307
Indiana	63.7336	69.2949	77.879	91.956	90.631	92.412	93.752	102.841	115.839	124.542	126.187	134.763	144.784
Iowa	65.005	60.8083	66.665	81.32	72.297	75.015	91.074	94.752	100.605	109.312	125.505	130.851	139.283
Kansas	53.8567	54.5263	70.926	71.455	70.719	75.973	92.717	96.493	99.519	123.196	125.817	120.272	131.719
Kentucky	61.8376	65.3044	68.949	67.271	70.578	84.676	91.103	96.71	102.349	112.642	122.95	137.509	152.629
Louisiana	66.6522	73.7528	74.445	86.516	85.964	97.374	101.674	117.266	129.741	137.357	140.431	149.298	163.448
Maine	47.1855	74.9145	61.219	67.579	91.782	82.218	86.216	87.272	92.002	84.278	97.86	97.547	97.975
Maryland	62.4756	67.2298	71.521	75.876	82.049	84.592	82.456	99.49	104.2	116.292	123.343	134.645	137.653
Massachusetts	66.7515	57.8508	74.368	98.865	94.136	93.105	95.565	100.857	111.935	115.728	114.798	122.868	136.91
Michigan	65.229	67.0879	73.382	79.1	90.049	90.162	92.967	101.093	108.154	122.857	118.059	123.601	134.443
Minnesota	61.4299	60.5479	67.797	65.994	73.47	88.897	93.483	105.103	105.896	106.808	113.28	122.253	132.101
Mississippi	59.6183	57.0789	63.475	83.163	79.375	80.022	83.615	89.289	97.931	111.916	116.929	116.24	130.148
Missouri	65.1234	62.2046	68.75	79.322	85.679	88.838	100.853	112.534	120.029	121.844	134.199	143.617	148.168
Montana	61.0216	71.3815	57.949	74.076	81.506	70.968	78.114	79.17	75.519	91.296	93.66	118.226	92.328
Nebraska	60.7734	63.1714	61.416	62.039	65.832	77.622	81.884	89.976	104.212	110.704	110.089	117.949	131.056
Nevada	88.3231	80.1489	75.754	109.429	109.24	128.483	144.958	131.116	136.902	123.436	122.311	135.812	141.529
New Hampshire	74.211	88.7276	78.514	82.248	77.275	89.607	88.2	92.741	102.586	117.154	102.908	111.514	127.821
New Jersey	86.409	79.7818	85.364	101.091	93.471	105.778	109.489	118.47	119.224	138.481	136.936	150.923	168.95
New Mexico	82.8233	69.672	71.422	77.149	77.61	104.344	89.216	90.122	106.105	113.703	126.881	123.085	119.968
New York	68.5385	69.8472	72.783	80.068	79.978	85.019	90.964	93.573	98.438	108.267	116.319	121.58	132.329
North Carolina	65.6019	66.0727	70.528	81.116	79.502	93.4	97.456	99.099	108.259	118.68	116.45	130.033	144.44
North Dakota	43.9429	55.4532	61.767	52.422	56.305	72.656	93.249	79.868	81.886	100.208	110.523	115.204	121.164
Ohio	57.6881	61.0466	68.028	77.883	80.579	84.328	88.554	93.269	104.792	113.055	122.475	130.423	132.721
Oklahoma	65.1681	69.021	67.364	62.978	70.338	71.391	77.972	86.17	94.918	108.575	117.887	106.711	112.566
Oregon	59.4636	53.8399	59.673	72.708	80.622	86.367	98.288	93.852	109.933	112.9	111.615	140.254	126.537
Pennsylvania	67.149	71.44	76.114	87.917	91.739	105.185	107.964	107.253	112.394	123.8	137.846	139.739	144.414
Rhode Island	82.6485	81.5981	74.293	105.303	119.473	118.876	99.405	93.485	99.727	133.956	131.091	156.63	151.482
South Carolina	62.8938	71.0099	75.167	86.742	84.419	95.963	100.315	100.683	116.231	125.366	129.586	133.999	142.844
South Dakota	54.7111	59.1266	74.523	67.993	76.714	72.323	67.018	95.089	92.22	105.33	102.699	91.624	95.078
Tennessee	64.6066	67.6824	75.325	92.66	80.016	87.856	93.325	106.422	108.874	136.007	139.693	148.578	148.11
Texas	74.5159	78.601	83.171	97.55	88.381	92.523	105.456	112.765	122.646	124.293	130.292	143.804	157.58
Utah	67.3951	77.2338	59.903	61.839	81.61	74.262	66.709	78.927	97.181	115.45	100.01	97.848	101.264
Vermont	77.668	61.3896	57.053	87.587	71.333	70.846	69.5	75.328	104.392	97.622	105.48	115.071	109.45
Virginia	80.625	80.891	83.164	98.308	95.949	99.742	98.575	109.557	115.435	118.602	125.578	145.461	154.694
Washington	67.7582	57.702	65.044	74.091	81.543	76.027	93.755	96.359	96.426	107.661	110.711	118.631	112.591
West Virginia	62.4675	61.5958	75.881	83.462	96.556	93.463	96.954	103.734	126.862	119.854	115.091	139.079	138.758
Wisconsin	59.8815	57.9653	71.574	69.582	76.187	79.728	88.246	102.687	119.658	125.593	118.326	128.097	138.07
Wyoming	46.2319	56.5452	53.327	53.179	51.617	70.892	46.448	73.783	92.828	85.587	65.33	91.047	97.207
All	69.4798	72.106	76.987	87.448	87.576	93.846	99.204	105.676	113.781	122.526	127.745	136.828	144.435

Table A.9 (continued)

Incident rates of reported ESRD, by diabetic status & state, adjusted: non-diabetic patients*per million population*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	138.597	143.472	145.76	156.26	159.93	162.037	154.973	159.36	157.961	165.901	162.527	156.122
Alaska	61.005	128.456	74.771	84.636	92.102	96.154	83.862	104.161	100.072	92.271	122.62	132.278
Arizona	148.145	150.531	138.599	144.887	140.587	151.743	150.988	151.985	154.442	156.506	164.225	162.583
Arkansas	141.581	165.684	157.209	147.016	167.002	158.066	159.046	159.411	160.41	169.574	163.693	167.895
California	145.491	155.247	144.791	149.199	145.696	155.219	159.364	156.49	156.784	165.768	163.474	158.193
Colorado	99.872	105.734	94.474	96.25	99.863	110.359	110.537	105.043	104.038	107.798	107.103	115.489
Connecticut	136.927	153.259	149.711	158.328	140.623	143.885	142.413	137.808	139.463	141.864	129.03	135.674
Delaware	157.368	168.147	179.502	177.002	149.585	150.166	163.526	156.485	159.264	163.457	179.428	175.543
District of Columbia	158.217	144.614	149.644	145.431	136.663	137.193	159.649	172.073	157.364	171.788	181.593	184.273
Florida	159.191	160.057	151.068	160.133	156.704	156.342	157.164	156.714	157.459	163.044	158.238	152.752
Georgia	156.564	160.392	155.942	156.148	154.922	159.819	168.57	173.415	179.16	177.193	168.797	161.339
Hawaii	109.043	124.777	118.921	115.089	126.343	135.383	139.01	136.775	118.736	129.086	132.003	150.769
Idaho	110.021	119.013	123.216	146.876	129.836	132.15	146.046	143.266	160.508	152.167	154.265	138.234
Illinois	165.334	166.6	161.123	162.974	164.615	170.493	171.091	168.396	171.198	185.241	182.647	174.994
Indiana	154.974	147.828	142.907	156.553	157.429	170.475	169.432	175.912	176.351	184.646	178.944	175.599
Iowa	139.401	143.186	122.035	137.791	129.406	142.265	158.682	150.907	154.117	164.344	168.432	150.229
Kansas	123.07	127.284	125.263	139.996	148.889	137.449	140.814	136.634	133.308	145.549	157.429	143.644
Kentucky	145.076	146.346	142.614	147.645	148.428	157.557	168.079	166.608	164.225	166.282	170.409	180.116
Louisiana	164.24	170.225	167.949	159.236	170.012	176.687	193.154	189.405	192.086	206.622	208.847	202.707
Maine	94.161	117.722	133.332	125.822	131.863	138.553	124.527	131.326	133.985	138.412	137.031	136.398
Maryland	144.319	146.59	154.685	154.779	153.922	162.114	162.472	167.784	165.587	164.454	172.201	170.612
Massachusetts	146.177	144.984	136.548	141.379	145.127	139.821	137.38	143.611	125.879	137.825	142.399	143.934
Michigan	142.362	138.37	135.816	142.924	141.257	144.119	150.555	154.322	155.933	168.533	170.158	170.131
Minnesota	131.769	133.055	123.472	127.58	130.398	144.058	143.628	148.455	161.071	156.377	157.202	160.739
Mississippi	139.351	147.081	135.617	140.657	158.781	159.573	160.835	157.962	164.503	173.601	173.459	178.521
Missouri	150.903	163.305	155.56	155.86	150.543	165.833	172.596	167.554	174.765	165.9	171.465	167.594
Montana	125.944	111.989	99.541	117.485	101.788	107.643	124.906	107.712	112.601	109.902	102.885	103.158
Nebraska	131.564	139.225	119.225	140.078	146.184	160.652	161.547	172.516	179.995	182.939	174.001	158.844
Nevada	152.866	175.182	139.964	145.868	133.711	133.521	159.868	147.245	150.645	146.237	161.704	162.685
New Hampshire	123.123	141.432	127.847	119.578	117.66	119.518	136.942	147.777	134.119	137.777	137.35	131.293
New Jersey	168.705	170.926	166.584	161.661	170.772	173.82	183.532	178.317	182.68	183.428	186.435	180.371
New Mexico	112.975	125.526	128.773	121.547	130.874	126.12	131.42	124.926	124.644	133.193	147.989	130.019
New York	140.255	141.027	134.384	139.718	145.247	150.522	150.268	150.879	150.412	154.02	153.067	154.666
North Carolina	147.022	148.657	140.887	149.138	155.962	159.129	158.712	164.437	170.22	174.226	167.957	160.87
North Dakota	137.134	156.212	132.601	146.662	137.93	132.918	159.578	169.281	183.636	168.322	163.275	160.507
Ohio	133.776	141.417	139.145	154.118	151.059	153.901	162.669	170.138	166.385	176.212	182.955	175.694
Oklahoma	126.388	133.206	125.794	133.641	146.942	144.162	141.169	145.516	155.395	157.733	176.458	172.667
Oregon	140.488	138.967	121.696	129.066	120.674	143.701	132.65	129.176	134.407	161.747	161.687	146.206
Pennsylvania	140.8	152.729	144.995	159.442	162.539	158.25	162.056	165.341	159.954	170.116	163.85	163.489
Rhode Island	160.411	180.281	155.421	158.345	151.959	154.733	163.302	189.915	172.564	179.868	188.455	162.502
South Carolina	145.374	161.159	148.26	151.399	159.353	159.538	164.648	153.951	157.999	155.847	161.319	170.329
South Dakota	111.992	129.334	137.998	156.773	164.405	163.195	136.661	189.429	174.005	190.111	184.672	173.764
Tennessee	143.492	158.655	153.825	154.624	163.77	176.796	183.459	168.724	160.461	175.503	166.379	163.214
Texas	150.452	153.361	143.014	147.781	147.544	156.013	165.111	159.375	165.484	166.726	168.36	166.455
Utah	115.375	113.237	92.317	96.528	98.982	126.719	125.943	111.003	123.522	132.121	114.747	105.433
Vermont	102.268	95.497	103.382	125.276	114.866	114.059	127.926	137.665	117.88	132.596	144.828	126.76
Virginia	148.232	144.618	147.437	154.956	160.577	161.968	164.49	146.841	147.626	163.418	168.212	160.254
Washington	122.984	129.333	115.075	119.525	110.809	123.199	127.595	131.839	129.942	150.731	144.846	136.263
West Virginia	152.26	158.238	157.77	167.934	178.39	198.04	181.819	170.878	185.822	179.503	182.809	204.076
Wisconsin	136.71	145.815	136.244	139.043	138.718	155.966	149.693	163.403	172.921	185.198	191.214	189.966
Wyoming	79.054	68.956	75.571	95.387	83.16	108.379	107.908	98.508	115.975	97.778	103.403	107.467
All	146.252	151.428	144.606	149.48	151.335	155.917	159.749	159.021	160.477	167.249	167.05	164.308

Table A.10

Incident counts of reported ESRD patients, by diabetic status & ESRD network

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	802	815	988	1,220	1,246	1,396	1,413	1,491	1,629	1,832	1,994	2,241	2,354
2 NY	1,372	1,510	1,647	1,831	1,949	2,052	2,298	2,390	2,629	2,885	3,205	3,402	3,802
3 NJ, PR, VI	924	900	1,063	1,200	1,188	1,371	1,459	1,609	1,702	1,982	2,095	2,360	2,608
4 DE, PA	969	1,036	1,188	1,368	1,554	1,785	1,867	1,947	2,140	2,403	2,776	2,900	3,117
5 MD, DC, VA, WV	1,007	1,143	1,332	1,513	1,626	1,717	1,741	2,065	2,239	2,507	2,712	3,179	3,482
6 NC, SC, GA	1,214	1,394	1,509	1,829	1,880	2,163	2,368	2,656	2,916	3,365	3,609	4,159	4,607
7 FL	1,154	1,211	1,277	1,442	1,626	1,753	2,016	2,277	2,410	2,745	2,963	3,318	3,650
8 AL, MS, TN	899	934	1,088	1,402	1,332	1,473	1,567	1,810	1,988	2,510	2,538	2,787	3,074
9 IN, KY, OH	1,254	1,419	1,627	1,847	1,924	2,161	2,308	2,519	2,866	3,107	3,514	3,890	4,233
10 IL	738	862	964	1,110	1,155	1,325	1,450	1,542	1,601	1,753	2,038	2,443	2,463
11 MI, MN, ND, SD, WI	1,300	1,437	1,600	1,655	1,940	2,030	2,235	2,547	2,807	3,182	3,268	3,573	3,972
12 IA, KS, MO, NE	694	798	930	1,025	1,102	1,247	1,380	1,469	1,619	1,821	2,059	2,201	2,421
13 AR, LA, OK	638	734	776	892	1,033	1,095	1,263	1,417	1,657	1,812	1,943	2,142	2,417
14 TX	1,078	1,275	1,506	1,689	1,695	1,896	2,131	2,354	2,699	3,033	3,354	3,705	4,179
15 AZ, CO, NV, NM, UT, WY	687	751	786	908	1,002	1,154	1,298	1,429	1,574	1,741	1,761	2,031	2,265
16 AK, ID, MT, OR, WA	437	466	543	676	718	769	903	927	1,032	1,263	1,313	1,506	1,485
17 N. CA, HI, Guam, AS	861	840	946	1,122	1,197	1,332	1,484	1,634	1,901	2,040	2,309	2,430	2,471
18 S. CA	1,037	1,448	1,482	1,753	1,786	2,029	2,310	2,397	2,563	2,904	3,226	3,516	3,649
Unknown	.	*	*	.	*	*	*	*	.
All	17,065	18,974	21,253	24,482	25,954	28,749	31,492	34,480	37,972	42,885	46,677	51,784	56,249
DIABETIC													
1 CT, MA, ME, NH, RI, VT	117	177	216	247	290	351	371	407	440	562	643	746	795
2 NY	187	291	382	425	524	539	679	751	855	895	1,060	1,189	1,312
3 NJ, PR, VI	138	187	261	317	348	404	471	520	601	714	841	958	1,026
4 DE, PA	169	201	268	317	443	467	545	589	687	789	983	1,061	1,168
5 MD, DC, VA, WV	114	194	288	364	415	478	508	583	656	788	927	1,086	1,298
6 NC, SC, GA	156	237	343	373	478	609	644	828	834	1,054	1,230	1,451	1,640
7 FL	133	205	259	293	359	412	563	623	639	774	889	994	1,142
8 AL, MS, TN	88	125	191	242	317	337	378	478	543	746	831	948	1,094
9 IN, KY, OH	230	326	381	478	559	633	702	852	940	1,076	1,268	1,462	1,647
10 IL	132	167	229	266	298	396	435	470	481	552	693	830	815
11 MI, MN, ND, SD, WI	315	398	434	496	616	624	769	857	978	1,172	1,287	1,462	1,600
12 IA, KS, MO, NE	88	190	250	268	299	372	392	420	509	604	682	788	881
13 AR, LA, OK	63	119	160	188	260	277	373	425	557	611	678	847	967
14 TX	156	260	405	414	545	617	687	789	986	1,286	1,449	1,585	1,787
15 AZ, CO, NV, NM, UT, WY	156	198	237	313	362	408	541	622	660	768	771	962	1,053
16 AK, ID, MT, OR, WA	75	82	136	158	189	240	256	282	367	458	474	550	606
17 N. CA, HI, Guam, AS	85	185	228	245	278	412	449	561	635	794	888	946	1,001
18 S. CA	131	303	370	477	527	656	794	760	827	1,093	1,228	1,444	1,473
Unknown	*	*
All	2,533	3,845	5,038	5,881	7,108	8,233	9,557	10,817	12,195	14,736	16,822	19,309	21,305
NON-DIABETIC													
1 CT, MA, ME, NH, RI, VT	685	638	772	973	956	1,045	1,042	1,084	1,189	1,270	1,351	1,495	1,559
2 NY	1,185	1,219	1,265	1,406	1,425	1,513	1,619	1,639	1,774	1,990	2,145	2,213	2,490
3 NJ, PR, VI	786	713	802	883	840	967	988	1,089	1,101	1,268	1,254	1,402	1,582
4 DE, PA	800	835	920	1,051	1,111	1,318	1,322	1,358	1,453	1,614	1,793	1,839	1,949
5 MD, DC, VA, WV	893	949	1,044	1,149	1,211	1,239	1,233	1,482	1,583	1,719	1,785	2,093	2,184
6 NC, SC, GA	1,058	1,157	1,166	1,456	1,402	1,554	1,724	1,828	2,082	2,311	2,379	2,708	2,967
7 FL	1,021	1,006	1,018	1,149	1,267	1,341	1,453	1,654	1,771	1,971	2,074	2,324	2,508
8 AL, MS, TN	811	809	897	1,160	1,015	1,136	1,189	1,332	1,445	1,764	1,707	1,839	1,980
9 IN, KY, OH	1,024	1,093	1,246	1,369	1,365	1,528	1,606	1,667	1,926	2,031	2,246	2,428	2,586
10 IL	606	695	735	844	857	929	1,015	1,072	1,120	1,201	1,345	1,613	1,648
11 MI, MN, ND, SD, WI	985	1,039	1,166	1,159	1,324	1,406	1,466	1,690	1,829	2,010	1,981	2,111	2,372
12 IA, KS, MO, NE	606	608	680	757	803	875	988	1,049	1,110	1,217	1,377	1,413	1,540
13 AR, LA, OK	575	615	616	704	773	818	890	992	1,100	1,201	1,265	1,295	1,450
14 TX	922	1,015	1,101	1,275	1,150	1,279	1,444	1,565	1,713	1,747	1,905	2,120	2,392
15 AZ, CO, NV, NM, UT, WY	531	553	549	595	640	746	757	807	914	973	990	1,069	1,212
16 AK, ID, MT, OR, WA	362	384	407	518	529	529	647	645	665	805	839	956	879
17 N. CA, HI, Guam, AS	776	655	718	877	919	920	1,035	1,073	1,266	1,246	1,421	1,484	1,470
18 S. CA	906	1,145	1,112	1,276	1,259	1,373	1,516	1,637	1,736	1,811	1,998	2,072	2,176
Unknown	.	*	*	.	.	.	*	*	.
All	14,532	15,129	16,215	18,601	18,846	20,516	21,935	23,663	25,777	28,149	29,855	32,475	34,944

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.10

Incident counts of reported ESRD patients, by diabetic status & ESRD network

ALL	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
1 CT, MA, ME, NH, RI, VT	2,490	2,694	2,710	2,914	2,951	2,998	3,018	3,151	3,000	3,217	3,250	3,255
2 NY	4,145	4,156	4,287	4,591	4,812	5,005	5,075	5,320	5,420	5,577	5,569	5,643
3 NJ, PR, VI	2,716	2,922	3,097	3,149	3,359	3,573	3,795	3,670	3,868	3,934	4,099	4,041
4 DE, PA	3,015	3,459	3,468	3,852	3,891	3,931	4,043	4,223	4,190	4,495	4,330	4,380
5 MD, DC, VA, WV	3,646	3,780	4,022	4,312	4,586	4,771	4,873	4,844	5,095	5,332	5,340	5,362
6 NC, SC, GA	4,748	5,322	5,254	5,800	6,064	6,515	6,806	7,071	7,390	7,418	7,755	7,673
7 FL	3,720	4,020	4,042	4,586	4,718	4,702	5,068	5,293	5,418	5,676	5,729	5,803
8 AL, MS, TN	3,131	3,430	3,603	3,808	4,198	4,264	4,551	4,491	4,558	4,852	4,902	4,839
9 IN, KY, OH	4,409	4,718	4,877	5,414	5,571	6,120	6,264	6,619	6,618	6,918	7,140	7,047
10 IL	2,736	2,837	2,948	3,103	3,090	3,291	3,509	3,448	3,438	3,847	3,680	3,556
11 MI, MN, ND, SD, WI	4,114	4,249	4,266	4,724	4,687	5,073	5,098	5,437	5,733	6,085	6,135	6,356
12 IA, KS, MO, NE	2,500	2,619	2,629	2,863	3,090	3,245	3,373	3,454	3,586	3,519	3,681	3,549
13 AR, LA, OK	2,493	2,765	2,858	2,883	3,272	3,431	3,516	3,483	3,632	3,875	3,997	3,881
14 TX	4,202	4,445	4,627	5,073	5,347	5,672	6,058	6,265	6,608	6,863	7,195	7,292
15 AZ, CO, NV, NM, UT, WY	2,406	2,452	2,546	2,779	2,882	3,204	3,423	3,422	3,601	3,753	3,913	4,084
16 AK, ID, MT, OR, WA	1,598	1,730	1,696	1,789	1,857	1,891	2,123	2,208	2,318	2,501	2,628	2,542
17 N. CA, HI, Guam, AS	2,664	2,921	2,903	3,044	3,150	3,432	3,582	3,716	3,632	3,822	3,850	3,897
18 S. CA	3,852	4,386	4,267	4,582	4,795	5,168	5,458	5,604	5,751	6,281	6,210	6,168
Unknown	*	.	*	*
All	58,585	62,905	64,100	69,266	72,320	76,286	79,633	81,719	83,857	87,965	89,405	89,370
DIABETIC												
1 CT, MA, ME, NH, RI, VT	872	998	1,048	1,153	1,206	1,202	1,235	1,261	1,261	1,293	1,330	1,247
2 NY	1,506	1,517	1,687	1,944	2,002	2,056	2,127	2,266	2,385	2,410	2,337	2,335
3 NJ, PR, VI	1,099	1,230	1,382	1,499	1,562	1,759	1,845	1,770	1,872	1,924	2,007	1,919
4 DE, PA	1,120	1,345	1,437	1,577	1,604	1,658	1,739	1,855	1,856	1,940	1,861	1,875
5 MD, DC, VA, WV	1,367	1,475	1,589	1,804	1,974	2,068	2,089	2,139	2,297	2,374	2,241	2,229
6 NC, SC, GA	1,752	2,024	2,171	2,529	2,613	2,954	2,988	3,186	3,274	3,287	3,502	3,500
7 FL	1,217	1,383	1,430	1,701	1,827	1,803	2,050	2,186	2,304	2,334	2,424	2,449
8 AL, MS, TN	1,151	1,293	1,455	1,592	1,761	1,803	1,991	1,961	2,046	2,091	2,184	2,082
9 IN, KY, OH	1,736	1,962	2,125	2,434	2,534	2,865	2,887	3,042	3,107	3,148	3,230	3,135
10 IL	914	1,022	1,136	1,257	1,222	1,325	1,513	1,427	1,463	1,569	1,460	1,390
11 MI, MN, ND, SD, WI	1,632	1,729	1,806	2,044	2,081	2,229	2,184	2,353	2,435	2,557	2,527	2,681
12 IA, KS, MO, NE	969	1,032	1,109	1,238	1,331	1,424	1,466	1,539	1,541	1,536	1,563	1,545
13 AR, LA, OK	942	1,069	1,194	1,302	1,446	1,592	1,622	1,565	1,658	1,763	1,780	1,730
14 TX	1,939	2,043	2,299	2,584	2,820	2,965	3,128	3,390	3,483	3,734	3,885	3,923
15 AZ, CO, NV, NM, UT, WY	1,178	1,116	1,317	1,375	1,470	1,615	1,747	1,799	1,860	1,913	2,005	2,071
16 AK, ID, MT, OR, WA	617	675	713	744	828	814	950	974	1,010	1,004	1,098	1,088
17 N. CA, HI, Guam, AS	1,111	1,283	1,326	1,452	1,541	1,672	1,699	1,846	1,776	1,890	1,893	1,935
18 S. CA	1,530	1,828	1,906	2,048	2,340	2,473	2,659	2,818	2,784	2,996	2,978	2,976
Unknown
All	22,652	25,024	27,130	30,277	32,162	34,277	35,919	37,377	38,412	39,763	40,305	40,110
NON-DIABETIC												
1 CT, MA, ME, NH, RI, VT	1,618	1,696	1,662	1,761	1,745	1,796	1,783	1,890	1,739	1,924	1,920	2,008
2 NY	2,639	2,639	2,600	2,647	2,810	2,949	2,948	3,054	3,035	3,167	3,232	3,308
3 NJ, PR, VI	1,617	1,692	1,715	1,650	1,797	1,814	1,950	1,900	1,996	2,010	2,092	2,122
4 DE, PA	1,895	2,114	2,031	2,275	2,287	2,273	2,304	2,368	2,334	2,555	2,469	2,505
5 MD, DC, VA, WV	2,279	2,305	2,433	2,508	2,612	2,703	2,784	2,705	2,798	2,958	3,099	3,133
6 NC, SC, GA	2,996	3,298	3,083	3,271	3,451	3,561	3,818	3,885	4,116	4,131	4,253	4,173
7 FL	2,503	2,637	2,612	2,885	2,891	2,899	3,018	3,107	3,114	3,342	3,305	3,354
8 AL, MS, TN	1,980	2,137	2,148	2,216	2,437	2,461	2,560	2,530	2,512	2,761	2,718	2,757
9 IN, KY, OH	2,673	2,756	2,752	2,980	3,037	3,255	3,377	3,577	3,511	3,770	3,910	3,912
10 IL	1,822	1,815	1,812	1,846	1,868	1,966	1,996	2,021	1,975	2,278	2,220	2,166
11 MI, MN, ND, SD, WI	2,482	2,520	2,460	2,680	2,606	2,844	2,914	3,084	3,298	3,528	3,608	3,675
12 IA, KS, MO, NE	1,531	1,587	1,520	1,625	1,759	1,821	1,907	1,915	2,045	1,983	2,118	2,004
13 AR, LA, OK	1,551	1,696	1,664	1,581	1,826	1,839	1,894	1,918	1,974	2,112	2,217	2,151
14 TX	2,263	2,402	2,328	2,489	2,527	2,707	2,930	2,875	3,125	3,129	3,310	3,369
15 AZ, CO, NV, NM, UT, WY	1,228	1,336	1,229	1,404	1,412	1,589	1,676	1,623	1,741	1,840	1,908	2,013
16 AK, ID, MT, OR, WA	981	1,055	983	1,045	1,029	1,077	1,173	1,234	1,308	1,497	1,530	1,454
17 N. CA, HI, Guam, AS	1,553	1,638	1,577	1,592	1,609	1,760	1,883	1,870	1,856	1,932	1,957	1,962
18 S. CA	2,322	2,558	2,361	2,534	2,455	2,695	2,799	2,786	2,967	3,285	3,232	3,192
Unknown	*	.	*	*
All	35,933	37,881	36,970	38,989	40,158	42,009	43,714	44,342	45,445	48,202	49,100	49,260

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

Table A.11
Incident rates of reported ESRD, by diabetic status & ESRD network, adjusted
per million population

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	80.7	79.3	96.7	123.1	121.1	132.2	136.4	140.2	153.9	174.4	178.7	199.1	209.5
2 NY	77.6	85.4	92.8	102.1	107.8	113.3	127.1	131.6	143.2	156.0	171.2	182.2	200.1
3 NJ	101.3	93.2	107.0	127.5	112.3	137.2	142.7	156.2	160.9	187.0	197.6	221.9	239.4
4 DE, PA	81.3	87.6	100.6	115.2	128.7	146.0	153.0	159.5	168.7	190.9	218.9	225.3	243.5
5 MD, DC, VA, WV	76.6	87.8	100.6	113.2	120.5	124.9	123.9	144.2	155.6	167.8	183.0	210.2	228.0
6 NC, SC, GA	74.6	84.2	91.3	107.7	109.0	124.5	132.9	143.6	155.4	177.2	183.2	210.2	229.0
7 FL	108.6	111.6	114.3	124.0	136.1	143.6	156.1	171.2	179.4	195.9	207.8	221.0	240.5
8 AL, MS, TN	77.0	82.5	91.1	113.8	111.4	115.1	126.0	142.3	159.8	193.1	195.1	216.4	230.2
9 IN, KY, OH	71.1	83.4	91.2	106.6	112.2	122.3	130.0	141.3	155.6	170.4	192.8	208.7	228.4
10 IL	69.3	80.2	89.8	101.6	107.9	122.9	132.9	140.7	144.5	156.9	182.3	215.0	212.5
11 MI, MN, ND, SD, WI	85.5	91.4	100.8	108.5	128.6	128.9	145.2	159.7	174.7	198.7	200.4	214.0	235.4
12 IA, KS, MO, NE	74.6	83.6	100.5	108.4	116.6	127.5	143.7	152.2	169.4	184.5	203.7	218.1	241.5
13 AR, LA, OK	67.6	80.4	83.7	94.8	104.7	112.5	126.7	144.9	171.3	182.0	196.7	210.1	235.2
14 TX	88.0	102.6	115.2	129.1	129.5	138.8	158.9	174.0	197.2	214.9	235.0	258.4	280.3
15 AZ, CO, NV, NM, UT, WY	93.5	103.0	104.0	126.7	129.2	152.4	159.6	173.0	188.4	207.5	197.1	227.2	238.9
16 AK, ID, MT, OR, WA	81.5	65.5	79.3	94.0	107.3	118.6	131.9	131.3	142.8	176.5	176.9	202.1	195.3
17 N. CA, HI	96.8	92.6	105.6	120.8	128.8	138.7	148.8	162.5	183.5	194.4	216.2	224.1	220.0
18 S. CA	80.4	113.2	117.8	141.0	139.4	155.5	173.7	173.9	181.3	204.1	223.7	238.0	240.7
All	80.8	89.6	100.2	114.3	119.6	130.9	141.6	153.0	166.4	185.2	198.9	216.9	231.1
DIABETIC													
1 CT, MA, ME, NH, RI, VT	11.8	17.1	21.3	25.6	30.8	34.9	37.9	38.5	42.5	54.3	60.7	68.1	74.1
2 NY	10.4	16.3	21.1	22.9	28.9	29.3	37.4	40.8	46.0	47.9	56.2	63.0	69.1
3 NJ	14.3	19.1	24.1	30.1	27.4	37.3	39.9	42.4	50.9	56.4	73.4	79.4	78.0
4 DE, PA	13.9	16.6	22.5	26.2	35.4	37.2	44.6	48.6	55.1	61.4	75.8	82.5	92.3
5 MD, DC, VA, WV	8.1	14.0	21.7	26.3	30.0	33.5	35.7	39.7	44.8	52.2	60.5	69.4	84.6
6 NC, SC, GA	9.0	14.0	20.6	21.2	27.0	34.0	36.3	44.5	42.7	55.7	63.6	75.2	82.1
7 FL	13.7	19.3	24.0	27.0	31.3	36.8	47.7	50.6	49.7	58.9	68.3	70.0	80.4
8 AL, MS, TN	7.2	11.0	15.7	20.5	27.5	26.9	32.7	38.7	47.9	58.5	65.2	75.9	83.0
9 IN, KY, OH	13.1	19.6	21.7	27.3	31.9	37.1	40.2	46.9	50.7	57.9	70.1	77.3	89.9
10 IL	12.8	15.7	20.7	24.6	27.5	36.4	39.5	43.1	42.4	49.6	62.2	72.8	70.1
11 MI, MN, ND, SD, WI	21.6	28.1	26.8	34.8	40.6	41.8	51.8	55.1	64.8	76.2	83.6	90.8	98.6
12 IA, KS, MO, NE	10.5	22.8	28.2	28.1	34.7	41.1	43.2	48.9	54.5	63.9	70.9	81.0	95.2
13 AR, LA, OK	7.2	14.7	19.0	21.7	27.5	30.8	39.1	46.3	60.2	63.1	72.1	84.5	97.0
14 TX	12.6	21.8	31.1	31.6	42.2	44.5	52.3	58.6	72.8	91.1	103.0	111.3	120.5
15 AZ, CO, NV, NM, UT, WY	19.6	28.4	34.3	43.0	46.0	54.6	66.7	75.2	80.0	95.3	86.3	106.8	112.3
16 AK, ID, MT, OR, WA	16.0	13.0	20.6	23.2	27.2	43.2	36.8	44.6	49.3	71.2	69.8	79.2	86.2
17 N. CA, HI	8.6	19.2	24.4	26.4	30.9	42.7	42.8	53.4	60.2	73.7	81.8	83.4	84.8
18 S. CA	9.1	22.9	29.0	37.7	41.0	49.4	59.4	54.4	58.2	76.3	85.3	98.0	97.3
All	11.9	18.1	23.8	27.6	32.7	37.7	43.0	48.1	53.4	63.5	72.0	81.0	87.6
NON-DIABETIC													
1 CT, MA, ME, NH, RI, VT	68.8	62.2	75.4	97.4	90.3	97.3	98.5	101.7	111.4	120.1	118.0	131.0	135.4
2 NY	67.2	69.2	71.7	79.2	78.8	84.0	89.6	90.9	97.2	108.1	115.0	119.2	131.0
3 NJ	87.0	74.1	82.9	97.3	84.9	99.9	102.8	113.8	110.0	130.6	124.2	142.5	161.4
4 DE, PA	67.3	70.9	78.0	89.0	93.3	108.8	108.5	110.9	113.6	129.5	143.1	142.8	151.2
5 MD, DC, VA, WV	68.5	73.8	78.9	86.9	90.5	91.5	88.3	104.5	110.8	115.6	122.5	140.9	143.4
6 NC, SC, GA	65.7	70.2	70.7	86.4	82.0	90.5	96.6	99.1	112.7	121.5	119.7	135.0	146.9
7 FL	94.8	92.3	90.2	97.0	104.9	106.8	108.4	120.6	129.7	137.0	139.5	151.0	160.1
8 AL, MS, TN	69.8	71.5	75.4	93.3	83.9	88.2	93.3	103.7	111.9	134.5	129.9	140.5	147.2
9 IN, KY, OH	58.0	63.8	69.6	79.3	80.3	85.2	89.8	94.4	104.9	112.6	122.7	131.4	138.5
10 IL	56.4	64.5	69.1	77.0	80.4	86.5	93.4	97.6	102.1	107.4	120.1	142.3	142.4
11 MI, MN, ND, SD, WI	63.9	63.3	73.9	73.7	88.0	87.1	93.4	104.6	109.9	122.5	116.8	123.3	136.7
12 IA, KS, MO, NE	64.2	60.8	72.3	80.3	82.0	86.4	100.6	103.3	114.8	120.6	132.8	137.0	146.2
13 AR, LA, OK	60.4	65.7	64.8	73.1	77.2	81.6	87.6	98.5	111.0	118.9	124.6	125.7	138.1
14 TX	75.4	80.8	84.1	97.5	87.2	94.3	106.6	115.4	124.5	123.8	132.0	147.1	159.9
15 AZ, CO, NV, NM, UT, WY	73.9	74.5	69.8	83.7	83.2	97.8	92.9	97.8	108.5	112.2	110.8	120.4	126.5
16 AK, ID, MT, OR, WA	65.5	52.5	58.7	70.8	80.2	75.4	95.1	86.7	93.5	105.3	107.0	122.9	109.2
17 N. CA, HI	88.2	73.4	81.2	94.4	98.0	96.1	106.0	109.1	123.3	120.7	134.5	140.7	135.2
18 S. CA	71.3	90.3	88.8	103.3	98.4	106.1	114.2	119.5	123.1	127.9	138.4	140.0	143.4
All	68.9	71.5	76.4	86.8	87.0	93.2	98.6	105.0	113.0	121.7	126.9	135.9	143.5

Table A.11
Incident rates of reported ESRD, by diabetic status & ESRD network, adjusted
per million population

ALL	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
1 CT, MA, ME, NH, RI, VT	217.0	236.2	233.9	247.5	242.2	243.1	238.2	243.8	226.6	243.1	240.8	233.9
2 NY	217.3	214.4	215.7	231.8	242.2	248.0	248.1	255.3	257.4	259.8	256.7	256.0
3 NJ	251.7	259.3	274.3	271.0	287.0	301.4	314.7	298.0	306.7	307.5	311.6	301.6
4 DE, PA	229.3	261.8	257.2	280.5	279.3	278.0	285.7	296.3	288.1	306.3	292.8	291.7
5 MD, DC, VA, WV	234.4	240.3	252.0	265.9	277.0	284.9	290.2	283.2	291.3	298.4	292.5	288.9
6 NC, SC, GA	231.5	252.4	243.4	261.7	268.2	280.1	285.1	292.3	300.8	296.5	296.5	291.5
7 FL	240.8	249.6	242.0	264.0	262.2	257.0	267.6	272.8	276.2	280.3	272.1	267.2
8 AL, MS, TN	224.3	248.1	252.3	263.3	283.1	292.2	304.4	292.9	294.0	305.2	301.1	294.1
9 IN, KY, OH	231.4	243.1	246.9	276.3	277.7	300.6	306.3	314.6	314.3	325.8	328.4	318.8
10 IL	233.9	241.2	246.5	259.4	254.8	267.1	285.0	277.2	273.7	301.4	284.9	272.2
11 MI, MN, ND, SD, WI	241.2	241.4	243.5	256.7	253.6	274.6	271.4	285.5	293.7	304.9	303.8	308.3
12 IA, KS, MO, NE	246.4	253.0	248.2	272.4	273.1	292.6	298.0	297.1	307.7	296.1	304.3	285.9
13 AR, LA, OK	237.9	259.3	263.5	262.9	291.5	299.9	307.3	301.4	309.5	324.1	332.1	318.8
14 TX	277.0	287.4	285.9	306.6	316.3	333.5	346.7	344.9	357.8	364.8	369.2	365.7
15 AZ, CO, NV, NM, UT, WY	245.5	239.8	239.3	244.7	248.8	274.5	274.6	269.3	276.7	274.3	281.8	276.9
16 AK, ID, MT, OR, WA	207.5	211.3	198.5	212.9	210.0	227.1	222.8	237.9	236.1	261.0	259.2	244.0
17 N. CA, HI	233.7	247.3	233.8	245.5	252.2	269.6	267.2	276.2	264.8	270.2	263.7	263.7
18 S. CA	249.6	281.5	271.9	286.3	293.2	313.5	319.4	324.1	322.1	343.9	334.3	324.0
All	237.2	250.2	249.3	264.1	270.8	281.2	288.3	290.3	293.0	301.8	300.3	294.3
DIABETIC												
1 CT, MA, ME, NH, RI, VT	79.0	91.9	94.2	102.9	103.9	105.1	102.1	100.1	97.9	101.0	101.3	94.2
2 NY	78.1	78.2	83.6	97.1	99.4	101.5	102.4	106.8	111.7	111.0	106.2	105.0
3 NJ	91.3	96.8	113.1	115.7	120.3	134.8	133.7	126.1	128.2	132.0	130.8	125.7
4 DE, PA	85.2	101.2	107.6	114.7	115.9	118.3	122.5	129.7	127.7	133.2	126.6	125.6
5 MD, DC, VA, WV	86.6	93.2	97.3	109.1	117.0	120.5	123.0	124.8	130.4	131.1	120.6	120.8
6 NC, SC, GA	85.1	98.2	99.2	112.7	113.6	124.2	123.9	129.3	131.1	128.6	131.7	129.8
7 FL	82.1	90.6	90.4	102.2	105.4	102.7	110.7	114.9	120.1	117.1	116.3	114.0
8 AL, MS, TN	82.3	98.0	103.3	109.7	119.2	120.7	133.9	127.6	132.1	130.5	133.8	126.6
9 IN, KY, OH	92.2	101.9	106.6	122.5	127.3	141.0	140.4	143.1	147.5	148.7	148.4	141.6
10 IL	77.6	86.5	94.0	104.3	100.2	107.7	123.0	115.6	116.5	123.5	113.4	107.5
11 MI, MN, ND, SD, WI	100.0	101.5	107.0	115.1	115.8	124.8	122.2	127.2	128.8	133.5	129.1	134.1
12 IA, KS, MO, NE	98.2	101.2	111.4	121.2	124.6	134.4	134.5	137.0	136.6	132.8	131.8	129.0
13 AR, LA, OK	93.9	103.4	113.2	122.0	131.2	141.7	144.1	136.8	141.7	147.6	147.8	141.3
14 TX	129.5	132.5	142.3	156.9	167.3	174.4	178.6	186.9	188.9	198.1	199.1	195.3
15 AZ, CO, NV, NM, UT, WY	119.8	107.6	124.3	120.9	127.7	141.1	139.8	139.3	142.8	140.0	140.9	137.7
16 AK, ID, MT, OR, WA	84.1	85.6	86.8	92.3	100.4	98.1	101.1	108.9	111.5	106.5	113.8	109.8
17 N. CA, HI	94.2	104.3	101.1	109.9	118.4	127.7	118.4	129.6	124.4	127.7	122.4	125.2
18 S. CA	99.3	117.4	122.1	128.8	142.9	149.5	154.3	163.4	156.2	163.6	160.4	155.6
All	91.9	99.8	105.6	115.6	120.4	126.3	129.6	132.4	133.6	135.6	134.3	131.1
NON-DIABETIC												
1 CT, MA, ME, NH, RI, VT	138.0	144.2	139.7	144.6	138.3	138.1	136.1	143.7	128.7	142.2	139.5	139.7
2 NY	139.2	136.2	132.1	134.7	142.9	146.6	145.7	148.5	145.8	148.9	150.5	151.1
3 NJ	160.4	162.5	161.2	155.3	166.7	166.7	181.1	171.9	178.4	175.5	180.9	175.9
4 DE, PA	144.1	160.6	149.5	165.8	163.4	159.7	163.3	166.6	160.4	173.2	166.2	166.0
5 MD, DC, VA, WV	147.7	147.1	154.8	156.7	160.0	164.5	167.2	158.4	161.0	167.3	171.9	168.1
6 NC, SC, GA	146.4	154.2	144.2	149.0	154.6	156.0	161.2	162.9	169.7	168.0	164.9	161.8
7 FL	158.7	158.9	151.6	161.8	156.8	154.3	156.9	157.9	156.1	163.2	155.7	153.2
8 AL, MS, TN	142.1	150.1	149.0	153.7	163.8	171.5	170.5	165.3	161.9	174.7	167.3	167.4
9 IN, KY, OH	139.2	141.1	140.3	153.8	150.4	159.6	165.9	171.5	166.8	177.1	180.0	177.2
10 IL	156.3	154.7	152.6	155.1	154.7	159.4	162.0	161.5	157.2	177.9	171.4	164.7
11 MI, MN, ND, SD, WI	141.2	139.9	136.5	141.6	137.7	149.8	149.3	158.3	164.9	171.4	174.7	174.3
12 IA, KS, MO, NE	148.2	151.8	136.9	151.3	148.6	158.2	163.6	160.1	171.2	163.3	172.5	157.0
13 AR, LA, OK	143.9	155.9	150.3	140.9	160.3	158.2	163.2	164.6	167.8	176.5	184.3	177.4
14 TX	147.5	154.9	143.6	149.8	149.1	159.1	168.1	158.0	168.9	166.7	170.1	170.4
15 AZ, CO, NV, NM, UT, WY	125.7	132.2	115.0	123.7	121.1	133.5	134.8	130.0	133.9	134.3	140.9	139.2
16 AK, ID, MT, OR, WA	123.4	125.7	111.6	120.6	109.6	129.0	121.6	129.1	124.6	154.6	145.4	134.2
17 N. CA, HI	139.6	143.0	132.7	135.6	133.7	142.0	148.8	146.6	140.4	142.5	141.3	138.5
18 S. CA	150.3	164.2	149.8	157.5	150.3	164.0	165.0	160.7	165.9	180.3	174.0	168.3
All	145.3	150.4	143.6	148.5	150.3	154.9	158.7	158.0	159.4	166.1	165.9	163.2

Standard errors

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	3.8	3.6	4.0	4.6	4.4	4.5	4.6	4.5	4.8	5.0	4.9	5.1	5.2
2 NY	2.2	2.3	2.4	2.5	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.3
3 NJ	4.0	3.7	4.0	4.5	4.0	4.5	4.5	4.7	4.7	5.0	5.2	5.4	5.6
4 DE, PA	2.8	3.1	3.4	3.5	3.7	3.8	4.1	4.2	4.0	4.2	4.6	4.6	4.8
5 MD, DC, VA, WV	2.6	2.8	3.1	3.2	3.4	3.3	3.3	3.4	3.6	3.6	3.8	4.1	4.2
6 NC, SC, GA	2.5	2.6	2.8	3.0	3.0	3.1	3.2	3.3	3.3	3.5	3.5	3.8	4.0
7 FL	3.5	3.6	3.7	3.6	3.9	4.0	3.9	4.0	4.1	4.2	4.3	4.3	4.5
8 AL, MS, TN	3.1	3.5	3.4	3.6	4.1	3.5	4.1	4.0	4.8	4.6	5.0	5.7	5.7
9 IN, KY, OH	2.2	2.8	2.4	2.9	3.0	3.0	3.1	3.2	3.1	3.4	3.9	3.8	4.1
10 IL	2.7	2.9	3.0	3.2	3.4	3.6	3.7	3.7	3.8	3.9	4.2	4.5	4.4
11 MI, MN, ND, SD, WI	2.8	2.9	2.9	3.1	3.4	3.3	3.6	3.6	3.7	4.0	4.0	4.0	4.2
12 IA, KS, MO, NE	3.5	3.7	4.2	4.2	4.3	4.4	4.7	4.8	5.2	5.2	5.4	5.5	6.0
13 AR, LA, OK	2.9	3.2	3.2	3.4	3.5	3.6	3.8	4.1	4.5	4.5	4.7	4.8	5.0
14 TX	2.8	3.1	3.2	3.4	3.4	3.5	3.7	3.9	4.0	4.1	4.3	4.5	4.5
15 AZ, CO, NV, NM, UT, WY	4.8	5.0	5.0	5.8	5.4	6.1	5.7	6.0	6.2	6.5	6.1	6.6	6.4
16 AK, ID, MT, OR, WA	7.0	5.1	5.4	5.9	6.6	7.4	7.3	7.0	7.1	8.0	7.8	8.4	8.2
17 N. CA, HI	3.9	3.8	3.9	4.1	4.3	4.3	4.4	4.6	4.8	4.9	5.2	5.2	5.1
18 S. CA	2.7	3.2	3.2	3.6	3.5	3.6	3.8	3.8	3.8	4.0	4.1	4.2	4.2
All	0.7	0.7	0.7	0.8	0.8	0.8	0.8	0.9	0.9	0.9	1.0	1.0	1.0
DIABETIC													
1 CT, MA, ME, NH, RI, VT	1.4	1.6	1.9	2.3	2.4	2.4	2.6	2.4	2.6	2.8	3.0	3.1	3.2
2 NY	0.8	1.0	1.1	1.2	1.3	1.3	1.5	1.5	1.6	1.7	1.8	1.9	2.0
3 NJ	1.4	1.7	1.9	2.1	1.9	2.3	2.3	2.4	2.6	2.7	3.2	3.2	3.2
4 DE, PA	1.1	1.2	1.5	1.6	1.8	1.8	2.2	2.3	2.4	2.3	2.6	2.9	3.1
5 MD, DC, VA, WV	0.8	1.1	1.5	1.5	1.8	1.6	1.7	1.8	1.9	2.0	2.1	2.3	2.5
6 NC, SC, GA	0.8	1.0	1.3	1.3	1.4	1.6	1.7	1.9	1.7	2.0	2.1	2.5	2.4
7 FL	1.3	1.4	1.6	1.7	1.8	2.2	2.3	2.3	2.1	2.4	2.7	2.4	2.7
8 AL, MS, TN	0.8	1.4	1.4	1.8	2.4	1.9	2.5	2.5	3.2	2.7	3.2	3.7	3.4
9 IN, KY, OH	0.9	1.4	1.2	1.3	1.5	1.9	1.8	1.7	1.7	1.9	2.4	2.2	2.7
10 IL	1.2	1.3	1.4	1.6	1.7	1.9	2.0	2.1	2.0	2.2	2.5	2.6	2.5
11 MI, MN, ND, SD, WI	1.5	1.8	1.5	2.0	2.0	2.0	2.3	2.2	2.5	2.7	2.7	2.7	2.8
12 IA, KS, MO, NE	1.6	2.4	2.2	2.1	2.7	2.7	2.6	3.0	3.0	3.2	3.4	3.4	4.1
13 AR, LA, OK	1.0	1.5	1.7	1.8	1.8	2.0	2.2	2.4	2.7	2.7	2.9	3.1	3.3
14 TX	1.0	1.6	1.7	1.7	2.0	1.9	2.2	2.2	2.5	2.6	2.9	2.9	3.0
15 AZ, CO, NV, NM, UT, WY	2.1	2.7	3.0	3.3	3.1	3.7	3.6	3.9	4.0	4.6	4.0	4.4	4.3
16 AK, ID, MT, OR, WA	3.5	2.4	2.9	3.0	3.2	4.9	3.9	4.4	4.1	5.5	5.3	5.7	5.8
17 N. CA, HI	1.2	1.7	1.8	2.0	2.1	2.5	2.3	2.6	2.8	3.0	3.2	3.1	3.1
18 S. CA	0.9	1.4	1.6	1.8	1.9	2.0	2.2	2.1	2.1	2.4	2.6	2.7	2.7
All	0.3	0.3	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.6	0.6	0.6	0.6
NON-DIABETIC													
1 CT, MA, ME, NH, RI, VT	3.5	3.2	3.5	4.0	3.7	3.8	3.8	3.8	4.0	4.1	3.9	4.1	4.1
2 NY	2.1	2.1	2.1	2.2	2.2	2.2	2.3	2.3	2.4	2.5	2.6	2.6	2.7
3 NJ	3.8	3.3	3.5	3.9	3.5	3.8	3.8	4.0	3.9	4.2	4.1	4.4	4.6
4 DE, PA	2.5	2.8	3.1	3.1	3.3	3.3	3.5	3.5	3.3	3.5	3.8	3.6	3.7
5 MD, DC, VA, WV	2.5	2.6	2.7	2.8	2.8	2.9	2.8	2.9	3.0	3.0	3.2	3.4	3.3
6 NC, SC, GA	2.3	2.3	2.4	2.6	2.7	2.7	2.7	2.7	2.9	2.9	2.8	2.9	3.2
7 FL	3.3	3.4	3.4	3.2	3.5	3.3	3.1	3.2	3.5	3.4	3.4	3.5	3.6
8 AL, MS, TN	3.0	3.2	3.1	3.2	3.3	2.9	3.2	3.2	3.6	3.7	3.9	4.3	4.6
9 IN, KY, OH	2.0	2.4	2.2	2.6	2.6	2.4	2.5	2.8	2.5	2.8	3.1	3.1	3.1
10 IL	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.1	3.2	3.2	3.4	3.7	3.6
11 MI, MN, ND, SD, WI	2.4	2.2	2.5	2.4	2.8	2.6	2.8	2.8	2.8	3.0	2.9	2.9	3.1
12 IA, KS, MO, NE	3.2	2.9	3.5	3.6	3.4	3.4	3.9	3.7	4.2	4.1	4.3	4.4	4.4
13 AR, LA, OK	2.7	2.8	2.8	2.9	2.9	3.0	3.1	3.3	3.5	3.6	3.7	3.7	3.8
14 TX	2.6	2.7	2.7	2.9	2.8	2.9	3.0	3.2	3.2	3.1	3.2	3.4	3.4
15 AZ, CO, NV, NM, UT, WY	4.3	4.2	4.0	4.8	4.5	4.8	4.4	4.5	4.8	4.6	4.6	4.9	4.7
16 AK, ID, MT, OR, WA	6.1	4.4	4.6	5.1	5.8	5.5	6.2	5.4	5.7	5.8	5.7	6.2	5.9
17 N. CA, HI	3.7	3.4	3.5	3.6	3.7	3.6	3.8	3.8	3.9	3.9	4.0	4.1	4.0
18 S. CA	2.6	2.9	2.8	3.1	2.9	3.0	3.1	3.1	3.1	3.2	3.3	3.2	3.2
All	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.8	0.8

