

Table of Contents

Section B: Prevalence of Reported ESRD

- B.1 Point prevalent counts of reported ESRD: all patients
patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis
- B.2 Point prevalent rates of reported ESRD
patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis
- B.4 Point prevalent counts of reported ESRD patients, 2002-2004
patients alive on December 31 of each year, by age & primary diagnosis
- B.8 Point prevalent counts of reported ESRD patients, by diabetic status & state/territory
- B.9 Point prevalent rates of reported ESRD: by diabetic status & state, adjusted: all patients
patients alive on December 31 of each year, per million population
- B.10 Point prevalent counts of reported ESRD patients, by diabetic status & ESRD network: all patients
patients alive on December 31 of each year
- B.11 Point prevalent rates of reported ESRD: by diabetic status & ESRD network, adjusted
patients alive on December 31 of each year, per million population

Table B.1

Point prevalent counts of reported ESRD: all patients

patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	61	95	146	187	207	251	278	292	293	292	272	292	308
5-9	192	197	245	279	317	342	387	405	407	444	475	490	482
10-14	481	505	569	619	669	686	707	742	765	759	798	814	843
15-19	1,297	1,356	1,406	1,408	1,454	1,561	1,617	1,704	1,712	1,769	1,749	1,768	1,786
20-29	5,820	6,378	6,994	7,643	8,168	8,584	9,035	9,377	9,664	10,083	10,569	11,011	11,417
30-39	8,293	9,625	10,943	12,459	14,056	15,576	17,122	18,367	19,482	20,872	22,394	24,056	25,671
40-49	9,108	10,110	11,253	13,113	14,496	15,909	17,558	19,497	21,688	24,277	26,888	30,282	33,217
50-59	12,322	13,920	15,493	17,063	18,587	19,867	21,370	22,889	24,673	26,816	29,415	32,420	35,798
60-64	5,985	7,115	8,090	9,551	10,733	11,863	12,607	13,930	15,141	16,429	17,985	19,647	21,112
65-69	5,495	6,151	6,992	8,560	9,719	10,883	12,390	14,199	15,770	17,747	19,830	22,195	24,656
70-79	5,855	6,890	8,173	10,485	12,207	13,907	15,992	18,129	20,405	23,471	26,948	31,667	35,955
80+	855	1,079	1,376	1,993	2,398	2,975	3,655	4,475	5,298	6,361	7,715	9,195	10,868
Unknown	*	*	*	*	12	13	*	*	*	*	*	*	.
0-19	2,031	2,153	2,366	2,493	2,647	2,840	2,989	3,143	3,177	3,264	3,294	3,364	3,419
20-44	18,471	20,810	23,345	26,462	29,230	31,869	34,914	37,426	39,924	43,089	46,722	50,325	53,533
45-64	23,057	26,338	29,428	33,367	36,810	39,930	42,778	46,634	50,724	55,388	60,529	67,091	73,682
65-74	9,361	10,608	12,269	15,157	17,260	19,345	22,044	24,970	27,808	31,492	35,805	41,046	46,089
75+	2,844	3,512	4,272	5,881	7,064	8,420	9,993	11,833	13,665	16,087	18,688	22,011	25,390
Unknown	*	*	*	*	12	13	*	*	*	*	*	*	.
Male	30,921	34,972	39,600	45,891	51,272	56,241	61,704	67,632	73,479	80,963	89,456	99,487	109,172
Female	24,845	28,452	32,084	37,477	41,749	46,174	51,020	56,379	61,823	68,362	75,587	84,353	92,940
Unknown	.	.	.	*	*	*	*	*	*	*	*	*	*
White	38,630	43,558	48,896	56,321	62,335	68,310	74,871	81,837	88,398	96,849	106,381	117,716	128,380
Black	15,718	18,228	20,982	24,900	28,234	31,264	34,555	38,360	42,461	47,426	52,819	59,307	65,847
Native American	272	369	465	628	756	889	1,038	1,202	1,404	1,631	1,832	2,090	2,399
Asian	341	473	701	969	1,246	1,577	1,936	2,330	2,802	3,281	3,879	4,608	5,366
Other/unknown	805	796	640	551	452	377	326	284	239	139	133	120	121
†Hispanic													
†Non-Hispanic													
Diabetes	5,394	7,572	10,228	13,070	16,361	19,695	23,464	27,550	31,876	37,799	44,441	52,265	59,844
Hypertension	8,994	11,565	14,711	18,004	21,014	23,995	27,319	30,841	34,667	39,513	44,544	50,293	56,263
Glomerulonephritis	12,236	14,151	16,360	18,957	21,380	23,581	25,678	27,801	29,588	31,653	33,930	36,575	38,992
Cystic kidney	3,465	3,995	4,601	5,305	5,868	6,392	6,910	7,481	7,940	8,344	8,863	9,486	10,122
Other urologic	1,437	1,831	2,303	2,811	3,259	3,771	4,133	4,558	4,880	5,169	5,384	5,845	6,234
Other cause	5,927	6,994	8,402	9,989	11,365	12,677	13,851	14,803	15,802	17,213	18,451	19,884	21,383
Unknown cause	5,699	6,076	6,013	6,363	6,571	6,514	6,733	7,119	7,224	7,028	7,124	7,468	7,644
Missing disease	12,614	11,240	9,066	8,870	7,205	5,792	4,638	3,860	3,327	2,607	2,307	2,025	1,631
U.S.	55,064	62,616	70,770	82,291	91,758	100,978	111,141	122,274	133,447	147,252	162,742	181,333	199,339
U.S territories	35	40	54	49	50	56	73	98	108	121	148	181	221
Puerto Rico	597	686	781	928	1,122	1,266	1,389	1,519	1,642	1,838	2,027	2,208	2,446
Foreign	37	46	46	61	63	76	83	82	78	82	94	92	92
Unknown	33	36	33	40	30	41	40	40	29	33	33	27	15
All	55,766	63,424	71,684	83,369	93,023	102,417	112,726	124,013	135,304	149,326	165,044	183,841	202,113
Total lost-to-followup	2,268	2,777	3,469	2,081	1,944	2,240	2,281	2,482	2,699	2,740	2,762	2,712	3,060
All with lost-to-followup	58,034	66,201	75,153	85,450	94,967	104,657	115,007	126,495	138,003	152,066	167,806	186,553	205,173

The prevalent cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

Age is calculated as of December 31.

*Values for cells with 10 or fewer patients are suppressed.

." Zero values in this cell.

Table B.1

Point prevalent counts of reported ESRD: all patients

patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	320	308	314	318	293	282	283	306	313	327	317	343
5-9	491	498	511	513	551	543	548	520	514	488	465	448
10-14	887	891	917	962	948	994	987	1,014	972	1,047	927	914
15-19	1,857	1,857	1,985	2,017	2,017	2,034	2,058	1,993	2,033	2,002	1,963	2,000
20-29	11,671	11,672	11,889	12,130	12,198	12,392	12,440	12,373	12,295	12,055	11,682	11,700
30-39	27,104	28,067	28,936	29,695	29,954	30,463	31,137	31,606	31,851	32,065	31,901	31,765
40-49	36,277	38,897	42,182	45,168	47,112	49,502	51,762	53,952	55,729	57,392	58,296	59,632
50-59	39,181	42,566	45,651	49,522	53,877	58,555	63,534	68,026	72,852	77,155	80,567	84,937
60-64	22,558	23,996	25,666	27,456	29,166	31,082	32,914	34,660	36,608	39,225	41,358	43,214
65-69	26,864	29,016	30,689	32,857	34,531	36,190	38,063	39,696	41,523	43,254	45,134	46,761
70-79	39,651	44,530	48,461	53,140	57,942	61,944	65,507	68,704	70,962	74,070	76,104	77,796
80+	12,500	14,242	15,937	17,943	20,076	22,288	24,554	27,373	29,741	32,477	34,890	36,855
Unknown	*	*	*	*	*	*	*	*	*	*	*	*
0-19	3,555	3,554	3,727	3,810	3,809	3,853	3,876	3,833	3,832	3,864	3,672	3,705
20-44	56,450	58,151	60,512	62,670	64,026	65,665	67,297	68,281	69,126	69,466	69,095	69,498
45-64	80,341	87,047	93,812	101,301	108,281	116,329	124,490	132,336	140,209	148,426	154,709	161,750
65-74	50,618	55,502	59,074	63,409	67,400	70,857	74,172	77,306	80,339	83,524	86,430	89,053
75+	28,397	32,286	36,013	40,531	45,149	49,565	53,952	58,467	61,887	66,277	69,698	72,359
Unknown	*	*	*	*	*	*	*	*	*	*	*	*
Male	118,713	127,990	136,920	147,349	157,041	167,031	177,296	186,895	195,879	205,734	213,101	221,137
Female	100,648	108,552	116,219	124,373	131,625	139,239	146,490	153,327	159,513	165,823	170,500	175,217
Unknown	*	*	*	*	*	*	13
White	138,076	147,830	156,953	167,754	177,515	187,321	198,057	208,260	217,436	226,787	233,320	241,131
Black	72,172	78,381	84,182	90,322	96,184	102,542	107,864	112,721	117,284	122,558	126,826	130,178
Native American	2,666	2,934	3,225	3,468	3,707	4,033	4,305	4,506	4,764	4,958	5,067	5,285
Asian	6,313	7,182	8,049	8,905	9,662	10,574	11,618	12,605	13,571	14,630	15,336	16,073
Other/unknown	135	215	730	1,273	1,598	1,800	1,944	2,132	2,339	2,626	3,056	3,700
†Hispanic				26,819	29,814	32,745	36,024	40,050	42,729	45,647	48,270	50,890
†Non-Hispanic				244,903	258,852	273,525	287,764	300,174	312,665	325,912	335,335	345,477
Diabetes	67,087	75,174	83,675	93,137	102,152	110,786	118,881	127,278	134,706	142,329	148,649	154,286
Hypertension	61,441	66,752	69,325	72,825	76,155	79,892	83,831	87,318	90,791	94,844	98,394	101,176
Glomerulonephritis	41,400	43,468	45,824	48,341	50,220	52,192	54,160	55,590	56,915	58,258	58,655	59,837
Cystic kidney	10,700	11,197	11,760	12,218	12,655	13,246	13,884	14,447	14,958	15,566	15,990	16,541
Other urologic	6,408	6,617	7,264	7,948	8,525	9,032	9,734	10,163	10,596	11,027	11,187	11,381
Other cause	22,803	23,833	25,405	26,734	27,897	29,415	30,838	32,181	33,405	34,716	35,271	36,560
Unknown cause	7,948	8,241	8,650	9,316	9,882	10,510	11,187	11,908	12,647	13,298	13,692	13,897
Missing disease	1,575	1,260	1,236	1,203	1,180	1,197	1,273	1,339	1,376	1,521	1,767	2,689
U.S.	216,416	233,360	249,785	268,109	284,850	302,284	319,613	335,894	350,922	366,936	378,860	391,464
U.S territories	233	249	288	337	378	420	469	514	542	587	614	630
Puerto Rico	2,607	2,821	2,959	3,168	3,335	3,457	3,587	3,697	3,815	3,923	4,024	4,175
Foreign	92	101	100	100	97	103	114	114	109	108	101	92
Unknown	14	11	*	*	*	*	*	*	*	*	*	*
All	219,362	236,542	253,139	271,722	288,666	306,270	323,788	340,224	355,394	371,559	383,605	396,367
Total lost-to-followup	3,419	3,615	3,806	3,868	5,002	5,773	6,325	6,795	7,260	8,323	9,739	11,551
All with lost-to-followup	222,781	240,157	256,945	275,590	293,668	312,043	330,113	347,019	362,654	379,882	393,344	407,918

The prevalent cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

Age is calculated as of December 31.

*Values for cells with 10 or fewer patients are suppressed.

." Zero values in this cell.

Table B.1 (continued)

Point prevalent counts of reported ESRD patients: U.S. only, with unknowns dropped*patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	60	95	146	186	206	249	273	286	287	288	270	290	305
5-9	188	194	242	277	312	338	384	402	404	440	470	483	474
10-14	474	497	562	613	658	674	697	732	757	750	791	805	835
15-19	1,278	1,341	1,389	1,390	1,441	1,542	1,598	1,685	1,689	1,747	1,724	1,739	1,761
20-29	5,703	6,267	6,895	7,544	8,055	8,473	8,914	9,257	9,547	9,968	10,440	10,877	11,279
30-39	8,079	9,391	10,705	12,220	13,809	15,321	16,851	18,073	19,194	20,558	22,083	23,756	25,365
40-49	8,845	9,829	10,981	12,821	14,191	15,591	17,219	19,122	21,274	23,859	26,425	29,765	32,667
50-59	11,986	13,586	15,139	16,696	18,223	19,474	20,961	22,479	24,238	26,348	28,889	31,821	35,105
60-64	5,827	6,932	7,919	9,367	10,547	11,660	12,409	13,715	14,923	16,172	17,690	19,339	20,811
65-69	5,332	5,968	6,828	8,399	9,538	10,701	12,180	13,976	15,551	17,519	19,578	21,933	24,346
70-79	5,680	6,686	7,988	10,281	11,974	13,664	15,741	17,866	20,114	23,181	26,639	31,328	35,533
80+	834	1,054	1,352	1,953	2,350	2,915	3,592	4,402	5,233	6,290	7,616	9,086	10,756
0-19	2,000	2,127	2,339	2,466	2,617	2,803	2,952	3,105	3,137	3,225	3,255	3,317	3,375
20-44	18,019	20,336	22,879	25,976	28,714	31,329	34,346	36,826	39,318	42,466	46,062	49,656	52,836
45-64	22,421	25,669	28,760	32,672	36,111	39,190	42,008	45,820	49,858	54,439	59,465	65,902	72,391
65-74	9,092	10,292	11,984	14,870	16,937	19,022	21,675	24,581	27,410	31,097	35,370	40,579	45,508
75+	2,754	3,416	4,184	5,763	6,925	8,258	9,838	11,663	13,488	15,893	18,463	21,768	25,127
Male	30,052	34,045	38,685	44,923	50,223	55,156	60,544	66,382	72,208	79,590	87,957	97,882	107,442
Female	24,234	27,795	31,461	36,824	41,081	45,446	50,275	55,613	61,003	67,530	74,658	83,340	91,795
White	38,058	42,900	48,165	55,442	61,302	67,143	73,603	80,467	86,921	95,197	104,542	115,706	126,173
Black	15,618	18,105	20,830	24,734	28,031	31,027	34,290	38,055	42,155	47,097	52,473	58,950	65,456
Native American	272	368	463	626	753	887	1,035	1,199	1,400	1,627	1,827	2,085	2,396
Asian	338	467	688	945	1,218	1,545	1,891	2,274	2,735	3,199	3,773	4,481	5,212
†Hispanic													
†Non-Hispanic													
Diabetes	5,217	7,363	10,011	12,823	16,060	19,344	23,033	27,046	31,323	37,136	43,669	51,384	58,812
Hypertension	8,857	11,377	14,520	17,795	20,781	23,715	27,011	30,491	34,292	39,117	44,090	49,815	55,733
Glomerulonephritis	11,999	13,870	16,053	18,597	20,951	23,108	25,180	27,263	29,014	31,042	33,275	35,884	38,273
Cystic kidney	3,427	3,956	4,561	5,263	5,819	6,338	6,849	7,411	7,871	8,275	8,780	9,397	10,019
Other urologic	1,400	1,782	2,240	2,741	3,181	3,683	4,047	4,467	4,779	5,072	5,285	5,750	6,129
Other cause	5,855	6,907	8,309	9,885	11,260	12,558	13,719	14,668	15,661	17,062	18,294	19,706	21,184
Unknown cause	5,484	5,870	5,833	6,169	6,364	6,315	6,535	6,922	7,040	6,868	6,968	7,309	7,493
Missing disease	12,047	10,715	8,619	8,474	6,888	5,541	4,445	3,727	3,231	2,548	2,254	1,977	1,594
All	54,286	61,840	70,146	81,747	91,304	100,602	110,819	121,995	133,211	147,120	162,615	181,222	199,237
Patients dropped	1,480	1,584	1,538	1,622	1,719	1,815	1,907	2,018	2,093	2,206	2,429	2,619	2,876

The prevalent cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

Age is calculated as of December 31.

Table B.1 (continued)

Point prevalent counts of reported ESRD patients: U.S. only, with unknowns dropped*patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	317	304	310	311	283	274	278	302	307	313	301	322
5-9	481	491	507	507	545	537	537	511	504	479	455	432
10-14	878	876	906	950	934	981	979	1,002	961	1,029	908	881
15-19	1,835	1,834	1,949	1,977	1,983	1,993	2,019	1,955	1,995	1,953	1,915	1,938
20-29	11,536	11,522	11,722	11,949	12,000	12,190	12,242	12,136	12,042	11,778	11,382	11,359
30-39	26,802	27,737	28,573	29,301	29,550	30,020	30,654	31,109	31,304	31,470	31,248	31,034
40-49	35,728	38,310	41,524	44,405	46,301	48,667	50,906	53,059	54,808	56,457	57,280	58,484
50-59	38,435	41,743	44,713	48,450	52,680	57,282	62,157	66,590	71,350	75,570	78,834	83,034
60-64	22,213	23,585	25,181	26,888	28,529	30,403	32,209	33,883	35,768	38,351	40,425	42,192
65-69	26,505	28,649	30,239	32,317	33,942	35,520	37,349	38,941	40,734	42,406	44,229	45,790
70-79	39,215	44,054	47,895	52,463	57,144	61,097	64,616	67,737	69,929	72,950	74,913	76,547
80+	12,363	14,093	15,771	17,745	19,884	22,081	24,291	27,095	29,445	32,151	34,534	36,461
0-19	3,511	3,505	3,672	3,745	3,745	3,785	3,813	3,770	3,767	3,774	3,579	3,573
20-44	55,753	57,406	59,690	61,781	63,113	64,692	66,289	67,181	67,947	68,196	67,690	67,897
45-64	78,961	85,491	92,023	99,212	105,947	113,870	121,879	129,596	137,325	145,430	151,479	158,206
65-74	49,980	54,837	58,267	62,460	66,332	69,679	72,930	75,984	78,961	81,997	84,835	87,346
75+	28,103	31,959	35,638	40,065	44,638	49,019	53,326	57,789	61,147	65,510	68,841	71,452
Male	116,887	125,945	134,585	144,678	154,115	163,903	173,937	183,271	192,032	201,580	208,614	216,225
Female	99,421	107,253	114,705	122,585	129,660	137,142	144,300	151,049	157,115	163,327	167,810	172,249
White	135,740	145,316	154,472	165,254	174,931	184,662	195,281	205,352	214,420	223,695	230,143	237,917
Black	71,766	77,960	83,763	89,887	95,752	102,082	107,382	112,250	116,800	122,052	126,328	129,656
Native American	2,660	2,927	3,219	3,462	3,702	4,028	4,299	4,502	4,761	4,956	5,065	5,282
Asian	6,142	6,995	7,836	8,660	9,390	10,273	11,275	12,216	13,166	14,204	14,888	15,619
†Hispanic				23,881	26,318	28,861	31,766	35,427	37,786	40,343	42,563	44,788
†Non-Hispanic				243,382	257,457	272,184	286,471	298,893	311,361	324,564	333,861	343,686
Diabetes	65,976	73,931	82,145	91,238	99,979	108,437	116,293	124,509	131,728	139,127	145,118	150,480
Hypertension	60,848	66,087	68,566	71,999	75,266	78,937	82,866	86,289	89,715	93,703	97,141	99,792
Glomerulonephritis	40,666	42,690	44,976	47,408	49,226	51,154	53,073	54,446	55,735	57,045	57,419	58,520
Cystic kidney	10,582	11,059	11,617	12,059	12,490	13,071	13,709	14,264	14,774	15,376	15,790	16,311
Other urologic	6,300	6,512	7,152	7,825	8,398	8,908	9,600	10,024	10,448	10,863	11,029	11,225
Other cause	22,586	23,580	25,135	26,432	27,576	29,068	30,475	31,788	32,987	34,265	34,813	36,036
Unknown cause	7,812	8,107	8,489	9,129	9,686	10,299	10,976	11,687	12,415	13,052	13,428	13,607
Missing disease	1,538	1,232	1,210	1,173	1,154	1,171	1,245	1,313	1,345	1,476	1,686	2,503
All	216,308	233,198	249,290	267,263	283,775	301,045	318,237	334,320	349,147	364,907	376,424	388,474
Patients dropped	3,054	3,344	3,849	4,459	4,891	5,225	5,551	5,904	6,247	6,652	7,181	7,893

The prevalent cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

Age is calculated as of December 31.

Table B.2

Point prevalent rates of reported ESRD

patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	3.6	5.6	8.4	10.6	11.6	13.9	15.2	15.8	15.6	15.4	14.2	15.0	15.5
5-9	11.3	12.1	15.1	17.1	18.9	20.0	22.2	22.9	22.7	24.5	25.9	26.3	25.6
10-14	26.1	27.3	31.2	34.7	38.2	40.2	42.4	44.5	45.5	44.1	45.2	44.7	45.2
15-19	61.0	66.2	70.6	72.6	76.5	82.2	85.2	90.6	92.2	97.4	98.4	100.8	101.4
20-29	138.9	148.8	161.9	175.9	187.5	198.0	210.5	221.9	232.3	245.6	259.1	272.4	286.5
30-39	249.8	278.8	308.2	341.6	373.2	399.4	428.3	451.9	470.9	495.3	520.8	548.9	576.6
40-49	381.0	422.9	459.2	518.9	559.2	600.0	635.7	670.4	714.8	769.8	819.3	887.4	941.4
50-59	515.6	590.4	665.6	743.4	821.0	885.2	959.6	1,033.8	1,115.3	1,209.0	1,313.4	1,420.9	1,518.3
60-64	572.7	662.5	746.3	873.1	971.7	1,071.4	1,146.8	1,271.4	1,388.3	1,516.7	1,666.8	1,834.8	2,004.0
65-69	600.5	666.8	753.2	915.9	1,027.9	1,133.1	1,263.5	1,429.3	1,572.1	1,748.6	1,946.4	2,189.6	2,429.8
70-79	481.6	552.8	645.1	812.4	927.8	1,040.4	1,178.5	1,314.3	1,455.3	1,649.9	1,855.8	2,129.1	2,366.7
80+	157.0	193.1	240.3	337.1	394.2	475.1	568.3	676.9	782.2	913.4	1,070.3	1,235.8	1,416.1
0-19	27.6	29.7	32.9	34.9	37.2	39.9	41.9	43.9	44.1	45.0	45.1	45.5	45.6
20-44	210.9	231.0	253.9	282.2	306.0	328.4	355.2	377.3	399.4	426.9	456.2	486.9	516.2
45-64	502.6	577.2	646.9	734.1	810.3	878.2	938.7	1,014.7	1,091.7	1,181.5	1,276.4	1,381.4	1,470.8
65-74	576.2	642.5	736.1	900.1	1,011.6	1,119.1	1,254.2	1,402.5	1,544.6	1,729.4	1,943.5	2,206.6	2,448.1
75+	269.8	325.8	387.6	519.2	607.2	705.0	817.4	944.5	1,065.6	1,225.0	1,385.0	1,589.6	1,789.7
Male	270.7	303.9	342.0	393.5	436.0	474.3	515.7	560.1	603.3	658.1	717.6	787.3	852.0
Female	206.4	234.5	263.0	305.2	337.6	370.3	406.1	445.4	484.2	531.0	579.9	639.0	694.9
White	194.2	217.4	242.4	277.1	304.4	331.2	360.6	391.7	420.2	456.8	496.7	543.8	586.7
Black	578.8	662.7	752.3	882.1	987.3	1,079.0	1,177.0	1,288.9	1,408.3	1,551.9	1,694.3	1,863.4	2,026.0
Native American	186.0	243.6	295.5	384.9	446.3	506.6	569.4	635.2	713.3	798.8	873.0	963.2	1,068.6
Asian	84.2	106.2	145.0	186.1	224.4	266.7	306.9	348.0	394.7	437.7	486.6	548.4	606.0
†Hispanic													
†Non-Hispanic													
Diabetes	22.8	31.9	43.0	54.6	67.8	80.9	95.5	111.1	127.5	149.7	173.8	201.7	227.8
Hypertension	38.8	49.3	62.4	75.8	87.7	99.2	112.0	125.3	139.6	157.7	175.5	195.6	215.8
Glomerulonephritis	52.5	60.2	69.0	79.2	88.5	96.7	104.4	112.0	118.1	125.1	132.4	140.9	148.2
Cystic kidney	15.0	17.2	19.6	22.4	24.6	26.5	28.4	30.5	32.0	33.4	34.9	36.9	38.8
Other urologic	6.1	7.7	9.6	11.7	13.4	15.4	16.8	18.4	19.5	20.4	21.0	22.6	23.7
Other cause	25.6	30.0	35.7	42.1	47.5	52.5	56.9	60.3	63.8	68.8	72.8	77.4	82.0
Unknown cause	24.0	25.5	25.1	26.3	26.9	26.4	27.1	28.4	28.7	27.7	27.7	28.7	29.0
Missing disease	52.7	46.5	37.0	36.1	29.1	23.2	18.4	15.3	13.2	10.3	9.0	7.8	6.2
All	237.6	268.2	301.4	348.1	385.5	420.9	459.4	501.2	542.3	593.0	647.1	711.4	771.6

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race/ethnicity are adjusted for gender & age, rates by primary diagnosis are adjusted for age, gender, & race.

The prevalent cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table B.2

Point prevalent rates of reported ESRD*patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	16.1	15.4	15.9	16.1	14.8	14.3	14.5	15.7	15.8	15.9	15.1	15.9
5-9	25.5	25.5	25.8	25.3	26.7	26.1	26.0	25.1	25.1	24.1	23.1	22.1
10-14	46.6	45.9	46.9	48.7	47.4	49.0	48.0	48.3	45.8	48.6	42.9	41.7
15-19	103.8	101.2	104.5	103.2	101.1	99.8	99.9	96.4	98.2	95.7	93.0	92.9
20-29	297.9	301.7	309.6	316.3	316.7	320.2	319.9	314.5	308.9	297.7	283.1	278.0
30-39	602.1	619.2	637.8	657.9	669.9	687.2	708.1	721.7	730.9	742.5	747.1	752.9
40-49	997.0	1,031.0	1,075.5	1,118.7	1,144.0	1,175.8	1,203.3	1,229.7	1,248.9	1,269.1	1,273.9	1,288.4
50-59	1,602.9	1,689.7	1,763.5	1,826.0	1,878.0	1,951.2	2,027.4	2,083.2	2,150.0	2,205.2	2,228.6	2,268.8
60-64	2,173.2	2,325.0	2,487.4	2,648.6	2,767.7	2,879.8	2,974.3	3,085.8	3,164.8	3,248.7	3,273.4	3,288.8
65-69	2,643.7	2,867.2	3,032.9	3,262.1	3,476.4	3,696.4	3,942.4	4,088.6	4,262.9	4,389.3	4,490.5	4,550.1
70-79	2,570.7	2,844.8	3,054.4	3,310.3	3,565.5	3,778.3	3,971.6	4,165.8	4,318.9	4,528.8	4,684.4	4,831.4
80+	1,577.8	1,745.8	1,899.0	2,083.5	2,280.3	2,473.1	2,656.5	2,876.8	3,032.5	3,216.7	3,360.3	3,452.0
0-19	46.7	46.0	47.6	48.0	47.5	47.5	47.4	46.7	46.6	46.5	44.0	43.7
20-44	543.0	557.7	578.7	597.7	609.3	623.5	637.8	643.7	648.9	650.0	644.3	645.6
45-64	1,560.4	1,642.3	1,717.0	1,793.0	1,850.3	1,920.3	1,984.6	2,043.8	2,097.2	2,151.6	2,174.4	2,205.6
65-74	2,666.9	2,912.5	3,091.9	3,330.5	3,561.1	3,767.5	3,975.9	4,141.9	4,314.6	4,477.7	4,609.7	4,715.5
75+	1,955.0	2,170.8	2,358.4	2,581.8	2,810.4	3,023.3	3,223.3	3,428.1	3,564.2	3,753.7	3,886.0	3,981.5
Male	914.7	973.3	1,027.3	1,090.8	1,147.5	1,205.5	1,263.7	1,316.2	1,364.2	1,416.9	1,450.9	1,488.2
Female	743.4	792.7	838.3	885.9	926.5	969.3	1,009.1	1,046.0	1,077.9	1,110.4	1,130.5	1,149.9
White	624.8	662.5	697.7	739.4	775.4	811.1	850.1	886.7	918.3	950.3	969.8	994.5
Black	2,178.2	2,323.5	2,454.1	2,589.5	2,712.5	2,844.8	2,945.0	3,037.3	3,120.3	3,220.5	3,292.8	3,338.6
Native American	1,145.8	1,218.9	1,293.7	1,341.5	1,383.3	1,449.2	1,489.5	1,494.2	1,560.5	1,604.2	1,618.9	1,667.1
Asian	681.9	743.9	798.4	845.6	879.8	924.2	973.9	1,010.0	1,050.1	1,094.6	1,109.6	1,127.0
†Hispanic				791.3	831.8	870.4	915.0	974.5	1,000.5	1,029.4	1,048.0	1,065.6
†Non-Hispanic				1,010.6	1,061.2	1,114.2	1,164.9	1,208.7	1,251.7	1,297.3	1,326.9	1,358.1
Diabetes	252.3	279.3	306.7	336.7	364.6	390.8	414.4	439.0	459.8	480.8	496.6	510.0
Hypertension	232.7	249.7	256.0	265.7	274.4	284.5	295.3	304.2	313.1	323.8	332.4	338.2
Glomerulonephritis	155.5	161.3	167.9	174.9	179.5	184.4	189.1	192.0	194.5	197.1	196.5	198.3
Cystic kidney	40.5	41.8	43.4	44.5	45.5	47.1	48.9	50.3	51.6	53.1	54.0	55.3
Other urologic	24.1	24.6	26.7	28.9	30.6	32.1	34.2	35.3	36.5	37.5	37.7	38.0
Other cause	86.4	89.1	93.8	97.5	100.6	104.8	108.6	112.1	115.1	118.4	119.1	122.1
Unknown cause	29.9	30.6	31.7	33.7	35.3	37.1	39.1	41.2	43.3	45.1	46.0	46.1
Missing disease	5.9	4.7	4.5	4.3	4.2	4.2	4.4	4.6	4.7	5.1	5.8	8.5
All	827.1	881.0	930.8	986.1	1,034.7	1,085.1	1,134.0	1,178.7	1,218.6	1,261.1	1,288.1	1,316.5

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race/ethnicity are adjusted for gender & age, rates by primary diagnosis are adjusted for age, gender, & race.

The prevalent cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table B.2 (continued)

Point prevalent rates of reported ESRD

patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis

ADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	3.6	5.5	8.3	10.4	11.3	13.6	14.9	15.4	15.3	15.2	14.1	14.7	15.3
5-9	11.0	11.8	14.8	16.8	18.7	19.8	22.1	22.6	22.4	24.0	25.3	25.9	25.1
10-14	25.8	26.8	31.0	34.5	37.8	39.8	42.0	44.0	44.9	43.6	44.7	44.2	44.6
15-19	59.9	65.1	69.4	71.2	75.1	80.7	84.0	89.3	90.8	95.6	96.3	98.6	99.6
20-29	139.7	149.2	161.9	175.8	186.9	196.7	208.2	218.6	228.2	241.1	254.4	267.6	281.4
30-39	263.2	295.1	324.7	358.9	391.0	416.5	444.6	468.4	487.1	510.2	534.5	561.1	587.1
40-49	406.4	451.5	493.5	562.4	608.7	653.2	693.1	733.6	783.3	845.4	896.7	968.7	1,021.0
50-59	566.2	651.3	735.3	822.0	909.5	981.8	1,063.7	1,148.1	1,241.5	1,347.3	1,463.8	1,586.3	1,699.2
60-64	637.0	743.2	846.8	996.3	1,111.1	1,234.5	1,316.7	1,454.6	1,588.2	1,735.6	1,904.4	2,087.3	2,278.9
65-69	656.8	741.9	845.6	1,037.4	1,177.9	1,304.5	1,462.6	1,667.7	1,832.4	2,031.0	2,265.0	2,547.3	2,809.3
70-79	528.0	614.1	725.9	931.7	1,072.6	1,206.6	1,373.6	1,537.5	1,719.6	1,960.6	2,205.5	2,531.2	2,820.4
80+	181.9	224.6	288.2	410.2	486.4	597.1	713.2	844.5	974.3	1,141.7	1,357.4	1,588.9	1,828.3
0-19	25.0	27.3	30.9	33.2	35.7	38.5	40.7	42.8	43.4	44.6	45.1	45.8	46.2
20-44	235.8	258.3	282.3	313.3	337.4	359.2	384.4	403.3	423.1	447.7	473.2	500.3	525.9
45-64	552.3	636.4	716.5	817.0	904.1	983.7	1,053.5	1,143.8	1,238.2	1,346.3	1,459.3	1,588.3	1,706.8
65-74	633.3	716.8	826.5	1,023.9	1,163.7	1,291.3	1,457.4	1,634.9	1,806.8	2,025.1	2,284.2	2,592.8	2,873.6
75+	270.0	328.6	406.9	557.7	656.2	776.5	907.1	1,053.9	1,202.2	1,395.2	1,607.5	1,867.3	2,119.8
Male	317.8	358.0	402.8	465.5	515.5	560.5	607.9	658.6	709.4	773.2	842.0	921.1	993.2
Female	220.4	250.1	279.7	322.3	355.0	387.7	422.7	460.5	499.0	544.7	592.1	648.9	701.2
White	205.2	229.2	254.2	289.3	316.4	342.9	371.5	401.4	429.2	464.5	503.4	548.6	589.0
Black	794.6	910.5	1,030.9	1,209.9	1,350.4	1,475.8	1,605.7	1,754.5	1,917.6	2,112.1	2,309.9	2,545.1	2,769.8
Native American	270.5	360.4	444.4	593.2	688.0	782.9	878.1	987.8	1,110.0	1,260.6	1,397.4	1,544.2	1,719.2
Asian	94.7	126.5	180.9	240.4	296.9	357.9	416.3	473.5	542.0	610.1	684.7	774.4	852.4
†Hispanic													
†Non-Hispanic													
Diabetes	25.6	36.0	48.4	61.2	75.7	90.4	106.2	123.1	140.7	164.6	190.9	220.6	247.8
Hypertension	47.3	59.8	74.8	90.2	103.6	116.3	130.0	144.1	159.7	179.0	197.4	218.2	238.6
Glomerulonephritis	57.1	65.5	75.0	86.7	96.9	105.7	113.7	121.3	127.8	135.1	142.3	150.7	157.8
Cystic kidney	16.9	19.3	22.1	25.3	27.8	30.0	32.0	34.2	35.9	37.3	39.1	41.0	43.0
Other urologic	6.5	8.2	10.2	12.4	14.3	16.3	17.7	19.4	20.5	21.5	22.2	23.7	24.9
Other cause	26.5	31.2	37.2	43.9	49.5	54.6	59.1	62.3	66.0	71.3	75.3	79.8	84.5
Unknown cause	27.2	28.7	28.1	29.4	30.1	29.3	29.9	31.3	31.4	30.2	30.2	31.1	31.3
Missing disease	59.2	52.3	41.7	40.2	32.3	25.6	20.3	16.8	14.3	11.1	9.7	8.3	6.6
All	266.2	300.9	337.5	389.4	430.1	468.3	508.9	552.5	596.4	650.2	706.9	773.5	834.4

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race/ethnicity are adjusted for gender & age, rates by primary diagnosis are adjusted for age, gender, & race.

The prevalent cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table B.2 (continued)

Point prevalent rates of reported ESRD*patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis*

ADJUSTED	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	16.0	15.3	15.7	16.1	14.8	14.3	14.5	15.6	15.7	15.7	14.9	15.6
5-9	25.0	25.1	25.6	25.0	26.2	25.7	25.8	24.8	25.0	24.0	22.9	21.9
10-14	46.0	45.2	46.3	47.9	46.8	48.2	47.0	47.2	44.7	47.2	41.9	41.1
15-19	101.4	98.7	101.9	100.6	98.5	97.1	97.3	94.0	95.6	93.2	90.0	89.7
20-29	292.1	295.1	301.4	306.8	307.0	311.0	311.4	308.5	304.8	294.3	279.1	273.3
30-39	610.5	625.5	641.6	659.0	668.1	682.8	701.8	715.1	724.5	735.8	740.0	745.5
40-49	1,076.2	1,108.1	1,148.0	1,185.5	1,203.8	1,230.7	1,251.9	1,275.7	1,289.7	1,304.7	1,304.2	1,313.9
50-59	1,799.6	1,895.8	1,977.0	2,052.5	2,116.6	2,195.1	2,272.5	2,326.4	2,387.8	2,428.6	2,436.9	2,467.5
60-64	2,458.4	2,618.9	2,788.9	2,961.1	3,086.0	3,207.3	3,308.5	3,415.4	3,511.2	3,620.4	3,661.0	3,673.3
65-69	3,061.4	3,299.4	3,471.7	3,713.7	3,938.8	4,172.1	4,428.2	4,563.1	4,733.2	4,857.7	4,967.6	5,038.8
70-79	3,076.7	3,419.0	3,674.9	3,954.5	4,244.9	4,496.2	4,695.6	4,883.1	5,029.6	5,250.8	5,398.3	5,532.1
80+	2,031.7	2,252.4	2,444.0	2,692.3	2,918.0	3,172.3	3,398.7	3,630.7	3,788.0	3,994.4	4,154.5	4,217.0
0-19	47.1	46.1	47.4	47.4	46.6	46.3	46.1	45.4	45.2	45.0	42.4	42.1
20-44	547.7	557.1	573.0	587.3	594.9	606.0	617.6	623.5	629.4	631.7	627.3	630.1
45-64	1,819.2	1,920.5	2,015.0	2,108.1	2,175.6	2,254.1	2,323.9	2,387.3	2,444.5	2,497.3	2,511.2	2,530.8
65-74	3,143.1	3,428.8	3,635.4	3,887.2	4,132.3	4,348.8	4,548.3	4,706.1	4,876.2	5,049.0	5,182.3	5,290.5
75+	2,330.7	2,594.9	2,812.9	3,077.6	3,333.4	3,603.8	3,840.1	4,059.5	4,205.3	4,416.7	4,569.5	4,652.1
Male	1,061.5	1,125.1	1,181.1	1,246.3	1,301.9	1,360.1	1,416.8	1,465.1	1,507.3	1,552.8	1,576.9	1,603.1
Female	747.4	791.5	832.2	873.1	905.6	941.0	973.6	1,000.9	1,023.7	1,044.9	1,054.0	1,063.6
White	625.0	659.8	692.5	730.4	761.9	793.8	828.5	860.5	886.7	911.5	924.1	942.0
Black	2,973.8	3,169.5	3,332.6	3,498.5	3,648.3	3,804.4	3,912.1	4,005.9	4,082.9	4,180.3	4,237.6	4,256.1
Native American	1,850.7	1,967.6	2,090.9	2,153.7	2,219.6	2,319.9	2,376.6	2,278.2	2,311.8	2,314.2	2,280.0	2,287.2
Asian	953.8	1,044.4	1,118.3	1,176.7	1,210.6	1,263.1	1,316.9	1,341.4	1,366.1	1,402.6	1,398.6	1,393.8
†Hispanic				1,403.4	1,490.1	1,571.2	1,665.5	1,764.0	1,786.4	1,817.7	1,828.9	1,838.0
†Non-Hispanic				1,003.7	1,045.9	1,090.9	1,133.4	1,168.5	1,201.9	1,235.6	1,253.7	1,274.0
Diabetes	273.3	301.1	328.9	358.5	385.0	409.6	431.0	452.4	469.8	486.1	496.6	504.7
Hypertension	255.4	271.8	276.5	284.1	290.6	298.5	307.1	313.4	319.5	327.1	332.4	335.0
Glomerulonephritis	165.0	170.3	176.4	182.7	186.3	190.3	194.0	195.7	197.1	198.4	196.5	197.1
Cystic kidney	44.5	45.7	47.0	47.7	48.4	49.5	50.9	51.9	52.7	53.7	54.0	54.7
Other urologic	25.1	25.6	27.7	29.8	31.4	32.9	34.9	35.9	36.8	37.7	37.7	37.9
Other cause	88.9	91.5	96.3	99.7	102.4	106.6	110.2	113.4	116.0	118.9	119.1	121.6
Unknown cause	32.0	32.5	33.5	35.4	36.8	38.4	40.3	42.1	44.0	45.4	46.0	45.8
Missing disease	6.3	4.9	4.7	4.5	4.3	4.3	4.5	4.7	4.8	5.1	5.8	8.4
All	890.5	943.3	990.9	1,042.4	1,085.2	1,130.1	1,172.9	1,209.4	1,240.6	1,272.5	1,288.1	1,305.2

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race/ethnicity are adjusted for gender & age, rates by primary diagnosis are adjusted for age, gender, & race.

The prevalent cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table B.4
Point prevalent counts of reported ESRD patients, 2002-2004
patients alive on December 31 of each year, by age, gender, & race

	Male					Female					All				
	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All
0-4	480	127	*	14	627	252	42	*	*	309	732	169	12	23	936
5-9	640	161	*	27	833	438	88	*	*	533	1078	249	*	33	1366
10-14	1158	359	25	30	1572	895	294	29	28	1246	2053	653	54	58	2818
15-19	2191	936	40	117	3284	1654	722	45	101	2522	3845	1658	85	218	5806
20-29	11472	6515	222	842	19051	8762	5653	271	782	15468	20234	12168	493	1624	34519
30-39	29818	21629	570	2002	54019	21802	15501	627	1803	39733	51620	37130	1197	3805	93752
40-49	58948	40248	1276	3140	103612	37825	26805	983	2996	68609	96773	67053	2259	6136	172221
50-59	79695	52499	2170	4954	139318	54285	37966	1826	4043	98120	133980	90465	3996	8997	237438
60-64	41179	22306	1011	2682	67178	30284	20490	1118	1898	53790	71463	42796	2129	4580	120968
65-69	45187	19869	921	2844	68821	36481	23417	1233	2473	63604	81668	43286	2154	5317	132425
70-79	83518	25603	903	4595	114619	68150	35344	1454	4843	109791	151668	60947	2357	9438	224410
80+	42985	8070	211	2219	53485	33656	13392	350	2263	49661	76641	21462	561	4482	103146
0-19	4469	1583	76	188	6316	3239	1146	81	144	4610	7708	2729	157	332	10926
20-44	67499	45189	1304	4209	118201	47513	32754	1357	3958	85582	115012	77943	2661	8167	203783
45-64	153613	98008	3945	9411	264977	105445	73661	3468	7564	190138	259058	171669	7413	16975	455115
65-74	88666	35247	1504	5329	130746	72399	43803	2147	5083	123432	161065	79050	3651	10412	254178
75+	83024	18295	531	4329	106179	65888	28350	890	4496	99624	148912	46645	1421	8825	205803
Diabetes	149075	63035	4683	8761	225554	119888	76033	5551	7699	209171	268963	139068	10234	16460	434725
Hypertension	84463	80931	741	5926	172061	55212	58041	558	4764	118575	139675	138972	1299	10690	290636
Glomerulonephritis	69514	28551	1124	5473	104662	42429	19876	1013	5004	68322	111943	48427	2137	10477	172984
Other cause	94219	25805	812	3306	124142	76955	25764	821	3778	107318	171174	51569	1633	7084	231460
All	397271	198322	7360	23466	626419	294484	179714	7943	21245	503386	691755	378036	15303	44711	1129805

Table B.8

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: all patients*patients alive on December 31 of each year*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	1,090	1,223	1,397	1,688	1,855	2,010	1,879	2,155	2,396	2,990	3,412	3,733	4,097
Alaska	36	34	50	59	60	60	86	92	105	124	131	151	166
Arizona	714	834	956	1,133	1,269	1,424	1,616	1,830	1,979	2,232	2,515	2,794	3,171
Arkansas	447	503	566	697	795	891	966	1,108	1,251	1,327	1,462	1,656	1,798
California	5,852	7,145	7,992	9,109	10,085	11,071	12,191	13,407	14,536	16,082	17,846	19,883	21,693
Colorado	553	620	697	772	851	959	1,068	1,175	1,277	1,423	1,569	1,711	1,908
Connecticut	781	857	881	1,048	1,099	1,379	1,495	1,610	1,672	1,816	1,979	2,227	2,398
Delaware	155	153	186	250	278	311	329	378	425	473	528	606	690
District of Columbia	397	431	506	565	611	664	683	737	767	837	878	977	1,086
Florida	3,175	3,713	4,199	4,741	5,357	5,874	6,549	7,242	7,941	8,791	9,739	10,922	12,173
Georgia	1,565	1,893	2,109	2,496	2,874	3,142	3,459	3,852	4,279	4,771	5,302	6,048	6,766
Hawaii	341	365	386	426	464	516	587	654	725	802	885	981	1,069
Idaho	132	140	173	203	220	269	293	331	347	397	467	514	548
Illinois	2,832	3,193	3,585	4,095	4,487	4,963	5,472	5,931	6,304	6,723	7,395	8,387	9,101
Indiana	1,170	1,350	1,508	1,808	1,941	2,100	2,256	2,513	2,754	3,015	3,328	3,698	4,095
Iowa	530	599	651	786	879	960	1,094	1,155	1,226	1,352	1,498	1,612	1,808
Kansas	492	534	622	722	786	857	911	984	1,052	1,197	1,367	1,508	1,638
Kentucky	647	788	912	1,005	1,134	1,266	1,401	1,552	1,690	1,835	2,054	2,341	2,618
Louisiana	1,051	1,203	1,406	1,563	1,794	1,997	2,262	2,566	2,876	3,213	3,551	3,928	4,340
Maine	118	213	240	269	329	349	354	397	465	475	532	571	614
Maryland	1,067	1,244	1,408	1,665	1,907	2,102	2,244	2,524	2,786	3,124	3,532	4,036	4,445
Massachusetts	1,489	1,336	1,453	2,028	2,205	2,315	2,446	2,667	2,870	3,093	3,362	3,686	4,025
Michigan	2,250	2,533	2,846	3,113	3,475	3,785	4,099	4,429	4,824	5,423	5,943	6,533	7,251
Minnesota	804	938	1,070	1,185	1,345	1,502	1,656	1,838	1,942	2,096	2,295	2,503	2,714
Mississippi	659	739	848	1,040	1,183	1,357	1,490	1,657	1,876	2,061	2,286	2,518	2,745
Missouri	1,000	1,094	1,104	1,555	1,778	1,970	2,220	2,519	2,778	3,101	3,430	3,757	4,069
Montana	116	144	157	190	224	249	274	301	308	355	395	441	460
Nebraska	273	335	360	390	427	481	537	604	667	757	827	902	1,020
Nevada	216	251	285	333	364	410	481	540	583	624	672	766	863
New Hampshire	156	200	233	253	281	310	335	365	398	463	486	529	559
New Jersey	2,220	2,455	2,765	3,137	3,403	3,747	4,036	4,310	4,547	5,010	5,516	6,178	6,657
New Mexico	312	339	386	460	507	567	632	704	795	868	993	1,132	1,275
New York	4,686	5,247	5,675	6,491	7,268	7,921	8,637	9,267	9,886	10,648	11,600	12,828	13,925
North Carolina	1,451	1,664	1,981	2,365	2,655	3,056	3,410	3,749	4,113	4,536	5,075	5,719	6,467
North Dakota	109	132	140	158	172	190	227	235	257	286	321	353	404
Ohio	2,131	2,417	2,852	3,250	3,669	4,074	4,534	4,977	5,490	6,041	6,750	7,562	8,263
Oklahoma	567	649	702	821	906	1,001	1,099	1,232	1,395	1,571	1,763	1,918	2,133
Oregon	422	477	560	661	767	874	1,001	1,075	1,192	1,324	1,439	1,635	1,749
Pennsylvania	3,056	3,387	3,783	4,318	4,806	5,409	5,913	6,443	7,026	7,626	8,414	9,254	10,014
Rhode Island	285	294	309	351	417	434	437	459	505	574	615	675	723
South Carolina	822	1,001	1,177	1,438	1,623	1,490	2,043	2,269	2,531	2,806	3,133	3,472	3,837
South Dakota	146	171	171	202	232	247	263	297	323	336	358	391	411
Tennessee	1,124	1,260	1,432	1,740	1,894	2,100	2,310	2,609	2,839	3,250	3,581	3,985	4,398
Texas	3,601	4,141	4,871	5,702	6,269	6,900	7,674	8,535	9,462	10,505	11,773	13,190	14,772
Utah	247	296	325	373	458	507	554	587	649	663	697	770	820
Vermont	101	114	126	134	138	157	155	170	192	205	216	248	258
Virginia	1,577	1,764	1,979	2,359	2,641	2,845	3,065	3,338	3,724	4,029	4,368	4,925	5,513
Washington	788	721	988	1,185	1,349	1,488	1,711	1,870	2,030	2,279	2,479	2,747	2,936
West Virginia	295	342	422	500	603	663	738	799	885	955	1,028	1,139	1,237
Wisconsin	962	1,076	1,260	1,371	1,529	1,650	1,845	2,098	2,350	2,595	2,782	3,105	3,429
Wyoming	54	64	80	88	95	115	124	138	157	173	175	188	190
American Samoa	.	*	*	*	*	*	12	13	11	18	20	25	32
Guam	17	18	22	23	23	23	31	34	40	44	55	74	94
Puerto Rico	597	686	781	928	1,122	1,266	1,389	1,519	1,642	1,838	2,027	2,208	2,446
Saipan	*	12	15	20	21	23
Virgin Islands	18	20	28	20	20	23	30	43	45	44	53	61	72
Foreign	37	46	46	61	63	76	83	82	78	82	94	92	92
Unknown	33	36	33	40	30	41	40	40	29	33	33	27	15
All	55,766	63,424	71,684	83,369	93,023	102,417	112,726	124,013	135,304	149,326	165,044	183,841	202,113

Table B.8

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: all patients*patients alive on December 31 of each year*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	4,439	4,795	5,158	5,663	6,104	6,401	6,667	7,079	7,367	7,613	7,793	7,857
Alaska	175	208	226	249	276	284	301	311	358	379	411	455
Arizona	3,510	3,782	4,090	4,386	4,730	5,094	5,437	5,751	6,031	6,329	6,653	6,979
Arkansas	1,984	2,238	2,477	2,650	2,854	2,982	3,110	3,216	3,323	3,417	3,473	3,562
California	23,418	25,354	27,029	28,942	30,502	32,448	34,545	36,668	38,671	41,050	42,579	44,310
Colorado	2,086	2,266	2,386	2,537	2,673	2,879	3,072	3,247	3,404	3,573	3,715	3,957
Connecticut	2,568	2,747	2,954	3,171	3,328	3,475	3,629	3,754	3,785	3,892	3,914	3,962
Delaware	740	782	847	914	963	988	1,078	1,130	1,177	1,250	1,301	1,369
District of Columbia	1,193	1,243	1,300	1,353	1,388	1,392	1,466	1,536	1,591	1,604	1,651	1,685
Florida	13,229	14,205	15,041	16,309	17,336	18,127	19,089	20,114	21,052	21,929	22,497	23,230
Georgia	7,376	8,125	8,797	9,461	10,078	10,738	11,445	12,081	12,707	13,355	13,725	14,044
Hawaii	1,198	1,330	1,403	1,492	1,616	1,706	1,794	1,933	1,984	2,095	2,182	2,329
Idaho	597	652	689	759	835	876	990	1,014	1,076	1,109	1,121	1,157
Illinois	9,961	10,661	11,445	12,225	12,809	13,492	14,237	14,824	15,440	16,154	16,587	16,996
Indiana	4,461	4,781	5,080	5,484	5,796	6,264	6,609	6,975	7,269	7,525	7,781	8,002
Iowa	1,916	2,035	2,101	2,243	2,306	2,431	2,615	2,774	2,942	3,058	3,189	3,265
Kansas	1,709	1,816	1,918	2,034	2,204	2,313	2,448	2,542	2,571	2,712	2,793	2,852
Kentucky	2,818	2,947	3,201	3,413	3,618	3,881	4,078	4,292	4,514	4,656	4,846	5,027
Louisiana	4,677	5,024	5,456	5,792	6,303	6,705	7,102	7,336	7,551	7,896	8,048	8,119
Maine	678	737	823	884	955	1,028	1,076	1,131	1,198	1,256	1,302	1,372
Maryland	4,904	5,334	5,749	6,254	6,712	7,124	7,489	7,777	8,168	8,541	8,762	8,976
Massachusetts	4,390	4,682	4,889	5,168	5,447	5,672	5,748	5,903	5,979	6,167	6,249	6,443
Michigan	7,943	8,442	9,023	9,817	10,243	10,810	11,226	11,805	12,417	12,995	13,529	14,175
Minnesota	2,929	3,118	3,285	3,508	3,688	3,862	4,013	4,213	4,487	4,726	4,861	5,109
Mississippi	3,035	3,366	3,617	3,935	4,252	4,520	4,772	4,950	5,190	5,412	5,587	5,758
Missouri	4,435	4,736	5,079	5,438	5,705	6,075	6,435	6,720	7,011	7,236	7,473	7,614
Montana	510	531	583	636	680	708	759	785	848	885	910	937
Nebraska	1,101	1,176	1,266	1,327	1,437	1,519	1,616	1,722	1,807	1,896	1,948	1,992
Nevada	983	1,089	1,201	1,319	1,434	1,553	1,713	1,778	1,938	2,067	2,205	2,365
New Hampshire	592	634	692	715	746	782	837	901	923	986	1,030	1,050
New Jersey	7,138	7,661	8,174	8,649	9,134	9,741	10,359	10,640	11,068	11,439	11,728	12,028
New Mexico	1,397	1,489	1,652	1,783	1,941	2,055	2,205	2,363	2,486	2,554	2,635	2,781
New York	15,078	15,936	16,992	18,023	19,150	20,338	21,430	22,450	23,226	24,169	24,643	25,392
North Carolina	7,220	7,931	8,505	9,224	9,982	10,687	11,187	11,899	12,514	13,047	13,531	13,935
North Dakota	438	472	472	491	506	539	559	578	630	681	701	722
Ohio	8,899	9,714	10,406	11,176	11,812	12,599	13,359	14,175	14,717	15,373	15,910	16,254
Oklahoma	2,347	2,547	2,755	2,940	3,179	3,398	3,585	3,781	3,902	4,080	4,256	4,470
Oregon	1,909	2,063	2,173	2,280	2,368	2,483	2,606	2,714	2,902	3,105	3,271	3,441
Pennsylvania	10,581	11,325	12,094	12,975	13,722	14,328	14,910	15,565	16,008	16,586	16,793	17,124
Rhode Island	782	856	892	962	987	1,033	1,074	1,116	1,137	1,186	1,182	1,186
South Carolina	4,167	4,625	5,004	5,345	5,725	6,102	6,496	6,701	7,031	7,194	7,578	7,901
South Dakota	461	500	561	621	678	722	778	826	839	877	941	958
Tennessee	4,709	5,186	5,616	5,974	6,339	6,754	7,189	7,539	7,757	7,975	8,090	8,287
Texas	16,101	17,475	18,800	20,397	21,831	23,467	25,276	26,989	28,485	30,082	31,617	33,113
Utah	937	1,000	1,079	1,142	1,188	1,308	1,400	1,497	1,587	1,668	1,739	1,813
Vermont	281	308	339	380	417	445	484	513	528	533	548	552
Virginia	6,025	6,436	6,904	7,462	8,088	8,689	9,167	9,490	9,850	10,320	10,613	10,969
Washington	3,159	3,422	3,608	3,812	3,975	4,216	4,478	4,752	5,049	5,466	5,694	5,877
West Virginia	1,325	1,403	1,528	1,654	1,812	1,944	2,074	2,213	2,326	2,379	2,463	2,510
Wisconsin	3,702	3,957	4,182	4,478	4,709	4,997	5,268	5,464	5,725	6,069	6,406	6,777
Wyoming	205	218	244	263	289	310	333	367	376	390	406	426
American Samoa	31	31	32	38	41	38	52	62	69	69	76	83
Guam	106	116	134	150	170	186	209	233	249	272	287	271
Puerto Rico	2,607	2,821	2,959	3,168	3,335	3,457	3,587	3,697	3,815	3,923	4,024	4,175
Saipan	24	28	37	49	55	72	80	91	87	91	94	104
Virgin Islands	72	74	85	100	112	124	128	128	137	155	157	172
Foreign	92	101	100	100	97	103	114	114	109	108	101	92
Unknown	14	11	*	*	*	*	*	*	*	*	*	*
All	219,362	236,542	253,139	271,722	288,666	306,270	323,788	340,224	355,394	371,559	383,605	396,367

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: diabetic patients*patients alive on December 31 of each year*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	57	73	106	166	212	264	313	383	448	617	735	868	1,003
Alaska	*	*	*	*	*	*	15	18	19	29	32	32	41
Arizona	122	167	216	281	336	394	488	620	687	831	960	1,113	1,312
Arkansas	22	39	53	84	111	139	147	213	243	287	331	407	453
California	421	751	1,091	1,456	1,796	2,272	2,688	3,097	3,566	4,351	5,036	5,980	6,753
Colorado	77	85	105	137	178	225	289	331	377	452	525	596	697
Connecticut	88	124	139	188	219	293	337	376	392	462	504	617	675
Delaware	13	21	27	30	42	52	69	89	113	130	151	179	203
District of Columbia	35	46	65	88	119	148	155	180	182	205	239	260	317
Florida	234	371	524	657	825	973	1,249	1,472	1,664	1,915	2,264	2,659	3,095
Georgia	141	226	311	369	473	566	675	823	934	1,136	1,326	1,569	1,836
Hawaii	58	74	75	80	82	107	147	200	238	280	331	386	423
Idaho	12	16	22	35	39	47	59	83	91	117	147	151	169
Illinois	284	378	506	620	740	946	1,110	1,259	1,409	1,615	1,868	2,247	2,473
Indiana	124	172	208	281	327	364	423	515	599	691	823	1,004	1,197
Iowa	48	82	106	153	189	212	260	263	293	339	383	426	519
Kansas	53	68	102	128	164	183	177	216	244	290	361	428	469
Kentucky	52	84	106	140	194	238	268	328	375	422	504	624	736
Louisiana	65	103	154	176	265	315	399	503	610	746	877	1,066	1,255
Maine	*	21	32	34	51	53	63	84	100	104	128	135	149
Maryland	76	124	164	232	302	385	429	514	589	726	905	1,102	1,285
Massachusetts	165	187	218	283	321	343	383	426	488	595	735	866	1,033
Michigan	301	388	462	530	631	743	889	967	1,130	1,352	1,626	1,900	2,186
Minnesota	163	217	261	321	392	449	509	589	634	709	803	891	943
Mississippi	42	65	96	125	170	202	241	297	373	454	539	646	742
Missouri	49	98	182	238	305	378	430	526	619	717	844	986	1,122
Montana	13	23	24	35	50	64	70	87	104	122	146	161	174
Nebraska	44	64	75	88	90	107	125	147	180	221	262	293	343
Nevada	34	45	53	54	53	66	85	108	129	144	178	219	251
New Hampshire	14	21	28	37	40	50	60	70	90	109	124	132	139
New Jersey	228	286	400	503	571	692	773	840	967	1,122	1,361	1,646	1,787
New Mexico	39	64	82	122	139	156	196	233	298	335	384	474	557
New York	369	541	721	919	1,181	1,380	1,655	1,909	2,172	2,466	2,857	3,282	3,711
North Carolina	135	170	239	309	407	518	615	743	870	1,046	1,272	1,523	1,797
North Dakota	22	26	30	42	50	50	64	72	83	111	126	141	168
Ohio	284	370	500	593	746	877	1,055	1,258	1,445	1,673	1,982	2,294	2,616
Oklahoma	51	70	101	147	175	214	263	316	414	473	571	666	770
Oregon	30	48	94	116	142	171	214	248	285	342	399	452	490
Pennsylvania	340	408	511	647	844	1,018	1,230	1,443	1,649	1,878	2,224	2,574	2,952
Rhode Island	19	23	31	36	47	53	56	70	95	117	143	155	181
South Carolina	78	108	149	198	274	309	405	479	553	654	772	928	1,063
South Dakota	22	40	31	42	57	68	74	91	112	112	124	147	172
Tennessee	61	88	145	202	251	324	374	460	551	712	813	977	1,130
Texas	373	536	767	941	1,216	1,477	1,777	2,105	2,547	3,156	3,787	4,424	5,086
Utah	40	54	65	92	127	153	172	193	223	225	260	285	301
Vermont	15	20	27	24	28	42	42	46	45	57	64	73	75
Virginia	129	169	231	322	405	452	538	617	748	887	1,026	1,243	1,489
Washington	77	81	119	163	219	292	344	384	467	570	658	784	898
West Virginia	31	38	61	85	112	116	157	183	210	236	272	317	381
Wisconsin	161	194	262	314	375	411	484	580	673	772	863	1,023	1,162
Wyoming	*	*	16	18	19	31	34	39	45	57	57	60	55
American Samoa	.	*	*	*	*	*	*	*	*	*	*	12	15
Guam	*	*	*	*	*	*	14	12	12	15	20	31	41
Puerto Rico	55	85	119	165	233	280	349	418	466	578	671	766	914
Saipan	*	*	*	11	11	*
Virgin Islands	*	*	*	*	*	*	*	*	*	*	*	*	*
Foreign	.	.	*	*	*	*	*	*	*	*	11	15	16
Unknown	*	*	*	*	*	*	14	*	*	*	13	12	*
All	5,394	7,572	10,228	13,070	16,361	19,695	23,464	27,550	31,876	37,799	44,441	52,265	59,844

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: diabetic patients*patients alive on December 31 of each year*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	1,162	1,340	1,495	1,716	1,954	2,100	2,258	2,515	2,692	2,797	2,897	2,957
Alaska	48	59	78	89	108	105	124	114	134	146	157	179
Arizona	1,491	1,648	1,820	1,965	2,201	2,370	2,536	2,711	2,878	3,025	3,216	3,407
Arkansas	511	608	726	823	909	956	1,007	1,070	1,141	1,180	1,237	1,264
California	7,507	8,498	9,323	10,278	11,230	12,121	13,138	14,303	15,339	16,443	17,365	18,131
Colorado	794	854	909	991	1,056	1,146	1,253	1,366	1,442	1,523	1,596	1,670
Connecticut	740	820	922	1,011	1,119	1,172	1,230	1,321	1,313	1,379	1,422	1,436
Delaware	219	241	264	284	317	328	368	416	426	459	482	506
District of Columbia	364	379	405	447	461	448	470	486	515	527	550	551
Florida	3,502	3,963	4,371	4,931	5,460	5,802	6,211	6,706	7,230	7,609	7,936	8,234
Georgia	2,066	2,363	2,692	3,069	3,385	3,702	4,044	4,330	4,582	4,898	5,127	5,265
Hawaii	509	594	647	690	755	807	861	970	1,026	1,093	1,128	1,192
Idaho	192	221	235	269	310	341	386	388	408	431	421	441
Illinois	2,758	3,076	3,491	3,891	4,169	4,476	4,879	5,159	5,361	5,712	5,893	5,979
Indiana	1,322	1,475	1,709	1,898	2,015	2,227	2,385	2,528	2,652	2,766	2,920	3,013
Iowa	578	651	696	765	795	849	935	992	1,064	1,102	1,152	1,171
Kansas	510	577	623	688	755	852	926	986	997	1,061	1,089	1,091
Kentucky	815	860	1,014	1,129	1,224	1,345	1,428	1,550	1,662	1,749	1,817	1,877
Louisiana	1,368	1,505	1,691	1,924	2,177	2,388	2,566	2,684	2,783	2,917	2,994	3,027
Maine	178	196	235	257	294	326	338	375	417	451	483	494
Maryland	1,477	1,638	1,799	2,063	2,280	2,444	2,571	2,616	2,798	2,973	3,038	3,048
Massachusetts	1,152	1,312	1,419	1,562	1,685	1,775	1,808	1,869	1,970	2,053	2,079	2,113
Michigan	2,472	2,756	3,033	3,478	3,719	4,021	4,192	4,514	4,806	5,044	5,293	5,565
Minnesota	1,053	1,112	1,183	1,261	1,337	1,416	1,444	1,549	1,632	1,730	1,779	1,896
Mississippi	848	994	1,126	1,280	1,409	1,546	1,662	1,724	1,823	1,925	2,021	2,055
Missouri	1,300	1,451	1,620	1,789	1,972	2,156	2,293	2,444	2,557	2,649	2,720	2,761
Montana	188	201	240	263	281	290	314	339	385	406	428	442
Nebraska	390	411	475	512	559	605	655	695	730	745	787	820
Nevada	291	328	391	427	502	572	628	658	739	809	900	962
New Hampshire	150	167	194	202	229	248	263	286	299	323	352	364
New Jersey	1,977	2,258	2,543	2,835	3,066	3,394	3,660	3,779	3,941	4,129	4,225	4,325
New Mexico	641	695	798	895	999	1,076	1,168	1,296	1,355	1,385	1,434	1,536
New York	4,184	4,553	5,102	5,687	6,213	6,749	7,241	7,711	8,121	8,540	8,791	9,139
North Carolina	2,081	2,422	2,694	3,101	3,481	3,845	4,061	4,417	4,660	4,890	5,131	5,336
North Dakota	180	185	187	192	204	226	211	224	242	266	274	289
Ohio	2,896	3,318	3,689	4,076	4,434	4,891	5,231	5,596	5,906	6,182	6,398	6,511
Oklahoma	877	970	1,093	1,168	1,314	1,456	1,555	1,626	1,691	1,805	1,884	1,975
Oregon	542	606	680	745	821	835	890	951	1,030	1,087	1,156	1,224
Pennsylvania	3,191	3,532	3,913	4,249	4,604	4,930	5,194	5,525	5,727	6,031	6,141	6,310
Rhode Island	197	223	241	281	308	337	359	359	370	383	378	361
South Carolina	1,198	1,376	1,539	1,734	1,883	2,140	2,325	2,457	2,639	2,691	2,879	3,066
South Dakota	199	212	244	269	297	313	354	364	375	397	438	445
Tennessee	1,276	1,480	1,694	1,881	2,051	2,223	2,380	2,547	2,664	2,758	2,854	2,964
Texas	5,746	6,466	7,217	8,144	9,040	9,952	10,843	11,891	12,671	13,671	14,590	15,511
Utah	355	393	448	474	493	537	578	632	670	697	738	774
Vermont	82	103	122	142	156	173	190	202	203	202	201	204
Virginia	1,700	1,901	2,136	2,379	2,711	2,978	3,198	3,382	3,586	3,836	3,957	4,124
Washington	1,006	1,111	1,176	1,276	1,406	1,517	1,611	1,741	1,874	2,011	2,103	2,189
West Virginia	388	442	503	571	654	726	818	918	976	991	1,039	1,061
Wisconsin	1,265	1,359	1,457	1,556	1,674	1,779	1,888	1,913	1,996	2,119	2,249	2,454
Wyoming	68	81	103	110	128	131	138	156	159	162	173	178
American Samoa	14	14	17	19	18	21	28	39	46	47	53	61
Guam	49	52	66	78	94	101	122	130	143	149	160	152
Puerto Rico	979	1,075	1,122	1,241	1,345	1,413	1,535	1,622	1,712	1,812	1,958	2,011
Saipan	*	12	19	26	30	43	48	58	61	63	65	69
Virgin Islands	14	16	30	39	44	51	58	55	62	65	70	76
Foreign	13	19	15	16	16	14	23	22	24	34	30	30
Unknown	*	*	*	*	*	*	*	*	*	*	*	.
All	67,087	75,174	83,675	93,137	102,152	110,786	118,881	127,278	134,706	142,329	148,649	154,286

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: non-diabetic patients*patients alive on December 31 of each year*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	1,033	1,150	1,291	1,522	1,643	1,746	1,566	1,772	1,948	2,373	2,677	2,865	3,094
Alaska	32	32	46	53	50	53	71	74	86	95	99	119	125
Arizona	592	667	740	852	933	1,030	1,128	1,210	1,292	1,401	1,555	1,681	1,859
Arkansas	425	464	513	613	684	752	819	895	1,008	1,040	1,131	1,249	1,345
California	5,431	6,394	6,901	7,653	8,289	8,799	9,503	10,310	10,970	11,731	12,810	13,903	14,940
Colorado	476	535	592	635	673	734	779	844	900	971	1,044	1,115	1,211
Connecticut	693	733	742	860	880	1,086	1,158	1,234	1,280	1,354	1,475	1,610	1,723
Delaware	142	132	159	220	236	259	260	289	312	343	377	427	487
District of Columbia	362	385	441	477	492	516	528	557	585	632	639	717	769
Florida	2,941	3,342	3,675	4,084	4,532	4,901	5,300	5,770	6,277	6,876	7,475	8,263	9,078
Georgia	1,424	1,667	1,798	2,127	2,401	2,576	2,784	3,029	3,345	3,635	3,976	4,479	4,930
Hawaii	283	291	311	346	382	409	440	454	487	522	554	595	646
Idaho	120	124	151	168	181	222	234	248	256	280	320	363	379
Illinois	2,548	2,815	3,079	3,475	3,747	4,017	4,362	4,672	4,895	5,108	5,527	6,140	6,628
Indiana	1,046	1,178	1,300	1,527	1,614	1,736	1,833	1,998	2,155	2,324	2,505	2,694	2,898
Iowa	482	517	545	633	690	748	834	892	933	1,013	1,115	1,186	1,289
Kansas	439	466	520	594	622	674	734	768	808	907	1,006	1,080	1,169
Kentucky	595	704	806	865	940	1,028	1,133	1,224	1,315	1,413	1,550	1,717	1,882
Louisiana	986	1,100	1,252	1,387	1,529	1,682	1,863	2,063	2,266	2,467	2,674	2,862	3,085
Maine	108	192	208	235	278	296	291	313	365	371	404	436	465
Maryland	991	1,120	1,244	1,433	1,605	1,717	1,815	2,010	2,197	2,398	2,627	2,934	3,160
Massachusetts	1,324	1,149	1,235	1,745	1,884	1,972	2,063	2,241	2,382	2,498	2,627	2,820	2,992
Michigan	1,949	2,145	2,384	2,583	2,844	3,042	3,210	3,462	3,694	4,071	4,317	4,633	5,065
Minnesota	641	721	809	864	953	1,053	1,147	1,249	1,308	1,387	1,492	1,612	1,771
Mississippi	617	674	752	915	1,013	1,155	1,249	1,360	1,503	1,607	1,747	1,872	2,003
Missouri	951	996	922	1,317	1,473	1,592	1,790	1,993	2,159	2,384	2,586	2,771	2,947
Montana	103	121	133	155	174	185	204	214	204	233	249	280	286
Nebraska	229	271	285	302	337	374	412	457	487	536	565	609	677
Nevada	182	206	232	279	311	344	396	432	454	480	494	547	612
New Hampshire	142	179	205	216	241	260	275	295	308	354	362	397	420
New Jersey	1,992	2,169	2,365	2,634	2,832	3,055	3,263	3,470	3,580	3,888	4,155	4,532	4,870
New Mexico	273	275	304	338	368	411	436	471	497	533	609	658	718
New York	4,317	4,706	4,954	5,572	6,087	6,541	6,982	7,358	7,714	8,182	8,743	9,546	10,214
North Carolina	1,316	1,494	1,742	2,056	2,248	2,538	2,795	3,006	3,243	3,490	3,803	4,196	4,670
North Dakota	87	106	110	116	122	140	163	163	174	175	195	212	236
Ohio	1,847	2,047	2,352	2,657	2,923	3,197	3,479	3,719	4,045	4,368	4,768	5,268	5,647
Oklahoma	516	579	601	674	731	787	836	916	981	1,098	1,192	1,252	1,363
Oregon	392	429	466	545	625	703	787	827	907	982	1,040	1,183	1,259
Pennsylvania	2,716	2,979	3,272	3,671	3,962	4,391	4,683	5,000	5,377	5,748	6,190	6,680	7,062
Rhode Island	266	271	278	315	370	381	381	389	410	457	472	520	542
South Carolina	744	893	1,028	1,240	1,349	1,181	1,638	1,790	1,978	2,152	2,361	2,544	2,774
South Dakota	124	131	140	160	175	179	189	206	211	224	234	244	239
Tennessee	1,063	1,172	1,287	1,538	1,643	1,776	1,936	2,149	2,288	2,538	2,768	3,008	3,268
Texas	3,228	3,605	4,104	4,761	5,053	5,423	5,897	6,430	6,915	7,349	7,986	8,766	9,686
Utah	207	242	260	281	331	354	382	394	426	438	437	485	519
Vermont	86	94	99	110	110	115	113	124	147	148	152	175	183
Virginia	1,448	1,595	1,748	2,037	2,236	2,393	2,527	2,721	2,976	3,142	3,342	3,682	4,024
Washington	711	640	869	1,022	1,130	1,196	1,367	1,486	1,563	1,709	1,821	1,963	2,038
West Virginia	264	304	361	415	491	547	581	616	675	719	756	822	856
Wisconsin	801	882	998	1,057	1,154	1,239	1,361	1,518	1,677	1,823	1,919	2,082	2,267
Wyoming	49	55	64	70	76	84	90	99	112	116	118	128	135
American Samoa	.	*	*	*	*	*	*	*	*	11	11	13	17
Guam	13	16	19	17	16	13	17	22	28	29	35	43	53
Puerto Rico	542	601	662	763	889	986	1,040	1,101	1,176	1,260	1,356	1,442	1,532
Saipan	*	*	*	*	*	14
Virgin Islands	16	18	25	18	17	20	26	38	39	38	49	54	63
Foreign	37	46	44	59	62	73	78	75	73	74	83	77	76
Unknown	30	32	31	33	25	33	26	30	23	23	20	15	*
All	50,372	55,852	61,456	70,299	76,662	82,722	89,262	96,463	103,428	111,527	120,603	131,576	142,269

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: non-diabetic patients*patients alive on December 31 of each year*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	3,277	3,455	3,663	3,947	4,150	4,301	4,409	4,564	4,675	4,816	4,896	4,900
Alaska	127	149	148	160	168	179	177	197	224	233	254	276
Arizona	2,019	2,134	2,270	2,421	2,529	2,724	2,901	3,040	3,153	3,304	3,437	3,572
Arkansas	1,473	1,630	1,751	1,827	1,945	2,026	2,103	2,146	2,182	2,237	2,236	2,298
California	15,911	16,856	17,706	18,664	19,272	20,327	21,407	22,365	23,332	24,607	25,214	26,179
Colorado	1,292	1,412	1,477	1,546	1,617	1,733	1,819	1,881	1,962	2,050	2,119	2,287
Connecticut	1,828	1,927	2,032	2,160	2,209	2,303	2,399	2,433	2,472	2,513	2,492	2,526
Delaware	521	541	583	630	646	660	710	714	751	791	819	863
District of Columbia	829	864	895	906	927	944	996	1,050	1,076	1,077	1,101	1,134
Florida	9,727	10,242	10,670	11,378	11,876	12,325	12,878	13,408	13,822	14,320	14,561	14,996
Georgia	5,310	5,762	6,105	6,392	6,693	7,036	7,401	7,751	8,125	8,457	8,598	8,779
Hawaii	689	736	756	802	861	899	933	963	958	1,002	1,054	1,137
Idaho	405	431	454	490	525	535	604	626	668	678	700	716
Illinois	7,203	7,585	7,954	8,334	8,640	9,016	9,358	9,665	10,079	10,442	10,694	11,017
Indiana	3,139	3,306	3,371	3,586	3,781	4,037	4,224	4,447	4,617	4,759	4,861	4,989
Iowa	1,338	1,384	1,405	1,478	1,511	1,582	1,680	1,782	1,878	1,956	2,037	2,094
Kansas	1,199	1,239	1,295	1,346	1,449	1,461	1,522	1,556	1,574	1,651	1,704	1,761
Kentucky	2,003	2,087	2,187	2,284	2,394	2,536	2,650	2,742	2,852	2,907	3,029	3,150
Louisiana	3,309	3,519	3,765	3,868	4,126	4,317	4,536	4,652	4,768	4,979	5,054	5,092
Maine	500	541	588	627	661	702	738	756	781	805	819	878
Maryland	3,427	3,696	3,950	4,191	4,432	4,680	4,918	5,161	5,370	5,568	5,724	5,928
Massachusetts	3,238	3,370	3,470	3,606	3,762	3,897	3,940	4,034	4,009	4,114	4,170	4,330
Michigan	5,471	5,686	5,990	6,339	6,524	6,789	7,034	7,291	7,611	7,951	8,236	8,610
Minnesota	1,876	2,006	2,102	2,247	2,351	2,446	2,569	2,664	2,855	2,996	3,082	3,213
Mississippi	2,187	2,372	2,491	2,655	2,843	2,974	3,110	3,226	3,367	3,487	3,566	3,703
Missouri	3,135	3,285	3,459	3,649	3,733	3,919	4,142	4,276	4,454	4,587	4,753	4,853
Montana	322	330	343	373	399	418	445	446	463	479	482	495
Nebraska	711	765	791	815	878	914	961	1,027	1,077	1,151	1,161	1,172
Nevada	692	761	810	892	932	981	1,085	1,120	1,199	1,258	1,305	1,403
New Hampshire	442	467	498	513	517	534	574	615	624	663	678	686
New Jersey	5,161	5,403	5,631	5,814	6,068	6,347	6,699	6,861	7,127	7,310	7,503	7,703
New Mexico	756	794	854	888	942	979	1,037	1,067	1,131	1,169	1,201	1,245
New York	10,894	11,383	11,890	12,336	12,937	13,589	14,189	14,739	15,105	15,629	15,852	16,253
North Carolina	5,139	5,509	5,811	6,123	6,501	6,842	7,126	7,482	7,854	8,157	8,400	8,599
North Dakota	258	287	285	299	302	313	348	354	388	415	427	433
Ohio	6,003	6,396	6,717	7,100	7,378	7,708	8,128	8,579	8,811	9,191	9,512	9,743
Oklahoma	1,470	1,577	1,662	1,772	1,865	1,942	2,030	2,155	2,211	2,275	2,372	2,495
Oregon	1,367	1,457	1,493	1,535	1,547	1,648	1,716	1,763	1,872	2,018	2,115	2,217
Pennsylvania	7,390	7,793	8,181	8,726	9,118	9,398	9,716	10,040	10,281	10,555	10,652	10,814
Rhode Island	585	633	651	681	679	696	715	757	767	803	804	825
South Carolina	2,969	3,249	3,465	3,611	3,842	3,962	4,171	4,244	4,392	4,503	4,699	4,835
South Dakota	262	288	317	352	381	409	424	462	464	480	503	513
Tennessee	3,433	3,706	3,922	4,093	4,288	4,531	4,809	4,992	5,093	5,217	5,236	5,323
Texas	10,355	11,009	11,583	12,253	12,791	13,515	14,433	15,098	15,814	16,411	17,027	17,602
Utah	582	607	631	668	695	771	822	865	917	971	1,001	1,039
Vermont	199	205	217	238	261	272	294	311	325	331	347	348
Virginia	4,325	4,535	4,768	5,083	5,377	5,711	5,969	6,108	6,264	6,484	6,656	6,845
Washington	2,153	2,311	2,432	2,536	2,569	2,699	2,867	3,011	3,175	3,455	3,591	3,688
West Virginia	937	961	1,025	1,083	1,158	1,218	1,256	1,295	1,350	1,388	1,424	1,449
Wisconsin	2,437	2,598	2,725	2,922	3,035	3,218	3,380	3,551	3,729	3,950	4,157	4,323
Wyoming	137	137	141	153	161	179	195	211	217	228	233	248
American Samoa	17	17	15	19	23	17	24	23	23	22	23	22
Guam	57	64	68	72	76	85	87	103	106	123	127	119
Puerto Rico	1,628	1,746	1,837	1,927	1,990	2,044	2,052	2,075	2,103	2,111	2,066	2,164
Saipan	15	16	18	23	25	29	32	33	26	28	29	35
Virgin Islands	58	58	55	61	68	73	70	73	75	90	87	96
Foreign	79	82	85	84	81	89	91	92	85	74	71	62
Unknown	*	*	*	*	*	*	*	*	*	*	*	*
All	152,275	161,368	169,464	178,585	186,514	195,484	204,907	212,946	220,688	229,230	234,956	242,081

Table B.9

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: all patients*patients alive on December 31 of each year, per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	255	286	322	379	417	445	425	461	510	616	699	753	804
Alaska	136	131	152	175	180	177	238	262	290	347	369	405	435
Arizona	332	381	420	486	525	569	628	693	737	808	881	941	1,016
Arkansas	209	236	266	322	363	403	435	492	553	592	643	714	765
California	288	338	381	432	472	509	548	589	625	676	740	810	871
Colorado	265	295	317	351	377	421	469	518	563	625	674	713	763
Connecticut	293	321	331	387	407	490	539	575	597	640	689	762	820
Delaware	259	268	313	412	465	509	533	589	649	709	772	856	948
District of Columbia	262	287	331	377	407	438	449	477	497	538	570	634	707
Florida	312	353	392	432	472	509	549	589	630	678	732	795	860
Georgia	260	300	331	384	432	467	501	540	588	644	698	774	842
Hawaii	348	385	439	502	551	612	680	743	790	845	894	946	984
Idaho	219	235	275	317	344	418	465	510	534	605	694	756	777
Illinois	265	299	336	383	420	462	506	547	580	615	665	742	796
Indiana	261	300	335	401	437	470	502	551	597	653	712	780	852
Iowa	253	285	319	391	446	492	561	601	642	699	765	823	908
Kansas	261	287	333	392	430	466	495	531	569	637	720	791	850
Kentucky	220	261	301	338	378	422	464	512	553	603	667	750	832
Louisiana	235	265	302	341	379	417	468	535	597	663	724	789	853
Maine	168	245	294	334	392	423	429	465	535	558	605	642	680
Maryland	231	262	294	342	384	416	436	473	511	559	617	689	745
Massachusetts	315	306	317	429	477	500	524	564	604	650	701	760	820
Michigan	281	316	354	392	433	469	504	539	582	648	702	758	828
Minnesota	283	322	367	410	464	516	567	624	662	707	766	827	881
Mississippi	223	249	280	331	376	421	464	508	569	619	669	722	771
Missouri	226	251	261	347	405	448	498	560	620	686	750	814	871
Montana	229	270	294	336	394	447	497	535	551	626	694	767	785
Nebraska	239	282	315	350	381	428	480	539	599	673	732	792	880
Nevada	329	369	399	457	483	527	595	647	666	676	674	708	752
New Hampshire	248	296	344	384	410	444	470	501	540	617	655	697	727
New Jersey	318	351	389	439	470	510	546	574	600	655	713	789	845
New Mexico	325	357	387	452	487	536	594	658	730	792	869	956	1,043
New York	272	304	328	371	410	445	483	516	546	585	631	690	743
North Carolina	229	256	298	352	390	440	484	519	558	604	657	724	797
North Dakota	246	285	307	342	376	416	494	529	579	646	727	803	902
Ohio	222	252	294	340	382	423	467	509	553	608	671	742	804
Oklahoma	230	258	277	314	347	383	420	468	529	596	661	713	773
Oregon	227	251	292	339	390	449	510	538	579	639	682	754	787
Pennsylvania	280	313	347	397	443	495	539	582	629	680	740	804	864
Rhode Island	373	395	411	466	538	569	570	588	636	717	767	826	880
South Carolina	227	262	304	366	410	386	481	537	586	637	689	747	805
South Dakota	308	349	359	410	472	509	540	601	658	687	726	785	816
Tennessee	256	288	327	390	426	464	505	557	603	677	739	805	868
Texas	293	328	371	429	469	506	558	620	685	750	823	904	983
Utah	287	333	356	404	477	535	587	630	688	713	721	759	785
Vermont	287	318	349	382	387	429	431	456	509	549	572	633	658
Virginia	282	312	345	403	445	474	501	532	579	621	659	723	789
Washington	252	246	310	373	419	462	520	553	585	647	689	742	771
West Virginia	207	236	289	343	407	456	511	560	620	677	728	795	858
Wisconsin	276	307	355	394	438	474	525	591	660	727	775	846	918
Wyoming	175	201	238	272	291	351	397	456	525	593	605	628	628
All	269	304	341	393	434	473	514	558	602	657	714	781	842

Table B.9

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: all patients*patients alive on December 31 of each year, per million population*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	850	903	954	1,026	1,091	1,133	1,166	1,211	1,249	1,271	1,276	1,272
Alaska	453	519	559	603	660	677	685	693	760	797	838	903
Arizona	1,076	1,109	1,143	1,175	1,209	1,267	1,311	1,347	1,371	1,386	1,398	1,406
Arkansas	822	905	985	1,044	1,101	1,139	1,165	1,183	1,206	1,221	1,216	1,219
California	924	985	1,032	1,082	1,115	1,157	1,200	1,245	1,282	1,327	1,352	1,380
Colorado	809	850	870	895	913	956	991	1,017	1,035	1,057	1,071	1,104
Connecticut	869	920	979	1,037	1,074	1,102	1,131	1,153	1,147	1,154	1,147	1,144
Delaware	999	1,026	1,073	1,129	1,158	1,162	1,221	1,255	1,274	1,311	1,327	1,351
District of Columbia	779	824	870	920	950	958	1,003	1,061	1,112	1,139	1,180	1,229
Florida	912	950	975	1,015	1,042	1,063	1,089	1,113	1,137	1,153	1,147	1,143
Georgia	891	949	998	1,040	1,071	1,105	1,141	1,171	1,201	1,227	1,223	1,216
Hawaii	1,033	1,101	1,116	1,150	1,219	1,275	1,311	1,382	1,402	1,438	1,482	1,560
Idaho	824	874	909	980	1,058	1,108	1,190	1,192	1,225	1,232	1,207	1,207
Illinois	856	908	963	1,020	1,057	1,099	1,149	1,186	1,221	1,260	1,280	1,296
Indiana	918	971	1,017	1,081	1,130	1,199	1,254	1,296	1,333	1,364	1,384	1,400
Iowa	965	1,016	1,041	1,103	1,124	1,167	1,237	1,287	1,349	1,387	1,418	1,427
Kansas	883	923	961	1,010	1,069	1,113	1,163	1,192	1,197	1,237	1,259	1,266
Kentucky	890	921	978	1,035	1,080	1,136	1,179	1,210	1,250	1,275	1,298	1,320
Louisiana	902	947	1,006	1,051	1,115	1,168	1,223	1,258	1,279	1,314	1,319	1,312
Maine	736	791	872	931	984	1,036	1,072	1,099	1,135	1,169	1,199	1,230
Maryland	800	851	895	951	1,001	1,040	1,070	1,089	1,114	1,138	1,143	1,146
Massachusetts	883	932	965	1,003	1,036	1,059	1,061	1,068	1,067	1,086	1,093	1,108
Michigan	896	943	992	1,060	1,100	1,144	1,178	1,213	1,257	1,298	1,331	1,375
Minnesota	938	985	1,024	1,065	1,096	1,129	1,151	1,172	1,216	1,254	1,269	1,299
Mississippi	827	898	950	1,014	1,079	1,132	1,182	1,207	1,245	1,276	1,290	1,308
Missouri	936	989	1,045	1,105	1,141	1,192	1,245	1,273	1,306	1,330	1,346	1,351
Montana	848	872	929	1,005	1,068	1,116	1,155	1,162	1,219	1,251	1,253	1,261
Nebraska	948	1,002	1,057	1,104	1,167	1,224	1,284	1,340	1,392	1,439	1,455	1,461
Nevada	802	835	863	888	902	925	968	967	993	1,011	1,024	1,038
New Hampshire	753	787	840	860	873	887	927	971	975	1,011	1,044	1,043
New Jersey	893	944	992	1,033	1,071	1,120	1,174	1,196	1,219	1,242	1,255	1,271
New Mexico	1,111	1,154	1,231	1,294	1,361	1,419	1,476	1,537	1,576	1,578	1,572	1,597
New York	796	835	875	918	961	1,007	1,048	1,080	1,101	1,128	1,136	1,155
North Carolina	866	928	972	1,025	1,079	1,131	1,162	1,207	1,248	1,275	1,288	1,299
North Dakota	984	1,052	1,060	1,075	1,095	1,155	1,198	1,220	1,306	1,397	1,434	1,455
Ohio	858	921	977	1,039	1,088	1,145	1,205	1,256	1,292	1,332	1,359	1,376
Oklahoma	838	899	957	1,010	1,068	1,127	1,167	1,207	1,232	1,267	1,296	1,338
Oregon	841	890	924	958	981	1,018	1,037	1,050	1,094	1,141	1,175	1,215
Pennsylvania	909	962	1,015	1,075	1,124	1,163	1,199	1,240	1,264	1,294	1,298	1,308
Rhode Island	940	1,015	1,057	1,121	1,140	1,167	1,196	1,220	1,226	1,255	1,246	1,226
South Carolina	855	923	980	1,025	1,067	1,110	1,154	1,171	1,203	1,211	1,234	1,262
South Dakota	894	960	1,057	1,151	1,239	1,313	1,391	1,450	1,466	1,499	1,570	1,585
Tennessee	909	975	1,033	1,077	1,118	1,170	1,224	1,256	1,273	1,284	1,275	1,278
Texas	1,050	1,112	1,164	1,227	1,279	1,343	1,413	1,473	1,520	1,566	1,598	1,629
Utah	857	897	934	964	977	1,050	1,105	1,151	1,187	1,211	1,224	1,229
Vermont	696	747	810	890	958	1,000	1,062	1,102	1,113	1,108	1,119	1,099
Virginia	845	887	928	984	1,044	1,100	1,139	1,160	1,182	1,211	1,219	1,231
Washington	811	856	886	919	942	981	1,010	1,039	1,076	1,132	1,155	1,166
West Virginia	917	970	1,042	1,118	1,206	1,287	1,360	1,429	1,486	1,505	1,526	1,538
Wisconsin	982	1,035	1,081	1,130	1,169	1,222	1,273	1,295	1,329	1,378	1,429	1,483
Wyoming	657	685	743	792	848	906	951	1,007	1,016	1,022	1,030	1,040
All	899	952	1,000	1,052	1,095	1,140	1,184	1,220	1,252	1,284	1,299	1,316

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: diabetic patients*patients alive on December 31 of each year, per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	13	17	24	37	48	59	69	83	97	129	154	178	202
Alaska	13	9	13	19	30	24	42	54	58	83	95	95	111
Arizona	59	82	105	131	152	171	201	245	270	313	356	398	446
Arkansas	11	18	24	37	50	62	67	91	106	124	141	169	187
California	22	35	52	69	85	104	122	137	154	184	211	247	275
Colorado	35	43	50	63	81	101	128	148	168	198	228	254	285
Connecticut	34	47	55	70	83	107	125	139	145	166	182	217	239
Delaware	23	35	48	54	71	87	112	141	175	202	228	262	290
District of Columbia	26	35	48	63	85	105	113	127	131	147	172	190	226
Florida	25	36	50	62	75	86	105	122	134	150	170	193	218
Georgia	24	37	51	59	74	87	101	120	135	162	187	214	243
Hawaii	25	33	55	72	81	104	143	184	214	249	282	322	340
Idaho	18	27	36	56	65	77	95	131	149	183	225	233	247
Illinois	27	37	49	60	71	89	106	119	133	151	172	202	222
Indiana	29	40	49	65	77	86	98	117	136	155	181	216	254
Iowa	26	40	54	76	97	111	133	139	151	172	193	213	250
Kansas	29	39	56	71	90	102	100	116	131	154	188	223	243
Kentucky	19	29	38	49	67	83	94	113	129	145	169	205	239
Louisiana	15	22	32	37	53	64	80	101	122	150	175	208	241
Maine	15	26	41	45	63	69	79	102	122	127	150	161	173
Maryland	17	26	36	48	62	77	86	99	112	135	164	196	224
Massachusetts	35	44	50	63	72	77	84	93	105	127	156	185	217
Michigan	37	50	59	68	79	92	108	117	134	158	188	217	246
Minnesota	58	79	96	117	142	162	182	207	223	245	273	300	314
Mississippi	15	22	31	41	54	65	76	93	115	140	164	192	218
Missouri	13	22	41	56	71	87	99	118	138	160	185	213	239
Montana	26	42	47	64	90	117	131	159	190	221	260	286	302
Nebraska	40	57	69	80	84	97	113	132	160	194	229	255	291
Nevada	51	68	78	79	75	87	106	129	147	157	178	206	225
New Hampshire	22	32	44	57	62	74	86	100	125	150	172	185	191
New Jersey	32	42	57	71	81	95	107	115	129	149	177	212	230
New Mexico	48	72	92	130	151	165	199	235	292	331	370	439	502
New York	22	32	42	53	66	78	92	105	119	135	154	175	196
North Carolina	21	28	37	47	61	76	90	106	122	144	171	200	230
North Dakota	50	63	72	96	116	120	147	170	195	255	296	331	385
Ohio	30	41	54	65	80	95	112	132	151	174	202	231	260
Oklahoma	20	28	39	56	68	83	101	122	157	183	216	250	283
Oregon	17	25	48	62	76	90	111	128	144	168	192	214	226
Pennsylvania	31	40	49	62	79	96	115	134	152	173	201	230	260
Rhode Island	25	33	43	50	64	73	77	92	122	151	183	201	229
South Carolina	21	30	40	52	71	81	102	119	135	158	182	212	238
South Dakota	53	86	76	91	123	148	162	194	236	244	262	303	348
Tennessee	14	20	32	45	56	71	82	99	117	148	170	198	225
Texas	31	43	60	73	92	111	132	156	186	228	271	312	350
Utah	49	67	79	107	146	177	199	222	253	258	284	306	314
Vermont	44	59	79	75	83	118	125	133	131	155	176	198	203
Virginia	24	31	42	56	70	79	91	102	120	142	161	190	221
Washington	23	28	38	52	69	91	107	119	139	165	187	216	241
West Virginia	21	27	41	58	76	83	107	128	148	167	189	218	257
Wisconsin	46	59	78	94	111	123	141	166	192	218	241	278	311
Wyoming	18	29	50	59	63	96	114	133	155	194	203	208	192
All	26	37	49	62	77	92	108	125	143	167	194	224	251

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: diabetic patients*patients alive on December 31 of each year, per million population*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	228	258	285	320	357	381	404	443	471	484	490	492
Alaska	128	154	198	229	271	269	294	277	301	325	340	371
Arizona	486	512	540	560	596	625	644	664	682	694	708	722
Arkansas	206	239	280	315	342	356	366	382	401	410	419	421
California	301	336	364	393	419	442	465	495	519	543	561	573
Colorado	315	331	344	363	376	396	418	441	454	468	478	488
Connecticut	259	283	314	340	368	382	393	412	407	414	419	418
Delaware	306	326	347	364	391	398	427	468	476	494	503	508
District of Columbia	261	280	300	330	343	335	346	363	387	401	420	432
Florida	240	263	281	305	325	337	350	367	385	394	398	399
Georgia	267	296	328	363	390	414	441	464	480	497	507	508
Hawaii	384	439	468	494	533	562	587	653	686	720	737	757
Idaho	272	303	318	350	389	421	458	454	456	467	446	445
Illinois	242	267	298	329	349	368	395	416	427	446	455	457
Indiana	280	307	348	383	404	436	462	481	497	511	527	535
Iowa	281	312	333	359	370	388	418	436	458	471	481	482
Kansas	261	289	309	333	357	395	428	450	453	471	479	473
Kentucky	264	277	315	349	373	401	420	444	468	485	493	498
Louisiana	260	282	310	347	386	418	445	464	477	490	495	494
Maine	201	222	257	281	310	340	348	368	396	419	437	438
Maryland	251	275	295	327	355	374	385	387	400	414	415	408
Massachusetts	242	271	291	312	330	342	343	345	355	366	365	365
Michigan	275	303	330	370	395	420	434	458	481	498	514	532
Minnesota	341	356	372	389	403	418	419	430	441	456	460	474
Mississippi	243	279	312	348	378	407	434	449	468	485	499	499
Missouri	271	300	330	359	388	417	438	458	471	481	484	483
Montana	318	332	380	413	434	443	463	485	528	551	563	566
Nebraska	329	346	386	413	439	469	500	522	539	545	561	575
Nevada	244	259	287	299	323	349	369	373	393	412	436	446
New Hampshire	202	218	244	254	275	294	303	315	320	333	351	357
New Jersey	249	279	309	339	361	390	414	424	433	445	449	453
New Mexico	560	594	655	717	777	820	857	917	939	936	935	963
New York	217	235	256	281	303	323	342	358	371	383	391	400
North Carolina	259	294	321	358	392	424	443	471	490	504	515	524
North Dakota	416	425	426	430	447	487	465	470	497	538	550	565
Ohio	285	321	355	388	416	452	480	507	528	546	556	560
Oklahoma	317	347	383	407	442	482	507	522	535	558	572	587
Oregon	243	265	291	313	336	340	350	364	382	395	408	421
Pennsylvania	280	306	335	360	384	406	424	445	457	474	479	485
Rhode Island	251	279	298	339	369	398	415	411	412	418	407	381
South Carolina	262	293	322	354	376	413	443	463	486	490	506	527
South Dakota	397	421	469	514	558	585	639	650	655	678	724	728
Tennessee	249	282	316	345	368	392	412	433	446	452	456	462
Texas	386	424	460	503	544	585	624	667	697	731	757	780
Utah	351	380	419	438	444	470	495	522	540	549	561	570
Vermont	216	259	303	346	373	404	431	443	436	422	406	396
Virginia	247	272	298	325	360	389	410	427	443	462	467	473
Washington	264	285	297	314	336	355	368	386	403	422	430	435
West Virginia	267	295	333	374	421	465	516	568	600	605	618	621
Wisconsin	335	355	374	393	414	433	451	450	455	472	489	519
Wyoming	219	257	317	343	381	392	400	428	428	428	441	442
All	277	305	333	363	389	414	436	458	475	491	502	510

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: non-diabetic patients*patients alive on December 31 of each year, per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	240	264	293	337	364	381	350	373	406	480	541	574	603
Alaska	135	134	151	168	163	164	211	223	250	279	286	323	336
Arizona	277	306	327	368	385	413	439	460	481	510	550	571	599
Arkansas	193	212	231	272	301	329	356	387	429	448	477	519	551
California	265	301	326	359	383	400	421	447	466	490	523	559	591
Colorado	224	247	265	286	295	318	337	364	389	417	441	457	475
Connecticut	259	274	279	318	325	383	414	437	453	476	509	550	583
Delaware	237	235	268	361	397	426	426	455	482	515	553	604	667
District of Columbia	242	259	292	324	337	350	356	373	392	422	436	489	531
Florida	286	315	341	369	396	420	440	462	488	519	548	584	625
Georgia	238	266	284	328	362	385	403	425	459	491	522	568	609
Hawaii	307	331	361	407	448	488	511	524	535	553	564	576	593
Idaho	204	212	239	264	285	343	370	378	389	416	461	513	519
Illinois	239	263	287	326	351	375	404	432	452	469	498	544	580
Indiana	235	263	290	341	366	390	410	441	472	507	541	576	609
Iowa	227	244	259	310	342	371	415	444	470	507	553	587	631
Kansas	233	248	273	319	336	358	388	405	426	471	520	556	593
Kentucky	204	234	267	293	316	344	376	407	434	468	507	557	603
Louisiana	219	239	264	295	319	346	382	427	467	504	536	569	600
Maine	154	220	257	293	333	355	350	363	413	429	453	480	503
Maryland	213	235	257	294	323	341	353	379	405	432	462	504	534
Massachusetts	280	264	270	369	406	423	438	468	497	521	543	575	602
Michigan	243	267	297	325	352	374	391	415	439	478	503	531	570
Minnesota	226	247	279	301	328	359	390	420	440	463	492	525	562
Mississippi	205	223	244	285	316	352	381	409	446	473	504	532	557
Missouri	213	226	215	288	330	354	393	435	473	518	558	594	625
Montana	204	230	248	274	311	333	365	375	365	399	425	469	470
Nebraska	200	227	243	267	294	324	359	395	426	465	490	521	570
Nevada	273	298	322	378	408	441	487	515	518	517	500	510	537
New Hampshire	226	264	304	330	350	370	382	399	413	463	479	510	531
New Jersey	284	308	332	367	390	416	440	463	476	509	539	580	616
New Mexico	281	293	309	341	359	395	421	450	474	501	555	584	613
New York	250	272	287	319	345	368	392	411	428	450	476	514	546
North Carolina	209	230	262	307	332	367	396	417	441	466	494	530	574
North Dakota	198	227	242	254	267	302	353	365	387	398	436	475	520
Ohio	195	215	245	281	308	335	361	385	413	445	480	524	556
Oklahoma	206	227	234	255	277	299	318	346	373	414	448	466	495
Oregon	213	228	245	278	319	359	397	406	435	462	479	528	547
Pennsylvania	249	274	301	339	367	404	431	455	485	516	550	587	615
Rhode Island	350	362	371	419	476	496	492	494	515	567	586	628	651
South Carolina	208	235	267	318	344	310	385	425	460	491	521	549	583
South Dakota	257	271	290	327	358	370	389	419	433	457	476	492	478
Tennessee	240	264	290	339	364	387	414	450	477	520	562	602	638
Texas	260	282	311	356	377	396	426	464	497	523	555	597	640
Utah	235	267	281	304	340	370	397	414	443	457	448	468	484
Vermont	243	262	276	310	308	315	309	325	378	393	395	435	453
Virginia	259	281	304	349	379	401	417	439	469	491	511	548	584
Washington	233	222	274	325	357	375	415	436	453	480	498	523	526
West Virginia	185	208	246	284	331	375	406	434	476	513	538	575	598
Wisconsin	230	250	282	304	328	351	382	420	462	501	524	557	594
Wyoming	154	170	190	214	229	257	283	320	367	391	399	418	432
All	243	267	291	331	357	381	406	433	459	489	520	557	591

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: non-diabetic patients*patients alive on December 31 of each year, per million population*

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	627	648	673	713	741	763	777	788	796	808	807	797
Alaska	339	380	378	393	406	425	418	445	488	497	522	559
Arizona	620	627	637	650	654	681	705	721	727	735	736	737
Arkansas	589	638	675	697	725	746	762	767	772	779	768	772
California	619	647	668	690	698	718	740	756	769	791	799	814
Colorado	489	516	526	535	542	564	577	581	589	600	608	635
Connecticut	613	639	667	698	707	722	741	743	742	742	728	725
Delaware	701	709	735	774	775	772	803	796	805	823	830	849
District of Columbia	575	605	635	656	676	690	728	770	797	808	834	869
Florida	655	669	677	695	703	710	723	733	740	747	739	737
Georgia	638	667	688	700	708	723	739	751	766	778	767	761
Hawaii	598	611	606	621	648	671	687	697	684	693	722	778
Idaho	543	562	578	611	639	651	705	716	737	738	734	733
Illinois	620	647	670	696	713	734	755	770	793	812	822	836
Indiana	647	675	682	712	740	777	805	831	852	867	871	879
Iowa	655	672	672	701	707	734	773	804	839	864	885	893
Kansas	608	618	633	654	686	693	711	717	718	739	754	766
Kentucky	634	654	675	699	719	747	770	780	797	803	818	835
Louisiana	631	654	685	695	720	741	767	784	795	815	818	814
Maine	533	567	612	643	665	689	712	721	731	740	744	771
Maryland	564	592	617	641	663	686	707	724	735	744	749	759
Massachusetts	639	660	673	686	701	713	712	715	706	714	718	732
Michigan	607	626	647	675	689	707	724	737	758	782	799	826
Minnesota	590	620	642	668	686	702	719	729	760	782	792	806
Mississippi	593	629	650	680	716	746	773	788	808	825	827	840
Missouri	655	679	702	731	737	760	793	805	824	839	851	856
Montana	516	527	534	570	602	633	663	652	657	669	660	661
Nebraska	599	633	644	659	690	718	747	780	810	851	852	843
Nevada	569	589	593	610	604	604	631	629	639	642	634	642
New Hampshire	547	564	590	595	586	584	609	639	640	661	671	663
New Jersey	646	667	684	697	713	734	763	773	788	799	807	819
New Mexico	627	639	665	674	691	706	729	738	759	768	765	767
New York	576	597	616	633	653	676	698	714	722	736	738	749
North Carolina	616	644	664	684	707	731	748	768	790	806	809	812
North Dakota	567	624	630	646	649	669	728	746	802	851	872	874
Ohio	583	613	637	668	687	708	738	767	781	801	818	830
Oklahoma	527	558	582	610	635	655	672	698	712	723	737	763
Oregon	585	612	618	626	620	648	667	669	688	725	747	770
Pennsylvania	638	667	693	728	754	772	791	810	821	834	833	836
Rhode Island	690	737	759	779	770	771	780	807	812	834	831	834
South Carolina	612	649	682	701	724	737	757	759	769	775	784	793
South Dakota	507	550	598	653	700	747	766	814	821	829	851	858
Tennessee	658	689	713	731	749	780	816	831	835	839	826	822
Texas	671	696	713	733	747	770	802	821	840	854	861	869
Utah	517	530	534	547	555	598	629	648	668	688	694	697
Vermont	479	488	507	539	577	592	621	646	665	671	690	678
Virginia	615	631	647	675	700	728	748	752	756	765	769	773
Washington	545	569	585	600	595	613	637	651	667	705	719	725
West Virginia	645	664	697	732	770	808	829	844	870	885	890	896
Wisconsin	630	662	687	720	739	772	799	823	851	882	914	936
Wyoming	430	423	424	448	465	507	544	574	585	597	596	610
All	622	647	667	689	706	726	748	763	777	792	798	807

Table B.10

Point prevalent counts of reported ESRD patients, by diabetic status & ESRD network

patients alive on December 31 of each year

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	2,954	3,025	3,260	4,117	4,511	4,974	5,280	5,732	6,167	6,729	7,321	8,099	8,773
2 NY	4,650	5,240	5,662	6,486	7,285	7,964	8,658	9,285	9,895	10,657	11,581	12,802	13,892
3 NJ, PR, VI	2,705	3,027	3,421	3,905	4,320	4,740	5,132	5,519	5,814	6,400	7,043	7,818	8,501
4 DE, PA	3,236	3,577	4,024	4,666	5,217	5,882	6,412	7,036	7,700	8,409	9,338	10,318	11,211
5 MD, DC, VA, WV	3,358	3,811	4,338	5,081	5,751	6,257	6,687	7,360	8,132	8,888	9,722	10,966	12,211
6 NC, SC, GA	3,754	4,429	5,119	6,123	6,959	7,474	8,723	9,710	10,794	11,951	13,353	15,026	16,838
7 FL	3,336	3,887	4,362	4,877	5,483	6,025	6,672	7,389	8,057	8,889	9,841	11,042	12,233
8 AL, MS, TN	2,961	3,343	3,828	4,641	5,137	5,685	5,932	6,651	7,335	8,597	9,573	10,521	11,509
9 IN, KY, OH	3,909	4,491	5,203	6,016	6,665	7,367	8,154	8,972	9,826	10,730	11,986	13,474	14,867
10 IL	2,621	2,955	3,325	3,770	4,116	4,530	5,021	5,428	5,771	6,156	6,780	7,690	8,291
11 MI, MN, ND, SD, WI	4,436	5,049	5,729	6,323	7,082	7,749	8,479	9,337	10,191	11,327	12,344	13,575	14,986
12 IA, KS, MO, NE	2,390	2,653	2,815	3,571	4,000	4,426	4,910	5,408	5,861	6,550	7,282	7,973	8,741
13 AR, LA, OK	2,004	2,281	2,587	2,974	3,379	3,759	4,199	4,747	5,353	5,938	6,609	7,353	8,100
14 TX	3,684	4,241	4,989	5,823	6,408	7,059	7,834	8,716	9,670	10,720	12,002	13,448	15,063
15 AZ, CO, NV, NM, UT, WY	2,143	2,457	2,783	3,223	3,615	4,068	4,560	5,079	5,559	6,097	6,648	7,390	8,202
16 AK, ID, MT, OR, WA	1,427	1,446	1,865	2,245	2,567	2,876	3,271	3,552	3,861	4,341	4,771	5,347	5,713
17 N. CA, HI, Guam, AS	2,796	3,066	3,440	3,893	4,342	4,766	5,299	5,871	6,483	7,155	7,941	8,796	9,525
18 S. CA	3,402	4,446	4,933	5,634	6,183	6,813	7,500	8,218	8,833	9,790	10,909	12,203	13,457
Unknown	.	.	*	*	*	*	*	*	*	*	.	.	.
All	55,766	63,424	71,684	83,369	93,023	102,417	112,726	124,013	135,304	149,326	165,044	183,841	202,113
DIABETIC													
1 CT, MA, ME, NH, RI, VT	313	392	479	610	713	843	958	1,081	1,215	1,451	1,698	1,990	2,271
2 NY	357	534	721	908	1,172	1,381	1,643	1,906	2,167	2,452	2,825	3,240	3,655
3 NJ, PR, VI	275	359	504	648	778	928	1,068	1,203	1,365	1,610	1,927	2,296	2,581
4 DE, PA	350	425	537	685	897	1,082	1,319	1,563	1,806	2,065	2,468	2,871	3,297
5 MD, DC, VA, WV	267	375	517	716	929	1,098	1,263	1,484	1,724	2,041	2,421	2,894	3,462
6 NC, SC, GA	340	478	665	838	1,116	1,357	1,672	2,025	2,345	2,814	3,355	3,992	4,666
7 FL	255	400	546	677	840	979	1,252	1,479	1,667	1,928	2,278	2,680	3,111
8 AL, MS, TN	163	234	362	514	670	825	962	1,170	1,403	1,836	2,146	2,537	2,912
9 IN, KY, OH	464	621	812	1,018	1,271	1,487	1,757	2,098	2,406	2,769	3,300	3,924	4,530
10 IL	264	345	463	575	678	858	1,022	1,159	1,289	1,480	1,706	2,028	2,217
11 MI, MN, ND, SD, WI	706	921	1,106	1,312	1,589	1,816	2,116	2,421	2,785	3,248	3,757	4,363	4,924
12 IA, KS, MO, NE	200	321	474	625	761	904	1,018	1,183	1,367	1,601	1,891	2,192	2,504
13 AR, LA, OK	136	209	298	391	531	643	789	995	1,233	1,462	1,729	2,094	2,436
14 TX	377	539	784	964	1,242	1,514	1,810	2,145	2,593	3,210	3,849	4,492	5,164
15 AZ, CO, NV, NM, UT, WY	321	433	545	721	876	1,055	1,305	1,571	1,803	2,092	2,388	2,763	3,184
16 AK, ID, MT, OR, WA	132	167	261	346	446	567	683	790	928	1,142	1,337	1,548	1,737
17 N. CA, HI, Guam, AS	197	324	456	567	670	888	1,075	1,331	1,599	1,977	2,297	2,651	2,925
18 S. CA	277	495	698	955	1,181	1,469	1,751	1,945	2,180	2,620	3,069	3,710	4,268
Unknown	*	*	*	*	*	*	.	.	.
All	5,394	7,572	10,228	13,070	16,361	19,695	23,464	27,550	31,876	37,799	44,441	52,265	59,844
NON-DIABETIC													
1 CT, MA, ME, NH, RI, VT	2,641	2,633	2,781	3,507	3,798	4,131	4,322	4,651	4,952	5,278	5,623	6,109	6,502
2 NY	4,293	4,706	4,941	5,578	6,113	6,583	7,015	7,379	7,728	8,205	8,756	9,562	10,237
3 NJ, PR, VI	2,430	2,668	2,917	3,257	3,542	3,812	4,064	4,316	4,449	4,790	5,116	5,522	5,920
4 DE, PA	2,886	3,152	3,487	3,981	4,320	4,800	5,093	5,473	5,894	6,344	6,870	7,447	7,914
5 MD, DC, VA, WV	3,091	3,436	3,821	4,365	4,822	5,159	5,424	5,876	6,408	6,847	7,301	8,072	8,749
6 NC, SC, GA	3,414	3,951	4,454	5,285	5,843	6,117	7,051	7,685	8,449	9,137	9,998	11,034	12,172
7 FL	3,081	3,487	3,816	4,200	4,643	5,046	5,420	5,910	6,390	6,961	7,563	8,362	9,122
8 AL, MS, TN	2,798	3,109	3,466	4,127	4,467	4,860	4,970	5,481	5,932	6,761	7,427	7,984	8,597
9 IN, KY, OH	3,445	3,870	4,391	4,998	5,394	5,880	6,397	6,874	7,420	7,961	8,686	9,550	10,337
10 IL	2,357	2,610	2,862	3,195	3,438	3,672	3,999	4,269	4,482	4,676	5,074	5,662	6,074
11 MI, MN, ND, SD, WI	3,730	4,128	4,623	5,011	5,493	5,933	6,363	6,916	7,406	8,079	8,587	9,212	10,062
12 IA, KS, MO, NE	2,190	2,332	2,341	2,946	3,239	3,522	3,892	4,225	4,494	4,949	5,391	5,781	6,237
13 AR, LA, OK	1,868	2,072	2,289	2,583	2,848	3,116	3,410	3,752	4,120	4,476	4,880	5,259	5,664
14 TX	3,307	3,702	4,205	4,859	5,166	5,545	6,024	6,571	7,077	7,510	8,153	8,956	9,899
15 AZ, CO, NV, NM, UT, WY	1,822	2,024	2,238	2,502	2,739	3,013	3,255	3,508	3,756	4,005	4,260	4,627	5,018
16 AK, ID, MT, OR, WA	1,295	1,279	1,604	1,899	2,121	2,309	2,588	2,762	2,933	3,199	3,434	3,799	3,976
17 N. CA, HI, Guam, AS	2,599	2,742	2,984	3,326	3,672	3,878	4,224	4,540	4,884	5,178	5,644	6,145	6,600
18 S. CA	3,125	3,951	4,235	4,679	5,002	5,344	5,749	6,273	6,653	7,170	7,840	8,493	9,189
Unknown	.	.	*	*	*	*	*	*	*	*	.	.	.
All	50,372	55,852	61,456	70,299	76,662	82,722	89,262	96,463	103,428	111,527	120,603	131,576	142,269

Table B.10

Point prevalent counts of reported ESRD patients, by diabetic status & ESRD network*patients alive on December 31 of each year*

ALL	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
1 CT, MA, ME, NH, RI, VT	9,493	10,156	10,807	11,516	12,132	12,673	13,058	13,493	13,710	14,169	14,373	14,681
2 NY	15,067	15,919	16,937	17,905	18,997	20,120	21,160	22,208	22,929	23,819	24,239	24,928
3 NJ, PR, VI	9,107	9,796	10,430	11,117	11,766	12,504	13,257	13,639	14,194	14,662	15,055	15,538
4 DE, PA	11,855	12,713	13,557	14,497	15,295	15,943	16,608	17,276	17,781	18,469	18,739	19,124
5 MD, DC, VA, WV	13,430	14,425	15,503	16,760	18,014	19,189	20,298	21,171	22,132	23,084	23,757	24,383
6 NC, SC, GA	18,471	20,364	21,947	23,649	25,354	27,071	28,656	30,152	31,746	33,055	34,305	35,401
7 FL	13,293	14,266	15,112	16,406	17,380	18,146	19,077	20,092	21,020	21,899	22,440	23,238
8 AL, MS, TN	12,446	13,555	14,609	15,785	17,005	18,071	19,108	20,070	20,837	21,581	22,069	22,494
9 IN, KY, OH	16,072	17,318	18,552	19,931	21,165	22,662	23,933	25,291	26,337	27,419	28,440	29,172
10 IL	9,086	9,723	10,457	11,253	11,787	12,446	13,196	13,792	14,363	15,049	15,406	15,805
11 MI, MN, ND, SD, WI	16,313	17,429	18,566	20,009	20,922	22,065	23,040	24,179	25,460	26,761	27,937	29,300
12 IA, KS, MO, NE	9,392	9,977	10,543	11,239	11,897	12,611	13,413	14,087	14,639	15,206	15,671	15,935
13 AR, LA, OK	8,828	9,629	10,501	11,177	12,117	12,905	13,550	14,027	14,396	14,980	15,342	15,614
14 TX	16,353	17,738	19,074	20,707	22,170	23,795	25,616	27,359	28,932	30,541	32,118	33,730
15 AZ, CO, NV, NM, UT, WY	9,067	9,740	10,502	11,287	12,083	13,023	13,977	14,811	15,586	16,347	17,088	18,043
16 AK, ID, MT, OR, WA	6,165	6,668	7,049	7,481	7,877	8,287	8,831	9,272	9,916	10,611	11,115	11,608
17 N. CA, HI, Guam, AS	10,355	11,198	11,897	12,631	13,379	14,208	15,160	16,155	17,040	17,946	18,578	19,274
18 S. CA	14,569	15,928	17,096	18,372	19,326	20,551	21,850	23,150	24,375	25,961	26,933	28,097
Unknown	*	.	.	*
All	219,362	236,542	253,139	271,722	288,666	306,270	323,788	340,224	355,394	371,559	383,605	396,367
DIABETIC												
1 CT, MA, ME, NH, RI, VT	2,516	2,828	3,141	3,465	3,810	4,047	4,194	4,403	4,566	4,782	4,913	4,969
2 NY	4,140	4,502	5,031	5,610	6,119	6,626	7,086	7,582	7,974	8,398	8,615	8,935
3 NJ, PR, VI	2,829	3,190	3,521	3,929	4,276	4,676	5,059	5,260	5,524	5,788	6,053	6,219
4 DE, PA	3,547	3,931	4,348	4,707	5,106	5,448	5,754	6,106	6,324	6,676	6,796	6,976
5 MD, DC, VA, WV	3,953	4,379	4,875	5,489	6,102	6,592	7,077	7,444	7,918	8,368	8,639	8,820
6 NC, SC, GA	5,296	6,083	6,844	7,809	8,634	9,563	10,293	11,044	11,743	12,341	12,983	13,545
7 FL	3,530	4,001	4,389	4,962	5,449	5,792	6,204	6,690	7,210	7,595	7,944	8,270
8 AL, MS, TN	3,317	3,828	4,345	4,905	5,474	5,984	6,462	6,953	7,342	7,668	7,951	8,140
9 IN, KY, OH	5,023	5,638	6,411	7,083	7,698	8,471	9,031	9,669	10,217	10,715	11,187	11,447
10 IL	2,482	2,763	3,143	3,564	3,820	4,144	4,555	4,810	5,032	5,362	5,509	5,602
11 MI, MN, ND, SD, WI	5,483	6,005	6,527	7,204	7,708	8,225	8,580	9,103	9,583	10,097	10,581	11,201
12 IA, KS, MO, NE	2,824	3,139	3,449	3,789	4,119	4,514	4,859	5,187	5,393	5,609	5,787	5,857
13 AR, LA, OK	2,705	3,040	3,461	3,862	4,343	4,741	5,048	5,275	5,473	5,746	5,957	6,071
14 TX	5,812	6,537	7,309	8,246	9,170	10,076	10,969	12,039	12,851	13,857	14,797	15,781
15 AZ, CO, NV, NM, UT, WY	3,652	3,986	4,432	4,837	5,325	5,772	6,235	6,742	7,142	7,494	7,961	8,414
16 AK, ID, MT, OR, WA	1,923	2,141	2,337	2,559	2,851	3,001	3,232	3,436	3,733	3,979	4,163	4,389
17 N. CA, HI, Guam, AS	3,321	3,747	4,101	4,508	4,949	5,378	5,869	6,404	6,867	7,317	7,711	8,045
18 S. CA	4,734	5,436	6,011	6,609	7,199	7,736	8,374	9,131	9,814	10,537	11,102	11,605
Unknown
All	67,087	75,174	83,675	93,137	102,152	110,786	118,881	127,278	134,706	142,329	148,649	154,286
NON-DIABETIC												
1 CT, MA, ME, NH, RI, VT	6,977	7,328	7,666	8,051	8,322	8,626	8,864	9,090	9,144	9,387	9,460	9,712
2 NY	10,927	11,417	11,906	12,295	12,878	13,494	14,074	14,626	14,955	15,421	15,624	15,993
3 NJ, PR, VI	6,278	6,606	6,909	7,188	7,490	7,828	8,198	8,379	8,670	8,874	9,002	9,319
4 DE, PA	8,308	8,782	9,209	9,790	10,189	10,495	10,854	11,170	11,457	11,793	11,943	12,148
5 MD, DC, VA, WV	9,477	10,046	10,628	11,271	11,912	12,597	13,221	13,727	14,214	14,716	15,118	15,563
6 NC, SC, GA	13,175	14,281	15,103	15,840	16,720	17,508	18,363	19,108	20,003	20,714	21,322	21,856
7 FL	9,763	10,265	10,723	11,444	11,931	12,354	12,873	13,402	13,810	14,304	14,496	14,968
8 AL, MS, TN	9,129	9,727	10,264	10,880	11,531	12,087	12,646	13,117	13,495	13,913	14,118	14,354
9 IN, KY, OH	11,049	11,680	12,141	12,848	13,467	14,191	14,902	15,622	16,120	16,704	17,253	17,725
10 IL	6,604	6,960	7,314	7,689	7,967	8,302	8,641	8,982	9,331	9,687	9,897	10,203
11 MI, MN, ND, SD, WI	10,830	11,424	12,039	12,805	13,214	13,840	14,460	15,076	15,877	16,664	17,356	18,099
12 IA, KS, MO, NE	6,568	6,838	7,094	7,450	7,778	8,097	8,554	8,900	9,246	9,597	9,884	10,078
13 AR, LA, OK	6,123	6,589	7,040	7,315	7,774	8,164	8,502	8,752	8,923	9,234	9,385	9,543
14 TX	10,541	11,201	11,765	12,461	13,000	13,719	14,647	15,320	16,081	16,684	17,321	17,949
15 AZ, CO, NV, NM, UT, WY	5,415	5,754	6,070	6,450	6,758	7,251	7,742	8,069	8,444	8,853	9,127	9,629
16 AK, ID, MT, OR, WA	4,242	4,527	4,712	4,922	5,026	5,286	5,599	5,836	6,183	6,632	6,952	7,219
17 N. CA, HI, Guam, AS	7,034	7,451	7,796	8,123	8,430	8,830	9,291	9,751	10,173	10,629	10,867	11,229
18 S. CA	9,835	10,492	11,085	11,763	12,127	12,815	13,476	14,019	14,561	15,424	15,831	16,492
Unknown	*	.	.	*
All	152,275	161,368	169,464	178,585	186,514	195,484	204,907	212,946	220,688	229,230	234,956	242,081

Table B.11

Point prevalent rates of reported ESRD: by diabetic status & ESRD network, adjusted*patients alive on December 31 of each year, per million population*

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	270.9	273.6	292.2	368.7	398.9	436.6	456.5	489.4	521.1	564.0	608.3	668.8	718.1
2 NY	298.4	333.4	357.7	407.9	454.6	493.4	532.4	566.5	600.4	643.5	694.7	762.6	819.6
3 NJ	323.3	353.1	390.5	441.9	468.7	507.4	539.1	564.5	584.3	637.6	693.3	770.2	824.6
4 DE, PA	285.7	314.6	353.4	410.9	459.1	515.9	557.2	608.3	660.3	719.1	789.6	862.9	930.8
5 MD, DC, VA, WV	325.9	364.8	410.8	474.9	526.4	563.9	594.9	640.8	698.1	752.9	813.2	899.9	983.0
6 NC, SC, GA	302.2	350.5	397.3	466.1	520.5	549.8	627.1	684.2	748.0	814.6	884.9	972.1	1,059.4
7 FL	356.0	403.7	441.6	482.2	529.2	569.0	612.6	660.7	704.7	756.7	816.9	886.9	956.5
8 AL, MS, TN	317.0	355.3	403.1	484.4	531.1	580.5	598.4	662.1	726.2	845.9	919.9	993.1	1,065.8
9 IN, KY, OH	219.8	252.2	291.3	337.1	372.7	410.3	450.0	491.0	533.0	578.3	637.4	707.8	770.6
10 IL	254.5	286.6	322.4	363.0	398.2	436.3	479.3	515.9	544.9	574.7	625.3	698.8	741.5
11 MI, MN, ND, SD, WI	264.3	298.8	336.9	370.9	414.0	448.2	485.8	529.5	572.7	630.9	677.4	732.4	795.8
12 IA, KS, MO, NE	225.5	249.5	267.5	336.4	374.8	414.6	455.8	499.2	539.7	597.7	656.2	706.2	763.3
13 AR, LA, OK	242.8	275.1	310.1	352.7	397.1	440.2	490.3	554.7	624.1	690.6	759.1	828.9	895.5
14 TX	276.9	308.3	349.0	398.0	432.6	466.8	514.2	568.9	625.3	681.9	747.8	818.0	888.3
15 AZ, CO, NV, NM, UT, WY	254.5	286.3	312.9	355.8	389.5	425.6	466.6	508.4	546.0	585.2	618.4	662.0	704.5
16 AK, ID, MT, OR, WA	173.1	174.8	226.0	266.2	303.8	338.1	379.4	404.6	430.9	475.1	510.6	552.8	573.7
17 N. CA, HI	251.9	277.4	323.5	370.1	412.8	452.7	497.5	542.9	594.6	644.8	699.0	756.5	804.6
18 S. CA	218.1	282.9	313.5	359.0	390.1	424.6	458.1	488.6	514.0	559.2	618.4	681.3	741.6
All	266.2	300.9	337.5	389.4	430.1	468.3	508.9	552.5	596.4	650.2	706.9	773.5	834.4
DIABETIC													
1 CT, MA, ME, NH, RI, VT	28.7	35.7	42.4	53.9	62.7	73.8	82.5	91.7	101.7	120.8	140.3	164.8	186.8
2 NY	22.7	33.8	45.2	56.6	73.7	86.4	101.7	116.9	131.6	148.4	170.2	194.2	217.1
3 NJ	33.7	41.8	56.9	72.0	78.5	93.6	102.2	109.3	124.4	143.4	173.2	207.9	223.9
4 DE, PA	30.5	36.9	47.1	58.9	76.9	92.2	112.0	132.6	152.8	174.3	204.9	235.9	270.4
5 MD, DC, VA, WV	24.9	35.4	48.8	66.8	85.0	99.0	112.5	130.0	148.2	173.1	203.8	239.0	281.3
6 NC, SC, GA	26.4	36.9	50.5	62.6	82.8	100.0	119.7	142.6	162.5	192.3	223.2	260.8	296.8
7 FL	29.2	43.1	57.1	68.7	82.9	94.3	117.6	135.8	149.9	168.7	194.8	220.3	248.1
8 AL, MS, TN	16.5	23.4	36.9	52.6	67.8	82.7	96.4	115.5	139.3	180.9	207.6	242.3	272.2
9 IN, KY, OH	26.8	35.9	46.1	57.9	71.3	83.1	97.1	114.1	129.3	147.2	173.8	204.9	233.7
10 IL	26.2	34.2	45.2	55.7	64.8	82.0	96.6	109.9	120.6	136.8	156.5	184.0	197.3
11 MI, MN, ND, SD, WI	43.0	56.1	65.7	77.8	93.2	105.9	122.1	138.2	158.1	182.8	209.1	238.1	264.3
12 IA, KS, MO, NE	19.4	31.1	46.5	59.9	72.7	85.6	95.0	110.4	126.5	147.5	172.0	196.1	220.4
13 AR, LA, OK	16.4	26.1	37.8	49.2	65.4	78.9	95.0	120.6	148.0	173.2	201.5	239.4	273.9
14 TX	28.2	39.7	55.2	66.1	85.0	100.9	119.9	141.4	169.1	206.2	242.8	276.6	307.8
15 AZ, CO, NV, NM, UT, WY	39.4	53.7	65.0	83.9	99.6	115.8	139.9	164.4	185.5	210.2	231.3	257.7	284.5
16 AK, ID, MT, OR, WA	17.5	21.7	34.1	42.9	54.4	68.7	81.6	91.6	104.8	125.8	144.2	159.6	174.6
17 N. CA, HI	15.5	27.4	43.7	54.8	65.6	87.1	103.9	126.5	149.0	179.3	204.6	229.3	248.7
18 S. CA	16.9	30.7	44.1	61.7	75.2	93.2	108.4	116.3	127.1	149.8	174.5	207.8	236.4
All	25.6	36.0	48.4	61.2	75.7	90.4	106.2	123.1	140.7	164.6	190.9	220.6	247.8
NON-DIABETIC													
1 CT, MA, ME, NH, RI, VT	242.2	237.9	249.9	314.8	336.2	362.8	373.9	397.8	419.4	443.2	467.9	503.9	531.4
2 NY	275.7	299.6	312.4	351.3	381.0	407.0	430.7	449.6	468.7	495.1	524.5	568.4	602.4
3 NJ	289.6	311.3	333.6	369.9	390.3	413.8	436.9	455.2	459.9	494.2	520.1	562.3	600.8
4 DE, PA	255.3	277.8	306.3	352.0	382.2	423.8	445.2	475.6	507.4	544.8	584.8	627.0	660.4
5 MD, DC, VA, WV	301.1	329.4	362.1	408.1	441.5	464.9	482.4	510.8	549.9	579.8	609.4	660.9	701.7
6 NC, SC, GA	275.8	313.6	346.7	403.4	437.7	449.8	507.5	541.6	585.5	622.2	661.7	711.3	762.7
7 FL	326.8	360.6	384.5	413.5	446.3	474.6	495.1	524.9	554.8	588.0	622.1	666.7	708.5
8 AL, MS, TN	300.5	332.0	366.1	431.8	463.3	497.8	502.1	546.5	586.9	665.0	712.3	750.8	793.6
9 IN, KY, OH	193.0	216.4	245.2	279.2	301.4	327.2	352.9	376.9	403.8	431.1	463.6	502.9	536.9
10 IL	228.3	252.4	277.2	307.3	333.4	354.4	382.7	406.0	424.4	437.9	468.8	514.8	544.2
11 MI, MN, ND, SD, WI	221.3	242.7	271.2	293.1	320.8	342.3	363.7	391.3	414.6	448.1	468.2	494.3	531.4
12 IA, KS, MO, NE	206.1	218.4	220.9	276.5	302.2	329.0	360.8	388.7	413.1	450.2	484.2	510.2	542.9
13 AR, LA, OK	226.4	249.0	272.3	303.5	331.8	361.4	395.3	434.1	476.1	517.4	557.6	589.5	621.5
14 TX	248.7	268.7	293.8	331.9	347.6	365.9	394.3	427.5	456.2	475.7	505.0	541.4	580.6
15 AZ, CO, NV, NM, UT, WY	215.1	232.6	247.8	271.8	289.9	309.8	326.7	344.0	360.5	375.0	387.1	404.3	420.0
16 AK, ID, MT, OR, WA	155.5	153.1	191.9	223.3	249.4	269.4	297.9	313.0	326.0	349.4	366.4	393.3	399.1
17 N. CA, HI	236.4	250.0	279.9	315.3	347.2	365.6	393.5	416.4	445.6	465.5	494.4	527.2	555.9
18 S. CA	201.2	252.2	269.3	297.4	314.9	331.4	349.7	372.3	386.9	409.4	443.9	473.4	505.2
All	240.6	264.9	289.2	328.1	354.3	377.8	402.7	429.5	455.7	485.5	516.1	552.8	586.6

Table B.11

Point prevalent rates of reported ESRD: by diabetic status & ESRD network, adjusted*patients alive on December 31 of each year, per million population*

ALL	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
1 CT, MA, ME, NH, RI, VT	768.0	813.3	853.4	895.3	928.3	952.5	965.4	980.7	982.2	1,000.4	1,000.0	1,009.6
2 NY	883.1	922.4	968.0	1,010.3	1,057.3	1,104.4	1,143.3	1,179.0	1,198.6	1,226.6	1,234.1	1,253.6
3 NJ	874.1	924.4	973.8	1,020.0	1,062.9	1,122.5	1,183.2	1,199.0	1,232.0	1,254.7	1,271.8	1,290.7
4 DE, PA	977.1	1,037.4	1,096.5	1,161.3	1,215.5	1,254.3	1,295.9	1,336.4	1,363.7	1,402.9	1,409.9	1,425.6
5 MD, DC, VA, WV	1,061.4	1,122.1	1,183.0	1,254.6	1,322.9	1,379.6	1,427.0	1,460.8	1,497.6	1,529.9	1,543.2	1,553.2
6 NC, SC, GA	1,130.0	1,210.0	1,267.7	1,326.1	1,378.3	1,430.8	1,474.2	1,514.7	1,556.5	1,579.3	1,597.1	1,605.2
7 FL	1,013.1	1,056.4	1,084.5	1,137.9	1,168.8	1,188.1	1,216.8	1,250.9	1,277.4	1,295.2	1,289.5	1,295.9
8 AL, MS, TN	1,130.2	1,208.6	1,276.4	1,349.3	1,421.7	1,483.8	1,542.8	1,592.7	1,627.4	1,655.8	1,659.7	1,658.1
9 IN, KY, OH	823.5	875.1	928.2	985.8	1,036.7	1,098.3	1,148.5	1,198.5	1,235.2	1,270.6	1,300.8	1,317.2
10 IL	800.9	847.4	901.9	959.6	991.0	1,032.9	1,084.7	1,121.2	1,154.3	1,194.0	1,207.1	1,222.9
11 MI, MN, ND, SD, WI	853.6	897.5	941.8	998.8	1,032.0	1,073.9	1,106.8	1,140.8	1,184.7	1,227.2	1,262.2	1,305.3
12 IA, KS, MO, NE	809.5	847.7	885.7	932.3	972.8	1,018.9	1,071.7	1,108.9	1,139.4	1,169.0	1,188.3	1,191.5
13 AR, LA, OK	959.0	1,030.4	1,104.7	1,156.4	1,232.5	1,292.0	1,333.4	1,360.3	1,378.2	1,412.0	1,420.6	1,420.4
14 TX	940.1	992.7	1,036.4	1,092.7	1,138.2	1,191.5	1,252.5	1,305.9	1,348.8	1,387.7	1,417.3	1,447.8
15 AZ, CO, NV, NM, UT, WY	745.7	766.1	792.5	818.6	842.8	879.3	913.0	935.9	955.4	970.9	982.0	1,003.1
16 AK, ID, MT, OR, WA	602.9	637.3	660.2	686.3	707.5	729.7	761.9	781.1	817.7	854.3	874.1	891.8
17 N. CA, HI	861.5	916.2	951.4	985.0	1,014.4	1,051.7	1,097.7	1,142.9	1,177.8	1,212.8	1,227.5	1,246.7
18 S. CA	796.0	863.6	917.0	966.4	992.9	1,031.2	1,069.5	1,108.3	1,137.1	1,181.6	1,197.3	1,221.1
All	890.5	943.3	990.9	1,042.4	1,085.2	1,130.1	1,172.9	1,209.4	1,240.6	1,272.5	1,288.1	1,305.2
DIABETIC												
1 CT, MA, ME, NH, RI, VT	205.5	228.2	249.0	269.8	292.0	304.3	310.6	320.5	327.3	337.4	340.7	340.2
2 NY	243.6	262.5	287.8	316.4	340.1	363.6	381.6	400.9	415.1	429.5	435.6	445.6
3 NJ	246.0	277.3	307.8	338.4	361.5	395.5	420.0	428.7	443.7	455.8	463.5	469.2
4 DE, PA	289.6	317.5	348.7	373.0	401.4	424.8	445.6	469.9	483.4	506.5	511.2	520.4
5 MD, DC, VA, WV	315.1	344.9	375.3	414.5	451.6	477.5	500.5	516.9	538.4	556.3	561.6	561.6
6 NC, SC, GA	327.2	365.6	399.6	442.7	473.9	509.6	534.0	558.8	579.1	591.3	604.2	612.5
7 FL	273.8	301.4	321.1	349.8	371.4	383.9	398.9	418.9	439.5	449.0	455.2	458.9
8 AL, MS, TN	305.1	344.7	383.1	422.6	461.1	495.2	525.6	554.6	576.1	589.8	597.7	598.8
9 IN, KY, OH	256.5	285.1	321.1	350.5	377.7	410.7	433.7	458.4	479.4	496.8	511.5	516.4
10 IL	217.7	239.8	270.0	302.6	319.9	343.5	374.6	391.4	404.3	425.5	431.3	433.3
11 MI, MN, ND, SD, WI	290.3	311.6	333.4	361.6	382.0	402.0	413.9	430.7	446.8	463.7	477.8	498.2
12 IA, KS, MO, NE	244.1	267.2	291.6	315.9	338.2	365.9	389.0	408.9	420.4	432.0	439.1	437.7
13 AR, LA, OK	299.0	331.4	370.5	407.5	448.8	481.8	502.9	516.1	527.7	543.4	551.1	549.9
14 TX	337.7	369.6	399.6	437.3	473.0	506.6	538.6	576.8	600.9	630.4	652.3	675.5
15 AZ, CO, NV, NM, UT, WY	311.7	323.8	344.1	359.7	379.1	397.0	413.2	430.3	441.0	446.3	457.3	465.8
16 AK, ID, MT, OR, WA	187.7	205.5	220.1	236.9	258.1	265.9	280.7	291.0	309.1	321.0	327.4	336.2
17 N. CA, HI	278.1	309.0	329.1	352.5	374.2	394.7	421.4	448.7	468.8	488.1	501.4	509.7
18 S. CA	259.6	296.3	324.2	349.5	371.8	390.0	411.4	438.7	458.9	480.2	493.6	503.7
All	273.3	301.1	328.9	358.5	385.0	409.6	431.0	452.4	469.8	486.1	496.6	504.7
NON-DIABETIC												
1 CT, MA, ME, NH, RI, VT	562.5	585.0	604.4	625.5	636.3	648.1	654.8	660.2	654.9	663.0	659.3	669.4
2 NY	639.5	660.0	680.3	693.9	717.3	740.8	761.7	778.1	783.5	797.1	798.5	808.0
3 NJ	628.2	647.0	666.1	681.7	701.5	726.9	763.2	770.3	788.3	798.9	808.2	821.5
4 DE, PA	687.5	719.9	747.8	788.3	814.1	829.5	850.3	866.4	880.3	896.4	898.8	905.1
5 MD, DC, VA, WV	746.4	777.3	807.8	840.1	871.4	902.1	926.5	943.8	959.2	973.6	981.5	991.6
6 NC, SC, GA	802.8	844.4	868.1	883.4	904.4	921.1	940.2	955.9	977.4	987.9	992.9	992.7
7 FL	739.2	755.0	763.4	788.1	797.4	804.2	817.9	832.0	837.9	846.2	834.3	837.0
8 AL, MS, TN	825.1	863.9	893.3	926.7	960.7	988.7	1,017.2	1,038.0	1,051.3	1,066.0	1,062.0	1,059.3
9 IN, KY, OH	567.0	590.0	607.1	635.3	658.9	687.6	714.8	740.1	755.8	773.8	789.3	800.8
10 IL	583.1	607.6	632.0	657.0	671.1	689.4	710.2	729.8	750.0	768.5	775.7	789.6
11 MI, MN, ND, SD, WI	563.3	585.9	608.4	637.3	650.1	671.9	692.9	710.1	737.9	763.5	784.4	807.1
12 IA, KS, MO, NE	565.3	580.5	594.1	616.4	634.6	653.1	682.8	700.0	719.0	737.1	749.2	753.8
13 AR, LA, OK	660.0	699.0	734.2	749.0	783.7	810.2	830.6	844.2	850.5	868.6	869.4	870.5
14 TX	602.4	623.2	636.8	655.4	665.2	684.8	713.9	729.1	747.9	757.4	764.9	772.2
15 AZ, CO, NV, NM, UT, WY	434.0	442.4	448.5	458.9	463.7	482.2	499.8	505.6	514.4	524.6	524.7	537.3
16 AK, ID, MT, OR, WA	415.2	431.7	440.2	449.5	449.4	463.8	481.2	490.1	508.6	533.3	546.7	555.6
17 N. CA, HI	583.4	607.2	622.3	632.5	640.2	657.1	676.3	694.2	709.0	724.7	726.1	737.0
18 S. CA	536.4	567.3	592.9	616.9	621.2	641.2	658.1	669.6	678.2	701.4	703.7	717.4
All	617.2	642.2	662.0	683.8	700.3	720.5	741.9	757.0	770.9	786.4	791.5	800.5

Standard Errors

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	5.4	5.4	5.5	6.2	6.3	6.6	6.7	6.8	7.0	7.2	7.4	7.7	7.9
2 NY	4.7	4.9	5.1	5.4	5.6	5.8	6.0	6.1	6.3	6.5	6.7	6.9	7.1
3 NJ	7.5	7.7	8.0	8.5	8.6	9.0	9.2	9.3	9.4	9.7	10.1	10.6	10.8
4 DE, PA	5.3	5.5	5.9	6.3	6.7	7.1	7.3	7.6	7.9	8.2	8.5	8.8	9.1
5 MD, DC, VA, WV	5.9	6.2	6.5	7.0	7.2	7.4	7.6	7.8	8.0	8.3	8.5	8.8	9.1
6 NC, SC, GA	5.2	5.5	5.8	6.2	6.5	6.6	7.0	7.2	7.5	7.7	7.9	8.2	8.4
7 FL	6.5	6.8	7.0	7.2	7.5	7.7	7.8	8.0	8.1	8.3	8.5	8.7	8.9
8 AL, MS, TN	6.2	6.5	6.9	7.5	7.8	8.1	8.1	8.5	8.8	9.5	9.7	10.0	10.2
9 IN, KY, OH	3.7	3.9	4.2	4.5	4.7	5.0	5.2	5.4	5.5	5.7	6.0	6.2	6.5
10 IL	5.2	5.5	5.8	6.2	6.4	6.7	7.0	7.2	7.4	7.5	7.8	8.2	8.3
11 MI, MN, ND, SD, WI	4.2	4.5	4.7	4.9	5.2	5.4	5.5	5.7	5.9	6.2	6.3	6.5	6.7
12 IA, KS, MO, NE	4.8	5.1	5.3	5.9	6.2	6.5	6.8	7.0	7.3	7.6	7.9	8.1	8.4
13 AR, LA, OK	5.7	6.0	6.4	6.8	7.1	7.5	7.9	8.3	8.8	9.2	9.6	9.9	10.2
14 TX	4.8	5.0	5.2	5.4	5.7	5.8	6.1	6.4	6.6	6.8	7.1	7.3	7.4
15 AZ, CO, NV, NM, UT, WY	5.8	6.1	6.2	6.6	6.8	7.0	7.2	7.4	7.6	7.7	7.8	7.9	8.0
16 AK, ID, MT, OR, WA	5.0	5.0	5.6	6.0	6.4	6.7	7.0	7.2	7.3	7.6	7.7	7.9	7.9
17 N. CA, HI	5.4	5.6	6.1	6.5	6.8	7.1	7.3	7.5	7.8	8.0	8.2	8.4	8.6
18 S. CA	4.0	4.6	4.8	5.1	5.3	5.5	5.6	5.7	5.7	5.9	6.1	6.4	6.6
All	1.2	1.3	1.3	1.4	1.5	1.5	1.6	1.6	1.7	1.8	1.8	1.9	1.9

DIABETIC	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	1.7	1.9	2.1	2.3	2.5	2.7	2.8	3.0	3.1	3.3	3.6	3.8	4.1
2 NY	1.3	1.5	1.8	2.0	2.3	2.4	2.6	2.8	2.9	3.1	3.3	3.5	3.7
3 NJ	2.4	2.6	3.0	3.4	3.5	3.8	4.0	4.1	4.3	4.6	5.1	5.5	5.6
4 DE, PA	1.7	1.9	2.1	2.4	2.7	2.9	3.2	3.5	3.8	4.0	4.3	4.6	4.9
5 MD, DC, VA, WV	1.6	1.9	2.2	2.6	2.9	3.1	3.3	3.5	3.7	4.0	4.3	4.6	4.9
6 NC, SC, GA	1.5	1.8	2.0	2.3	2.6	2.8	3.1	3.3	3.5	3.8	4.0	4.3	4.5
7 FL	2.0	2.3	2.6	2.8	3.0	3.1	3.5	3.7	3.8	4.0	4.2	4.4	4.6
8 AL, MS, TN	1.4	1.6	2.0	2.4	2.7	3.0	3.3	3.5	3.9	4.4	4.7	5.0	5.2
9 IN, KY, OH	1.3	1.5	1.7	1.9	2.1	2.2	2.4	2.6	2.7	2.9	3.1	3.4	3.6
10 IL	1.7	1.9	2.2	2.4	2.6	2.9	3.1	3.3	3.5	3.7	3.9	4.2	4.3
11 MI, MN, ND, SD, WI	1.7	2.0	2.1	2.3	2.5	2.6	2.8	3.0	3.2	3.4	3.6	3.7	3.9
12 IA, KS, MO, NE	1.5	1.9	2.3	2.5	2.8	3.0	3.1	3.4	3.6	3.8	4.1	4.3	4.5
13 AR, LA, OK	1.5	1.9	2.3	2.6	3.0	3.3	3.5	4.0	4.4	4.7	5.0	5.4	5.7
14 TX	1.5	1.8	2.1	2.2	2.5	2.7	3.0	3.2	3.5	3.8	4.0	4.3	4.4
15 AZ, CO, NV, NM, UT, WY	2.4	2.8	3.0	3.3	3.6	3.8	4.1	4.3	4.6	4.8	4.9	5.1	5.2
16 AK, ID, MT, OR, WA	1.7	1.8	2.3	2.5	2.8	3.1	3.3	3.5	3.6	3.9	4.1	4.2	4.3
17 N. CA, HI	1.4	1.8	2.3	2.5	2.7	3.1	3.4	3.7	3.9	4.2	4.5	4.7	4.8
18 S. CA	1.1	1.5	1.8	2.2	2.3	2.6	2.8	2.8	2.8	3.0	3.3	3.5	3.7
All	0.4	0.4	0.5	0.6	0.6	0.7	0.7	0.8	0.8	0.9	0.9	1.0	1.1

NON-DIABETIC	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	5.1	5.0	5.1	5.7	5.8	6.0	6.0	6.2	6.3	6.4	6.5	6.7	6.8
2 NY	4.6	4.7	4.7	5.0	5.1	5.3	5.4	5.5	5.5	5.7	5.8	6.0	6.1
3 NJ	7.1	7.2	7.4	7.7	7.9	8.1	8.3	8.4	8.3	8.6	8.7	9.0	9.3
4 DE, PA	5.0	5.2	5.5	5.9	6.1	6.4	6.6	6.7	6.9	7.1	7.3	7.5	7.6
5 MD, DC, VA, WV	5.7	5.9	6.1	6.5	6.6	6.8	6.8	6.9	7.1	7.2	7.4	7.6	7.7
6 NC, SC, GA	5.0	5.2	5.4	5.8	6.0	6.0	6.3	6.4	6.6	6.7	6.8	7.0	7.1
7 FL	6.2	6.4	6.5	6.7	6.9	7.0	7.0	7.1	7.2	7.3	7.4	7.5	7.6
8 AL, MS, TN	6.0	6.3	6.5	7.1	7.3	7.5	7.4	7.7	7.9	8.4	8.5	8.7	8.8
9 IN, KY, OH	3.4	3.6	3.8	4.1	4.3	4.4	4.6	4.7	4.8	5.0	5.1	5.3	5.4
10 IL	4.9	5.2	5.4	5.7	5.9	6.1	6.3	6.4	6.5	6.6	6.8	7.0	7.1
11 MI, MN, ND, SD, WI	3.8	4.0	4.2	4.4	4.5	4.7	4.8	4.9	5.0	5.2	5.2	5.3	5.4
12 IA, KS, MO, NE	4.6	4.7	4.8	5.3	5.5	5.8	6.0	6.2	6.4	6.6	6.8	6.9	7.0
13 AR, LA, OK	5.5	5.7	5.9	6.2	6.5	6.7	7.0	7.3	7.7	8.0	8.2	8.3	8.4
14 TX	4.5	4.6	4.7	5.0	5.0	5.1	5.3	5.5	5.6	5.7	5.8	5.9	6.0
15 AZ, CO, NV, NM, UT, WY	5.3	5.4	5.5	5.7	5.8	5.9	5.9	6.0	6.1	6.1	6.1	6.1	6.1
16 AK, ID, MT, OR, WA	4.7	4.6	5.1	5.5	5.8	6.0	6.2	6.3	6.3	6.5	6.5	6.6	6.5
17 N. CA, HI	5.2	5.3	5.7	6.0	6.2	6.3	6.5	6.6	6.7	6.8	6.9	7.0	7.1
18 S. CA	3.9	4.3	4.4	4.6	4.7	4.8	4.9	4.9	5.0	5.0	5.2	5.3	5.4
All	1.1	1.2	1.2	1.3	1.4	1.4	1.4	1.4	1.5	1.5	1.5	1.6	1.6

