



B

PREVALENCE OF
REPORTED ESRD



b prevalence of reported esrd

B.1 . 39

Point prevalent counts of reported ESRD: all patients
*patients alive on December 31 of each year,
by age, gender, race, ethnicity, & primary diagnosis*

B.2 . 43

Point prevalent rates of reported ESRD
*patients alive on December 31 of each year, per million population,
by age, gender, race, ethnicity, & primary diagnosis*

B.3 . 47

Point prevalent rates of reported diabetic ESRD
*patients alive on December 31 of each year, per million population,
by age, gender, race, & ethnicity*

B.4 . 49

Point prevalent counts of reported ESRD patients, 2002-2004
*patients alive on December 31 of each year,
by age & primary diagnosis*

B.5 . 50

Point prevalent rates of reported ESRD, 2002-2004
*patients alive on December 31 of each year, per million population,
by age & primary diagnosis*

B.6 . 51

Mean age of the point prevalent population
*patients alive on December 31 of each year,
by age, gender, race, ethnicity, primary diagnosis, & location*

B.7 . 53

Prevalence of reported ESRD, by primary diagnosis: all patients
*2000-2004 combined, patients alive on December 31 of each year,
by detailed primary diagnosis*

B.8 . 55

Point prevalent counts of reported ESRD patients,
by diabetic status & state/territory

B.9 . 61

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted
patients alive on December 31 of each year, per million population

B.10 . 67

Point prevalent counts of reported ESRD patients,
by diabetic status & ESRD network
patients alive on December 31 of each year

B.11 . 69

Point prevalent rates of reported ESRD:
by diabetic status & ESRD network, adjusted
patients alive on December 31 of each year, per million population

B.12 . 71

Period prevalent counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis

Table B.1

Point prevalent counts of reported ESRD: all patients

patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	72	111	168	207	233	290	313	345	346	356	344	379	392
5-9	226	236	288	329	386	426	501	543	580	658	710	741	747
10-14	578	633	715	796	843	861	883	955	1,027	1,073	1,168	1,221	1,294
15-19	1,550	1,653	1,747	1,786	1,851	1,986	2,077	2,205	2,298	2,376	2,391	2,436	2,498
20-29	6,729	7,537	8,413	9,265	9,988	10,653	11,313	11,829	12,448	13,068	13,745	14,225	14,741
30-39	9,282	10,922	12,617	14,464	16,503	18,482	20,434	22,145	24,041	26,190	28,204	30,345	32,376
40-49	9,849	11,056	12,448	14,630	16,335	18,064	20,076	22,541	25,494	28,920	32,318	36,451	40,275
50-59	13,044	14,798	16,558	18,347	20,095	21,685	23,493	25,300	27,731	30,463	33,602	37,142	41,332
60-64	6,270	7,507	8,604	10,163	11,455	12,643	13,544	15,049	16,458	18,090	19,991	21,808	23,592
65-69	5,583	6,284	7,136	8,727	9,914	11,104	12,627	14,449	16,117	18,173	20,307	22,653	25,206
70-79	5,966	7,029	8,341	10,669	12,450	14,187	16,297	18,455	20,771	23,905	27,383	32,077	36,464
80+	877	1,105	1,405	2,024	2,442	3,033	3,725	4,552	5,378	6,461	7,845	9,299	11,032
Unknown	*	*	*	16	20	22	18	*	*	*	*	*	*
0-19	2,426	2,633	2,918	3,118	3,313	3,563	3,774	4,048	4,251	4,463	4,613	4,777	4,931
20-44	20,752	23,757	27,074	30,907	34,487	38,011	41,886	45,293	49,313	53,877	58,664	63,150	67,350
45-64	24,422	28,063	31,566	35,962	39,889	43,516	46,974	51,571	56,859	62,854	69,196	76,821	84,966
65-74	9,520	10,834	12,520	15,438	17,600	19,744	22,465	25,430	28,379	32,183	36,536	41,749	46,956
75+	2,906	3,584	4,362	5,982	7,206	8,580	10,184	12,026	13,887	16,356	18,999	22,280	25,746
Unknown	*	*	*	16	20	22	18	*	*	*	*	*	*
Male	33,210	37,888	43,177	50,148	56,330	62,145	68,404	75,253	82,698	91,798	101,621	112,780	123,919
Female	26,822	30,990	35,273	41,274	46,183	51,289	56,895	63,123	69,996	77,940	86,392	96,000	106,029
Unknown	.	*	.	*	*	*	*	*	*	*	*	*	*
White	41,752	47,547	53,851	62,179	69,183	76,178	83,821	91,996	100,539	110,957	122,125	134,805	147,239
Black	16,581	19,324	22,320	26,527	30,169	33,577	37,210	41,417	46,292	52,103	58,183	65,081	72,444
Native American	351	473	591	776	934	1,082	1,254	1,456	1,691	1,938	2,177	2,462	2,821
Asian	414	576	854	1,156	1,500	1,906	2,325	2,816	3,422	4,066	4,820	5,694	6,642
Other/unknown	934	959	834	785	729	693	691	693	752	676	710	740	804
†Hispanic													
†Non-Hispanic													
Diabetes	5,760	8,053	10,865	13,867	17,380	20,974	24,990	29,377	34,292	40,870	48,108	56,353	64,772
Hypertension	9,583	12,329	15,682	19,180	22,458	25,690	29,227	33,060	37,410	42,792	48,242	54,365	60,989
Glomerulonephritis	13,661	15,954	18,542	21,548	24,359	26,992	29,575	32,249	34,901	37,800	40,729	43,883	46,872
Cystic kidney	3,661	4,242	4,902	5,657	6,278	6,883	7,478	8,151	8,750	9,356	10,062	10,848	11,659
Other urologic	1,664	2,115	2,634	3,209	3,750	4,324	4,758	5,270	5,734	6,152	6,479	7,009	7,466
Other cause	6,588	7,817	9,440	11,210	12,784	14,322	15,766	16,979	18,346	20,172	21,769	23,516	25,379
Unknown cause	6,177	6,670	6,721	7,202	7,560	7,646	7,980	8,452	8,724	8,639	8,868	9,277	9,594
Missing disease	12,938	11,699	9,664	9,550	7,946	6,605	5,527	4,840	4,539	3,959	3,758	3,531	3,219
U.S.	59,094	67,818	77,238	89,995	100,810	111,463	123,104	135,909	149,816	166,435	184,386	204,917	225,814
U.S territories	37	44	58	56	56	69	87	113	125	139	167	201	250
Puerto Rico	616	712	827	978	1,190	1,351	1,484	1,630	1,796	2,008	2,204	2,403	2,663
Foreign	41	51	51	66	69	82	89	92	100	110	144	163	181
Unknown	244	254	276	328	390	471	537	634	859	1,048	1,114	1,098	1,042
All	60,032	68,879	78,450	91,423	102,515	113,436	125,301	138,378	152,696	169,740	188,015	208,782	229,950
Total lost-to-followup	3,372	4,019	4,872	3,607	3,599	4,014	4,203	4,620	5,069	5,363	5,674	5,867	6,506
All with lost-to-followup	63,404	72,898	83,322	95,030	106,114	117,450	129,504	142,998	157,765	175,103	193,689	214,649	236,456

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

on our website & CD
 Point prevalent counts of reported ESRD: diabetes, hypertension, glomerulonephritis, & cystic kidney disease (B.1.1-4). Point prevalent counts of reported ESRD patients (B.a). Percent decrease in point prevalent counts of ESRD patients (B.b).



b prevalence of reported esrd

Table B.1 (continued)

Point prevalent counts of reported ESRD: all patients

patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	420	416	420	444	415	429	449	491	494	494	495	566
5-9	779	810	826	843	915	893	912	900	933	947	977	1,012
10-14	1,353	1,457	1,536	1,593	1,591	1,691	1,721	1,807	1,834	1,928	1,903	1,893
15-19	2,608	2,730	2,884	2,969	3,077	3,143	3,277	3,319	3,403	3,484	3,648	3,801
20-29	15,103	15,412	15,664	16,057	16,329	16,659	16,753	16,849	16,880	16,849	16,906	17,241
30-39	34,303	36,191	37,414	38,520	39,332	40,217	41,098	41,831	42,235	42,620	42,789	42,871
40-49	44,273	48,388	52,762	56,668	59,773	63,378	66,430	69,475	71,900	74,164	76,279	78,675
50-59	45,454	50,152	54,021	58,921	64,637	70,873	77,231	83,282	89,521	95,007	100,515	106,904
60-64	25,367	27,407	29,469	31,602	33,819	36,409	38,639	40,851	43,237	46,381	49,546	52,439
65-69	27,486	29,763	31,515	33,763	35,534	37,321	39,285	41,083	43,086	44,936	46,973	48,912
70-79	40,224	45,216	49,162	53,945	58,854	62,924	66,625	70,066	72,439	75,707	78,009	80,040
80+	12,691	14,476	16,180	18,198	20,343	22,576	24,912	27,800	30,215	33,041	35,565	37,743
Unknown	*	*	*	*	*	*	*	*	*	*	*	*
0-19	5,160	5,413	5,666	5,849	5,998	6,156	6,359	6,517	6,664	6,853	7,023	7,272
20-44	71,289	74,912	78,139	81,140	83,685	86,385	88,607	90,328	91,665	92,616	93,493	94,834
45-64	93,211	102,638	111,191	120,628	130,205	141,151	151,544	161,960	172,108	182,405	192,542	203,296
65-74	51,594	56,681	60,337	64,826	68,994	72,588	76,095	79,546	82,801	86,216	89,439	92,566
75+	28,807	32,774	36,520	41,080	45,737	50,233	54,727	59,403	62,939	67,468	71,108	74,129
Unknown	*	*	*	*	*	*	*	*	*	*	*	*
Male	134,911	146,900	157,325	169,392	181,433	193,774	205,872	217,688	228,567	240,355	250,908	262,288
Female	115,150	125,519	134,523	144,126	153,180	162,735	171,453	180,058	187,602	195,197	202,687	209,773
Unknown	*	*	*	*	*	*	*	*	*	*	11	38
White	158,632	171,653	182,195	194,637	206,874	219,252	231,979	244,656	255,903	267,366	277,721	288,713
Black	79,631	87,273	94,071	101,249	108,282	115,803	121,980	127,713	132,994	138,915	144,449	149,063
Native American	3,132	3,458	3,789	4,093	4,372	4,758	5,116	5,411	5,692	5,895	6,051	6,282
Asian	7,798	8,981	10,075	11,120	12,147	13,334	14,561	15,784	16,966	18,228	19,390	20,504
Other/unknown	870	1,056	1,725	2,426	2,945	3,367	3,697	4,191	4,623	5,156	5,995	7,537
†Hispanic				31,915	35,658	39,336	43,403	48,434	52,067	56,123	60,312	64,515
†Non-Hispanic				281,610	298,962	317,178	333,930	349,321	364,111	379,437	393,294	407,584
Diabetes	72,773	82,071	91,436	101,900	112,298	122,256	131,287	140,896	149,372	157,892	165,655	172,938
Hypertension	66,754	73,058	76,054	80,047	84,087	88,533	93,054	97,218	101,272	105,858	110,594	114,481
Glomerulonephritis	49,955	53,284	56,210	59,272	62,045	64,890	67,448	69,556	71,513	73,551	75,148	77,121
Cystic kidney	12,427	13,271	14,046	14,743	15,469	16,383	17,248	18,098	18,875	19,686	20,549	21,397
Other urologic	7,716	8,119	8,972	9,750	10,457	11,102	11,946	12,521	13,004	13,598	13,962	14,298
Other cause	27,186	29,039	31,029	32,838	34,521	36,671	38,550	40,467	42,073	43,882	45,397	47,584
Unknown cause	10,090	10,624	11,125	11,950	12,673	13,462	14,354	15,303	16,235	17,062	17,879	18,468
Missing disease	3,162	2,955	2,983	3,025	3,070	3,217	3,446	3,696	3,834	4,031	4,422	5,812
U.S.	245,728	267,764	287,131	308,578	329,539	351,217	371,827	392,059	410,327	429,464	447,168	464,952
U.S territories	273	307	350	403	448	490	546	580	613	672	707	736
Puerto Rico	2,853	3,080	3,201	3,410	3,588	3,747	3,892	4,028	4,159	4,332	4,491	4,698
Foreign	209	259	265	274	284	299	309	319	313	317	305	296
Unknown	1,000	1,011	908	860	761	761	759	769	766	775	935	1,417
All	250,063	272,421	291,855	313,525	334,620	356,514	377,333	397,755	416,178	435,560	453,606	472,099
Total lost-to-followup	7,156	7,758	8,371	8,900	10,695	12,021	13,138	14,338	15,646	17,641	20,234	22,372
All with lost-to-followup	257,219	280,179	300,226	322,425	345,315	368,535	390,471	412,093	431,824	453,201	473,840	494,471

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

*Values for cells with ten or fewer patients are suppressed.

Table B.1 (continued)

Point prevalent counts of reported ESRD patients: U.S. only, with unknowns dropped*patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	66	104	162	204	227	279	303	330	330	338	328	359	379
5-9	219	231	281	321	374	416	489	534	569	644	691	720	717
10-14	565	616	701	781	822	838	863	932	1,002	1,041	1,141	1,188	1,262
15-19	1,510	1,620	1,713	1,752	1,821	1,952	2,033	2,149	2,226	2,303	2,313	2,374	2,446
20-29	6,560	7,368	8,239	9,070	9,769	10,426	11,072	11,568	12,142	12,755	13,424	13,883	14,393
30-39	8,994	10,593	12,267	14,099	16,090	18,040	19,964	21,630	23,479	25,543	27,538	29,695	31,723
40-49	9,532	10,718	12,100	14,234	15,902	17,584	19,541	21,934	24,775	28,154	31,463	35,504	39,277
50-59	12,656	14,408	16,134	17,895	19,612	21,136	22,905	24,686	27,013	29,683	32,727	36,176	40,250
60-64	6,095	7,303	8,409	9,952	11,232	12,405	13,288	14,767	16,130	17,679	19,537	21,342	23,102
65-69	5,409	6,084	6,958	8,551	9,716	10,894	12,395	14,198	15,856	17,888	19,996	22,303	24,815
70-79	5,775	6,817	8,143	10,453	12,201	13,923	16,017	18,155	20,432	23,566	27,011	31,673	35,967
80+	852	1,076	1,376	1,977	2,386	2,965	3,650	4,468	5,304	6,377	7,729	9,172	10,897
0-19	2,360	2,571	2,857	3,058	3,244	3,485	3,688	3,945	4,127	4,326	4,473	4,641	4,804
20-44	20,146	23,096	26,384	30,147	33,638	37,083	40,886	44,201	48,082	52,534	57,259	61,705	65,873
45-64	23,691	27,294	30,765	35,103	38,967	42,508	45,884	50,384	55,457	61,280	67,430	74,895	82,872
65-74	9,230	10,497	12,213	15,128	17,247	19,374	22,053	24,987	27,907	31,700	36,007	41,160	46,244
75+	2,806	3,480	4,264	5,853	7,056	8,408	10,009	11,834	13,685	16,131	18,729	21,988	25,435
Male	32,161	36,758	42,017	48,889	54,911	60,638	66,766	73,451	80,699	89,576	99,203	110,210	121,176
Female	26,072	30,180	34,466	40,400	45,241	50,220	55,754	61,900	68,559	76,395	84,695	94,179	104,052
White	41,041	46,751	52,954	61,111	67,910	74,733	82,250	90,267	98,546	108,674	119,607	132,076	144,313
Black	16,445	19,163	22,123	26,303	29,887	33,239	36,818	40,958	45,794	51,539	57,594	64,487	71,812
Native American	349	470	583	764	918	1,067	1,235	1,437	1,670	1,916	2,155	2,442	2,802
Asian	398	554	823	1,111	1,437	1,819	2,217	2,689	3,248	3,842	4,542	5,384	6,301
†Hispanic													
†Non-Hispanic													
Diabetes	5,569	7,822	10,624	13,588	17,033	20,558	24,463	28,761	33,554	39,980	47,070	55,173	63,419
Hypertension	9,411	12,103	15,437	18,912	22,150	25,312	28,802	32,574	36,860	42,195	47,574	53,657	60,199
Glomerulonephritis	13,360	15,599	18,151	21,092	23,806	26,386	28,936	31,549	34,140	36,956	39,836	42,942	45,899
Cystic kidney	3,618	4,200	4,857	5,609	6,216	6,812	7,402	8,067	8,663	9,266	9,954	10,733	11,523
Other urologic	1,615	2,057	2,558	3,125	3,656	4,214	4,647	5,153	5,592	5,997	6,310	6,845	7,292
Other cause	6,478	7,694	9,309	11,075	12,637	14,153	15,579	16,784	18,127	19,933	21,518	23,230	25,073
Unknown cause	5,899	6,400	6,465	6,891	7,210	7,279	7,605	8,069	8,348	8,291	8,523	8,923	9,239
Missing disease	12,283	11,063	9,082	8,997	7,444	6,144	5,086	4,394	3,974	3,353	3,113	2,886	2,584
All	58,233	66,938	76,483	89,289	100,152	110,858	122,520	135,351	149,258	165,971	183,898	204,389	225,228
Patients dropped	1,799	1,941	1,967	2,134	2,363	2,578	2,781	3,027	3,438	3,769	4,117	4,393	4,722

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

b prevalence of reported esrd

Table B.1 (continued)

Point prevalent counts of reported ESRD patients: U.S. only, with unknowns dropped

patients alive on December 31 of each year, by age, gender, race, ethnicity, & primary diagnosis

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	408	404	407	424	397	413	433	476	473	464	458	513
5-9	746	776	798	815	886	863	876	868	893	914	938	955
10-14	1,320	1,417	1,492	1,550	1,541	1,644	1,678	1,753	1,779	1,862	1,821	1,794
15-19	2,552	2,661	2,801	2,888	2,997	3,053	3,183	3,220	3,301	3,353	3,502	3,616
20-29	14,768	15,066	15,305	15,678	15,920	16,223	16,314	16,346	16,364	16,270	16,256	16,457
30-39	33,647	35,468	36,676	37,746	38,537	39,363	40,188	40,873	41,199	41,489	41,511	41,401
40-49	43,269	47,322	51,616	55,424	58,463	62,001	65,009	67,962	70,332	72,525	74,472	76,567
50-59	44,291	48,878	52,612	57,322	62,884	68,990	75,190	81,110	87,201	92,557	97,801	103,768
60-64	24,810	26,751	28,726	30,787	32,937	35,448	37,628	39,718	42,024	45,083	48,110	50,786
65-69	27,040	29,302	30,946	33,081	34,791	36,488	38,378	40,118	42,065	43,844	45,795	47,596
70-79	39,705	44,649	48,518	53,165	57,937	61,917	65,558	68,868	71,145	74,301	76,472	78,373
80+	12,529	14,288	15,975	17,959	20,108	22,330	24,596	27,465	29,853	32,634	35,116	37,217
0-19	5,026	5,258	5,498	5,677	5,821	5,973	6,170	6,317	6,446	6,593	6,719	6,878
20-44	69,815	73,337	76,505	79,428	81,935	84,522	86,660	88,214	89,426	90,168	90,749	91,615
45-64	90,970	100,148	108,430	117,529	126,806	137,503	147,669	157,795	167,694	177,756	187,401	197,364
65-74	50,812	55,859	59,359	63,665	67,689	71,139	74,535	77,851	81,021	84,262	87,356	90,252
75+	28,462	32,380	36,080	40,540	45,147	49,596	53,997	58,600	62,042	66,517	70,027	72,934
Male	132,030	143,702	153,807	165,489	177,188	189,189	200,939	212,335	222,841	234,139	244,052	254,488
Female	113,055	123,280	132,065	141,350	150,210	159,544	168,092	176,442	183,788	191,157	198,200	204,555
White	155,556	168,342	178,993	191,461	203,667	215,956	228,547	241,060	252,194	263,530	273,682	284,567
Black	78,991	86,610	93,441	100,617	107,676	115,170	121,336	127,090	132,364	138,263	143,786	148,366
Native American	3,110	3,435	3,768	4,072	4,351	4,736	5,094	5,392	5,675	5,878	6,034	6,264
Asian	7,428	8,595	9,670	10,689	11,704	12,871	14,054	15,235	16,396	17,625	18,750	19,846
†Hispanic				28,420	31,453	34,598	38,183	42,696	45,880	49,366	52,886	56,394
†Non-Hispanic				278,419	295,945	314,135	330,848	346,081	360,749	375,930	389,366	402,649
Diabetes	71,330	80,451	89,509	99,546	109,625	119,343	128,091	137,413	145,613	153,843	161,149	167,964
Hypertension	65,881	72,079	75,001	78,907	82,874	87,215	91,689	95,751	99,703	104,146	108,663	112,343
Glomerulonephritis	48,946	52,203	55,044	58,023	60,705	63,451	65,933	67,947	69,829	71,762	73,248	75,046
Cystic kidney	12,270	13,086	13,855	14,526	15,249	16,150	17,013	17,840	18,600	19,394	20,227	21,026
Other urologic	7,540	7,939	8,768	9,537	10,242	10,885	11,694	12,254	12,726	13,292	13,659	13,987
Other cause	26,845	28,636	30,609	32,380	34,044	36,157	38,006	39,854	41,415	43,152	44,627	46,697
Unknown cause	9,742	10,260	10,731	11,535	12,241	12,997	13,865	14,769	15,656	16,448	17,195	17,703
Missing disease	2,531	2,328	2,355	2,385	2,418	2,535	2,740	2,949	3,087	3,259	3,484	4,277
All	245,085	266,982	285,872	306,839	327,398	348,733	369,031	388,777	406,629	425,296	442,252	459,043
Patients dropped	4,978	5,439	5,983	6,686	7,222	7,781	8,302	8,978	9,549	10,264	11,354	13,056

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Table B.2

Point prevalent rates of reported ESRD*patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	4.0	6.1	9.3	11.6	12.8	15.6	16.8	18.2	18.0	18.1	17.2	18.5	19.3
5-9	13.1	14.4	17.6	19.8	22.7	24.6	28.3	30.4	31.9	35.8	38.0	39.2	38.7
10-14	31.1	33.8	38.9	44.2	47.7	50.0	52.5	56.7	60.2	61.3	65.3	66.0	68.3
15-19	72.1	80.0	87.1	91.4	96.7	104.0	108.4	115.6	121.5	128.4	132.0	137.6	140.9
20-29	159.8	175.0	193.5	211.5	227.4	243.7	261.5	277.3	295.4	314.2	333.2	347.7	365.5
30-39	278.1	314.4	353.2	394.1	434.9	470.3	507.4	540.8	576.1	615.4	649.4	686.1	721.1
40-49	410.6	461.1	506.0	576.1	626.6	676.7	721.4	769.0	832.4	908.3	975.6	1,058.5	1,131.9
50-59	544.4	626.1	709.4	796.8	883.6	960.8	1,048.6	1,135.3	1,243.0	1,362.0	1,487.9	1,615.4	1,740.8
60-64	599.0	698.0	792.5	927.6	1,034.8	1,139.9	1,228.0	1,369.0	1,500.6	1,658.0	1,840.8	2,024.8	2,224.6
65-69	609.2	679.7	767.6	932.4	1,047.1	1,153.6	1,285.8	1,452.0	1,602.9	1,785.4	1,987.9	2,226.5	2,476.6
70-79	489.6	563.6	657.6	826.0	945.3	1,060.2	1,199.2	1,335.6	1,478.3	1,677.3	1,881.7	2,152.5	2,395.6
80+	160.4	197.2	244.6	341.2	400.2	483.2	577.4	687.0	792.8	926.0	1,086.2	1,247.5	1,434.6
0-19	32.6	35.9	40.2	43.3	46.1	49.6	52.4	55.8	58.0	60.4	61.9	63.6	64.9
20-44	235.8	262.3	292.8	327.5	358.5	388.8	422.9	452.8	488.5	528.1	567.1	605.1	643.6
45-64	531.1	613.7	692.0	788.8	874.3	952.6	1,025.3	1,115.8	1,214.3	1,330.0	1,447.4	1,569.9	1,683.7
65-74	584.9	655.3	750.1	915.7	1,030.1	1,139.8	1,276.1	1,425.7	1,572.6	1,762.9	1,978.5	2,238.2	2,487.7
75+	274.9	331.9	395.0	527.3	618.7	717.8	831.6	958.3	1,081.2	1,243.4	1,405.0	1,605.7	1,811.7
Male	289.7	328.1	371.5	428.3	476.7	521.4	568.6	619.7	674.3	740.7	809.4	886.4	960.9
Female	222.1	254.6	288.1	334.9	371.8	409.2	450.4	495.7	544.2	600.7	657.9	722.1	787.6
White	209.4	236.9	266.5	305.5	337.2	368.6	403.0	439.4	476.5	521.4	568.2	620.7	671.0
Black	609.4	701.4	799.0	938.0	1,052.7	1,155.9	1,263.8	1,387.3	1,529.9	1,698.3	1,859.7	2,038.5	2,222.8
Native American	238.6	311.1	372.0	469.8	544.1	609.4	679.4	761.3	850.9	940.7	1,029.7	1,128.2	1,249.7
Asian	99.1	126.0	173.4	218.7	264.7	314.0	359.8	411.6	468.7	525.7	585.8	658.9	732.6
†Hispanic													
†Non-Hispanic													
Diabetes	24.4	33.9	45.7	57.9	71.9	86.0	101.4	118.2	136.6	161.1	187.3	216.6	245.6
Hypertension	41.2	52.5	66.3	80.5	93.5	105.9	119.4	133.8	150.0	170.1	189.3	210.6	233.1
Glomerulonephritis	58.5	67.7	78.0	89.8	100.5	110.4	120.0	129.6	139.0	149.0	158.5	168.6	177.8
Cystic kidney	15.8	18.2	20.9	23.9	26.2	28.5	30.7	33.1	35.3	37.4	39.6	42.1	44.6
Other urologic	7.1	8.9	11.0	13.3	15.4	17.6	19.3	21.2	22.8	24.2	25.1	26.9	28.2
Other cause	28.4	33.4	40.0	47.2	53.4	59.2	64.6	69.0	73.8	80.3	85.6	91.2	97.1
Unknown cause	25.8	27.8	27.8	29.4	30.4	30.5	31.5	33.2	34.0	33.4	33.9	35.0	35.8
Missing disease	53.8	48.0	39.0	38.3	31.4	25.7	21.1	18.1	16.2	13.5	12.4	11.3	10.0
All	254.9	290.3	328.6	380.3	422.8	463.8	507.9	556.1	607.6	669.0	731.8	802.3	872.3

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Point prevalent rates of reported ESRD: diabetes, hypertension, glomerulonephritis, cystic kidney disease, adjusted (B.2.1-4).

on our website & CD

b prevalence of reported esrd

Table B.2 (continued)

Point prevalent rates of reported ESRD

patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	20.7	20.5	20.9	22.0	20.7	21.6	22.6	24.7	24.3	23.6	23.0	25.4
5-9	39.6	40.4	40.6	40.6	43.5	42.0	42.4	42.6	44.4	46.0	47.7	48.9
10-14	70.0	74.2	77.2	79.4	78.2	82.1	82.2	84.5	84.7	88.0	86.0	85.0
15-19	144.4	146.8	150.2	150.7	152.8	152.9	157.5	158.8	162.4	164.3	170.0	173.4
20-29	381.3	394.5	404.3	415.0	420.2	426.2	426.4	423.7	419.7	411.3	404.3	402.8
30-39	755.8	791.8	818.7	847.5	873.6	901.1	928.4	948.2	962.0	978.8	992.5	1,004.4
40-49	1,207.4	1,273.5	1,336.9	1,396.3	1,444.5	1,497.9	1,536.7	1,575.1	1,602.6	1,630.3	1,656.2	1,686.8
50-59	1,847.1	1,978.5	2,075.1	2,160.4	2,241.7	2,350.0	2,452.5	2,537.5	2,627.6	2,700.9	2,764.8	2,835.4
60-64	2,427.3	2,637.1	2,837.6	3,032.7	3,195.3	3,357.7	3,474.7	3,617.2	3,718.3	3,819.0	3,895.7	3,958.6
65-69	2,697.1	2,932.5	3,103.8	3,339.2	3,563.4	3,797.1	4,051.0	4,212.2	4,402.2	4,538.1	4,649.5	4,729.6
70-79	2,602.8	2,883.3	3,094.1	3,354.6	3,615.0	3,829.0	4,029.5	4,235.4	4,394.0	4,612.6	4,781.9	4,946.7
80+	1,599.0	1,770.0	1,923.5	2,108.6	2,306.0	2,501.0	2,689.8	2,916.1	3,074.5	3,265.0	3,416.9	3,523.6
0-19	66.9	69.0	71.3	72.7	73.8	75.0	76.7	78.3	79.7	81.3	82.6	84.2
20-44	679.9	712.5	741.7	768.5	791.1	814.6	833.8	845.2	854.1	859.5	863.8	871.1
45-64	1,797.8	1,923.9	2,023.1	2,124.0	2,214.6	2,318.8	2,404.6	2,488.5	2,561.0	2,629.8	2,690.0	2,751.5
65-74	2,711.3	2,966.8	3,149.8	3,394.7	3,633.9	3,846.5	4,063.4	4,243.6	4,427.1	4,601.4	4,746.6	4,872.4
75+	1,980.0	2,199.4	2,387.7	2,612.4	2,842.4	3,058.9	3,263.9	3,476.2	3,616.4	3,811.4	3,953.0	4,064.1
Male	1,033.2	1,110.5	1,174.0	1,247.7	1,319.3	1,391.4	1,459.9	1,525.0	1,583.1	1,645.7	1,697.4	1,751.5
Female	845.4	911.2	965.2	1,021.5	1,073.3	1,127.7	1,175.5	1,221.8	1,260.9	1,299.6	1,335.2	1,365.6
White	716.0	767.5	808.5	856.7	902.8	948.6	995.0	1,040.9	1,080.1	1,119.5	1,153.3	1,189.5
Black	2,397.5	2,581.3	2,737.7	2,898.7	3,050.2	3,209.5	3,327.7	3,438.8	3,536.1	3,648.3	3,747.8	3,820.3
Native American	1,339.6	1,430.4	1,514.3	1,577.9	1,625.8	1,704.0	1,765.0	1,789.6	1,860.1	1,902.7	1,928.7	1,977.0
Asian	824.6	914.1	985.3	1,043.7	1,096.6	1,157.9	1,214.0	1,259.6	1,307.7	1,358.2	1,397.5	1,432.0
†Hispanic				941.7	994.1	1,043.4	1,099.9	1,174.5	1,214.8	1,259.7	1,302.2	1,341.7
†Non-Hispanic				1,156.0	1,219.8	1,285.9	1,345.4	1,399.5	1,450.2	1,502.7	1,547.5	1,591.1
Diabetes	272.8	303.9	334.2	367.3	399.7	430.2	456.4	484.5	508.2	531.7	551.5	569.2
Hypertension	251.9	272.3	280.0	291.2	302.2	314.4	326.7	337.6	348.0	359.9	371.9	380.7
Glomerulonephritis	187.2	197.2	205.5	214.1	221.4	228.7	234.9	239.6	243.7	248.0	250.7	254.3
Cystic kidney	46.9	49.4	51.7	53.6	55.6	58.2	60.6	62.9	64.9	67.0	69.2	71.3
Other urologic	28.8	30.0	32.7	35.2	37.4	39.2	41.7	43.2	44.4	45.9	46.7	47.4
Other cause	102.7	108.2	114.3	119.5	124.1	130.3	135.4	140.5	144.5	149.1	152.7	158.3
Unknown cause	37.3	38.8	40.1	42.6	44.6	46.8	49.4	52.1	54.6	56.8	58.8	60.0
Missing disease	9.7	8.8	8.8	8.8	8.8	9.1	9.8	10.4	10.8	11.3	11.9	14.5
All	937.2	1,008.6	1,067.3	1,132.2	1,193.8	1,256.9	1,315.0	1,370.6	1,419.2	1,469.8	1,513.4	1,555.6

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Table B.2 (continued)

Point prevalent rates of reported ESRD

patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis

ADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	3.9	6.0	9.2	11.4	12.4	15.2	16.5	17.8	17.6	17.8	17.0	18.2	19.0
5-9	12.8	14.1	17.3	19.5	22.4	24.5	28.1	30.0	31.6	35.2	37.2	38.4	37.9
10-14	30.7	33.1	38.7	44.0	47.2	49.7	52.2	56.0	59.5	60.6	64.5	65.4	67.6
15-19	70.8	78.9	86.0	90.1	95.2	102.5	107.1	114.3	119.9	126.4	129.9	135.5	138.8
20-29	160.7	175.4	193.5	211.5	226.8	242.3	258.9	273.5	290.6	308.7	327.3	341.7	359.4
30-39	292.4	331.6	370.8	412.4	453.8	488.5	525.0	558.8	593.6	631.9	665.1	700.0	733.1
40-49	437.9	492.0	542.7	622.2	679.5	733.5	782.6	837.4	907.0	991.8	1,061.0	1,148.3	1,219.8
50-59	598.5	691.3	784.6	881.5	978.8	1,065.3	1,161.7	1,259.2	1,380.9	1,513.5	1,652.1	1,796.7	1,939.6
60-64	668.4	785.9	902.9	1,062.7	1,187.9	1,317.3	1,412.9	1,569.9	1,721.7	1,902.4	2,106.9	2,305.1	2,529.1
65-69	667.1	758.0	863.3	1,059.8	1,203.3	1,332.6	1,492.2	1,697.5	1,873.4	2,077.0	2,319.3	2,595.6	2,869.9
70-79	536.1	626.1	739.8	947.9	1,095.4	1,232.0	1,399.3	1,565.3	1,750.3	1,997.9	2,241.7	2,565.0	2,860.8
80+	185.4	228.9	292.6	415.0	492.5	606.3	722.8	857.1	988.0	1,158.6	1,379.8	1,604.6	1,855.7
0-19	29.6	33.0	37.8	41.2	44.3	48.0	51.0	54.5	57.1	60.0	62.1	64.3	65.8
20-44	262.0	291.3	323.2	360.9	392.5	422.0	454.4	481.2	514.2	550.9	585.8	619.5	653.9
45-64	584.4	677.5	767.6	878.4	975.8	1,066.6	1,149.3	1,255.4	1,373.7	1,509.9	1,647.2	1,795.2	1,940.8
65-74	643.3	732.1	842.9	1,044.1	1,188.0	1,318.8	1,485.9	1,665.5	1,843.1	2,067.9	2,330.5	2,635.5	2,925.5
75+	274.6	334.6	414.1	565.8	667.7	790.6	921.6	1,070.5	1,221.2	1,418.1	1,633.8	1,887.9	2,150.5
Male	338.8	384.6	435.0	503.5	560.1	612.0	665.4	723.2	786.1	862.7	941.5	1,028.6	1,111.2
Female	237.3	271.8	306.6	354.0	391.7	429.3	470.1	514.6	563.4	619.7	676.0	738.4	801.3
White	221.0	249.3	278.9	318.4	350.2	381.4	415.1	450.5	487.0	531.2	577.5	628.4	676.4
Black	832.8	959.1	1,089.1	1,280.0	1,432.6	1,572.0	1,713.5	1,876.8	2,068.1	2,293.7	2,514.1	2,760.4	3,012.6
Native American	345.6	457.9	553.8	715.4	826.0	927.5	1,033.7	1,162.6	1,301.7	1,457.9	1,613.6	1,773.0	1,967.1
Asian	111.4	148.9	212.8	277.6	343.5	412.4	476.0	547.4	629.6	714.1	801.0	904.3	1,003.0
†Hispanic													
†Non-Hispanic													
Diabetes	27.5	38.4	51.5	65.1	80.6	96.3	113.1	131.2	151.1	177.7	206.2	237.5	268.0
Hypertension	50.3	63.7	79.6	95.9	110.4	124.2	138.8	154.2	171.9	193.5	213.5	235.6	258.5
Glomerulonephritis	63.5	73.5	84.6	97.8	109.7	120.2	130.0	139.9	149.9	160.3	169.8	180.0	189.0
Cystic kidney	17.8	20.5	23.6	27.0	29.7	32.2	34.6	37.3	39.6	41.9	44.5	47.1	49.6
Other urologic	7.4	9.4	11.6	14.1	16.3	18.6	20.2	22.3	23.9	25.3	26.3	28.1	29.5
Other cause	29.2	34.5	41.4	48.9	55.2	61.1	66.7	70.9	76.0	82.8	88.1	93.6	99.7
Unknown cause	29.2	31.2	31.0	32.8	34.0	33.7	34.8	36.5	37.2	36.4	36.8	37.9	38.5
Missing disease	60.3	53.9	43.8	42.6	34.8	28.3	23.1	19.7	17.5	14.6	13.3	12.1	10.7
All	285.2	325.0	367.1	424.2	470.6	514.7	561.3	611.9	667.0	732.5	798.6	871.9	943.5

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race/ethnicity are adjusted for gender & age, rates by primary diagnosis are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

b prevalence of reported esrd

Table B.2 (continued)

Point prevalent rates of reported ESRD

patients alive on December 31 of each year, per million population, by age, gender, race, ethnicity, & primary diagnosis

ADJUSTED	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	20.4	20.2	20.4	21.7	20.6	21.4	22.5	24.5	24.2	23.3	22.7	25.0
5-9	38.8	39.8	40.1	40.0	42.8	41.5	41.9	41.9	44.0	45.7	47.3	48.6
10-14	69.4	73.2	76.0	78.1	77.1	80.8	81.0	83.2	83.1	86.2	84.7	83.8
15-19	141.9	144.0	147.4	147.5	149.5	149.6	154.1	155.4	159.0	160.9	166.2	169.2
20-29	374.5	386.5	394.4	403.6	408.3	414.9	416.0	416.3	414.5	407.0	399.2	396.6
30-39	765.5	799.2	823.3	848.8	871.3	895.4	920.0	939.7	953.5	970.1	983.3	994.7
40-49	1,295.0	1,360.1	1,419.1	1,472.5	1,514.0	1,562.0	1,593.7	1,628.9	1,650.4	1,671.9	1,691.6	1,716.5
50-59	2,064.2	2,207.8	2,313.7	2,415.1	2,510.9	2,625.7	2,729.8	2,811.3	2,896.3	2,953.3	3,002.4	3,063.0
60-64	2,744.3	2,965.7	3,176.8	3,383.9	3,554.5	3,729.0	3,852.8	3,989.7	4,109.4	4,235.7	4,332.9	4,396.0
65-69	3,130.2	3,382.3	3,560.2	3,807.7	4,043.4	4,291.2	4,555.4	4,705.7	4,891.1	5,024.2	5,144.2	5,237.7
70-79	3,120.7	3,471.5	3,731.1	4,015.3	4,309.5	4,561.7	4,770.1	4,969.0	5,121.7	5,350.8	5,512.9	5,664.2
80+	2,061.8	2,286.5	2,479.6	2,728.3	2,956.1	3,215.3	3,448.2	3,687.6	3,848.9	4,062.4	4,231.2	4,313.9
0-19	67.6	69.3	71.0	71.8	72.5	73.3	74.8	76.3	77.6	79.0	80.2	81.7
20-44	684.6	710.9	733.9	754.8	772.4	792.0	807.8	819.2	828.8	835.8	841.8	850.8
45-64	2,079.9	2,229.6	2,352.1	2,472.4	2,575.3	2,691.3	2,783.2	2,871.5	2,948.8	3,015.4	3,069.2	3,120.9
65-74	3,200.7	3,498.2	3,709.2	3,967.3	4,221.2	4,443.7	4,653.0	4,824.4	5,005.0	5,188.6	5,336.0	5,463.5
75+	2,364.5	2,634.0	2,854.3	3,120.1	3,377.4	3,652.6	3,895.3	4,123.4	4,274.1	4,491.1	4,653.5	4,755.6
Male	1,189.8	1,273.4	1,339.1	1,414.2	1,484.4	1,556.3	1,622.2	1,681.8	1,732.7	1,786.5	1,826.8	1,868.3
Female	856.9	918.3	967.3	1,016.4	1,059.1	1,105.1	1,144.3	1,179.4	1,207.6	1,233.0	1,255.5	1,273.6
White	719.6	768.6	806.9	851.0	892.3	933.7	974.9	1,015.5	1,048.1	1,079.2	1,104.7	1,132.5
Black	3,242.4	3,483.0	3,675.4	3,869.7	4,050.4	4,236.1	4,361.6	4,473.8	4,564.6	4,671.6	4,756.6	4,801.6
Native American	2,114.3	2,253.9	2,382.3	2,466.5	2,533.2	2,650.9	2,736.9	2,652.5	2,684.2	2,674.0	2,648.8	2,647.7
Asian	1,122.5	1,246.0	1,340.3	1,410.8	1,463.8	1,533.4	1,591.1	1,622.1	1,651.9	1,690.4	1,708.4	1,719.7
†Hispanic				1,613.1	1,717.1	1,815.6	1,927.2	2,045.1	2,086.3	2,137.7	2,178.0	2,214.1
†Non-Hispanic				1,153.0	1,207.6	1,264.6	1,314.4	1,358.4	1,397.9	1,436.8	1,468.1	1,498.4
Diabetes	296.4	328.7	359.5	392.3	423.3	451.9	475.6	500.0	519.7	537.7	551.5	563.1
Hypertension	277.3	297.4	303.3	312.2	320.7	330.4	340.2	348.1	355.3	363.6	371.9	377.0
Glomerulonephritis	198.3	208.1	215.9	223.6	229.7	236.0	241.0	244.1	246.8	249.5	250.7	252.8
Cystic kidney	51.8	54.3	56.5	57.9	59.4	61.4	63.4	65.1	66.5	67.8	69.2	70.4
Other urologic	30.0	31.1	33.9	36.2	38.3	40.1	42.4	43.8	44.8	46.2	46.7	47.2
Other cause	105.4	110.8	117.0	122.0	126.3	132.5	137.3	142.0	145.6	149.7	152.7	157.7
Unknown cause	39.9	41.2	42.3	44.7	46.5	48.5	50.8	53.2	55.4	57.2	58.8	59.6
Missing disease	10.3	9.3	9.2	9.2	9.1	9.4	10.0	10.6	10.9	11.3	11.9	14.4
All	1,009.4	1,080.8	1,137.4	1,197.9	1,253.2	1,310.2	1,360.8	1,406.8	1,445.0	1,483.1	1,513.4	1,542.1

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race/ethnicity are adjusted for gender & age, rates by primary diagnosis are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Table B.3

Point prevalent rates of reported diabetic ESRD

patients alive on December 31 of each year, per million population, by age, gender, race, & ethnicity

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	*	*	*	*	*	0.7	0.7	0.8	*	0.7	0.7	*	*
5-9	*	*	*	*	*	*	*	*	*	*	*	*	*
10-14	*	*	*	*	*	*	*	*	*	*	*	*	*
15-19	0.7	1.0	0.8	0.7	0.8	1.1	1.4	1.4	1.5	1.5	1.5	1.9	1.7
20-29	10.9	14.1	18.5	21.5	24.0	28.0	30.4	33.2	34.9	38.1	40.9	42.5	43.6
30-39	37.6	49.1	60.9	73.4	87.8	100.3	112.1	122.1	131.4	144.3	155.0	164.3	173.9
40-49	42.7	57.4	72.8	90.7	107.3	128.9	149.1	170.1	194.4	224.2	248.3	278.2	304.3
50-59	56.4	81.3	111.8	139.3	176.6	209.1	245.1	281.1	327.8	386.5	454.2	524.7	587.5
60-64	67.0	93.3	131.9	174.9	220.2	262.7	307.2	375.4	441.6	524.7	627.0	731.5	835.8
65-69	56.8	82.8	115.5	153.5	196.4	244.0	305.3	369.9	443.2	532.4	629.0	764.2	915.9
70-79	31.2	49.1	71.6	98.2	132.2	161.8	204.2	247.4	298.8	380.8	471.7	580.9	685.5
80+	6.0	6.6	14.4	20.5	27.3	38.6	53.3	69.7	81.5	107.9	147.1	180.2	226.5
0-19	0.3	0.4	0.3	0.4	0.4	0.6	0.6	0.7	0.7	0.7	0.7	0.7	0.6
20-44	25.3	33.1	41.6	50.9	60.4	70.5	80.2	89.6	98.5	110.8	121.7	131.9	141.3
45-64	55.8	79.0	108.8	137.2	171.5	204.5	238.2	277.6	323.1	379.5	441.9	506.1	563.3
65-74	47.9	73.0	103.4	139.0	180.1	218.9	277.7	331.7	401.1	492.4	593.7	724.2	859.1
75+	14.5	19.3	30.6	42.7	59.2	80.7	100.3	131.1	153.4	198.3	250.6	307.4	371.7
Male	26.5	35.5	47.1	58.9	73.1	87.9	102.6	118.2	135.0	158.1	182.9	211.0	238.2
Female	22.4	32.5	44.3	56.9	70.8	84.2	100.3	118.1	138.1	164.1	191.5	221.9	252.7
White	20.1	27.6	36.9	46.1	56.8	67.3	79.3	91.4	105.4	124.5	143.8	165.6	187.1
Black	56.3	79.8	108.6	140.1	177.5	214.2	252.3	297.4	343.8	403.5	472.1	547.7	620.2
Native American	64.3	109.2	135.9	183.9	224.0	273.0	316.3	376.1	439.2	504.3	566.7	638.0	721.6
Asian	3.0	7.5	16.9	25.8	33.2	48.0	59.1	75.5	87.2	104.1	127.3	151.0	177.6
†Hispanic													
†Non-Hispanic													
All	24.4	33.9	45.7	57.9	71.9	86.0	101.4	118.2	136.6	161.1	187.3	216.6	245.6
ADJUSTED													
0-4	*	*	*	*	*	0.7	0.7	0.8	*	0.7	0.7	*	*
5-9	*	*	*	*	*	*	*	*	*	*	*	*	*
10-14	*	*	*	*	*	*	*	*	*	*	*	*	*
15-19	0.7	1.0	0.8	0.7	0.8	1.1	1.4	1.4	1.5	1.4	1.4	1.8	1.6
20-29	11.0	14.0	18.3	21.1	23.5	27.3	29.3	31.9	33.4	36.5	39.4	41.1	42.5
30-39	37.0	48.8	60.9	73.3	87.8	100.1	111.9	122.1	131.8	144.6	155.4	164.4	173.9
40-49	44.9	60.1	76.8	95.9	113.3	136.3	158.1	180.9	206.8	238.9	263.8	295.6	322.3
50-59	63.8	92.8	126.7	158.5	200.1	237.9	278.1	319.6	371.9	436.9	512.6	591.9	663.4
60-64	78.6	110.9	160.1	213.1	266.1	316.5	366.4	445.9	524.1	619.5	736.2	853.4	971.9
65-69	67.5	101.9	138.7	185.8	238.0	300.1	372.8	456.3	538.8	637.2	758.1	915.2	1,083.6
70-79	35.7	57.4	84.3	116.7	158.2	199.7	252.2	305.6	366.7	466.6	573.1	705.0	829.2
80+	6.6	7.6	19.2	24.4	36.7	54.5	71.9	88.3	100.2	135.0	192.1	234.4	292.8
0-19	0.2	0.3	0.3	0.3	0.4	0.5	0.6	0.7	0.6	0.7	0.7	0.7	0.6
20-44	27.6	36.2	45.2	55.2	65.1	75.3	84.7	93.6	101.9	113.4	123.3	132.6	140.9
45-64	63.5	90.4	124.8	158.7	197.5	235.8	274.4	321.7	375.7	441.6	515.5	594.2	667.8
65-74	55.1	87.6	122.4	167.0	217.2	265.8	338.0	407.0	484.5	592.6	718.2	873.1	1,027.4
75+	14.0	18.9	33.7	44.7	64.5	92.3	115.0	143.3	167.9	218.4	284.0	349.3	424.2
Male	30.8	41.5	55.1	69.2	85.5	103.0	120.0	137.9	157.3	184.0	213.1	245.5	276.2
Female	24.2	35.1	47.6	60.6	75.2	89.3	105.6	123.8	144.1	170.3	198.1	228.5	258.7
White	21.7	29.6	39.1	48.4	59.3	69.9	81.8	93.7	107.7	126.7	146.1	167.6	188.4
Black	77.6	109.8	150.0	193.2	245.1	297.4	351.2	413.4	478.2	563.3	662.8	771.9	875.8
Native American	109.2	185.7	230.2	312.6	380.0	460.2	527.5	628.8	732.3	840.9	957.6	1,076.0	1,210.0
Asian	3.9	11.1	25.6	39.3	51.7	77.2	95.3	118.2	134.6	162.2	199.2	234.2	274.3
†Hispanic													
†Non-Hispanic													
All	27.5	38.4	51.5	65.1	80.6	96.3	113.1	131.2	151.1	177.7	206.2	237.5	268.0

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race/ethnicity are adjusted for gender & age. The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule. Age is calculated as of December 31. U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded. †CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank. *Values for cells with ten or fewer patients are suppressed.

b prevalence of reported esrd

Table B.3 (continued)

Point prevalent rates of reported diabetic ESRD

patients alive on December 31 of each year, per million population, by age, gender, race, & ethnicity

UNADJUSTED	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	*	*	*	*	*	*	*	*	*	*	*	*
5-9	*	*	*	.	*	*	*	*	*	*	*	*
10-14	*	*	*	*	*	*	*	*	*	*	*	*
15-19	1.6	1.7	1.5	1.3	1.3	1.1	1.3	1.2	0.9	0.8	0.8	0.6
20-29	41.2	40.6	40.1	38.1	36.9	35.6	33.4	33.6	32.8	29.8	27.6	26.5
30-39	185.4	194.4	198.3	202.7	207.3	209.1	211.0	212.3	208.6	206.9	206.5	207.9
40-49	332.7	358.0	384.2	404.8	419.5	437.3	446.2	460.1	470.6	480.3	489.9	496.6
50-59	640.4	709.7	767.2	826.9	879.6	932.1	981.7	1,023.4	1,060.1	1,094.4	1,120.8	1,144.9
60-64	948.0	1,071.6	1,204.0	1,336.3	1,454.7	1,576.3	1,654.4	1,729.0	1,806.6	1,861.3	1,881.2	1,899.2
65-69	1,029.5	1,172.8	1,300.1	1,468.8	1,620.7	1,772.3	1,937.5	2,049.3	2,170.5	2,243.4	2,317.0	2,357.0
70-79	791.2	916.6	1,058.1	1,212.9	1,373.9	1,506.4	1,622.0	1,765.7	1,870.0	1,991.8	2,097.4	2,190.7
80+	264.7	313.3	366.4	434.1	522.4	596.6	657.5	759.3	834.5	927.1	983.7	1,046.7
0-19	0.6	0.6	0.5	0.5	0.5	0.4	0.5	0.5	0.3	0.4	0.3	0.3
20-44	150.4	158.3	165.3	169.5	174.0	177.7	179.2	180.2	180.7	179.1	178.5	179.4
45-64	620.0	685.2	743.0	804.5	858.6	913.4	955.4	996.5	1,031.6	1,065.2	1,089.4	1,109.6
65-74	976.8	1,115.1	1,252.0	1,421.6	1,577.0	1,714.0	1,855.5	1,981.1	2,096.5	2,196.2	2,288.2	2,360.3
75+	428.4	505.8	595.7	696.7	820.0	926.2	1,010.6	1,129.2	1,209.7	1,306.8	1,375.2	1,435.6
Male	265.4	295.8	326.3	359.7	395.9	429.3	459.2	491.3	520.4	550.3	575.9	601.2
Female	279.8	311.7	341.8	374.6	403.4	431.0	453.8	477.9	496.5	513.7	527.8	538.1
White	205.9	229.3	250.9	275.0	300.1	322.0	342.9	367.1	386.4	404.7	420.7	435.9
Black	693.7	769.9	849.0	936.1	1,012.6	1,090.1	1,143.0	1,191.0	1,236.5	1,289.9	1,331.2	1,360.4
Native American	791.3	847.0	912.7	962.2	1,005.5	1,067.1	1,114.0	1,143.7	1,193.7	1,221.9	1,246.3	1,279.8
Asian	210.9	244.3	277.1	303.6	327.2	355.0	382.5	407.9	434.9	455.5	473.0	489.9
†Hispanic				411.4	448.4	478.2	514.7	559.4	584.5	610.7	635.2	657.0
†Non-Hispanic				361.8	393.4	423.6	448.2	473.4	496.6	519.3	537.9	554.6
All	272.8	303.9	334.2	367.3	399.7	430.2	456.4	484.5	508.2	531.7	551.5	569.2
ADJUSTED												
0-4	*	*	*	*	*	*	*	*	*	*	*	*
5-9	*	*	*	.	*	*	*	*	*	*	*	*
10-14	*	*	*	*	*	*	*	*	*	*	*	*
15-19	1.6	1.6	1.5	1.2	1.2	1.0	1.2	1.2	0.9	0.8	0.8	0.6
20-29	40.2	39.5	38.6	36.6	35.5	34.6	32.7	33.5	33.1	30.2	27.9	26.5
30-39	185.1	193.7	197.2	201.1	205.0	206.3	207.6	209.8	206.9	205.9	206.0	207.6
40-49	351.2	376.6	401.7	421.3	434.9	451.7	458.9	472.4	481.3	489.7	498.0	503.3
50-59	726.4	801.5	865.7	937.1	997.9	1,054.1	1,104.8	1,146.0	1,180.0	1,205.8	1,223.2	1,240.6
60-64	1,092.2	1,224.2	1,365.7	1,505.8	1,631.2	1,764.9	1,850.1	1,918.5	2,009.9	2,075.8	2,103.7	2,118.3
65-69	1,220.4	1,374.2	1,515.6	1,703.3	1,865.0	2,027.9	2,204.5	2,307.7	2,425.8	2,495.8	2,576.7	2,626.3
70-79	961.9	1,118.5	1,292.9	1,469.9	1,655.6	1,816.9	1,942.7	2,092.4	2,201.7	2,335.3	2,438.4	2,527.1
80+	348.2	414.2	484.2	575.0	679.9	780.9	855.5	968.6	1,053.3	1,159.7	1,223.8	1,293.1
0-19	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.3	0.4	0.3	0.3
20-44	148.4	154.5	159.9	162.7	166.1	168.9	169.7	171.3	172.3	171.7	172.1	173.8
45-64	739.0	818.6	893.1	971.1	1,037.0	1,103.4	1,152.4	1,196.4	1,237.8	1,270.1	1,288.3	1,301.4
65-74	1,174.3	1,335.3	1,495.4	1,684.1	1,856.5	2,004.4	2,149.1	2,273.2	2,386.5	2,493.1	2,584.9	2,658.8
75+	497.3	589.7	693.0	808.3	941.0	1,071.6	1,167.6	1,294.5	1,387.6	1,499.9	1,577.1	1,649.7
Male	306.4	340.2	373.9	409.9	447.8	482.8	512.3	543.8	571.4	598.5	619.7	640.4
Female	285.4	315.9	344.2	374.3	399.1	422.7	441.8	460.2	473.6	484.3	491.9	496.5
White	206.8	229.7	250.5	273.3	296.7	316.9	335.7	357.7	374.2	388.7	400.7	411.9
Black	979.5	1,085.5	1,193.6	1,313.1	1,414.7	1,515.9	1,579.3	1,633.9	1,682.6	1,737.7	1,772.5	1,790.0
Native American	1,336.8	1,425.0	1,531.8	1,605.0	1,669.9	1,764.3	1,832.7	1,787.2	1,810.8	1,798.2	1,786.8	1,784.9
Asian	321.1	372.5	420.9	457.5	485.2	517.2	549.5	574.2	599.1	615.3	622.2	631.0
†Hispanic				795.8	875.6	938.5	1,013.5	1,087.8	1,120.7	1,157.8	1,183.0	1,206.3
†Non-Hispanic				360.8	388.9	415.4	436.1	457.3	475.7	492.2	504.8	515.6

Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race/ethnicity are adjusted for gender & age. The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

*Values for cells with ten or fewer patients are suppressed.

.. Zero values in this cell.

Table B.4

Point prevalent counts of reported ESRD patients, 2002-2004*patients alive on December 31 of each year, by age & primary diagnosis*

	Male					Female					All			
	White	Black	N Am	Asian	All	White	Black	N Am	Asian	All	White	Black	N Am	Asian
0-4	739	179	11	25	954	384	68	*	20	481	1,123	247	20	45
5-9	1,379	308	15	51	1,753	878	153	*	18	1,054	2,257	461	20	69
10-14	2,427	656	43	83	3,209	1,702	463	38	65	2,268	4,129	1,119	81	148
15-19	4,294	1,425	72	202	5,993	3,095	1,116	68	199	4,478	7,389	2,541	140	401
20-29	17,432	8,420	321	1,275	27,448	12,896	7,155	354	1,130	21,535	30,328	15,575	675	2,405
30-39	41,476	26,173	715	2,878	71,242	30,244	19,560	823	2,532	53,159	71,720	45,733	1,538	5,410
40-49	78,284	47,621	1,593	4,450	131,948	52,296	33,607	1,351	4,362	91,616	130,580	81,228	2,944	8,812
50-59	100,645	60,262	2,574	6,521	170,002	70,663	45,497	2,347	5,617	124,124	171,308	105,759	4,921	12,138
60-64	48,900	24,683	1,153	3,470	78,206	37,458	24,155	1,408	2,752	65,773	86,358	48,838	2,561	6,222
65-69	46,278	20,447	954	3,088	70,767	38,049	24,356	1,321	2,742	66,468	84,327	44,803	2,275	5,830
70-79	84,915	26,088	915	4,867	116,785	69,560	36,114	1,503	5,184	112,361	154,475	62,202	2,418	10,051
80+	43,566	8,263	219	2,324	54,372	34,219	13,646	364	2,366	50,595	77,785	21,909	583	4,690
0-19	8,839	2,568	141	361	11,909	6,059	1,800	120	302	8,281	14,898	4,368	261	663
20-44	94,112	54,979	1,689	6,125	156,905	66,861	41,384	1,778	5,604	115,627	160,973	96,363	3,467	11,729
45-64	192,625	112,180	4,667	12,469	321,941	136,696	88,590	4,505	10,789	240,580	329,321	200,770	9,172	23,258
65-74	90,580	36,122	1,547	5,758	134,007	74,795	45,242	2,265	5,561	127,863	165,375	81,364	3,812	11,319
75+	84,179	18,676	541	4,521	107,917	67,033	28,874	923	4,731	101,561	151,212	47,550	1,464	9,252
Diabetes	164,612	68,569	5,199	10,070	248,450	134,780	84,220	6,530	8,976	234,506	299,392	152,789	11,729	19,046
Hypertension	92,905	90,428	855	7,121	191,309	61,219	66,050	663	5,911	133,843	154,124	156,478	1,518	13,032
Glomerulonephritis	90,074	33,592	1,415	7,454	132,535	55,331	24,017	1,339	6,834	87,521	145,405	57,609	2,754	14,288
Other cause	122,744	31,936	1,116	4,589	160,385	100,114	31,603	1,059	5,266	138,042	222,858	63,539	2,175	9,855
All	470,335	224,525	8,585	29,234	732,679	351,444	205,890	9,591	26,987	593,912	821,779	430,415	18,176	56,221

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

*Values for cells with ten or fewer patients are suppressed.

on our website & CD

Point prevalent counts of reported ESRD patients, 1998-2000 (B.4.1). Point prevalent counts of reported ESRD: by primary diagnosis, 2000-2003 combined (B.4.2).

b prevalence of reported esrd

Table B.5

Point prevalent rates of reported ESRD, 2002-2004

patients alive on December 31 of each year, per million population, by age & primary diagnosis

	Unadjusted rates								Rates adjusted for:							
	Male				Female				Gender				Race		Gender & race	
	White	Black	N Am	Asian	White	Black	N Am	Asian	White	Black	N Am	Asian	Male	Female	race	
0-4	31	34	*	15	16	13	*	13	23	23	32	14	30	16	23	
5-9	57	63	40	39	39	32	*	16	48	48	23	27	57	37	47	
10-14	97	122	101	63	71	91	96	49	84	106	98	56	99	72	85	
15-19	169	280	153	144	130	234	145	150	150	257	149	147	183	145	164	
20-29	354	998	390	383	283	804	485	347	321	924	451	360	448	360	403	
30-39	812	3,274	1,010	793	615	2,186	1,225	659	709	2,718	1,119	732	1,134	828	977	
40-49	1,403	6,049	2,427	1,520	937	3,725	1,900	1,349	1,170	4,919	2,185	1,446	2,043	1,339	1,682	
50-59	2,250	11,406	5,742	3,138	1,540	7,274	4,971	2,346	1,909	9,497	5,497	2,797	3,581	2,407	2,978	
60-64	3,148	15,460	8,471	5,336	2,249	12,006	9,962	3,695	2,691	13,703	9,235	4,501	4,920	3,679	4,284	
65-69	3,816	16,463	9,709	6,085	2,805	14,668	12,167	4,636	3,302	15,550	10,959	5,348	5,643	4,547	5,084	
70-79	4,532	16,240	7,811	7,788	2,878	14,552	10,419	6,091	3,704	15,291	8,961	6,992	6,264	4,627	5,432	
80+	4,431	11,754	5,057	8,316	1,846	8,748	4,496	5,680	3,050	9,960	4,542	6,836	5,394	2,939	4,147	
0-19	90	125	86	65	65	93	74	57	76	108	76	61	92	68	80	
20-44	732	2,655	911	718	544	1,828	995	636	619	2,252	978	679	977	707	839	
45-64	2,196	10,574	5,201	3,037	1,516	7,063	4,782	2,291	1,953	9,639	5,713	2,944	3,611	2,503	3,042	
65-74	4,043	16,579	9,268	6,610	2,866	14,963	11,761	5,176	3,455	15,782	10,452	5,955	5,883	4,664	5,262	
75+	4,607	13,605	5,824	8,372	2,228	10,800	6,591	6,039	3,300	11,496	5,687	7,031	5,731	3,451	4,572	
Diabetes	457	1,224	1,088	501	370	1,390	1,380	430	395	1,755	1,793	619	946	797	871	
Hypertension	260	1,631	182	360	167	1,088	138	281	200	1,749	233	427	870	497	679	
Glomerulonephritis	254	608	301	379	153	397	287	328	198	571	344	381	372	213	291	
Other cause	342	574	233	230	274	515	223	253	60	128	58	55	103	71	87	
All	1,313	4,036	1,803	1,471	964	3,390	2,029	1,291	1,136	3,698	1,916	1,378	1,672	1,317	1,492	
All (age adjusted)	1,341	5,470	2,575	1,951	888	4,024	2,725	1,498	1,092	4,714	2,661	1,699	1,807	1,244	1,498	

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

*Values for cells with ten or fewer patients are suppressed.

on our website & CD

Point prevalent rates of reported ESRD, 1998-2000 (B.5.1). Point prevalent rates of reported ESRD: by primary diagnosis (B.5.2).

Table B.6

Mean age of the point prevalent population*patients alive on December 31 of each year, by age, gender, race, ethnicity, primary diagnosis, & location*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	2.9	3.0	2.9	2.9	2.8	2.8	2.8	2.9	2.9	2.9	2.9	2.8	2.9
5-9	8.0	8.0	7.9	7.8	7.7	7.6	7.7	7.7	7.7	7.7	7.7	7.7	7.8
10-14	12.8	12.7	12.9	12.9	12.9	12.9	12.8	12.7	12.7	12.8	12.8	12.7	12.7
15-19	17.9	17.9	17.9	17.9	17.8	17.8	17.8	17.8	17.9	17.9	17.9	17.8	17.8
20-29	25.6	25.6	25.6	25.7	25.7	25.8	25.8	25.9	25.9	25.9	26.0	26.0	25.9
30-39	35.0	35.0	35.0	35.0	35.0	35.1	35.2	35.3	35.3	35.3	35.3	35.3	35.4
40-49	45.1	45.2	45.1	45.1	45.1	45.1	45.0	45.0	44.9	44.9	44.9	45.0	45.0
50-59	55.2	55.2	55.2	55.3	55.3	55.2	55.2	55.2	55.2	55.1	55.1	55.2	55.1
60-64	62.4	62.4	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.6	62.6
65-69	67.4	67.5	67.4	67.4	67.4	67.4	67.4	67.4	67.5	67.5	67.5	67.5	67.5
70-79	74.0	74.0	74.1	74.1	74.2	74.3	74.3	74.4	74.4	74.4	74.4	74.4	74.4
80+	83.2	83.4	83.5	83.3	83.4	83.5	83.5	83.5	83.5	83.6	83.7	83.8	83.8
0-19	15.3	15.1	14.8	14.6	14.3	14.2	14.0	14.0	14.0	14.0	13.9	13.8	13.8
20-44	33.7	33.7	33.8	33.9	34.1	34.2	34.4	34.6	34.8	35.0	35.2	35.3	35.5
45-64	55.4	55.6	55.6	55.7	55.7	55.7	55.7	55.7	55.6	55.5	55.5	55.5	55.4
65-74	69.4	69.5	69.6	69.6	69.6	69.6	69.6	69.6	69.6	69.6	69.6	69.7	69.7
75+	79.0	79.1	79.2	79.2	79.3	79.4	79.5	79.6	79.7	79.8	80.0	80.0	80.1
Male	49.0	49.2	49.3	50.0	50.2	50.4	50.7	51.1	51.4	51.8	52.3	52.9	53.3
Female	50.4	50.8	51.0	51.9	52.3	52.6	53.0	53.5	53.8	54.2	54.6	55.1	55.6
Unknown	.	49.5	.	41.0	36.7	37.7	38.7	39.7	40.7	41.7	42.7	43.7	44.7
White	49.4	49.6	49.8	50.5	50.8	51.1	51.5	51.9	52.3	52.8	53.4	54.0	54.5
Black	50.5	50.8	51.1	51.8	52.1	52.4	52.7	53.0	53.2	53.3	53.6	54.0	54.3
Native American	45.8	47.2	48.0	49.4	49.7	50.4	50.7	51.4	52.0	52.6	52.8	53.1	53.6
Asian	41.5	43.5	44.8	46.6	47.6	48.2	48.8	49.5	50.1	50.7	51.5	52.5	53.0
Other/unknown	52.1	52.9	52.1	51.7	50.9	50.2	49.4	48.6	47.6	46.0	46.4	46.5	47.7
†Hispanic													
†Non-Hispanic													
Diabetes	50.1	50.7	51.4	52.0	52.5	52.8	53.4	54.0	54.5	55.1	55.8	56.4	57.0
Hypertension	53.1	54.3	55.3	56.3	56.8	57.3	58.0	58.5	58.8	59.2	59.6	60.0	60.3
Glomerulonephritis	42.8	43.5	43.9	44.6	45.1	45.6	46.0	46.4	46.6	46.9	47.2	47.6	47.8
Cystic kidney	52.6	52.9	53.2	53.7	53.9	54.1	54.2	54.4	54.5	54.5	54.5	54.5	54.8
Other urologic	45.8	47.6	48.4	49.6	50.5	51.2	51.3	51.7	52.0	52.2	51.8	52.2	52.2
Other cause	44.0	44.3	44.7	45.1	45.2	45.5	45.7	45.6	45.7	46.0	46.2	46.3	46.7
Unknown cause	52.3	52.6	52.7	53.2	53.8	53.9	54.1	54.5	54.5	54.1	54.0	54.1	54.1
Missing disease	55.3	54.9	54.4	55.8	55.6	54.9	53.6	52.8	51.9	50.7	50.2	49.9	48.8
U.S.	49.7	49.9	50.1	50.9	51.2	51.5	51.8	52.2	52.6	53.0	53.4	54.0	54.4
U.S. territories	51.7	49.2	51.4	49.7	49.8	50.2	52.5	53.4	51.9	51.2	52.3	53.9	53.1
Puerto Rico	49.8	50.0	49.8	50.7	51.4	51.9	52.2	52.1	52.6	53.3	53.8	53.8	54.5
Foreign	49.0	48.7	48.4	49.7	51.6	51.2	52.1	52.8	50.7	51.0	51.3	49.4	49.5
Unknown	42.3	42.1	42.9	43.9	43.2	43.5	44.6	44.1	44.0	44.5	45.3	46.0	46.3
All	49.6	49.9	50.1	50.8	51.1	51.4	51.8	52.2	52.5	52.9	53.4	53.9	54.4

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

Patients of unknown age are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

on our website & CD
 Median age at start of ESRD therapy: Prevalent patients by age, gender, race, ethnicity, & primary diagnosis (B.C).

b prevalence of reported esrd

Table B.6 (continued)

Mean age of the point prevalent population

patients alive on December 31 of each year, by age, gender, race, ethnicity, primary diagnosis, & location

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	2.9	3.0	2.9	3.0	2.9	2.8	2.8	2.8	2.9	3.0	2.8	2.8
5-9	7.8	7.8	7.7	7.7	7.7	7.7	7.9	7.8	7.8	7.7	7.7	7.7
10-14	12.7	12.7	12.7	12.8	12.8	12.7	12.8	12.8	12.8	12.8	12.8	12.9
15-19	17.8	17.8	17.8	17.8	17.8	17.8	17.8	17.8	17.7	17.7	17.7	17.7
20-29	25.9	25.9	25.9	25.9	26.0	26.0	26.0	25.9	25.9	25.8	25.8	25.8
30-39	35.4	35.4	35.4	35.5	35.6	35.6	35.6	35.6	35.6	35.6	35.6	35.6
40-49	45.0	45.1	45.2	45.2	45.2	45.2	45.3	45.3	45.3	45.3	45.4	45.4
50-59	55.1	55.1	55.1	55.0	55.0	55.0	54.9	55.0	55.0	55.0	55.0	55.1
60-64	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5
65-69	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5
70-79	74.4	74.4	74.4	74.5	74.5	74.6	74.7	74.7	74.7	74.7	74.7	74.7
80+	83.8	83.8	83.9	84.0	84.1	84.1	84.2	84.2	84.2	84.2	84.3	84.4
0-19	13.7	13.8	13.8	13.8	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9
20-44	35.6	35.7	35.8	35.9	36.0	36.1	36.2	36.2	36.3	36.3	36.4	36.4
45-64	55.3	55.2	55.2	55.1	55.1	55.1	55.1	55.1	55.2	55.2	55.3	55.4
65-74	69.8	69.8	69.9	69.9	69.9	69.9	69.9	69.9	69.9	69.9	69.8	69.8
75+	80.2	80.2	80.2	80.2	80.3	80.4	80.5	80.5	80.6	80.7	80.8	81.0
Male	53.6	54.0	54.3	54.7	55.1	55.5	55.8	56.1	56.3	56.6	56.9	57.0
Female	55.9	56.3	56.6	56.9	57.3	57.5	57.7	57.9	58.1	58.4	58.6	58.7
Unknown	45.7	50.2	56.4	57.4	58.4	65.0	59.9	58.6	59.6	59.9	61.2	60.8
White	54.9	55.3	55.7	56.2	56.6	57.0	57.3	57.7	57.9	58.3	58.5	58.7
Black	54.4	54.7	54.8	54.9	55.2	55.4	55.4	55.6	55.7	55.9	56.1	56.2
Native American	54.0	54.3	54.5	54.5	54.9	55.1	55.4	55.6	55.7	55.9	56.3	56.5
Asian	53.7	54.6	55.2	55.7	56.0	56.4	56.8	57.1	57.4	57.7	57.9	58.2
Other/unknown	48.6	49.5	53.2	54.8	55.5	55.3	55.4	55.0	54.6	54.1	53.9	53.0
†Hispanic				53.5	53.9	54.2	54.6	55.0	55.1	55.2	55.3	55.4
†Non-Hispanic				56.0	56.4	56.6	56.9	57.2	57.4	57.7	58.0	58.1
Diabetes	57.4	57.9	58.4	59.0	59.5	59.9	60.2	60.5	60.8	61.1	61.3	61.4
Hypertension	60.5	60.7	60.8	60.9	61.1	61.3	61.5	61.6	61.7	62.0	62.1	62.2
Glomerulonephritis	48.0	48.4	48.6	48.9	49.1	49.3	49.5	49.7	49.8	50.0	50.2	50.4
Cystic kidney	54.8	55.0	55.1	55.3	55.5	55.6	55.8	56.0	56.1	56.2	56.4	56.5
Other urologic	51.7	51.8	52.2	52.7	52.9	53.1	53.5	53.7	53.9	53.9	54.1	54.1
Other cause	46.7	47.0	47.3	47.5	47.6	47.8	48.0	48.2	48.3	48.6	48.7	49.0
Unknown cause	53.9	54.0	54.3	54.9	55.3	55.3	55.6	55.8	55.8	55.8	55.7	55.4
Missing disease	49.4	48.0	48.0	48.0	48.1	48.2	48.3	48.2	48.5	49.4	50.2	52.5
U.S.	54.7	55.1	55.4	55.8	56.1	56.4	56.7	56.9	57.2	57.4	57.7	57.8
U.S. territories	53.7	53.7	53.9	54.4	54.4	55.1	55.6	56.3	56.7	56.4	56.1	55.8
Puerto Rico	55.0	55.1	54.9	55.2	55.3	55.7	56.2	56.2	56.4	56.5	56.5	56.7
Foreign	49.0	49.1	48.7	48.9	48.7	48.9	50.5	51.3	51.9	51.6	52.0	52.8
Unknown	46.9	47.5	47.4	47.8	47.5	48.0	48.3	49.0	49.9	50.7	49.7	49.8
All	54.7	55.1	55.4	55.7	56.1	56.4	56.7	56.9	57.1	57.4	57.6	57.8

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

Patients of unknown age are excluded.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

Table B.7

Prevalence of reported ESRD, by primary diagnosis: all patients

2000-2004 combined, patients alive on December 31 of each year, by detailed primary diagnosis

ROW PERCENT	Total Patients	Percent Incident	Median Age	Percent Male	Percent White	Black	N Am	Asian	% Tx 1st yr	% Died 1st yr
All ESRD (reference)	2,175,198	100.0	58	55.2	61.3	31.9	1.3	4.2	2.4	14.6
Diabetes	777,101	36.7	61	51.1	61.2	31.0	2.4	3.9	2.0	18.8
Type I (juvenile)	139,114	6.6	48	55.1	73.9	22.4	1.3	1.8	3.2	12.9
Type II (adult-onset or unspecified)	637,987	30.2	64	50.2	58.5	32.9	2.7	4.4	1.8	20.1
Glomerulonephritis (GN)	341,124	16.1	49	60.7	65.7	25.7	1.2	6.4	3.4	7.4
Focal glomerulosclerosis, focal GN	77,008	3.6	46	60.8	55.3	40.1	0.7	3.0	4.4	6.6
Membranous nephropathy	15,126	0.7	55	67.1	69.0	26.5	0.8	2.9	3.9	8.7
Membranoproliferative GN, types I & II	14,754	0.7	46	57.7	74.6	17.8	1.7	5.1	3.2	6.3
IgA nephropathy, Berger's disease	22,642	1.1	43	66.7	75.1	7.0	2.0	14.4	6.4	3.8
IgM nephropathy	2,420	0.1	46	64.5	74.1	9.0	1.2	14.8	5.0	5.1
Rapidly progressive GN	10,161	0.5	52	50.3	76.4	15.8	2.0	5.1	3.7	8.8
Goodpasture's Syndrome	3,667	0.2	50	50.5	90.3	6.3	1.2	1.6	4.8	7.8
Post-infectious GN, SBE	2,066	0.1	49	61.2	77.6	15.7	2.5	4.0	2.9	10.1
Glomerulonephritis	182,917	8.6	50	60.7	66.2	24.0	1.3	7.3	2.5	8.0
Other proliferative GN	10,363	0.5	48	55.9	72.6	20.2	1.0	5.1	3.4	7.4
Secondary GN/vasculitis	69,759	3.3	44	29.5	60.1	33.6	1.0	4.3	3.5	8.7
Lupus erythematosus (SLE nephritis)	41,331	2.0	41	17.6	48.3	44.3	0.9	5.5	3.8	7.1
Polyarteritis	1,306	0.1	57	47.7	78.3	15.6	1.6	3.8	3.6	12.9
Wegeners granulomatosis	6,500	0.3	58	57.8	90.1	7.0	0.7	1.6	3.7	10.8
Henoch-Schonlein syndrome	1,939	0.1	32	50.9	84.9	7.4	1.9	5.4	3.4	3.8
Vasculitis and its derivatives	5,372	0.3	58	42.2	83.5	11.2	2.0	2.6	2.7	13.4
Scleroderma	3,047	0.1	54	21.7	73.9	22.5	0.5	1.8	2.9	17.8
Hemolytic uremic syndrome	5,077	0.2	38	36.9	78.6	18.0	0.8	2.0	3.7	7.1
Nephropathy from heroin/related abuse	2,888	0.1	48	63.5	45.4	48.9	1.4	4.2	0.8	9.3
Secondary GN, other	2,299	0.1	50	56.5	61.8	32.8	1.0	3.9	3.5	12.0
Interstitial nephritis/pyelonephritis	97,140	4.6	56	54.0	80.1	14.7	0.8	3.5	2.3	12.1
Chronic pyelonephritis, reflux nephritis	16,361	0.8	43	37.3	86.6	8.3	1.0	3.2	3.5	6.9
Analgesic abuse	3,860	0.2	64	39.4	77.2	18.4	1.0	2.5	2.6	16.2
Nephropathy caused by other agents	9,107	0.4	60	57.7	79.9	16.9	0.5	2.0	3.1	17.9
Nephrolithiasis, obstruction, gouty	28,467	1.3	62	72.9	77.5	16.8	0.7	3.8	1.7	14.5
Nephrocalcinosis	1,227	0.1	62	46.2	79.7	13.4	0.6	4.3	2.9	14.2
Chronic interstitial nephritis	35,542	1.7	54	47.5	79.5	14.9	1.1	4.0	1.9	10.1
Acute interstitial nephritis	2,576	0.1	65	53.8	79.4	17.0	0.3	2.6	2.5	17.4
Hypertensive/large vessel disease	515,902	24.4	63	58.8	47.1	47.6	0.5	3.9	2.0	16.8
Hypertension (no primary renal disease)	481,439	22.8	61	58.8	44.0	50.6	0.5	4.1	2.1	16.1
Renal artery stenosis or occlusion	23,800	1.1	74	55.8	89.6	7.3	0.5	2.2	0.8	26.7
Cholesterol emboli, renal emboli	10,663	0.5	75	67.7	94.8	3.0	0.4	1.5	0.6	23.9
Cystic/hereditary/congenital diseases	142,410	6.7	51	58.3	84.1	12.2	0.6	2.3	3.8	5.5
Polycystic kidneys, adult (dominant)	92,104	4.4	57	52.8	84.6	11.9	0.5	2.4	3.9	6.6
Polycystic kidneys, infantile (recessive)	1,523	0.1	22	46.7	83.1	12.5	1.2	1.6	6.2	3.8
Medullary cystic, including nephronophthisis	1,780	0.1	29	51.0	86.2	8.1	1.1	3.7	5.0	2.6
Alport's, other hereditary/familial disease	12,182	0.6	39	72.7	87.1	9.3	1.0	2.1	4.1	2.9
Tuberous sclerosis	807	.	48	43.0	78.2	18.7	0.0	0.7	1.6	13.3
Cystinosis	997	.	23	55.4	90.7	7.3	0.7	0.5	2.1	3.9
Primary oxalosis	582	.	39	51.0	89.9	4.5	1.7	0.9	2.6	7.4
Fabry's disease	731	.	45	90.3	91.2	6.6	0.7	0.8	4.8	7.5
Congenital nephrotic syndrome	1,927	0.1	25	60.8	74.5	18.0	1.2	5.0	4.6	4.0
Drash syndrome, mesangial sclerosis	245	.	27	56.7	61.6	29.4	0.0	4.9	4.5	6.9
Congenital obstructive uropathy	15,098	0.7	30	76.2	81.6	14.3	0.7	2.3	2.9	3.6
Renal hypoplasia, dysplasia	13,336	0.6	23	61.0	81.9	14.4	0.9	1.8	3.3	2.5
Prune belly syndrome	1,098	0.1	17	97.7	77.0	21.5	0.4	1.0	5.3	2.1
Neoplasms/tumors	19,783	0.9	67	61.3	76.2	20.8	0.7	1.5	1.5	30.4
Renal or urological neoplasms	7,840	0.4	67	69.9	77.6	20.0	0.7	0.8	2.0	22.3
Multiple myeloma	7,422	0.4	68	55.0	72.4	24.7	0.5	1.9	0.4	41.1
Light chain nephropathy	1,290	0.1	69	59.1	79.7	17.1	0.2	2.4	1.9	29.9
Amyloidosis	3,231	0.2	63	55.6	80.2	15.2	1.1	2.1	2.5	25.8
Miscellaneous conditions	67,022	3.2	52	60.2	63.1	33.1	0.5	2.2	1.6	17.7
Complication post-bone marrow/other tx	5,335	0.3	49	60.6	77.1	18.7	0.4	3.1	2.6	10.8
Sickle cell disease/anemia or trait	2,034	0.1	40	52.9	5.9	93.0	0.2	0.7	2.4	20.0
AIDS nephropathy	12,434	0.6	43	71.8	7.1	91.1	0.1	0.2	0.5	19.9
Traumatic/surgical loss of kidney(s)	1,918	0.1	60	68.7	78.8	18.4	0.3	1.5	2.9	15.1
Hepatorenal syndrome	2,136	0.1	54	67.6	82.3	11.1	1.7	3.3	2.6	20.4
Tubular necrosis (no recovery)	21,164	1.0	63	56.3	81.7	15.2	0.6	1.7	1.3	20.6
Post-partum failure, other renal disorders	22,001	1.0	54	56.5	75.6	18.9	0.6	3.8	2.1	15.2
Etiology uncertain	85,769	4.1	55	57.8	67.3	24.7	1.0	5.0	2.4	13.3
Missing	59,188	2.8	51	57.1	62.4	27.8	0.5	4.0	0.7	8.0

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 “. “ Zero values in this cell.

Prevalence of reported ESRD, by primary diagnosis: Hispanics & non-Hispanics (B.7.1-2). Prevalence of reported ESRD: by detailed primary diagnosis, age <20, 20-64, & 65+ (B.7.3-5).

on our website & CD



b prevalence of reported esrd

Table B.7 (continued)

Prevalence of reported ESRD, by primary diagnosis: all patients

2000-2004 combined, patients alive on December 31 of each year, by detailed primary diagnosis

COLUMN PERCENT	Total counts					Percent			
	Patients	White	Black	N Am	Asian	White	Black	N Am	Asian
All ESRD (reference)	2,175,198	334,359	693,134	29,331	90,872	100.0	100.0	100.0	100.0
Diabetes	777,101	475,763	241,054	18,751	30,682	36.7	35.6	64.6	34.7
Type I, juvenile type	139,114	102,817	31,111	1,761	2,520	7.9	4.6	6.1	2.8
Type II, adult-onset or unspecified type	637,987	372,946	209,943	16,990	28,162	28.7	31.0	58.6	31.8
Glomerulonephritis	341,124	224,073	87,521	4,175	21,754	17.3	12.9	14.4	24.6
Focal glomerulosclerosis, focal GN	77,008	42,605	30,891	550	2,331	3.3	4.6	1.9	2.6
Membranous nephropathy	15,126	10,435	4,003	120	437	0.8	0.6	0.4	0.5
Membranoproliferative GN, types I & II	14,754	11,005	2,626	257	752	0.8	0.4	0.9	0.8
IgA nephropathy, Berger's disease	22,642	16,998	1,575	461	3,257	1.3	0.2	1.6	3.7
IgM nephropathy	2,420	1,793	217	28	358	0.1	.	0.1	0.4
Rapidly progressive GN	10,161	7,761	1,603	207	517	0.6	0.2	0.7	0.6
Goodpasture's Syndrome	3,667	3,311	231	43	59	0.3	.	0.1	0.1
Post infectious GN, SBE	2,066	1,603	325	52	83	0.1	.	0.2	0.1
Glomerulonephritis (GN)	182,917	121,040	43,954	2,355	13,434	9.3	6.5	8.1	15.2
Other proliferative GN	10,363	7,522	2,096	102	526	0.6	0.3	0.4	0.6
Secondary GN/vasculitis	69,759	41,942	23,469	686	3,034	3.2	3.5	2.4	3.4
Lupus erythematosus (SLE nephritis)	41,331	19,956	18,298	354	2,266	1.5	2.7	1.2	2.6
Polyarteritis	1,306	1,023	204	21	50	0.1	.	0.1	0.1
Wegeners granulomatosis	6,500	5,857	457	45	106	0.5	0.1	0.2	0.1
Henoch-Schonlein syndrome	1,939	1,647	143	36	104	0.1	.	0.1	0.1
Vasculitis and its derivatives	5,372	4,485	602	108	137	0.3	0.1	0.4	0.2
Scleroderma	3,047	2,252	685	16	56	0.2	0.1	0.1	0.1
Hemolytic uremic syndrome	5,077	3,990	916	43	103	0.3	0.1	0.1	0.1
Nephropathy from heroin /related abuse	2,888	1,312	1,411	41	122	0.1	0.2	0.1	0.1
Secondary GN, other	2,299	1,420	753	22	90	0.1	0.1	0.1	0.1
Interstitial nephritis/pyelonephritis	97,140	77,793	14,292	819	3,416	6.0	2.1	2.8	3.9
Chronic pyelonephritis, reflux neph.	16,361	14,172	1,356	157	516	1.1	0.2	0.5	0.6
Analgesic abuse	3,860	2,981	709	40	96	0.2	0.1	0.1	0.1
Nephropathy caused by other agents	9,107	7,272	1,539	41	182	0.6	0.2	0.1	0.2
Nephrolithiasis, obstruction, gouty	28,467	22,076	4,776	192	1,090	1.7	0.7	0.7	1.2
Nephrocalcinosis	1,227	978	164	*	53	0.1	.	.	0.1
Chronic interstitial nephritis	35,542	28,268	5,310	375	1,412	2.2	0.8	1.3	1.6
Acute interstitial nephritis	2,576	2,046	438	*	67	0.2	0.1	0.0	0.1
Hypertensive/large vessel disease	515,902	243,038	245,444	2,398	20,200	18.7	36.3	8.3	22.8
Hypertension (no primary renal disease)	481,439	211,620	243,399	2,233	19,509	16.3	36.0	7.7	22.0
Renal artery stenosis or occlusion	23,800	21,313	1,729	124	532	1.6	0.3	0.4	0.6
Cholesterol emboli, renal emboli	10,663	10,105	316	41	159	0.8	.	0.1	0.2
Cystic/hereditary/congenital diseases	142,410	119,719	17,433	849	3,281	9.2	2.6	2.9	3.7
Polycystic kidneys, adult (dominant)	92,104	77,909	10,939	419	2,211	6.0	1.6	1.4	2.5
Polycystic kidneys, infantile (recessive)	1,523	1,265	190	18	24	0.1	.	0.1	.
Medullary cystic, including nephronophthisis	1,780	1,535	145	19	66	0.1	.	0.1	0.1
Alport's, other hereditary/familial disease	12,182	10,605	1,127	119	250	0.8	0.2	0.4	0.3
Tuberous sclerosis	807	631	151	.	*
Cystinosis	997	904	73	*	*	0.1	.	.	.
Primary oxalosis	582	523	26	10	*
Fabry's disease	731	667	48	*	*	0.1	.	.	.
Congenital nephrotic syndrome	1,927	1,435	347	24	96	0.1	0.1	0.1	0.1
Drash syndrome, mesangial sclerosis	245	151	72	.	12
Congenital obstructive uropathy	15,098	12,322	2,163	106	350	0.9	0.3	0.4	0.4
Renal hypoplasia, dysplasia	13,336	10,926	1,916	118	239	0.8	0.3	0.4	0.3
Prune belly syndrome	1,098	846	236	*	11	0.1	.	.	.
Neoplasms/tumors	19,783	15,076	4,112	133	300	1.2	0.6	0.5	0.3
Renal or urological neoplasms	7,840	6,083	1,571	54	62	0.5	0.2	0.2	0.1
Multiple myeloma	7,422	5,373	1,831	40	138	0.4	0.3	0.1	0.2
Light chain nephropathy	1,290	1,028	220	*	31	0.1	.	.	.
Amyloidosis	3,231	2,592	490	37	69	0.2	0.1	0.1	0.1
Miscellaneous conditions	67,022	42,309	22,188	352	1,504	3.3	3.3	1.2	1.7
Complication post bone marrow/other txp	5,335	4,115	998	24	164	0.3	0.1	0.1	0.2
Sickle cell disease/anemia or trait	2,034	120	1,892	*	14	.	0.3	.	.
AIDS nephropathy	12,434	885	11,329	16	24	0.1	1.7	0.1	.
Traumatic/surgical loss of kidney(s)	1,918	1,511	352	*	29	0.1	0.1	.	.
Hepatorenal syndrome	2,136	1,757	237	36	71	0.1	.	0.1	0.1
Tubular necrosis (no recovery)	21,164	17,282	3,219	132	360	1.3	0.5	0.5	0.4
Post-partum failure, other renal disorders	22,001	16,639	4,161	134	842	1.3	0.6	0.5	1.0
Etiology uncertain	85,769	57,713	21,183	849	4,317	4.4	3.1	2.9	4.9
Missing	59,188	36,933	16,438	319	2,384	2.8	2.4	1.1	2.7

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

.. Zero values in this cell.

Table B.8

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: all patients

patients alive on December 31 of each year

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	1,152	1,298	1,499	1,808	1,999	2,181	2,064	2,353	2,633	3,361	3,828	4,156	4,551
Alaska	40	38	58	67	68	69	96	102	119	139	152	175	202
Arizona	808	970	1,120	1,322	1,487	1,676	1,891	2,149	2,325	2,622	2,917	3,255	3,693
Arkansas	474	546	630	769	877	984	1,075	1,229	1,370	1,475	1,607	1,800	1,951
California	6,188	7,586	8,553	9,813	10,918	12,022	13,318	14,743	16,163	18,049	20,167	22,602	24,933
Colorado	604	684	779	860	959	1,078	1,203	1,335	1,455	1,647	1,815	1,995	2,226
Connecticut	826	906	941	1,129	1,196	1,491	1,630	1,779	1,895	2,086	2,297	2,575	2,789
Delaware	163	163	202	272	302	341	364	412	476	526	588	682	773
District of Columbia	414	456	533	593	652	719	752	820	861	947	1,016	1,149	1,296
Florida	3,325	3,932	4,483	5,100	5,797	6,422	7,258	8,024	8,803	9,745	10,746	12,011	13,340
Georgia	1,624	1,979	2,233	2,638	3,014	3,309	3,652	4,079	4,677	5,266	5,840	6,633	7,417
Hawaii	359	384	411	453	493	553	626	696	784	876	967	1,064	1,156
Idaho	151	163	195	220	243	295	318	360	383	446	517	566	611
Illinois	3,149	3,587	4,055	4,630	5,109	5,679	6,271	6,817	7,299	7,842	8,624	9,692	10,519
Indiana	1,245	1,448	1,647	1,974	2,129	2,320	2,503	2,788	3,071	3,376	3,751	4,143	4,600
Iowa	608	692	762	916	1,023	1,115	1,273	1,344	1,440	1,588	1,763	1,912	2,115
Kansas	535	584	675	782	859	940	1,013	1,111	1,205	1,363	1,551	1,703	1,852
Kentucky	705	862	1,003	1,106	1,239	1,398	1,550	1,719	1,889	2,059	2,319	2,637	2,965
Louisiana	1,073	1,234	1,459	1,643	1,892	2,105	2,392	2,713	3,193	3,549	3,919	4,304	4,745
Maine	130	229	261	298	362	388	400	454	535	562	624	672	726
Maryland	1,127	1,322	1,503	1,762	2,014	2,227	2,387	2,701	3,020	3,393	3,853	4,432	4,955
Massachusetts	1,560	1,427	1,568	2,165	2,363	2,506	2,692	2,955	3,243	3,536	3,847	4,227	4,658
Michigan	2,525	2,823	3,185	3,512	3,938	4,306	4,642	5,033	5,487	6,153	6,737	7,393	8,194
Minnesota	926	1,104	1,275	1,426	1,623	1,808	1,981	2,217	2,396	2,609	2,895	3,192	3,475
Mississippi	678	762	877	1,081	1,233	1,413	1,549	1,735	1,966	2,214	2,466	2,694	2,949
Missouri	1,092	1,218	1,252	1,703	1,963	2,179	2,446	2,791	3,111	3,479	3,865	4,232	4,615
Montana	127	159	176	212	245	272	298	332	347	398	447	495	527
Nebraska	319	388	422	465	510	574	625	700	767	873	950	1,042	1,181
Nevada	240	279	317	371	409	452	542	611	666	716	771	870	976
New Hampshire	168	214	250	279	310	346	383	419	465	535	564	606	642
New Jersey	2,568	2,871	3,227	3,644	3,942	4,311	4,607	4,871	5,175	5,663	6,197	6,842	7,433
New Mexico	370	409	453	537	595	665	747	826	941	1,036	1,175	1,320	1,471
New York	4,920	5,606	6,167	7,195	8,228	9,094	9,993	10,777	11,643	12,567	13,735	15,001	16,302
North Carolina	1,535	1,781	2,126	2,526	2,848	3,290	3,687	4,080	4,525	5,033	5,620	6,295	7,058
North Dakota	124	156	177	197	219	243	281	293	317	354	389	428	479
Ohio	2,277	2,611	3,083	3,539	4,016	4,486	4,999	5,552	6,219	6,925	7,860	8,739	9,590
Oklahoma	623	721	792	927	1,030	1,131	1,244	1,386	1,554	1,748	1,959	2,140	2,376
Oregon	474	551	643	754	874	992	1,137	1,236	1,376	1,532	1,684	1,917	2,043
Pennsylvania	3,195	3,577	4,036	4,612	5,153	5,828	6,418	7,031	7,745	8,503	9,438	10,429	11,362
Rhode Island	292	305	324	368	431	452	466	493	544	618	665	734	789
South Carolina	848	1,048	1,239	1,509	1,712	1,581	2,155	2,397	2,741	3,047	3,414	3,776	4,171
South Dakota	169	204	218	247	282	309	328	361	396	421	447	477	501
Tennessee	1,190	1,335	1,532	1,862	2,032	2,255	2,482	2,815	3,082	3,643	4,018	4,426	4,862
Texas	3,801	4,378	5,165	6,064	6,685	7,405	8,268	9,221	10,272	11,569	13,012	14,561	16,296
Utah	272	329	365	416	497	546	608	659	755	804	852	934	1,006
Vermont	108	123	137	151	159	181	180	196	221	240	256	290	306
Virginia	1,639	1,847	2,087	2,485	2,788	3,014	3,254	3,554	3,989	4,334	4,741	5,348	6,032
Washington	880	845	1,134	1,351	1,542	1,709	1,940	2,138	2,344	2,637	2,870	3,169	3,427
West Virginia	314	363	442	526	636	701	783	856	960	1,047	1,130	1,258	1,372
Wisconsin	1,097	1,248	1,479	1,619	1,809	1,971	2,191	2,490	2,793	3,083	3,313	3,702	4,076
Wyoming	63	73	88	97	106	131	142	156	180	201	208	222	230
American Samoa	.	*	*	*	*	14	17	21	18	23	23	28	35
Guam	17	18	22	23	24	26	33	38	45	53	66	84	108
Puerto Rico	616	712	827	978	1,190	1,351	1,484	1,630	1,796	2,008	2,204	2,403	2,663
Saipan	*	*	*	*	*	*	*	*	12	15	20	21	25
Virgin Islands	18	20	28	22	21	24	32	46	50	48	58	68	82
Foreign	41	51	51	66	69	82	89	92	100	110	144	163	181
Unknown	244	254	276	328	390	471	537	634	859	1,048	1,114	1,098	1,042
All	60,032	68,879	78,450	91,423	102,515	113,436	125,301	138,378	152,696	169,740	188,015	208,782	229,950



The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.
 *Values for cells with ten or fewer patients are suppressed.
 ". " Zero values in this cell.

on our website & CD
 Point prevalent counts of reported ESRD patients, by diabetic status & state: U.S. only, with unknowns dropped (B.8.1).

b prevalence of reported esrd

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: all patients

patients alive on December 31 of each year

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	4,944	5,363	5,753	6,317	6,815	7,126	7,431	7,888	8,209	8,475	8,779	8,909
Alaska	220	346	497	469	469	456	462	479	516	520	550	595
Arizona	4,098	4,411	4,778	5,145	5,561	5,995	6,418	6,829	7,220	7,536	7,969	8,378
Arkansas	2,161	2,433	2,692	2,877	3,095	3,228	3,365	3,478	3,625	3,714	3,777	3,900
California	27,269	30,229	32,373	34,746	37,049	39,641	42,315	45,233	48,125	51,245	53,978	56,927
Colorado	2,434	2,665	2,805	3,020	3,240	3,506	3,702	3,905	4,078	4,294	4,487	4,795
Connecticut	2,987	3,220	3,410	3,635	3,828	3,998	4,200	4,406	4,472	4,597	4,694	4,764
Delaware	821	881	947	1,020	1,079	1,133	1,216	1,284	1,336	1,422	1,496	1,582
District of Columbia	1,439	1,512	1,586	1,662	1,721	1,764	1,853	1,941	2,002	2,029	2,097	2,163
Florida	14,485	15,684	16,629	18,026	19,136	20,132	21,238	22,394	23,498	24,591	25,463	26,490
Georgia	8,082	8,937	9,673	10,443	11,119	11,866	12,656	13,405	14,141	14,893	15,439	15,918
Hawaii	1,297	1,463	1,568	1,662	1,805	1,904	2,001	2,157	2,245	2,392	2,509	2,683
Idaho	673	740	787	867	949	1,003	1,115	1,144	1,220	1,266	1,308	1,346
Illinois	11,489	12,513	13,541	14,667	15,573	16,582	17,550	18,413	19,223	20,155	20,914	21,597
Indiana	5,010	5,410	5,780	6,226	6,635	7,150	7,533	7,956	8,301	8,586	8,943	9,237
Iowa	2,262	2,421	2,505	2,680	2,805	2,965	3,194	3,336	3,499	3,652	3,798	3,889
Kansas	1,944	2,100	2,223	2,364	2,573	2,705	2,853	2,987	3,028	3,171	3,266	3,339
Kentucky	3,178	3,377	3,656	3,881	4,137	4,439	4,640	4,887	5,161	5,331	5,572	5,775
Louisiana	5,116	5,539	6,008	6,414	6,993	7,457	7,921	8,228	8,473	8,886	9,152	9,287
Maine	808	881	973	1,032	1,107	1,193	1,243	1,312	1,387	1,456	1,521	1,591
Maryland	5,485	6,047	6,569	7,133	7,674	8,196	8,670	9,077	9,521	10,034	10,426	10,785
Massachusetts	5,070	5,457	5,740	6,070	6,448	6,836	7,014	7,287	7,454	7,697	7,910	8,191
Michigan	9,006	9,777	10,464	11,458	12,095	12,855	13,374	14,097	14,779	15,415	16,094	16,911
Minnesota	3,759	4,043	4,281	4,584	4,875	5,125	5,369	5,616	5,951	6,258	6,449	6,786
Mississippi	3,274	3,643	3,911	4,249	4,574	4,874	5,150	5,357	5,602	5,851	6,085	6,294
Missouri	5,032	5,422	5,816	6,226	6,590	7,083	7,502	7,863	8,175	8,442	8,706	8,887
Montana	587	625	696	743	798	827	895	931	999	1,043	1,082	1,113
Nebraska	1,267	1,372	1,478	1,546	1,666	1,772	1,891	2,006	2,104	2,188	2,265	2,337
Nevada	1,106	1,243	1,365	1,509	1,634	1,771	1,944	2,060	2,241	2,387	2,568	2,760
New Hampshire	685	745	804	831	887	942	1,016	1,104	1,148	1,218	1,279	1,328
New Jersey	7,959	8,644	9,207	9,760	10,362	11,077	11,829	12,242	12,746	13,226	13,733	14,184
New Mexico	1,600	1,703	1,878	2,026	2,186	2,336	2,495	2,695	2,819	2,893	3,018	3,207
New York	17,649	18,751	19,971	21,218	22,713	24,310	25,722	27,050	28,047	29,227	30,254	31,452
North Carolina	7,845	8,635	9,257	9,999	10,834	11,622	12,158	12,928	13,586	14,211	14,779	15,263
North Dakota	519	557	557	577	606	635	661	689	751	806	821	860
Ohio	10,316	11,285	12,087	12,985	13,737	14,670	15,549	16,523	17,192	17,947	18,669	19,141
Oklahoma	2,612	2,850	3,075	3,268	3,546	3,811	4,025	4,239	4,401	4,600	4,832	5,076
Oregon	2,226	2,427	2,575	2,727	2,876	3,052	3,211	3,366	3,578	3,782	3,995	4,178
Pennsylvania	12,076	13,043	13,979	14,984	15,949	16,814	17,606	18,422	18,948	19,681	20,054	20,637
Rhode Island	855	959	995	1,068	1,106	1,172	1,221	1,280	1,317	1,361	1,396	1,431
South Carolina	4,539	5,018	5,421	5,809	6,227	6,627	7,048	7,316	7,667	7,857	8,263	8,646
South Dakota	558	611	679	752	816	873	927	991	1,007	1,053	1,124	1,159
Tennessee	5,187	5,746	6,198	6,626	7,018	7,470	7,921	8,306	8,541	8,800	9,049	9,358
Texas	17,845	19,575	21,046	22,848	24,505	26,373	28,323	30,216	31,881	33,617	35,540	37,386
Utah	1,141	1,231	1,344	1,407	1,471	1,612	1,727	1,851	1,976	2,070	2,163	2,254
Vermont	331	361	404	447	489	526	559	593	612	622	657	667
Virginia	6,648	7,186	7,746	8,381	9,143	9,800	10,386	10,782	11,245	11,808	12,234	12,715
Washington	3,718	4,070	4,350	4,629	4,903	5,240	5,576	5,921	6,262	6,682	7,000	7,269
West Virginia	1,476	1,589	1,712	1,838	2,019	2,180	2,313	2,470	2,595	2,660	2,761	2,825
Wisconsin	4,396	4,761	5,055	5,413	5,764	6,132	6,451	6,694	6,995	7,373	7,786	8,200
Wyoming	244	263	287	314	339	361	388	425	428	444	464	487
American Samoa	35	39	40	45	45	43	58	68	75	77	85	91
Guam	126	145	171	194	217	232	262	280	298	330	348	343
Puerto Rico	2,853	3,080	3,201	3,410	3,588	3,747	3,892	4,028	4,159	4,332	4,491	4,698
Saipan	26	31	40	51	59	75	81	92	90	94	101	113
Virgin Islands	86	92	99	113	127	140	145	140	150	171	173	189
Foreign	209	259	265	274	284	299	309	319	313	317	305	296
Unknown	1,000	1,011	908	860	761	761	759	769	766	775	935	1,417
All	250,063	272,421	291,855	313,525	334,620	356,514	377,333	397,755	416,178	435,560	453,606	472,099

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: diabetic patients*patients alive on December 31 of each year*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	57	73	107	168	220	274	322	394	465	659	777	917	1,063
Alaska	*	*	*	*	11	*	16	19	20	30	34	36	45
Arizona	148	200	256	328	391	459	555	705	781	934	1,062	1,248	1,470
Arkansas	23	42	58	90	118	151	162	229	255	307	351	423	474
California	446	780	1,132	1,516	1,862	2,354	2,798	3,219	3,748	4,615	5,387	6,413	7,349
Colorado	81	94	116	149	191	240	306	351	400	485	564	640	752
Connecticut	92	129	143	192	227	305	350	393	426	502	561	680	752
Delaware	14	22	28	32	44	54	71	90	122	141	164	199	218
District of Columbia	39	48	71	92	124	152	167	190	187	213	252	279	342
Florida	246	392	554	701	873	1,034	1,345	1,574	1,786	2,049	2,427	2,827	3,295
Georgia	145	234	320	381	484	576	688	842	988	1,215	1,409	1,656	1,945
Hawaii	59	75	76	81	82	107	147	201	240	283	339	391	429
Idaho	15	19	26	37	43	51	64	87	96	124	153	162	184
Illinois	321	420	562	678	803	1,017	1,180	1,356	1,516	1,750	2,022	2,412	2,659
Indiana	130	181	218	291	339	381	440	535	629	731	882	1,062	1,267
Iowa	50	87	113	162	200	226	281	284	320	372	422	470	564
Kansas	56	71	105	132	169	192	188	230	263	314	388	458	506
Kentucky	54	87	109	147	204	247	280	339	395	446	544	663	798
Louisiana	66	104	155	181	275	323	411	521	666	812	955	1,142	1,345
Maine	*	22	32	36	52	56	65	86	107	113	137	151	168
Maryland	83	131	170	238	309	391	436	526	616	762	952	1,178	1,384
Massachusetts	168	193	228	292	332	365	414	464	536	658	800	948	1,144
Michigan	328	410	495	572	687	814	958	1,050	1,227	1,471	1,752	2,042	2,355
Minnesota	186	247	298	357	438	501	563	656	722	826	941	1,061	1,137
Mississippi	45	68	99	129	174	206	244	303	384	478	576	678	783
Missouri	55	107	193	247	319	401	456	558	651	758	895	1,052	1,204
Montana	14	24	26	38	54	68	73	90	108	127	154	171	188
Nebraska	51	70	84	99	102	119	136	160	191	237	278	314	371
Nevada	37	47	57	56	59	69	93	117	140	157	192	233	266
New Hampshire	14	22	29	38	42	54	67	77	98	117	132	143	154
New Jersey	267	335	464	579	650	777	867	934	1,065	1,217	1,472	1,743	1,917
New Mexico	48	73	89	135	156	175	218	260	327	378	430	526	615
New York	383	578	766	1,000	1,312	1,555	1,872	2,145	2,470	2,781	3,216	3,644	4,126
North Carolina	138	172	245	320	422	541	640	781	915	1,107	1,345	1,601	1,885
North Dakota	24	29	36	48	59	65	78	81	94	124	138	153	183
Ohio	296	392	527	626	782	930	1,111	1,326	1,541	1,810	2,183	2,504	2,864
Oklahoma	53	73	109	158	191	230	282	339	436	497	598	696	805
Oregon	30	49	94	119	146	178	229	268	313	370	433	493	539
Pennsylvania	349	421	532	670	877	1,056	1,278	1,509	1,730	1,984	2,349	2,743	3,166
Rhode Island	19	24	31	36	48	54	58	70	97	120	147	161	190
South Carolina	78	108	151	201	280	319	417	501	591	704	828	989	1,123
South Dakota	23	45	40	50	65	81	86	102	126	130	145	166	192
Tennessee	62	91	146	207	257	331	379	475	571	761	885	1,038	1,202
Texas	389	557	797	976	1,261	1,537	1,849	2,210	2,672	3,351	4,030	4,689	5,399
Utah	43	59	70	98	133	159	181	207	252	261	301	325	348
Vermont	15	20	28	26	30	44	44	49	48	62	70	79	84
Virginia	133	173	237	330	418	462	552	636	775	916	1,060	1,288	1,554
Washington	82	87	129	174	235	314	369	420	514	626	715	845	977
West Virginia	32	39	61	85	112	118	161	187	217	245	282	331	401
Wisconsin	177	209	282	334	407	453	536	636	739	840	937	1,115	1,259
Wyoming	*	*	16	18	20	36	37	42	48	62	63	65	62
American Samoa	.	*	*	*	*	*	*	*	*	*	*	13	16
Guam	*	*	*	*	*	11	14	13	13	18	24	35	47
Puerto Rico	58	89	123	169	241	293	361	429	501	615	712	821	983
Saipan	*	*	*	*	*	*	11	11	11
Virgin Islands	*	*	*	*	*	*	*	*	*	*	*	*	12
Foreign	.	.	*	*	*	*	*	*	*	11	17	20	21
Unknown	12	14	16	28	36	50	78	90	129	173	200	201	180
All	5,760	8,053	10,865	13,867	17,380	20,974	24,990	29,377	34,292	40,870	48,108	56,353	64,772

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

. " Zero values in this cell.

b prevalence of reported esrd

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: diabetic patients patients alive on December 31 of each year

	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	1,418	1,593	1,832	2,091	2,244	2,410	2,686	2,873	2,971	3,102	3,180
Alaska	94	158	155	162	149	159	149	167	168	179	202
Arizona	1,843	2,038	2,214	2,480	2,685	2,887	3,116	3,337	3,499	3,728	3,939
Arkansas	635	755	862	954	1,001	1,057	1,124	1,215	1,251	1,307	1,339
California	9,567	10,530	11,636	12,847	13,949	15,153	16,592	17,886	19,212	20,445	21,668
Colorado	929	996	1,106	1,203	1,319	1,415	1,534	1,597	1,699	1,781	1,878
Connecticut	919	1,019	1,106	1,231	1,282	1,355	1,481	1,482	1,549	1,609	1,623
Delaware	263	280	304	340	365	403	452	464	500	531	554
District of Columbia	409	439	497	515	513	543	565	595	607	642	659
Florida	4,220	4,658	5,270	5,813	6,224	6,677	7,194	7,795	8,217	8,599	8,994
Georgia	2,499	2,848	3,268	3,588	3,933	4,295	4,610	4,906	5,266	5,531	5,700
Hawaii	614	678	728	800	855	912	1,029	1,107	1,190	1,231	1,309
Idaho	240	254	293	336	373	418	421	446	466	461	481
Illinois	3,370	3,869	4,374	4,765	5,179	5,653	6,024	6,269	6,654	6,941	7,117
Indiana	1,573	1,825	2,026	2,156	2,398	2,567	2,727	2,850	2,982	3,154	3,250
Iowa	712	774	860	906	970	1,062	1,119	1,182	1,223	1,267	1,294
Kansas	632	679	747	831	936	1,007	1,077	1,101	1,158	1,184	1,195
Kentucky	934	1,108	1,231	1,335	1,462	1,550	1,678	1,807	1,922	1,996	2,065
Louisiana	1,622	1,812	2,075	2,358	2,600	2,785	2,941	3,039	3,193	3,308	3,363
Maine	225	263	284	323	360	371	411	455	494	531	541
Maryland	1,772	1,967	2,242	2,495	2,683	2,845	2,902	3,087	3,315	3,421	3,461
Massachusetts	1,457	1,590	1,743	1,897	2,037	2,081	2,172	2,311	2,402	2,456	2,527
Michigan	3,043	3,354	3,858	4,174	4,527	4,716	5,084	5,397	5,636	5,918	6,239
Minnesota	1,349	1,435	1,523	1,625	1,724	1,801	1,899	2,009	2,128	2,173	2,301
Mississippi	1,050	1,190	1,355	1,485	1,627	1,756	1,822	1,930	2,034	2,153	2,206
Missouri	1,554	1,746	1,920	2,133	2,360	2,503	2,678	2,792	2,910	2,982	3,030
Montana	227	271	292	316	327	355	389	433	456	476	486
Nebraska	450	523	565	614	662	721	765	806	820	864	907
Nevada	351	421	467	547	621	686	732	828	903	1,007	1,075
New Hampshire	189	216	226	258	276	298	330	347	373	395	414
New Jersey	2,434	2,741	3,051	3,322	3,687	4,003	4,168	4,340	4,530	4,658	4,818
New Mexico	760	865	972	1,074	1,169	1,269	1,429	1,495	1,520	1,585	1,709
New York	5,043	5,634	6,307	6,984	7,618	8,168	8,714	9,212	9,717	10,162	10,647
North Carolina	2,531	2,819	3,230	3,631	4,012	4,246	4,620	4,870	5,136	5,400	5,610
North Dakota	205	208	210	223	243	232	246	268	296	301	320
Ohio	3,630	4,040	4,464	4,883	5,378	5,762	6,197	6,544	6,857	7,105	7,265
Oklahoma	1,017	1,139	1,218	1,380	1,537	1,646	1,731	1,826	1,931	2,040	2,135
Oregon	674	753	839	930	963	1,029	1,087	1,167	1,223	1,306	1,378
Pennsylvania	3,821	4,261	4,623	5,049	5,454	5,753	6,122	6,364	6,701	6,867	7,109
Rhode Island	236	255	298	326	364	386	392	406	417	421	411
South Carolina	1,457	1,613	1,819	1,979	2,242	2,447	2,591	2,778	2,824	3,008	3,217
South Dakota	242	277	310	338	356	399	418	425	454	502	512
Tennessee	1,573	1,792	1,996	2,171	2,361	2,519	2,699	2,820	2,936	3,053	3,185
Texas	6,934	7,735	8,725	9,692	10,675	11,608	12,710	13,545	14,599	15,620	16,683
Utah	455	516	543	575	623	672	730	789	815	856	895
Vermont	111	133	151	169	187	205	216	217	216	220	224
Virginia	2,021	2,272	2,536	2,906	3,185	3,436	3,634	3,883	4,166	4,315	4,507
Washington	1,231	1,323	1,446	1,614	1,752	1,878	2,014	2,151	2,292	2,405	2,525
West Virginia	474	537	604	700	779	868	982	1,038	1,058	1,110	1,128
Wisconsin	1,499	1,616	1,742	1,910	2,042	2,154	2,194	2,303	2,439	2,584	2,792
Wyoming	89	110	122	138	143	154	172	170	174	187	192
American Samoa	19	20	21	19	21	28	40	47	50	57	64
Guam	69	89	105	120	128	154	156	171	185	194	192
Puerto Rico	1,159	1,199	1,318	1,426	1,524	1,645	1,744	1,830	1,943	2,108	2,191
Saipan	15	21	27	31	44	48	58	61	63	66	72
Virgin Islands	20	33	44	50	56	62	56	64	67	72	79
Foreign	34	29	30	29	28	35	36	37	46	41	41
Unknown	158	117	90	51	44	40	37	38	39	40	40
All	82,071	91,436	101,900	112,298	122,256	131,287	140,896	149,372	157,892	165,655	172,938

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: non-diabetic patients*patients alive on December 31 of each year*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	1,095	1,225	1,392	1,640	1,779	1,907	1,742	1,959	2,168	2,702	3,051	3,239	3,488
Alaska	36	36	53	60	57	61	80	83	99	109	118	139	157
Arizona	660	770	864	994	1,096	1,217	1,336	1,444	1,544	1,688	1,855	2,007	2,223
Arkansas	451	504	572	679	759	833	913	1,000	1,115	1,168	1,256	1,377	1,477
California	5,742	6,806	7,421	8,297	9,056	9,668	10,520	11,524	12,415	13,434	14,780	16,189	17,584
Colorado	523	590	663	711	768	838	897	984	1,055	1,162	1,251	1,355	1,474
Connecticut	734	777	798	937	969	1,186	1,280	1,386	1,469	1,584	1,736	1,895	2,037
Delaware	149	141	174	240	258	287	293	322	354	385	424	483	555
District of Columbia	375	408	462	501	528	567	585	630	674	734	764	870	954
Florida	3,079	3,540	3,929	4,399	4,924	5,388	5,913	6,450	7,017	7,696	8,319	9,184	10,045
Georgia	1,479	1,745	1,913	2,257	2,530	2,733	2,964	3,237	3,689	4,051	4,431	4,977	5,472
Hawaii	300	309	335	372	411	446	479	495	544	593	628	673	727
Idaho	136	144	169	183	200	244	254	273	287	322	364	404	427
Illinois	2,828	3,167	3,493	3,952	4,306	4,662	5,091	5,461	5,783	6,092	6,602	7,280	7,860
Indiana	1,115	1,267	1,429	1,683	1,790	1,939	2,063	2,253	2,442	2,645	2,869	3,081	3,333
Iowa	558	605	649	754	823	889	992	1,060	1,120	1,216	1,341	1,442	1,551
Kansas	479	513	570	650	690	748	825	881	942	1,049	1,163	1,245	1,346
Kentucky	651	775	894	959	1,035	1,151	1,270	1,380	1,494	1,613	1,775	1,974	2,167
Louisiana	1,007	1,130	1,304	1,462	1,617	1,782	1,981	2,192	2,527	2,737	2,964	3,162	3,400
Maine	120	207	229	262	310	332	335	368	428	449	487	521	558
Maryland	1,044	1,191	1,333	1,524	1,705	1,836	1,951	2,175	2,404	2,631	2,901	3,254	3,571
Massachusetts	1,392	1,234	1,340	1,873	2,031	2,141	2,278	2,491	2,707	2,878	3,047	3,279	3,514
Michigan	2,197	2,413	2,690	2,940	3,251	3,492	3,684	3,983	4,260	4,682	4,985	5,351	5,839
Minnesota	740	857	977	1,069	1,185	1,307	1,418	1,561	1,674	1,783	1,954	2,131	2,338
Mississippi	633	694	778	952	1,059	1,207	1,305	1,432	1,582	1,736	1,890	2,016	2,166
Missouri	1,037	1,111	1,059	1,456	1,644	1,778	1,990	2,233	2,460	2,721	2,970	3,180	3,411
Montana	113	135	150	174	191	204	225	242	239	271	293	324	339
Nebraska	268	318	338	366	408	455	489	540	576	636	672	728	810
Nevada	203	232	260	315	350	383	449	494	526	559	579	637	710
New Hampshire	154	192	221	241	268	292	316	342	367	418	432	463	488
New Jersey	2,301	2,536	2,763	3,065	3,292	3,534	3,740	3,937	4,110	4,446	4,725	5,099	5,516
New Mexico	322	336	364	402	439	490	529	566	614	658	745	794	856
New York	4,537	5,028	5,401	6,195	6,916	7,539	8,121	8,632	9,173	9,786	10,519	11,357	12,176
North Carolina	1,397	1,609	1,881	2,206	2,426	2,749	3,047	3,299	3,610	3,926	4,275	4,694	5,173
North Dakota	100	127	141	149	160	178	203	212	223	230	251	275	296
Ohio	1,981	2,219	2,556	2,913	3,234	3,556	3,888	4,226	4,678	5,115	5,677	6,235	6,726
Oklahoma	570	648	683	769	839	901	962	1,047	1,118	1,251	1,361	1,444	1,571
Oregon	444	502	549	635	728	814	908	968	1,063	1,162	1,251	1,424	1,504
Pennsylvania	2,846	3,156	3,504	3,942	4,276	4,772	5,140	5,522	6,015	6,519	7,089	7,686	8,196
Rhode Island	273	281	293	332	383	398	408	423	447	498	518	573	599
South Carolina	770	940	1,088	1,308	1,432	1,262	1,738	1,896	2,150	2,343	2,586	2,787	3,048
South Dakota	146	159	178	197	217	228	242	259	270	291	302	311	309
Tennessee	1,128	1,244	1,386	1,655	1,775	1,924	2,103	2,340	2,511	2,882	3,133	3,388	3,660
Texas	3,412	3,821	4,368	5,088	5,424	5,868	6,419	7,011	7,600	8,218	8,982	9,872	10,897
Utah	229	270	295	318	364	387	427	452	503	543	551	609	658
Vermont	93	103	109	125	129	137	136	147	173	178	186	211	222
Virginia	1,506	1,674	1,850	2,155	2,370	2,552	2,702	2,918	3,214	3,418	3,681	4,060	4,478
Washington	798	758	1,005	1,177	1,307	1,395	1,571	1,718	1,830	2,011	2,155	2,324	2,450
West Virginia	282	324	381	441	524	583	622	669	743	802	848	927	971
Wisconsin	920	1,039	1,197	1,285	1,402	1,518	1,655	1,854	2,054	2,243	2,376	2,587	2,817
Wyoming	57	64	72	79	86	95	105	114	132	139	145	157	168
American Samoa	.	*	*	*	*	12	12	16	11	14	13	15	19
Guam	13	16	19	17	17	15	19	25	32	35	42	49	61
Puerto Rico	558	623	704	809	949	1,058	1,123	1,201	1,295	1,393	1,492	1,582	1,680
Saipan	*	*	*	*	*	*	*	*	*	*	*	*	14
Virgin Islands	16	18	25	19	18	21	27	40	43	42	53	59	70
Foreign	41	51	49	64	67	78	83	84	94	99	127	143	160
Unknown	232	240	260	300	354	421	459	544	730	875	914	897	862
All	54,272	60,826	67,585	77,556	85,135	92,462	100,311	109,001	118,404	128,870	139,907	152,429	165,178

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

. " Zero values in this cell.

b prevalence of reported esrd

Table B.8 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & state/territory: non-diabetic patients patients alive on December 31 of each year

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	3,706	3,945	4,160	4,485	4,724	4,882	5,021	5,202	5,336	5,504	5,677	5,729
Alaska	162	252	339	314	307	307	303	330	349	352	371	393
Arizona	2,436	2,568	2,740	2,931	3,081	3,310	3,531	3,713	3,883	4,037	4,241	4,439
Arkansas	1,622	1,798	1,937	2,015	2,141	2,227	2,308	2,354	2,410	2,463	2,470	2,561
California	19,021	20,662	21,843	23,110	24,202	25,692	27,162	28,641	30,239	32,033	33,533	35,259
Colorado	1,579	1,736	1,809	1,914	2,037	2,187	2,287	2,371	2,481	2,595	2,706	2,917
Connecticut	2,160	2,301	2,391	2,529	2,597	2,716	2,845	2,925	2,990	3,048	3,085	3,141
Delaware	586	618	667	716	739	768	813	832	872	922	965	1,028
District of Columbia	1,048	1,103	1,147	1,165	1,206	1,251	1,310	1,376	1,407	1,422	1,455	1,504
Florida	10,758	11,464	11,971	12,756	13,323	13,908	14,561	15,200	15,703	16,374	16,864	17,496
Georgia	5,895	6,438	6,825	7,175	7,531	7,933	8,361	8,795	9,235	9,627	9,908	10,218
Hawaii	771	849	890	934	1,005	1,049	1,089	1,128	1,138	1,202	1,278	1,374
Idaho	462	500	533	574	613	630	697	723	774	800	847	865
Illinois	8,519	9,143	9,672	10,293	10,808	11,403	11,897	12,389	12,954	13,501	13,973	14,480
Indiana	3,601	3,837	3,955	4,200	4,479	4,752	4,966	5,229	5,451	5,604	5,789	5,987
Iowa	1,630	1,709	1,731	1,820	1,899	1,995	2,132	2,217	2,317	2,429	2,531	2,595
Kansas	1,391	1,468	1,544	1,617	1,742	1,769	1,846	1,910	1,927	2,013	2,082	2,144
Kentucky	2,302	2,443	2,548	2,650	2,802	2,977	3,090	3,209	3,354	3,409	3,576	3,710
Louisiana	3,642	3,917	4,196	4,339	4,635	4,857	5,136	5,287	5,434	5,693	5,844	5,924
Maine	609	656	710	748	784	833	872	901	932	962	990	1,050
Maryland	3,894	4,275	4,602	4,891	5,179	5,513	5,825	6,175	6,434	6,719	7,005	7,324
Massachusetts	3,792	4,000	4,150	4,327	4,551	4,799	4,933	5,115	5,143	5,295	5,454	5,664
Michigan	6,331	6,734	7,110	7,600	7,921	8,328	8,658	9,013	9,382	9,779	10,176	10,672
Minnesota	2,489	2,694	2,846	3,061	3,250	3,401	3,568	3,717	3,942	4,130	4,276	4,485
Mississippi	2,373	2,593	2,721	2,894	3,089	3,247	3,394	3,535	3,672	3,817	3,932	4,088
Missouri	3,644	3,868	4,070	4,306	4,457	4,723	4,999	5,185	5,383	5,532	5,724	5,857
Montana	378	398	425	451	482	500	540	542	566	587	606	627
Nebraska	843	922	955	981	1,052	1,110	1,170	1,241	1,298	1,368	1,401	1,430
Nevada	799	892	944	1,042	1,087	1,150	1,258	1,328	1,413	1,484	1,561	1,685
New Hampshire	516	556	588	605	629	666	718	774	801	845	884	914
New Jersey	5,844	6,210	6,466	6,709	7,040	7,390	7,826	8,074	8,406	8,696	9,075	9,366
New Mexico	895	943	1,013	1,054	1,112	1,167	1,226	1,266	1,324	1,373	1,433	1,498
New York	12,998	13,708	14,337	14,911	15,729	16,692	17,554	18,336	18,835	19,510	20,092	20,805
North Carolina	5,673	6,104	6,438	6,769	7,203	7,610	7,912	8,308	8,716	9,075	9,379	9,653
North Dakota	324	352	349	367	383	392	429	443	483	510	520	540
Ohio	7,150	7,655	8,047	8,521	8,854	9,292	9,787	10,326	10,648	11,090	11,564	11,876
Oklahoma	1,694	1,833	1,936	2,050	2,166	2,274	2,379	2,508	2,575	2,669	2,792	2,941
Oregon	1,628	1,753	1,822	1,888	1,946	2,089	2,182	2,279	2,411	2,559	2,689	2,800
Pennsylvania	8,642	9,222	9,718	10,361	10,900	11,360	11,853	12,300	12,584	12,980	13,187	13,528
Rhode Island	648	723	740	770	780	808	835	888	911	944	975	1,020
South Carolina	3,269	3,561	3,808	3,990	4,248	4,385	4,601	4,725	4,889	5,033	5,255	5,429
South Dakota	337	369	402	442	478	517	528	573	582	599	622	647
Tennessee	3,837	4,173	4,406	4,630	4,847	5,109	5,402	5,607	5,721	5,864	5,996	6,173
Texas	11,723	12,641	13,311	14,123	14,813	15,698	16,715	17,506	18,336	19,018	19,920	20,703
Utah	733	776	828	864	896	989	1,055	1,121	1,187	1,255	1,307	1,359
Vermont	239	250	271	296	320	339	354	377	395	406	437	443
Virginia	4,849	5,165	5,474	5,845	6,237	6,615	6,950	7,148	7,362	7,642	7,919	8,208
Washington	2,619	2,839	3,027	3,183	3,289	3,488	3,698	3,907	4,111	4,390	4,595	4,744
West Virginia	1,056	1,115	1,175	1,234	1,319	1,401	1,445	1,488	1,557	1,602	1,651	1,697
Wisconsin	3,014	3,262	3,439	3,671	3,854	4,090	4,297	4,500	4,692	4,934	5,202	5,408
Wyoming	168	174	177	192	201	218	234	253	258	270	277	295
American Samoa	19	20	20	24	26	22	30	28	28	27	28	27
Guam	67	76	82	89	97	104	108	124	127	145	154	151
Puerto Rico	1,796	1,921	2,002	2,092	2,162	2,223	2,247	2,284	2,329	2,389	2,383	2,507
Saipan	15	16	19	24	28	31	33	34	29	31	35	41
Virgin Islands	70	72	66	69	77	84	83	84	86	104	101	110
Foreign	190	225	236	244	255	271	274	283	276	271	264	255
Unknown	834	853	791	770	710	717	719	732	728	736	895	1,377
All	177,290	190,350	200,419	211,625	222,322	234,258	246,046	256,859	266,806	277,668	287,951	299,161

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Table B.9

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: all patients*patients alive on December 31 of each year, per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	269.8	304.5	346.7	408.7	451.5	485.0	469.1	508.9	567.7	702.0	795.9	848.6	904.7
Alaska	143.8	138.5	168.3	191.0	195.1	193.7	255.7	279.0	312.1	370.6	405.2	448.4	499.6
Arizona	376.9	439.2	489.8	568.7	616.2	669.1	734.1	809.4	856.8	934.3	1,010.1	1,083.7	1,175.0
Arkansas	222.9	256.1	295.4	357.4	402.8	448.4	487.2	550.1	613.4	661.3	712.1	782.9	837.2
California	301.4	355.7	403.0	459.5	503.4	544.9	589.0	636.8	683.0	745.9	821.1	904.3	983.4
Colorado	289.5	324.7	352.7	391.6	424.5	471.5	524.8	582.6	632.1	704.8	760.8	811.8	872.2
Connecticut	307.0	337.7	352.0	413.3	439.5	527.4	585.3	635.2	674.5	734.2	799.0	882.8	954.7
Delaware	271.5	284.8	338.1	446.0	503.2	555.2	586.3	642.1	723.3	790.6	861.1	962.9	1,064.8
District of Columbia	277.8	308.0	354.2	400.9	438.3	478.5	500.4	537.4	563.4	614.8	667.7	753.8	853.3
Florida	327.9	375.7	420.0	466.7	512.6	557.9	611.0	658.4	706.3	760.8	816.7	883.1	953.9
Georgia	270.9	314.9	352.3	407.8	456.2	493.2	530.5	576.2	643.3	713.6	775.1	856.0	930.6
Hawaii	360.2	398.4	453.1	514.6	561.4	629.0	697.4	756.5	817.3	885.2	938.5	987.9	1,029.9
Idaho	243.5	264.4	301.3	336.3	369.0	447.8	496.4	547.2	578.9	665.9	758.4	823.0	861.9
Illinois	292.5	331.8	375.4	428.3	471.0	521.2	572.5	621.4	664.2	710.1	769.0	850.9	914.1
Indiana	276.9	320.0	363.0	434.0	474.0	513.7	551.1	606.3	661.3	725.0	797.6	869.9	952.2
Iowa	286.1	325.3	365.5	447.5	508.6	559.4	639.1	689.0	741.2	810.3	889.5	964.5	1,057.5
Kansas	281.5	310.4	356.4	419.0	462.0	503.1	541.0	590.4	641.9	717.8	808.7	885.8	953.8
Kentucky	239.3	284.2	329.5	368.5	409.2	459.8	508.6	562.2	613.2	670.5	747.5	839.5	935.4
Louisiana	239.7	271.5	313.3	358.8	401.7	443.7	499.1	569.7	661.8	736.1	801.2	869.3	938.2
Maine	180.5	261.5	316.7	365.4	428.2	465.7	480.3	530.5	614.2	653.3	707.9	752.2	802.6
Maryland	244.4	278.9	313.9	362.1	405.8	441.6	464.9	508.0	555.6	609.7	675.4	758.0	832.2
Massachusetts	327.0	323.0	340.1	455.4	506.9	537.1	572.6	623.0	679.7	740.5	801.1	869.7	948.1
Michigan	316.6	357.2	401.7	446.6	494.8	537.2	574.0	615.0	664.4	737.7	799.1	861.5	940.7
Minnesota	330.4	382.3	441.4	496.2	560.8	622.5	678.2	748.7	809.2	873.0	954.9	1,040.4	1,115.3
Mississippi	230.4	259.2	291.6	347.4	395.3	443.0	488.2	539.1	607.2	676.2	734.8	785.4	841.1
Missouri	248.0	278.8	293.9	380.7	444.9	493.0	546.7	619.8	692.2	768.5	842.6	915.6	987.5
Montana	243.3	289.3	318.8	365.3	422.6	478.3	531.9	582.2	609.9	692.5	775.3	855.3	896.7
Nebraska	275.4	323.6	361.6	407.5	446.2	499.7	549.7	615.1	679.5	765.2	830.6	903.0	1,009.0
Nevada	364.3	409.5	443.5	509.5	543.8	582.4	666.6	727.5	751.8	762.9	760.7	794.3	841.5
New Hampshire	262.2	312.6	365.5	414.7	446.1	487.8	528.0	569.4	622.0	705.1	749.8	790.7	827.5
New Jersey	367.5	409.4	453.8	510.5	546.2	588.4	623.9	651.6	684.4	742.4	802.8	875.2	941.7
New Mexico	379.7	422.1	450.2	523.8	566.7	620.3	691.7	761.5	845.7	920.4	1,006.3	1,096.5	1,185.8
New York	285.0	323.2	354.7	407.7	460.6	506.9	553.3	595.2	638.1	686.0	741.6	803.5	863.8
North Carolina	243.0	275.3	321.2	378.2	420.2	474.6	524.4	568.9	618.1	674.8	735.0	806.6	881.0
North Dakota	285.4	339.5	387.4	431.1	479.3	534.0	616.4	658.1	716.6	801.4	883.9	972.1	1,074.6
Ohio	237.6	271.5	317.1	367.9	415.3	463.2	511.8	564.3	624.0	694.6	779.4	858.7	933.4
Oklahoma	252.1	286.2	309.8	351.3	390.1	429.3	471.7	524.2	588.9	662.6	735.0	794.0	860.6
Oregon	249.0	281.8	326.5	378.1	435.9	501.2	571.4	611.2	660.2	729.9	788.1	876.9	921.1
Pennsylvania	293.0	330.0	370.3	423.6	473.8	531.9	583.4	633.8	693.7	760.9	835.0	912.2	988.4
Rhode Island	379.5	406.0	429.2	486.1	554.7	589.7	604.9	631.6	687.2	775.0	832.1	900.9	965.6
South Carolina	235.6	276.0	322.5	388.1	435.5	411.7	511.6	574.7	639.3	699.8	761.2	825.5	889.4
South Dakota	360.8	418.5	454.9	509.0	576.5	635.6	675.8	736.2	808.8	860.6	908.1	961.1	994.7
Tennessee	269.5	304.2	346.6	414.2	454.2	495.0	539.4	598.3	653.3	759.9	833.9	897.0	961.8
Texas	306.7	344.8	391.6	453.6	497.5	539.3	597.8	665.4	738.4	817.9	901.8	990.8	1,079.1
Utah	315.5	368.9	398.1	452.7	521.8	576.0	638.4	696.2	779.3	831.5	852.7	896.9	937.6
Vermont	302.1	338.2	375.0	421.0	437.6	488.4	495.1	522.9	581.7	634.2	669.8	734.8	773.2
Virginia	293.6	327.3	364.1	424.6	470.5	502.6	532.7	568.2	621.9	669.0	715.6	785.2	864.6
Washington	275.8	278.1	346.7	414.7	467.9	519.0	580.0	622.1	662.5	734.1	784.1	844.8	890.7
West Virginia	218.9	250.3	302.4	359.5	427.8	479.5	538.6	594.4	666.3	737.7	794.9	872.5	949.8
Wisconsin	318.1	359.5	421.7	468.8	521.1	568.2	625.8	702.4	785.4	863.0	920.1	1,004.5	1,089.7
Wyoming	203.0	230.1	263.8	301.1	326.9	399.3	450.9	509.4	589.2	669.8	698.5	727.7	743.1
All	288.6	328.1	370.6	428.3	475.1	519.5	566.4	617.5	673.2	739.4	806.0	880.0	952.2

Rates are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

b prevalence of reported esrd

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: all patients

patients alive on December 31 of each year, per million population

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	959.6	1,025.6	1,079.1	1,160.6	1,232.2	1,275.6	1,312.5	1,364.9	1,407.6	1,431.7	1,454.3	1,459.3
Alaska	537.9	782.3	1,120.2	1,115.7	1,086.6	1,039.1	1,004.2	1,010.9	1,056.0	1,054.2	1,073.9	1,129.0
Arizona	1,246.9	1,291.0	1,334.9	1,374.9	1,418.7	1,482.6	1,533.5	1,583.2	1,623.0	1,637.6	1,658.8	1,671.7
Arkansas	901.4	993.4	1,077.9	1,140.1	1,202.4	1,240.1	1,266.4	1,284.5	1,317.3	1,332.5	1,328.6	1,338.5
California	1,058.3	1,156.2	1,220.6	1,282.2	1,333.3	1,393.0	1,447.6	1,509.9	1,567.7	1,629.6	1,679.9	1,734.8
Colorado	923.6	979.5	1,004.9	1,044.7	1,082.5	1,138.6	1,168.7	1,194.3	1,211.1	1,239.7	1,263.8	1,306.5
Connecticut	1,015.8	1,084.5	1,138.7	1,195.7	1,239.4	1,272.6	1,308.4	1,348.1	1,350.6	1,358.2	1,365.2	1,367.3
Delaware	1,111.4	1,155.5	1,203.5	1,262.2	1,298.4	1,328.5	1,384.4	1,428.0	1,450.8	1,494.9	1,528.4	1,561.9
District of Columbia	949.9	1,018.3	1,082.5	1,150.9	1,201.5	1,234.6	1,295.8	1,368.9	1,430.1	1,471.2	1,535.6	1,616.2
Florida	1,011.6	1,063.1	1,091.8	1,137.0	1,167.3	1,195.5	1,225.0	1,254.0	1,283.0	1,306.5	1,312.0	1,316.7
Georgia	983.3	1,052.5	1,106.2	1,158.1	1,193.0	1,229.3	1,267.6	1,303.6	1,339.6	1,370.6	1,379.7	1,380.9
Hawaii	1,088.5	1,185.4	1,230.0	1,269.2	1,345.2	1,412.0	1,454.3	1,542.0	1,597.1	1,662.1	1,721.7	1,812.3
Idaho	922.8	999.0	1,064.0	1,140.4	1,209.5	1,258.5	1,331.0	1,331.9	1,374.3	1,383.4	1,376.7	1,373.0
Illinois	983.2	1,059.8	1,133.5	1,214.7	1,276.9	1,342.4	1,408.2	1,463.2	1,510.3	1,562.7	1,603.0	1,635.2
Indiana	1,027.1	1,096.1	1,154.3	1,224.8	1,290.3	1,368.7	1,427.8	1,477.6	1,523.1	1,555.7	1,588.2	1,612.2
Iowa	1,129.1	1,198.7	1,231.6	1,304.5	1,352.6	1,414.2	1,504.2	1,550.1	1,600.4	1,649.8	1,684.0	1,693.8
Kansas	996.7	1,057.9	1,104.9	1,163.0	1,238.1	1,294.3	1,350.0	1,395.2	1,402.6	1,442.0	1,466.1	1,475.8
Kentucky	999.6	1,049.8	1,115.2	1,174.6	1,231.1	1,296.2	1,340.0	1,376.9	1,428.6	1,458.4	1,490.6	1,515.0
Louisiana	991.4	1,050.7	1,113.1	1,167.4	1,242.3	1,302.9	1,367.1	1,413.8	1,439.9	1,484.5	1,508.2	1,508.8
Maine	881.5	954.2	1,041.7	1,098.8	1,152.1	1,212.6	1,245.2	1,279.7	1,320.1	1,357.5	1,392.0	1,419.4
Maryland	898.3	967.2	1,026.2	1,090.8	1,150.3	1,201.8	1,242.7	1,275.7	1,307.5	1,345.3	1,368.2	1,385.5
Massachusetts	1,023.2	1,088.9	1,133.5	1,178.2	1,224.7	1,271.7	1,287.3	1,307.8	1,318.9	1,342.6	1,365.4	1,390.6
Michigan	1,020.5	1,094.9	1,154.8	1,239.5	1,299.4	1,362.1	1,403.6	1,449.5	1,496.4	1,539.9	1,583.0	1,639.9
Minnesota	1,190.0	1,260.3	1,313.5	1,374.2	1,431.6	1,480.8	1,516.9	1,538.2	1,583.6	1,629.1	1,651.1	1,692.0
Mississippi	907.8	992.0	1,045.5	1,114.4	1,178.7	1,236.2	1,290.0	1,321.9	1,361.9	1,397.4	1,425.6	1,451.6
Missouri	1,063.3	1,132.9	1,198.0	1,264.4	1,317.7	1,389.3	1,454.5	1,497.6	1,530.8	1,557.6	1,575.7	1,582.5
Montana	974.2	1,035.4	1,142.2	1,209.0	1,268.5	1,306.1	1,356.9	1,373.3	1,435.4	1,464.5	1,473.2	1,476.9
Nebraska	1,082.6	1,156.7	1,223.3	1,272.9	1,341.5	1,413.7	1,490.7	1,555.8	1,609.5	1,654.1	1,680.7	1,700.3
Nevada	893.8	943.5	974.8	1,006.9	1,020.3	1,046.1	1,088.8	1,100.7	1,131.2	1,153.5	1,180.5	1,201.1
New Hampshire	867.4	920.6	975.8	997.4	1,030.5	1,062.6	1,113.0	1,175.7	1,196.2	1,234.6	1,273.1	1,289.3
New Jersey	996.0	1,063.8	1,117.0	1,164.7	1,213.5	1,271.7	1,335.6	1,369.3	1,399.2	1,428.7	1,460.7	1,488.4
New Mexico	1,252.4	1,304.5	1,388.0	1,456.6	1,520.5	1,588.0	1,644.1	1,718.4	1,759.4	1,759.2	1,770.7	1,812.5
New York	924.7	975.9	1,020.8	1,071.4	1,127.7	1,189.7	1,242.2	1,284.4	1,312.3	1,346.8	1,376.0	1,411.0
North Carolina	952.3	1,024.1	1,071.0	1,127.5	1,186.7	1,242.4	1,274.3	1,321.5	1,364.0	1,396.6	1,417.9	1,432.4
North Dakota	1,166.6	1,244.4	1,248.3	1,266.9	1,314.9	1,374.4	1,422.7	1,456.6	1,559.4	1,659.9	1,684.8	1,724.9
Ohio	996.8	1,075.0	1,140.3	1,211.8	1,271.0	1,339.8	1,408.8	1,471.4	1,516.5	1,561.6	1,602.0	1,627.0
Oklahoma	932.7	1,007.0	1,070.1	1,124.9	1,193.1	1,264.7	1,310.0	1,353.1	1,387.0	1,427.4	1,469.3	1,518.3
Oregon	981.7	1,059.0	1,124.8	1,167.4	1,198.1	1,246.8	1,271.6	1,293.8	1,342.9	1,379.1	1,416.9	1,453.6
Pennsylvania	1,046.3	1,119.8	1,187.6	1,257.0	1,323.7	1,384.4	1,436.2	1,486.5	1,515.7	1,552.3	1,567.8	1,592.7
Rhode Island	1,038.7	1,147.3	1,193.7	1,259.5	1,289.2	1,335.2	1,371.5	1,405.0	1,422.7	1,442.1	1,456.2	1,462.8
South Carolina	945.5	1,021.3	1,080.9	1,136.7	1,184.3	1,228.2	1,272.8	1,297.8	1,333.4	1,343.6	1,371.2	1,405.1
South Dakota	1,082.9	1,172.9	1,279.4	1,397.9	1,503.2	1,596.6	1,671.0	1,740.9	1,759.5	1,800.2	1,879.4	1,912.5
Tennessee	1,005.9	1,084.5	1,143.7	1,197.3	1,240.4	1,296.4	1,350.2	1,386.7	1,405.0	1,418.7	1,425.8	1,441.8
Texas	1,155.6	1,237.9	1,295.4	1,365.1	1,427.0	1,499.8	1,573.2	1,637.7	1,688.5	1,736.6	1,781.5	1,823.2
Utah	1,018.4	1,077.8	1,137.5	1,166.9	1,183.5	1,261.7	1,325.9	1,381.5	1,432.3	1,460.4	1,476.5	1,480.4
Vermont	819.9	876.6	962.1	1,049.1	1,123.2	1,180.4	1,227.0	1,268.0	1,283.0	1,283.1	1,317.8	1,305.2
Virginia	933.2	991.2	1,043.8	1,107.8	1,181.7	1,243.3	1,291.0	1,319.4	1,349.4	1,385.9	1,404.9	1,423.0
Washington	945.1	1,018.0	1,081.4	1,124.4	1,156.4	1,204.5	1,240.5	1,276.2	1,316.0	1,362.8	1,391.0	1,410.4
West Virginia	1,019.4	1,096.9	1,173.0	1,248.6	1,347.9	1,446.9	1,521.6	1,599.6	1,660.9	1,684.3	1,716.0	1,734.1
Wisconsin	1,162.6	1,239.0	1,297.5	1,361.1	1,426.4	1,498.0	1,555.0	1,577.5	1,613.8	1,666.1	1,727.0	1,784.1
Wyoming	769.3	812.7	868.1	933.4	984.9	1,037.6	1,089.7	1,143.8	1,142.0	1,145.7	1,157.2	1,167.5
All	1,018.7	1,090.7	1,147.8	1,208.9	1,264.6	1,322.1	1,373.1	1,419.6	1,458.1	1,496.3	1,526.8	1,555.6

Rates are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: diabetic patients*patients alive on December 31 of each year, per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	12.9	17.0	24.2	37.5	49.8	61.8	73.3	87.5	103.2	141.7	167.2	192.6	218.0
Alaska	10.9	7.9	13.4	18.3	27.4	22.7	38.5	49.3	52.3	74.3	88.0	91.4	105.2
Arizona	71.8	99.8	123.6	153.0	177.5	198.6	231.1	280.6	309.3	356.5	399.1	451.3	508.2
Arkansas	12.2	20.3	28.3	41.7	55.7	70.3	75.2	100.4	114.9	135.3	153.0	180.0	199.8
California	23.0	36.1	54.1	72.4	89.0	109.4	128.1	144.1	163.4	196.0	227.8	266.2	301.2
Colorado	38.4	47.2	54.9	68.9	86.7	106.6	135.1	157.5	178.3	212.1	244.0	271.4	306.1
Connecticut	35.5	49.3	56.1	71.6	85.5	111.3	129.2	143.1	154.0	177.6	198.5	236.0	262.5
Delaware	24.3	36.5	49.8	56.7	74.2	90.4	114.7	142.1	186.2	217.8	246.4	287.9	311.8
District of Columbia	28.1	36.5	52.8	67.5	88.1	108.1	120.8	135.2	136.0	152.4	181.4	203.9	245.4
Florida	27.4	39.6	54.3	66.8	80.7	93.1	115.0	133.9	149.4	166.6	189.8	214.0	239.8
Georgia	25.7	38.9	53.2	62.8	77.1	90.5	105.4	125.5	145.6	176.8	202.1	231.1	263.6
Hawaii	22.1	30.5	52.2	68.8	76.7	100.0	138.0	177.0	207.7	242.5	279.9	315.4	334.7
Idaho	24.1	32.8	44.5	61.3	72.9	84.5	104.4	138.2	156.3	192.2	234.7	247.3	268.4
Illinois	31.0	41.3	54.3	65.9	77.9	96.8	112.3	128.4	142.7	162.2	184.7	216.2	236.9
Indiana	31.0	43.3	52.8	68.7	80.8	90.1	102.1	121.4	141.6	163.5	192.5	228.6	268.7
Iowa	27.6	44.0	60.2	84.4	106.4	122.0	147.9	155.2	170.4	194.6	218.1	240.0	277.7
Kansas	31.3	41.0	59.2	75.2	95.0	108.3	106.9	124.8	143.7	169.0	205.0	240.5	262.3
Kentucky	20.5	31.1	39.7	52.3	71.4	87.1	98.6	116.6	135.1	152.5	180.8	217.9	258.5
Louisiana	15.3	22.9	33.5	39.2	56.5	68.2	84.5	106.8	135.8	166.4	192.2	225.8	261.6
Maine	15.1	27.2	40.8	47.0	64.2	72.4	81.9	103.7	127.6	135.4	157.9	175.7	192.3
Maryland	19.0	28.4	37.7	50.5	64.4	79.7	88.5	102.6	117.9	142.1	174.4	211.0	243.8
Massachusetts	36.5	45.3	52.0	64.5	74.0	81.0	90.2	99.9	113.8	137.8	167.6	199.5	237.3
Michigan	40.4	52.6	63.2	72.4	85.1	99.6	115.5	126.7	145.1	172.1	202.5	232.6	264.3
Minnesota	67.3	90.9	109.7	129.8	156.6	179.2	199.4	228.5	251.4	282.2	318.7	353.6	374.5
Mississippi	15.9	22.9	32.5	42.5	56.3	67.3	79.9	97.0	121.9	152.5	179.3	207.6	235.2
Missouri	14.8	25.0	45.4	59.9	75.9	94.2	106.6	127.5	148.6	171.7	198.6	230.0	258.2
Montana	29.5	45.8	52.6	70.9	100.0	126.0	138.7	164.8	197.4	229.0	274.9	304.4	327.5
Nebraska	46.6	63.7	79.2	92.8	97.4	110.3	125.1	146.4	173.5	211.8	246.9	276.5	316.2
Nevada	56.1	72.1	83.5	82.6	82.7	90.6	115.3	140.2	159.8	171.5	192.4	219.2	238.8
New Hampshire	22.8	33.8	44.5	57.2	63.8	78.5	94.4	108.2	133.5	158.6	180.1	195.9	207.8
New Jersey	37.9	49.2	65.9	82.1	92.3	107.9	119.4	127.3	142.1	162.4	191.4	224.7	245.2
New Mexico	57.6	83.0	100.2	143.1	168.3	183.5	221.4	262.3	321.8	372.2	414.7	488.3	556.5
New York	22.9	33.3	44.3	56.7	73.5	87.5	103.6	117.9	134.4	151.8	172.8	193.9	216.4
North Carolina	21.8	28.3	38.7	49.7	64.0	81.1	95.0	112.8	130.4	155.4	183.6	214.3	246.4
North Dakota	55.6	70.8	85.3	110.4	136.1	153.1	181.8	195.2	223.4	289.3	331.0	364.3	424.3
Ohio	32.5	44.0	58.2	69.9	85.5	101.1	118.9	139.9	160.9	187.6	221.4	252.9	285.2
Oklahoma	22.0	30.5	43.3	61.5	76.8	91.7	110.4	133.5	168.8	194.6	228.5	264.2	299.3
Oregon	17.6	26.5	50.1	65.7	80.4	95.6	119.8	138.2	158.0	181.0	208.5	231.8	248.6
Pennsylvania	32.3	41.1	51.8	64.1	83.1	100.5	120.0	140.5	160.5	183.5	212.8	245.9	280.1
Rhode Island	26.1	34.3	43.3	50.3	64.7	74.3	79.2	91.6	122.3	152.7	185.4	206.3	237.7
South Carolina	21.7	30.1	41.3	54.3	73.6	85.2	106.4	126.9	147.0	173.3	198.1	230.0	257.3
South Dakota	57.9	97.6	96.7	111.0	141.5	176.4	191.6	221.5	270.6	286.4	312.0	349.7	395.4
Tennessee	14.7	21.0	32.6	46.5	58.3	73.6	85.4	103.7	124.2	162.0	188.3	215.5	243.5
Texas	33.6	46.7	63.9	77.3	97.8	117.9	140.4	167.9	201.2	248.6	295.3	337.8	378.1
Utah	54.1	73.8	86.0	115.5	154.0	182.8	209.0	238.0	283.5	298.4	328.9	349.9	362.6
Vermont	43.9	59.3	80.6	79.6	87.3	122.9	129.8	139.1	137.3	165.5	189.2	211.5	223.4
Virginia	24.3	32.3	43.3	58.4	73.1	81.2	93.6	106.0	125.2	146.7	167.8	197.3	232.0
Washington	25.2	30.2	42.1	55.9	74.4	96.9	114.0	126.1	148.2	175.6	198.7	226.1	254.8
West Virginia	21.0	27.2	40.7	57.6	75.4	83.2	109.0	130.8	151.2	171.5	195.5	226.0	269.3
Wisconsin	51.2	64.3	83.8	100.1	119.9	134.5	155.8	183.0	211.2	238.0	262.9	302.8	337.5
Wyoming	21.1	30.0	49.7	59.7	66.2	109.9	125.7	143.7	165.8	211.3	224.4	227.6	215.6
All	28.2	39.2	52.5	66.3	82.1	98.1	114.9	133.4	153.6	180.6	209.3	241.0	271.7

Rates are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

b prevalence of reported esrd

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: diabetic patients

patients alive on December 31 of each year, per million population

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	247.6	279.2	308.2	345.8	386.9	412.0	435.7	476.8	506.6	518.1	528.3	533.0
Alaska	130.5	203.4	334.8	358.0	369.7	341.9	344.6	326.1	347.4	354.3	365.1	396.9
Arizona	549.4	581.7	613.6	639.8	679.1	713.5	738.4	769.7	797.9	811.1	827.8	840.6
Arkansas	221.7	255.8	297.1	336.2	365.0	379.1	390.4	407.1	431.9	440.7	447.6	449.2
California	333.2	380.4	414.5	448.0	481.6	509.6	537.4	573.5	602.8	632.0	656.5	678.7
Colorado	337.3	357.2	372.7	399.7	421.5	448.1	466.2	488.9	496.2	513.7	526.4	540.1
Connecticut	286.8	315.0	345.2	369.9	402.1	416.4	429.5	456.6	454.9	460.6	468.3	468.4
Delaware	327.0	352.1	366.8	386.8	415.7	435.4	466.3	509.3	517.6	537.5	553.8	557.8
District of Columbia	281.6	305.0	326.2	366.4	385.7	385.3	401.6	423.8	448.5	463.6	491.9	516.7
Florida	263.3	288.5	309.1	334.7	356.4	371.1	384.4	401.7	421.6	432.1	436.9	440.5
Georgia	287.6	317.7	351.1	389.9	417.5	442.1	469.5	493.4	511.7	531.7	543.7	545.0
Hawaii	387.3	448.8	486.0	513.7	557.9	588.3	614.1	681.8	727.0	772.1	792.8	822.6
Idaho	297.1	327.6	341.8	378.0	420.3	458.7	496.0	492.4	499.3	506.2	488.0	485.6
Illinois	259.3	289.7	327.6	366.1	394.9	423.3	456.6	483.4	498.0	519.2	534.4	541.2
Indiana	298.1	328.1	371.7	409.6	432.6	469.9	497.6	519.5	535.1	550.3	568.9	577.2
Iowa	311.4	346.7	376.5	410.1	428.6	451.3	483.3	498.8	514.4	526.7	534.9	535.7
Kansas	283.5	316.4	339.1	364.5	394.6	437.6	468.3	493.5	499.5	516.0	521.3	518.0
Kentucky	284.2	300.2	343.6	381.3	407.2	437.0	457.3	482.4	509.1	531.9	542.0	548.0
Louisiana	283.3	307.2	335.6	376.5	420.5	458.2	485.5	509.7	522.1	538.0	548.0	549.6
Maine	224.2	252.4	288.7	309.5	340.6	374.3	380.6	402.0	431.6	457.1	477.9	477.9
Maryland	272.4	299.1	323.0	358.2	391.1	411.9	426.3	429.0	442.4	461.2	466.6	462.4
Massachusetts	266.2	298.2	321.8	344.0	366.4	386.9	389.5	395.9	411.0	422.5	425.7	429.7
Michigan	296.4	332.4	362.4	408.0	440.1	470.9	487.4	514.2	538.4	555.2	572.9	595.4
Minnesota	407.4	427.8	445.1	463.1	483.1	503.0	512.9	521.8	534.3	552.1	553.6	567.3
Mississippi	264.4	301.0	335.0	373.3	403.4	433.1	461.9	477.7	496.8	514.9	532.5	537.1
Missouri	292.0	323.1	357.8	388.5	422.9	460.4	482.8	504.4	517.2	530.1	533.9	532.8
Montana	353.8	375.2	429.5	461.7	489.7	503.7	529.2	561.2	604.3	626.5	634.7	628.9
Nebraska	359.1	380.9	429.2	459.6	487.9	518.1	553.0	577.3	596.2	602.8	618.8	637.0
Nevada	258.2	276.5	308.6	325.4	350.8	378.9	401.4	410.8	436.8	457.5	485.6	496.8
New Hampshire	223.9	243.9	270.4	281.4	307.9	325.2	339.6	360.7	369.0	382.9	394.3	402.5
New Jersey	266.2	299.9	333.4	363.3	388.5	420.1	447.9	463.2	473.2	484.1	491.2	499.1
New Mexico	617.9	652.4	712.5	780.8	838.1	888.9	930.0	1,008.3	1,037.3	1,027.9	1,030.7	1,068.0
New York	240.1	259.2	281.3	309.1	336.2	360.8	381.0	399.5	415.1	431.1	444.5	458.0
North Carolina	275.9	312.3	340.4	377.6	413.7	446.0	465.5	495.2	513.9	529.2	542.6	551.3
North Dakota	457.3	474.9	477.5	473.6	493.4	531.5	513.1	522.5	556.9	604.8	611.0	628.1
Ohio	313.1	353.0	389.5	425.8	460.0	499.2	530.9	562.7	587.3	606.9	620.1	626.7
Oklahoma	335.9	369.6	405.0	429.5	469.0	512.6	539.0	557.2	577.6	600.7	620.1	637.6
Oregon	267.7	293.8	321.4	350.0	378.3	389.6	404.1	417.1	434.6	445.4	461.9	475.9
Pennsylvania	303.9	332.7	366.2	395.3	423.8	453.1	472.9	495.3	509.8	527.6	535.6	545.6
Rhode Island	261.4	292.9	314.3	356.9	388.9	425.6	444.0	443.2	447.8	448.7	443.1	424.3
South Carolina	282.7	316.0	342.9	375.8	399.7	436.4	468.7	490.8	514.4	516.0	530.7	553.8
South Dakota	447.4	484.1	538.3	594.3	642.3	671.8	729.4	752.2	751.7	780.8	836.9	843.2
Tennessee	268.6	303.6	338.1	368.7	392.8	418.0	438.1	459.9	472.7	481.3	487.7	495.9
Texas	418.0	461.7	499.8	544.9	588.8	631.9	671.4	715.6	746.0	780.0	807.7	835.2
Utah	403.8	440.2	481.9	501.6	514.4	542.8	571.0	601.0	630.1	638.8	648.0	655.2
Vermont	239.9	278.5	327.6	366.9	400.9	434.4	462.4	472.9	464.6	449.7	441.2	433.7
Virginia	262.3	290.5	318.0	348.1	387.5	417.6	440.7	458.9	479.1	500.6	507.1	514.3
Washington	279.3	306.0	324.2	345.4	375.1	400.0	419.4	438.2	455.0	472.9	484.2	494.0
West Virginia	286.2	316.7	354.5	395.6	448.4	497.4	546.2	606.0	637.3	642.8	658.8	661.4
Wisconsin	365.7	389.9	412.3	436.5	469.0	495.9	514.4	514.1	523.4	542.0	561.4	590.5
Wyoming	246.0	283.4	340.2	378.1	413.9	427.6	444.3	473.7	460.9	458.1	473.8	473.5
All	300.4	332.9	364.0	397.2	428.4	457.2	481.2	505.9	525.8	543.9	557.6	569.2

Rates are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: non-diabetic patients*patients alive on December 31 of each year, per million population*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
Alabama	258.9	288.1	323.1	372.6	403.3	425.8	397.2	423.6	465.3	562.0	631.3	662.3	694.3
Alaska	133.5	130.8	155.5	173.8	169.3	171.5	216.5	228.9	261.1	292.7	312.4	351.4	388.2
Arizona	308.6	347.5	376.0	424.7	449.6	481.7	513.4	540.8	564.9	596.7	639.4	666.4	703.5
Arkansas	210.8	234.6	263.6	309.1	340.3	370.7	404.1	439.2	485.5	512.7	542.7	585.0	617.0
California	278.9	319.4	349.1	387.4	415.0	436.3	461.9	494.1	520.6	551.4	594.6	640.8	685.2
Colorado	248.4	274.6	294.6	317.5	331.6	357.7	380.7	414.0	443.0	478.4	506.3	530.2	555.5
Connecticut	272.7	290.8	298.3	343.9	356.4	419.0	457.5	491.9	520.1	555.7	598.7	646.0	689.9
Delaware	248.4	249.9	290.4	391.2	431.2	467.4	475.0	503.5	541.6	578.7	621.2	682.4	759.0
District of Columbia	257.0	280.0	313.2	346.7	364.7	386.8	398.3	423.6	450.6	490.0	522.8	594.0	658.2
Florida	300.6	336.0	365.7	400.0	431.8	463.9	493.9	523.3	555.7	591.7	622.8	665.5	710.5
Georgia	248.1	280.0	303.8	350.4	385.5	410.2	432.2	459.7	510.3	552.0	587.8	639.3	684.3
Hawaii	326.5	352.3	384.3	430.4	469.2	514.8	538.1	547.8	570.2	599.2	611.3	624.3	644.4
Idaho	219.4	231.3	256.6	276.6	301.6	362.7	389.4	405.6	423.9	464.2	513.9	561.3	579.7
Illinois	262.1	291.6	322.4	363.8	395.2	427.2	463.5	496.3	525.1	551.8	588.1	638.8	681.6
Indiana	246.6	278.1	312.0	367.3	395.4	425.1	450.4	487.7	525.4	568.0	610.0	647.0	687.9
Iowa	259.1	281.3	303.6	362.2	400.2	434.0	485.6	523.0	559.5	603.8	658.1	704.4	751.5
Kansas	250.5	269.0	295.6	342.6	365.4	392.3	429.5	458.8	491.4	541.3	595.6	633.9	674.7
Kentucky	219.4	253.7	290.8	317.6	340.2	374.9	412.0	448.8	484.0	524.4	571.5	627.2	680.8
Louisiana	224.8	247.8	277.6	314.2	340.0	370.6	410.6	457.4	520.1	563.9	599.4	635.0	667.6
Maine	166.9	236.2	279.2	321.8	367.8	397.1	399.8	426.8	486.1	515.1	544.7	572.5	604.0
Maryland	227.2	252.2	278.4	314.8	344.7	366.1	381.0	411.0	444.2	475.6	512.3	561.3	604.5
Massachusetts	292.2	280.2	290.7	393.4	435.0	457.8	481.9	521.0	563.1	598.7	627.7	665.1	705.2
Michigan	272.4	299.9	333.9	368.3	402.3	428.7	447.8	477.0	506.4	550.0	579.9	612.3	658.1
Minnesota	259.9	291.0	332.4	367.8	404.5	441.4	476.5	517.8	553.0	585.5	629.3	677.7	729.2
Mississippi	216.2	237.4	260.4	307.2	341.7	379.9	411.3	446.2	487.8	528.1	561.8	588.4	618.5
Missouri	232.9	251.8	246.5	319.1	366.9	396.4	437.6	488.6	540.0	592.1	639.6	679.8	718.7
Montana	213.7	243.9	266.5	296.0	329.9	354.3	392.0	414.9	416.0	455.2	492.1	538.3	557.0
Nebraska	229.8	262.2	283.3	315.4	347.7	386.8	420.3	461.3	498.5	545.7	575.6	613.6	672.1
Nevada	306.4	337.1	359.9	424.2	457.4	488.0	545.9	581.6	589.1	587.0	569.0	578.2	607.0
New Hampshire	241.8	281.6	325.0	362.0	386.6	414.0	436.1	461.8	489.1	545.1	566.1	592.7	615.1
New Jersey	330.0	361.0	389.0	429.5	455.5	482.3	506.2	525.9	544.1	581.7	613.0	652.7	698.7
New Mexico	329.1	350.7	363.4	397.2	419.4	460.4	495.6	528.2	564.4	595.0	652.1	680.2	707.9
New York	262.8	290.2	310.7	351.7	387.8	420.2	450.4	477.8	504.2	534.5	568.8	608.8	646.0
North Carolina	223.4	249.6	285.5	332.3	360.9	399.3	434.8	462.8	497.1	530.4	562.4	602.8	647.4
North Dakota	228.2	269.1	303.5	324.4	346.7	382.8	437.4	465.3	494.5	516.5	556.2	608.1	650.1
Ohio	206.0	229.7	262.1	301.5	334.0	366.2	397.3	430.1	471.2	515.8	565.9	614.7	656.0
Oklahoma	230.5	256.1	267.1	291.9	316.0	340.5	364.0	394.7	425.1	473.4	514.9	538.6	571.4
Oregon	231.3	254.0	276.3	313.3	360.3	404.5	448.3	467.5	501.2	536.7	567.0	628.6	656.2
Pennsylvania	262.0	291.0	321.3	362.7	394.1	435.6	468.7	499.6	539.5	584.3	630.9	677.3	718.5
Rhode Island	355.5	372.8	387.9	437.9	491.7	516.7	524.3	537.1	562.2	618.0	640.4	688.9	720.7
South Carolina	216.7	249.5	285.4	339.5	369.1	334.4	413.6	458.7	507.3	544.0	580.4	613.1	652.8
South Dakota	302.5	325.8	362.3	403.8	441.9	466.6	493.3	524.8	549.8	587.3	608.1	621.6	610.6
Tennessee	256.2	283.1	313.5	367.4	395.6	421.1	452.3	493.5	527.1	595.1	642.2	680.5	717.7
Texas	274.8	300.6	330.8	379.9	403.5	426.3	462.5	503.0	542.9	577.5	616.5	663.3	712.8
Utah	261.3	297.0	314.3	338.5	370.6	396.0	429.6	457.1	498.4	530.9	530.6	555.0	581.0
Vermont	260.7	283.9	301.2	347.0	356.1	373.4	370.7	387.1	445.9	468.7	479.0	523.3	547.3
Virginia	272.0	297.6	324.1	370.9	402.4	427.2	445.6	469.6	505.3	532.0	559.6	601.7	647.7
Washington	250.5	247.1	303.3	358.2	396.7	420.7	462.3	490.4	512.9	547.5	574.0	605.2	622.9
West Virginia	196.6	221.8	259.3	300.4	350.5	395.3	428.0	462.0	512.8	562.0	592.0	636.8	669.6
Wisconsin	263.0	291.6	335.0	366.2	397.1	427.1	462.2	510.7	562.5	611.5	641.5	684.3	732.4
Wyoming	180.6	198.5	213.6	238.9	257.0	286.6	319.8	358.2	416.4	449.0	468.4	493.2	517.0
All	260.4	288.9	318.1	361.9	393.0	421.5	451.4	484.1	519.5	558.8	596.7	639.0	680.4

Rates are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

b prevalence of reported esrd

Table B.9 (continued)

Point prevalent rates of reported ESRD, by diabetic status & state, adjusted: non-diabetic patients patients alive on December 31 of each year, per million population

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Alabama	723.5	758.1	783.9	827.6	860.4	881.4	897.1	912.8	926.1	940.9	954.4	951.7
Alaska	400.0	568.8	769.7	744.7	704.5	689.4	666.7	698.0	720.3	713.2	725.3	751.3
Arizona	734.4	748.9	762.4	781.3	788.3	816.6	842.9	865.3	878.6	884.4	892.6	898.1
Arkansas	659.1	715.6	756.8	779.1	809.8	830.9	846.1	850.0	858.2	866.1	857.1	866.9
California	728.6	781.0	812.6	841.9	860.5	891.7	920.6	947.8	976.0	1,010.1	1,037.5	1,070.1
Colorado	573.8	611.0	622.0	637.7	653.6	682.3	695.3	702.0	711.9	726.7	741.8	776.0
Connecticut	727.4	767.2	791.5	823.0	835.1	855.6	878.0	891.0	896.1	897.1	895.0	896.6
Delaware	790.1	809.2	841.8	880.8	888.5	898.7	924.1	926.2	940.0	964.9	982.3	1,011.8
District of Columbia	726.8	778.6	824.3	854.9	888.9	922.8	971.8	1,024.1	1,058.5	1,081.4	1,123.3	1,178.9
Florida	744.2	770.3	779.4	799.1	809.1	822.1	838.5	851.8	860.6	873.6	875.5	878.1
Georgia	715.9	755.7	779.2	795.7	807.3	823.8	839.7	856.9	875.0	888.6	887.6	888.2
Hawaii	649.0	685.7	699.5	714.9	747.3	777.4	797.0	818.8	823.2	846.5	888.6	950.0
Idaho	609.6	649.2	693.3	726.2	748.6	759.1	805.2	814.4	841.6	849.5	864.5	860.5
Illinois	727.8	773.8	809.6	852.2	884.9	921.2	952.8	979.9	1,011.7	1,042.1	1,066.5	1,091.6
Indiana	733.0	772.6	790.1	824.1	866.0	909.1	939.7	970.5	1,000.3	1,016.8	1,032.1	1,048.5
Iowa	788.3	819.2	820.3	850.9	876.0	915.0	969.2	995.8	1,026.8	1,064.1	1,091.3	1,099.8
Kansas	696.1	722.8	745.3	773.4	815.6	829.9	853.5	871.7	872.0	895.2	914.7	927.5
Kentucky	718.8	753.1	777.7	800.9	831.0	868.3	890.8	905.7	930.8	936.9	960.2	979.6
Louisiana	699.4	735.1	768.3	784.9	816.4	840.9	874.4	898.3	913.1	941.5	957.9	959.4
Maine	652.1	695.7	746.6	779.1	802.1	831.3	851.8	866.2	879.6	888.3	896.7	922.2
Maryland	644.1	688.6	724.6	755.3	783.4	814.7	842.7	872.6	890.0	907.8	927.3	948.1
Massachusetts	751.1	784.5	805.4	825.7	850.1	877.8	887.8	902.5	900.1	910.8	928.3	948.7
Michigan	704.3	741.7	770.6	809.8	837.6	869.3	893.5	913.7	937.2	963.5	989.7	1,025.4
Minnesota	768.4	816.3	850.5	896.0	936.1	965.4	986.3	999.5	1,030.8	1,056.7	1,075.2	1,100.3
Mississippi	660.6	709.3	731.3	761.7	797.7	829.9	858.3	878.4	899.7	920.9	933.6	951.0
Missouri	759.7	797.7	825.6	858.5	877.8	913.7	956.6	978.3	998.8	1,014.6	1,029.8	1,037.0
Montana	604.2	637.6	681.7	710.0	737.9	761.7	800.3	790.4	800.9	812.4	816.6	823.1
Nebraska	702.0	751.1	767.8	780.6	816.8	858.5	897.4	934.5	966.0	1,004.2	1,015.8	1,016.3
Nevada	641.2	676.1	678.8	698.8	690.6	691.6	716.4	724.6	733.9	740.3	744.4	758.3
New Hampshire	640.0	672.3	700.8	708.1	715.6	732.1	763.1	805.0	819.4	840.8	863.4	869.9
New Jersey	731.9	766.0	785.7	803.2	826.4	852.7	888.6	907.0	926.5	944.6	968.6	988.5
New Mexico	718.3	739.1	768.3	781.2	796.7	817.7	837.5	849.0	865.2	876.4	886.3	897.0
New York	682.9	714.2	736.7	759.0	786.9	822.6	854.0	877.6	889.9	907.5	923.2	944.5
North Carolina	691.6	727.6	748.4	769.7	796.1	823.2	838.3	860.1	883.8	902.4	911.5	918.3
North Dakota	705.8	763.1	762.9	788.0	819.3	840.7	900.1	925.9	991.7	1,041.3	1,056.2	1,075.2
Ohio	690.9	730.3	761.2	797.6	822.8	853.8	890.4	924.2	945.1	970.2	998.4	1,016.8
Oklahoma	607.5	648.7	677.5	706.3	735.6	764.4	784.9	811.3	826.1	843.9	866.3	897.8
Oregon	695.0	741.3	775.2	784.1	783.9	821.3	842.9	856.3	881.9	911.6	936.3	956.9
Pennsylvania	752.3	796.6	831.1	873.4	911.9	944.1	975.7	1,003.1	1,017.1	1,035.0	1,041.8	1,055.5
Rhode Island	770.7	846.4	871.2	892.7	891.7	903.5	918.7	952.8	967.5	983.9	1,000.8	1,024.9
South Carolina	686.9	730.4	766.4	792.6	820.6	833.7	851.2	859.3	871.2	880.6	895.4	908.2
South Dakota	645.9	697.8	749.9	815.7	876.6	940.6	953.8	1,001.4	1,016.3	1,025.9	1,044.3	1,065.0
Tennessee	739.0	781.6	806.3	828.6	849.0	879.9	914.6	932.4	937.6	942.8	944.0	950.8
Texas	750.3	789.4	809.8	835.1	853.5	881.9	916.2	937.6	957.9	971.5	987.5	1,000.5
Utah	618.5	645.0	665.7	679.2	682.6	729.7	766.1	795.5	818.3	841.9	853.0	856.9
Vermont	578.4	596.7	633.5	677.8	718.0	744.4	758.0	787.5	812.0	823.1	860.6	854.1
Virginia	687.4	718.1	743.3	777.8	813.0	844.9	870.1	879.7	888.3	902.1	914.9	925.0
Washington	650.8	693.7	735.5	754.5	755.4	779.9	807.5	829.0	848.2	880.4	900.7	909.8
West Virginia	718.9	761.1	797.6	833.8	878.8	928.2	953.6	969.7	999.7	1,018.8	1,031.7	1,047.2
Wisconsin	774.3	824.3	858.6	900.8	935.9	980.3	1,013.8	1,037.4	1,063.8	1,095.1	1,134.7	1,161.2
Wyoming	511.1	519.5	520.3	549.8	564.8	600.8	635.5	665.3	676.4	687.0	686.7	702.4
All	718.3	757.8	783.8	811.7	836.2	864.8	891.9	913.7	932.3	952.4	969.2	986.4

Rates are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table B.10

Point prevalent counts of reported ESRD patients, by diabetic status & ESRD network

patients alive on December 31 of each year

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	199
1 CT, MA, ME, NH, RI, VT	3,114	3,228	3,520	4,443	4,885	5,422	5,837	6,389	7,013	7,728	8,444	9,341	10,19
2 NY	4,876	5,587	6,153	7,226	8,306	9,221	10,109	10,884	11,746	12,648	13,790	15,027	16,33
3 NJ, PR, VI	3,067	3,467	3,917	4,439	4,906	5,368	5,766	6,139	6,539	7,159	7,817	8,583	9,36
4 DE, PA	3,387	3,783	4,299	4,985	5,590	6,334	6,963	7,686	8,502	9,384	10,493	11,652	12,76
5 MD, DC, VA, WV	3,515	4,019	4,589	5,362	6,076	6,635	7,123	7,886	8,807	9,680	10,663	12,097	13,59
6 NC, SC, GA	3,911	4,663	5,427	6,476	7,353	7,931	9,256	10,353	11,769	13,128	14,655	16,429	18,34
7 FL	3,537	4,155	4,696	5,283	5,963	6,598	7,399	8,177	8,925	9,840	10,833	12,118	13,37
8 AL, MS, TN	3,119	3,531	4,079	4,945	5,493	6,091	6,380	7,163	7,952	9,573	10,676	11,640	12,71
9 IN, KY, OH	4,186	4,857	5,665	6,571	7,303	8,138	9,033	10,014	11,121	12,262	13,849	15,440	17,07
10 IL	2,880	3,269	3,689	4,173	4,586	5,069	5,618	6,086	6,520	7,005	7,709	8,667	9,37
11 MI, MN, ND, SD, WI	5,096	5,839	6,695	7,437	8,379	9,232	10,063	11,116	12,197	13,556	14,816	16,310	17,95
12 IA, KS, MO, NE	2,665	2,995	3,223	4,024	4,531	5,013	5,554	6,153	6,732	7,511	8,364	9,167	10,07
13 AR, LA, OK	2,102	2,422	2,786	3,226	3,678	4,084	4,570	5,161	5,935	6,584	7,296	8,068	8,88
14 TX	3,906	4,504	5,319	6,237	6,880	7,636	8,512	9,508	10,625	11,954	13,382	14,941	16,68
15 AZ, CO, NV, NM, UT, WY	2,402	2,795	3,182	3,664	4,124	4,619	5,199	5,828	6,431	7,137	7,762	8,605	9,57
16 AK, ID, MT, OR, WA	1,591	1,674	2,129	2,531	2,900	3,254	3,680	4,036	4,421	4,983	5,496	6,140	6,61
17 N. CA, HI, Guam, AS	2,968	3,296	3,737	4,270	4,804	5,299	5,906	6,604	7,409	8,310	9,270	10,269	11,12
18 S. CA	3,689	4,773	5,320	6,104	6,730	7,460	8,295	9,150	9,994	11,233	12,633	14,229	15,85
Unknown	21	22	25	27	28	32	38	45	58	65	67	59	5
All	60,032	68,879	78,450	91,423	102,515	113,436	125,301	138,378	152,696	169,740	188,015	208,782	229,95
DIABETIC													
1 CT, MA, ME, NH, RI, VT	321	406	494	629	737	886	1,014	1,147	1,314	1,574	1,841	2,172	2,50
2 NY	373	572	767	992	1,305	1,558	1,864	2,143	2,467	2,768	3,193	3,607	4,07
3 NJ, PR, VI	316	411	572	728	869	1,033	1,177	1,308	1,496	1,743	2,072	2,440	2,76
4 DE, PA	359	439	558	708	929	1,119	1,367	1,629	1,893	2,180	2,607	3,054	3,53
5 MD, DC, VA, WV	283	389	535	735	953	1,118	1,297	1,525	1,786	2,115	2,520	3,047	3,66
6 NC, SC, GA	347	489	681	862	1,144	1,398	1,717	2,099	2,479	3,000	3,554	4,210	4,91
7 FL	270	424	578	723	894	1,045	1,350	1,582	1,788	2,060	2,438	2,843	3,30
8 AL, MS, TN	166	240	369	526	690	846	979	1,202	1,450	1,953	2,303	2,687	3,09
9 IN, KY, OH	481	654	849	1,066	1,324	1,563	1,841	2,197	2,552	2,968	3,600	4,228	4,89
10 IL	299	382	510	622	726	911	1,075	1,232	1,369	1,579	1,820	2,149	2,36
11 MI, MN, ND, SD, WI	788	1,010	1,228	1,443	1,762	2,038	2,349	2,683	3,101	3,633	4,194	4,877	5,50
12 IA, KS, MO, NE	214	341	504	662	811	967	1,094	1,275	1,471	1,725	2,034	2,364	2,71
13 AR, LA, OK	140	215	311	411	562	677	831	1,050	1,319	1,573	1,856	2,217	2,58
14 TX	394	562	819	1,006	1,296	1,587	1,904	2,278	2,767	3,458	4,123	4,775	5,48
15 AZ, CO, NV, NM, UT, WY	369	494	619	806	981	1,172	1,438	1,739	2,003	2,338	2,645	3,058	3,53
16 AK, ID, MT, OR, WA	141	178	276	365	474	605	732	854	1,012	1,235	1,439	1,666	1,88
17 N. CA, HI, Guam, AS	204	338	470	591	702	934	1,140	1,407	1,716	2,156	2,532	2,911	3,23
18 S. CA	295	509	725	992	1,220	1,516	1,820	2,026	2,308	2,811	3,337	4,048	4,71
Unknown	*	*	*	*	*	*	.	.	.
All	5,760	8,053	10,865	13,867	17,380	20,974	24,990	29,377	34,292	40,870	48,108	56,353	64,77
NON-DIABETIC													
1 CT, MA, ME, NH, RI, VT	2,793	2,822	3,026	3,814	4,148	4,536	4,823	5,242	5,699	6,154	6,603	7,169	7,68
2 NY	4,503	5,015	5,386	6,234	7,001	7,663	8,245	8,741	9,279	9,880	10,597	11,420	12,25
3 NJ, PR, VI	2,751	3,056	3,345	3,711	4,037	4,335	4,589	4,831	5,043	5,416	5,745	6,143	6,60
4 DE, PA	3,028	3,344	3,741	4,277	4,661	5,215	5,596	6,057	6,609	7,204	7,886	8,598	9,23
5 MD, DC, VA, WV	3,232	3,630	4,054	4,627	5,123	5,517	5,826	6,361	7,021	7,565	8,143	9,050	9,92
6 NC, SC, GA	3,564	4,174	4,746	5,614	6,209	6,533	7,539	8,254	9,290	10,128	11,101	12,219	13,43
7 FL	3,267	3,731	4,118	4,560	5,069	5,553	6,049	6,595	7,137	7,780	8,395	9,275	10,06
8 AL, MS, TN	2,953	3,291	3,710	4,419	4,803	5,245	5,401	5,961	6,502	7,620	8,373	8,953	9,62
9 IN, KY, OH	3,705	4,203	4,816	5,505	5,979	6,575	7,192	7,817	8,569	9,294	10,249	11,212	12,17
10 IL	2,581	2,887	3,179	3,551	3,860	4,158	4,543	4,854	5,151	5,426	5,889	6,518	7,01
11 MI, MN, ND, SD, WI	4,308	4,829	5,467	5,994	6,617	7,194	7,714	8,433	9,096	9,923	10,622	11,433	12,45
12 IA, KS, MO, NE	2,451	2,654	2,719	3,362	3,720	4,046	4,460	4,878	5,261	5,786	6,330	6,803	7,35
13 AR, LA, OK	1,962	2,207	2,475	2,815	3,116	3,407	3,739	4,111	4,616	5,011	5,440	5,851	6,30
14 TX	3,512	3,942	4,500	5,231	5,584	6,049	6,608	7,230	7,858	8,496	9,259	10,166	11,19
15 AZ, CO, NV, NM, UT, WY	2,033	2,301	2,563	2,858	3,143	3,447	3,761	4,089	4,428	4,799	5,117	5,547	6,03
16 AK, ID, MT, OR, WA	1,450	1,496	1,853	2,166	2,426	2,649	2,948	3,182	3,409	3,748	4,057	4,474	4,72
17 N. CA, HI, Guam, AS	2,764	2,958	3,267	3,679	4,102	4,365	4,766	5,197	5,693	6,154	6,738	7,358	7,88
18 S. CA	3,394	4,264	4,595	5,112	5,510	5,944	6,475	7,124	7,686	8,422	9,296	10,181	11,13
Unknown	21	22	25	27	27	31	37	44	57	64	67	59	5
All	54,272	60,826	67,585	77,556	85,135	92,462	100,311	109,001	118,404	128,870	139,907	152,429	165,17

The point prevalent cohorts are determined on December 31 of each calendar year

without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

“ . ” Zero values in this cell.

on our website & CD
 Point prevalent counts of reported ESRD patients: U.S. only, with unknowns
 dropped (B.10.1).



b prevalence of reported esrd

Table B.10 (continued)

Point prevalent counts of reported ESRD patients, by diabetic status & ESRD network

patients alive on December 31 of each year

ALL	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
1 CT, MA, ME, NH, RI, VT	11,045	11,950	12,687	13,456	14,258	15,048	15,608	16,340	16,742	17,301	17,817	18,305
2 NY	17,693	18,878	20,047	21,196	22,645	24,150	25,485	26,808	27,747	28,887	29,868	31,057
3 NJ, PR, VI	10,030	10,850	11,503	12,252	13,003	13,860	14,756	15,272	15,871	16,482	17,113	17,808
4 DE, PA	13,536	14,623	15,617	16,726	17,785	18,753	19,648	20,524	21,156	22,028	22,481	23,155
5 MD, DC, VA, WV	15,050	16,354	17,639	19,067	20,601	22,019	23,382	24,507	25,634	26,851	27,891	28,893
6 NC, SC, GA	20,121	22,206	23,923	25,803	27,695	29,588	31,303	33,032	34,793	36,317	37,832	39,235
7 FL	14,518	15,713	16,674	18,087	19,152	20,121	21,210	22,360	23,456	24,551	25,414	26,533
8 AL, MS, TN	13,749	15,055	16,182	17,518	18,818	19,983	21,114	22,182	23,006	23,828	24,662	25,337
9 IN, KY, OH	18,415	19,960	21,416	22,973	24,460	26,176	27,613	29,197	30,490	31,729	33,109	34,147
10 IL	10,273	11,254	12,209	13,327	14,145	15,112	16,054	16,899	17,662	18,570	19,267	20,033
11 MI, MN, ND, SD, WI	19,580	21,269	22,727	24,564	25,963	27,528	28,770	30,207	31,661	33,151	34,629	36,342
12 IA, KS, MO, NE	10,841	11,631	12,322	13,105	13,984	14,899	15,849	16,635	17,255	17,879	18,438	18,804
13 AR, LA, OK	9,689	10,636	11,580	12,337	13,390	14,288	15,024	15,592	16,060	16,712	17,248	17,646
14 TX	18,192	19,906	21,419	23,268	24,954	26,815	28,774	30,700	32,434	34,204	36,177	38,153
15 AZ, CO, NV, NM, UT, WY	10,559	11,387	12,295	13,265	14,263	15,411	16,477	17,547	18,490	19,336	20,355	21,553
16 AK, ID, MT, OR, WA	7,182	7,870	8,412	8,971	9,535	10,104	10,772	11,368	12,100	12,815	13,472	14,073
17 N. CA, HI, Guam, AS	12,121	13,247	14,120	15,033	16,086	17,162	18,342	19,615	20,807	21,973	23,080	24,259
18 S. CA	17,422	19,588	21,042	22,533	23,840	25,458	27,108	28,920	30,756	32,888	34,656	36,611
Unknown	47	44	41	44	43	39	44	50	58	58	97	155
All	250,063	272,421	291,855	313,525	334,620	356,514	377,333	397,755	416,178	435,560	453,606	472,099
DIABETIC												
1 CT, MA, ME, NH, RI, VT	2,793	3,153	3,496	3,835	4,237	4,533	4,716	5,008	5,225	5,454	5,639	5,745
2 NY	4,610	5,019	5,581	6,249	6,900	7,489	7,992	8,557	9,029	9,528	9,935	10,384
3 NJ, PR, VI	3,027	3,418	3,762	4,183	4,573	5,039	5,470	5,725	5,988	6,269	6,586	6,836
4 DE, PA	3,802	4,238	4,697	5,095	5,570	6,010	6,366	6,752	7,019	7,413	7,592	7,847
5 MD, DC, VA, WV	4,219	4,685	5,236	5,899	6,606	7,151	7,706	8,130	8,644	9,187	9,541	9,797
6 NC, SC, GA	5,574	6,405	7,195	8,219	9,090	10,059	10,841	11,654	12,407	13,080	13,772	14,397
7 FL	3,744	4,246	4,667	5,290	5,799	6,209	6,673	7,181	7,773	8,204	8,600	9,023
8 AL, MS, TN	3,525	4,067	4,612	5,222	5,809	6,349	6,853	7,375	7,799	8,138	8,511	8,774
9 IN, KY, OH	5,431	6,115	6,963	7,684	8,378	9,228	9,856	10,583	11,193	11,759	12,294	12,600
10 IL	2,644	3,005	3,467	3,981	4,331	4,751	5,232	5,564	5,824	6,203	6,445	6,630
11 MI, MN, ND, SD, WI	6,154	6,846	7,458	8,259	8,920	9,559	9,996	10,609	11,166	11,732	12,270	12,961
12 IA, KS, MO, NE	3,066	3,420	3,783	4,142	4,546	5,005	5,371	5,728	5,955	6,180	6,363	6,470
13 AR, LA, OK	2,882	3,237	3,669	4,106	4,640	5,082	5,402	5,681	5,923	6,200	6,473	6,614
14 TX	6,195	6,996	7,831	8,839	9,831	10,808	11,734	12,867	13,733	14,805	15,860	16,984
15 AZ, CO, NV, NM, UT, WY	4,032	4,415	4,924	5,409	5,976	6,504	7,010	7,629	8,103	8,484	9,019	9,541
16 AK, ID, MT, OR, WA	2,108	2,375	2,610	2,882	3,227	3,434	3,712	3,939	4,248	4,492	4,708	4,970
17 N. CA, HI, Guam, AS	3,665	4,165	4,579	5,018	5,589	6,078	6,638	7,247	7,811	8,324	8,842	9,343
18 S. CA	5,302	6,265	6,905	7,587	8,276	8,970	9,719	10,667	11,532	12,440	13,205	14,022
Unknown	.	*	*	*
All	72,773	82,071	91,436	101,900	112,298	122,256	131,287	140,896	149,372	157,892	165,655	172,938
NON-DIABETIC												
1 CT, MA, ME, NH, RI, VT	8,252	8,797	9,191	9,621	10,021	10,515	10,892	11,332	11,517	11,847	12,178	12,560
2 NY	13,083	13,859	14,466	14,947	15,745	16,661	17,493	18,251	18,718	19,359	19,933	20,673
3 NJ, PR, VI	7,003	7,432	7,741	8,069	8,430	8,821	9,286	9,547	9,883	10,213	10,527	10,972
4 DE, PA	9,734	10,385	10,920	11,631	12,215	12,743	13,282	13,772	14,137	14,615	14,889	15,308
5 MD, DC, VA, WV	10,831	11,669	12,403	13,168	13,995	14,868	15,676	16,377	16,990	17,664	18,350	19,096
6 NC, SC, GA	14,547	15,801	16,728	17,584	18,605	19,529	20,462	21,378	22,386	23,237	24,060	24,838
7 FL	10,774	11,467	12,007	12,797	13,353	13,912	14,537	15,179	15,683	16,347	16,814	17,510
8 AL, MS, TN	10,224	10,988	11,570	12,296	13,009	13,634	14,261	14,807	15,207	15,690	16,151	16,563
9 IN, KY, OH	12,984	13,845	14,453	15,289	16,082	16,948	17,757	18,614	19,297	19,970	20,815	21,547
10 IL	7,629	8,249	8,742	9,346	9,814	10,361	10,822	11,335	11,838	12,367	12,822	13,403
11 MI, MN, ND, SD, WI	13,426	14,423	15,269	16,305	17,043	17,969	18,774	19,598	20,495	21,419	22,359	23,381
12 IA, KS, MO, NE	7,775	8,211	8,539	8,963	9,438	9,894	10,478	10,907	11,300	11,699	12,075	12,334
13 AR, LA, OK	6,807	7,399	7,911	8,231	8,750	9,206	9,622	9,911	10,137	10,512	10,775	11,032
14 TX	11,997	12,910	13,588	14,429	15,123	16,007	17,040	17,833	18,701	19,399	20,317	21,169
15 AZ, CO, NV, NM, UT, WY	6,527	6,972	7,371	7,856	8,287	8,907	9,467	9,918	10,387	10,852	11,336	12,012
16 AK, ID, MT, OR, WA	5,074	5,495	5,802	6,089	6,308	6,670	7,060	7,429	7,852	8,323	8,764	9,103
17 N. CA, HI, Guam, AS	8,456	9,082	9,541	10,015	10,497	11,086	11,704	12,368	12,996	13,649	14,238	14,916
18 S. CA	12,120	13,323	14,137	14,946	15,564	16,488	17,389	18,253	19,224	20,448	21,451	22,589
Unknown	47	43	40	43	43	39	44	50	58	58	97	155
All	177,290	190,350	200,419	211,625	222,322	234,258	246,046	256,859	266,806	277,668	287,951	299,161

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

*Values for cells with ten or fewer patients are suppressed.

.. Zero values in this cell.

Table B.11

Point prevalent rates of reported ESRD, by diabetic status & ESRD network, adjusted*patients alive on December 31 of each year, per million population*

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
1 CT, MA, ME, NH, RI, VT	283.6	290.4	313.9	395.2	429.7	473.7	503.4	544.4	589.5	644.5	698.8	768.5	832.0
2 NY	312.0	354.2	386.6	450.1	512.6	564.3	613.3	656.7	704.1	756.1	819.6	886.8	954.1
3 NJ	374.3	414.3	456.4	513.3	543.0	585.2	614.6	638.1	664.3	721.6	776.9	848.4	912.4
4 DE, PA	298.2	331.3	376.0	436.7	489.7	552.8	602.2	661.6	725.4	799.2	883.6	970.9	1,056.1
5 MD, DC, VA, WV	340.0	383.0	432.8	498.4	553.6	594.6	629.8	681.3	747.3	809.6	880.6	981.2	1,084.0
6 NC, SC, GA	313.8	367.8	419.7	491.4	547.9	580.2	662.3	726.9	812.6	891.7	968.5	1,060.8	1,152.5
7 FL	374.0	428.5	471.4	519.1	572.6	619.7	677.0	729.6	778.5	835.4	897.6	972.0	1,045.3
8 AL, MS, TN	331.0	371.8	425.4	511.5	563.0	616.8	638.4	707.6	781.7	938.5	1,023.4	1,095.9	1,174.6
9 IN, KY, OH	234.3	271.5	315.4	365.7	405.6	449.8	494.4	543.1	597.7	655.4	731.7	806.0	880.4
10 IL	276.3	312.6	352.1	394.6	434.3	478.3	526.6	568.0	604.7	642.6	699.8	776.4	827.3
11 MI, MN, ND, SD, WI	303.9	346.2	394.8	436.7	489.3	533.6	575.3	628.5	684.4	754.1	812.5	879.2	953.3
12 IA, KS, MO, NE	251.5	281.0	304.4	378.0	423.5	468.3	514.3	566.5	617.2	683.6	752.0	811.8	879.4
13 AR, LA, OK	254.4	291.0	331.6	379.8	429.3	475.9	531.2	600.4	691.0	763.7	836.1	908.5	981.8
14 TX	291.2	324.5	368.7	421.8	459.9	499.9	553.1	613.1	678.0	749.9	825.4	902.2	978.9
15 AZ, CO, NV, NM, UT, WY	287.8	326.8	358.0	405.3	444.2	483.9	532.2	582.2	628.9	681.6	718.5	767.7	819.1
16 AK, ID, MT, OR, WA	192.6	200.8	256.0	298.8	342.1	381.1	425.7	458.8	492.2	544.3	587.0	633.9	664.1
17 N. CA, HI	266.0	296.0	348.3	400.6	447.9	490.7	540.5	594.6	656.3	718.1	781.7	849.8	907.6
18 S. CA	231.9	300.0	335.0	386.5	421.4	461.0	500.8	537.9	572.8	629.3	701.6	779.1	860.1
All	285.2	325.0	367.1	424.2	470.6	514.7	561.3	611.9	667.0	732.4	798.6	871.9	943.5
DIABETIC													
1 CT, MA, ME, NH, RI, VT	29.6	37.0	43.9	55.6	64.8	77.5	87.5	97.7	110.5	132.0	153.4	180.6	207.3
2 NY	23.6	36.0	48.0	61.6	82.1	97.7	115.1	131.4	149.9	167.6	192.1	215.6	241.3
3 NJ	39.3	49.1	66.3	82.9	89.6	106.4	114.9	123.4	138.2	158.3	188.6	220.1	239.3
4 DE, PA	31.4	38.1	48.9	60.9	79.9	95.5	116.4	138.3	160.2	184.2	217.1	251.7	290.3
5 MD, DC, VA, WV	26.6	36.9	50.4	68.4	87.2	100.9	115.7	133.6	153.6	179.5	212.1	251.9	298.3
6 NC, SC, GA	27.0	37.8	51.8	64.5	84.9	103.0	122.9	148.1	172.2	205.6	237.3	276.0	313.6
7 FL	30.8	45.6	60.4	73.5	88.4	100.7	127.1	145.6	161.2	180.7	208.7	233.9	263.7
8 AL, MS, TN	16.8	24.1	37.7	53.8	69.9	84.7	98.0	118.5	144.0	193.7	224.1	257.9	289.9
9 IN, KY, OH	27.7	37.7	48.2	60.6	74.5	87.5	101.8	119.6	137.2	158.1	190.2	221.4	253.4
10 IL	29.9	38.0	50.2	60.6	69.7	87.4	102.0	117.0	128.3	145.9	166.9	195.0	210.3
11 MI, MN, ND, SD, WI	48.3	62.1	74.0	86.4	103.9	119.6	136.2	153.8	176.9	205.2	234.3	266.6	296.0
12 IA, KS, MO, NE	20.8	33.0	49.2	63.5	77.4	91.5	102.0	119.1	136.1	159.0	184.9	211.6	239.0
13 AR, LA, OK	16.9	26.8	39.4	51.8	69.6	83.5	100.4	127.5	159.5	187.2	217.1	254.9	292.0
14 TX	29.5	41.2	57.4	68.6	88.0	104.8	124.5	148.1	177.6	218.7	258.0	293.0	326.8
15 AZ, CO, NV, NM, UT, WY	47.3	63.1	75.1	95.8	113.7	131.2	157.0	184.4	208.0	236.0	256.9	286.6	316.9
16 AK, ID, MT, OR, WA	18.7	23.0	35.8	45.0	57.9	73.2	87.3	98.7	114.0	135.7	155.3	171.8	189.7
17 N. CA, HI	16.0	28.5	44.9	57.2	68.0	90.0	107.3	130.6	154.5	187.6	215.4	241.8	265.0
18 S. CA	18.0	31.7	46.0	64.0	77.7	96.0	112.4	120.5	133.7	159.6	188.0	224.9	260.3
All	27.5	38.4	51.5	65.1	80.6	96.3	113.1	131.2	151.1	177.7	206.2	237.5	268.0
NON-DIABETIC													
1 CT, MA, ME, NH, RI, VT	254.0	253.4	270.0	339.6	364.9	396.2	415.9	446.7	479.0	512.5	545.4	587.9	624.8
2 NY	288.4	318.2	338.6	388.5	430.5	466.6	498.2	525.3	554.2	588.5	627.5	671.2	712.8
3 NJ	335.0	365.2	390.2	430.4	453.5	478.9	499.7	514.7	526.1	563.4	588.3	628.3	673.1
4 DE, PA	266.8	293.2	327.1	375.8	409.8	457.3	485.9	523.3	565.3	615.0	666.5	719.2	765.8
5 MD, DC, VA, WV	313.4	346.2	382.3	430.0	466.4	493.7	514.1	547.7	593.6	630.2	668.5	729.3	785.6
6 NC, SC, GA	286.8	330.1	367.9	426.9	463.0	477.2	539.4	578.8	640.4	686.1	731.2	784.8	839.0
7 FL	343.2	382.9	411.0	445.7	484.2	519.0	549.8	584.1	617.3	654.7	688.9	738.0	781.6
8 AL, MS, TN	314.2	347.8	387.7	457.6	493.0	532.2	540.4	589.1	637.8	744.8	799.3	838.1	884.7
9 IN, KY, OH	206.6	233.9	267.3	305.1	331.1	362.3	392.5	423.6	460.5	497.3	541.5	584.7	627.0
10 IL	246.5	274.6	301.9	334.0	364.5	390.9	424.6	451.1	476.4	496.7	533.0	581.4	617.0
11 MI, MN, ND, SD, WI	255.6	284.1	320.8	350.3	385.4	414.0	439.1	474.6	507.5	549.0	578.2	612.6	657.3
12 IA, KS, MO, NE	230.7	248.1	255.2	314.6	346.1	376.7	412.3	447.4	481.1	524.6	567.2	600.2	640.4
13 AR, LA, OK	237.5	264.2	292.3	328.0	359.7	392.4	430.8	473.0	531.6	576.5	619.0	653.6	689.8
14 TX	261.7	283.3	311.3	353.2	371.9	395.1	428.6	465.0	500.4	531.2	567.4	609.2	652.1
15 AZ, CO, NV, NM, UT, WY	240.4	263.7	282.9	309.6	330.6	352.7	375.2	397.8	421.0	445.6	461.6	481.2	502.2
16 AK, ID, MT, OR, WA	173.9	177.9	220.1	253.8	284.2	307.9	338.3	360.1	378.2	408.5	431.7	462.1	474.3
17 N. CA, HI	250.0	267.5	303.4	343.4	379.9	400.7	433.1	464.0	501.8	530.5	566.4	608.0	642.6
18 S. CA	213.9	268.4	289.0	322.5	343.7	365.1	388.4	417.4	439.0	469.7	513.6	554.1	599.8
All	257.7	286.6	315.6	359.1	390.1	418.4	448.2	480.7	515.9	554.8	592.4	634.4	675.4

Rates are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule. U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.



b prevalence of reported esrd

Table B.11 (continued)

Point prevalent rates of reported ESRD, by diabetic status & ESRD network, adjusted

patients alive on December 31 of each year, per million population

ALL	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
1 CT, MA, ME, NH, RI, VT	891.0	953.4	997.9	1,041.4	1,085.4	1,125.3	1,147.0	1,177.8	1,188.1	1,208.1	1,225.9	1,242.7
2 NY	1,026.2	1,081.5	1,132.5	1,182.2	1,244.5	1,306.9	1,357.7	1,402.4	1,427.8	1,465.2	1,497.0	1,531.8
3 NJ	966.0	1,029.3	1,083.4	1,133.5	1,187.5	1,252.2	1,323.3	1,350.4	1,384.5	1,412.1	1,448.2	1,480.3
4 DE, PA	1,112.1	1,189.8	1,259.8	1,336.3	1,409.7	1,472.4	1,529.4	1,581.6	1,615.3	1,663.9	1,679.3	1,709.2
5 MD, DC, VA, WV	1,178.1	1,259.0	1,334.3	1,416.0	1,500.4	1,569.1	1,629.5	1,675.6	1,719.1	1,762.9	1,792.9	1,816.8
6 NC, SC, GA	1,228.1	1,316.9	1,379.3	1,444.3	1,502.2	1,558.9	1,604.6	1,652.8	1,698.2	1,726.6	1,752.1	1,769.1
7 FL	1,106.7	1,163.5	1,196.6	1,254.4	1,286.7	1,315.0	1,349.1	1,387.8	1,420.5	1,446.3	1,452.5	1,468.1
8 AL, MS, TN	1,245.6	1,339.3	1,410.8	1,494.9	1,570.4	1,637.6	1,701.3	1,756.5	1,793.1	1,825.4	1,850.7	1,861.3
9 IN, KY, OH	939.3	1,005.0	1,067.9	1,132.4	1,193.7	1,264.7	1,321.0	1,379.1	1,424.9	1,464.2	1,506.9	1,529.7
10 IL	894.4	969.6	1,042.7	1,125.7	1,179.0	1,244.7	1,308.5	1,360.8	1,406.0	1,459.7	1,493.5	1,525.5
11 MI, MN, ND, SD, WI	1,024.4	1,095.9	1,153.1	1,227.2	1,280.8	1,340.3	1,380.9	1,422.6	1,468.6	1,514.5	1,557.7	1,610.7
12 IA, KS, MO, NE	935.0	988.4	1,035.6	1,086.8	1,143.6	1,203.9	1,265.7	1,308.6	1,340.9	1,372.3	1,394.9	1,401.8
13 AR, LA, OK	1,052.1	1,137.5	1,217.0	1,275.7	1,361.0	1,427.9	1,475.3	1,508.3	1,533.5	1,571.7	1,593.1	1,600.7
14 TX	1,041.0	1,109.9	1,159.9	1,223.2	1,276.6	1,338.2	1,401.8	1,459.8	1,506.2	1,548.3	1,589.4	1,630.2
15 AZ, CO, NV, NM, UT, WY	864.2	891.1	923.3	958.1	990.8	1,035.6	1,071.1	1,102.9	1,128.2	1,144.4	1,166.6	1,195.0
16 AK, ID, MT, OR, WA	703.0	753.3	788.9	823.3	856.9	889.5	929.3	957.4	996.5	1,030.0	1,057.6	1,079.4
17 N. CA, HI	979.8	1,062.3	1,112.5	1,159.1	1,207.5	1,260.3	1,318.8	1,377.1	1,426.4	1,470.4	1,507.3	1,548.7
18 S. CA	938.4	1,045.1	1,112.8	1,170.5	1,212.2	1,264.6	1,312.9	1,368.5	1,418.2	1,480.2	1,524.3	1,575.8
All	1,009.4	1,080.8	1,137.4	1,197.9	1,253.2	1,310.2	1,360.8	1,406.7	1,444.9	1,483.0	1,513.4	1,542.1
DIABETIC												
1 CT, MA, ME, NH, RI, VT	228.8	255.6	278.5	299.3	325.3	341.8	349.2	363.5	372.8	382.5	388.7	390.1
2 NY	270.5	291.5	317.2	349.5	379.7	405.7	425.4	446.3	463.2	481.3	494.9	508.5
3 NJ	262.3	295.9	329.7	360.0	387.9	425.4	453.3	467.4	481.7	492.7	504.4	514.3
4 DE, PA	311.4	343.6	377.6	405.3	439.1	470.0	493.9	519.7	536.1	561.3	569.2	581.9
5 MD, DC, VA, WV	336.5	368.5	403.5	446.0	488.8	517.3	544.5	563.3	586.3	608.6	617.5	619.7
6 NC, SC, GA	345.2	385.8	420.8	466.4	499.3	535.7	561.8	588.1	610.1	625.1	638.9	649.0
7 FL	291.1	320.5	341.9	373.6	395.7	411.5	428.7	448.9	472.9	483.9	491.0	498.4
8 AL, MS, TN	325.0	367.2	407.4	450.7	490.0	525.8	557.8	588.6	612.1	625.9	639.5	644.8
9 IN, KY, OH	278.3	310.0	349.6	381.0	411.3	447.8	473.7	502.1	525.2	544.6	561.3	567.2
10 IL	232.2	261.6	299.0	338.8	363.2	394.5	430.3	452.4	467.6	491.5	503.0	509.9
11 MI, MN, ND, SD, WI	326.3	355.9	381.4	415.0	442.6	468.2	482.8	502.1	519.7	537.5	552.5	574.6
12 IA, KS, MO, NE	265.6	291.6	320.5	345.9	373.5	406.2	430.5	452.0	464.3	475.8	482.2	482.5
13 AR, LA, OK	319.9	353.9	393.4	434.0	480.1	516.3	538.1	555.3	570.2	585.9	598.0	598.2
14 TX	359.8	395.6	428.2	467.9	506.5	542.9	575.7	615.9	641.3	672.4	697.7	725.0
15 AZ, CO, NV, NM, UT, WY	344.6	358.5	382.0	402.4	425.4	446.8	463.8	486.0	499.6	504.7	517.6	527.6
16 AK, ID, MT, OR, WA	206.7	228.4	246.3	266.9	292.0	304.2	322.6	333.7	351.5	361.9	369.6	380.2
17 N. CA, HI	298.4	337.8	363.6	390.0	420.9	445.2	475.7	506.4	531.4	551.3	569.7	584.9
18 S. CA	290.0	339.7	371.7	400.6	427.7	452.4	476.9	510.9	536.9	563.9	583.6	605.4
All	296.4	328.7	359.5	392.3	423.3	451.9	475.6	500.0	519.7	537.7	551.5	563.1
NON-DIABETIC												
1 CT, MA, ME, NH, RI, VT	662.2	697.8	719.4	742.1	760.1	783.5	797.8	814.4	815.3	825.5	837.2	852.7
2 NY	755.7	790.0	815.3	832.6	864.9	901.2	932.3	956.0	964.6	983.9	1,002.1	1,023.3
3 NJ	703.7	733.4	753.7	773.5	799.6	826.8	870.0	883.0	902.8	919.4	943.9	965.9
4 DE, PA	800.8	846.2	882.1	931.0	970.6	1,002.4	1,035.4	1,061.9	1,079.2	1,102.6	1,110.1	1,127.3
5 MD, DC, VA, WV	841.6	890.5	930.8	970.0	1,011.5	1,051.8	1,085.0	1,112.3	1,132.8	1,154.2	1,175.4	1,197.1
6 NC, SC, GA	882.9	931.2	958.5	977.8	1,002.9	1,023.2	1,042.8	1,064.7	1,088.1	1,101.6	1,113.2	1,120.1
7 FL	815.6	843.1	854.7	880.8	891.0	903.6	920.4	938.9	947.6	962.5	961.4	969.7
8 AL, MS, TN	920.6	972.1	1,003.4	1,044.2	1,080.4	1,111.8	1,143.5	1,167.9	1,181.0	1,199.5	1,211.3	1,216.5
9 IN, KY, OH	661.0	695.0	718.3	751.5	782.5	816.9	847.3	877.0	899.7	919.6	945.6	962.5
10 IL	662.2	708.1	743.7	786.9	815.8	850.2	878.3	908.4	938.4	968.1	990.5	1,015.6
11 MI, MN, ND, SD, WI	698.1	740.1	771.7	812.3	838.2	872.1	898.2	920.5	949.0	977.0	1,005.2	1,036.1
12 IA, KS, MO, NE	669.5	696.9	715.1	741.0	770.1	797.7	835.2	856.6	876.6	896.5	912.7	919.3
13 AR, LA, OK	732.2	783.6	823.6	841.7	881.0	911.6	937.3	953.0	963.3	985.8	995.2	1,002.5
14 TX	681.3	714.3	731.7	755.3	770.1	795.3	826.2	843.9	864.9	875.9	891.8	905.2
15 AZ, CO, NV, NM, UT, WY	519.5	532.5	541.3	555.7	565.4	588.7	607.3	616.8	628.6	639.7	649.0	667.4
16 AK, ID, MT, OR, WA	496.3	524.8	542.7	556.4	564.9	585.3	606.7	623.6	645.0	668.1	688.0	699.2
17 N. CA, HI	681.4	724.4	748.9	769.1	786.6	815.1	843.1	870.7	895.0	919.2	937.6	963.8
18 S. CA	648.4	705.4	741.2	769.9	784.6	812.2	836.0	857.5	881.4	916.3	940.7	970.4
All	713.0	752.1	777.9	805.6	829.9	858.3	885.1	906.8	925.2	945.3	961.9	979.0

Rates are adjusted for age, gender, & race.

The point prevalent cohorts are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table B.12

Period prevalent counts of reported ESRD: all patients

by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992
0-4	108	141	212	273	319	372	425	459	488	503	506	525	532
5-9	285	323	341	377	439	489	548	616	648	708	812	837	867
10-14	707	766	857	927	1,026	1,058	1,071	1,103	1,180	1,234	1,319	1,416	1,469
15-19	1,865	2,026	2,110	2,190	2,218	2,293	2,443	2,558	2,726	2,826	2,921	2,880	2,968
20-29	7,504	8,420	9,437	10,268	11,271	12,076	12,809	13,500	14,250	15,028	15,705	16,397	17,018
30-39	10,170	11,765	13,686	15,467	17,539	19,811	22,158	24,273	26,442	28,695	31,080	33,353	35,846
40-49	11,191	12,589	13,942	15,697	18,015	20,034	22,067	24,597	27,559	31,191	35,198	39,315	43,993
50-59	15,305	17,413	19,488	21,413	23,470	25,601	27,496	29,774	32,511	35,454	38,825	42,613	47,127
60-64	7,571	8,729	10,297	11,820	13,695	15,412	16,785	18,162	20,120	21,987	24,231	26,687	28,835
65-69	7,106	7,855	8,886	10,470	12,246	13,844	15,561	17,739	20,118	22,659	25,424	28,330	31,302
70-79	7,388	8,716	10,430	13,027	15,598	18,244	20,791	23,754	26,772	30,558	34,784	40,078	46,271
80+	1,101	1,364	1,754	2,424	3,122	3,824	4,704	5,669	6,842	8,285	9,822	11,713	13,842
Unknown	*	*	12	17	24	34	31	23	12	14	*	*	*
0-19	2,965	3,256	3,520	3,767	4,002	4,212	4,487	4,736	5,042	5,271	5,558	5,658	5,836
20-44	22,974	26,224	29,773	33,297	37,557	41,631	45,748	50,101	54,430	59,220	64,523	69,878	75,063
45-64	28,767	32,692	37,077	41,368	46,433	51,303	55,567	60,205	66,452	73,135	80,516	88,487	97,756
65-74	11,933	13,539	15,594	18,725	21,895	25,021	28,032	31,945	35,879	40,441	45,704	51,847	58,565
75+	3,662	4,396	5,476	7,196	9,071	10,891	13,024	15,217	17,853	21,061	24,326	28,274	32,850
Unknown	*	*	12	17	24	34	31	23	12	14	*	*	*
Male	38,903	44,328	50,319	57,391	65,359	72,915	80,407	88,389	97,404	107,720	119,131	131,600	145,217
Female	31,404	35,786	41,132	46,978	53,621	60,175	66,480	73,836	82,262	91,420	101,504	112,550	124,857
Unknown	.	*	*	*	*	*	*	*	*	*	*	*	*
White	49,121	55,736	63,292	71,506	80,970	90,008	99,033	108,758	119,441	131,402	144,809	159,332	175,135
Black	19,167	22,080	25,519	29,794	34,417	38,903	42,984	47,860	53,576	60,215	67,108	74,884	83,454
Native American	382	499	666	869	1,059	1,236	1,463	1,686	1,973	2,238	2,533	2,813	3,221
Asian	440	590	926	1,233	1,644	2,103	2,572	3,107	3,756	4,422	5,359	6,272	7,338
Other/unknown	1,197	1,210	1,049	968	892	842	837	816	922	865	828	851	928
†Hispanic													
†Non-Hispanic													
Diabetes	7,055	9,806	13,362	17,088	21,383	26,093	31,078	36,489	42,456	50,059	59,022	68,848	79,345
Hypertension	10,909	14,125	18,188	22,061	26,374	30,720	34,661	39,616	45,055	51,370	58,183	65,330	73,499
Glomerulonephritis	14,792	17,321	20,254	23,070	26,395	29,480	32,366	35,451	38,518	41,541	44,894	48,026	51,370
Cystic kidney	3,962	4,607	5,324	6,013	6,809	7,511	8,202	8,848	9,558	10,178	10,941	11,694	12,592
Other urologic	1,818	2,354	2,982	3,615	4,203	4,943	5,545	6,093	6,654	7,146	7,490	7,998	8,579
Other cause	7,445	8,783	10,594	12,488	14,472	16,311	17,946	19,424	20,941	22,978	24,985	27,001	29,205
Unknown cause	7,254	7,846	8,074	8,167	8,680	9,128	9,459	9,973	10,529	10,567	10,597	11,010	11,536
Missing disease	17,072	15,273	12,674	11,868	10,666	8,906	7,632	6,333	5,957	5,303	4,525	4,245	3,950
All	70,307	80,115	91,452	104,370	118,982	133,092	146,889	162,227	179,668	199,142	220,637	244,152	270,076

Patients alive on ESRD therapy & not lost to followup at any time during the year.

Age is calculated as of December 31.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

*Values for cells with ten or fewer patients are suppressed.

." Zero values in this cell.

b prevalence of reported esrd

Table B.12 (continued)

Period prevalent counts of reported ESRD: all patients

by age, gender, race, ethnicity, & primary diagnosis

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	577	566	584	605	621	589	609	645	695	675	695	743
5-9	881	941	956	970	975	1,050	1,048	1,066	1,051	1,113	1,095	1,130
10-14	1,537	1,611	1,737	1,806	1,875	1,862	1,990	2,032	2,117	2,176	2,267	2,224
15-19	3,028	3,137	3,298	3,465	3,502	3,621	3,752	3,853	3,901	3,986	4,109	4,292
20-29	17,570	17,927	18,114	18,376	18,718	19,068	19,310	19,453	19,556	19,478	19,394	19,532
30-39	37,977	40,223	41,981	43,288	44,317	45,161	46,181	46,908	47,578	48,047	48,365	48,565
40-49	48,294	52,749	57,422	62,468	66,387	70,292	74,113	77,410	80,481	83,257	85,808	88,183
50-59	51,920	57,327	62,217	66,769	72,771	79,721	87,164	94,034	100,972	107,808	114,161	120,287
60-64	30,991	33,207	35,523	37,997	40,588	43,335	46,139	48,691	51,271	53,895	57,669	61,158
65-69	34,186	37,115	39,394	41,969	44,631	46,679	48,573	50,715	52,753	55,023	57,194	59,141
70-79	51,473	56,860	62,354	68,501	74,734	80,746	86,172	90,343	94,084	97,576	100,719	102,751
80+	15,989	18,332	20,587	23,396	26,572	29,583	32,984	36,109	39,533	43,716	46,913	49,960
Unknown	*	*	*	*	*	*	*	*	*	*	*	*
0-19	6,023	6,255	6,575	6,846	6,973	7,122	7,399	7,596	7,764	7,950	8,166	8,389
20-44	79,500	83,824	87,518	91,087	93,861	96,883	99,610	101,856	103,474	104,829	105,768	106,840
45-64	107,252	117,609	127,739	137,811	148,920	160,694	173,297	184,640	196,384	207,656	219,629	230,885
65-74	64,575	70,750	76,012	81,627	87,047	91,843	95,915	99,824	103,671	107,557	110,965	114,073
75+	37,073	41,557	46,323	52,239	58,890	65,165	71,814	77,343	82,699	88,758	93,861	97,779
Unknown	*	*	*	*	*	*	*	*	*	*	*	*
Male	158,269	171,950	184,731	198,840	213,166	227,808	242,716	256,116	269,471	283,172	296,112	308,461
Female	136,154	148,048	159,436	170,765	182,521	193,894	205,313	215,135	224,513	233,571	242,262	249,464
Unknown	*	*	*	*	*	*	*	*	*	*	17	45
White	189,196	203,919	217,343	232,108	247,793	262,833	278,774	293,322	307,313	321,333	333,936	345,508
Black	92,032	100,906	109,176	117,250	125,451	134,163	142,197	148,626	155,279	161,822	168,463	173,482
Native American	3,586	3,966	4,340	4,735	5,054	5,443	5,907	6,317	6,561	6,840	7,017	7,222
Asian	8,589	9,996	11,307	12,614	13,771	15,118	16,551	17,761	19,172	20,561	21,922	23,104
Other/unknown	1,022	1,214	2,009	2,905	3,625	4,152	4,608	5,234	5,668	6,196	7,053	8,654
†Hispanic				8,889	41,072	45,429	50,083	55,869	60,141	64,648	69,462	73,845
†Non-Hispanic				360,723	354,622	376,280	397,954	415,391	433,852	452,104	468,929	484,125
Diabetes	89,413	100,206	111,998	124,894	137,889	150,666	162,647	173,376	184,193	194,100	203,465	211,526
Hypertension	80,821	88,245	92,303	96,429	101,956	107,176	112,997	117,949	123,017	128,638	134,305	138,726
Glomerulonephritis	54,636	58,310	61,690	65,019	68,026	70,971	73,824	76,090	78,083	80,250	81,971	83,638
Cystic kidney	13,469	14,302	15,215	15,942	16,734	17,626	18,576	19,436	20,348	21,126	21,984	22,844
Other urologic	8,874	9,172	10,228	11,314	12,169	12,888	13,938	14,651	15,255	15,965	16,439	16,799
Other cause	31,496	33,784	36,283	38,582	40,577	42,909	45,377	47,591	49,695	52,092	54,104	56,102
Unknown cause	11,979	12,488	13,192	14,124	15,036	15,999	16,961	18,169	19,328	20,291	21,269	21,934
Missing disease	3,737	3,494	3,266	3,308	3,307	3,474	3,717	3,998	4,074	4,290	4,854	6,401
All	294,425	320,001	344,175	369,612	395,694	421,709	448,037	471,260	493,993	516,752	538,391	557,970

Patients alive on ESRD therapy & not lost to followup at any time during the year.

Age is calculated as of December 31.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

*Values for cells with ten or fewer patients are suppressed.