

Table of Contents

Section A: Incidence of Reported ESRD

- A.1 Incident counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis
 - A.1.1: diabetics
 - A.1.2: hypertension
 - A.1.3: glomerulonephritis
 - A.1.5: cystic kidney

- A.2 Incident rates of reported ESRD
per million population, by age, gender, race, ethnicity, & primary diagnosis
 - A.2.1: diabetic, adjusted
 - A.2.2: hypertension, adjusted
 - A.2.3: glomerulonephritis, adjusted
 - A.2.4: cystic kidney, adjusted

- A.4 Incident counts of reported ESRD patients, 2003-2005
by age & primary diagnosis
 - A.4.1: by time period, 2001-2003
 - A.4.2: by primary diagnosis, 2003-2005 combined

- A.8 Incident counts of reported ESRD patients, by diabetic status & state/territory
 - A.8.1: U.S. only, with unknowns dropped: all
 - A.8.1 (2): U.S. only, with unknowns dropped: diabetic
 - A.8.1 (3): U.S. only, with unknowns dropped: non-diabetic

- A.9 Incident rates of reported ESRD, by diabetic status & state, adjusted
per million population

- A.10 Incident counts of reported ESRD patients, by diabetic status & ESRD network
 - A.10.1: U.S. only, with unknowns dropped

- A.11 Incident rates of reported ESRD, by diabetic status & ESRD network, adjusted
per million population

Footnotes for the tables in the printed ADR

for entire chapter:

The incident cohorts are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The age of the incident patient is determined as of the date of ESRD initiation.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

*Values for cells with 10 or fewer patients are suppressed.

." Zero values in this cell.

A.2 Rates by age are adjusted for gender & race, rates by gender are adjusted for age & race, rates by race & ethnicity are adjusted for gender & age.
U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

A.4 U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

A.9 & A.11 Rates are adjusted by age, gender, & race.
U.S. only; patients of unknown age or gender, or of other or unknown race, are excluded.

Table A.1
Incident counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
0-4	40	63	90	95	98	123	123	113	121	125	113	137	124	127
5-9	86	80	100	82	95	90	110	99	81	102	125	102	90	96
10-14	160	164	200	181	214	192	189	188	186	166	196	208	194	198
15-19	396	429	405	390	379	389	405	430	425	454	435	392	436	430
20-29	1,400	1,548	1,730	1,676	1,813	1,878	1,948	1,924	2,041	2,181	2,210	2,236	2,296	2,280
30-39	2,067	2,323	2,560	2,628	2,822	3,013	3,374	3,404	3,722	4,029	4,201	4,373	4,661	4,610
40-49	2,311	2,593	2,691	3,002	3,136	3,408	3,689	4,128	4,439	5,078	5,476	6,130	6,541	6,829
50-59	3,561	4,133	4,418	4,543	4,772	5,094	5,373	5,750	6,431	6,924	7,435	7,990	8,782	9,138
60-64	2,013	2,302	2,569	2,997	3,280	3,675	3,790	4,232	4,598	4,962	5,416	5,980	6,205	6,451
65-69	2,140	2,214	2,543	3,274	3,445	3,857	4,385	5,011	5,531	6,406	7,099	7,883	8,463	8,788
70-79	2,478	2,673	3,315	4,621	4,841	5,676	6,497	7,324	8,166	9,625	10,710	12,537	13,991	14,779
80+	427	472	640	1,009	1,077	1,366	1,639	1,914	2,259	2,868	3,308	3,829	4,476	4,887
Unknown	.	*	*	*	*	*	*	*	*	*	*	.	*	*
0-19	682	736	795	748	786	794	827	830	813	847	869	839	844	851
20-44	4,526	5,099	5,550	5,702	6,092	6,482	7,056	7,329	7,899	8,599	9,132	9,602	10,056	10,007
45-64	6,826	7,800	8,418	9,144	9,731	10,586	11,118	12,109	13,332	14,575	15,606	17,107	18,429	19,301
65-74	3,709	3,915	4,653	6,107	6,329	7,269	8,156	9,298	10,223	11,836	13,263	15,077	16,498	17,289
75+	1,336	1,444	1,845	2,797	3,034	3,630	4,365	4,951	5,733	7,063	7,854	9,172	10,432	11,165
Unknown	.	*	*	*	*	*	*	*	*	*	*	.	*	*
Male	9,562	10,564	11,766	13,525	14,390	15,675	17,321	18,800	20,555	23,327	25,311	27,821	29,967	31,467
Female	7,517	8,431	9,497	10,975	11,586	13,092	14,205	15,722	17,447	19,600	21,416	23,976	26,293	27,147
Unknown	.	.	.	*
White	12,006	13,330	14,961	16,868	17,906	19,875	21,847	23,675	25,814	29,139	31,751	34,982	37,811	39,077
African American	4,600	5,157	5,809	7,003	7,362	8,060	8,704	9,765	10,875	12,460	13,386	15,027	16,400	17,221
Native American	98	128	151	235	240	258	319	373	445	486	517	556	662	666
Asian	96	147	285	321	413	517	589	655	778	816	1,055	1,213	1,355	1,605
Other/unknown	279	233	57	74	55	57	67	54	90	26	18	19	32	45
†Hispanic														
†Non-Hispanic														
Diabetes	2,528	3,845	5,031	5,880	7,109	8,241	9,565	10,833	12,196	14,741	16,840	19,315	21,308	22,657
Hypertension	2,986	4,306	5,552	6,067	6,807	7,808	8,525	9,815	11,173	13,079	14,400	16,018	17,843	18,396
Glomerulonephritis	2,623	3,425	4,026	4,234	4,557	4,782	5,008	5,434	5,730	6,069	6,420	6,624	6,792	6,953
Cystic kidney	729	901	1,027	1,067	1,096	1,166	1,274	1,308	1,334	1,333	1,475	1,538	1,624	1,664
Other urologic	437	639	814	917	918	1,119	1,142	1,246	1,250	1,287	1,172	1,356	1,415	1,196
Other cause	1,678	2,070	2,635	2,912	3,111	3,361	3,436	3,441	3,647	4,242	4,350	4,741	5,091	5,360
Unknown cause	1,483	1,525	1,265	1,275	1,314	1,385	1,610	1,753	1,793	1,557	1,645	1,830	1,886	1,945
Missing disease	4,615	2,284	913	2,149	1,064	905	966	692	879	619	425	375	301	443
U.S.	16,804	18,710	20,931	24,151	25,579	28,344	31,090	34,060	37,480	42,322	46,102	51,122	55,461	57,868
U.S territories	*	14	18	15	13	23	23	29	40	45	54	57	83	58
Puerto Rico	231	236	284	295	361	364	384	407	460	532	544	601	698	676
Foreign	*	12	*	13	12	18	13	11	*	14	19	13	15	*
Unknown	28	23	22	27	11	18	16	15	12	14	*	*	*	*
All	17,079	18,995	21,263	24,501	25,976	28,767	31,526	34,522	38,002	42,927	46,727	51,797	56,260	58,614

Table A.1
Incident counts of reported ESRD: all patients
by age, gender, race, ethnicity, & primary diagnosis

	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
0-4	99	119	124	109	92	91	118	108	121	112	132	127
5-9	122	97	95	79	84	91	89	89	118	85	93	90
10-14	207	204	204	189	178	176	193	176	221	206	217	197
15-19	406	428	425	350	379	394	367	389	379	415	420	362
20-29	2,200	2,101	2,096	1,969	1,986	1,872	1,937	1,972	1,799	1,808	1,847	1,802
30-39	4,733	4,535	4,528	4,267	4,265	4,345	4,217	4,257	4,320	4,192	4,287	4,209
40-49	7,033	7,332	7,695	7,448	8,018	8,018	8,242	8,322	8,551	8,841	8,967	8,850
50-59	10,146	9,969	10,386	11,172	11,968	12,721	13,234	13,935	14,378	14,934	15,363	15,645
60-64	6,675	6,795	7,112	7,343	7,771	7,868	8,245	8,558	8,598	9,102	9,337	9,458
65-69	9,391	9,043	9,825	10,501	10,794	10,872	11,101	11,486	11,385	11,691	11,737	11,651
70-79	16,345	16,306	18,447	20,377	21,637	22,779	23,442	24,316	24,385	24,345	24,236	24,190
80+	5,546	5,837	6,965	8,251	9,255	10,249	11,164	11,873	13,186	13,679	14,148	14,792
Unknown	*	*	.	.	.	*
0-19	834	848	848	727	733	752	767	762	839	818	862	776
20-44	10,032	9,945	10,039	9,503	9,727	9,614	9,660	9,766	9,672	9,653	9,843	9,705
45-64	20,755	20,787	21,778	22,696	24,281	25,210	26,215	27,278	27,974	29,224	29,958	30,259
65-74	18,728	18,250	20,151	21,588	22,356	22,683	23,186	24,065	23,767	23,815	23,908	23,683
75+	12,554	12,936	15,086	17,541	19,330	21,217	22,521	23,610	25,189	25,900	26,213	26,950
Unknown	*	*	.	.	.	*
Male	33,433	33,369	36,492	38,616	40,856	42,806	44,276	46,179	47,759	48,731	50,415	50,945
Female	29,472	29,398	31,410	33,439	35,571	36,670	38,073	39,302	39,682	40,671	40,367	40,424
Unknown	*	.	.	.	*	*	*
White	41,869	41,054	44,673	47,842	50,448	52,944	55,318	57,354	58,307	59,547	60,945	61,448
African American	18,376	18,528	19,631	20,623	22,086	22,331	22,691	23,638	24,437	24,972	24,635	25,140
Native American	715	749	776	809	904	931	959	974	968	952	1,026	973
Asian	1,822	1,835	2,059	2,073	2,334	2,580	2,611	2,743	2,911	2,959	3,122	3,115
Other/unknown	123	601	763	708	655	691	770	772	818	980	1,056	697
†Hispanic			7,419	7,546	8,061	8,751	10,307	9,523	9,966	10,646	10,734	10,543
†Non-Hispanic			60,483	64,509	68,366	70,726	72,042	75,958	77,475	78,764	80,050	80,830
Diabetes	25,017	26,527	29,630	32,014	34,259	35,839	37,708	39,256	39,507	40,409	41,061	40,871
Hypertension	19,746	17,244	18,289	19,858	21,044	22,037	22,533	23,696	24,550	25,566	25,487	25,396
Glomerulonephritis	7,394	7,240	7,560	7,431	7,434	7,382	7,140	7,134	7,275	7,018	7,062	6,519
Cystic kidney	1,690	1,719	1,608	1,643	1,726	1,788	1,759	1,840	1,869	1,912	1,905	2,017
Other urologic	1,262	1,779	1,980	2,043	2,099	2,381	2,338	2,424	2,511	2,419	2,457	1,854
Other cause	5,599	5,916	6,141	6,331	6,770	6,893	7,370	7,541	8,064	8,252	8,684	9,702
Unknown cause	1,976	2,150	2,509	2,584	2,880	2,893	3,225	3,428	3,375	3,392	3,402	3,745
Missing disease	221	192	185	151	215	264	276	162	290	442	726	1,269
U.S.	62,044	61,896	66,941	71,069	75,378	78,352	81,247	84,286	86,212	88,103	89,495	90,150
U.S territories	64	79	92	108	116	115	121	120	143	134	141	133
Puerto Rico	775	777	855	863	911	989	959	1,054	1,063	1,148	1,134	1,071
Foreign	21	15	14	15	22	21	22	20	22	24	13	16
Unknown	*	*	*	*	*	*
All	62,905	62,767	67,902	72,055	76,427	79,477	82,349	85,481	87,441	89,410	90,784	91,373

Table A.1 (continued)

Incident counts of reported ESRD: all patients: U.S. only, with unknowns dropped*by age, gender, race, ethnicity, & primary diagnosis*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
0-4	39	63	90	94	97	121	119	111	119	125	111	135	123	126
5-9	84	79	99	80	94	90	110	99	81	101	125	100	89	93
10-14	157	159	197	180	208	187	188	186	182	165	194	202	192	198
15-19	394	421	399	388	376	383	403	423	421	450	431	383	434	422
20-29	1,363	1,521	1,706	1,652	1,777	1,848	1,920	1,902	2,010	2,156	2,177	2,204	2,264	2,255
30-39	2,010	2,266	2,522	2,584	2,774	2,973	3,332	3,349	3,672	3,968	4,155	4,335	4,610	4,570
40-49	2,243	2,524	2,621	2,946	3,082	3,348	3,618	4,059	4,342	4,998	5,379	6,022	6,437	6,738
50-59	3,449	4,034	4,310	4,459	4,681	4,996	5,269	5,645	6,308	6,798	7,292	7,837	8,592	8,967
60-64	1,934	2,237	2,517	2,930	3,225	3,601	3,730	4,159	4,528	4,868	5,325	5,893	6,110	6,343
65-69	2,076	2,143	2,507	3,221	3,387	3,799	4,310	4,933	5,460	6,329	7,024	7,788	8,325	8,668
70-79	2,379	2,585	3,277	4,555	4,763	5,596	6,407	7,242	8,040	9,507	10,599	12,409	13,818	14,612
80+	415	461	630	988	1,057	1,344	1,618	1,893	2,226	2,827	3,271	3,797	4,441	4,839
0-19	674	722	785	742	775	781	820	819	803	841	861	820	838	839
20-44	4,398	4,985	5,459	5,606	5,986	6,377	6,955	7,224	7,772	8,477	9,004	9,486	9,929	9,900
45-64	6,601	7,597	8,217	8,965	9,553	10,389	10,914	11,890	13,088	14,311	15,324	16,805	18,084	18,973
65-74	3,580	3,785	4,594	6,011	6,231	7,164	8,021	9,170	10,086	11,702	13,124	14,898	16,250	17,074
75+	1,290	1,404	1,820	2,753	2,976	3,575	4,314	4,898	5,640	6,961	7,770	9,096	10,334	11,045
Male	9,256	10,267	11,531	13,274	14,105	15,389	17,001	18,474	20,210	22,926	24,915	27,410	29,515	31,010
Female	7,287	8,226	9,344	10,803	11,416	12,897	14,023	15,527	17,179	19,366	21,168	23,695	25,920	26,821
White	11,791	13,108	14,704	16,573	17,582	19,531	21,500	23,305	25,390	28,647	31,251	34,421	37,181	38,479
African American	4,558	5,115	5,744	6,958	7,296	7,990	8,633	9,681	10,807	12,378	13,302	14,956	16,297	17,130
Native American	98	127	150	235	237	257	318	372	444	486	514	555	661	663
Asian	96	143	277	311	406	508	573	643	748	781	1,016	1,173	1,296	1,559
†Hispanic														
†Non-Hispanic														
Diabetes	2,433	3,730	4,928	5,761	6,957	8,081	9,369	10,608	11,950	14,433	16,538	18,954	20,860	22,257
Hypertension	2,930	4,217	5,495	6,013	6,743	7,712	8,446	9,726	11,070	12,980	14,286	15,905	17,694	18,233
Glomerulonephritis	2,568	3,342	3,945	4,142	4,455	4,696	4,922	5,344	5,619	5,955	6,298	6,517	6,692	6,859
Cystic kidney	718	893	1,021	1,058	1,086	1,152	1,259	1,291	1,321	1,323	1,451	1,524	1,605	1,643
Other urologic	427	620	787	893	889	1,097	1,122	1,225	1,221	1,255	1,149	1,338	1,386	1,184
Other cause	1,653	2,048	2,610	2,885	3,089	3,325	3,400	3,412	3,606	4,203	4,327	4,696	5,041	5,302
Unknown cause	1,416	1,480	1,239	1,245	1,289	1,362	1,584	1,724	1,765	1,537	1,618	1,804	1,864	1,924
Missing disease	4,398	2,163	850	2,080	1,013	861	922	671	837	606	416	367	293	429
All	16,543	18,493	20,875	24,077	25,521	28,286	31,024	34,001	37,389	42,292	46,083	51,105	55,435	57,831
Patients dropped	536	502	388	424	455	481	502	521	613	635	644	692	825	783

Table A.1 (continued)

Incident counts of reported ESRD: all patients: U.S. only, with unknowns dropped

by age, gender, race, ethnicity, & primary diagnosis

	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
0-4	98	117	119	105	91	89	115	104	111	110	124	118
5-9	121	97	93	79	83	88	89	87	115	82	86	85
10-14	201	199	202	186	175	172	189	171	215	201	198	190
15-19	399	418	414	346	369	389	350	378	359	403	402	346
20-29	2,156	2,066	2,046	1,929	1,941	1,837	1,878	1,913	1,732	1,748	1,770	1,738
30-39	4,668	4,451	4,445	4,195	4,174	4,233	4,135	4,138	4,212	4,045	4,129	4,113
40-49	6,908	7,162	7,489	7,281	7,846	7,851	8,051	8,155	8,350	8,610	8,703	8,632
50-59	9,922	9,688	10,105	10,845	11,641	12,367	12,881	13,560	14,005	14,490	14,937	15,259
60-64	6,559	6,636	6,918	7,160	7,567	7,672	8,024	8,329	8,370	8,836	9,051	9,247
65-69	9,266	8,833	9,626	10,264	10,571	10,634	10,864	11,233	11,139	11,407	11,472	11,397
70-79	16,180	16,071	18,146	20,055	21,313	22,455	23,087	23,932	23,991	23,922	23,842	23,820
80+	5,473	5,763	6,877	8,149	9,178	10,112	11,035	11,747	13,032	13,489	13,967	14,617
0-19	819	831	828	716	718	738	743	740	800	796	810	739
20-44	9,874	9,753	9,830	9,335	9,517	9,407	9,435	9,520	9,416	9,351	9,491	9,452
45-64	20,339	20,250	21,173	22,075	23,652	24,553	25,534	26,575	27,253	28,378	29,099	29,537
65-74	18,504	17,910	19,781	21,176	21,943	22,263	22,744	23,608	23,297	23,294	23,443	23,229
75+	12,415	12,757	14,868	17,292	19,119	20,938	22,242	23,304	24,865	25,524	25,838	26,605
Male	32,860	32,625	35,672	37,793	39,973	41,886	43,286	45,117	46,645	47,494	49,132	49,855
Female	29,091	28,876	30,808	32,801	34,976	36,013	37,412	38,630	38,986	39,849	39,549	39,707
White	41,175	40,525	44,172	47,247	49,822	52,257	54,619	56,593	57,547	58,676	60,118	60,573
African American	18,285	18,445	19,541	20,539	21,971	22,215	22,601	23,519	24,301	24,851	24,509	24,993
Native American	713	749	776	809	904	930	959	974	968	952	1,025	971
Asian	1,778	1,782	1,991	1,999	2,252	2,497	2,519	2,661	2,815	2,864	3,029	3,025
†Hispanic			6,199	6,283	6,817	7,396	8,908	8,042	8,444	8,945	9,079	9,144
†Non-Hispanic			60,281	64,311	68,132	70,503	71,790	75,705	77,187	78,398	79,602	80,418
Diabetes	24,509	25,817	28,774	31,141	33,377	34,857	36,715	38,173	38,401	39,177	39,865	39,852
Hypertension	19,556	16,994	18,076	19,607	20,788	21,802	22,275	23,439	24,281	25,196	25,128	25,108
Glomerulonephritis	7,274	7,111	7,409	7,280	7,286	7,234	6,986	6,972	7,106	6,842	6,860	6,389
Cystic kidney	1,661	1,696	1,580	1,618	1,702	1,770	1,728	1,808	1,833	1,871	1,866	1,982
Other urologic	1,252	1,748	1,953	2,009	2,067	2,337	2,299	2,392	2,469	2,390	2,420	1,819
Other cause	5,525	5,838	6,050	6,247	6,687	6,796	7,256	7,434	7,933	8,130	8,548	9,582
Unknown cause	1,958	2,108	2,460	2,542	2,836	2,851	3,169	3,384	3,338	3,334	3,338	3,708
Missing disease	216	189	178	150	206	252	270	145	270	403	656	1,122
All	61,951	61,501	66,480	70,594	74,949	77,899	80,698	83,747	85,631	87,343	88,681	89,562
Patients dropped	954	1,266	1,422	1,461	1,478	1,578	1,651	1,734	1,810	2,067	2,103	1,811

Table A.2

Incident rates of reported ESRD*per million population, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
0-4	2.4	3.7	5.2	5.4	5.5	6.8	6.6	6.2	6.5	6.8	5.9	7.0	6.3	6.4
5-9	5.1	4.9	6.2	5.0	5.8	5.4	6.4	5.7	4.6	5.6	6.9	5.5	4.8	5.0
10-14	8.6	8.7	10.9	10.1	11.9	11.0	11.4	11.4	11.0	9.8	11.3	11.4	10.5	10.6
15-19	18.7	20.5	20.0	20.0	19.9	20.5	21.4	22.6	22.8	24.8	24.3	22.2	25.2	24.2
20-29	33.2	36.4	40.3	38.6	41.3	43.0	45.0	45.2	48.6	52.8	53.9	54.9	57.0	57.7
30-39	63.2	68.5	73.6	73.4	76.3	79.0	85.2	84.6	90.9	96.5	99.1	101.1	105.5	103.1
40-49	98.5	109.7	111.7	121.0	123.0	130.3	137.7	145.5	149.0	164.5	170.1	183.1	188.2	191.4
50-59	148.0	174.3	188.4	197.2	209.8	226.3	240.4	259.3	290.5	312.6	333.6	354.1	379.2	380.2
60-64	190.7	215.9	238.2	275.0	298.5	330.2	343.5	385.7	419.6	454.6	501.3	555.8	583.2	616.3
65-69	235.6	240.8	278.5	352.9	367.6	406.6	451.6	506.7	555.9	635.3	696.9	775.8	832.9	863.0
70-79	203.9	216.3	267.7	363.7	372.5	429.6	483.9	537.5	586.3	682.5	747.9	853.6	927.9	965.4
80+	79.5	85.8	113.7	173.0	179.9	222.3	259.9	295.0	337.8	416.3	467.5	524.8	594.6	626.7
0-19	9.3	10.1	11.0	10.5	11.0	11.1	11.7	11.6	11.3	11.8	12.0	11.3	11.4	11.3
20-44	52.0	57.3	61.3	61.5	64.4	67.4	72.4	74.3	79.3	85.7	89.9	93.2	97.2	96.5
45-64	148.3	170.8	184.8	201.6	214.5	233.0	244.4	265.1	287.9	312.0	330.9	358.6	372.5	380.3
65-74	228.8	238.2	284.5	366.2	374.8	425.0	468.0	526.2	572.2	655.1	724.9	814.4	879.0	913.4
75+	128.4	135.9	171.1	251.5	264.5	309.3	363.4	401.5	451.3	543.1	591.2	672.9	745.1	777.3
Male	83.8	92.1	102.4	116.8	123.0	133.0	145.5	156.6	169.7	190.6	204.7	222.1	235.7	244.2
Female	62.4	69.7	78.5	89.9	94.2	105.5	113.8	124.9	137.0	153.0	165.5	182.9	197.5	201.7
White	60.4	66.7	74.3	83.1	87.6	96.7	105.7	113.8	123.2	138.0	149.3	162.7	173.8	178.0
African American	170.2	188.5	208.8	249.7	258.6	279.7	298.3	330.1	363.6	410.6	434.0	478.0	509.6	524.9
Native American	68.5	85.6	97.6	147.3	143.1	149.6	178.3	201.0	230.9	242.8	249.7	260.9	300.2	290.5
Asian	25.1	33.9	60.5	63.4	77.4	90.6	95.9	101.4	111.3	109.5	134.6	147.4	154.5	176.9
†Hispanic														
†Non-Hispanic														
Diabetes	10.7	16.3	21.3	24.6	29.5	34.0	39.0	43.8	48.9	58.5	66.3	74.9	81.3	85.6
Hypertension	12.9	18.4	23.7	25.7	28.6	32.4	35.2	40.1	45.3	52.6	57.2	62.9	69.0	70.2
Glomerulonephritis	11.3	14.6	17.0	17.7	18.9	19.7	20.5	22.1	23.0	24.1	25.2	25.8	26.1	26.4
Cystic kidney	3.2	3.9	4.4	4.5	4.6	4.8	5.2	5.3	5.4	5.4	5.8	6.0	6.3	6.3
Other urologic	1.9	2.7	3.4	3.8	3.8	4.6	4.7	5.1	5.0	5.1	4.6	5.3	5.4	4.6
Other cause	7.3	8.9	11.3	12.3	13.1	14.0	14.2	14.1	14.8	17.0	17.3	18.6	19.7	20.4
Unknown cause	6.2	6.5	5.4	5.3	5.5	5.7	6.6	7.1	7.2	6.2	6.5	7.1	7.3	7.4
Missing disease	19.4	9.4	3.7	8.9	4.3	3.6	3.8	2.8	3.4	2.5	1.7	1.5	1.1	1.7
All	72.8	80.6	90.1	103.0	108.2	118.9	129.2	140.3	152.9	171.4	184.6	202.0	216.1	222.5

Table A.2

Incident rates of reported ESRD*per million population, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
0-4	5.0	6.0	6.1	5.5	4.8	4.7	6.0	5.4	5.7	5.6	6.2	5.8
5-9	6.4	5.0	4.7	3.9	4.1	4.3	4.4	4.3	5.8	4.2	4.4	4.4
10-14	10.6	10.4	10.4	9.5	8.8	8.5	9.2	8.2	10.2	9.5	9.4	9.1
15-19	22.3	22.8	21.9	17.8	18.6	19.4	17.3	18.6	17.6	19.7	19.4	16.5
20-29	56.2	54.4	54.2	51.0	51.1	48.1	48.9	49.4	44.1	43.8	43.7	42.3
30-39	104.4	99.2	99.4	94.6	95.1	97.3	95.7	96.2	98.8	96.0	99.5	100.1
40-49	189.4	189.3	190.2	182.0	191.7	187.6	188.3	187.3	188.8	192.4	192.7	190.4
50-59	407.1	386.9	393.7	395.9	405.5	412.1	411.1	416.0	414.6	416.8	415.1	408.5
60-64	646.2	654.6	684.3	702.4	726.1	717.5	739.1	750.1	727.8	729.6	719.0	711.2
65-69	925.9	885.4	966.1	1,042.1	1,092.4	1,114.5	1,141.5	1,178.5	1,162.6	1,170.6	1,151.8	1,124.9
70-79	1,052.5	1,030.4	1,151.1	1,258.7	1,322.1	1,384.4	1,417.5	1,474.2	1,485.4	1,488.2	1,495.6	1,496.2
80+	688.5	703.2	817.2	945.5	1,040.5	1,119.0	1,190.1	1,228.1	1,322.2	1,331.2	1,338.8	1,361.2
0-19	10.8	10.8	10.7	9.1	9.1	9.2	9.2	9.2	9.9	9.8	9.9	9.0
20-44	96.1	94.6	95.2	90.2	91.8	90.6	90.6	91.0	89.8	89.0	90.3	90.0
45-64	396.4	383.5	389.3	392.3	406.1	406.8	409.1	412.6	409.5	413.4	411.6	405.5
65-74	984.8	949.3	1,050.8	1,133.4	1,181.6	1,208.7	1,238.1	1,288.5	1,274.3	1,269.4	1,268.7	1,246.2
75+	853.8	856.0	970.6	1,100.2	1,191.3	1,278.4	1,331.2	1,370.2	1,436.7	1,450.1	1,447.1	1,465.8
Male	255.5	250.6	270.6	283.2	295.8	306.2	312.6	322.2	329.6	332.0	339.9	341.5
Female	216.2	212.2	223.9	235.7	248.5	253.2	260.3	266.2	266.2	269.6	265.2	264.0
White	188.6	183.9	198.6	210.4	219.8	228.5	236.8	243.4	245.4	248.2	252.3	252.3
African American	549.8	545.0	567.8	586.7	617.3	614.1	615.4	632.0	644.9	651.5	634.8	639.6
Native American	302.0	306.8	306.1	308.0	331.6	328.3	322.9	323.8	317.7	308.6	328.2	307.2
Asian	193.2	185.5	198.6	191.1	206.9	220.1	212.0	215.9	220.4	216.7	222.1	215.5
†Hispanic			210.4	203.4	210.5	217.9	249.9	217.0	219.3	224.0	219.6	214.2
†Non-Hispanic			251.2	266.0	279.8	287.7	291.2	305.2	309.4	312.5	315.5	317.0
Diabetes	93.2	97.0	106.8	114.2	121.0	124.9	130.1	133.9	133.3	134.7	135.8	134.5
Hypertension	74.3	63.8	67.1	71.9	75.4	78.1	78.9	82.2	84.3	86.6	85.6	84.7
Glomerulonephritis	27.6	26.7	27.5	26.7	26.4	25.9	24.8	24.5	24.7	23.5	23.4	21.6
Cystic kidney	6.3	6.4	5.9	5.9	6.2	6.3	6.1	6.3	6.4	6.4	6.4	6.7
Other urologic	4.8	6.6	7.3	7.4	7.5	8.4	8.2	8.4	8.6	8.2	8.2	6.1
Other cause	21.0	21.9	22.5	22.9	24.2	24.4	25.7	26.1	27.6	28.0	29.1	32.3
Unknown cause	7.4	7.9	9.1	9.3	10.3	10.2	11.2	11.9	11.6	11.5	11.4	12.5
Missing disease	0.8	0.7	0.7	0.6	0.8	0.9	1.0	0.5	0.9	1.4	2.2	3.8
All	235.4	231.0	246.8	258.9	271.7	279.2	286.0	293.7	297.4	300.3	302.0	302.2

Table A.2 (continued)

Incident rates of reported ESRD*per million population, by age, gender, race, ethnicity, & primary diagnosis*

ADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
0-4	2.3	3.7	5.1	5.2	5.4	6.7	6.5	6.0	6.4	6.7	5.9	6.8	6.3	6.4
5-9	4.9	4.7	6.2	4.9	5.7	5.4	6.4	5.6	4.6	5.5	6.8	5.4	4.7	4.9
10-14	8.3	8.5	11.0	10.0	11.8	10.9	11.3	11.2	10.9	9.7	11.2	11.3	10.5	10.5
15-19	18.4	20.2	19.9	19.6	19.4	20.2	21.1	22.3	22.2	24.1	23.4	21.7	24.5	23.1
20-29	33.7	36.6	40.6	39.2	41.7	43.1	45.0	44.9	48.1	52.0	52.9	53.9	56.1	56.4
30-39	66.8	72.9	78.2	77.7	80.4	83.3	89.2	88.6	95.1	99.9	102.3	104.2	108.4	105.4
40-49	105.4	117.2	120.3	132.3	134.7	142.2	150.5	160.1	164.9	183.1	187.4	203.0	206.8	209.7
50-59	162.6	192.5	209.2	219.5	233.1	251.2	265.7	287.8	322.3	344.0	369.3	392.6	421.2	424.5
60-64	212.3	239.1	266.9	316.1	338.9	379.1	386.0	436.0	471.9	513.8	560.7	617.8	652.5	683.6
65-69	257.9	265.7	311.6	395.3	416.2	461.5	514.6	580.1	628.2	714.2	795.9	881.2	937.5	979.5
70-79	221.6	239.1	301.6	421.9	433.4	491.8	560.3	613.3	678.9	793.0	869.1	988.0	1,071.2	1,117.2
80+	92.5	102.1	142.0	216.8	231.1	288.1	323.8	362.2	424.6	515.9	584.0	667.6	739.2	780.3
0-19	8.5	9.3	10.5	9.9	10.6	10.8	11.3	11.3	11.0	11.5	11.8	11.3	11.5	11.2
20-44	58.7	64.6	68.5	69.2	71.7	74.3	78.9	80.8	85.3	90.9	94.3	96.8	100.1	98.4
45-64	164.0	188.6	205.3	226.8	240.0	261.7	273.0	298.6	326.6	354.4	378.3	410.3	434.2	445.9
65-74	249.5	264.3	319.0	416.3	427.5	486.2	536.4	604.1	653.7	748.1	833.1	931.0	1,000.4	1,049.1
75+	129.0	139.8	186.9	280.1	296.7	349.6	403.4	441.0	509.2	611.9	678.6	776.8	852.5	892.1
Male	99.7	109.5	122.2	141.1	147.7	159.8	173.9	187.5	203.5	227.6	244.6	264.5	279.6	288.7
Female	65.7	74.0	83.0	93.8	98.1	109.2	117.3	127.4	139.2	154.0	165.9	182.6	196.2	200.2
White	63.8	70.2	77.5	86.3	90.5	99.3	108.2	115.8	124.9	139.3	150.0	162.5	172.8	176.5
African American	234.6	260.2	286.6	347.4	355.7	387.0	411.8	454.2	500.0	564.5	597.4	663.4	708.3	729.2
Native American	108.9	135.3	155.8	243.6	233.1	245.1	291.0	330.7	376.3	410.5	422.8	438.5	506.0	499.3
Asian	27.7	43.5	82.4	91.3	114.1	136.5	139.9	146.9	168.6	163.8	210.0	230.5	239.0	268.3
†Hispanic														
†Non-Hispanic														
Diabetes	12.0	18.3	23.9	27.9	33.0	38.2	43.5	48.7	54.0	64.2	73.0	82.0	88.6	93.0
Hypertension	15.4	21.7	27.7	29.8	32.8	37.0	39.7	45.0	50.6	57.9	62.7	68.5	74.6	75.7
Glomerulonephritis	12.3	15.9	18.5	19.7	21.0	21.6	22.3	23.8	24.8	26.0	26.9	27.5	27.8	28.1
Cystic kidney	3.7	4.5	5.1	5.3	5.4	5.6	6.0	6.1	6.2	6.1	6.5	6.8	7.1	7.0
Other urologic	2.0	3.0	3.7	4.1	4.1	4.9	5.0	5.5	5.4	5.4	4.9	5.6	5.7	4.8
Other cause	7.5	9.4	12.0	13.0	13.8	14.7	15.0	14.6	15.4	17.9	18.0	19.3	20.4	21.3
Unknown cause	6.9	7.1	5.9	5.9	6.1	6.3	7.3	7.8	7.8	6.8	7.0	7.7	7.8	7.9
Missing disease	21.7	10.8	4.2	9.7	4.7	3.9	4.1	3.0	3.8	2.7	1.8	1.6	1.2	1.8
All	81.4	90.5	101.0	115.4	120.8	132.2	142.9	154.5	168.0	186.9	200.9	218.9	233.2	239.5

Table A.2 (continued)

Incident rates of reported ESRD*per million population, by age, gender, race, ethnicity, & primary diagnosis*

ADJUSTED	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
0-4	4.9	5.8	6.2	5.4	4.7	4.6	6.0	5.4	5.6	5.5	6.0	5.7
5-9	6.3	4.9	4.7	3.8	3.9	4.2	4.3	4.3	5.7	4.1	4.4	4.3
10-14	10.5	10.1	10.2	9.4	8.5	8.3	8.9	7.9	9.7	9.2	9.2	8.8
15-19	21.7	21.9	21.1	17.2	17.8	18.8	16.7	17.9	17.1	18.9	18.6	15.8
20-29	54.8	52.9	52.6	49.3	49.5	46.5	47.5	48.4	43.1	42.9	42.7	41.0
30-39	106.2	100.4	100.1	94.7	94.8	96.7	95.0	95.3	97.8	95.0	98.3	99.0
40-49	207.2	204.5	203.5	193.4	202.8	197.4	196.9	194.7	195.6	198.0	197.4	193.8
50-59	454.6	433.0	440.0	444.4	456.6	462.4	458.6	463.6	456.6	455.8	451.7	440.4
60-64	709.7	720.2	746.6	767.8	793.2	782.6	796.7	816.1	792.4	796.3	784.6	777.2
65-69	1,035.8	983.3	1,071.5	1,151.5	1,195.8	1,219.0	1,243.2	1,276.7	1,258.6	1,268.5	1,247.0	1,219.1
70-79	1,227.8	1,204.5	1,332.9	1,449.2	1,526.8	1,585.3	1,603.6	1,659.5	1,680.9	1,674.6	1,662.2	1,663.2
80+	859.7	878.7	1,025.3	1,159.0	1,292.2	1,383.4	1,455.3	1,479.9	1,584.5	1,592.2	1,585.9	1,609.5
0-19	10.8	10.7	10.5	9.0	8.7	9.0	9.0	8.9	9.5	9.4	9.6	8.7
20-44	97.0	94.7	94.5	88.7	89.8	88.0	88.0	88.3	87.1	86.5	87.9	87.8
45-64	467.6	457.2	466.6	472.0	488.0	487.2	488.3	494.6	485.8	486.8	481.4	471.7
65-74	1,121.8	1,081.0	1,190.5	1,278.4	1,324.9	1,344.4	1,367.4	1,416.9	1,407.6	1,398.4	1,391.0	1,366.1
75+	989.1	996.0	1,135.6	1,270.4	1,394.7	1,489.2	1,542.0	1,573.9	1,658.0	1,668.5	1,653.8	1,677.5
Male	302.9	295.2	317.5	331.3	346.0	356.6	361.6	370.2	376.5	375.9	380.9	379.1
Female	212.7	208.2	217.7	226.5	237.2	240.1	245.0	249.0	246.7	248.0	242.3	238.9
White	186.5	181.1	194.5	204.9	213.2	220.6	227.9	233.2	233.7	234.8	237.1	235.4
African American	766.7	756.7	789.4	817.6	857.7	850.0	848.7	866.1	876.4	877.0	843.9	841.7
Native American	495.3	520.3	503.3	526.4	566.2	558.3	537.4	506.0	491.2	462.5	479.6	433.0
Asian	300.6	289.9	310.1	292.5	315.7	331.5	312.0	308.2	312.2	299.2	296.2	282.3
†Hispanic			410.0	402.4	424.0	442.6	506.8	425.7	426.1	426.9	411.4	394.3
†Non-Hispanic			248.4	260.7	272.6	278.4	280.0	291.8	293.4	293.9	294.5	293.3
Diabetes	101.0	104.6	114.6	121.3	127.6	130.7	135.0	138.0	136.1	136.1	135.8	133.0
Hypertension	79.8	68.1	70.9	75.5	78.7	81.2	81.4	84.2	85.7	87.4	85.6	83.9
Glomerulonephritis	29.4	28.2	28.8	27.8	27.4	26.7	25.4	25.0	25.0	23.7	23.4	21.4
Cystic kidney	6.9	6.9	6.3	6.3	6.5	6.6	6.3	6.5	6.5	6.5	6.4	6.6
Other urologic	5.0	6.9	7.5	7.6	7.7	8.6	8.4	8.5	8.7	8.3	8.2	6.1
Other cause	21.8	22.8	23.1	23.5	24.9	24.9	26.2	26.5	27.8	28.1	29.1	32.1
Unknown cause	7.9	8.3	9.6	9.7	10.7	10.6	11.5	12.1	11.8	11.6	11.4	12.4
Missing disease	0.8	0.7	0.7	0.6	0.8	0.9	1.0	0.5	1.0	1.4	2.2	3.8
All	252.5	246.6	261.5	272.3	284.3	290.3	295.2	301.3	302.6	302.9	302.0	299.2

Table A.4
Incident counts of reported ESRD patients, 2003-2005
by age & primary diagnosis

	Male					Female					All				
	White	Af Am	N Am	Asian	All	White	Af Am	N Am	Asian	All	White	Af Am	N Am	Asian	All
0-4	175	45	*	*	226	98	18	*	*	126	273	63	*	*	352
5-9	96	31	.	*	131	97	21	*	*	122	193	52	*	*	253
10-14	206	85	*	*	302	201	77	*	*	287	407	162	*	11	589
15-19	402	214	*	27	649	301	173	*	21	502	703	387	13	48	1,151
20-29	1,534	1,048	42	132	2,756	1,219	1,114	45	122	2,500	2,753	2,162	87	254	5,256
30-39	3,778	3,108	93	240	7,219	2,485	2,255	94	234	5,068	6,263	5,363	187	474	12,287
40-49	8,801	6,356	234	448	15,839	5,207	4,338	177	384	10,106	14,008	10,694	411	832	25,945
50-59	15,741	8,813	370	864	25,788	10,900	7,059	329	610	18,898	26,641	15,872	699	1,474	44,686
60-64	10,103	4,057	195	490	14,845	7,601	4,166	177	345	12,289	17,704	8,223	372	835	27,134
65-69	13,142	4,334	211	653	18,340	10,069	5,104	247	516	15,936	23,211	9,438	458	1,169	34,276
70-79	30,161	6,468	219	1,194	38,042	23,371	8,647	314	1,210	33,542	53,532	15,115	533	2,404	71,584
80+	19,029	2,573	68	674	22,344	14,650	4,249	103	727	19,729	33,679	6,822	171	1,401	42,073
0-19	879	375	14	40	1,308	697	289	16	35	1,037	1,576	664	30	75	2,345
20-44	8,959	6,891	240	551	16,641	5,725	5,170	225	533	11,653	14,684	12,061	465	1,084	28,294
45-64	30,998	16,491	694	1,623	49,806	21,687	13,762	597	1,162	37,208	52,685	30,253	1,291	2,785	87,014
65-74	27,726	7,977	327	1,240	37,270	21,419	9,708	439	1,130	32,696	49,145	17,685	766	2,370	69,966
75+	34,606	5,398	171	1,281	41,456	26,671	8,292	225	1,323	36,511	61,277	13,690	396	2,604	77,967
Diabetes	44,302	15,118	1,002	2,353	62,775	35,051	17,965	1,131	1,972	56,119	79,353	33,083	2,133	4,325	118,894
Hypertension	27,400	13,887	152	1,204	42,643	19,416	12,153	126	1,094	32,789	46,816	26,040	278	2,298	75,432
Glomerulonephritis	8,826	2,806	115	556	12,303	5,220	1,980	77	511	7,788	14,046	4,786	192	1,067	20,091
Other cause	22,640	5,321	177	622	28,760	16,512	5,123	168	606	22,409	39,152	10,444	345	1,228	51,169
All	103,168	37,132	1,446	4,735	146,481	76,199	37,221	1,502	4,183	119,105	179,367	74,353	2,948	8,918	265,586

Table A.8

Incident counts of reported ESRD patients, by diabetic status & state/territory

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Alabama	326	365	393	515	493	533	563	661	769	916	878	988	1,108	1,115
Alaska	*	*	12	17	12	14	33	24	29	41	28	42	41	36
Arizona	235	263	288	359	372	419	501	571	570	664	714	771	974	1,000
Arkansas	136	152	165	224	242	253	280	353	369	380	401	502	519	564
California	1,808	2,178	2,318	2,773	2,872	3,176	3,616	3,824	4,227	4,712	5,242	5,676	5,796	6,148
Colorado	168	182	180	178	220	253	304	308	337	403	396	443	491	492
Connecticut	217	225	280	366	348	479	450	468	476	546	583	674	661	667
Delaware	45	56	79	58	65	91	92	103	124	132	132	175	187	175
District of Columbia	112	122	166	155	150	186	150	175	172	261	242	287	295	317
Florida	1,090	1,162	1,258	1,424	1,602	1,722	1,986	2,217	2,373	2,711	2,890	3,250	3,631	3,655
Georgia	475	624	618	760	784	798	926	1,061	1,157	1,330	1,397	1,679	1,853	1,855
Hawaii	83	98	97	109	124	173	172	202	205	220	266	264	285	311
Idaho	47	41	57	58	66	82	87	84	98	131	138	131	122	144
Illinois	784	926	1,051	1,196	1,241	1,444	1,543	1,657	1,708	1,891	2,190	2,612	2,622	2,923
Indiana	328	402	443	546	529	579	589	703	804	834	944	1,045	1,158	1,233
Iowa	170	179	199	236	219	257	307	275	317	366	424	430	509	511
Kansas	124	138	194	180	206	218	246	268	292	358	389	401	427	414
Kentucky	225	245	260	275	317	364	394	445	464	527	604	710	770	792
Louisiana	319	395	412	458	540	583	669	746	865	980	1,006	1,136	1,282	1,271
Maine	39	81	61	72	106	92	104	117	117	105	140	137	150	162
Maryland	307	379	419	454	527	574	561	722	738	923	1,020	1,148	1,228	1,317
Massachusetts	386	336	467	572	565	570	614	646	734	805	886	978	1,113	1,196
Michigan	686	745	792	859	1,002	1,028	1,139	1,218	1,391	1,627	1,674	1,823	2,024	2,154
Minnesota	244	268	290	304	363	407	435	515	497	539	592	639	688	703
Mississippi	206	193	239	329	322	345	374	402	472	544	597	633	730	780
Missouri	319	345	424	459	532	587	644	739	785	853	980	1,063	1,145	1,224
Montana	30	58	36	66	71	65	64	76	75	109	117	137	117	136
Nebraska	88	111	98	105	113	138	145	167	192	216	216	247	284	284
Nevada	78	69	73	95	96	122	153	153	167	171	192	229	240	284
New Hampshire	52	72	62	69	70	87	85	97	111	128	121	139	149	151
New Jersey	728	685	803	945	883	1,083	1,137	1,254	1,322	1,543	1,651	1,852	1,996	2,129
New Mexico	104	92	116	134	138	163	165	186	240	238	257	319	326	345
New York	1,385	1,509	1,646	1,852	1,955	2,056	2,330	2,421	2,654	2,904	3,261	3,452	3,848	4,174
North Carolina	492	497	584	682	695	869	906	1,014	1,098	1,287	1,367	1,601	1,780	1,917
North Dakota	25	37	37	39	45	49	69	60	70	99	98	92	124	119
Ohio	698	789	925	1,014	1,099	1,207	1,319	1,405	1,644	1,773	1,990	2,144	2,325	2,399
Oklahoma	191	212	229	243	283	284	343	379	464	482	566	541	643	691
Oregon	123	144	175	214	209	245	294	302	349	389	401	492	468	527
Pennsylvania	913	981	1,105	1,275	1,447	1,659	1,742	1,778	1,973	2,183	2,534	2,615	2,833	2,764
Rhode Island	74	75	70	101	120	119	98	110	130	162	172	202	197	221
South Carolina	266	323	356	417	445	537	554	602	685	790	873	947	1,018	1,050
South Dakota	36	55	50	49	68	65	58	88	89	86	83	99	109	126
Tennessee	323	338	407	523	457	555	578	718	719	1,000	1,003	1,100	1,192	1,182
Texas	1,049	1,244	1,464	1,675	1,663	1,873	2,107	2,304	2,644	2,988	3,299	3,629	4,108	4,169
Utah	88	105	82	90	139	118	129	141	177	176	185	185	192	241
Vermont	36	27	35	38	35	42	36	44	52	58	66	81	59	75
Virginia	494	508	580	715	718	740	798	911	1,007	1,070	1,164	1,413	1,551	1,565
Washington	237	233	274	322	359	381	448	469	506	626	663	724	745	796
West Virginia	114	117	152	183	213	196	232	240	289	268	292	356	371	402
Wisconsin	278	294	382	348	415	425	498	598	689	731	747	845	937	913
Wyoming	13	28	28	21	24	39	23	39	44	46	31	44	40	49
American Samoa	.	*	*	*	*	*	*	*	*	13	*	*	13	*
Guam	*	*	*	*	*	*	11	*	16	15	25	29	37	30
Puerto Rico	231	236	284	295	361	364	384	407	460	532	544	601	698	676
Saipan	*	*	*	*	*	*	*
Virgin Islands	*	*	11	*	*	13	*	16	13	12	18	16	24	15
Foreign	*	12	*	13	12	18	13	11	*	14	19	13	15	*
Unknown	28	23	22	27	11	18	16	15	12	14	*	*	*	*
All	17,079	18,995	21,263	24,501	25,976	28,767	31,526	34,522	38,002	42,927	46,727	51,797	56,260	58,614

Table A.8

Incident counts of reported ESRD patients, by diabetic status & state/territory

ALL	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Alabama	1,202	1,245	1,393	1,523	1,472	1,546	1,597	1,685	1,677	1,703	1,727	1,730
Alaska	68	52	58	75	64	65	69	83	68	95	107	80
Arizona	1,011	1,035	1,110	1,201	1,328	1,372	1,437	1,503	1,567	1,613	1,703	1,632
Arkansas	666	677	672	778	716	776	803	818	875	867	911	871
California	6,839	6,603	7,070	7,388	8,137	8,508	8,795	8,987	9,464	9,520	9,598	9,327
Colorado	491	479	558	550	660	661	678	683	722	696	794	778
Connecticut	784	742	807	824	845	859	867	848	860	845	859	851
Delaware	194	211	208	188	209	237	254	245	262	306	291	320
District of Columbia	282	311	302	298	279	311	346	324	334	347	328	336
Florida	3,941	3,906	4,339	4,699	4,722	4,974	5,306	5,473	5,568	5,700	5,817	5,782
Georgia	2,042	2,109	2,271	2,284	2,456	2,697	2,908	2,991	3,011	3,054	2,943	3,105
Hawaii	377	355	356	389	406	417	469	430	453	436	520	496
Idaho	169	174	196	212	206	238	248	275	248	259	271	287
Illinois	3,025	3,052	3,161	3,216	3,448	3,604	3,604	3,747	3,953	3,880	3,867	3,906
Indiana	1,249	1,278	1,397	1,447	1,707	1,625	1,747	1,788	1,845	1,852	1,855	1,949
Iowa	533	473	549	545	612	677	660	705	712	724	715	751
Kansas	460	449	519	591	587	604	621	598	648	657	642	701
Kentucky	809	797	850	953	1,036	1,101	1,123	1,198	1,144	1,203	1,312	1,366
Louisiana	1,397	1,419	1,433	1,644	1,772	1,883	1,750	1,918	1,989	2,035	1,974	1,903
Maine	180	211	194	239	248	236	280	289	289	292	313	321
Maryland	1,367	1,478	1,589	1,645	1,742	1,759	1,830	1,928	1,949	1,938	1,988	2,040
Massachusetts	1,237	1,177	1,296	1,361	1,361	1,302	1,405	1,385	1,386	1,443	1,483	1,425
Michigan	2,139	2,158	2,453	2,447	2,628	2,665	2,828	3,022	3,114	3,105	3,252	3,476
Minnesota	737	676	759	780	874	831	946	1,031	1,024	1,003	1,123	1,100
Mississippi	865	833	932	1,020	1,041	1,118	1,059	1,162	1,232	1,234	1,212	1,355
Missouri	1,298	1,317	1,402	1,479	1,627	1,627	1,688	1,750	1,645	1,802	1,776	1,783
Montana	128	148	139	133	146	176	155	207	160	184	178	181
Nebraska	294	305	328	368	399	428	450	497	458	456	479	484
Nevada	339	320	340	371	405	505	473	559	558	641	660	627
New Hampshire	170	169	157	184	196	210	236	216	230	250	270	275
New Jersey	2,231	2,307	2,315	2,526	2,692	2,839	2,751	2,884	2,897	2,966	2,926	3,059
New Mexico	343	402	423	444	426	501	488	507	499	558	567	531
New York	4,208	4,273	4,602	4,864	5,063	5,182	5,404	5,574	5,609	5,664	5,789	5,735
North Carolina	2,072	1,993	2,272	2,445	2,640	2,601	2,837	2,946	2,922	3,036	3,049	3,180
North Dakota	140	112	122	133	130	131	147	184	179	161	168	192
Ohio	2,700	2,656	3,042	3,107	3,393	3,526	3,782	3,801	3,852	4,026	3,960	4,099
Oklahoma	713	730	766	879	951	931	993	1,032	1,026	1,150	1,138	1,087
Oregon	539	519	535	567	581	620	642	704	768	812	779	787
Pennsylvania	3,150	3,076	3,424	3,645	3,676	3,752	3,988	3,968	4,137	3,958	4,115	4,048
Rhode Island	243	211	238	248	266	278	293	285	287	297	280	304
South Carolina	1,250	1,158	1,294	1,341	1,484	1,536	1,486	1,577	1,523	1,723	1,834	1,702
South Dakota	131	165	174	190	182	192	221	207	239	230	210	223
Tennessee	1,355	1,377	1,399	1,594	1,656	1,796	1,761	1,741	1,837	1,896	1,895	2,001
Texas	4,382	4,472	4,942	5,211	5,608	5,973	6,249	6,576	6,760	7,149	7,230	7,419
Utah	235	238	233	246	310	311	308	366	343	322	344	369
Vermont	78	93	87	109	103	116	119	106	119	132	115	137
Virginia	1,652	1,682	1,807	2,071	2,113	2,159	2,012	2,205	2,364	2,364	2,447	2,342
Washington	861	815	862	896	923	1,045	1,129	1,131	1,255	1,281	1,265	1,332
West Virginia	430	457	495	570	597	605	647	709	640	667	729	690
Wisconsin	994	937	1,010	1,084	1,190	1,171	1,280	1,358	1,438	1,486	1,604	1,588
Wyoming	44	64	61	67	65	75	78	80	73	85	83	87
American Samoa	*	*	11	*	*	19	17	14	14	14	22	*
Guam	29	35	44	51	53	51	57	61	71	64	53	63
Puerto Rico	775	777	855	863	911	989	959	1,054	1,063	1,148	1,134	1,071
Saipan	*	12	13	15	22	14	19	*	16	17	19	15
Virgin Islands	18	26	24	34	33	31	28	35	42	39	47	48
Foreign	21	15	14	15	22	21	22	20	22	24	13	16
Unknown	*	*	*	*	*	*
All	62,905	62,767	67,902	72,055	76,427	79,477	82,349	85,481	87,441	89,410	90,784	91,373

Table A.8 (continued)

Incident counts of reported ESRD patients, by diabetic status & state/territory

DIABETIC	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Alabama	26	41	62	87	99	118	141	180	184	264	282	330	387	413
Alaska	*	*	*	*	*	*	11	*	*	20	*	12	14	19
Arizona	49	72	87	117	140	152	210	257	242	311	312	377	470	497
Arkansas	*	22	30	51	58	65	77	112	101	120	121	183	170	194
California	201	449	573	697	788	1,005	1,168	1,229	1,362	1,788	1,963	2,258	2,314	2,449
Colorado	37	36	45	65	71	90	126	126	143	173	171	199	208	237
Connecticut	28	58	63	92	111	149	135	144	137	176	199	234	231	242
Delaware	*	12	16	*	16	24	30	28	45	55	48	63	58	65
District of Columbia	*	25	37	33	44	68	50	50	46	67	81	83	112	104
Florida	121	201	256	285	357	414	549	606	636	750	872	985	1,135	1,188
Georgia	52	124	154	146	189	219	260	333	320	416	470	542	645	649
Hawaii	22	35	31	33	28	58	75	104	98	104	141	139	148	182
Idaho	*	*	16	21	18	16	28	35	36	50	50	40	59	55
Illinois	137	186	244	282	324	437	453	498	509	599	738	896	874	972
Indiana	43	82	78	131	130	148	156	220	244	252	339	393	443	442
Iowa	27	47	53	67	66	84	105	66	102	128	134	142	192	203
Kansas	22	32	53	51	66	64	56	77	97	105	131	160	146	163
Kentucky	37	46	47	77	102	92	110	145	137	173	208	263	270	317
Louisiana	30	60	77	71	131	128	183	202	267	325	330	434	491	447
Maine	*	*	15	15	21	22	26	40	34	32	40	41	52	65
Maryland	36	75	93	112	136	180	157	208	208	304	371	417	473	498
Massachusetts	60	83	95	103	115	119	150	151	178	246	290	333	389	410
Michigan	158	200	196	229	261	307	381	367	472	573	669	728	816	845
Minnesota	68	77	91	116	145	132	162	191	175	216	225	246	251	276
Mississippi	23	33	44	51	77	80	97	105	142	163	205	240	263	282
Missouri	18	69	117	101	133	172	173	211	233	277	320	370	424	476
Montana	*	12	*	14	24	22	17	26	33	50	54	61	61	52
Nebraska	16	33	27	34	31	38	46	56	65	81	79	98	114	117
Nevada	14	16	17	18	18	26	37	53	49	63	74	87	80	96
New Hampshire	*	*	11	15	16	20	21	28	34	41	41	44	44	50
New Jersey	99	143	185	223	223	296	328	342	419	461	609	658	645	767
New Mexico	19	28	38	60	59	53	79	87	123	115	112	183	186	209
New York	194	290	375	438	527	542	693	752	862	911	1,089	1,210	1,336	1,525
North Carolina	67	77	127	144	171	232	235	308	317	397	482	580	636	742
North Dakota	*	*	*	16	18	12	23	24	30	50	42	36	63	50
Ohio	142	198	253	271	330	381	431	493	572	646	732	817	949	975
Oklahoma	24	38	59	77	83	94	121	135	201	183	242	246	313	318
Oregon	19	26	55	54	49	68	85	99	115	131	139	159	170	190
Pennsylvania	169	188	251	298	422	439	509	549	628	712	891	961	1,077	1,035
Rhode Island	*	12	13	15	19	23	19	34	46	44	58	54	65	71
South Carolina	41	51	75	87	125	164	154	188	202	251	291	349	366	390
South Dakota	*	20	11	17	28	27	24	35	42	29	28	51	56	62
Tennessee	34	45	76	94	113	132	135	194	204	309	316	359	434	435
Texas	153	259	389	404	532	611	678	782	971	1,265	1,424	1,558	1,754	1,919
Utah	31	32	28	36	56	54	63	64	79	61	85	85	82	106
Vermont	*	*	14	*	*	15	*	15	*	23	21	31	14	30
Virginia	59	70	122	164	176	169	218	243	301	332	366	463	536	589
Washington	42	39	61	71	99	133	119	128	185	218	232	279	304	312
West Virginia	18	22	32	52	55	53	81	77	89	91	109	128	154	148
Wisconsin	65	75	119	112	141	131	176	213	228	269	295	339	381	365
Wyoming	*	*	*	*	*	16	*	14	15	21	12	14	*	24
American Samoa	.	*	*	.	.	*	*	.	*	*	*	*	*	*
Guam	*	.	*	*	*	*	*	*	*	*	11	16	24	16
Puerto Rico	40	50	83	99	136	127	163	189	199	273	266	324	398	357
Saipan	*	*	*	*	*	*	*
Virgin Islands	.	*	*	*	*	*	*	*	*	*	*	*	*	*
Foreign	.	.	*	.	*	*	*	*	.	*	*	*	*	*
Unknown	*	*	*	*	*	*	11	*	*	*	*	*	*	*
All	2,528	3,845	5,031	5,880	7,109	8,241	9,565	10,833	12,196	14,741	16,840	19,315	21,308	22,657

Table A.8 (continued)

Incident counts of reported ESRD patients, by diabetic status & state/territory

DIABETIC	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Alabama	457	479	559	664	619	712	703	786	732	766	784	743
Alaska	20	30	29	39	31	36	29	43	33	40	52	30
Arizona	481	535	540	630	691	706	755	775	810	821	863	798
Arkansas	221	263	285	301	284	327	342	348	379	391	392	361
California	2,852	2,917	3,188	3,552	3,869	4,058	4,342	4,313	4,528	4,553	4,643	4,358
Colorado	207	229	280	255	322	316	341	332	349	339	375	375
Connecticut	302	291	316	370	344	380	389	345	361	390	352	329
Delaware	66	73	75	74	84	100	115	101	110	137	120	153
District of Columbia	97	119	128	124	112	120	132	137	127	139	111	144
Florida	1,350	1,397	1,609	1,848	1,803	2,027	2,193	2,322	2,289	2,401	2,441	2,470
Georgia	746	853	986	971	1,056	1,172	1,275	1,277	1,355	1,347	1,304	1,305
Hawaii	219	209	219	228	240	234	290	270	267	258	307	307
Idaho	74	69	79	97	98	104	116	104	108	93	120	133
Illinois	1,098	1,178	1,281	1,275	1,364	1,536	1,502	1,566	1,611	1,574	1,550	1,590
Indiana	508	554	611	622	768	716	747	763	793	835	829	834
Iowa	212	203	232	228	243	277	265	297	297	289	300	312
Kansas	189	172	219	238	277	282	304	272	294	282	283	273
Kentucky	316	326	378	428	465	500	515	561	529	561	601	589
Louisiana	526	556	637	718	803	840	754	877	869	880	852	794
Maine	56	74	68	93	89	99	123	124	120	127	136	140
Maryland	522	567	674	710	738	738	731	827	850	745	739	832
Massachusetts	480	458	519	531	547	502	547	620	552	555	537	556
Michigan	884	917	1,115	1,108	1,241	1,196	1,295	1,425	1,391	1,366	1,448	1,477
Minnesota	285	275	295	305	339	302	372	377	392	367	422	410
Mississippi	338	353	424	424	463	513	459	508	550	539	473	538
Missouri	491	541	619	688	718	703	764	760	724	798	772	769
Montana	58	79	61	58	76	80	72	115	80	99	89	87
Nebraska	116	151	145	161	170	196	198	224	191	195	230	200
Nevada	117	149	126	172	188	233	230	275	280	318	310	284
New Hampshire	51	63	56	73	78	80	90	78	86	100	116	95
New Jersey	835	942	995	1,042	1,193	1,224	1,188	1,199	1,242	1,235	1,229	1,326
New Mexico	186	235	262	253	253	305	318	282	313	348	348	331
New York	1,540	1,678	1,925	2,031	2,072	2,184	2,321	2,456	2,427	2,398	2,457	2,372
North Carolina	844	822	988	1,080	1,222	1,162	1,279	1,318	1,264	1,360	1,437	1,469
North Dakota	59	48	42	58	60	40	54	77	88	70	76	83
Ohio	1,159	1,179	1,380	1,449	1,624	1,676	1,803	1,849	1,785	1,857	1,870	1,963
Oklahoma	325	362	368	426	508	488	508	506	516	545	544	554
Oregon	199	211	202	240	212	261	274	292	283	312	313	317
Pennsylvania	1,230	1,286	1,408	1,501	1,575	1,590	1,751	1,778	1,775	1,706	1,772	1,711
Rhode Island	78	76	89	104	101	115	90	114	101	97	105	103
South Carolina	469	469	560	554	706	676	688	727	701	804	841	744
South Dakota	55	85	81	87	84	103	93	94	108	110	93	96
Tennessee	494	557	572	655	662	727	776	767	768	870	837	845
Texas	2,015	2,216	2,517	2,761	2,927	3,083	3,372	3,482	3,675	3,847	3,889	3,960
Utah	109	134	116	117	145	147	158	181	155	169	171	190
Vermont	39	46	37	50	46	54	46	44	49	51	43	56
Virginia	664	655	736	894	932	924	912	1,033	1,061	1,010	1,096	1,066
Washington	334	331	371	392	406	456	503	481	500	543	535	565
West Virginia	176	204	221	258	262	299	352	370	326	339	350	348
Wisconsin	380	396	413	470	491	495	512	530	529	580	660	665
Wyoming	22	38	29	35	26	35	41	33	35	43	35	40
American Samoa	*	*	*	*	*	*	16	12	*	*	16	*
Guam	15	23	32	34	33	38	31	40	42	44	38	39
Puerto Rico	422	417	497	503	555	626	610	696	685	746	712	689
Saipan	*	*	*	12	17	*	15	*	12	14	14	14
Virgin Islands	*	17	16	17	16	18	17	18	18	21	23	26
Foreign	*	*	*	*	*	11	*	*	13	*	*	*
Unknown	*	*
All	25,017	26,527	29,630	32,014	34,259	35,839	37,708	39,256	39,507	40,409	41,061	40,871

Table A.8 (continued)

Incident counts of reported ESRD patients, by diabetic status & state/territory

NON-DIABETIC	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Alabama	300	324	331	428	394	415	422	481	585	652	596	658	721	702
Alaska	*	*	*	14	*	11	22	16	21	21	18	30	27	17
Arizona	186	191	201	242	232	267	291	314	328	353	402	394	504	503
Arkansas	128	130	135	173	184	188	203	241	268	260	280	319	349	370
California	1,607	1,729	1,745	2,076	2,084	2,171	2,448	2,595	2,865	2,924	3,279	3,418	3,482	3,699
Colorado	131	146	135	113	149	163	178	182	194	230	225	244	283	255
Connecticut	189	167	217	274	237	330	315	324	339	370	384	440	430	425
Delaware	38	44	63	49	49	67	62	75	79	77	84	112	129	110
District of Columbia	103	97	129	122	106	118	100	125	126	194	161	204	183	213
Florida	969	961	1,002	1,139	1,245	1,308	1,437	1,611	1,737	1,961	2,018	2,265	2,496	2,467
Georgia	423	500	464	614	595	579	666	728	837	914	927	1,137	1,208	1,206
Hawaii	61	63	66	76	96	115	97	98	107	116	125	125	137	129
Idaho	38	31	41	37	48	66	59	49	62	81	88	91	63	89
Illinois	647	740	807	914	917	1,007	1,090	1,159	1,199	1,292	1,452	1,716	1,748	1,951
Indiana	285	320	365	415	399	431	433	483	560	582	605	652	715	791
Iowa	143	132	146	169	153	173	202	209	215	238	290	288	317	308
Kansas	102	106	141	129	140	154	190	191	195	253	258	241	281	251
Kentucky	188	199	213	198	215	272	284	300	327	354	396	447	500	475
Louisiana	289	335	335	387	409	455	486	544	598	655	676	702	791	824
Maine	32	71	46	57	85	70	78	77	83	73	100	96	98	97
Maryland	271	304	326	342	391	394	404	514	530	619	649	731	755	819
Massachusetts	326	253	372	469	450	451	464	495	556	559	596	645	724	786
Michigan	528	545	596	630	741	721	758	851	919	1,054	1,005	1,095	1,208	1,309
Minnesota	176	191	199	188	218	275	273	324	322	323	367	393	437	427
Mississippi	183	160	195	278	245	265	277	297	330	381	392	393	467	498
Missouri	301	276	307	358	399	415	471	528	552	576	660	693	721	748
Montana	25	46	30	52	47	43	47	50	42	59	63	76	56	84
Nebraska	72	78	71	71	82	100	99	111	127	135	137	149	170	167
Nevada	64	53	56	77	78	96	116	100	118	108	118	142	160	188
New Hampshire	46	63	51	54	54	67	64	69	77	87	80	95	105	101
New Jersey	629	542	618	722	660	787	809	912	903	1,082	1,042	1,194	1,351	1,362
New Mexico	85	64	78	74	79	110	86	99	117	123	145	136	140	136
New York	1,191	1,219	1,271	1,414	1,428	1,514	1,637	1,669	1,792	1,993	2,172	2,242	2,512	2,649
North Carolina	425	420	457	538	524	637	671	706	781	890	885	1,021	1,144	1,175
North Dakota	18	30	29	23	27	37	46	36	40	49	56	56	61	69
Ohio	556	591	672	743	769	826	888	912	1,072	1,127	1,258	1,327	1,376	1,424
Oklahoma	167	174	170	166	200	190	222	244	263	299	324	295	330	373
Oregon	104	118	120	160	160	177	209	203	234	258	262	333	298	337
Pennsylvania	744	793	854	977	1,025	1,220	1,233	1,229	1,345	1,471	1,643	1,654	1,756	1,729
Rhode Island	65	63	57	86	101	96	79	76	84	118	114	148	132	150
South Carolina	225	272	281	330	320	373	400	414	483	539	582	598	652	660
South Dakota	27	35	39	32	40	38	34	53	47	57	55	48	53	64
Tennessee	289	293	331	429	344	423	443	524	515	691	687	741	758	747
Texas	896	985	1,075	1,271	1,131	1,262	1,429	1,522	1,673	1,723	1,875	2,071	2,354	2,250
Utah	57	73	54	54	83	64	66	77	98	115	100	100	110	135
Vermont	30	20	21	34	25	27	26	29	42	35	45	50	45	45
Virginia	435	438	458	551	542	571	580	668	706	738	798	950	1,015	976
Washington	195	194	213	251	260	248	329	341	321	408	431	445	441	484
West Virginia	96	95	120	131	158	143	151	163	200	177	183	228	217	254
Wisconsin	213	219	263	236	274	294	322	385	461	462	452	506	556	548
Wyoming	12	21	18	16	17	23	13	25	29	25	19	30	31	25
American Samoa	.	*	*	*	*	*	*	*	*	*	*	*	*	*
Guam	*	*	*	*	*	.	*	*	*	*	14	13	13	14
Puerto Rico	191	186	201	196	225	237	221	218	261	259	278	277	300	319
Saipan	*	*	*	.	*	*	*
Virgin Islands	*	*	*	*	*	12	*	14	*	*	17	12	19	*
Foreign	*	12	*	13	11	16	11	*	*	*	15	*	*	*
Unknown	27	20	16	18	*	12	*	*	11	*	*	*	*	*
All	14,551	15,150	16,232	18,621	18,867	20,526	21,961	23,689	25,806	28,186	29,887	32,482	34,952	35,957

Table A.8 (continued)

Incident counts of reported ESRD patients, by diabetic status & state/territory

NON-DIABETIC	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Alabama	745	766	834	859	853	834	894	899	945	937	943	987
Alaska	48	22	29	36	33	29	40	40	35	55	55	50
Arizona	530	500	570	571	637	666	682	728	757	792	840	834
Arkansas	445	414	387	477	432	449	461	470	496	476	519	510
California	3,987	3,686	3,882	3,836	4,268	4,450	4,453	4,674	4,936	4,967	4,955	4,969
Colorado	284	250	278	295	338	345	337	351	373	357	419	403
Connecticut	482	451	491	454	501	479	478	503	499	455	507	522
Delaware	128	138	133	114	125	137	139	144	152	169	171	167
District of Columbia	185	192	174	174	167	191	214	187	207	208	217	192
Florida	2,591	2,509	2,730	2,851	2,919	2,947	3,113	3,151	3,279	3,299	3,376	3,312
Georgia	1,296	1,256	1,285	1,313	1,400	1,525	1,633	1,714	1,656	1,707	1,639	1,800
Hawaii	158	146	137	161	166	183	179	160	186	178	213	189
Idaho	95	105	117	115	108	134	132	171	140	166	151	154
Illinois	1,927	1,874	1,880	1,941	2,084	2,068	2,102	2,181	2,342	2,306	2,317	2,316
Indiana	741	724	786	825	939	909	1,000	1,025	1,052	1,017	1,026	1,115
Iowa	321	270	317	317	369	400	395	408	415	435	415	439
Kansas	271	277	300	353	310	322	317	326	354	375	359	428
Kentucky	493	471	472	525	571	601	608	637	615	642	711	777
Louisiana	871	863	796	926	969	1,043	996	1,041	1,120	1,155	1,122	1,109
Maine	124	137	126	146	159	137	157	165	169	165	177	181
Maryland	845	911	915	935	1,004	1,021	1,099	1,101	1,099	1,193	1,249	1,208
Massachusetts	757	719	777	830	814	800	858	765	834	888	946	869
Michigan	1,255	1,241	1,338	1,339	1,387	1,469	1,533	1,597	1,723	1,739	1,804	1,999
Minnesota	452	401	464	475	535	529	574	654	632	636	701	690
Mississippi	527	480	508	596	578	605	600	654	682	695	739	817
Missouri	807	776	783	791	909	924	924	990	921	1,004	1,004	1,014
Montana	70	69	78	75	70	96	83	92	80	85	89	94
Nebraska	178	154	183	207	229	232	252	273	267	261	249	284
Nevada	222	171	214	199	217	272	243	284	278	323	350	343
New Hampshire	119	106	101	111	118	130	146	138	144	150	154	180
New Jersey	1,396	1,365	1,320	1,484	1,499	1,615	1,563	1,685	1,655	1,731	1,697	1,733
New Mexico	157	167	161	191	173	196	183	189	217	245	219	200
New York	2,668	2,595	2,677	2,833	2,991	2,998	3,083	3,118	3,182	3,266	3,332	3,363
North Carolina	1,228	1,171	1,284	1,365	1,418	1,439	1,558	1,628	1,658	1,676	1,612	1,711
North Dakota	81	64	80	75	70	91	93	107	91	91	92	109
Ohio	1,541	1,477	1,662	1,658	1,769	1,850	1,979	1,952	2,067	2,169	2,090	2,136
Oklahoma	388	368	398	453	443	443	485	526	510	605	594	533
Oregon	340	308	333	327	369	359	368	412	485	500	466	470
Pennsylvania	1,920	1,790	2,016	2,144	2,101	2,162	2,237	2,190	2,362	2,252	2,343	2,337
Rhode Island	165	135	149	144	165	163	203	171	186	200	175	201
South Carolina	781	689	734	787	778	860	798	850	822	919	993	958
South Dakota	76	80	93	103	98	89	128	113	131	120	117	127
Tennessee	861	820	827	939	994	1,069	985	974	1,069	1,026	1,058	1,156
Texas	2,367	2,256	2,425	2,450	2,681	2,890	2,877	3,094	3,085	3,302	3,341	3,459
Utah	126	104	117	129	165	164	150	185	188	153	173	179
Vermont	39	47	50	59	57	62	73	62	70	81	72	81
Virginia	988	1,027	1,071	1,177	1,181	1,235	1,100	1,172	1,303	1,354	1,351	1,276
Washington	527	484	491	504	517	589	626	650	755	738	730	767
West Virginia	254	253	274	312	335	306	295	339	314	328	379	342
Wisconsin	614	541	597	614	699	676	768	828	909	906	944	923
Wyoming	22	26	32	32	39	40	37	47	38	42	48	47
American Samoa	*	*	*	*	*	11	*	*	*	*	*	*
Guam	14	12	12	17	20	13	26	21	29	20	15	24
Puerto Rico	353	360	358	360	356	363	349	358	378	402	422	382
Saipan	*	*	*	*	*	*	*	.	*	*	*	*
Virgin Islands	12	*	*	17	17	13	11	17	24	18	24	22
Foreign	11	*	*	12	17	*	19	11	*	14	*	*
Unknown	*	*	*	*	*
All	37,888	36,240	38,272	40,041	42,168	43,638	44,641	46,225	47,934	49,001	49,723	50,502

Table A.9
Incident rates of reported ESRD, by diabetic status & state, adjusted
per million population

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Alabama	75.9	87.7	92.0	111.1	112.3	114.7	122.7	137.8	164.1	191.1	186.9	201.9	219.8	218.6
Alaska	43.0	30.5	32.1	53.5	42.5	44.6	94.9	81.6	89.3	125.3	97.7	123.0	127.9	109.1
Arizona	104.5	115.4	123.2	152.9	149.2	169.5	188.2	206.4	207.5	234.6	240.2	253.5	299.5	302.8
Arkansas	61.9	70.3	76.7	99.6	104.9	112.6	121.3	151.6	164.3	165.4	174.0	205.4	217.5	226.0
California	89.4	103.6	114.3	134.0	138.0	150.1	165.0	172.2	183.4	203.1	221.3	236.1	237.8	243.0
Colorado	80.8	88.1	85.1	87.6	98.1	117.2	134.6	139.6	151.2	180.6	173.9	187.9	202.6	197.9
Connecticut	80.1	83.9	100.8	133.7	128.7	162.3	164.2	165.1	168.5	187.7	195.2	219.8	222.9	218.8
Delaware	79.6	96.0	133.5	110.7	108.7	144.4	153.3	164.6	188.2	202.1	200.6	244.7	265.4	245.0
District of Columbia	78.8	90.3	115.6	116.4	108.2	130.8	108.2	119.5	118.7	169.6	170.8	195.3	214.3	226.2
Florida	102.1	109.1	115.3	124.8	134.3	146.1	156.7	168.6	179.0	196.5	206.3	221.8	241.0	241.1
Georgia	80.5	98.4	101.9	119.2	123.8	125.5	138.4	152.8	165.9	186.6	192.1	224.7	245.4	243.5
Hawaii	64.5	97.8	124.6	135.4	149.8	200.2	206.5	229.3	222.2	239.1	260.1	259.0	261.4	257.7
Idaho	83.0	65.5	83.5	85.5	99.6	127.4	132.3	128.4	144.6	191.1	203.3	198.3	175.5	198.3
Illinois	74.4	85.4	98.5	111.7	116.5	133.9	142.6	152.7	157.8	171.6	194.5	229.2	231.6	248.4
Indiana	74.0	87.8	96.9	119.6	120.8	126.0	129.2	149.5	168.1	178.3	196.4	215.2	236.5	246.2
Iowa	80.8	84.8	95.9	114.4	108.2	118.9	146.0	138.0	152.4	171.4	193.1	205.3	237.6	239.7
Kansas	67.3	73.6	100.7	100.6	107.4	113.3	127.4	139.7	152.3	178.9	193.6	204.5	215.9	208.0
Kentucky	73.9	81.8	85.4	91.8	104.0	116.9	127.1	142.8	147.8	167.1	189.5	219.0	240.3	242.5
Louisiana	74.8	88.7	93.3	105.6	114.2	128.0	142.3	164.9	190.9	209.8	218.2	239.2	268.2	261.9
Maine	55.7	87.8	78.0	86.2	117.3	108.2	118.4	131.8	134.2	123.8	142.6	142.9	154.0	162.3
Maryland	70.7	83.0	92.5	99.8	110.0	120.7	115.2	138.2	144.0	169.8	188.7	207.7	220.9	230.5
Massachusetts	79.5	75.3	95.1	121.7	120.5	118.2	127.3	133.2	149.4	166.0	174.2	189.1	214.7	228.5
Michigan	86.2	94.9	99.2	111.0	125.9	130.6	142.7	150.0	168.0	196.5	201.2	211.3	231.4	241.4
Minnesota	86.2	91.1	99.1	107.3	125.4	139.4	149.9	172.1	171.6	181.7	193.1	206.7	217.4	222.8
Mississippi	66.7	68.8	77.3	98.6	104.1	104.9	115.2	122.2	144.7	163.5	178.2	188.8	209.4	219.6
Missouri	72.3	79.3	96.4	105.3	117.9	130.0	141.9	161.3	174.7	184.2	203.6	224.6	243.6	253.9
Montana	74.6	93.9	72.9	99.9	121.1	118.0	112.1	126.7	131.0	179.9	198.1	232.8	202.5	223.2
Nebraska	77.9	91.0	88.8	92.4	96.4	113.1	124.6	141.4	163.3	180.2	179.4	203.7	234.4	234.6
Nevada	112.5	107.3	104.0	134.1	131.0	160.7	190.4	190.3	195.3	194.4	194.8	215.2	217.7	235.3
New Hampshire	82.7	102.5	94.9	103.9	102.3	118.2	119.8	130.4	149.2	172.4	158.7	170.9	186.4	185.1
New Jersey	101.5	100.2	111.3	131.4	124.1	145.0	153.8	164.4	173.0	199.7	213.2	235.4	251.5	262.6
New Mexico	101.3	98.1	111.9	134.6	129.1	156.1	155.1	167.4	209.7	220.7	221.1	263.5	270.7	273.6
New York	79.3	86.5	94.2	104.9	109.8	116.4	129.4	135.9	145.9	159.3	174.9	187.2	203.2	219.4
North Carolina	74.9	78.4	89.2	102.9	105.1	126.0	132.5	141.4	151.9	172.7	179.9	206.4	226.5	238.6
North Dakota	59.4	74.4	79.9	84.7	95.9	104.1	140.6	134.3	148.8	204.9	212.3	202.0	249.2	256.5
Ohio	72.6	81.9	94.1	106.1	114.5	123.4	133.2	142.0	160.0	176.4	194.5	208.7	222.9	226.9
Oklahoma	74.6	84.9	90.4	90.9	102.0	106.1	120.4	134.9	164.0	178.0	200.7	196.7	217.2	235.5
Oregon	71.8	69.6	86.9	101.9	107.3	126.0	142.1	147.7	164.5	184.1	185.9	222.0	210.9	230.3
Pennsylvania	81.2	89.2	98.5	114.3	127.8	144.4	152.7	155.2	165.9	183.4	210.2	219.0	234.6	226.5
Rhode Island	93.9	97.3	91.8	125.3	147.2	147.4	127.6	132.5	154.8	192.2	198.1	223.7	227.4	244.1
South Carolina	72.8	84.9	95.2	109.4	115.8	136.3	141.5	146.1	162.7	184.5	196.6	213.3	224.9	228.6
South Dakota	78.9	99.3	102.5	100.1	129.5	130.0	116.5	161.7	174.3	168.3	159.6	183.3	198.3	228.2
Tennessee	71.8	79.6	92.7	114.3	106.2	118.0	125.9	147.1	155.4	201.7	209.3	223.5	234.4	229.8
Texas	87.7	100.2	113.3	129.6	129.2	137.7	156.6	172.5	194.0	214.1	232.5	254.9	277.3	279.2
Utah	100.7	116.0	95.6	102.9	139.6	138.4	136.5	148.9	183.3	194.4	187.7	187.4	187.1	217.2
Vermont	93.1	80.4	92.2	107.2	98.2	109.1	101.4	112.1	135.3	153.8	162.8	191.2	155.9	171.0
Virginia	89.7	94.1	104.5	125.6	126.1	129.0	133.7	148.0	161.8	170.7	181.1	212.0	233.0	232.5
Washington	83.1	73.7	85.1	96.5	110.6	119.7	132.6	138.7	146.2	175.1	183.7	199.1	199.0	208.8
West Virginia	74.2	76.9	97.4	116.0	132.8	128.4	147.7	155.0	184.4	181.0	188.2	223.3	235.7	250.6
Wisconsin	80.0	83.4	103.9	104.3	118.1	122.2	139.8	164.3	189.7	204.3	203.9	222.3	242.1	238.9
Wyoming	49.8	78.6	85.9	73.9	72.8	119.8	83.8	117.6	145.1	160.2	113.7	138.6	134.2	150.6
All	81.7	90.7	101.2	115.8	121.0	132.4	143.2	154.9	168.4	187.3	201.2	219.2	233.4	239.7

Table A.9
Incident rates of reported ESRD, by diabetic status & state, adjusted
per million population

ALL	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Alabama	234.9	236.6	259.3	280.6	278.9	280.8	288.1	298.4	294.6	291.3	291.4	290.9
Alaska	176.9	146.9	156.3	193.2	179.4	161.9	173.6	194.5	166.3	203.7	232.4	184.0
Arizona	293.9	282.7	288.4	295.7	324.5	317.4	321.9	329.8	331.4	335.0	331.9	311.9
Arkansas	259.7	263.6	265.9	291.6	275.7	284.6	291.1	294.0	305.4	302.3	307.0	295.3
California	265.9	254.6	267.0	275.8	297.0	301.0	306.8	307.0	312.5	309.7	306.3	293.2
Colorado	191.5	179.2	197.8	193.5	223.1	220.6	218.0	213.2	215.3	207.3	219.1	214.7
Connecticut	251.9	242.7	257.2	257.0	259.0	256.9	257.6	248.6	247.3	240.9	239.0	236.8
Delaware	258.4	270.1	270.1	239.8	250.6	275.2	290.8	278.7	281.3	317.5	303.3	316.9
District of Columbia	211.0	222.8	228.9	223.1	214.4	240.7	273.6	259.7	263.2	278.1	273.3	281.5
Florida	248.4	238.3	254.0	263.4	263.6	266.7	275.1	282.2	278.8	274.6	271.3	265.2
Georgia	256.4	256.5	271.0	268.5	276.9	292.6	311.1	316.1	310.1	300.1	286.7	289.1
Hawaii	294.3	275.7	268.1	299.1	319.9	299.2	334.9	322.3	315.1	313.7	351.2	347.9
Idaho	221.0	218.3	249.1	252.3	261.2	269.9	278.2	296.5	267.6	258.1	264.5	263.2
Illinois	260.1	256.8	267.7	269.5	282.7	293.9	293.2	300.3	310.7	305.2	299.3	297.4
Indiana	248.4	244.9	268.8	275.3	309.7	302.6	311.1	318.6	326.4	321.9	316.2	322.6
Iowa	246.6	216.1	250.5	234.7	258.4	282.8	273.8	282.4	287.5	289.5	277.4	286.7
Kansas	222.3	212.9	245.3	262.6	267.4	272.5	273.6	263.4	276.7	280.8	267.9	283.9
Kentucky	244.5	234.7	251.0	271.7	289.9	304.7	305.0	318.3	310.0	312.0	329.9	338.6
Louisiana	277.0	276.1	281.3	309.2	326.7	355.8	337.9	349.9	358.1	365.7	354.1	338.4
Maine	181.8	208.0	199.4	221.9	234.1	219.2	241.3	246.5	250.1	248.8	250.4	255.2
Maryland	235.9	244.2	261.7	266.8	276.3	278.7	283.9	289.5	286.7	278.9	277.5	281.9
Massachusetts	239.8	226.5	241.2	246.6	246.0	231.0	239.0	234.5	234.8	238.9	240.0	233.1
Michigan	241.6	239.0	264.3	266.0	279.9	282.4	293.5	306.7	312.3	307.7	316.0	331.2
Minnesota	224.2	208.8	215.9	220.3	243.0	233.8	249.9	267.6	260.9	254.5	268.5	265.6
Mississippi	245.1	232.9	252.6	274.5	285.0	295.6	285.2	298.2	312.2	309.5	300.2	325.3
Missouri	265.8	264.2	283.2	284.9	306.9	309.8	311.2	318.4	299.9	312.7	309.0	303.1
Montana	207.8	216.3	218.4	196.0	220.4	242.6	222.1	266.6	223.2	227.8	225.7	216.1
Nebraska	239.1	235.9	260.8	270.1	295.4	313.5	321.5	345.6	328.0	317.0	318.2	321.9
Nevada	263.7	241.5	236.8	238.1	251.0	287.2	269.3	291.7	285.4	306.5	301.3	277.6
New Hampshire	204.9	203.2	189.5	201.9	215.0	222.9	240.0	219.4	227.9	241.3	246.7	247.5
New Jersey	272.3	275.1	278.3	292.5	308.0	321.2	311.3	316.0	315.6	318.0	312.1	320.7
New Mexico	270.7	293.9	305.1	309.7	303.6	321.1	315.6	318.5	308.1	332.4	326.5	302.8
New York	222.8	216.4	233.7	246.5	254.4	256.8	261.7	267.6	265.4	263.9	265.6	264.9
North Carolina	252.1	237.6	260.6	276.6	291.7	285.1	300.3	310.2	303.7	302.5	302.1	305.5
North Dakota	280.7	241.0	235.6	252.5	254.4	253.0	273.5	332.6	330.7	305.7	300.1	333.4
Ohio	247.8	242.8	275.3	282.3	298.3	310.8	324.8	328.7	329.0	335.2	330.9	333.5
Oklahoma	244.3	242.6	253.9	278.6	304.0	291.3	297.6	310.6	309.0	329.7	330.5	310.6
Oregon	229.5	211.3	220.5	218.8	234.3	232.0	237.0	251.4	264.6	271.7	262.5	250.9
Pennsylvania	250.1	244.3	265.3	278.7	279.9	283.0	296.8	294.8	301.3	291.1	294.9	288.6
Rhode Island	272.9	242.0	258.3	264.7	280.4	283.1	295.3	285.6	286.4	289.8	270.8	285.6
South Carolina	260.3	243.1	261.5	268.5	286.7	292.0	282.0	291.1	280.6	296.4	316.6	295.9
South Dakota	233.0	278.0	290.9	309.8	305.5	311.9	344.4	332.6	358.2	356.1	320.2	326.6
Tennessee	258.2	256.9	256.5	280.5	297.5	310.3	302.7	296.0	301.8	304.4	298.5	308.2
Texas	287.2	278.6	299.8	311.7	331.1	343.8	348.3	359.0	362.4	369.0	367.0	367.6
Utah	216.1	207.9	198.8	200.1	248.1	246.6	238.8	265.5	250.0	230.1	224.0	231.4
Vermont	185.6	212.0	205.3	232.0	227.0	236.5	239.7	212.0	228.4	249.0	216.9	239.1
Virginia	239.1	236.4	251.4	278.1	285.4	286.9	268.0	278.0	291.5	288.6	289.7	277.5
Washington	216.5	197.9	208.9	207.3	218.5	227.7	244.4	241.8	254.6	254.9	249.7	248.9
West Virginia	270.3	280.9	301.8	339.4	357.9	353.2	368.5	401.5	372.3	372.2	399.2	381.7
Wisconsin	247.0	237.4	239.9	252.1	275.7	273.5	287.2	299.7	307.3	318.1	332.0	328.2
Wyoming	141.0	181.6	184.8	189.1	192.8	203.4	204.7	207.9	188.3	205.7	196.4	197.5
All	252.6	246.7	261.6	272.4	284.3	290.3	295.3	301.3	302.6	302.9	302.0	299.2

Table A.9 (continued)
Incident rates of reported ESRD, by diabetic status & state, adjusted
per million population

DIABETIC	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Alabama	6.4	9.8	14.2	19.6	23.1	26.8	31.5	39.1	41.2	55.8	61.1	68.8	79.1	83.5
Alaska	6.3	5.1	7.0	9.8	15.4	10.8	29.9	27.8	25.8	57.4	38.9	37.3	40.9	52.2
Arizona	23.0	35.0	41.1	52.2	61.6	64.8	82.3	98.8	94.5	112.4	115.0	129.1	152.2	157.5
Arkansas	4.6	9.5	13.6	21.6	26.1	28.8	33.5	46.3	45.3	50.9	51.8	71.9	71.6	76.4
California	10.5	20.2	28.1	33.5	38.0	45.8	52.8	55.0	58.9	75.3	83.2	93.8	95.1	98.1
Colorado	16.4	18.9	21.2	29.4	33.1	40.2	54.5	57.6	63.3	75.2	76.3	83.7	86.1	92.7
Connecticut	11.7	21.0	24.4	33.4	41.2	53.3	51.3	52.4	50.4	61.0	69.8	80.5	81.1	82.7
Delaware	11.8	20.9	28.5	19.0	26.2	39.5	49.8	47.8	68.4	86.0	77.8	91.6	87.5	91.0
District of Columbia	8.7	18.4	28.8	26.6	32.8	49.0	42.3	38.5	36.1	50.1	61.3	64.4	83.8	82.9
Florida	12.5	19.7	24.6	26.7	31.8	35.9	45.1	49.6	50.9	57.2	64.3	70.1	77.8	80.0
Georgia	10.4	20.3	26.2	25.2	30.6	35.1	40.8	50.2	50.3	61.8	69.8	78.0	89.9	90.5
Hawaii	8.2	16.6	35.0	34.8	30.2	51.0	68.7	88.0	85.3	94.6	115.3	119.6	114.7	133.1
Idaho	13.4	17.3	24.9	33.2	30.6	26.3	40.9	53.7	56.6	73.2	76.1	62.2	78.5	76.7
Illinois	12.8	18.1	23.4	27.2	31.3	40.8	44.0	47.2	48.5	55.8	67.3	80.5	80.3	85.0
Indiana	10.6	18.5	19.0	28.8	31.1	33.8	36.0	47.8	54.5	56.6	71.3	83.3	92.4	92.4
Iowa	13.5	22.4	26.2	32.2	33.5	40.2	50.3	36.8	46.6	59.7	63.8	66.6	84.4	91.8
Kansas	11.9	17.6	27.6	28.6	35.0	34.8	31.1	39.2	49.4	54.6	65.8	79.8	75.1	79.1
Kentucky	12.3	16.6	16.9	25.3	34.6	33.1	37.1	47.8	47.6	56.6	67.5	83.5	87.3	98.0
Louisiana	7.3	12.8	16.8	15.8	26.2	27.9	37.1	42.3	54.5	68.0	69.6	86.3	99.0	91.5
Maine	8.6	12.7	18.2	19.3	25.2	27.3	31.1	45.2	42.0	37.8	44.2	46.2	55.0	67.7
Maryland	8.8	16.2	20.9	24.5	29.3	37.2	34.7	41.3	42.5	57.9	71.0	78.9	87.3	90.6
Massachusetts	12.9	18.7	21.4	22.9	25.4	25.9	31.3	32.7	37.2	49.9	59.9	68.7	78.7	83.2
Michigan	18.9	25.8	25.9	28.9	33.0	38.0	46.1	45.7	55.1	67.3	77.7	84.1	92.0	94.9
Minnesota	22.2	28.6	32.5	40.4	50.4	47.9	54.7	64.5	61.1	70.5	74.6	79.6	80.2	85.2
Mississippi	8.0	11.5	14.8	17.0	24.7	26.9	31.3	34.2	44.2	52.4	63.2	73.6	80.6	84.6
Missouri	6.0	14.8	26.2	25.0	30.0	38.4	39.9	46.3	51.5	60.2	68.7	78.1	88.1	97.3
Montana	10.6	21.2	13.7	23.1	40.5	40.3	32.3	43.5	56.4	82.3	92.7	102.4	101.3	86.9
Nebraska	15.2	27.2	25.5	29.3	28.5	32.5	39.3	47.8	55.3	67.4	68.0	79.6	91.5	94.5
Nevada	20.2	25.3	25.4	26.2	25.5	33.4	45.8	62.9	59.6	68.3	76.3	82.8	75.1	80.4
New Hampshire	9.1	13.9	16.8	22.3	24.4	29.0	29.4	37.8	46.2	54.5	56.1	58.8	58.1	63.1
New Jersey	14.3	20.9	26.3	31.5	32.4	40.0	45.2	46.7	55.2	62.0	78.0	86.1	84.4	94.8
New Mexico	21.5	31.7	41.1	61.2	63.9	56.9	75.5	86.1	114.7	114.7	108.3	157.6	166.0	176.6
New York	11.4	17.1	22.0	25.4	30.0	31.4	38.4	42.2	47.3	51.0	58.8	65.4	71.2	79.3
North Carolina	10.3	13.1	19.6	22.7	26.6	34.4	36.2	44.0	46.4	55.9	66.3	77.5	84.4	94.5
North Dakota	14.3	17.1	18.3	33.0	40.0	29.7	46.5	53.7	64.8	103.8	97.5	82.7	125.8	113.5
Ohio	15.0	21.5	27.3	29.7	35.4	40.8	45.9	51.6	59.0	66.7	74.0	81.5	92.3	95.3
Oklahoma	9.7	15.3	22.4	28.7	31.9	35.3	44.2	50.7	71.9	71.8	87.2	91.8	109.0	113.1
Oregon	9.6	13.9	26.7	29.3	26.8	33.6	42.1	49.1	55.8	62.2	65.2	71.7	75.0	80.7
Pennsylvania	14.7	18.6	23.3	27.8	38.0	41.3	46.5	50.1	56.1	63.5	76.7	83.6	91.6	89.2
Rhode Island	11.7	16.4	17.7	20.0	24.8	29.7	26.1	40.3	55.9	56.6	69.5	68.2	77.0	84.7
South Carolina	11.3	15.1	20.7	24.1	33.3	43.2	42.7	48.2	52.2	63.0	71.5	82.5	86.8	89.6
South Dakota	21.4	40.7	28.2	34.0	55.0	56.9	51.0	67.6	82.7	64.2	56.5	91.8	106.1	115.1
Tennessee	7.7	10.7	16.8	21.3	25.6	29.5	30.3	40.5	44.4	63.0	67.5	73.6	86.1	87.0
Texas	13.2	21.1	30.4	32.4	40.6	46.7	51.3	58.4	71.4	91.9	104.3	112.2	122.4	130.7
Utah	34.3	41.1	35.1	41.5	61.6	63.4	69.9	72.8	85.6	71.8	87.6	89.7	83.8	98.7
Vermont	16.0	21.0	37.5	17.8	25.9	40.8	31.6	39.7	55.5	57.6	76.7	76.7	44.7	67.4
Virginia	10.5	13.6	21.5	29.1	32.1	30.8	37.2	41.5	49.5	55.5	59.7	72.0	82.4	88.7
Washington	11.9	13.6	19.0	22.9	30.7	40.2	38.2	38.9	52.1	62.2	65.5	75.3	80.2	80.8
West Virginia	11.3	15.2	20.7	32.8	37.4	36.4	51.3	52.9	58.8	61.5	70.9	82.5	97.2	96.0
Wisconsin	17.5	22.8	33.0	33.8	40.1	38.9	48.2	58.9	63.5	72.7	79.6	88.8	97.8	94.6
Wyoming	6.7	20.5	30.9	19.7	21.6	46.6	36.5	44.3	50.2	67.5	47.5	45.8	32.8	66.9
All	12.1	18.5	24.1	28.1	33.3	38.4	43.8	49.0	54.4	64.6	73.2	82.2	88.9	93.2

Table A.9 (continued)

Incident rates of reported ESRD, by diabetic status & state, adjusted*per million population*

DIABETIC	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Alabama	91.2	94.1	107.4	124.0	118.2	129.9	131.8	140.8	132.5	133.6	136.0	127.9
Alaska	56.7	78.4	80.9	102.4	88.2	87.6	75.8	98.4	82.8	88.4	107.1	71.6
Arizona	147.4	152.5	151.2	161.7	174.7	169.8	172.3	175.2	177.8	175.6	176.0	159.4
Arkansas	86.3	99.3	109.2	112.2	106.0	115.2	120.9	121.8	128.8	131.9	130.0	119.8
California	111.5	113.5	121.7	131.9	141.1	143.5	150.4	148.4	149.8	148.7	146.9	137.3
Colorado	82.9	85.0	100.4	91.9	107.1	105.6	107.5	104.1	104.9	100.8	105.6	104.1
Connecticut	99.4	99.3	104.6	117.0	111.1	115.7	118.7	106.3	105.4	110.4	102.4	93.7
Delaware	92.7	97.1	99.8	95.7	102.4	116.8	132.0	119.3	119.8	141.7	125.8	147.8
District of Columbia	79.7	90.8	101.6	100.0	90.9	96.6	109.2	113.1	105.1	114.2	101.1	119.2
Florida	87.5	88.5	97.3	106.3	104.0	109.8	116.4	120.5	116.4	117.6	117.3	115.2
Georgia	99.8	109.4	124.8	122.3	126.3	136.8	147.0	144.9	145.5	142.7	135.4	130.3
Hawaii	158.9	148.3	149.8	162.1	166.6	156.7	187.5	188.0	179.8	175.9	190.6	199.4
Idaho	93.8	91.7	98.3	113.6	116.7	116.0	123.1	112.9	110.4	95.8	109.1	118.6
Illinois	95.4	100.9	109.5	108.5	112.9	124.7	124.0	125.0	126.8	123.6	120.1	120.2
Indiana	102.6	110.9	121.6	122.9	143.8	138.0	138.0	139.5	142.6	147.4	145.4	143.3
Iowa	95.1	92.2	100.4	98.1	102.2	112.8	108.6	116.4	117.2	113.0	113.7	115.6
Kansas	89.8	83.7	98.0	106.3	122.4	126.7	132.1	121.5	124.1	120.1	117.1	111.5
Kentucky	99.8	100.8	114.0	126.0	135.6	142.1	143.8	152.3	144.9	147.7	155.0	151.0
Louisiana	102.3	107.4	121.5	134.2	146.4	154.2	143.1	155.0	154.4	154.0	149.8	137.5
Maine	62.0	74.3	72.9	89.5	90.0	93.3	108.9	111.3	106.0	107.4	111.5	112.6
Maryland	94.1	97.6	113.2	118.9	120.6	119.2	116.6	125.1	126.1	112.0	106.3	114.2
Massachusetts	94.7	92.0	100.0	101.1	102.6	93.2	96.0	105.9	96.9	93.0	90.2	91.4
Michigan	98.7	100.5	118.7	119.4	129.0	126.0	131.3	141.8	138.3	133.6	138.3	139.6
Minnesota	87.5	84.5	87.7	88.3	95.4	85.5	95.1	97.0	98.3	91.6	97.9	96.8
Mississippi	99.0	102.7	120.2	121.6	127.0	140.5	131.7	136.4	144.5	142.7	126.7	133.5
Missouri	100.9	107.6	122.1	132.2	137.4	133.6	139.3	138.5	130.4	137.6	134.3	129.8
Montana	89.8	116.0	98.1	86.4	105.1	110.1	99.0	138.8	111.6	119.5	109.9	102.0
Nebraska	93.2	113.6	112.2	117.9	125.1	139.7	141.0	153.8	136.3	131.6	148.3	134.2
Nevada	92.1	109.4	94.8	107.6	117.6	133.9	131.4	145.5	145.5	155.1	148.0	130.5
New Hampshire	64.4	74.7	70.2	82.1	88.9	87.9	92.8	81.5	83.6	93.7	104.9	89.3
New Jersey	104.3	113.9	120.7	123.4	135.6	139.1	134.6	132.6	133.5	132.1	130.5	137.9
New Mexico	159.9	183.8	204.8	195.1	187.8	205.0	207.0	209.6	188.3	195.4	210.1	198.8
New York	81.3	83.6	95.8	100.8	101.8	104.3	109.2	114.0	111.2	108.8	109.0	106.8
North Carolina	106.4	102.8	117.5	126.2	138.0	133.8	141.2	144.0	136.5	140.3	145.6	146.0
North Dakota	122.0	106.2	90.5	111.9	120.9	86.7	98.0	137.1	160.9	136.5	134.6	144.0
Ohio	109.8	112.9	128.9	134.9	146.9	152.1	159.9	163.2	156.5	158.6	159.4	163.4
Oklahoma	114.3	122.5	126.2	137.3	161.0	157.0	157.3	156.8	156.2	160.5	159.3	158.7
Oregon	83.9	87.3	83.6	92.1	84.5	93.3	98.1	102.3	98.4	103.5	101.9	100.0
Pennsylvania	101.6	107.1	115.6	120.9	125.9	125.7	134.3	137.0	135.1	129.6	131.3	127.0
Rhode Island	92.6	89.7	101.7	117.0	116.3	120.4	101.8	115.5	106.4	98.7	102.1	102.4
South Carolina	104.5	103.8	119.5	118.5	139.9	139.4	138.2	141.8	135.3	146.6	153.2	136.6
South Dakota	105.0	145.1	148.3	151.9	148.3	167.9	155.4	151.2	167.1	170.3	145.9	141.8
Tennessee	95.2	104.3	108.3	117.9	119.2	126.0	133.4	130.9	127.4	138.4	134.5	131.2
Texas	135.9	140.5	156.3	168.4	176.2	181.5	190.6	194.8	199.4	202.4	200.3	198.5
Utah	102.5	118.7	108.0	101.9	119.1	120.2	122.8	135.7	119.6	119.9	118.1	123.2
Vermont	91.8	108.8	93.2	109.4	106.0	113.6	98.4	89.2	92.5	96.2	82.1	96.2
Virginia	98.4	96.0	104.7	121.9	127.7	125.2	121.7	130.8	132.7	125.1	129.7	125.7
Washington	84.1	82.6	88.7	92.0	93.4	99.2	106.6	102.7	102.3	107.6	103.9	104.8
West Virginia	109.1	126.5	138.7	155.4	160.5	174.7	199.1	212.0	191.3	189.7	193.0	190.4
Wisconsin	95.6	98.2	101.5	110.3	115.0	113.6	113.6	114.8	112.9	119.8	132.5	133.5
Wyoming	69.9	107.2	94.0	96.8	80.0	91.9	103.0	87.0	86.8	101.3	86.5	89.0
All	101.1	104.8	114.7	121.3	127.7	130.8	135.1	138.0	136.2	136.1	135.8	133.0

Table A.9 (continued)
Incident rates of reported ESRD, by diabetic status & state, adjusted
per million population

NON-DIABETIC	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Alabama	70.5	77.2	78.3	92.4	89.0	88.8	90.1	99.7	120.7	134.8	126.8	133.8	141.1	138.3
Alaska	37.2	25.4	26.8	47.5	29.2	35.0	68.1	55.5	68.8	71.0	60.9	89.3	88.9	59.0
Arizona	83.9	83.0	83.4	101.7	94.1	106.3	109.8	115.3	118.3	123.1	132.5	131.3	151.5	150.5
Arkansas	56.9	58.8	60.6	73.9	76.6	79.7	84.4	98.6	111.4	109.7	114.8	126.9	137.4	141.7
California	79.0	83.3	86.3	100.2	99.6	103.7	111.4	116.9	124.0	127.5	137.3	142.6	142.6	145.6
Colorado	65.2	68.6	62.0	56.6	64.9	74.7	77.9	81.3	85.3	98.7	96.1	102.1	112.1	100.9
Connecticut	68.9	64.4	77.2	100.5	87.9	111.0	113.1	113.9	118.7	127.6	127.1	141.3	142.6	137.4
Delaware	68.3	76.0	105.9	92.9	83.8	107.0	105.1	118.1	122.5	120.0	125.7	156.1	178.1	156.6
District of Columbia	73.3	75.1	89.3	94.1	80.7	86.1	72.1	87.5	89.4	128.1	122.8	145.7	142.8	157.2
Florida	89.7	89.9	90.9	98.2	102.2	109.0	110.4	119.0	128.1	138.1	138.8	149.7	161.1	159.4
Georgia	71.4	79.7	77.0	95.4	95.2	92.6	99.1	105.4	120.4	128.6	126.5	149.0	159.8	157.9
Hawaii	53.1	73.2	84.8	96.1	113.1	143.5	120.1	118.4	115.1	124.9	125.8	122.5	126.5	108.7
Idaho	66.2	47.2	57.9	54.2	70.6	94.2	89.6	71.5	89.5	108.4	117.2	126.4	89.2	112.8
Illinois	61.7	67.8	75.9	85.2	85.9	94.2	100.2	106.3	111.2	117.6	129.1	150.4	154.0	165.4
Indiana	63.7	69.5	78.1	91.9	90.6	92.8	93.7	103.6	116.8	124.2	126.8	135.1	145.1	155.2
Iowa	64.9	60.4	67.0	81.5	72.4	75.5	90.9	95.1	101.5	109.2	125.9	130.0	139.2	138.2
Kansas	53.9	54.5	71.0	71.5	70.8	76.0	93.1	96.3	99.8	122.1	126.0	119.8	132.1	123.2
Kentucky	61.9	65.4	68.7	67.5	70.6	84.5	90.5	97.0	103.1	113.0	123.6	138.8	153.6	146.2
Louisiana	67.2	73.7	74.2	86.3	86.3	96.8	101.5	117.0	129.5	137.1	140.7	149.1	163.3	163.6
Maine	47.5	76.2	60.6	67.3	90.8	82.0	86.3	87.4	92.3	85.4	98.0	97.6	98.7	95.9
Maryland	62.7	67.3	71.5	76.4	82.1	84.6	82.4	99.5	104.0	115.2	122.6	134.0	137.8	144.3
Massachusetts	67.0	58.1	74.5	99.0	94.1	93.0	95.3	100.8	112.0	115.9	114.8	122.0	136.4	145.8
Michigan	65.4	67.5	73.5	79.3	90.2	90.3	92.9	101.5	108.4	123.1	117.8	123.7	134.3	142.0
Minnesota	61.9	61.3	67.6	66.7	74.4	89.2	93.4	105.4	106.1	107.3	113.6	122.5	132.2	131.9
Mississippi	59.6	57.1	63.4	82.7	79.5	79.6	83.1	89.4	98.8	111.6	117.0	117.0	130.0	139.6
Missouri	65.2	62.4	68.7	79.7	85.7	89.3	100.8	112.1	120.4	122.1	134.5	143.9	147.9	151.0
Montana	61.2	70.2	57.6	77.0	82.2	72.4	78.0	79.1	75.7	90.1	97.6	120.6	92.5	126.0
Nebraska	60.6	62.5	61.3	62.8	66.1	77.5	81.8	89.0	104.3	110.8	109.6	117.6	131.8	132.3
Nevada	93.5	82.3	77.5	107.3	106.7	126.5	144.7	129.9	136.8	123.8	120.5	134.8	143.5	156.6
New Hampshire	74.7	90.3	78.9	82.2	77.2	90.8	89.7	93.2	103.0	117.4	102.9	113.6	127.2	121.9
New Jersey	87.8	80.2	85.8	101.1	93.3	105.9	110.0	119.3	119.7	138.9	136.7	150.9	168.9	168.9
New Mexico	83.4	70.3	74.2	77.5	75.9	104.6	87.7	92.4	107.7	115.2	126.8	123.1	119.3	112.7
New York	68.4	70.0	73.1	80.6	80.5	85.6	91.5	94.2	99.0	108.8	116.8	121.9	132.3	140.1
North Carolina	65.7	66.0	70.4	81.3	79.9	93.3	97.4	99.4	108.9	119.5	116.8	130.2	144.8	147.6
North Dakota	44.0	55.8	61.8	52.4	56.4	72.8	93.5	80.0	82.0	100.2	112.1	115.6	121.2	137.5
Ohio	57.8	61.1	68.1	77.9	80.7	84.2	88.7	93.1	104.8	112.9	122.7	130.4	132.8	133.9
Oklahoma	64.7	68.9	67.6	63.1	70.3	71.4	78.3	86.8	95.3	108.8	117.8	107.1	112.3	126.7
Oregon	60.0	53.9	59.3	73.4	81.2	86.5	97.9	94.1	109.9	113.1	111.9	140.9	126.2	140.5
Pennsylvania	67.4	71.6	76.2	88.0	91.7	105.1	108.0	107.1	112.5	123.7	138.2	139.7	144.9	141.2
Rhode Island	82.8	81.9	74.4	105.3	120.4	118.2	100.2	92.9	99.7	135.2	129.5	156.3	150.5	160.2
South Carolina	62.9	71.0	75.6	86.9	85.1	96.2	100.8	101.1	116.1	126.1	130.1	134.5	143.3	144.7
South Dakota	56.8	61.2	75.0	67.9	76.9	74.1	67.5	95.3	92.3	105.3	102.7	91.6	93.7	111.9
Tennessee	64.7	67.9	75.6	92.9	80.1	88.2	93.8	106.6	108.9	137.1	140.8	148.6	147.7	143.8
Texas	74.6	78.8	83.4	98.1	88.8	92.8	105.4	113.3	122.8	124.7	130.6	144.0	158.2	150.9
Utah	68.0	76.9	60.3	60.8	81.7	74.2	67.6	78.7	98.0	116.2	101.4	98.4	101.1	115.4
Vermont	77.8	61.7	57.1	89.8	71.8	70.9	69.6	73.4	104.2	97.8	105.5	117.1	109.8	104.1
Virginia	80.7	81.2	83.4	98.4	96.1	100.0	98.8	109.6	115.7	118.7	125.6	145.1	154.7	147.7
Washington	69.0	58.4	65.2	74.4	81.3	75.7	93.3	96.5	96.1	107.6	112.3	118.9	112.8	123.1
West Virginia	62.5	61.7	76.5	83.7	96.0	93.7	97.1	103.3	126.4	120.1	115.8	139.7	138.9	153.3
Wisconsin	60.5	58.7	71.4	69.2	76.2	80.5	88.6	102.3	120.1	125.5	118.0	127.8	137.9	137.3
Wyoming	44.2	58.1	54.3	53.0	51.8	70.8	46.5	73.5	92.9	86.1	65.3	91.2	97.1	79.6
All	69.6	72.3	77.1	87.6	87.7	94.0	99.4	105.9	114.0	122.8	127.9	136.9	144.5	146.4

Table A.9 (continued)

Incident rates of reported ESRD, by diabetic status & state, adjusted*per million population*

NON-DIABETIC	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Alabama	143.2	142.9	155.8	160.2	162.3	153.4	159.8	161.0	165.6	161.8	159.6	164.7
Alaska	127.7	74.5	79.4	95.5	97.3	83.4	102.8	97.9	86.6	120.4	127.4	119.5
Arizona	151.6	136.3	142.9	140.5	151.4	152.4	153.4	157.7	158.1	165.3	165.2	158.4
Arkansas	165.0	154.4	145.4	167.4	159.7	159.9	160.7	163.4	169.4	163.7	170.5	170.5
California	155.4	142.3	146.7	145.2	156.1	159.2	157.1	159.2	164.5	163.5	159.8	156.0
Colorado	106.3	92.7	95.9	99.2	111.7	112.7	107.6	106.9	108.5	106.5	114.9	111.4
Connecticut	153.0	143.7	152.9	141.1	146.9	142.2	140.6	143.8	141.9	130.1	135.6	141.2
Delaware	168.3	175.8	172.5	146.2	149.8	160.9	160.9	159.2	162.4	177.4	179.0	170.5
District of Columbia	144.1	146.3	143.5	138.7	137.6	157.1	174.0	156.8	170.3	180.0	181.4	173.5
Florida	160.0	148.5	155.7	156.4	158.0	156.4	158.7	160.6	162.3	158.3	156.1	150.6
Georgia	160.9	154.0	155.2	155.0	160.1	166.8	176.1	182.1	175.0	168.8	162.5	170.4
Hawaii	124.1	117.8	110.7	126.4	135.3	135.7	136.6	124.0	131.3	133.5	149.8	137.8
Idaho	120.8	122.9	142.5	129.0	132.7	145.7	142.9	167.8	149.2	153.3	143.4	136.4
Illinois	166.8	158.3	160.1	162.2	170.6	169.9	169.4	174.4	183.4	181.0	178.1	176.0
Indiana	148.5	139.2	151.3	155.2	170.5	169.0	178.2	182.5	185.3	178.0	174.3	183.2
Iowa	143.5	116.0	136.7	128.0	146.2	159.1	154.9	156.7	161.2	168.5	154.7	163.1
Kansas	128.2	123.6	138.6	149.7	138.9	139.7	135.6	136.6	147.1	155.7	145.5	167.4
Kentucky	147.3	138.8	141.0	148.8	159.0	167.4	166.8	170.3	166.8	168.3	179.4	192.9
Louisiana	169.2	162.8	155.4	169.4	176.6	192.9	190.2	191.9	201.6	208.3	201.4	198.6
Maine	118.7	130.5	123.9	131.3	138.3	124.3	134.3	137.6	141.9	138.4	135.8	138.6
Maryland	146.4	151.6	154.4	153.6	161.4	164.3	170.7	168.1	165.0	172.7	174.5	172.0
Massachusetts	145.0	133.4	140.4	145.1	140.6	136.6	143.4	129.7	136.3	143.8	146.9	139.1
Michigan	138.4	133.1	140.9	141.7	144.9	149.8	155.4	159.8	167.9	168.9	173.2	188.1
Minnesota	133.2	120.4	126.7	130.0	145.0	140.7	148.9	163.9	157.2	156.4	163.3	162.2
Mississippi	147.0	132.7	138.2	158.3	161.9	160.1	158.7	167.7	174.1	174.1	179.7	195.7
Missouri	162.8	152.5	155.3	149.3	166.1	173.2	168.8	176.0	166.8	172.4	171.0	171.2
Montana	112.2	98.8	113.7	102.6	105.8	126.8	114.8	115.6	105.6	102.5	106.4	108.4
Nebraska	139.6	116.1	137.3	144.3	161.3	164.6	170.9	182.7	183.2	178.2	162.1	180.5
Nevada	175.0	136.3	146.6	135.4	136.7	159.8	145.3	153.8	147.6	161.4	166.0	156.7
New Hampshire	139.0	125.7	116.5	118.3	120.6	132.0	147.5	137.9	140.8	143.2	136.8	152.4
New Jersey	170.7	162.9	159.3	171.3	173.8	183.8	177.6	184.3	182.2	185.7	181.4	182.5
New Mexico	124.5	127.3	119.8	132.3	127.5	132.0	125.1	123.5	134.2	153.5	137.4	119.2
New York	141.0	132.3	137.3	144.3	150.7	150.4	151.0	151.9	152.0	153.0	154.2	155.8
North Carolina	148.7	139.3	149.1	156.5	160.3	158.3	166.6	172.9	173.7	169.8	163.8	167.2
North Dakota	156.4	132.8	144.7	140.7	133.8	158.2	170.0	188.6	166.2	162.9	158.5	181.4
Ohio	141.6	135.1	150.8	150.9	155.7	163.1	170.6	169.3	175.0	180.5	175.1	174.1
Oklahoma	133.4	124.4	130.8	145.9	146.5	140.0	145.6	158.8	157.2	174.8	176.6	157.0
Oregon	139.6	120.9	130.4	119.4	141.3	133.4	130.6	138.2	159.6	160.8	150.9	144.9
Pennsylvania	153.1	141.9	155.0	162.8	159.3	162.2	167.3	162.8	170.4	165.1	167.2	165.2
Rhode Island	179.2	150.3	155.7	148.8	161.1	162.5	193.5	171.5	178.1	188.0	165.5	179.0
South Carolina	161.0	146.8	152.0	159.8	158.1	164.7	155.6	159.8	155.0	161.7	175.0	170.6
South Dakota	129.5	136.8	149.4	163.2	162.0	144.0	189.6	179.9	192.2	184.0	171.0	180.3
Tennessee	159.5	150.4	150.4	163.7	177.3	183.8	170.8	164.8	175.0	166.7	165.8	177.0
Texas	153.9	141.0	146.8	146.9	157.0	165.7	161.5	167.9	166.8	170.2	170.2	172.6
Utah	112.7	90.7	91.6	97.5	124.2	125.2	114.0	127.4	128.5	111.1	109.3	110.1
Vermont	93.9	102.3	110.1	121.9	116.5	121.3	141.8	123.5	132.8	148.5	130.1	137.5
Virginia	144.6	144.7	151.8	160.9	162.5	166.0	148.8	149.8	162.0	167.3	162.1	154.0
Washington	129.9	114.7	117.3	111.6	121.1	127.6	133.2	132.4	149.3	144.3	140.4	142.1
West Virginia	158.7	154.1	164.9	182.9	197.6	181.5	171.1	190.1	181.6	181.3	205.7	191.4
Wisconsin	146.3	133.4	135.5	138.7	156.0	150.3	165.2	176.8	186.5	189.4	190.2	186.6
Wyoming	68.8	73.1	87.9	88.5	105.9	107.3	96.6	116.0	97.9	102.6	110.0	107.7
All	151.5	141.9	146.9	151.0	156.6	159.6	160.2	163.3	166.4	166.9	166.2	166.3

Table A.10

Incident counts of reported ESRD patients, by diabetic status & ESRD network

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 CT, MA, ME, NH, RI, VT	795	806	975	1,219	1,232	1,383	1,394	1,467	1,622	1,814	1,974	2,228	2,351	2,490
2 NY	1,385	1,526	1,670	1,867	1,990	2,093	2,342	2,440	2,661	2,915	3,237	3,408	3,808	4,150
3 NJ, PR, VI	952	924	1,093	1,225	1,227	1,409	1,483	1,633	1,722	2,003	2,121	2,384	2,615	2,713
4 DE, PA	959	1,030	1,184	1,350	1,521	1,769	1,843	1,898	2,118	2,378	2,739	2,873	3,128	3,021
5 MD, DC, VA, WV	1,010	1,114	1,303	1,490	1,603	1,679	1,705	2,020	2,190	2,464	2,671	3,144	3,439	3,627
6 NC, SC, GA	1,212	1,403	1,514	1,829	1,891	2,172	2,381	2,666	2,924	3,364	3,606	4,167	4,617	4,759
7 FL	1,158	1,231	1,282	1,433	1,630	1,752	2,061	2,313	2,452	2,773	2,983	3,344	3,674	3,732
8 AL, MS, TN	882	917	1,068	1,399	1,308	1,464	1,548	1,812	1,979	2,539	2,562	2,796	3,065	3,130
9 IN, KY, OH	1,239	1,412	1,624	1,825	1,918	2,143	2,296	2,533	2,863	3,126	3,569	3,917	4,261	4,415
10 IL	751	892	997	1,146	1,187	1,370	1,466	1,564	1,625	1,771	2,047	2,450	2,452	2,730
11 MI, MN, ND, SD, WI	1,318	1,452	1,612	1,679	1,962	2,048	2,265	2,565	2,829	3,194	3,279	3,582	3,978	4,127
12 IA, KS, MO, NE	695	783	918	985	1,070	1,211	1,346	1,437	1,590	1,797	2,025	2,175	2,408	2,497
13 AR, LA, OK	651	749	791	918	1,066	1,103	1,291	1,461	1,680	1,826	1,942	2,154	2,422	2,493
14 TX	1,050	1,252	1,483	1,683	1,681	1,894	2,103	2,336	2,689	3,021	3,354	3,700	4,182	4,212
15 AZ, CO, NV, NM, UT, WY	694	757	792	913	1,009	1,164	1,302	1,436	1,587	1,749	1,768	2,025	2,266	2,404
16 AK, ID, MT, OR, WA	438	466	541	663	705	762	906	920	1,022	1,257	1,315	1,493	1,470	1,594
17 N. CA, HI, Guam, AS	844	830	938	1,119	1,201	1,326	1,495	1,632	1,897	2,054	2,322	2,452	2,485	2,670
18 S. CA	1,046	1,450	1,477	1,758	1,774	2,024	2,298	2,389	2,552	2,882	3,213	3,504	3,639	3,850
Unknown	.	*	*	.	*	*	*	*	.	.
All	17,079	18,995	21,263	24,501	25,976	28,767	31,526	34,522	38,002	42,927	46,727	51,797	56,260	58,614
DIABETIC														
1 CT, MA, ME, NH, RI, VT	113	176	211	244	288	346	366	406	433	554	641	742	795	872
2 NY	189	286	382	440	536	548	694	761	869	905	1,072	1,191	1,317	1,511
3 NJ, PR, VI	141	196	269	322	361	416	480	524	604	722	854	964	1,030	1,098
4 DE, PA	172	204	266	306	434	466	539	583	674	779	968	1,055	1,171	1,127
5 MD, DC, VA, WV	119	190	281	357	411	469	497	567	640	775	916	1,073	1,281	1,357
6 NC, SC, GA	156	243	346	374	483	611	647	829	838	1,055	1,227	1,458	1,640	1,757
7 FL	137	213	260	294	355	413	568	625	649	775	891	1,007	1,149	1,224
8 AL, MS, TN	82	120	186	236	301	336	374	486	538	760	839	951	1,093	1,149
9 IN, KY, OH	221	322	375	475	555	624	699	864	940	1,082	1,282	1,468	1,658	1,738
10 IL	130	175	236	275	306	409	436	473	488	552	700	832	808	907
11 MI, MN, ND, SD, WI	318	401	439	506	624	631	780	862	987	1,179	1,290	1,461	1,602	1,635
12 IA, KS, MO, NE	90	180	250	254	292	361	383	412	503	602	670	777	881	969
13 AR, LA, OK	62	117	166	196	275	284	385	439	567	615	681	852	971	943
14 TX	150	260	396	404	535	611	676	786	982	1,281	1,449	1,585	1,787	1,945
15 AZ, CO, NV, NM, UT, WY	157	198	234	317	360	411	544	619	666	764	768	957	1,048	1,172
16 AK, ID, MT, OR, WA	73	82	134	156	188	235	256	280	364	455	474	544	599	616
17 N. CA, HI, Guam, AS	84	180	223	248	278	411	452	561	635	799	897	958	1,011	1,117
18 S. CA	134	302	377	476	526	658	789	756	819	1,087	1,221	1,440	1,467	1,520
Unknown	*	*
All	2,528	3,845	5,031	5,880	7,109	8,241	9,565	10,833	12,196	14,741	16,840	19,315	21,308	22,657
NON-DIABETIC														
1 CT, MA, ME, NH, RI, VT	682	630	764	975	944	1,037	1,028	1,061	1,189	1,260	1,333	1,486	1,556	1,618
2 NY	1,196	1,240	1,288	1,427	1,454	1,545	1,648	1,679	1,792	2,010	2,165	2,217	2,491	2,639
3 NJ, PR, VI	811	728	824	903	866	993	1,003	1,109	1,118	1,281	1,267	1,420	1,585	1,615
4 DE, PA	787	826	918	1,044	1,087	1,303	1,304	1,315	1,444	1,599	1,771	1,818	1,957	1,894
5 MD, DC, VA, WV	891	924	1,022	1,133	1,192	1,210	1,208	1,453	1,550	1,689	1,755	2,071	2,158	2,270
6 NC, SC, GA	1,056	1,160	1,168	1,455	1,408	1,561	1,734	1,837	2,086	2,309	2,379	2,709	2,977	3,002
7 FL	1,021	1,018	1,022	1,139	1,275	1,339	1,493	1,688	1,803	1,998	2,092	2,337	2,525	2,508
8 AL, MS, TN	800	797	882	1,163	1,007	1,128	1,174	1,326	1,441	1,779	1,723	1,845	1,972	1,981
9 IN, KY, OH	1,018	1,090	1,249	1,350	1,363	1,519	1,597	1,669	1,923	2,044	2,287	2,449	2,603	2,677
10 IL	621	717	761	871	881	961	1,030	1,091	1,137	1,219	1,347	1,618	1,644	1,823
11 MI, MN, ND, SD, WI	1,000	1,051	1,173	1,173	1,338	1,417	1,485	1,703	1,842	2,015	1,989	2,121	2,376	2,492
12 IA, KS, MO, NE	605	603	668	731	778	850	963	1,025	1,087	1,195	1,355	1,398	1,527	1,528
13 AR, LA, OK	589	632	625	722	791	819	906	1,022	1,113	1,211	1,261	1,302	1,451	1,550
14 TX	900	992	1,087	1,279	1,146	1,283	1,427	1,550	1,707	1,740	1,905	2,115	2,395	2,267
15 AZ, CO, NV, NM, UT, WY	537	559	558	596	649	753	758	817	921	985	1,000	1,068	1,218	1,232
16 AK, ID, MT, OR, WA	365	384	407	507	517	527	650	640	658	802	841	949	871	978
17 N. CA, HI, Guam, AS	760	650	715	871	923	915	1,043	1,071	1,262	1,255	1,425	1,494	1,474	1,553
18 S. CA	912	1,148	1,100	1,282	1,248	1,366	1,509	1,633	1,733	1,795	1,992	2,064	2,172	2,330
Unknown	.	*	*	.	.	.	*	*	.	.
All	14,551	15,150	16,232	18,621	18,867	20,526	21,961	23,689	25,806	28,186	29,887	32,482	34,952	35,957

Table A.10

Incident counts of reported ESRD patients, by diabetic status & ESRD network

ALL	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
1 CT, MA, ME, NH, RI, VT	2,692	2,630	2,808	2,969	3,022	2,985	3,185	3,123	3,179	3,262	3,302	3,306
2 NY	4,148	4,209	4,511	4,804	4,983	5,097	5,336	5,477	5,531	5,604	5,747	5,710
3 NJ, PR, VI	2,906	3,018	3,095	3,347	3,541	3,806	3,681	3,903	3,876	4,062	4,051	4,082
4 DE, PA	3,468	3,384	3,735	3,892	3,970	4,027	4,291	4,301	4,494	4,362	4,466	4,411
5 MD, DC, VA, WV	3,784	3,950	4,255	4,590	4,754	4,886	4,883	5,170	5,311	5,315	5,453	5,402
6 NC, SC, GA	5,320	5,196	5,760	6,027	6,520	6,786	7,134	7,485	7,415	7,759	7,798	7,992
7 FL	4,024	3,959	4,414	4,737	4,742	5,044	5,362	5,517	5,614	5,714	5,853	5,789
8 AL, MS, TN	3,434	3,526	3,752	4,197	4,241	4,545	4,504	4,666	4,831	4,910	4,877	5,149
9 IN, KY, OH	4,728	4,722	5,254	5,555	6,163	6,228	6,647	6,817	6,876	7,147	7,208	7,490
10 IL	2,835	2,881	3,052	3,053	3,305	3,482	3,490	3,502	3,824	3,691	3,692	3,724
11 MI, MN, ND, SD, WI	4,250	4,150	4,607	4,662	5,070	5,079	5,495	5,897	6,068	6,087	6,440	6,678
12 IA, KS, MO, NE	2,626	2,579	2,810	3,061	3,275	3,362	3,487	3,662	3,510	3,692	3,647	3,727
13 AR, LA, OK	2,761	2,798	2,842	3,260	3,428	3,550	3,523	3,711	3,851	4,029	3,987	3,832
14 TX	4,440	4,562	5,013	5,311	5,679	6,029	6,303	6,671	6,834	7,199	7,328	7,522
15 AZ, CO, NV, NM, UT, WY	2,457	2,498	2,748	2,867	3,196	3,424	3,448	3,675	3,725	3,908	4,145	4,026
16 AK, ID, MT, OR, WA	1,735	1,673	1,752	1,857	1,884	2,120	2,219	2,363	2,484	2,625	2,590	2,646
17 N. CA, HI, Guam, AS	2,919	2,845	2,996	3,126	3,444	3,562	3,757	3,677	3,812	3,844	3,945	3,926
18 S. CA	4,378	4,187	4,498	4,740	5,210	5,465	5,604	5,863	6,206	6,199	6,255	5,961
Unknown	*	.	*	.	.
All	62,905	62,767	67,902	72,055	76,427	79,477	82,349	85,481	87,441	89,410	90,784	91,373
DIABETIC												
1 CT, MA, ME, NH, RI, VT	997	1,015	1,091	1,225	1,201	1,220	1,272	1,325	1,274	1,317	1,277	1,279
2 NY	1,516	1,645	1,904	2,015	2,037	2,139	2,293	2,411	2,386	2,366	2,419	2,357
3 NJ, PR, VI	1,225	1,351	1,474	1,551	1,746	1,848	1,790	1,893	1,914	1,986	1,958	2,023
4 DE, PA	1,343	1,400	1,523	1,598	1,680	1,720	1,879	1,915	1,933	1,872	1,908	1,871
5 MD, DC, VA, WV	1,474	1,557	1,773	1,970	2,050	2,095	2,149	2,348	2,355	2,221	2,267	2,366
6 NC, SC, GA	2,030	2,135	2,504	2,586	2,963	2,991	3,212	3,322	3,304	3,498	3,570	3,541
7 FL	1,382	1,401	1,637	1,827	1,808	2,053	2,210	2,348	2,299	2,411	2,468	2,468
8 AL, MS, TN	1,295	1,421	1,565	1,770	1,778	1,993	1,966	2,091	2,072	2,192	2,112	2,146
9 IN, KY, OH	1,968	2,059	2,356	2,527	2,878	2,871	3,067	3,200	3,147	3,302	3,347	3,420
10 IL	1,023	1,105	1,237	1,212	1,329	1,495	1,455	1,493	1,558	1,498	1,485	1,513
11 MI, MN, ND, SD, WI	1,724	1,749	1,995	2,059	2,228	2,180	2,376	2,522	2,537	2,521	2,729	2,771
12 IA, KS, MO, NE	1,037	1,088	1,204	1,332	1,421	1,456	1,559	1,585	1,520	1,578	1,585	1,562
13 AR, LA, OK	1,066	1,170	1,286	1,433	1,585	1,636	1,579	1,698	1,752	1,809	1,771	1,686
14 TX	2,038	2,270	2,546	2,810	2,952	3,122	3,402	3,523	3,709	3,883	3,946	4,019
15 AZ, CO, NV, NM, UT, WY	1,114	1,297	1,358	1,452	1,619	1,739	1,824	1,894	1,910	1,996	2,100	2,023
16 AK, ID, MT, OR, WA	676	704	733	822	811	941	983	1,033	999	1,093	1,107	1,123
17 N. CA, HI, Guam, AS	1,280	1,297	1,431	1,525	1,675	1,682	1,876	1,806	1,882	1,893	1,968	1,901
18 S. CA	1,829	1,863	2,013	2,300	2,498	2,658	2,816	2,849	2,956	2,973	3,044	2,802
Unknown
All	25,017	26,527	29,630	32,014	34,259	35,839	37,708	39,256	39,507	40,409	41,061	40,871
NON-DIABETIC												
1 CT, MA, ME, NH, RI, VT	1,695	1,615	1,717	1,744	1,821	1,765	1,913	1,798	1,905	1,945	2,025	2,027
2 NY	2,632	2,564	2,607	2,789	2,946	2,958	3,043	3,066	3,145	3,238	3,328	3,353
3 NJ, PR, VI	1,681	1,667	1,621	1,796	1,795	1,958	1,891	2,010	1,962	2,076	2,093	2,059
4 DE, PA	2,125	1,984	2,212	2,294	2,290	2,307	2,412	2,386	2,561	2,490	2,558	2,540
5 MD, DC, VA, WV	2,310	2,393	2,482	2,620	2,704	2,791	2,734	2,822	2,956	3,094	3,186	3,036
6 NC, SC, GA	3,290	3,061	3,256	3,441	3,557	3,795	3,922	4,163	4,111	4,261	4,228	4,451
7 FL	2,642	2,558	2,777	2,910	2,934	2,991	3,152	3,169	3,315	3,303	3,385	3,321
8 AL, MS, TN	2,139	2,105	2,187	2,427	2,463	2,552	2,538	2,575	2,759	2,718	2,765	3,003
9 IN, KY, OH	2,760	2,663	2,898	3,028	3,285	3,357	3,580	3,617	3,729	3,845	3,861	4,070
10 IL	1,812	1,776	1,815	1,841	1,976	1,987	2,035	2,009	2,266	2,193	2,207	2,211
11 MI, MN, ND, SD, WI	2,526	2,401	2,612	2,603	2,842	2,899	3,119	3,375	3,531	3,566	3,711	3,907
12 IA, KS, MO, NE	1,589	1,491	1,606	1,729	1,854	1,906	1,928	2,077	1,990	2,114	2,062	2,165
13 AR, LA, OK	1,695	1,628	1,556	1,827	1,843	1,914	1,944	2,013	2,099	2,220	2,216	2,146
14 TX	2,402	2,292	2,467	2,501	2,727	2,907	2,901	3,148	3,125	3,316	3,382	3,503
15 AZ, CO, NV, NM, UT, WY	1,343	1,201	1,390	1,415	1,577	1,685	1,624	1,781	1,815	1,912	2,045	2,003
16 AK, ID, MT, OR, WA	1,059	969	1,019	1,035	1,073	1,179	1,236	1,330	1,485	1,532	1,483	1,523
17 N. CA, HI, Guam, AS	1,639	1,548	1,565	1,601	1,769	1,880	1,881	1,871	1,930	1,951	1,977	2,025
18 S. CA	2,549	2,324	2,485	2,440	2,712	2,807	2,788	3,014	3,250	3,226	3,211	3,159
Unknown	*	.	*	.	.
All	37,888	36,240	38,272	40,041	42,168	43,638	44,641	46,225	47,934	49,001	49,723	50,502

Table A.11
Incident rates of reported ESRD, by diabetic status & ESRD network, adjusted
per million population

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 CT, MA, ME, NH, RI, VT	80.3	79.3	95.7	123.6	120.9	131.8	135.8	140.0	154.8	174.1	178.9	200.2	210.7	218.6
2 NY	79.1	87.0	94.8	105.0	111.1	117.1	130.3	135.3	145.9	159.0	174.3	183.8	202.1	219.4
3 NJ	105.3	96.6	111.6	132.0	118.1	142.3	147.0	160.3	165.1	191.0	202.5	226.9	242.0	253.0
4 DE, PA	80.6	88.1	101.0	114.2	128.0	146.4	152.3	156.5	168.3	190.2	217.9	224.9	246.7	232.0
5 MD, DC, VA, WV	77.2	86.3	98.9	112.0	119.5	122.8	122.0	142.0	152.6	165.9	180.8	209.2	226.1	234.7
6 NC, SC, GA	75.1	85.6	92.5	108.6	110.5	126.4	134.7	145.1	157.3	178.6	184.8	212.6	231.7	234.4
7 FL	109.6	114.0	115.5	124.5	136.8	144.4	160.6	174.1	182.3	199.1	210.6	225.0	244.2	243.9
8 AL, MS, TN	75.0	81.5	89.8	114.2	109.2	115.0	124.8	143.2	160.6	197.8	199.2	219.3	231.6	226.7
9 IN, KY, OH	70.8	83.7	92.9	106.4	112.9	121.5	130.4	143.2	156.8	173.0	197.4	211.4	231.9	233.5
10 IL	71.0	83.7	93.9	106.0	111.9	128.2	135.1	143.5	148.1	159.7	184.7	217.5	213.2	235.6
11 MI, MN, ND, SD, WI	87.3	93.8	101.9	110.7	131.5	131.5	148.3	162.1	177.5	201.0	202.8	216.1	238.1	244.3
12 IA, KS, MO, NE	74.3	82.9	99.6	104.5	113.2	125.6	141.2	150.5	167.8	184.0	201.5	218.1	242.5	248.5
13 AR, LA, OK	70.2	83.4	86.3	98.7	109.2	114.7	131.0	151.6	175.8	185.1	199.2	213.5	238.1	240.4
14 TX	86.4	101.7	113.9	129.8	129.7	139.8	157.2	174.5	198.3	215.3	237.0	260.6	283.1	280.4
15 AZ, CO, NV, NM, UT, WY	95.5	104.6	107.2	128.8	130.9	155.0	161.7	175.4	191.2	211.8	200.1	228.8	241.9	248.6
16 AK, ID, MT, OR, WA	82.5	67.0	79.2	93.7	106.5	119.2	133.4	131.9	143.0	178.6	179.3	202.8	194.7	209.0
17 N. CA, HI	95.8	91.5	105.3	120.6	130.6	139.2	150.8	163.0	184.5	197.8	219.8	228.2	223.2	236.4
18 S. CA	81.2	114.1	118.0	142.4	139.7	156.4	174.2	174.8	182.0	204.1	224.7	239.3	242.2	251.8
All	81.4	90.5	101.0	115.4	120.8	132.2	142.9	154.5	168.0	186.9	200.9	218.9	233.2	239.5
DIABETIC														
1 CT, MA, ME, NH, RI, VT	11.3	17.2	21.1	25.8	31.0	34.4	37.9	39.2	42.5	53.9	61.5	69.1	74.9	79.9
2 NY	10.7	16.2	21.3	24.0	29.9	30.4	38.5	41.7	47.4	49.0	57.4	63.8	70.3	79.3
3 NJ	14.2	20.2	25.5	30.6	29.2	38.8	41.6	43.3	51.9	58.1	75.9	80.9	79.7	92.0
4 DE, PA	14.1	17.1	22.3	25.4	35.8	37.6	44.5	48.0	54.7	61.0	75.3	82.7	93.5	86.7
5 MD, DC, VA, WV	8.5	13.9	21.6	26.2	29.8	32.9	35.1	39.1	43.9	51.9	60.2	69.2	84.0	86.8
6 NC, SC, GA	9.2	14.6	21.0	21.6	27.6	34.5	37.0	44.9	43.3	56.2	64.1	76.7	83.3	86.5
7 FL	14.2	20.2	24.5	27.3	31.3	36.6	48.7	51.2	50.7	59.6	69.5	71.7	81.8	83.4
8 AL, MS, TN	6.6	10.6	15.2	20.1	26.7	27.0	32.6	39.6	48.2	61.1	66.5	77.3	84.1	83.1
9 IN, KY, OH	12.8	19.6	21.6	27.5	32.1	36.4	40.5	47.9	51.0	59.1	71.7	78.2	91.4	93.2
10 IL	12.8	16.6	21.6	25.8	28.5	38.0	39.9	43.9	43.4	50.0	63.5	73.7	70.3	77.8
11 MI, MN, ND, SD, WI	21.9	28.9	27.4	35.8	41.7	43.0	53.0	56.1	66.2	77.5	85.0	91.6	100.0	101.5
12 IA, KS, MO, NE	10.8	22.1	28.5	26.9	33.6	40.6	42.7	48.5	54.8	64.1	69.5	81.5	96.7	99.4
13 AR, LA, OK	7.2	14.6	19.9	23.1	29.6	32.3	41.4	48.8	62.6	64.4	73.7	86.1	98.8	95.4
14 TX	12.4	22.1	30.7	31.0	41.8	44.4	51.0	58.9	73.3	91.3	104.2	112.7	121.8	131.5
15 AZ, CO, NV, NM, UT, WY	20.0	29.0	33.6	44.7	46.4	55.9	68.4	75.4	81.9	96.7	87.0	108.1	114.2	121.3
16 AK, ID, MT, OR, WA	15.0	13.9	20.5	23.2	27.2	43.4	37.3	44.9	49.7	72.7	71.5	79.6	85.9	85.0
17 N. CA, HI	8.6	18.8	24.3	27.0	31.3	43.2	43.3	53.8	61.1	75.2	83.8	85.4	86.8	95.6
18 S. CA	9.4	23.0	29.8	38.2	41.5	50.0	59.7	54.7	58.4	76.5	85.7	98.9	97.8	99.7
All	12.0	18.3	23.9	27.9	33.0	38.2	43.5	48.7	54.0	64.2	73.0	82.0	88.6	93.0
NON-DIABETIC														
1 CT, MA, ME, NH, RI, VT	69.0	62.1	74.7	97.8	89.9	97.4	97.9	100.8	112.3	120.2	117.4	131.1	135.8	138.7
2 NY	68.3	70.8	73.6	81.0	81.2	86.7	91.8	93.6	98.5	110.0	116.9	120.0	131.8	140.1
3 NJ	91.2	76.4	86.1	101.4	88.9	103.4	105.4	117.0	113.2	133.0	126.5	145.9	162.4	161.0
4 DE, PA	66.4	71.0	78.6	88.8	92.1	108.8	107.8	108.4	113.6	129.2	142.6	142.2	153.2	145.3
5 MD, DC, VA, WV	68.7	72.4	77.3	85.9	89.7	89.9	86.9	103.0	108.7	114.1	120.6	140.1	142.1	148.0
6 NC, SC, GA	66.0	71.0	71.5	87.1	83.0	91.9	97.7	100.2	114.0	122.4	120.7	135.9	148.4	147.9
7 FL	95.4	93.8	91.1	97.2	105.5	107.7	111.9	123.0	131.6	139.5	141.1	153.4	162.4	160.5
8 AL, MS, TN	68.5	70.8	74.6	94.1	82.6	88.0	92.2	103.6	112.4	136.7	132.7	142.0	147.6	143.5
9 IN, KY, OH	58.0	64.1	71.3	78.9	80.8	85.0	89.9	95.3	105.8	113.8	125.7	133.3	140.5	140.3
10 IL	58.2	67.2	72.4	80.2	83.5	90.3	95.2	99.6	104.7	109.6	121.2	143.8	143.0	157.8
11 MI, MN, ND, SD, WI	65.4	64.9	74.6	74.9	89.7	88.5	95.3	106.0	111.3	123.6	117.8	124.5	138.1	142.7
12 IA, KS, MO, NE	63.5	60.8	71.1	77.6	79.7	85.0	98.5	102.0	113.0	120.0	132.0	136.6	145.8	149.1
13 AR, LA, OK	63.0	68.9	66.4	75.5	79.7	82.5	89.5	102.8	113.3	120.7	125.5	127.4	139.3	145.0
14 TX	74.1	79.6	83.3	98.8	87.8	95.4	106.3	115.7	125.0	124.0	132.8	148.0	161.3	148.9
15 AZ, CO, NV, NM, UT, WY	75.6	75.6	73.6	84.1	84.5	99.1	93.2	100.0	109.3	115.1	113.1	120.7	127.8	127.3
16 AK, ID, MT, OR, WA	67.5	53.1	58.7	70.6	79.3	75.9	96.1	87.0	93.3	105.9	107.8	123.2	108.8	124.0
17 N. CA, HI	87.2	72.7	81.0	93.6	99.3	96.0	107.5	109.2	123.4	122.6	136.0	142.8	136.3	140.8
18 S. CA	71.8	91.1	88.2	104.2	98.3	106.4	114.4	120.1	123.6	127.6	139.0	140.4	144.4	152.1
All	69.5	72.2	77.1	87.5	87.8	94.0	99.4	105.8	114.0	122.7	127.9	137.0	144.5	146.5

Table A.11
Incident rates of reported ESRD, by diabetic status & ESRD network, adjusted
per million population

ALL	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
1 CT, MA, ME, NH, RI, VT	238.4	229.3	240.5	245.8	247.5	237.4	248.7	237.2	243.1	243.1	239.9	239.5
2 NY	215.8	213.7	229.7	243.6	249.0	251.4	258.7	262.3	259.8	260.2	263.7	263.5
3 NJ	260.0	269.0	267.0	289.2	300.6	318.0	302.4	311.9	305.3	311.1	305.2	316.6
4 DE, PA	265.3	254.3	275.5	281.7	283.4	287.3	302.8	297.8	309.3	297.7	301.8	293.5
5 MD, DC, VA, WV	242.6	249.3	264.2	280.0	286.6	293.3	287.7	298.4	299.6	292.7	296.5	291.0
6 NC, SC, GA	254.8	242.5	262.5	269.2	283.6	286.6	298.0	307.6	298.2	298.4	298.1	296.7
7 FL	252.5	239.7	258.1	265.5	261.1	269.0	278.5	283.4	280.3	274.8	272.7	264.0
8 AL, MS, TN	250.6	249.6	261.2	285.7	294.0	305.9	297.1	305.3	308.9	305.0	299.7	313.9
9 IN, KY, OH	245.4	241.6	271.1	279.2	304.8	307.6	318.5	326.0	326.9	331.8	331.4	337.2
10 IL	243.2	243.0	257.7	253.5	270.9	284.9	282.6	281.2	302.1	288.3	285.0	283.4
11 MI, MN, ND, SD, WI	243.8	239.4	253.7	254.2	276.9	273.4	291.1	304.8	307.0	304.5	316.3	324.4
12 IA, KS, MO, NE	256.6	246.1	273.2	274.4	297.4	299.2	303.2	316.1	299.2	309.4	298.5	300.6
13 AR, LA, OK	261.7	260.7	262.5	293.6	303.2	313.5	307.6	319.6	325.4	338.5	330.6	312.7
14 TX	289.9	284.5	305.9	316.9	336.9	348.0	350.5	364.2	366.3	372.5	371.1	373.8
15 AZ, CO, NV, NM, UT, WY	243.6	236.4	245.7	250.2	277.7	278.2	274.9	285.0	274.5	285.2	285.4	269.6
16 AK, ID, MT, OR, WA	212.9	199.0	211.5	210.6	228.7	225.3	240.9	240.7	260.4	259.9	250.3	242.8
17 N. CA, HI	249.1	230.4	244.1	253.1	273.7	269.2	281.2	270.1	271.5	266.1	269.5	270.3
18 S. CA	283.9	269.5	283.0	292.4	319.4	322.8	326.8	331.5	343.1	336.2	332.3	305.9
All	252.5	246.6	261.5	272.3	284.3	290.3	295.2	301.3	302.6	302.9	302.0	299.2
DIABETIC												
1 CT, MA, ME, NH, RI, VT	93.0	92.7	98.2	106.6	106.7	101.7	101.7	104.2	100.9	101.3	97.5	97.1
2 NY	79.1	82.5	96.3	101.0	101.5	104.0	109.5	114.0	110.8	108.6	109.6	108.2
3 NJ	97.5	111.5	114.7	120.4	134.7	135.0	129.8	130.6	132.4	131.1	130.7	140.1
4 DE, PA	102.4	106.5	112.3	116.6	121.1	122.4	132.2	132.8	134.2	128.5	129.5	125.7
5 MD, DC, VA, WV	94.2	96.2	108.2	118.1	120.8	124.1	126.7	134.7	131.3	120.1	124.1	125.2
6 NC, SC, GA	99.8	98.5	113.2	113.9	126.4	125.5	132.0	134.8	130.4	132.6	133.4	128.0
7 FL	91.7	89.9	100.1	106.5	104.1	111.9	117.7	123.5	116.5	117.5	116.3	114.8
8 AL, MS, TN	99.2	102.3	108.9	121.1	120.8	135.0	129.5	137.3	132.1	135.9	130.1	132.0
9 IN, KY, OH	103.2	104.8	120.2	127.9	142.8	141.2	145.3	153.2	150.3	153.1	153.7	153.8
10 IL	87.6	92.3	103.9	100.2	109.2	122.7	118.8	120.1	123.9	117.2	115.7	116.2
11 MI, MN, ND, SD, WI	102.6	105.1	114.4	115.9	125.9	123.9	130.0	135.0	134.4	130.4	138.5	138.0
12 IA, KS, MO, NE	103.1	110.9	120.9	126.4	135.3	135.0	140.8	141.4	133.4	135.5	134.8	127.7
13 AR, LA, OK	104.5	112.7	122.8	131.9	143.3	147.1	139.7	147.2	148.8	152.2	146.7	136.9
14 TX	133.8	142.2	156.3	168.7	175.5	180.1	189.7	193.1	198.9	200.7	198.9	198.2
15 AZ, CO, NV, NM, UT, WY	109.0	123.4	122.2	128.4	143.7	141.0	143.5	146.6	141.6	142.0	141.4	134.0
16 AK, ID, MT, OR, WA	86.7	87.2	92.5	100.3	99.2	101.6	109.6	113.4	107.7	113.7	111.8	104.5
17 N. CA, HI	105.3	99.8	109.6	118.6	129.6	119.4	132.9	127.3	128.3	123.5	129.6	125.2
18 S. CA	118.7	120.7	128.0	141.6	152.6	156.1	164.8	161.4	163.1	161.2	161.4	144.5
All	101.0	104.6	114.6	121.3	127.6	130.7	135.0	138.0	136.1	136.1	135.8	133.0
NON-DIABETIC												
1 CT, MA, ME, NH, RI, VT	145.5	136.5	142.3	139.3	140.8	135.7	147.0	133.0	142.2	141.8	142.4	142.3
2 NY	136.8	131.2	133.5	142.5	147.5	147.4	149.2	148.4	149.1	151.7	154.1	155.2
3 NJ	162.4	157.6	152.3	168.8	165.9	183.0	172.7	181.3	172.9	180.0	174.6	176.6
4 DE, PA	162.9	147.8	163.2	165.1	162.3	164.9	170.6	164.9	175.1	169.2	172.3	167.7
5 MD, DC, VA, WV	148.4	153.1	156.1	161.9	165.8	169.2	161.0	163.8	168.3	172.6	172.4	165.7
6 NC, SC, GA	154.9	144.0	149.2	155.3	157.2	161.1	165.9	172.8	167.9	165.8	164.7	168.8
7 FL	160.7	149.7	158.0	159.0	157.0	157.1	160.8	159.9	163.8	157.3	156.3	149.2
8 AL, MS, TN	151.3	147.3	152.3	164.6	173.3	170.9	167.6	168.0	176.8	169.1	169.7	181.9
9 IN, KY, OH	142.1	136.8	150.9	151.3	161.9	166.4	173.2	172.8	176.6	178.7	177.7	183.4
10 IL	155.6	150.7	153.8	153.3	161.7	162.3	163.8	161.1	178.2	171.0	169.3	167.3
11 MI, MN, ND, SD, WI	141.2	134.3	139.3	138.3	151.0	149.6	161.1	169.7	172.7	174.1	177.8	186.4
12 IA, KS, MO, NE	153.5	135.2	152.2	148.0	162.1	164.2	162.5	174.7	165.8	173.9	163.7	172.9
13 AR, LA, OK	157.2	148.0	139.7	161.7	159.9	166.3	167.9	172.4	176.6	186.3	183.9	175.8
14 TX	156.1	142.3	149.6	148.2	161.4	167.9	160.8	171.1	167.4	171.8	172.3	175.6
15 AZ, CO, NV, NM, UT, WY	134.7	113.1	123.5	121.8	134.1	137.2	131.4	138.4	132.9	143.2	144.0	135.5
16 AK, ID, MT, OR, WA	126.2	111.8	119.0	110.2	129.5	123.7	131.2	127.3	152.7	146.2	138.5	138.3
17 N. CA, HI	143.8	130.7	134.5	134.5	144.1	149.8	148.3	142.8	143.2	142.6	140.0	145.1
18 S. CA	165.1	148.8	155.0	150.8	166.7	166.8	162.0	170.1	180.0	175.0	170.9	161.4
All	151.6	142.0	146.9	151.1	156.6	159.6	160.2	163.3	166.4	166.9	166.2	166.3

Standard errors

ALL	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 CT, MA, ME, NH, RI, VT	3.8	3.6	4.0	4.7	4.4	4.6	4.6	4.6	4.9	5.1	5.0	5.2	5.3	5.2
2 NY	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.8	2.9	3.0	3.2	3.2	3.4	3.5
3 NJ	4.2	3.8	4.1	4.6	4.1	4.6	4.6	4.7	4.8	5.1	5.3	5.5	5.7	5.7
4 DE, PA	2.8	3.1	3.5	3.5	3.8	3.8	4.2	4.1	4.0	4.3	4.6	4.6	4.9	4.6
5 MD, DC, VA, WV	2.6	2.8	3.1	3.2	3.4	3.3	3.2	3.4	3.5	3.6	3.8	4.1	4.2	4.2
6 NC, SC, GA	2.5	2.6	2.8	3.0	3.1	3.2	3.2	3.3	3.4	3.6	3.5	3.9	4.0	4.0
7 FL	3.6	3.7	3.8	3.7	3.9	4.0	4.0	4.0	4.1	4.2	4.4	4.4	4.6	4.5
8 AL, MS, TN	3.1	3.6	3.4	3.7	4.0	3.5	4.1	4.1	4.9	4.8	5.2	5.8	5.8	4.7
9 IN, KY, OH	2.2	2.8	2.6	2.9	3.1	3.0	3.1	3.3	3.1	3.5	4.0	3.8	4.2	4.1
10 IL	2.8	3.0	3.1	3.3	3.5	3.7	3.7	3.8	3.9	3.9	4.3	4.6	4.5	4.7
11 MI, MN, ND, SD, WI	2.9	3.0	2.9	3.2	3.5	3.4	3.7	3.7	3.8	4.1	4.1	4.1	4.3	4.3
12 IA, KS, MO, NE	3.4	3.7	4.2	4.1	4.3	4.4	4.7	4.8	5.2	5.2	5.4	5.6	6.1	6.0
13 AR, LA, OK	3.0	3.3	3.3	3.5	3.6	3.7	3.9	4.2	4.6	4.6	4.8	4.8	5.1	5.0
14 TX	2.8	3.1	3.2	3.4	3.5	3.5	3.7	3.9	4.1	4.1	4.3	4.6	4.6	4.5
15 AZ, CO, NV, NM, UT, WY	4.9	5.1	5.2	5.9	5.5	6.2	5.8	6.1	6.3	6.7	6.2	6.6	6.5	6.5
16 AK, ID, MT, OR, WA	7.1	5.3	5.5	6.0	6.6	7.5	7.5	7.1	7.1	8.1	8.0	8.5	8.3	8.3
17 N. CA, HI	3.9	3.8	3.9	4.1	4.3	4.4	4.5	4.6	4.9	5.0	5.2	5.3	5.2	5.3
18 S. CA	2.7	3.2	3.3	3.6	3.5	3.7	3.8	3.8	3.8	4.0	4.2	4.3	4.2	4.3
All	0.7	0.7	0.7	0.8	0.8	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.0	1.0
DIABETIC														
1 CT, MA, ME, NH, RI, VT	1.4	1.7	1.9	2.3	2.4	2.4	2.6	2.5	2.6	2.8	3.0	3.2	3.3	3.3
2 NY	0.8	1.0	1.1	1.2	1.4	1.4	1.5	1.6	1.7	1.7	1.8	1.9	2.0	2.1
3 NJ	1.4	1.7	1.9	2.1	2.0	2.3	2.4	2.4	2.7	2.8	3.3	3.3	3.3	3.5
4 DE, PA	1.1	1.3	1.4	1.6	1.9	1.9	2.2	2.3	2.4	2.3	2.6	2.9	3.1	2.9
5 MD, DC, VA, WV	0.8	1.1	1.5	1.5	1.8	1.6	1.7	1.8	1.9	2.0	2.1	2.3	2.6	2.5
6 NC, SC, GA	0.8	1.0	1.3	1.4	1.4	1.6	1.8	1.9	1.7	2.0	2.1	2.5	2.5	2.5
7 FL	1.3	1.5	1.6	1.8	1.8	2.1	2.4	2.3	2.2	2.5	2.7	2.5	2.8	2.6
8 AL, MS, TN	0.8	1.4	1.4	1.8	2.4	1.9	2.5	2.5	3.3	3.0	3.3	3.9	3.5	2.8
9 IN, KY, OH	0.9	1.5	1.2	1.3	1.5	1.8	1.8	1.7	1.8	2.0	2.5	2.2	2.8	2.7
10 IL	1.2	1.3	1.5	1.7	1.7	2.0	2.0	2.1	2.0	2.2	2.5	2.7	2.6	2.7
11 MI, MN, ND, SD, WI	1.6	1.9	1.5	2.1	2.1	2.1	2.4	2.3	2.5	2.7	2.8	2.8	2.9	2.9
12 IA, KS, MO, NE	1.6	2.4	2.3	2.1	2.6	2.8	2.7	3.0	3.1	3.2	3.3	3.5	4.2	3.9
13 AR, LA, OK	1.0	1.5	1.7	1.8	1.9	2.1	2.3	2.5	2.8	2.8	3.0	3.1	3.4	3.3
14 TX	1.0	1.6	1.7	1.7	2.0	1.9	2.1	2.2	2.5	2.6	2.9	3.0	3.0	3.1
15 AZ, CO, NV, NM, UT, WY	2.1	2.8	3.0	3.4	3.1	3.8	3.8	3.9	4.1	4.7	4.0	4.4	4.4	4.5
16 AK, ID, MT, OR, WA	3.3	2.7	2.9	3.1	3.3	5.0	4.0	4.5	4.2	5.7	5.5	5.8	5.8	5.7
17 N. CA, HI	1.2	1.7	1.8	2.0	2.1	2.5	2.4	2.6	2.9	3.1	3.3	3.2	3.2	3.3
18 S. CA	0.9	1.5	1.6	1.8	1.9	2.1	2.2	2.1	2.2	2.4	2.6	2.7	2.7	2.7
All	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6
NON-DIABETIC														
1 CT, MA, ME, NH, RI, VT	3.5	3.2	3.5	4.1	3.7	3.9	3.8	3.9	4.1	4.2	3.9	4.2	4.2	4.1
2 NY	2.1	2.1	2.1	2.2	2.2	2.3	2.4	2.4	2.4	2.5	2.6	2.6	2.7	2.8
3 NJ	3.9	3.4	3.6	4.1	3.6	3.9	3.9	4.1	4.0	4.3	4.1	4.5	4.7	4.6
4 DE, PA	2.5	2.9	3.1	3.1	3.3	3.3	3.5	3.5	3.3	3.6	3.8	3.6	3.8	3.6
5 MD, DC, VA, WV	2.5	2.6	2.7	2.8	2.9	2.9	2.8	2.9	3.0	3.0	3.1	3.4	3.3	3.4
6 NC, SC, GA	2.3	2.4	2.5	2.7	2.7	2.7	2.7	2.7	2.9	3.0	2.8	3.0	3.2	3.1
7 FL	3.3	3.4	3.4	3.2	3.5	3.4	3.2	3.3	3.4	3.4	3.4	3.6	3.7	3.7
8 AL, MS, TN	3.0	3.3	3.1	3.2	3.2	3.0	3.2	3.2	3.6	3.7	4.0	4.3	4.7	3.7
9 IN, KY, OH	2.0	2.4	2.3	2.6	2.7	2.4	2.5	2.8	2.6	2.9	3.1	3.1	3.1	3.0
10 IL	2.5	2.6	2.7	2.8	3.0	3.1	3.1	3.1	3.3	3.3	3.5	3.7	3.7	3.8
11 MI, MN, ND, SD, WI	2.4	2.3	2.5	2.5	2.9	2.7	2.8	2.9	2.9	3.1	2.9	3.0	3.1	3.1
12 IA, KS, MO, NE	3.1	2.9	3.5	3.5	3.4	3.5	3.9	3.8	4.2	4.1	4.3	4.4	4.5	4.6
13 AR, LA, OK	2.8	2.9	2.8	3.0	3.0	3.0	3.1	3.4	3.6	3.7	3.7	3.7	3.8	3.8
14 TX	2.6	2.7	2.7	3.0	2.8	3.0	3.0	3.3	3.2	3.1	3.2	3.4	3.4	3.3
15 AZ, CO, NV, NM, UT, WY	4.4	4.2	4.3	4.8	4.5	4.9	4.4	4.6	4.8	4.8	4.7	4.9	4.7	4.7
16 AK, ID, MT, OR, WA	6.3	4.5	4.6	5.2	5.8	5.6	6.3	5.4	5.8	5.8	5.8	6.2	5.9	6.1
17 N. CA, HI	3.7	3.4	3.5	3.6	3.7	3.6	3.8	3.8	4.0	4.0	4.1	4.2	4.1	4.1
18 S. CA	2.6	2.9	2.8	3.1	3.0	3.1	3.1	3.1	3.2	3.2	3.3	3.3	3.3	3.3
All	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.8	0.8	0.8

