

Table of Contents

Section D: Treatment Modalities: Medicare Only

- D.1 Percentages & counts of reported ESRD patients: by treatment modality
incident & point prevalent patients
- D.2 Counts of incident ESRD patients, by initial mode of therapy: all dialysis
by demographic characteristics & primary diagnosis
- D.3 Counts of incident ESRD patients, by initial mode of therapy: hemodialysis
by demographic characteristics & primary diagnosis
- D.4 Counts of incident ESRD patients, by initial mode of therapy: peritoneal dialysis
by demographic characteristics & primary diagnosis
- D.5 Counts of incident ESRD patients, by initial mode of therapy: transplant
by demographic characteristics & primary diagnosis
- D.6 Counts of prevalent ESRD patients, by mode of therapy: all dialysis
point prevalent patients on December 31, by demographic characteristics & primary diagnosis
- D.7 Counts of prevalent ESRD patients, by mode of therapy: hemodialysis
point prevalent patients on December 31, by demographic characteristics & primary diagnosis
- D.8 Counts of prevalent ESRD patients, by mode of therapy: peritoneal dialysis
point prevalent patients on December 31, by demographic characteristics & primary diagnosis
- D.9 Counts of prevalent ESRD patients, by mode of therapy: transplant
point prevalent patients on December 31, by demographic characteristics & primary diagnosis
- D.15 Incident ESRD patients, 2005: by modality & state/territory
incident ESRD patients
- D.16 Prevalent ESRD patients, 2005: by modality & state/territory
point prevalent ESRD patients on December 31

Footnotes for the tables in the printed ADR

for entire chapter:

The incident cohorts and associated modalities are determined at the time of ESRD initiation without applying the 60-day stable modality rule.

The point prevalent cohorts and associated modalities are determined on December 31 of each calendar year without applying the 60-day stable modality rule.

Age is calculated as of December 31.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

*Values for cells with 10 or fewer patients are suppressed.

." Zero values in this cell.

Table D.2

Counts of incident ESRD patients, by initial mode of therapy: all dialysis*by demographic characteristics & primary diagnosis*

| | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0-4 | 34 | 52 | 75 | 84 | 86 | 110 | 115 | 98 | 105 | 109 | 98 | 124 | 108 | 110 |
| 5-9 | 77 | 64 | 83 | 74 | 84 | 72 | 92 | 80 | 68 | 75 | 101 | 74 | 65 | 84 |
| 10-14 | 146 | 153 | 187 | 165 | 188 | 168 | 152 | 144 | 154 | 131 | 155 | 164 | 161 | 164 |
| 15-19 | 375 | 408 | 380 | 367 | 354 | 359 | 361 | 380 | 390 | 416 | 385 | 356 | 401 | 386 |
| 20-29 | 1,333 | 1,492 | 1,660 | 1,611 | 1,752 | 1,782 | 1,844 | 1,819 | 1,911 | 2,024 | 2,070 | 2,115 | 2,174 | 2,176 |
| 30-39 | 1,995 | 2,233 | 2,475 | 2,540 | 2,723 | 2,901 | 3,186 | 3,222 | 3,521 | 3,829 | 3,976 | 4,146 | 4,431 | 4,404 |
| 40-49 | 2,254 | 2,551 | 2,626 | 2,938 | 3,073 | 3,333 | 3,588 | 3,995 | 4,306 | 4,918 | 5,290 | 5,919 | 6,339 | 6,641 |
| 50-59 | 3,538 | 4,107 | 4,370 | 4,513 | 4,736 | 5,055 | 5,314 | 5,655 | 6,343 | 6,840 | 7,343 | 7,897 | 8,657 | 9,015 |
| 60-64 | 2,012 | 2,299 | 2,567 | 2,990 | 3,278 | 3,667 | 3,777 | 4,210 | 4,581 | 4,939 | 5,398 | 5,956 | 6,177 | 6,418 |
| 65-69 | 2,138 | 2,213 | 2,543 | 3,272 | 3,440 | 3,848 | 4,377 | 5,000 | 5,524 | 6,397 | 7,086 | 7,871 | 8,447 | 8,770 |
| 70-79 | 2,478 | 2,672 | 3,315 | 4,620 | 4,834 | 5,671 | 6,491 | 7,319 | 8,161 | 9,620 | 10,706 | 12,534 | 13,987 | 14,768 |
| 80+ | 425 | 471 | 639 | 1,009 | 1,076 | 1,364 | 1,638 | 1,913 | 2,259 | 2,868 | 3,305 | 3,829 | 4,476 | 4,887 |
| Missing/unknown | . | * | * | * | * | * | * | * | * | * | * | . | * | . |
| 0-19 | 632 | 677 | 725 | 690 | 712 | 709 | 720 | 702 | 717 | 731 | 739 | 718 | 735 | 744 |
| 20-44 | 4,361 | 4,930 | 5,357 | 5,515 | 5,894 | 6,226 | 6,715 | 6,964 | 7,489 | 8,149 | 8,651 | 9,123 | 9,590 | 9,599 |
| 45-64 | 6,771 | 7,752 | 8,341 | 9,077 | 9,668 | 10,512 | 10,994 | 11,937 | 13,173 | 14,401 | 15,426 | 16,910 | 18,188 | 19,055 |
| 65-74 | 3,707 | 3,913 | 4,653 | 6,104 | 6,319 | 7,258 | 8,143 | 9,285 | 10,212 | 11,823 | 13,247 | 15,063 | 16,478 | 17,263 |
| 75+ | 1,334 | 1,443 | 1,844 | 2,797 | 3,031 | 3,625 | 4,363 | 4,947 | 5,732 | 7,062 | 7,850 | 9,171 | 10,432 | 11,162 |
| Unknown | . | * | * | * | * | * | * | * | * | * | * | . | * | . |
| Male | 9,383 | 10,378 | 11,543 | 13,323 | 14,167 | 15,419 | 16,965 | 18,396 | 20,156 | 22,882 | 24,843 | 27,350 | 29,501 | 31,004 |
| Female | 7,422 | 8,338 | 9,379 | 10,862 | 11,461 | 12,917 | 13,974 | 15,444 | 17,169 | 19,291 | 21,073 | 23,635 | 25,923 | 26,819 |
| Unknown | . | . | . | * | . | . | . | . | . | . | . | . | . | . |
| White | 11,784 | 13,098 | 14,680 | 16,608 | 17,603 | 19,495 | 21,324 | 23,078 | 25,221 | 28,457 | 31,030 | 34,239 | 37,068 | 38,348 |
| Black | 4,558 | 5,115 | 5,755 | 6,957 | 7,321 | 8,023 | 8,651 | 9,700 | 10,805 | 12,406 | 13,317 | 14,978 | 16,323 | 17,174 |
| Native American | 98 | 126 | 151 | 234 | 238 | 253 | 316 | 368 | 439 | 484 | 511 | 547 | 657 | 661 |
| Asian | 95 | 145 | 281 | 315 | 412 | 512 | 582 | 643 | 771 | 801 | 1,040 | 1,202 | 1,344 | 1,595 |
| Other/unknown | 270 | 232 | 55 | 72 | 54 | 53 | 66 | 51 | 89 | 25 | 18 | 19 | 32 | 45 |
| †Hispanic | | | | | | | | | | | | | | |
| †Non-Hispanic | | | | | | | | | | | | | | |
| Diabetes | 2,493 | 3,790 | 4,950 | 5,818 | 7,020 | 8,137 | 9,400 | 10,663 | 12,011 | 14,512 | 16,637 | 19,086 | 21,100 | 22,446 |
| Hypertension | 2,965 | 4,286 | 5,524 | 6,043 | 6,790 | 7,788 | 8,491 | 9,756 | 11,120 | 13,031 | 14,347 | 15,968 | 17,772 | 18,342 |
| Glomerulonephritis | 2,586 | 3,382 | 3,962 | 4,167 | 4,485 | 4,677 | 4,911 | 5,292 | 5,602 | 5,910 | 6,236 | 6,463 | 6,608 | 6,798 |
| Cystic kidney | 727 | 890 | 1,019 | 1,047 | 1,080 | 1,143 | 1,235 | 1,247 | 1,279 | 1,270 | 1,402 | 1,450 | 1,531 | 1,580 |
| Other urologic | 416 | 615 | 801 | 897 | 895 | 1,098 | 1,099 | 1,212 | 1,223 | 1,245 | 1,133 | 1,306 | 1,379 | 1,149 |
| Other cause | 1,644 | 2,038 | 2,587 | 2,872 | 3,051 | 3,300 | 3,356 | 3,334 | 3,558 | 4,133 | 4,219 | 4,622 | 4,964 | 5,238 |
| Unknown cause | 1,468 | 1,510 | 1,235 | 1,253 | 1,297 | 1,347 | 1,567 | 1,717 | 1,749 | 1,518 | 1,594 | 1,783 | 1,838 | 1,880 |
| Missing cause | 4,506 | 2,205 | 844 | 2,089 | 1,010 | 846 | 880 | 619 | 783 | 554 | 348 | 307 | 232 | 390 |
| All | 16,805 | 18,716 | 20,922 | 24,186 | 25,628 | 28,336 | 30,939 | 33,840 | 37,325 | 42,173 | 45,916 | 50,985 | 55,424 | 57,823 |

Table D.2

Counts of incident ESRD patients, by initial mode of therapy: all dialysis

by demographic characteristics & primary diagnosis

| | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0-4 | 94 | 106 | 108 | 97 | 89 | 81 | 103 | 92 | 114 | 101 | 119 | 108 |
| 5-9 | 97 | 76 | 74 | 59 | 66 | 77 | 73 | 74 | 91 | 64 | 78 | 75 |
| 10-14 | 181 | 171 | 181 | 163 | 153 | 146 | 161 | 152 | 199 | 182 | 193 | 162 |
| 15-19 | 359 | 379 | 382 | 316 | 354 | 361 | 329 | 352 | 340 | 363 | 363 | 310 |
| 20-29 | 2,093 | 2,006 | 2,011 | 1,881 | 1,899 | 1,793 | 1,850 | 1,876 | 1,720 | 1,718 | 1,729 | 1,720 |
| 30-39 | 4,533 | 4,300 | 4,348 | 4,124 | 4,085 | 4,210 | 4,059 | 4,086 | 4,122 | 4,021 | 4,075 | 4,000 |
| 40-49 | 6,846 | 7,124 | 7,476 | 7,262 | 7,845 | 7,809 | 8,023 | 8,052 | 8,269 | 8,536 | 8,654 | 8,529 |
| 50-59 | 10,027 | 9,841 | 10,237 | 11,023 | 11,810 | 12,560 | 13,013 | 13,669 | 14,067 | 14,585 | 14,932 | 15,199 |
| 60-64 | 6,643 | 6,759 | 7,056 | 7,289 | 7,737 | 7,813 | 8,165 | 8,465 | 8,477 | 8,971 | 9,175 | 9,272 |
| 65-69 | 9,376 | 9,017 | 9,801 | 10,457 | 10,750 | 10,818 | 11,038 | 11,408 | 11,299 | 11,567 | 11,604 | 11,482 |
| 70-79 | 16,336 | 16,295 | 18,442 | 20,371 | 21,629 | 22,753 | 23,406 | 24,283 | 24,338 | 24,295 | 24,158 | 24,106 |
| 80+ | 5,546 | 5,837 | 6,965 | 8,251 | 9,254 | 10,248 | 11,164 | 11,872 | 13,186 | 13,678 | 14,146 | 14,786 |
| Missing/unknown | * | * | . | . | . | * | . | . | . | . | . | . |
| 0-19 | 731 | 732 | 745 | 635 | 662 | 665 | 666 | 670 | 744 | 710 | 753 | 655 |
| 20-44 | 9,633 | 9,514 | 9,662 | 9,174 | 9,376 | 9,295 | 9,307 | 9,366 | 9,256 | 9,264 | 9,367 | 9,276 |
| 45-64 | 20,509 | 20,516 | 21,466 | 22,405 | 24,000 | 24,890 | 25,803 | 26,782 | 27,399 | 28,567 | 29,198 | 29,444 |
| 65-74 | 18,706 | 18,214 | 20,123 | 21,541 | 22,306 | 22,604 | 23,089 | 23,960 | 23,643 | 23,649 | 23,709 | 23,453 |
| 75+ | 12,552 | 12,935 | 15,085 | 17,538 | 19,327 | 21,215 | 22,519 | 23,603 | 25,180 | 25,891 | 26,199 | 26,921 |
| Unknown | * | * | . | . | . | * | . | . | . | . | . | . |
| Male | 33,018 | 32,889 | 36,016 | 38,172 | 40,442 | 42,340 | 43,744 | 45,564 | 47,084 | 47,978 | 49,541 | 50,026 |
| Female | 29,115 | 29,023 | 31,065 | 33,121 | 35,229 | 36,329 | 37,640 | 38,817 | 39,138 | 40,095 | 39,683 | 39,719 |
| Unknown | . | . | . | . | . | * | . | . | . | * | * | * |
| White | 41,174 | 40,291 | 43,932 | 47,151 | 49,757 | 52,225 | 54,458 | 56,368 | 57,231 | 58,373 | 59,606 | 60,032 |
| Black | 18,319 | 18,458 | 19,582 | 20,566 | 22,040 | 22,268 | 22,615 | 23,557 | 24,333 | 24,865 | 24,501 | 24,999 |
| Native American | 711 | 742 | 767 | 806 | 901 | 927 | 954 | 967 | 965 | 941 | 1,019 | 968 |
| Asian | 1,807 | 1,822 | 2,039 | 2,063 | 2,320 | 2,560 | 2,590 | 2,717 | 2,878 | 2,925 | 3,084 | 3,079 |
| Other/unknown | 122 | 599 | 761 | 707 | 653 | 690 | 767 | 772 | 815 | 977 | 1,016 | 671 |
| †Hispanic | | | 7,373 | 7,509 | 8,014 | 8,707 | 10,240 | 9,462 | 9,899 | 10,576 | 10,644 | 10,472 |
| †Non-Hispanic | | | 59,708 | 63,784 | 67,657 | 69,963 | 71,144 | 74,919 | 76,323 | 77,505 | 78,582 | 79,277 |
| Diabetes | 24,826 | 26,309 | 29,400 | 31,822 | 34,070 | 35,655 | 37,515 | 38,994 | 39,235 | 40,128 | 40,722 | 40,527 |
| Hypertension | 19,689 | 17,188 | 18,243 | 19,798 | 20,995 | 21,981 | 22,462 | 23,593 | 24,425 | 25,449 | 25,328 | 25,226 |
| Glomerulonephritis | 7,240 | 7,044 | 7,385 | 7,279 | 7,277 | 7,226 | 6,950 | 6,923 | 7,015 | 6,771 | 6,763 | 6,227 |
| Cystic kidney | 1,624 | 1,620 | 1,503 | 1,567 | 1,628 | 1,689 | 1,634 | 1,687 | 1,684 | 1,681 | 1,684 | 1,777 |
| Other urologic | 1,213 | 1,715 | 1,932 | 1,983 | 2,051 | 2,342 | 2,266 | 2,355 | 2,427 | 2,332 | 2,363 | 1,799 |
| Other cause | 5,467 | 5,783 | 6,010 | 6,205 | 6,659 | 6,772 | 7,229 | 7,351 | 7,901 | 8,062 | 8,468 | 9,441 |
| Unknown cause | 1,929 | 2,111 | 2,473 | 2,534 | 2,848 | 2,845 | 3,170 | 3,368 | 3,297 | 3,329 | 3,334 | 3,664 |
| Missing cause | 145 | 142 | 135 | 105 | 143 | 160 | 158 | 110 | 238 | 329 | 564 | 1,088 |
| All | 62,133 | 61,912 | 67,081 | 71,293 | 75,671 | 78,670 | 81,384 | 84,381 | 86,222 | 88,081 | 89,226 | 89,749 |

Table D.3

Counts of incident ESRD patients, by initial mode of therapy: hemodialysis

by demographic characteristics & primary diagnosis

| | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0-4 | 16 | 16 | 21 | 24 | 16 | 29 | 34 | 15 | 21 | 31 | 27 | 30 | 19 | 27 |
| 5-9 | 52 | 40 | 47 | 32 | 29 | 27 | 28 | 26 | 21 | 26 | 40 | 27 | 24 | 28 |
| 10-14 | 122 | 111 | 107 | 89 | 95 | 95 | 78 | 75 | 71 | 70 | 73 | 64 | 84 | 77 |
| 15-19 | 346 | 362 | 305 | 289 | 273 | 268 | 267 | 269 | 290 | 309 | 270 | 271 | 274 | 271 |
| 20-29 | 1,195 | 1,295 | 1,406 | 1,350 | 1,429 | 1,472 | 1,476 | 1,439 | 1,495 | 1,611 | 1,598 | 1,667 | 1,713 | 1,713 |
| 30-39 | 1,736 | 1,896 | 2,016 | 2,008 | 2,193 | 2,257 | 2,497 | 2,504 | 2,744 | 2,967 | 3,048 | 3,146 | 3,415 | 3,412 |
| 40-49 | 2,004 | 2,236 | 2,152 | 2,388 | 2,509 | 2,659 | 2,834 | 3,180 | 3,453 | 3,857 | 4,167 | 4,565 | 4,997 | 5,207 |
| 50-59 | 3,129 | 3,543 | 3,663 | 3,734 | 3,908 | 4,117 | 4,356 | 4,621 | 5,287 | 5,622 | 5,972 | 6,476 | 7,052 | 7,446 |
| 60-64 | 1,826 | 1,961 | 2,166 | 2,510 | 2,765 | 3,016 | 3,147 | 3,519 | 3,851 | 4,186 | 4,502 | 4,970 | 5,159 | 5,465 |
| 65-69 | 1,935 | 1,906 | 2,157 | 2,856 | 2,938 | 3,176 | 3,669 | 4,206 | 4,764 | 5,559 | 6,108 | 6,853 | 7,450 | 7,655 |
| 70-79 | 2,187 | 2,335 | 2,811 | 4,004 | 4,231 | 4,778 | 5,529 | 6,244 | 7,127 | 8,560 | 9,501 | 11,161 | 12,499 | 13,245 |
| 80+ | 367 | 397 | 539 | 865 | 928 | 1,148 | 1,392 | 1,666 | 1,995 | 2,604 | 2,989 | 3,516 | 4,112 | 4,477 |
| Missing/unknown | . | * | * | * | * | * | * | * | * | * | * | . | . | . |
| 0-19 | 536 | 529 | 480 | 434 | 413 | 419 | 407 | 385 | 403 | 436 | 410 | 392 | 401 | 403 |
| 20-44 | 3,854 | 4,242 | 4,413 | 4,455 | 4,778 | 4,959 | 5,288 | 5,446 | 5,879 | 6,371 | 6,678 | 6,972 | 7,472 | 7,472 |
| 45-64 | 6,036 | 6,689 | 6,990 | 7,535 | 8,026 | 8,562 | 9,022 | 9,817 | 10,951 | 11,872 | 12,609 | 13,852 | 14,864 | 15,771 |
| 65-74 | 3,322 | 3,377 | 3,943 | 5,304 | 5,432 | 6,056 | 6,868 | 7,835 | 8,831 | 10,373 | 11,525 | 13,220 | 14,577 | 15,216 |
| 75+ | 1,167 | 1,261 | 1,564 | 2,421 | 2,665 | 3,046 | 3,722 | 4,281 | 5,055 | 6,350 | 7,073 | 8,310 | 9,484 | 10,161 |
| Unknown | . | * | * | * | * | * | * | * | * | * | * | . | . | . |
| Male | 8,402 | 9,043 | 9,700 | 11,176 | 11,782 | 12,611 | 13,909 | 15,094 | 16,844 | 19,186 | 20,733 | 22,796 | 24,832 | 26,288 |
| Female | 6,513 | 7,056 | 7,691 | 8,975 | 9,535 | 10,436 | 11,401 | 12,674 | 14,277 | 16,221 | 17,565 | 19,950 | 21,966 | 22,735 |
| Unknown | . | . | . | * | . | . | . | . | . | . | . | . | . | . |
| White | 10,326 | 11,082 | 12,029 | 13,603 | 14,410 | 15,463 | 17,080 | 18,537 | 20,567 | 23,393 | 25,300 | 28,066 | 30,627 | 31,885 |
| Black | 4,175 | 4,550 | 4,924 | 5,998 | 6,306 | 6,867 | 7,394 | 8,297 | 9,413 | 10,875 | 11,609 | 13,132 | 14,407 | 15,146 |
| Native American | 85 | 113 | 131 | 199 | 197 | 213 | 261 | 312 | 374 | 413 | 431 | 464 | 555 | 570 |
| Asian | 89 | 135 | 254 | 285 | 357 | 462 | 525 | 581 | 699 | 704 | 949 | 1,068 | 1,180 | 1,381 |
| Other/unknown | 240 | 219 | 53 | 67 | 47 | 42 | 50 | 41 | 68 | 22 | * | 16 | 29 | 41 |
| †Hispanic | | | | | | | | | | | | | | |
| †Non-Hispanic | | | | | | | | | | | | | | |
| Diabetes | 2,071 | 3,107 | 3,906 | 4,618 | 5,660 | 6,469 | 7,561 | 8,614 | 9,936 | 12,054 | 13,754 | 15,849 | 17,598 | 18,959 |
| Hypertension | 2,629 | 3,753 | 4,674 | 5,145 | 5,848 | 6,552 | 7,204 | 8,353 | 9,618 | 11,359 | 12,431 | 13,975 | 15,706 | 16,158 |
| Glomerulonephritis | 2,272 | 2,952 | 3,308 | 3,470 | 3,703 | 3,779 | 3,968 | 4,235 | 4,495 | 4,761 | 4,970 | 5,156 | 5,254 | 5,475 |
| Cystic kidney | 663 | 756 | 872 | 881 | 894 | 942 | 1,001 | 998 | 1,017 | 1,002 | 1,077 | 1,084 | 1,168 | 1,189 |
| Other urologic | 367 | 535 | 673 | 763 | 759 | 902 | 933 | 1,042 | 1,070 | 1,103 | 983 | 1,156 | 1,191 | 990 |
| Other cause | 1,449 | 1,763 | 2,186 | 2,367 | 2,519 | 2,645 | 2,715 | 2,655 | 2,934 | 3,426 | 3,471 | 3,779 | 4,114 | 4,349 |
| Unknown cause | 1,312 | 1,258 | 1,025 | 1,039 | 1,072 | 1,104 | 1,257 | 1,416 | 1,461 | 1,279 | 1,342 | 1,511 | 1,592 | 1,615 |
| Missing cause | 4,152 | 1,975 | 747 | 1,869 | 862 | 654 | 671 | 455 | 590 | 423 | 270 | 236 | 175 | 288 |
| All | 14,915 | 16,099 | 17,391 | 20,152 | 21,317 | 23,047 | 25,310 | 27,768 | 31,121 | 35,407 | 38,298 | 42,746 | 46,798 | 49,023 |

Table D.3

Counts of incident ESRD patients, by initial mode of therapy: hemodialysis*by demographic characteristics & primary diagnosis*

| | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0-4 | 15 | 22 | 17 | 25 | 13 | 19 | 16 | 19 | 22 | 18 | 18 | 18 |
| 5-9 | 33 | 29 | 27 | 19 | 27 | 27 | 29 | 27 | 33 | 24 | 34 | 29 |
| 10-14 | 89 | 79 | 80 | 76 | 80 | 69 | 82 | 91 | 104 | 95 | 105 | 85 |
| 15-19 | 260 | 268 | 272 | 228 | 275 | 286 | 247 | 266 | 268 | 286 | 267 | 248 |
| 20-29 | 1,671 | 1,593 | 1,603 | 1,554 | 1,620 | 1,542 | 1,595 | 1,643 | 1,528 | 1,525 | 1,522 | 1,526 |
| 30-39 | 3,500 | 3,334 | 3,498 | 3,415 | 3,429 | 3,583 | 3,517 | 3,573 | 3,612 | 3,558 | 3,577 | 3,527 |
| 40-49 | 5,472 | 5,635 | 6,106 | 6,151 | 6,828 | 6,821 | 7,063 | 7,150 | 7,486 | 7,650 | 7,795 | 7,791 |
| 50-59 | 8,262 | 8,104 | 8,611 | 9,496 | 10,363 | 11,176 | 11,710 | 12,246 | 12,765 | 13,309 | 13,622 | 13,858 |
| 60-64 | 5,608 | 5,690 | 6,123 | 6,461 | 6,998 | 7,074 | 7,426 | 7,772 | 7,785 | 8,265 | 8,511 | 8,591 |
| 65-69 | 8,267 | 7,895 | 8,789 | 9,495 | 9,868 | 9,987 | 10,207 | 10,606 | 10,508 | 10,768 | 10,850 | 10,788 |
| 70-79 | 14,667 | 14,720 | 16,845 | 18,849 | 20,237 | 21,362 | 22,082 | 22,983 | 23,082 | 23,111 | 22,976 | 22,942 |
| 80+ | 5,090 | 5,411 | 6,536 | 7,829 | 8,853 | 9,846 | 10,759 | 11,385 | 12,725 | 13,228 | 13,674 | 14,270 |
| Missing/unknown | * | * | . | . | . | * | . | . | . | . | . | . |
| 0-19 | 397 | 398 | 396 | 348 | 395 | 401 | 374 | 403 | 427 | 423 | 424 | 380 |
| 20-44 | 7,557 | 7,485 | 7,777 | 7,624 | 8,002 | 7,981 | 8,074 | 8,225 | 8,236 | 8,234 | 8,251 | 8,268 |
| 45-64 | 16,956 | 16,871 | 18,164 | 19,453 | 21,236 | 22,215 | 23,237 | 24,159 | 24,940 | 26,073 | 26,776 | 27,025 |
| 65-74 | 16,573 | 16,152 | 18,134 | 19,687 | 20,595 | 20,966 | 21,519 | 22,428 | 22,183 | 22,186 | 22,279 | 22,102 |
| 75+ | 11,451 | 11,874 | 14,036 | 16,486 | 18,363 | 20,229 | 21,529 | 22,546 | 24,132 | 24,921 | 25,221 | 25,898 |
| Unknown | * | * | . | . | . | * | . | . | . | . | . | . |
| Male | 28,096 | 27,991 | 31,405 | 34,091 | 36,694 | 38,701 | 40,155 | 42,061 | 43,712 | 44,616 | 46,111 | 46,705 |
| Female | 24,839 | 24,790 | 27,102 | 29,507 | 31,897 | 33,091 | 34,578 | 35,700 | 36,206 | 37,214 | 36,838 | 36,964 |
| Unknown | . | . | . | . | . | * | . | . | . | * | * | * |
| White | 34,430 | 33,628 | 37,556 | 41,352 | 44,493 | 47,009 | 49,488 | 51,445 | 52,610 | 53,874 | 55,005 | 55,579 |
| Black | 16,247 | 16,444 | 17,857 | 19,062 | 20,611 | 20,924 | 21,314 | 22,250 | 23,046 | 23,525 | 23,247 | 23,780 |
| Native American | 604 | 642 | 667 | 724 | 807 | 862 | 861 | 883 | 892 | 875 | 949 | 899 |
| Asian | 1,545 | 1,544 | 1,765 | 1,839 | 2,082 | 2,364 | 2,370 | 2,479 | 2,619 | 2,667 | 2,839 | 2,815 |
| Other/unknown | 109 | 523 | 662 | 621 | 598 | 634 | 700 | 704 | 751 | 896 | 911 | 600 |
| †Hispanic | | | 6,533 | 6,789 | 7,314 | 8,009 | 9,464 | 8,832 | 9,215 | 9,917 | 10,007 | 9,879 |
| †Non-Hispanic | | | 51,974 | 56,809 | 61,277 | 63,784 | 65,269 | 68,929 | 70,703 | 71,920 | 72,944 | 73,794 |
| Diabetes | 21,028 | 22,340 | 25,505 | 28,331 | 30,910 | 32,512 | 34,488 | 36,089 | 36,432 | 37,438 | 38,122 | 38,070 |
| Hypertension | 17,461 | 15,243 | 16,565 | 18,215 | 19,510 | 20,540 | 21,082 | 22,208 | 23,041 | 24,007 | 23,891 | 23,824 |
| Glomerulonephritis | 5,800 | 5,623 | 6,039 | 6,102 | 6,196 | 6,283 | 6,010 | 6,001 | 6,195 | 5,933 | 5,863 | 5,449 |
| Cystic kidney | 1,222 | 1,224 | 1,156 | 1,249 | 1,342 | 1,369 | 1,347 | 1,374 | 1,431 | 1,372 | 1,390 | 1,448 |
| Other urologic | 1,026 | 1,488 | 1,713 | 1,794 | 1,871 | 2,154 | 2,075 | 2,159 | 2,238 | 2,168 | 2,184 | 1,692 |
| Other cause | 4,620 | 4,902 | 5,231 | 5,530 | 6,013 | 6,149 | 6,647 | 6,709 | 7,289 | 7,477 | 7,882 | 8,820 |
| Unknown cause | 1,674 | 1,848 | 2,187 | 2,288 | 2,629 | 2,646 | 2,944 | 3,122 | 3,098 | 3,145 | 3,140 | 3,460 |
| Missing cause | 104 | 113 | 111 | 89 | 120 | 140 | 140 | 99 | 194 | 297 | 479 | 910 |
| All | 52,935 | 52,781 | 58,507 | 63,598 | 68,591 | 71,793 | 74,733 | 77,761 | 79,918 | 81,837 | 82,951 | 83,673 |

Table D.4

Counts of incident ESRD patients, by initial mode of therapy: peritoneal dialysis

by demographic characteristics & primary diagnosis

| | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|--------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0-4 | * | 25 | 47 | 54 | 63 | 76 | 75 | 73 | 77 | 59 | 54 | 75 | 76 | 72 |
| 5-9 | 14 | 17 | 33 | 38 | 51 | 40 | 57 | 48 | 38 | 42 | 46 | 36 | 38 | 43 |
| 10-14 | 12 | 28 | 68 | 69 | 88 | 67 | 67 | 65 | 74 | 45 | 70 | 76 | 69 | 76 |
| 15-19 | 13 | 27 | 60 | 68 | 71 | 77 | 76 | 92 | 74 | 97 | 93 | 72 | 114 | 97 |
| 20-29 | 70 | 138 | 211 | 236 | 287 | 256 | 313 | 304 | 349 | 327 | 391 | 369 | 386 | 400 |
| 30-39 | 131 | 231 | 400 | 488 | 470 | 535 | 550 | 590 | 639 | 713 | 778 | 865 | 883 | 861 |
| 40-49 | 146 | 218 | 411 | 509 | 509 | 550 | 618 | 666 | 720 | 848 | 965 | 1,162 | 1,143 | 1,241 |
| 50-59 | 225 | 417 | 610 | 714 | 754 | 766 | 776 | 834 | 843 | 997 | 1,119 | 1,184 | 1,325 | 1,363 |
| 60-64 | 103 | 232 | 340 | 432 | 452 | 517 | 480 | 533 | 583 | 592 | 739 | 783 | 813 | 783 |
| 65-69 | 80 | 210 | 322 | 364 | 417 | 418 | 446 | 520 | 503 | 601 | 750 | 754 | 733 | 853 |
| 70-79 | 118 | 218 | 444 | 520 | 506 | 555 | 533 | 648 | 684 | 762 | 900 | 976 | 1,066 | 1,117 |
| 80+ | 19 | 48 | 87 | 114 | 117 | 117 | 134 | 148 | 164 | 192 | 223 | 196 | 250 | 277 |
| Missing/unknown | . | . | * | . | * | . | . | * | . | * | . | . | * | . |
| 0-19 | 48 | 97 | 208 | 229 | 273 | 260 | 275 | 278 | 263 | 243 | 263 | 259 | 297 | 288 |
| 20-44 | 268 | 477 | 812 | 970 | 991 | 1,038 | 1,165 | 1,238 | 1,346 | 1,441 | 1,664 | 1,841 | 1,824 | 1,842 |
| 45-64 | 407 | 759 | 1,160 | 1,409 | 1,481 | 1,586 | 1,572 | 1,689 | 1,788 | 2,036 | 2,328 | 2,522 | 2,726 | 2,806 |
| 65-74 | 157 | 361 | 602 | 689 | 737 | 755 | 767 | 928 | 925 | 1,040 | 1,315 | 1,346 | 1,375 | 1,541 |
| 75+ | 60 | 115 | 251 | 309 | 303 | 335 | 346 | 388 | 426 | 515 | 558 | 580 | 674 | 706 |
| Unknown | . | . | * | . | * | . | . | * | . | * | . | . | * | . |
| Male | 496 | 902 | 1,587 | 1,921 | 2,081 | 2,107 | 2,279 | 2,425 | 2,565 | 2,856 | 3,313 | 3,619 | 3,728 | 3,826 |
| Female | 444 | 907 | 1,447 | 1,685 | 1,705 | 1,867 | 1,846 | 2,097 | 2,183 | 2,421 | 2,815 | 2,929 | 3,169 | 3,357 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| White | 761 | 1,406 | 2,273 | 2,681 | 2,827 | 3,078 | 3,153 | 3,431 | 3,621 | 3,974 | 4,663 | 4,891 | 5,144 | 5,263 |
| Black | 150 | 378 | 719 | 861 | 867 | 809 | 867 | 992 | 1,002 | 1,162 | 1,309 | 1,472 | 1,521 | 1,648 |
| Native American | * | * | 17 | 33 | 37 | 37 | 51 | 49 | 60 | 57 | 68 | 68 | 81 | 75 |
| Asian | * | * | 24 | 26 | 51 | 43 | 47 | 47 | 62 | 82 | 84 | 117 | 150 | 195 |
| Other/unknown | 14 | * | * | * | * | * | * | * | * | * | * | . | * | * |
| †Hispanic | | | | | | | | | | | | | | |
| †Non-Hispanic | | | | | | | | | | | | | | |
| Diabetes | 248 | 515 | 920 | 1,089 | 1,196 | 1,295 | 1,398 | 1,584 | 1,616 | 1,969 | 2,309 | 2,588 | 2,827 | 2,857 |
| Hypertension | 199 | 385 | 768 | 825 | 816 | 873 | 882 | 959 | 1,118 | 1,244 | 1,538 | 1,548 | 1,595 | 1,744 |
| Glomerulonephritis | 202 | 322 | 562 | 630 | 703 | 729 | 757 | 823 | 896 | 938 | 1,047 | 1,110 | 1,153 | 1,136 |
| Cystic kidney | 42 | 99 | 126 | 147 | 170 | 167 | 192 | 201 | 213 | 220 | 271 | 312 | 314 | 353 |
| Other urologic | 22 | 59 | 105 | 118 | 115 | 130 | 112 | 112 | 109 | 100 | 119 | 110 | 134 | 127 |
| Other cause | 128 | 206 | 345 | 460 | 480 | 520 | 484 | 539 | 488 | 558 | 616 | 646 | 674 | 728 |
| Unknown cause | 82 | 172 | 178 | 189 | 195 | 155 | 199 | 189 | 180 | 157 | 185 | 198 | 181 | 205 |
| Missing cause | 17 | 51 | 30 | 148 | 111 | 105 | 101 | 115 | 128 | 91 | 43 | 36 | 19 | 33 |
| All | 940 | 1,809 | 3,034 | 3,606 | 3,786 | 3,974 | 4,125 | 4,522 | 4,748 | 5,277 | 6,128 | 6,548 | 6,897 | 7,183 |

Table D.4

Counts of incident ESRD patients, by initial mode of therapy: peritoneal dialysis*by demographic characteristics & primary diagnosis*

| | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0-4 | 62 | 79 | 88 | 72 | 75 | 61 | 87 | 71 | 89 | 79 | 98 | 88 |
| 5-9 | 59 | 47 | 47 | 40 | 38 | 49 | 42 | 47 | 56 | 39 | 43 | 44 |
| 10-14 | 80 | 88 | 98 | 83 | 69 | 74 | 78 | 60 | 94 | 86 | 87 | 76 |
| 15-19 | 86 | 107 | 107 | 87 | 78 | 73 | 80 | 83 | 69 | 76 | 89 | 58 |
| 20-29 | 370 | 385 | 392 | 312 | 275 | 247 | 247 | 224 | 185 | 189 | 205 | 185 |
| 30-39 | 897 | 927 | 832 | 693 | 634 | 620 | 532 | 502 | 490 | 453 | 483 | 458 |
| 40-49 | 1,177 | 1,413 | 1,333 | 1,079 | 1,000 | 963 | 938 | 880 | 770 | 864 | 835 | 718 |
| 50-59 | 1,479 | 1,651 | 1,589 | 1,504 | 1,415 | 1,362 | 1,274 | 1,394 | 1,276 | 1,247 | 1,279 | 1,279 |
| 60-64 | 832 | 999 | 915 | 816 | 727 | 726 | 729 | 684 | 679 | 697 | 652 | 645 |
| 65-69 | 807 | 1,055 | 989 | 941 | 868 | 815 | 800 | 786 | 766 | 785 | 730 | 661 |
| 70-79 | 1,191 | 1,467 | 1,557 | 1,482 | 1,361 | 1,364 | 1,295 | 1,274 | 1,213 | 1,156 | 1,150 | 1,126 |
| 80+ | 312 | 379 | 411 | 409 | 388 | 390 | 391 | 478 | 443 | 434 | 454 | 488 |
| Missing/unknown | . | . | . | . | . | . | . | . | . | . | . | . |
| 0-19 | 287 | 321 | 340 | 282 | 260 | 257 | 287 | 261 | 308 | 280 | 317 | 266 |
| 20-44 | 1,811 | 1,932 | 1,833 | 1,505 | 1,341 | 1,295 | 1,204 | 1,116 | 984 | 1,005 | 1,088 | 971 |
| 45-64 | 2,944 | 3,443 | 3,228 | 2,899 | 2,710 | 2,623 | 2,516 | 2,568 | 2,416 | 2,445 | 2,366 | 2,314 |
| 65-74 | 1,554 | 1,940 | 1,942 | 1,810 | 1,681 | 1,607 | 1,527 | 1,503 | 1,420 | 1,440 | 1,390 | 1,292 |
| 75+ | 756 | 961 | 1,015 | 1,022 | 936 | 962 | 959 | 1,035 | 1,002 | 935 | 944 | 983 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . |
| Male | 3,907 | 4,599 | 4,487 | 3,980 | 3,658 | 3,570 | 3,511 | 3,422 | 3,275 | 3,290 | 3,340 | 3,171 |
| Female | 3,445 | 3,998 | 3,871 | 3,538 | 3,270 | 3,174 | 2,982 | 3,061 | 2,855 | 2,815 | 2,765 | 2,655 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . |
| White | 5,356 | 6,283 | 6,214 | 5,665 | 5,151 | 5,114 | 4,857 | 4,819 | 4,492 | 4,389 | 4,483 | 4,273 |
| Black | 1,658 | 1,874 | 1,678 | 1,466 | 1,398 | 1,319 | 1,269 | 1,277 | 1,251 | 1,318 | 1,216 | 1,176 |
| Native American | 87 | 95 | 99 | 80 | 91 | 63 | 90 | 84 | 68 | 65 | 69 | 66 |
| Asian | 242 | 273 | 271 | 222 | 233 | 194 | 214 | 236 | 257 | 258 | 242 | 259 |
| Other/unknown | * | 72 | 96 | 85 | 55 | 54 | 63 | 67 | 62 | 75 | 95 | 52 |
| †Hispanic | | | 822 | 712 | 682 | 687 | 766 | 620 | 672 | 646 | 626 | 581 |
| †Non-Hispanic | | | 7,536 | 6,806 | 6,246 | 6,057 | 5,727 | 5,863 | 5,458 | 5,459 | 5,479 | 5,245 |
| Diabetes | 3,039 | 3,752 | 3,811 | 3,427 | 3,115 | 3,106 | 2,975 | 2,859 | 2,741 | 2,647 | 2,569 | 2,417 |
| Hypertension | 1,736 | 1,820 | 1,636 | 1,554 | 1,452 | 1,411 | 1,347 | 1,365 | 1,358 | 1,422 | 1,407 | 1,382 |
| Glomerulonephritis | 1,213 | 1,362 | 1,326 | 1,155 | 1,056 | 922 | 922 | 903 | 805 | 822 | 884 | 764 |
| Cystic kidney | 355 | 373 | 330 | 304 | 278 | 309 | 280 | 298 | 247 | 300 | 286 | 317 |
| Other urologic | 125 | 210 | 209 | 183 | 176 | 183 | 182 | 192 | 181 | 155 | 171 | 106 |
| Other cause | 674 | 825 | 756 | 650 | 631 | 607 | 561 | 625 | 592 | 567 | 567 | 596 |
| Unknown cause | 194 | 243 | 277 | 237 | 214 | 198 | 218 | 237 | 188 | 179 | 192 | 198 |
| Missing cause | 16 | 12 | 13 | * | * | * | * | * | 18 | 13 | 29 | 46 |
| All | 7,352 | 8,597 | 8,358 | 7,518 | 6,928 | 6,744 | 6,493 | 6,483 | 6,130 | 6,105 | 6,105 | 5,826 |

Table D.5

Counts of incident ESRD patients, by initial mode of therapy: transplant*by demographic characteristics & primary diagnosis*

| | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0-4 | * | 11 | 15 | 11 | 12 | 13 | * | 15 | 16 | 16 | 15 | 13 | 16 | 17 |
| 5-9 | * | 16 | 17 | * | 11 | 18 | 18 | 19 | 13 | 27 | 24 | 28 | 25 | 12 |
| 10-14 | 14 | 11 | 13 | 16 | 26 | 24 | 37 | 44 | 32 | 35 | 41 | 44 | 33 | 34 |
| 15-19 | 21 | 21 | 25 | 23 | 25 | 30 | 44 | 50 | 35 | 38 | 50 | 36 | 35 | 44 |
| 20-29 | 67 | 56 | 70 | 65 | 61 | 96 | 104 | 105 | 130 | 157 | 140 | 121 | 122 | 104 |
| 30-39 | 72 | 90 | 85 | 88 | 99 | 112 | 188 | 182 | 201 | 200 | 225 | 227 | 230 | 206 |
| 40-49 | 57 | 42 | 65 | 64 | 63 | 75 | 101 | 133 | 133 | 160 | 186 | 211 | 202 | 188 |
| 50-59 | 23 | 26 | 48 | 30 | 36 | 39 | 59 | 95 | 88 | 84 | 92 | 93 | 125 | 123 |
| 60-64 | * | * | * | * | * | * | 13 | 22 | 17 | 23 | 18 | 24 | 28 | 33 |
| 65-69 | * | * | . | * | * | * | * | 11 | * | * | 13 | 12 | 16 | 18 |
| 70-79 | . | * | . | * | * | * | * | * | * | * | * | * | * | 11 |
| 80+ | * | * | * | . | * | * | * | * | . | . | * | . | . | . |
| Missing/unknown | . | . | . | . | . | . | . | . | . | . | . | . | . | * |
| 0-19 | 50 | 59 | 70 | 58 | 74 | 85 | 107 | 128 | 96 | 116 | 130 | 121 | 109 | 107 |
| 20-44 | 165 | 169 | 193 | 187 | 198 | 256 | 341 | 365 | 410 | 450 | 481 | 479 | 466 | 408 |
| 45-64 | 55 | 48 | 77 | 67 | 63 | 74 | 124 | 172 | 159 | 174 | 180 | 197 | 241 | 246 |
| 65-74 | * | * | . | * | * | 11 | 13 | 13 | 11 | 13 | 16 | 14 | 20 | 26 |
| 75+ | * | * | * | . | * | * | * | * | * | * | * | * | . | * |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . | . | * |
| Male | 179 | 186 | 223 | 202 | 223 | 256 | 356 | 404 | 399 | 445 | 468 | 471 | 466 | 463 |
| Female | 95 | 93 | 118 | 113 | 125 | 175 | 231 | 278 | 278 | 309 | 343 | 341 | 370 | 328 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| White | 222 | 232 | 281 | 260 | 303 | 380 | 523 | 597 | 593 | 682 | 721 | 743 | 743 | 729 |
| Black | 42 | 42 | 54 | 46 | 41 | 37 | 53 | 65 | 70 | 54 | 69 | 49 | 77 | 47 |
| Native American | . | * | . | * | * | * | * | * | * | * | * | * | * | * |
| Asian | * | * | * | * | * | * | * | 12 | * | 15 | 15 | 11 | 11 | * |
| Other/unknown | * | * | * | * | * | * | * | * | * | * | . | . | . | . |
| †Hispanic | | | | | | | | | | | | | | |
| †Non-Hispanic | | | | | | | | | | | | | | |
| Diabetes | 35 | 55 | 81 | 62 | 89 | 104 | 165 | 170 | 185 | 229 | 203 | 229 | 208 | 211 |
| Hypertension | 21 | 20 | 28 | 24 | 17 | 20 | 34 | 59 | 53 | 48 | 53 | 50 | 71 | 54 |
| Glomerulonephritis | 37 | 43 | 64 | 67 | 72 | 105 | 97 | 142 | 128 | 159 | 184 | 161 | 184 | 155 |
| Cystic kidney | * | 11 | * | 20 | 16 | 23 | 39 | 61 | 55 | 63 | 73 | 88 | 93 | 84 |
| Other urologic | 21 | 24 | 13 | 20 | 23 | 21 | 43 | 34 | 27 | 42 | 39 | 50 | 36 | 47 |
| Other cause | 34 | 32 | 48 | 40 | 60 | 61 | 80 | 107 | 89 | 109 | 131 | 119 | 127 | 122 |
| Unknown cause | 15 | 15 | 30 | 22 | 17 | 38 | 43 | 36 | 44 | 39 | 51 | 47 | 48 | 65 |
| Missing cause | 109 | 79 | 69 | 60 | 54 | 59 | 86 | 73 | 96 | 65 | 77 | 68 | 69 | 53 |
| All | 274 | 279 | 341 | 315 | 348 | 431 | 587 | 682 | 677 | 754 | 811 | 812 | 836 | 791 |

Table D.5

Counts of incident ESRD patients, by initial mode of therapy: transplant*by demographic characteristics & primary diagnosis*

| | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|--------------------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|
| 0-4 | * | 13 | 16 | 12 | * | * | 15 | 16 | * | 11 | 13 | 19 |
| 5-9 | 25 | 21 | 21 | 20 | 18 | 14 | 16 | 15 | 27 | 21 | 15 | 15 |
| 10-14 | 26 | 33 | 23 | 26 | 25 | 30 | 32 | 24 | 22 | 24 | 24 | 35 |
| 15-19 | 47 | 49 | 43 | 34 | 25 | 33 | 38 | 37 | 39 | 52 | 57 | 52 |
| 20-29 | 107 | 95 | 85 | 88 | 87 | 79 | 87 | 96 | 79 | 90 | 118 | 82 |
| 30-39 | 200 | 235 | 180 | 143 | 180 | 135 | 158 | 171 | 198 | 171 | 212 | 209 |
| 40-49 | 187 | 208 | 219 | 186 | 173 | 209 | 219 | 270 | 282 | 305 | 313 | 321 |
| 50-59 | 119 | 128 | 149 | 149 | 158 | 161 | 221 | 266 | 311 | 349 | 431 | 446 |
| 60-64 | 32 | 36 | 56 | 54 | 34 | 55 | 80 | 93 | 121 | 131 | 162 | 186 |
| 65-69 | 15 | 26 | 24 | 44 | 44 | 54 | 63 | 78 | 86 | 124 | 133 | 169 |
| 70-79 | * | 11 | * | * | * | 26 | 36 | 33 | 47 | 50 | 78 | 84 |
| 80+ | . | . | . | . | * | * | . | * | . | * | * | * |
| Missing/unknown | . | . | . | . | . | . | . | . | . | . | . | . |
| 0-19 | 103 | 116 | 103 | 92 | 71 | 87 | 101 | 92 | 95 | 108 | 109 | 121 |
| 20-44 | 399 | 431 | 377 | 329 | 351 | 319 | 353 | 400 | 416 | 389 | 476 | 429 |
| 45-64 | 246 | 271 | 312 | 291 | 281 | 320 | 412 | 496 | 575 | 657 | 760 | 815 |
| 65-74 | 22 | 36 | 28 | 47 | 50 | 79 | 97 | 105 | 124 | 166 | 199 | 230 |
| 75+ | * | * | * | * | * | * | * | * | * | * | 14 | 29 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . |
| Male | 415 | 480 | 476 | 444 | 414 | 466 | 532 | 615 | 675 | 753 | 874 | 919 |
| Female | 357 | 375 | 345 | 318 | 342 | 341 | 433 | 485 | 544 | 576 | 684 | 705 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . |
| White | 695 | 763 | 741 | 691 | 691 | 719 | 860 | 986 | 1,076 | 1,174 | 1,339 | 1,416 |
| Black | 57 | 70 | 49 | 57 | 46 | 63 | 76 | 81 | 104 | 107 | 134 | 141 |
| Native American | * | * | * | * | * | * | * | * | * | 11 | * | * |
| Asian | 15 | 13 | 20 | * | 14 | 20 | 21 | 26 | 33 | 34 | 38 | 36 |
| Other/unknown | * | * | * | * | * | * | * | . | * | * | 40 | 26 |
| †Hispanic | | | 46 | 37 | 47 | 44 | 67 | 61 | 67 | 70 | 90 | 71 |
| †Non-Hispanic | | | 775 | 725 | 709 | 763 | 898 | 1,039 | 1,152 | 1,259 | 1,468 | 1,553 |
| Diabetes | 191 | 218 | 230 | 192 | 189 | 184 | 193 | 262 | 272 | 281 | 339 | 344 |
| Hypertension | 57 | 56 | 46 | 60 | 49 | 56 | 71 | 103 | 125 | 117 | 159 | 170 |
| Glomerulonephritis | 154 | 196 | 175 | 152 | 157 | 156 | 190 | 211 | 260 | 247 | 299 | 292 |
| Cystic kidney | 66 | 99 | 105 | 76 | 98 | 99 | 125 | 153 | 185 | 231 | 221 | 240 |
| Other urologic | 49 | 64 | 48 | 60 | 48 | 39 | 72 | 69 | 84 | 87 | 94 | 55 |
| Other cause | 132 | 133 | 131 | 126 | 111 | 121 | 141 | 190 | 163 | 190 | 216 | 261 |
| Unknown cause | 47 | 39 | 36 | 50 | 32 | 48 | 55 | 60 | 78 | 63 | 68 | 81 |
| Missing cause | 76 | 50 | 50 | 46 | 72 | 104 | 118 | 52 | 52 | 113 | 162 | 181 |
| All | 772 | 855 | 821 | 762 | 756 | 807 | 965 | 1,100 | 1,219 | 1,329 | 1,558 | 1,624 |

Table D.6

Counts of prevalent ESRD patients, by mode of therapy: all dialysis*point prevalent patients on December 31, by demographic characteristics & primary diagnosis*

| | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|
| 0-4 | 38 | 56 | 80 | 102 | 113 | 137 | 155 | 138 | 142 | 151 | 145 | 155 | 172 | 167 |
| 5-9 | 93 | 85 | 116 | 142 | 143 | 118 | 142 | 145 | 140 | 151 | 164 | 142 | 135 | 145 |
| 10-14 | 233 | 252 | 286 | 307 | 317 | 286 | 282 | 294 | 311 | 290 | 326 | 330 | 328 | 343 |
| 15-19 | 752 | 772 | 801 | 748 | 743 | 782 | 754 | 783 | 843 | 909 | 873 | 877 | 912 | 934 |
| 20-29 | 3,729 | 3,948 | 4,238 | 4,542 | 4,742 | 4,832 | 4,899 | 5,028 | 5,345 | 5,697 | 5,945 | 6,133 | 6,433 | 6,603 |
| 30-39 | 6,030 | 6,698 | 7,413 | 8,175 | 8,891 | 9,450 | 9,938 | 10,461 | 11,138 | 12,111 | 12,884 | 13,838 | 14,810 | 15,561 |
| 40-49 | 7,469 | 8,134 | 8,799 | 10,133 | 10,881 | 11,385 | 11,965 | 12,839 | 14,154 | 15,901 | 17,586 | 19,776 | 21,563 | 23,363 |
| 50-59 | 11,343 | 12,663 | 13,918 | 15,127 | 16,106 | 16,851 | 17,479 | 18,161 | 19,307 | 20,832 | 22,593 | 24,805 | 27,201 | 29,528 |
| 60-64 | 5,853 | 6,932 | 7,848 | 9,214 | 10,261 | 11,181 | 11,658 | 12,634 | 13,439 | 14,357 | 15,566 | 16,786 | 17,929 | 18,995 |
| 65-69 | 5,440 | 6,078 | 6,882 | 8,417 | 9,505 | 10,563 | 11,948 | 13,528 | 14,853 | 16,551 | 18,292 | 20,262 | 22,218 | 23,929 |
| 70-79 | 5,829 | 6,842 | 8,095 | 10,387 | 12,065 | 13,708 | 15,700 | 17,747 | 19,912 | 22,839 | 26,061 | 30,462 | 34,438 | 37,825 |
| 80+ | 853 | 1,076 | 1,364 | 1,977 | 2,375 | 2,927 | 3,574 | 4,369 | 5,158 | 6,199 | 7,498 | 8,914 | 10,538 | 12,093 |
| Missing/unknown | * | * | * | * | * | * | * | * | * | * | * | * | . | . |
| 0-19 | 1,116 | 1,165 | 1,283 | 1,299 | 1,316 | 1,323 | 1,333 | 1,360 | 1,436 | 1,501 | 1,508 | 1,504 | 1,547 | 1,589 |
| 20-44 | 13,239 | 14,378 | 15,717 | 17,464 | 18,683 | 19,577 | 20,552 | 21,561 | 23,216 | 25,400 | 27,479 | 29,523 | 31,523 | 33,096 |
| 45-64 | 21,185 | 23,997 | 26,499 | 29,727 | 32,198 | 34,122 | 35,387 | 37,562 | 40,167 | 43,498 | 47,095 | 51,815 | 56,413 | 60,954 |
| 65-74 | 9,282 | 10,506 | 12,113 | 14,951 | 16,953 | 18,905 | 21,416 | 24,036 | 26,564 | 29,875 | 33,674 | 38,277 | 42,596 | 46,367 |
| 75+ | 2,840 | 3,490 | 4,228 | 5,830 | 6,992 | 8,293 | 9,806 | 11,608 | 13,359 | 15,714 | 18,177 | 21,361 | 24,598 | 27,480 |
| Unknown | * | * | * | * | * | * | * | * | * | * | * | * | . | . |
| Male | 25,985 | 28,841 | 32,150 | 37,023 | 40,673 | 43,533 | 46,452 | 50,133 | 54,469 | 60,364 | 66,639 | 74,306 | 81,620 | 88,580 |
| Female | 21,678 | 24,697 | 27,693 | 32,252 | 35,474 | 38,693 | 42,049 | 46,000 | 50,278 | 55,630 | 61,299 | 68,177 | 75,057 | 80,906 |
| Unknown | . | . | . | * | . | . | . | . | . | . | . | . | . | . |
| White | 32,054 | 35,537 | 39,360 | 45,055 | 48,876 | 52,292 | 55,697 | 59,787 | 64,333 | 70,574 | 77,157 | 85,257 | 92,824 | 99,162 |
| Black | 14,421 | 16,627 | 18,979 | 22,435 | 25,241 | 27,602 | 30,159 | 33,343 | 36,943 | 41,496 | 46,249 | 51,925 | 57,706 | 63,147 |
| Native American | 235 | 308 | 388 | 539 | 643 | 745 | 865 | 1,005 | 1,169 | 1,337 | 1,505 | 1,705 | 1,981 | 2,207 |
| Asian | 275 | 382 | 567 | 782 | 996 | 1,266 | 1,506 | 1,776 | 2,116 | 2,494 | 2,936 | 3,519 | 4,084 | 4,875 |
| Other/unknown | 678 | 684 | 549 | 465 | 391 | 321 | 274 | 222 | 186 | 93 | 91 | 77 | 82 | 95 |
| †Hispanic | | | | | | | | | | | | | | |
| †Non-Hispanic | | | | | | | | | | | | | | |
| Diabetes | 4,638 | 6,475 | 8,703 | 11,014 | 13,716 | 16,268 | 19,000 | 22,225 | 25,815 | 30,896 | 36,513 | 43,188 | 49,774 | 55,687 |
| Hypertension | 8,132 | 10,454 | 13,272 | 16,148 | 18,753 | 21,155 | 23,853 | 26,775 | 30,037 | 34,354 | 38,650 | 43,630 | 48,812 | 53,112 |
| Glomerulonephritis | 9,544 | 10,895 | 12,411 | 14,335 | 15,798 | 16,995 | 17,995 | 19,056 | 20,175 | 21,555 | 22,798 | 24,261 | 25,580 | 27,000 |
| Cystic kidney | 3,094 | 3,507 | 3,973 | 4,532 | 4,849 | 5,142 | 5,309 | 5,507 | 5,623 | 5,775 | 5,960 | 6,245 | 6,458 | 6,704 |
| Other urologic | 1,118 | 1,413 | 1,811 | 2,195 | 2,550 | 2,910 | 3,114 | 3,415 | 3,668 | 3,858 | 3,947 | 4,208 | 4,438 | 4,413 |
| Other cause | 4,703 | 5,486 | 6,631 | 7,842 | 8,773 | 9,577 | 10,144 | 10,620 | 11,391 | 12,500 | 13,307 | 14,232 | 15,194 | 15,987 |
| Unknown cause | 5,018 | 5,254 | 5,113 | 5,401 | 5,520 | 5,369 | 5,446 | 5,675 | 5,699 | 5,389 | 5,389 | 5,627 | 5,714 | 5,936 |
| Missing cause | 11,416 | 10,054 | 7,929 | 7,809 | 6,188 | 4,810 | 3,640 | 2,860 | 2,339 | 1,667 | 1,374 | 1,092 | 707 | 647 |
| All | 47,663 | 53,538 | 59,843 | 69,276 | 76,147 | 82,226 | 88,501 | 96,133 | 104,747 | 115,994 | 127,938 | 142,483 | 156,677 | 169,486 |

Table D.6

Counts of prevalent ESRD patients, by mode of therapy: all dialysis*point prevalent patients on December 31, by demographic characteristics & primary diagnosis*

| | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0-4 | 162 | 165 | 164 | 135 | 133 | 130 | 146 | 152 | 165 | 157 | 177 | 174 |
| 5-9 | 165 | 151 | 143 | 156 | 134 | 138 | 162 | 147 | 169 | 145 | 155 | 134 |
| 10-14 | 366 | 352 | 344 | 332 | 339 | 299 | 328 | 332 | 394 | 356 | 371 | 312 |
| 15-19 | 884 | 901 | 938 | 925 | 950 | 899 | 852 | 896 | 914 | 938 | 938 | 913 |
| 20-29 | 6,760 | 6,821 | 6,959 | 6,989 | 7,175 | 7,189 | 7,204 | 7,205 | 7,104 | 7,063 | 7,054 | 6,965 |
| 30-39 | 16,323 | 16,584 | 16,864 | 17,023 | 17,174 | 17,660 | 17,999 | 18,242 | 18,437 | 18,711 | 18,666 | 18,723 |
| 40-49 | 25,148 | 27,151 | 28,951 | 30,085 | 31,548 | 32,847 | 34,108 | 35,214 | 36,183 | 37,053 | 37,905 | 38,175 |
| 50-59 | 32,173 | 34,059 | 36,565 | 39,295 | 42,393 | 45,629 | 48,879 | 52,223 | 54,870 | 57,559 | 60,357 | 63,437 |
| 60-64 | 20,190 | 21,275 | 22,396 | 23,624 | 24,989 | 26,137 | 27,410 | 28,750 | 30,432 | 32,080 | 33,337 | 34,457 |
| 65-69 | 25,584 | 26,479 | 27,817 | 29,118 | 30,390 | 31,619 | 32,685 | 33,998 | 34,833 | 35,816 | 36,761 | 37,455 |
| 70-79 | 42,280 | 45,241 | 48,871 | 53,204 | 56,901 | 59,812 | 62,400 | 64,479 | 66,453 | 67,649 | 68,801 | 69,525 |
| 80+ | 13,784 | 15,199 | 16,923 | 19,039 | 21,249 | 23,365 | 26,120 | 28,619 | 31,256 | 33,642 | 35,748 | 37,682 |
| Missing/unknown | * | . | . | . | . | * | * | * | * | * | * | . |
| 0-19 | 1,577 | 1,569 | 1,589 | 1,548 | 1,556 | 1,466 | 1,488 | 1,527 | 1,642 | 1,596 | 1,641 | 1,533 |
| 20-44 | 34,481 | 35,538 | 36,663 | 37,475 | 38,328 | 39,256 | 39,916 | 40,629 | 40,847 | 41,334 | 41,701 | 41,715 |
| 45-64 | 66,113 | 70,352 | 75,072 | 79,541 | 84,951 | 90,206 | 95,684 | 101,005 | 106,179 | 111,132 | 115,618 | 120,042 |
| 65-74 | 50,432 | 52,623 | 55,488 | 58,775 | 61,596 | 63,835 | 65,979 | 68,255 | 69,809 | 71,235 | 72,744 | 73,694 |
| 75+ | 31,216 | 34,296 | 38,123 | 42,586 | 46,944 | 50,961 | 55,226 | 58,841 | 62,733 | 65,872 | 68,566 | 70,968 |
| Unknown | * | . | . | . | . | * | * | * | * | * | * | . |
| Male | 96,034 | 101,411 | 108,382 | 115,800 | 123,352 | 130,674 | 137,984 | 145,019 | 151,883 | 157,749 | 163,642 | 168,544 |
| Female | 87,786 | 92,967 | 98,553 | 104,125 | 110,023 | 115,050 | 120,310 | 125,239 | 129,328 | 133,418 | 136,627 | 139,404 |
| Unknown | . | . | . | . | . | * | . | . | . | * | * | * |
| White | 107,008 | 111,672 | 117,974 | 124,971 | 131,875 | 138,883 | 146,280 | 153,318 | 158,819 | 164,009 | 169,366 | 173,797 |
| Black | 68,626 | 73,145 | 78,066 | 82,963 | 88,372 | 92,658 | 96,715 | 100,477 | 104,713 | 108,456 | 111,187 | 113,950 |
| Native American | 2,423 | 2,662 | 2,839 | 3,038 | 3,324 | 3,500 | 3,665 | 3,894 | 4,041 | 4,156 | 4,339 | 4,445 |
| Asian | 5,590 | 6,231 | 6,863 | 7,433 | 8,093 | 8,839 | 9,619 | 10,347 | 11,160 | 11,735 | 12,289 | 12,743 |
| Other/unknown | 173 | 668 | 1,193 | 1,520 | 1,711 | 1,845 | 2,015 | 2,222 | 2,478 | 2,814 | 3,090 | 3,017 |
| †Hispanic | | | 21,126 | 23,569 | 25,783 | 28,241 | 31,630 | 33,652 | 35,762 | 37,992 | 40,029 | 41,527 |
| †Non-Hispanic | | | 185,809 | 196,356 | 207,592 | 217,484 | 226,664 | 236,606 | 245,449 | 253,178 | 260,242 | 266,425 |
| Diabetes | 62,666 | 69,229 | 76,710 | 84,624 | 92,137 | 98,763 | 106,134 | 112,910 | 118,725 | 124,164 | 129,458 | 133,661 |
| Hypertension | 57,696 | 59,012 | 61,251 | 63,973 | 67,131 | 70,270 | 73,252 | 76,336 | 79,521 | 82,954 | 85,481 | 87,246 |
| Glomerulonephritis | 28,549 | 29,656 | 30,923 | 31,875 | 32,783 | 33,544 | 33,947 | 34,462 | 34,786 | 34,893 | 35,077 | 34,714 |
| Cystic kidney | 7,017 | 7,176 | 7,209 | 7,221 | 7,390 | 7,610 | 7,800 | 7,920 | 8,030 | 8,080 | 8,176 | 8,328 |
| Other urologic | 4,594 | 5,055 | 5,515 | 5,944 | 6,301 | 6,791 | 7,099 | 7,398 | 7,644 | 7,735 | 7,733 | 7,322 |
| Other cause | 16,739 | 17,490 | 18,085 | 18,725 | 19,609 | 20,284 | 21,138 | 21,838 | 22,646 | 23,224 | 23,834 | 25,302 |
| Unknown cause | 6,208 | 6,451 | 6,965 | 7,334 | 7,817 | 8,259 | 8,752 | 9,226 | 9,600 | 9,785 | 9,944 | 10,271 |
| Missing cause | 351 | 309 | 277 | 229 | 207 | 204 | 172 | 168 | 259 | 335 | 568 | 1,108 |
| All | 183,820 | 194,378 | 206,935 | 219,925 | 233,375 | 245,725 | 258,294 | 270,258 | 281,211 | 291,170 | 300,271 | 307,952 |

Table D.7

Counts of prevalent ESRD patients, by mode of therapy: hemodialysis

point prevalent patients on December 31, by demographic characteristics & primary diagnosis

| | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|
| 0-4 | 21 | 17 | 20 | 28 | 27 | 34 | 38 | 35 | 35 | 40 | 38 | 38 | 28 | 35 |
| 5-9 | 67 | 55 | 64 | 59 | 48 | 31 | 42 | 48 | 48 | 43 | 49 | 47 | 45 | 50 |
| 10-14 | 195 | 202 | 200 | 177 | 157 | 142 | 119 | 131 | 135 | 124 | 143 | 128 | 142 | 146 |
| 15-19 | 708 | 714 | 677 | 604 | 575 | 542 | 527 | 540 | 578 | 604 | 563 | 546 | 564 | 578 |
| 20-29 | 3,527 | 3,672 | 3,840 | 3,947 | 3,995 | 4,010 | 3,991 | 4,044 | 4,235 | 4,531 | 4,668 | 4,750 | 4,940 | 5,020 |
| 30-39 | 5,620 | 6,135 | 6,574 | 7,009 | 7,382 | 7,661 | 8,072 | 8,449 | 8,937 | 9,661 | 10,078 | 10,718 | 11,442 | 11,937 |
| 40-49 | 6,984 | 7,509 | 7,919 | 8,824 | 9,281 | 9,487 | 9,894 | 10,597 | 11,608 | 12,986 | 14,216 | 15,748 | 17,141 | 18,552 |
| 50-59 | 10,576 | 11,632 | 12,632 | 13,410 | 13,956 | 14,383 | 14,863 | 15,407 | 16,424 | 17,632 | 18,898 | 20,660 | 22,548 | 24,506 |
| 60-64 | 5,549 | 6,402 | 7,154 | 8,227 | 9,015 | 9,636 | 10,020 | 10,834 | 11,512 | 12,314 | 13,236 | 14,344 | 15,152 | 16,204 |
| 65-69 | 5,099 | 5,654 | 6,271 | 7,675 | 8,457 | 9,207 | 10,364 | 11,787 | 12,968 | 14,455 | 15,913 | 17,456 | 19,164 | 20,561 |
| 70-79 | 5,415 | 6,328 | 7,330 | 9,513 | 10,921 | 12,205 | 13,961 | 15,780 | 17,759 | 20,471 | 23,253 | 27,031 | 30,495 | 33,471 |
| 80+ | 774 | 969 | 1,216 | 1,808 | 2,158 | 2,655 | 3,251 | 3,984 | 4,715 | 5,680 | 6,883 | 8,166 | 9,712 | 11,157 |
| Missing/unknown | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| 0-19 | 991 | 988 | 961 | 868 | 807 | 749 | 726 | 754 | 796 | 811 | 793 | 759 | 779 | 809 |
| 20-44 | 12,402 | 13,231 | 14,062 | 15,080 | 15,646 | 16,061 | 16,738 | 17,423 | 18,639 | 20,363 | 21,697 | 23,003 | 24,509 | 25,573 |
| 45-64 | 19,854 | 22,119 | 24,057 | 26,337 | 27,983 | 29,116 | 30,102 | 31,908 | 34,077 | 36,761 | 39,399 | 43,217 | 46,714 | 50,646 |
| 65-74 | 8,679 | 9,757 | 11,001 | 13,644 | 15,160 | 16,592 | 18,731 | 21,076 | 23,309 | 26,313 | 29,558 | 33,328 | 37,067 | 40,197 |
| 75+ | 2,609 | 3,194 | 3,816 | 5,352 | 6,376 | 7,475 | 8,845 | 10,475 | 12,133 | 14,293 | 16,491 | 19,325 | 22,304 | 24,992 |
| Unknown | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Male | 24,356 | 26,633 | 29,011 | 32,666 | 35,181 | 36,974 | 39,379 | 42,434 | 46,130 | 51,119 | 56,093 | 62,117 | 68,226 | 74,130 |
| Female | 20,180 | 22,658 | 24,889 | 28,619 | 30,796 | 33,024 | 35,769 | 39,207 | 42,829 | 47,428 | 51,850 | 57,518 | 63,147 | 68,087 |
| Unknown | . | . | . | * | . | . | . | . | . | . | . | . | . | . |
| White | 29,662 | 32,253 | 34,843 | 38,916 | 41,152 | 42,971 | 45,646 | 48,969 | 52,620 | 57,793 | 62,580 | 68,712 | 74,635 | 79,910 |
| Black | 13,753 | 15,730 | 17,651 | 20,757 | 23,038 | 24,975 | 27,184 | 30,071 | 33,295 | 37,348 | 41,424 | 46,337 | 51,491 | 56,222 |
| Native American | 219 | 288 | 353 | 477 | 537 | 632 | 724 | 827 | 994 | 1,141 | 1,274 | 1,443 | 1,670 | 1,886 |
| Asian | 267 | 361 | 522 | 707 | 886 | 1,130 | 1,351 | 1,578 | 1,891 | 2,190 | 2,590 | 3,071 | 3,501 | 4,113 |
| Other/unknown | 635 | 659 | 531 | 429 | 364 | 290 | 243 | 196 | 159 | 75 | 75 | 72 | 76 | 86 |
| †Hispanic | | | | | | | | | | | | | | |
| †Non-Hispanic | | | | | | | | | | | | | | |
| Diabetes | 4,100 | 5,644 | 7,411 | 9,336 | 11,466 | 13,495 | 15,864 | 18,654 | 21,785 | 26,163 | 30,794 | 36,293 | 41,832 | 47,166 |
| Hypertension | 7,649 | 9,705 | 12,074 | 14,634 | 16,773 | 18,667 | 20,971 | 23,611 | 26,483 | 30,313 | 33,803 | 37,942 | 42,505 | 46,180 |
| Glomerulonephritis | 8,885 | 9,962 | 11,076 | 12,434 | 13,323 | 14,047 | 14,831 | 15,619 | 16,434 | 17,535 | 18,399 | 19,418 | 20,377 | 21,403 |
| Cystic kidney | 2,930 | 3,241 | 3,593 | 4,020 | 4,214 | 4,376 | 4,456 | 4,619 | 4,725 | 4,823 | 4,870 | 5,060 | 5,144 | 5,306 |
| Other urologic | 1,047 | 1,293 | 1,615 | 1,953 | 2,231 | 2,523 | 2,701 | 2,993 | 3,209 | 3,369 | 3,404 | 3,635 | 3,794 | 3,745 |
| Other cause | 4,397 | 5,035 | 5,926 | 6,822 | 7,470 | 7,974 | 8,434 | 8,785 | 9,429 | 10,279 | 10,909 | 11,551 | 12,236 | 12,817 |
| Unknown cause | 4,674 | 4,821 | 4,618 | 4,811 | 4,839 | 4,644 | 4,691 | 4,904 | 4,914 | 4,644 | 4,604 | 4,823 | 4,903 | 5,058 |
| Missing cause | 10,854 | 9,590 | 7,587 | 7,276 | 5,661 | 4,272 | 3,200 | 2,456 | 1,980 | 1,421 | 1,160 | 913 | 582 | 542 |
| All | 44,536 | 49,291 | 53,900 | 61,286 | 65,977 | 69,998 | 75,148 | 81,641 | 88,959 | 98,547 | 107,943 | 119,635 | 131,373 | 142,217 |

Table D.7

Counts of prevalent ESRD patients, by mode of therapy: hemodialysis*point prevalent patients on December 31, by demographic characteristics & primary diagnosis*

| | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0-4 | 37 | 35 | 33 | 23 | 25 | 31 | 28 | 38 | 31 | 27 | 39 | 31 |
| 5-9 | 47 | 47 | 56 | 60 | 60 | 55 | 70 | 52 | 58 | 44 | 62 | 49 |
| 10-14 | 167 | 162 | 151 | 142 | 158 | 147 | 159 | 168 | 183 | 168 | 170 | 155 |
| 15-19 | 544 | 584 | 595 | 609 | 644 | 621 | 580 | 607 | 653 | 672 | 663 | 662 |
| 20-29 | 5,155 | 5,245 | 5,457 | 5,561 | 5,847 | 5,939 | 5,967 | 5,978 | 5,959 | 5,927 | 5,951 | 5,909 |
| 30-39 | 12,504 | 12,926 | 13,414 | 13,886 | 14,284 | 14,787 | 15,265 | 15,561 | 15,808 | 16,143 | 16,186 | 16,258 |
| 40-49 | 19,949 | 21,732 | 23,720 | 25,156 | 27,022 | 28,512 | 29,798 | 31,037 | 32,084 | 32,934 | 33,807 | 34,169 |
| 50-59 | 26,578 | 28,308 | 30,798 | 33,787 | 37,164 | 40,363 | 43,695 | 46,982 | 49,531 | 52,109 | 54,939 | 57,840 |
| 60-64 | 17,166 | 18,142 | 19,431 | 20,835 | 22,475 | 23,732 | 25,050 | 26,396 | 28,014 | 29,478 | 30,770 | 31,853 |
| 65-69 | 22,051 | 22,988 | 24,500 | 26,101 | 27,648 | 28,965 | 30,117 | 31,416 | 32,262 | 33,265 | 34,221 | 34,942 |
| 70-79 | 37,495 | 40,555 | 44,345 | 48,846 | 52,787 | 55,914 | 58,644 | 60,729 | 62,623 | 63,778 | 64,921 | 65,554 |
| 80+ | 12,701 | 14,120 | 15,854 | 17,983 | 20,273 | 22,385 | 25,126 | 27,529 | 30,106 | 32,443 | 34,522 | 36,332 |
| Missing/unknown | . | . | . | . | . | . | . | . | * | * | * | . |
| 0-19 | 795 | 828 | 835 | 834 | 887 | 854 | 837 | 865 | 925 | 911 | 934 | 897 |
| 20-44 | 26,610 | 27,772 | 29,292 | 30,595 | 32,059 | 33,128 | 34,001 | 34,832 | 35,298 | 35,794 | 36,263 | 36,381 |
| 45-64 | 54,742 | 58,581 | 63,528 | 68,630 | 74,733 | 80,205 | 85,774 | 91,122 | 96,098 | 100,797 | 105,390 | 109,648 |
| 65-74 | 43,853 | 46,207 | 49,375 | 53,140 | 56,357 | 58,831 | 61,208 | 63,507 | 65,044 | 66,397 | 67,965 | 68,928 |
| 75+ | 28,394 | 31,456 | 35,324 | 39,790 | 44,351 | 48,433 | 52,679 | 56,167 | 59,947 | 63,089 | 65,699 | 67,900 |
| Unknown | . | . | . | . | . | . | . | . | * | * | * | . |
| Male | 80,523 | 85,939 | 93,558 | 101,924 | 110,522 | 118,200 | 125,664 | 132,815 | 139,502 | 145,231 | 151,129 | 155,844 |
| Female | 73,871 | 78,905 | 84,796 | 91,065 | 97,865 | 103,250 | 108,835 | 113,678 | 117,811 | 121,755 | 125,121 | 127,906 |
| Unknown | . | . | . | . | . | * | . | . | . | * | * | * |
| White | 86,506 | 91,287 | 98,399 | 106,612 | 115,010 | 122,526 | 130,365 | 137,439 | 142,905 | 147,991 | 153,461 | 157,847 |
| Black | 61,004 | 65,537 | 70,706 | 76,021 | 81,819 | 86,292 | 90,456 | 94,283 | 98,509 | 102,136 | 104,937 | 107,632 |
| Native American | 2,066 | 2,294 | 2,493 | 2,688 | 2,999 | 3,219 | 3,363 | 3,572 | 3,709 | 3,826 | 4,035 | 4,144 |
| Asian | 4,665 | 5,160 | 5,763 | 6,376 | 7,049 | 7,767 | 8,498 | 9,201 | 9,954 | 10,472 | 11,009 | 11,395 |
| Other/unknown | 153 | 566 | 993 | 1,292 | 1,510 | 1,647 | 1,817 | 1,998 | 2,236 | 2,564 | 2,810 | 2,736 |
| †Hispanic | | | 18,434 | 20,872 | 23,190 | 25,557 | 28,867 | 30,928 | 32,887 | 35,113 | 37,227 | 38,767 |
| †Non-Hispanic | | | 159,920 | 172,117 | 185,197 | 195,894 | 205,632 | 215,565 | 224,426 | 231,876 | 239,025 | 244,987 |
| Diabetes | 53,172 | 59,454 | 67,003 | 75,382 | 83,581 | 90,410 | 97,859 | 104,592 | 110,350 | 115,686 | 121,191 | 125,414 |
| Hypertension | 50,153 | 51,747 | 54,527 | 57,765 | 61,410 | 64,634 | 67,728 | 70,960 | 73,977 | 77,241 | 79,729 | 81,308 |
| Glomerulonephritis | 22,566 | 23,550 | 24,915 | 26,174 | 27,494 | 28,577 | 29,108 | 29,747 | 30,132 | 30,286 | 30,470 | 30,281 |
| Cystic kidney | 5,567 | 5,708 | 5,807 | 5,965 | 6,257 | 6,484 | 6,710 | 6,824 | 7,025 | 6,978 | 7,077 | 7,198 |
| Other urologic | 3,895 | 4,339 | 4,785 | 5,230 | 5,609 | 6,095 | 6,397 | 6,675 | 6,892 | 6,992 | 7,000 | 6,660 |
| Other cause | 13,487 | 14,278 | 15,070 | 15,876 | 16,937 | 17,657 | 18,624 | 19,188 | 19,945 | 20,558 | 21,192 | 22,571 |
| Unknown cause | 5,258 | 5,507 | 6,012 | 6,401 | 6,919 | 7,421 | 7,932 | 8,362 | 8,765 | 8,958 | 9,115 | 9,419 |
| Missing cause | 296 | 261 | 235 | 196 | 180 | 173 | 141 | 145 | 227 | 290 | 478 | 903 |
| All | 154,394 | 164,844 | 178,354 | 192,989 | 208,387 | 221,451 | 234,499 | 246,493 | 257,313 | 266,989 | 276,252 | 283,754 |

Table D.8

Counts of prevalent ESRD patients, by mode of therapy: peritoneal dialysis*point prevalent patients on December 31, by demographic characteristics & primary diagnosis*

| | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|--------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0-4 | 11 | 29 | 48 | 62 | 71 | 94 | 109 | 86 | 91 | 94 | 88 | 107 | 128 | 113 |
| 5-9 | * | 15 | 42 | 67 | 78 | 68 | 85 | 84 | 77 | 94 | 102 | 86 | 80 | 83 |
| 10-14 | 17 | 30 | 58 | 112 | 138 | 128 | 144 | 145 | 152 | 140 | 162 | 180 | 172 | 177 |
| 15-19 | * | 36 | 86 | 117 | 146 | 216 | 200 | 218 | 228 | 271 | 275 | 303 | 323 | 325 |
| 20-29 | 60 | 184 | 285 | 504 | 649 | 728 | 808 | 884 | 992 | 1,032 | 1,174 | 1,294 | 1,397 | 1,503 |
| 30-39 | 127 | 356 | 585 | 973 | 1,293 | 1,596 | 1,651 | 1,815 | 1,999 | 2,211 | 2,585 | 2,899 | 3,172 | 3,434 |
| 40-49 | 128 | 369 | 636 | 1,121 | 1,377 | 1,689 | 1,864 | 2,011 | 2,285 | 2,657 | 3,113 | 3,742 | 4,136 | 4,559 |
| 50-59 | 204 | 616 | 923 | 1,440 | 1,875 | 2,198 | 2,379 | 2,519 | 2,613 | 2,940 | 3,397 | 3,825 | 4,345 | 4,784 |
| 60-64 | 66 | 318 | 510 | 822 | 1,077 | 1,380 | 1,503 | 1,659 | 1,754 | 1,901 | 2,157 | 2,261 | 2,598 | 2,664 |
| 65-69 | 84 | 246 | 421 | 589 | 866 | 1,169 | 1,405 | 1,532 | 1,670 | 1,876 | 2,141 | 2,568 | 2,841 | 3,163 |
| 70-79 | 90 | 239 | 508 | 621 | 897 | 1,240 | 1,453 | 1,683 | 1,832 | 2,087 | 2,451 | 3,067 | 3,552 | 4,029 |
| 80+ | 13 | 46 | 90 | 107 | 143 | 196 | 241 | 299 | 343 | 422 | 500 | 613 | 706 | 820 |
| Missing/unknown | . | . | . | . | . | * | . | * | . | . | . | . | . | . |
| 0-19 | 45 | 110 | 234 | 358 | 433 | 506 | 538 | 533 | 548 | 599 | 627 | 676 | 703 | 698 |
| 20-44 | 246 | 720 | 1,163 | 2,005 | 2,602 | 3,115 | 3,395 | 3,720 | 4,131 | 4,538 | 5,316 | 6,068 | 6,590 | 7,133 |
| 45-64 | 339 | 1,123 | 1,776 | 2,855 | 3,669 | 4,476 | 4,810 | 5,168 | 5,512 | 6,203 | 7,110 | 7,953 | 9,058 | 9,811 |
| 65-74 | 141 | 405 | 769 | 993 | 1,460 | 1,992 | 2,337 | 2,582 | 2,857 | 3,193 | 3,686 | 4,500 | 5,077 | 5,760 |
| 75+ | 46 | 126 | 250 | 324 | 446 | 613 | 762 | 932 | 988 | 1,192 | 1,406 | 1,748 | 2,022 | 2,252 |
| Unknown | . | . | . | . | . | * | . | * | . | . | . | . | . | . |
| Male | 436 | 1,291 | 2,202 | 3,570 | 4,625 | 5,722 | 6,234 | 6,816 | 7,377 | 8,301 | 9,535 | 11,136 | 12,374 | 13,564 |
| Female | 381 | 1,193 | 1,990 | 2,965 | 3,985 | 4,981 | 5,608 | 6,120 | 6,659 | 7,424 | 8,610 | 9,809 | 11,076 | 12,090 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| White | 679 | 1,972 | 3,244 | 5,075 | 6,592 | 8,221 | 8,986 | 9,723 | 10,490 | 11,560 | 13,246 | 15,097 | 16,795 | 18,040 |
| Black | 121 | 468 | 870 | 1,309 | 1,792 | 2,233 | 2,557 | 2,846 | 3,164 | 3,691 | 4,359 | 5,187 | 5,802 | 6,569 |
| Native American | * | 15 | 32 | 56 | 101 | 104 | 135 | 169 | 163 | 184 | 218 | 250 | 301 | 310 |
| Asian | * | 17 | 37 | 65 | 104 | 123 | 143 | 183 | 207 | 281 | 316 | 409 | 549 | 728 |
| Other/unknown | * | 12 | * | 30 | 21 | 22 | 21 | 15 | 12 | * | * | * | * | * |
| †Hispanic | | | | | | | | | | | | | | |
| †Non-Hispanic | | | | | | | | | | | | | | |
| Diabetes | 187 | 526 | 984 | 1,364 | 1,929 | 2,446 | 2,827 | 3,221 | 3,616 | 4,323 | 5,183 | 6,253 | 7,365 | 8,009 |
| Hypertension | 150 | 466 | 887 | 1,259 | 1,660 | 2,152 | 2,541 | 2,810 | 3,141 | 3,626 | 4,424 | 5,232 | 5,876 | 6,543 |
| Glomerulonephritis | 207 | 573 | 910 | 1,570 | 2,127 | 2,623 | 2,829 | 3,099 | 3,368 | 3,651 | 4,034 | 4,503 | 4,893 | 5,314 |
| Cystic kidney | 57 | 169 | 291 | 444 | 567 | 699 | 782 | 808 | 811 | 860 | 990 | 1,112 | 1,219 | 1,313 |
| Other urologic | 24 | 84 | 137 | 195 | 277 | 346 | 360 | 370 | 403 | 457 | 496 | 526 | 581 | 628 |
| Other cause | 98 | 290 | 525 | 855 | 1,123 | 1,429 | 1,537 | 1,661 | 1,786 | 1,994 | 2,212 | 2,494 | 2,711 | 2,981 |
| Unknown cause | 68 | 203 | 292 | 426 | 509 | 557 | 593 | 625 | 619 | 611 | 654 | 704 | 727 | 799 |
| Missing cause | 26 | 173 | 166 | 422 | 418 | 451 | 373 | 342 | 292 | 203 | 152 | 121 | 78 | 67 |
| All | 817 | 2,484 | 4,192 | 6,535 | 8,610 | 10,703 | 11,842 | 12,936 | 14,036 | 15,725 | 18,145 | 20,945 | 23,450 | 25,654 |

Table D.8

Counts of prevalent ESRD patients, by mode of therapy: peritoneal dialysis*point prevalent patients on December 31, by demographic characteristics & primary diagnosis*

| | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0-4 | 120 | 126 | 126 | 108 | 106 | 98 | 116 | 112 | 133 | 127 | 135 | 143 |
| 5-9 | 108 | 96 | 86 | 92 | 67 | 79 | 91 | 94 | 109 | 100 | 92 | 84 |
| 10-14 | 184 | 176 | 181 | 181 | 173 | 148 | 162 | 157 | 204 | 181 | 194 | 152 |
| 15-19 | 312 | 303 | 321 | 298 | 274 | 257 | 251 | 260 | 241 | 250 | 263 | 237 |
| 20-29 | 1,531 | 1,504 | 1,462 | 1,378 | 1,267 | 1,176 | 1,162 | 1,171 | 1,103 | 1,099 | 1,067 | 1,012 |
| 30-39 | 3,614 | 3,542 | 3,334 | 3,029 | 2,774 | 2,732 | 2,610 | 2,569 | 2,531 | 2,457 | 2,389 | 2,387 |
| 40-49 | 4,919 | 5,207 | 5,074 | 4,782 | 4,378 | 4,179 | 4,134 | 4,016 | 3,952 | 3,995 | 3,966 | 3,867 |
| 50-59 | 5,341 | 5,606 | 5,653 | 5,409 | 5,095 | 5,111 | 5,026 | 5,117 | 5,205 | 5,313 | 5,267 | 5,405 |
| 60-64 | 2,855 | 3,037 | 2,910 | 2,757 | 2,474 | 2,362 | 2,323 | 2,300 | 2,363 | 2,547 | 2,501 | 2,525 |
| 65-69 | 3,296 | 3,386 | 3,251 | 2,968 | 2,690 | 2,610 | 2,518 | 2,538 | 2,535 | 2,510 | 2,488 | 2,448 |
| 70-79 | 4,418 | 4,521 | 4,404 | 4,269 | 4,033 | 3,830 | 3,681 | 3,703 | 3,784 | 3,823 | 3,827 | 3,916 |
| 80+ | 954 | 1,009 | 1,011 | 1,026 | 940 | 949 | 954 | 1,058 | 1,115 | 1,175 | 1,210 | 1,316 |
| Missing/unknown | . | . | . | . | . | * | * | * | . | . | . | . |
| 0-19 | 724 | 701 | 714 | 679 | 620 | 582 | 620 | 623 | 687 | 658 | 684 | 616 |
| 20-44 | 7,460 | 7,476 | 7,143 | 6,641 | 6,018 | 5,829 | 5,633 | 5,544 | 5,344 | 5,339 | 5,245 | 5,152 |
| 45-64 | 10,800 | 11,420 | 11,290 | 10,714 | 9,970 | 9,731 | 9,622 | 9,629 | 9,810 | 10,072 | 9,945 | 10,044 |
| 65-74 | 6,130 | 6,213 | 5,978 | 5,537 | 5,144 | 4,924 | 4,687 | 4,684 | 4,706 | 4,765 | 4,695 | 4,669 |
| 75+ | 2,538 | 2,703 | 2,688 | 2,726 | 2,519 | 2,465 | 2,466 | 2,615 | 2,728 | 2,743 | 2,830 | 3,011 |
| Unknown | . | . | . | . | . | * | * | * | . | . | . | . |
| Male | 14,529 | 14,906 | 14,411 | 13,542 | 12,433 | 12,050 | 11,882 | 11,828 | 12,031 | 12,173 | 12,142 | 12,251 |
| Female | 13,123 | 13,607 | 13,402 | 12,755 | 11,838 | 11,482 | 11,147 | 11,268 | 11,244 | 11,404 | 11,257 | 11,241 |
| Unknown | | | | | | | | | | | | |
| White | 19,192 | 19,642 | 19,021 | 17,889 | 16,354 | 15,826 | 15,365 | 15,428 | 15,478 | 15,585 | 15,484 | 15,491 |
| Black | 7,203 | 7,360 | 7,175 | 6,799 | 6,376 | 6,185 | 6,074 | 6,007 | 6,050 | 6,174 | 6,085 | 6,134 |
| Native American | 346 | 362 | 341 | 343 | 320 | 276 | 293 | 316 | 329 | 323 | 301 | 295 |
| Asian | 895 | 1,050 | 1,083 | 1,042 | 1,021 | 1,049 | 1,104 | 1,123 | 1,178 | 1,249 | 1,262 | 1,318 |
| Other/unknown | 16 | 99 | 193 | 224 | 200 | 196 | 193 | 222 | 240 | 246 | 267 | 254 |
| †Hispanic | | | 2,645 | 2,644 | 2,528 | 2,614 | 2,707 | 2,658 | 2,807 | 2,823 | 2,743 | 2,699 |
| †Non-Hispanic | | | 25,168 | 23,653 | 21,743 | 20,918 | 20,322 | 20,438 | 20,468 | 20,754 | 20,656 | 20,793 |
| Diabetes | 8,897 | 9,485 | 9,515 | 9,093 | 8,401 | 8,190 | 8,100 | 8,165 | 8,248 | 8,328 | 8,127 | 8,100 |
| Hypertension | 7,110 | 7,044 | 6,566 | 6,094 | 5,577 | 5,500 | 5,364 | 5,252 | 5,419 | 5,603 | 5,654 | 5,844 |
| Glomerulonephritis | 5,669 | 5,887 | 5,833 | 5,530 | 5,078 | 4,738 | 4,632 | 4,511 | 4,462 | 4,457 | 4,430 | 4,273 |
| Cystic kidney | 1,363 | 1,410 | 1,353 | 1,221 | 1,103 | 1,086 | 1,039 | 1,061 | 972 | 1,059 | 1,056 | 1,089 |
| Other urologic | 649 | 681 | 699 | 683 | 662 | 664 | 668 | 698 | 720 | 719 | 709 | 640 |
| Other cause | 3,059 | 3,092 | 2,921 | 2,759 | 2,570 | 2,534 | 2,422 | 2,557 | 2,623 | 2,588 | 2,561 | 2,646 |
| Unknown cause | 867 | 886 | 904 | 899 | 866 | 803 | 787 | 841 | 815 | 797 | 814 | 833 |
| Missing cause | 38 | 28 | 22 | 18 | 14 | 17 | 17 | 11 | 16 | 26 | 48 | 67 |
| All | 27,652 | 28,513 | 27,813 | 26,297 | 24,271 | 23,532 | 23,029 | 23,096 | 23,275 | 23,577 | 23,399 | 23,492 |

Table D.9

Counts of prevalent ESRD patients, by mode of therapy: transplant*point prevalent patients on December 31, by demographic characteristics & primary diagnosis*

| | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 |
|--------------------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0-4 | 22 | 37 | 65 | 83 | 93 | 112 | 121 | 148 | 148 | 140 | 129 | 136 | 139 | 150 |
| 5-9 | 100 | 113 | 128 | 136 | 172 | 221 | 243 | 257 | 263 | 290 | 313 | 342 | 340 | 344 |
| 10-14 | 248 | 256 | 285 | 311 | 353 | 402 | 429 | 450 | 453 | 465 | 469 | 484 | 517 | 543 |
| 15-19 | 547 | 584 | 605 | 661 | 715 | 779 | 863 | 917 | 867 | 857 | 877 | 883 | 872 | 915 |
| 20-29 | 2,098 | 2,438 | 2,757 | 3,098 | 3,417 | 3,749 | 4,132 | 4,338 | 4,313 | 4,368 | 4,597 | 4,841 | 4,937 | 5,028 |
| 30-39 | 2,267 | 2,925 | 3,518 | 4,282 | 5,151 | 6,107 | 7,162 | 7,885 | 8,315 | 8,716 | 9,457 | 10,151 | 10,774 | 11,435 |
| 40-49 | 1,637 | 1,984 | 2,460 | 2,975 | 3,604 | 4,510 | 5,566 | 6,625 | 7,498 | 8,319 | 9,213 | 10,405 | 11,546 | 12,782 |
| 50-59 | 984 | 1,259 | 1,576 | 1,938 | 2,479 | 3,013 | 3,870 | 4,715 | 5,338 | 5,949 | 6,735 | 7,466 | 8,430 | 9,463 |
| 60-64 | 138 | 183 | 242 | 330 | 475 | 668 | 933 | 1,262 | 1,654 | 2,015 | 2,357 | 2,739 | 3,057 | 3,406 |
| 65-69 | 56 | 71 | 92 | 119 | 165 | 253 | 370 | 573 | 803 | 1,046 | 1,343 | 1,687 | 2,115 | 2,598 |
| 70-79 | 15 | 21 | 26 | 35 | 50 | 75 | 113 | 175 | 240 | 318 | 456 | 659 | 871 | 1,101 |
| 80+ | * | * | * | * | * | 11 | 14 | 13 | 14 | 14 | 22 | 26 | 25 | 28 |
| Missing/unknown | . | . | . | . | . | . | . | . | . | . | . | . | . | * |
| 0-19 | 917 | 990 | 1,083 | 1,191 | 1,333 | 1,514 | 1,656 | 1,772 | 1,731 | 1,752 | 1,788 | 1,845 | 1,868 | 1,952 |
| 20-44 | 5,241 | 6,444 | 7,617 | 8,988 | 10,518 | 12,262 | 14,319 | 15,820 | 16,653 | 17,600 | 19,122 | 20,651 | 21,830 | 23,144 |
| 45-64 | 1,883 | 2,345 | 2,936 | 3,635 | 4,608 | 5,785 | 7,344 | 9,005 | 10,465 | 11,767 | 13,237 | 14,951 | 16,914 | 18,970 |
| 65-74 | 68 | 85 | 111 | 147 | 207 | 314 | 462 | 710 | 994 | 1,298 | 1,713 | 2,234 | 2,855 | 3,524 |
| 75+ | * | * | * | * | 12 | 25 | 35 | 51 | 63 | 80 | 108 | 138 | 156 | 203 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . | . | * |
| Male | 4,940 | 6,110 | 7,377 | 8,772 | 10,460 | 12,530 | 14,982 | 17,155 | 18,612 | 20,084 | 22,108 | 24,279 | 26,490 | 28,950 |
| Female | 3,174 | 3,762 | 4,380 | 5,197 | 6,217 | 7,369 | 8,833 | 10,202 | 11,293 | 12,412 | 13,859 | 15,539 | 17,132 | 18,843 |
| Unknown | . | . | . | . | * | * | * | * | * | * | * | * | * | * |
| White | 6,576 | 7,991 | 9,441 | 11,131 | 13,254 | 15,730 | 18,787 | 21,562 | 23,462 | 25,520 | 28,236 | 31,180 | 34,045 | 37,187 |
| Black | 1,301 | 1,609 | 2,007 | 2,469 | 2,988 | 3,650 | 4,364 | 4,980 | 5,474 | 5,865 | 6,432 | 7,150 | 7,871 | 8,690 |
| Native American | 53 | 72 | 86 | 98 | 121 | 150 | 179 | 201 | 242 | 293 | 325 | 375 | 407 | 453 |
| Asian | 68 | 94 | 137 | 190 | 257 | 317 | 436 | 557 | 678 | 776 | 936 | 1,075 | 1,265 | 1,427 |
| Other/unknown | 116 | 106 | 86 | 81 | 58 | 53 | 50 | 58 | 50 | 43 | 39 | 39 | 35 | 37 |
| †Hispanic | | | | | | | | | | | | | | |
| †Non-Hispanic | | | | | | | | | | | | | | |
| Diabetes | 754 | 1,095 | 1,513 | 2,033 | 2,625 | 3,412 | 4,428 | 5,292 | 6,019 | 6,836 | 7,820 | 8,883 | 9,804 | 11,122 |
| Hypertension | 848 | 1,097 | 1,410 | 1,818 | 2,202 | 2,744 | 3,339 | 3,914 | 4,416 | 4,889 | 5,504 | 6,130 | 6,855 | 7,609 |
| Glomerulonephritis | 2,685 | 3,237 | 3,906 | 4,576 | 5,509 | 6,494 | 7,566 | 8,611 | 9,294 | 9,940 | 10,939 | 12,056 | 13,122 | 14,073 |
| Cystic kidney | 366 | 485 | 626 | 769 | 1,012 | 1,237 | 1,587 | 1,965 | 2,303 | 2,560 | 2,892 | 3,225 | 3,647 | 3,986 |
| Other urologic | 293 | 385 | 446 | 561 | 649 | 776 | 914 | 1,011 | 1,063 | 1,144 | 1,253 | 1,401 | 1,532 | 1,706 |
| Other cause | 1,302 | 1,586 | 1,847 | 2,215 | 2,658 | 3,171 | 3,763 | 4,210 | 4,409 | 4,675 | 5,048 | 5,536 | 6,021 | 6,588 |
| Unknown cause | 678 | 809 | 882 | 943 | 1,011 | 1,093 | 1,232 | 1,363 | 1,425 | 1,527 | 1,594 | 1,671 | 1,732 | 1,797 |
| Missing cause | 1,188 | 1,178 | 1,127 | 1,054 | 1,012 | 973 | 987 | 992 | 977 | 926 | 918 | 917 | 910 | 913 |
| All | 8,114 | 9,872 | 11,757 | 13,969 | 16,678 | 19,900 | 23,816 | 27,358 | 29,906 | 32,497 | 35,968 | 39,819 | 43,623 | 47,794 |

Table D.9

Counts of prevalent ESRD patients, by mode of therapy: transplant*point prevalent patients on December 31, by demographic characteristics & primary diagnosis*

| | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0-4 | 141 | 142 | 150 | 148 | 142 | 150 | 153 | 160 | 159 | 156 | 164 | 184 |
| 5-9 | 328 | 352 | 365 | 392 | 405 | 408 | 356 | 364 | 317 | 320 | 295 | 295 |
| 10-14 | 526 | 560 | 616 | 606 | 653 | 685 | 677 | 634 | 652 | 572 | 554 | 582 |
| 15-19 | 965 | 1,076 | 1,081 | 1,093 | 1,074 | 1,150 | 1,129 | 1,125 | 1,071 | 1,018 | 1,081 | 1,102 |
| 20-29 | 4,875 | 5,030 | 5,121 | 5,141 | 5,154 | 5,188 | 5,112 | 5,026 | 4,908 | 4,598 | 4,676 | 4,723 |
| 30-39 | 11,629 | 12,186 | 12,652 | 12,764 | 13,140 | 13,302 | 13,445 | 13,445 | 13,493 | 13,092 | 13,153 | 12,828 |
| 40-49 | 13,596 | 14,850 | 15,961 | 16,767 | 17,646 | 18,607 | 19,512 | 20,224 | 20,914 | 20,983 | 21,762 | 22,112 |
| 50-59 | 10,163 | 11,245 | 12,538 | 14,180 | 15,693 | 17,356 | 18,669 | 20,219 | 21,770 | 22,588 | 24,555 | 26,228 |
| 60-64 | 3,619 | 4,086 | 4,681 | 5,194 | 5,753 | 6,420 | 6,924 | 7,554 | 8,408 | 8,950 | 9,754 | 10,570 |
| 65-69 | 3,037 | 3,504 | 4,038 | 4,531 | 5,028 | 5,633 | 6,256 | 6,954 | 7,737 | 8,638 | 9,509 | 10,545 |
| 70-79 | 1,401 | 1,743 | 2,116 | 2,600 | 3,131 | 3,640 | 4,343 | 5,023 | 5,945 | 6,817 | 7,801 | 9,034 |
| 80+ | 40 | 47 | 72 | 83 | 115 | 159 | 210 | 266 | 336 | 416 | 531 | 657 |
| Missing/unknown | . | . | . | . | . | . | . | . | . | . | . | . |
| 0-19 | 1,960 | 2,130 | 2,212 | 2,239 | 2,274 | 2,393 | 2,315 | 2,283 | 2,199 | 2,066 | 2,094 | 2,163 |
| 20-44 | 23,431 | 24,674 | 25,642 | 26,197 | 26,992 | 27,681 | 28,008 | 28,148 | 28,322 | 27,531 | 27,920 | 27,839 |
| 45-64 | 20,451 | 22,723 | 25,311 | 27,849 | 30,394 | 33,192 | 35,654 | 38,320 | 41,171 | 42,680 | 45,980 | 48,622 |
| 65-74 | 4,213 | 4,921 | 5,736 | 6,596 | 7,477 | 8,435 | 9,586 | 10,778 | 12,190 | 13,668 | 15,227 | 17,013 |
| 75+ | 265 | 373 | 490 | 618 | 797 | 997 | 1,223 | 1,465 | 1,828 | 2,203 | 2,614 | 3,223 |
| Unknown | . | . | . | . | . | . | . | . | . | . | . | . |
| Male | 30,574 | 33,341 | 35,964 | 38,390 | 40,887 | 43,608 | 45,986 | 48,445 | 51,189 | 52,868 | 56,160 | 59,234 |
| Female | 19,746 | 21,480 | 23,427 | 25,109 | 27,047 | 29,090 | 30,799 | 32,548 | 34,520 | 35,280 | 37,675 | 39,626 |
| Unknown | . | . | . | . | . | . | * | * | * | . | . | . |
| White | 38,819 | 42,107 | 45,377 | 48,289 | 51,463 | 54,837 | 57,772 | 60,697 | 64,173 | 65,707 | 69,522 | 72,749 |
| Black | 9,386 | 10,365 | 11,382 | 12,349 | 13,318 | 14,335 | 15,192 | 16,176 | 17,127 | 17,798 | 19,054 | 20,254 |
| Native American | 507 | 551 | 612 | 650 | 693 | 782 | 821 | 856 | 896 | 902 | 973 | 1,011 |
| Asian | 1,570 | 1,758 | 1,973 | 2,159 | 2,397 | 2,671 | 2,912 | 3,171 | 3,405 | 3,570 | 3,930 | 4,283 |
| Other/unknown | 38 | 40 | 47 | 52 | 63 | 73 | 89 | 94 | 109 | 171 | 356 | 563 |
| †Hispanic | | | 5,357 | 5,904 | 6,648 | 7,391 | 8,051 | 8,755 | 9,559 | 9,968 | 10,848 | 11,658 |
| †Non-Hispanic | | | 54,034 | 57,595 | 61,286 | 65,307 | 68,735 | 72,239 | 76,151 | 78,180 | 82,987 | 87,202 |
| Diabetes | 12,129 | 13,403 | 14,714 | 15,895 | 17,122 | 18,388 | 19,566 | 20,729 | 22,170 | 23,136 | 24,675 | 26,227 |
| Hypertension | 8,243 | 9,096 | 9,959 | 10,650 | 11,344 | 12,072 | 12,671 | 13,420 | 14,205 | 14,506 | 15,475 | 16,415 |
| Glomerulonephritis | 14,517 | 15,672 | 16,811 | 17,798 | 18,918 | 20,117 | 21,150 | 22,033 | 23,076 | 23,474 | 24,744 | 25,591 |
| Cystic kidney | 4,163 | 4,565 | 4,979 | 5,401 | 5,820 | 6,255 | 6,624 | 7,033 | 7,531 | 7,928 | 8,467 | 8,970 |
| Other urologic | 1,728 | 1,852 | 1,989 | 2,141 | 2,312 | 2,492 | 2,626 | 2,805 | 2,976 | 3,080 | 3,289 | 3,375 |
| Other cause | 6,844 | 7,437 | 8,043 | 8,546 | 9,123 | 9,805 | 10,272 | 10,818 | 11,290 | 11,325 | 12,113 | 12,752 |
| Unknown cause | 1,807 | 1,893 | 1,996 | 2,147 | 2,327 | 2,529 | 2,748 | 2,995 | 3,265 | 3,418 | 3,619 | 3,874 |
| Missing cause | 889 | 903 | 900 | 921 | 968 | 1,040 | 1,129 | 1,161 | 1,197 | 1,281 | 1,453 | 1,656 |
| All | 50,320 | 54,821 | 59,391 | 63,499 | 67,934 | 72,698 | 76,786 | 80,994 | 85,710 | 88,148 | 93,835 | 98,860 |

Table D.15

Incident ESRD patients, 2005: by modality & state/territory*incident ESRD patients*

| | Center hemo | Center self hemo | Home hemo | CAPD | CCPD | Other PD | Uncertain dialysis | Transplant | All |
|----------------------|----------------|---------------------|--------------|-------|-------|----------|-----------------------|------------|--------|
| Alabama | 1,571 | . | * | 117 | 24 | * | * | 13 | 1,730 |
| Alaska | 58 | . | . | 17 | * | . | . | * | 80 |
| Arizona | 1,488 | * | * | 95 | 13 | . | * | 31 | 1,632 |
| Arkansas | 753 | . | * | 77 | 19 | * | * | 18 | 871 |
| California | 8,639 | * | 12 | 429 | 92 | * | 48 | 101 | 9,327 |
| Colorado | 689 | . | * | 49 | 17 | . | * | 21 | 778 |
| Connecticut | 715 | . | * | 69 | 46 | . | * | 18 | 851 |
| Delaware | 302 | . | . | 13 | * | . | . | * | 320 |
| District of Columbia | 323 | . | * | * | * | . | * | * | 336 |
| Florida | 5,298 | . | 115 | 184 | 82 | * | 13 | 88 | 5,782 |
| Georgia | 2,824 | . | * | 186 | 48 | * | * | 34 | 3,105 |
| Hawaii | 442 | . | * | 45 | * | . | . | * | 496 |
| Idaho | 223 | * | . | 47 | * | . | . | * | 287 |
| Illinois | 3,443 | * | 69 | 200 | 87 | * | 18 | 82 | 3,906 |
| Indiana | 1,757 | * | * | 115 | 21 | . | * | 48 | 1,949 |
| Iowa | 669 | . | * | 33 | 13 | . | * | 31 | 751 |
| Kansas | 611 | * | . | 53 | 16 | . | . | 18 | 701 |
| Kentucky | 1,232 | . | . | 88 | 16 | * | * | 21 | 1,366 |
| Louisiana | 1,815 | . | * | 51 | 21 | * | . | 14 | 1,903 |
| Maine | 299 | . | . | * | * | . | . | * | 321 |
| Maryland | 1,891 | . | * | 73 | 38 | . | * | 26 | 2,040 |
| Massachusetts | 1,302 | . | * | 54 | 26 | * | . | 40 | 1,425 |
| Michigan | 3,187 | . | 14 | 178 | 23 | . | * | 67 | 3,476 |
| Minnesota | 945 | . | * | 54 | 13 | . | * | 85 | 1,100 |
| Mississippi | 1,199 | . | * | 96 | 42 | . | . | 13 | 1,355 |
| Missouri | 1,613 | . | * | 111 | 30 | . | * | 25 | 1,783 |
| Montana | 145 | . | . | 24 | * | . | . | * | 181 |
| Nebraska | 418 | * | * | 29 | 13 | . | * | 16 | 484 |
| Nevada | 570 | . | . | 29 | 17 | . | * | * | 627 |
| New Hampshire | 241 | . | * | 19 | * | . | . | * | 275 |
| New Jersey | 2,878 | . | * | 58 | 53 | . | * | 63 | 3,059 |
| New Mexico | 466 | . | . | 36 | 17 | * | . | 11 | 531 |
| New York | 5,366 | * | 12 | 136 | 92 | 15 | 24 | 89 | 5,735 |
| North Carolina | 2,902 | . | * | 119 | 110 | . | * | 42 | 3,180 |
| North Dakota | 163 | . | . | 16 | * | . | . | * | 192 |
| Ohio | 3,693 | . | 30 | 223 | 62 | . | 12 | 79 | 4,099 |
| Oklahoma | 967 | . | * | 43 | 59 | . | * | 15 | 1,087 |
| Oregon | 698 | . | . | 46 | 17 | . | * | 22 | 787 |
| Pennsylvania | 3,786 | * | * | 80 | 82 | . | * | 91 | 4,048 |
| Rhode Island | 289 | . | . | * | * | . | . | * | 304 |
| South Carolina | 1,531 | . | * | 83 | 54 | . | * | 25 | 1,702 |
| South Dakota | 187 | . | . | 17 | * | . | . | 16 | 223 |
| Tennessee | 1,805 | . | * | 79 | 83 | . | * | 27 | 2,001 |
| Texas | 6,908 | . | 18 | 226 | 183 | * | 11 | 70 | 7,419 |
| Utah | 330 | . | . | 14 | * | . | * | 17 | 369 |
| Vermont | 129 | . | . | . | * | . | * | * | 137 |
| Virginia | 2,153 | . | * | 107 | 24 | * | * | 49 | 2,342 |
| Washington | 1,201 | 17 | * | 74 | 14 | * | * | 23 | 1,332 |
| West Virginia | 592 | . | * | 37 | 55 | . | * | * | 690 |
| Wisconsin | 1,373 | . | * | 68 | 41 | * | * | 95 | 1,588 |
| Wyoming | 71 | . | . | * | * | . | * | * | 87 |
| American Samoa | * | . | . | . | . | . | . | . | * |
| Guam | 58 | . | . | * | . | . | . | . | 63 |
| Puerto Rico | 997 | . | . | * | 64 | * | . | * | 1,071 |
| Saipan | 15 | . | . | . | . | . | . | . | 15 |
| Virgin Islands | 48 | . | . | . | . | . | . | . | 48 |
| Foreign | 16 | . | . | . | . | . | . | . | 16 |
| Unknown | * | . | . | . | . | . | . | * | * |
| All | 83,292 | 31 | 350 | 4,038 | 1,788 | 45 | 205 | 1,624 | 91,373 |

Table D.16

Prevalent ESRD patients, 2005: by modality & state/territory

point prevalent ESRD patients on December 31

| | Center hemo | Center self hemo | Home hemo | CAPD | CCPD | Other PD | Uncertain dialysis | Transplant | All |
|----------------------|----------------|---------------------|--------------|-------|--------|----------|-----------------------|------------|---------|
| Alabama | 5,718 | . | 26 | 224 | 340 | . | * | 1,653 | 7,965 |
| Alaska | 196 | . | * | 32 | 45 | . | . | 161 | 438 |
| Arizona | 5,016 | . | 23 | 161 | 188 | . | 12 | 1,808 | 7,208 |
| Arkansas | 2,288 | . | * | 166 | 177 | . | * | 986 | 3,633 |
| California | 31,775 | 16 | 106 | 1,175 | 1,573 | . | 128 | 10,422 | 45,195 |
| Colorado | 2,629 | . | * | 66 | 151 | . | 16 | 1,237 | 4,106 |
| Connecticut | 2,601 | . | 16 | 125 | 324 | . | * | 944 | 4,011 |
| Delaware | 1,010 | . | * | 15 | 48 | . | * | 357 | 1,434 |
| District of Columbia | 1,386 | * | * | 24 | 20 | . | * | 220 | 1,661 |
| Florida | 16,393 | * | 158 | 369 | 855 | * | 41 | 5,644 | 23,465 |
| Georgia | 10,959 | * | 60 | 422 | 541 | * | 13 | 2,490 | 14,489 |
| Hawaii | 1,920 | . | * | 84 | 53 | . | . | 385 | 2,444 |
| Idaho | 635 | * | * | 90 | 70 | . | . | 438 | 1,245 |
| Illinois | 11,538 | * | 327 | 397 | 650 | * | 52 | 4,661 | 17,629 |
| Indiana | 5,477 | . | 50 | 302 | 274 | * | 16 | 2,191 | 8,311 |
| Iowa | 2,013 | . | 21 | 55 | 91 | . | * | 1,161 | 3,350 |
| Kansas | 1,937 | . | 16 | 128 | 116 | . | * | 748 | 2,949 |
| Kentucky | 3,618 | . | 18 | 135 | 216 | * | 11 | 1,313 | 5,312 |
| Louisiana | 6,085 | . | 17 | 99 | 193 | . | * | 1,373 | 7,775 |
| Maine | 881 | * | * | 24 | 52 | . | . | 413 | 1,379 |
| Maryland | 6,297 | * | 15 | 222 | 301 | . | 18 | 2,363 | 9,223 |
| Massachusetts | 4,104 | . | 31 | 129 | 214 | . | 18 | 2,061 | 6,557 |
| Michigan | 10,062 | * | 56 | 447 | 363 | . | 17 | 3,790 | 14,737 |
| Minnesota | 2,867 | * | 18 | 84 | 122 | . | 11 | 2,237 | 5,340 |
| Mississippi | 4,507 | . | 45 | 198 | 251 | . | * | 971 | 5,973 |
| Missouri | 5,299 | * | 54 | 218 | 362 | . | * | 1,928 | 7,869 |
| Montana | 500 | . | . | 45 | 53 | . | * | 350 | 949 |
| Nebraska | 1,245 | * | 24 | 59 | 72 | . | * | 627 | 2,032 |
| Nevada | 1,667 | . | * | 86 | 94 | . | * | 608 | 2,466 |
| New Hampshire | 679 | . | * | 33 | 38 | . | * | 364 | 1,120 |
| New Jersey | 8,804 | * | 31 | 167 | 310 | . | 11 | 2,960 | 12,291 |
| New Mexico | 2,007 | . | * | 87 | 143 | * | * | 615 | 2,862 |
| New York | 18,632 | 36 | 99 | 456 | 580 | * | 64 | 5,897 | 25,770 |
| North Carolina | 10,850 | . | 36 | 289 | 638 | * | * | 2,820 | 14,644 |
| North Dakota | 417 | . | . | 45 | * | . | . | 309 | 779 |
| Ohio | 11,530 | * | 116 | 470 | 566 | * | 26 | 3,974 | 16,684 |
| Oklahoma | 3,051 | * | 14 | 109 | 279 | . | * | 1,050 | 4,509 |
| Oregon | 2,084 | . | 19 | 96 | 152 | . | 14 | 1,184 | 3,549 |
| Pennsylvania | 11,495 | 28 | 58 | 231 | 415 | * | 47 | 5,030 | 17,305 |
| Rhode Island | 750 | . | * | 11 | 15 | . | * | 382 | 1,161 |
| South Carolina | 6,089 | . | 28 | 188 | 327 | . | * | 1,529 | 8,169 |
| South Dakota | 560 | . | * | 32 | 26 | . | . | 354 | 973 |
| Tennessee | 5,862 | . | 38 | 173 | 351 | * | * | 2,087 | 8,520 |
| Texas | 25,784 | * | 143 | 571 | 1,245 | * | 31 | 6,833 | 34,612 |
| Utah | 971 | * | 11 | 78 | 21 | . | * | 828 | 1,916 |
| Vermont | 364 | . | * | * | 12 | . | * | 186 | 571 |
| Virginia | 7,735 | * | 72 | 239 | 388 | * | 12 | 2,656 | 11,104 |
| Washington | 3,836 | * | 95 | 147 | 205 | * | * | 1,859 | 6,158 |
| West Virginia | 1,577 | * | 13 | 66 | 185 | . | * | 728 | 2,573 |
| Wisconsin | 4,037 | . | 34 | 156 | 176 | * | 13 | 2,623 | 7,040 |
| Wyoming | 229 | . | * | 16 | 13 | . | . | 163 | 425 |
| American Samoa | 71 | * | . | . | . | . | . | . | 72 |
| Guam | 236 | . | * | 21 | * | . | * | * | 265 |
| Puerto Rico | 3,094 | . | * | 41 | 267 | * | * | 810 | 4,221 |
| Saipan | 87 | . | . | * | . | . | . | * | 100 |
| Virgin Islands | 151 | . | . | * | * | . | . | 21 | 178 |
| Foreign | 47 | * | . | * | . | . | . | 40 | 89 |
| Unknown | * | . | . | . | . | . | . | * | * |
| All | 281,653 | 138 | 1,963 | 9,321 | 14,171 | 25 | 681 | 98,860 | 406,812 |