

Table of Contents

Section I: Patient Survival: Medicare Only

- I.1 Incident patient counts: ESRD patients
by age, gender, race, ethnicity, & primary diagnosis
- I.2 90-day survival probabilities: incident ESRD patients
by age, gender, race, ethnicity, & primary diagnosis
- I.3 One-year survival probabilities: incident ESRD patients
from day 91 to one year + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.4 Two-year survival probabilities: incident ESRD patients
from day 91 to two years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.5 Three-year survival probabilities: incident ESRD patients
from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.6 Five-year survival probabilities: incident ESRD patients
from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.7 Ten-year survival probabilities: incident ESRD patients
from day 91 to ten years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.8 Incident patient counts: dialysis patients, unknowns dropped
dialysis patients alive on day 91, by age, gender, race, ethnicity, & primary diagnosis
- I.9 90-day survival probabilities: incident dialysis patients
censored at transplant, by age, gender, race, ethnicity, & primary diagnosis
- I.10 One-year survival probabilities: incident dialysis patients
censored at transplant, from day 91 to one year + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.11 Two-year survival probabilities: incident dialysis patients
censored at transplant, from day 91 to two years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.12 Three-year survival probabilities: incident dialysis patients
censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.13 Five-year survival probabilities: incident dialysis patients
censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.14 Ten-year survival probabilities: incident dialysis patients
censored at transplant, from day 91 to ten years + 90 days, by age, gender, race, & primary diagnosis
- I.15 Incident patient counts: hemodialysis patients, unknowns dropped
dialysis patients alive on day 91, by age, gender, race, ethnicity, & primary diagnosis
- I.16 90-day survival probabilities: incident hemodialysis patients
censored at transplant, by age, gender, race, ethnicity, & primary diagnosis

- I.17 One-year survival probabilities: incident hemodialysis patients
censored at transplant, from day 91 to one year + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.18 Two-year survival probabilities: incident hemodialysis patients
censored at transplant, from day 91 to two years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.19 Three-year survival probabilities: incident hemodialysis patients
censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.20 Five-year survival probabilities: incident hemodialysis patients
censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.21 Ten-year survival probabilities: incident hemodialysis patients
censored at transplant, from day 91 to ten years + 90 days, by age, gender, race, & primary diagnosis
- I.22 Incident patient counts: CAPD/CCPD patients, unknowns dropped
dialysis patients alive on day 91, by age, gender, race, ethnicity, & primary diagnosis
- I.23 90-day survival probabilities: incident CAPD/CCPD patients
censored at transplant, by age, gender, race, ethnicity, & primary diagnosis
- I.24 One-year survival probabilities: incident CAPD/CCPD patients
censored at transplant, from day 91 to one year + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.25 Two-year survival probabilities: incident CAPD/CCPD patients
censored at transplant, from day 91 to two years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.26 Three-year survival probabilities: incident CAPD/CCPD patients
censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.27 Five-year survival probabilities: incident CAPD/CCPD patients
censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis
- I.28 Ten-year survival probabilities: incident CAPD/CCPD patients
censored at transplant, from day 91 to ten years + 90 days, by age, gender, race, & primary diagnosis
- I.29 90-day patient survival probabilities: first transplants, deceased donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.30 One-year patient survival probabilities: first transplants, deceased donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.31 Two-year patient survival probabilities: first transplants, deceased donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.32 Three-year patient survival probabilities: first transplants, deceased donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.33 Five-year patient survival probabilities: first transplants, deceased donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number

- I.34 Ten-year patient survival probabilities: first transplants, deceased donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.35 90-day patient survival probabilities: first transplants, living donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.36 One-year patient survival probabilities: first transplants, living donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.37 Two-year patient survival probabilities: first transplants, living donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.38 Three-year patient survival probabilities: first transplants, living donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.39 Five-year patient survival probabilities: first transplants, living donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number
- I.40 Ten-year patient survival probabilities: first transplants, living donors
by age, gender, race/ethnicity, primary diagnosis, & transplant number

Footnotes for the tables

for entire chapter:

The incident cohorts are determined at the time of ESRD initiation with the 60-day stable modality rule & the 90-day rule.

†CMS began collecting Hispanic ethnicity data in April 1995; cells for years prior to 1996 have therefore been left blank.

*Values for cells with 10 or fewer patients are suppressed.

." Zero values in this cell.

I2-7, I9-14, I16-21, I23-28,

Reference cohort is 1996 incident ESRD patients. Overall adjusted survival probabilities are adjusted for age, gender, race, & primary diagnosis.

Adjusted survival probabilities for one of the four variables are adjusted for the remaining three.

The age of the incident patient is determined as of the date of ESRD initiation.

I29-40

Patients of unknown age, gender, race, or primary diagnosis are excluded.

Age is calculated as of the day of transplant.

Table I.1
Incident patient counts: ESRD patients

by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	
0-4	40	62	88	95	98	123	122	112	117	121	103	133	123	126	95	116	124	107	91	90	117	107	121	111	131	
5-9	86	79	100	81	95	90	110	99	79	101	114	101	90	97	120	98	95	79	84	91	88	89	117	85	93	
10-14	160	164	200	181	211	190	187	188	185	165	181	202	195	198	206	204	204	187	178	176	193	176	222	206	217	
15-19	394	428	406	390	379	386	405	429	421	453	420	392	436	430	405	430	425	350	378	395	366	386	380	412	419	
20-29	1,390	1,545	1,727	1,669	1,799	1,868	1,938	1,918	2,035	2,168	2,189	2,220	2,285	2,267	2,188	2,091	2,090	1,964	1,984	1,868	1,934	1,967	1,797	1,808	1,846	
30-39	2,046	2,299	2,535	2,610	2,813	2,997	3,335	3,384	3,700	4,002	4,166	4,345	4,627	4,580	4,705	4,507	4,492	4,240	4,232	4,330	4,197	4,232	4,293	4,176	4,265	
40-49	2,277	2,545	2,660	2,953	3,104	3,373	3,657	4,080	4,408	5,022	5,418	6,102	6,499	6,771	6,965	7,246	7,624	7,369	7,917	7,934	8,194	8,261	8,460	8,766	8,876	
50-59	3,465	4,026	4,309	4,400	4,673	4,972	5,260	5,646	6,300	6,790	7,290	7,873	8,656	8,994	9,941	9,804	10,181	10,988	11,701	12,440	12,945	13,628	14,101	14,597	15,049	
60-64	1,911	2,197	2,455	2,858	3,149	3,499	3,624	4,095	4,430	4,788	5,225	5,785	6,018	6,252	6,458	6,570	6,861	7,086	7,489	7,592	7,932	8,263	8,299	8,769	9,005	
65-69	1,941	2,017	2,287	2,995	3,093	3,478	4,011	4,571	5,103	5,887	6,548	7,261	7,827	8,161	8,698	8,308	9,010	9,587	9,897	9,975	10,144	10,542	10,469	10,721	10,788	
70-79	2,157	2,358	2,905	4,084	4,244	4,950	5,710	6,541	7,210	8,523	9,536	11,219	12,537	13,169	14,635	14,359	16,147	17,802	18,963	19,919	20,556	21,256	21,326	21,291	21,271	
80+	357	397	541	837	898	1,129	1,385	1,600	1,938	2,406	2,772	3,252	3,817	4,136	4,654	4,795	5,780	6,701	7,501	8,268	9,045	9,634	10,752	11,101	11,471	
Unknown	.	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.	.	.	*
Male	9,071	10,048	11,155	12,764	13,607	14,710	16,303	17,751	19,377	21,944	23,754	26,215	28,204	29,603	31,384	31,095	33,850	35,624	37,622	39,426	40,805	42,458	43,986	44,749	46,385	
Female	7,153	8,070	9,060	10,391	10,953	12,351	13,445	14,917	16,551	18,489	20,211	22,670	24,907	25,579	27,688	27,434	29,183	30,836	32,793	33,652	34,906	36,083	36,351	37,291	37,044	
Unknown	.	.	.	*	*	.	.	.	*	*	
White	11,345	12,649	14,093	15,762	16,770	18,487	20,389	22,134	24,124	27,081	29,501	32,622	35,258	36,320	38,835	37,715	40,849	43,391	45,743	47,918	50,099	51,978	52,763	53,800	55,193	
Black	4,444	4,989	5,647	6,792	7,107	7,779	8,412	9,473	10,538	12,066	12,923	14,528	15,865	16,631	17,679	17,779	18,752	19,659	20,978	21,201	21,477	22,318	23,100	23,583	23,301	
Other race	380	431	460	589	669	782	921	1,047	1,245	1,280	1,538	1,731	1,977	2,216	2,508	2,974	3,398	3,388	3,671	3,931	4,112	4,227	4,458	4,633	4,881	
Unknown	55	49	15	13	14	13	26	14	21	*	*	*	11	15	50	61	34	22	23	29	23	18	16	27	56	
†Hispanic																	7,051	7,131	7,628	8,293	9,721	8,950	9,426	10,003	10,178	
†Non-Hispanic																	55,982	59,329	62,787	64,786	65,990	69,591	70,911	72,040	73,253	
Diabetes	2,455	3,697	4,803	5,591	6,786	7,840	9,130	10,340	11,658	14,049	16,041	18,443	20,370	21,547	23,791	25,020	27,809	29,967	31,951	33,371	35,048	36,568	36,788	37,649	38,338	
Hypertension	2,866	4,083	5,204	5,671	6,351	7,262	7,940	9,118	10,395	12,107	13,272	14,783	16,496	16,996	18,185	15,724	16,701	17,930	19,030	19,827	20,357	21,295	22,140	23,038	23,014	
Glomerulonephritis	2,587	3,356	3,930	4,116	4,420	4,643	4,847	5,240	5,564	5,847	6,178	6,425	6,581	6,723	7,110	6,998	7,248	7,093	7,072	7,052	6,844	6,829	6,989	6,740	6,794	
Cystic kidney	720	890	1,019	1,052	1,073	1,147	1,254	1,293	1,309	1,320	1,449	1,520	1,591	1,639	1,655	1,689	1,583	1,604	1,713	1,756	1,734	1,811	1,837	1,887	1,872	
Other urologic	417	609	773	858	869	1,046	1,077	1,172	1,167	1,200	1,087	1,266	1,332	1,128	1,177	1,607	1,805	1,845	1,873	2,164	2,088	2,183	2,247	2,167	2,183	
Other cause	1,638	1,996	2,527	2,775	2,943	3,169	3,259	3,267	3,463	3,979	4,079	4,466	4,790	5,022	5,189	5,432	5,540	5,668	6,096	6,186	6,589	6,732	7,153	7,268	7,667	
Missing cause	4,124	2,055	781	1,906	893	701	745	595	752	502	362	318	254	350	171	146	124	104	147	201	210	126	206	353	612	
Unknown cause	1,417	1,432	1,178	1,187	1,225	1,253	1,496	1,643	1,620	1,429	1,497	1,664	1,697	1,777	1,794	1,913	2,223	2,249	2,533	2,522	2,841	2,997	2,977	2,941	2,951	
All	16,224	18,118	20,215	23,156	24,560	27,061	29,748	32,668	35,928	40,433	43,965	48,885	53,111	55,182	59,072	58,529	63,033	66,460	70,415	73,079	75,711	78,541	80,337	82,043	83,431	

Table I.1 (continued)

Incident patient counts: ESRD patients, unknowns dropped*by age, gender, race, ethnicity, & primary diagnosis*

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	35	54	79	93	96	122	108	106	111	117	100	128	118	120	88	113	121	102	90	87	111	105	115	109	129
5-9	76	69	94	77	93	85	104	92	78	100	112	99	84	88	113	92	94	78	79	87	83	86	109	81	80
10-14	146	147	187	172	201	180	176	183	178	151	170	193	183	182	198	193	198	173	163	166	179	152	205	188	189
15-19	354	395	378	382	365	371	384	408	400	429	407	374	419	413	379	410	393	341	354	372	335	358	344	382	382
20-29	1,277	1,448	1,633	1,588	1,743	1,785	1,863	1,821	1,929	2,104	2,106	2,134	2,191	2,169	2,097	2,009	1,988	1,852	1,871	1,776	1,815	1,840	1,690	1,697	1,733
30-39	1,893	2,164	2,423	2,499	2,707	2,878	3,181	3,250	3,554	3,864	4,029	4,194	4,491	4,434	4,541	4,337	4,306	4,084	4,043	4,158	4,006	4,047	4,103	3,996	4,080
40-49	2,107	2,388	2,536	2,838	2,981	3,258	3,514	3,917	4,282	4,879	5,249	5,905	6,306	6,554	6,772	7,054	7,365	7,140	7,624	7,670	7,891	7,929	8,129	8,435	8,512
50-59	3,147	3,747	4,105	4,209	4,464	4,778	5,017	5,405	6,065	6,580	7,059	7,641	8,408	8,748	9,670	9,538	9,890	10,712	11,371	12,083	12,583	13,205	13,661	14,114	14,589
60-64	1,732	2,015	2,308	2,714	2,979	3,325	3,446	3,901	4,243	4,645	5,056	5,612	5,827	6,066	6,294	6,396	6,642	6,896	7,278	7,387	7,703	8,028	8,057	8,519	8,758
65-69	1,722	1,802	2,104	2,774	2,903	3,302	3,795	4,302	4,848	5,677	6,313	7,022	7,609	7,896	8,450	8,018	8,758	9,292	9,603	9,698	9,828	10,210	10,146	10,395	10,469
70-79	1,895	2,037	2,633	3,771	3,920	4,598	5,294	6,091	6,722	8,116	9,130	10,750	12,040	12,673	14,085	13,736	15,446	17,090	18,230	19,108	19,679	20,357	20,479	20,469	20,441
80+	314	333	487	762	800	1,031	1,253	1,430	1,777	2,241	2,603	3,035	3,595	3,918	4,417	4,501	5,405	6,235	6,971	7,713	8,430	8,982	10,067	10,430	10,812
Male	8,198	9,183	10,402	12,037	12,862	13,916	15,369	16,750	18,380	21,073	22,778	25,173	27,101	28,498	30,234	29,850	32,470	34,173	36,015	37,819	38,978	40,580	42,115	42,876	44,487
Female	6,500	7,416	8,565	9,842	10,390	11,797	12,766	14,156	15,807	17,830	19,556	21,914	24,170	24,763	26,870	26,547	28,136	29,822	31,662	32,486	33,665	34,719	34,990	35,939	35,687
White	10,273	11,509	13,170	14,854	15,822	17,515	19,249	20,885	22,919	26,049	28,362	31,354	33,955	35,002	37,462	36,248	39,136	41,600	43,811	45,890	47,873	49,612	50,443	51,465	52,853
Black	4,088	4,689	5,373	6,471	6,803	7,459	8,015	9,041	10,085	11,639	12,489	14,079	15,418	16,126	17,216	17,274	18,193	19,120	20,325	20,596	20,800	21,625	22,358	22,866	22,611
Other race	337	401	424	554	627	739	871	980	1,183	1,215	1,483	1,654	1,898	2,133	2,426	2,875	3,277	3,275	3,541	3,819	3,970	4,062	4,304	4,484	4,710
†Hispanic																	6,794	6,895	7,350	8,013	9,389	8,665	9,155	9,688	9,849
†Non-Hispanic																	53,812	57,100	60,327	62,292	63,254	66,634	67,950	69,127	70,325
Diabetes	2,433	3,674	4,791	5,570	6,763	7,810	9,096	10,302	11,610	14,015	15,990	18,398	20,308	21,497	23,724	24,904	27,715	29,877	31,872	33,260	34,947	36,457	36,677	37,533	38,209
Hypertension	2,849	4,063	5,188	5,650	6,330	7,237	7,914	9,080	10,362	12,076	13,232	14,743	16,458	16,960	18,132	15,683	16,666	17,876	18,973	19,767	20,296	21,242	22,075	22,957	22,942
Glomerulonephritis	2,571	3,345	3,921	4,105	4,411	4,624	4,832	5,228	5,553	5,835	6,162	6,406	6,564	6,705	7,083	6,973	7,224	7,070	7,050	7,027	6,825	6,807	6,963	6,716	6,768
Cystic kidney	717	888	1,017	1,048	1,072	1,143	1,251	1,292	1,308	1,316	1,446	1,515	1,589	1,636	1,651	1,687	1,575	1,602	1,707	1,752	1,730	1,806	1,836	1,882	1,870
Other urologic	413	607	771	857	866	1,043	1,076	1,170	1,159	1,197	1,082	1,258	1,326	1,121	1,173	1,600	1,797	1,836	1,863	2,156	2,077	2,175	2,230	2,160	2,174
Other cause	1,631	1,987	2,513	2,756	2,929	3,162	3,245	3,247	3,454	3,965	4,062	4,450	4,772	5,000	5,172	5,406	5,508	5,630	6,067	6,146	6,559	6,691	7,124	7,228	7,622
Missing cause	4,084	2,035	766	1,893	881	694	721	587	741	499	360	317	254	342	169	144	121	104	145	197	209	121	200	339	589
All	14,698	16,599	18,967	21,879	23,252	25,713	28,135	30,906	34,187	38,903	42,334	47,087	51,271	53,261	57,104	56,397	60,606	63,995	67,677	70,305	72,643	75,299	77,105	78,815	80,174

Table I.2
90-day survival probabilities: incident ESRD patients

by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	100.0	98.4	97.8	100.0	100.0	100.0	98.4	100.0	97.5	96.8	90.3	97.1	99.2	99.2	96.0	96.6	100.0	98.2	98.9	98.9	99.2	99.1	100.0	99.1	99.2
5-9	100.0	98.8	100.0	98.8	100.0	100.0	100.0	100.0	97.5	99.0	91.2	99.0	100.0	100.0	99.2	100.0	100.0	100.0	100.0	100.0	98.9	100.0	99.2	100.0	100.0
10-14	99.4	100.0	100.0	100.0	99.5	100.0	98.9	100.0	100.0	99.4	92.3	97.1	100.0	100.0	99.5	100.0	100.0	98.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0
15-19	99.5	99.8	100.0	100.0	100.0	99.7	99.8	100.0	99.1	99.8	96.6	99.7	99.8	100.0	99.8	100.0	100.0	100.0	100.0	100.0	100.0	99.2	100.0	99.3	99.8
20-29	99.1	99.4	99.4	99.0	99.0	99.6	99.3	99.4	99.7	99.3	99.0	99.3	99.3	99.3	99.3	99.4	99.5	99.4	99.7	99.6	99.6	99.6	99.6	99.7	99.6
30-39	98.4	98.9	98.8	99.1	99.1	99.0	98.6	99.1	99.2	99.0	98.8	99.1	99.0	99.0	99.0	99.0	98.8	99.0	98.9	99.0	99.1	99.1	99.1	99.1	99.0
40-49	98.5	98.2	98.6	98.1	98.7	98.7	98.9	98.6	99.0	98.7	98.6	99.0	98.9	98.8	98.8	98.6	98.6	98.4	98.3	98.5	98.8	98.7	98.5	98.6	98.4
50-59	97.4	97.5	97.6	96.9	97.8	97.4	97.7	98.0	97.7	97.9	97.8	98.2	98.3	98.0	97.6	98.0	97.8	98.0	97.5	97.4	97.5	97.4	97.7	97.3	97.5
60-64	95.2	95.9	95.6	95.7	96.0	95.4	95.5	96.5	96.2	96.5	96.3	96.6	96.8	96.8	96.6	96.4	96.2	96.2	96.0	96.2	96.0	96.2	96.2	96.2	96.2
65-69	90.7	91.1	89.9	91.5	89.8	90.1	91.5	91.2	92.3	91.9	92.2	92.2	92.5	92.9	92.7	91.9	91.7	91.3	91.7	91.7	91.4	91.7	91.9	91.7	91.9
70-79	87.1	88.2	87.6	88.4	87.7	87.2	87.9	89.3	88.3	88.5	89.1	89.5	89.6	89.1	89.6	88.1	87.5	87.4	87.7	87.5	87.7	87.4	87.5	87.5	87.8
80+	83.6	84.3	84.6	83.0	83.4	82.7	84.4	83.6	85.8	83.9	83.8	85.0	85.3	84.7	84.0	82.1	83.0	81.2	81.0	80.7	81.0	81.2	81.5	81.2	81.1
Male	94.8	95.1	94.7	94.2	94.4	93.7	94.0	94.3	94.1	94.0	93.7	94.1	93.9	93.7	93.0	92.6	92.0	91.9	91.9	91.9	91.7	91.9	91.6	91.6	91.8
Female	95.2	95.8	95.4	94.7	94.5	94.3	94.6	94.8	94.8	94.2	94.3	94.4	94.7	94.1	93.9	93.2	92.8	92.1	92.1	91.6	91.6	91.7	91.5	91.6	91.7
White	94.4	94.9	94.1	93.4	93.6	93.0	93.2	93.4	93.4	92.9	92.8	93.2	93.1	92.8	92.6	91.7	91.3	90.6	90.6	90.3	90.4	90.5	90.4	90.2	90.4
Black	96.4	96.6	97.1	96.8	96.3	96.3	96.4	96.8	96.7	96.6	96.4	96.4	96.6	96.4	96.1	95.8	95.4	95.1	94.8	94.7	94.4	94.2	94.3	94.2	94.3
Other race	94.3	97.0	96.3	95.9	96.9	95.5	97.4	98.0	96.4	96.8	97.0	97.0	96.8	96.1	96.0	95.2	95.4	94.8	94.7	94.2	95.2	94.4	95.1	95.3	94.8
†Hispanic																	94.9	94.3	94.5	94.7	94.1	93.9	94.5	93.9	94.7
†Non-Hispanic																	92.4	91.8	91.7	91.4	91.4	91.4	91.4	91.3	91.3
Diabetes	96.7	95.8	95.5	95.0	95.3	95.1	95.4	95.3	95.4	95.2	95.1	95.3	95.5	95.0	95.0	94.1	93.7	93.4	93.1	92.9	92.8	93.0	93.0	93.0	93.2
Hypertension	96.0	95.0	93.6	93.4	93.1	92.9	93.0	92.8	92.9	92.5	92.0	92.2	92.3	92.3	92.0	91.1	91.2	90.2	90.3	89.9	90.2	89.7	90.0	90.0	90.2
Glomerulonephritis	98.4	98.0	97.5	97.3	96.9	96.9	96.7	96.4	97.1	96.3	96.1	96.8	96.7	96.5	96.0	96.4	95.7	95.3	95.0	95.3	95.7	95.5	95.9	95.8	96.0
Other cause	93.1	94.2	94.3	93.4	93.2	92.2	92.8	94.3	93.4	93.2	93.3	93.6	93.5	93.3	92.8	91.6	90.5	89.7	90.1	89.9	89.7	89.7	89.3	88.8	88.8
All	95.0	95.4	95.0	94.5	94.4	94.0	94.2	94.5	94.4	94.1	94.0	94.2	94.3	94.0	93.8	93.1	92.7	92.1	92.0	91.8	91.8	91.7	91.7	91.6	91.7
ADJUSTED																									
0-19	99.1	99.2	99.5	99.7	99.7	99.7	98.7		97.7	98.2	88.2	96.9	99.5	99.7	98.2	98.9	100.0	98.8	99.7	99.7	99.4	98.8	99.7	98.9	99.5
20-44	98.8	99.0	99.0	99.0	99.2	99.2	99.0	99.0	99.3	99.0	98.8	99.1	99.1	99.1	99.0	99.0	98.9	98.9	98.9	99.1	99.1	99.2	99.1	99.1	99.2
45-64	97.3	97.2	97.2	96.7	97.3	96.9	97.2	97.6	97.4	97.6	97.4	97.8	97.9	97.7	97.5	97.6	97.4	97.5	97.2	97.2	97.3	97.2	97.4	97.2	97.3
65-74	91.1	91.1	89.8	91.4	89.8	89.7	90.9	91.3	91.4	91.4	91.4	91.5	91.8	91.9	92.0	90.6	90.4	90.1	90.5	90.4	90.3	90.4	90.5	90.6	90.7
75+	87.5	87.8	87.8	87.0	87.1	86.4	87.0	87.3	87.4	86.4	87.0	87.8	87.7	86.9	86.7	85.4	85.3	84.4	84.3	84.2	84.5	84.4	84.5	84.2	84.4
Male	93.2	93.2	92.7	93.0	93.1	92.5	93.0	93.4	93.4	93.4	93.2	93.7	93.7	93.7	93.6	93.0	92.8	92.7	92.6	92.7	92.8	92.7	92.9	92.7	92.8
Female	93.7	93.9	93.6	93.7	93.3	93.3	93.8	94.2	94.3	93.9	94.0	94.3	94.6	94.2	94.1	93.5	93.3	92.9	93.0	92.7	92.8	92.9	92.9	92.9	93.0
White	92.8	93.0	92.2	92.4	92.4	92.0	92.5	93.0	93.1	92.8	92.8	93.3	93.5	93.3	93.2	92.5	92.4	92.1	92.2	92.1	92.3	92.4	92.4	92.2	92.4
Black	95.1	94.5	95.4	95.8	94.7	94.9	95.2	95.6	95.5	95.5	95.2	95.4	95.5	95.3	95.1	94.7	94.3	94.3	94.0	93.9	93.7	93.5	93.6	93.6	93.6
Other race	92.6	95.6	93.9	94.5	95.4	93.6	96.4	97.0	95.1	95.5	96.2	96.2	96.1	95.4	95.4	94.7	95.1	94.7	94.5	94.3	95.2	94.4	95.2	95.4	94.8
Diabetes	93.8	92.5	92.4	91.9	92.7	92.6	93.3	93.5	93.8	93.8	93.9	94.4	94.7	94.2	94.4	93.5	93.3	93.4	93.1	93.1	93.1	93.3	93.3	93.4	93.6
Hypertension	94.6	93.9	92.8	93.1	92.9	93.0	93.4	93.5	93.7	93.5	93.3	93.6	93.7	93.8	93.6	93.0	93.3	92.7	92.9	92.7	93.0	92.7	92.9	92.8	93.0
Glomerulonephritis	96.6	95.9	95.2	95.2	94.8	95.1	95.0	94.7	95.6	94.9	94.8	95.8	95.7	95.4	95.1	95.6	95.0	94.7	94.3	94.9	95.2	94.8	95.3	95.1	95.2
Other cause	91.0	91.7	92.0	92.5	92.0	90.9	91.7	93.4	92.4	92.4	92.4	92.9	92.9	92.5	92.1	91.2	90.5	90.2	90.5	90.6	90.4	90.5	90.2	89.6	89.6
All	93.4	93.5	93.1	93.4	93.2	92.9	93.4	93.8	93.8	93.6	93.6	94.0	94.2	93.9	93.8	93.2	93.0	92.8	92.8	92.7	92.8	92.8	92.9	92.8	92.9

Table I.3

One-year survival probabilities: incident ESRD patients

from day 91 to one year + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	92.5	91.9	88.6	88.4	85.7	89.4	91.7	91.1	81.9	83.5	83.3	81.2	88.6	86.5	90.5	87.8	94.4	89.7	90.1	93.3	90.6	93.5	90.9	91.9	87.3
5-9	93.0	94.9	95.0	97.5	94.7	94.4	98.2	99.0	100.0	97.0	97.4	98.0	96.7	96.9	100.0	97.9	96.8	94.9	100.0	98.9	100.0	96.6	94.9	96.5	98.9
10-14	98.1	97.6	98.5	97.8	97.2	97.4	98.9	98.4	96.2	95.2	96.7	98.0	95.4	96.0	99.0	99.0	98.0	97.9	98.3	97.7	97.4	98.3	98.2	99.0	98.1
15-19	96.4	96.0	96.0	95.1	96.3	95.9	95.8	96.3	97.9	98.5	97.1	95.9	96.6	96.7	96.3	98.4	96.5	98.3	95.8	98.2	97.3	97.9	97.9	98.1	98.8
20-29	91.5	93.0	93.7	93.4	93.2	92.1	94.2	92.3	92.9	92.9	93.2	92.7	94.0	93.6	93.9	93.5	95.1	96.3	96.0	96.0	94.0	95.3	94.3	94.5	94.6
30-39	89.4	88.8	88.9	90.1	88.7	89.1	89.7	89.2	89.9	89.8	90.7	90.0	90.7	90.1	90.5	90.6	91.1	92.2	91.9	92.0	92.0	92.4	92.7	92.7	93.1
40-49	87.8	87.2	86.5	87.4	87.8	87.6	87.7	88.0	88.7	88.5	89.2	88.2	88.7	89.6	89.5	89.9	90.1	90.4	89.7	90.1	90.5	90.0	90.4	90.1	90.6
50-59	83.2	83.0	83.6	81.6	81.8	81.9	82.5	83.2	83.5	83.2	84.3	84.2	85.4	85.2	86.1	86.7	85.5	86.0	85.8	86.3	85.9	86.6	86.6	86.5	86.9
60-64	78.1	77.3	77.5	77.2	75.5	76.1	76.8	76.0	76.3	77.6	78.3	78.9	79.4	81.2	80.9	80.6	81.6	82.0	80.2	81.4	81.3	82.2	81.5	82.7	83
65-69	72.9	73.5	73.8	71.9	72.9	71.1	73.1	73.0	73.1	73.8	75.4	75.1	75.5	77.1	76.2	76.9	77.3	76.7	76.2	76.3	76.8	77.2	77.0	77.9	77.6
70-79	67.1	67.8	68.5	65.1	66.6	66.9	66.2	65.3	65.9	67.3	68.4	68.2	68.4	69.9	70.0	70.5	70.2	69.5	69.5	69.2	69.4	69.9	70.0	69.9	70.5
80+	57.7	53.3	62.2	55.5	56.3	58.2	58.5	55.2	55.2	58.0	59.3	59.1	58.2	60.8	60.9	60.7	59.2	59.1	57.7	58.4	58.0	58.4	59.2	59.5	60.5
Male	81.0	81.5	81.2	78.8	78.8	78.4	78.3	78.0	77.6	78.3	79.1	78.5	78.6	79.9	79.4	79.6	79.3	78.7	78.1	78.3	78.1	78.4	78.2	78.4	78.7
Female	81.7	81.1	81.5	79.0	79.5	78.8	79.5	78.0	78.9	78.5	79.1	78.4	78.8	79.0	79.2	79.6	78.7	78.0	77.2	77.1	76.9	77.3	77.1	77.4	78.1
White	80.0	79.9	79.9	77.1	77.1	76.8	76.8	75.6	75.6	76.1	76.6	75.8	75.8	77.0	76.9	77.2	76.3	75.6	75.1	75.3	75.2	75.2	75.3	75.7	76.1
Black	84.9	85.1	84.7	82.8	83.8	82.6	83.1	83.2	83.2	82.9	84.1	83.3	84.1	84.1	83.7	83.7	84.2	83.6	82.4	82.4	82.0	82.8	82.3	81.9	82.6
Other race	80.4	81.3	85.1	81.9	81.1	82.4	85.3	81.7	84.3	85.0	86.0	87.5	86.1	86.7	85.9	84.8	82.5	83.4	82.2	82.4	82.8	84.2	83.3	84.4	84.8
†Hispanic																	82.8	82.3	82.4	82.1	82.6	83.0	82.4	82.8	83.6
†Non-Hispanic																	78.5	77.9	77.1	77.2	76.8	77.2	77.1	77.3	77.7
Diabetes	75.7	74.4	74.0	74.2	74.6	73.8	75.5	75.0	76.3	76.8	77.0	77.2	77.4	79.0	78.8	78.7	78.2	77.8	76.9	77.5	77.5	78.0	78.0	78.4	79
Hypertension	84.1	82.0	80.6	78.6	77.7	78.6	77.6	76.2	76.2	76.6	77.7	76.5	76.8	77.1	77.3	78.4	77.6	76.5	76.0	75.9	75.8	75.9	76.1	76.0	76.1
Glomerulonephritis	91.1	89.4	89.1	88.3	87.8	88.0	86.8	86.4	86.8	86.4	87.1	85.7	87.3	88.3	86.7	87.5	87.7	87.2	87.5	86.6	87.3	87.4	87.7	87.8	88.7
Other cause	79.0	80.7	82.9	77.6	79.3	77.9	79.2	78.3	77.6	78.1	79.6	78.7	78.6	78.8	78.8	78.2	77.3	77.5	76.7	76.3	75.1	75.8	74.8	75.5	75.9
All	81.3	81.3	81.4	78.9	79.1	78.6	78.9	78.0	78.2	78.4	79.1	78.4	78.7	79.5	79.3	79.6	79.0	78.4	77.7	77.7	77.5	77.9	77.7	78.0	78.4
ADJUSTED																									
0-19	93.3	92.9	92.5	91.7	91.4	91.7	93.7	93.9	92.3	92.6	92.3	90.6	92.1	91.9	94.7	95.0	94.4	94.4	93.9	96.1	94.4	95.4	94.4	95.6	94.8
20-44	87.9	88.2	88.8	89.3	88.9	88.8	89.4	88.9	89.7	89.4	90.4	89.6	90.2	89.9	90.6	90.6	91.4	92.1	91.7	91.8	91.8	92.1	92.2	92.1	92.6
45-64	79.7	79.6	80.3	79.5	79.4	79.8	80.8	80.9	81.3	82.2	83.1	83.2	84.3	85.1	85.4	85.7	85.6	86.2	85.4	86.1	86.0	86.4	86.3	86.5	86.8
65-74	69.9	70.5	72.0	68.8	70.2	69.1	70.2	70.2	70.8	71.6	73.3	72.9	73.5	75.3	74.5	75.4	75.5	75.0	74.8	74.9	75.1	75.5	75.4	75.9	76.2
75+	61.1	61.7	62.1	58.7	60.9	62.3	61.9	59.2	59.7	62.3	63.2	63.2	62.6	64.0	64.9	64.6	63.9	63.6	63.0	63.1	63.2	63.7	64.0	64.1	64.8
Male	72.7	73.3	73.6	72.2	72.4	72.7	73.1	73.2	73.2	74.8	76.1	76.0	76.4	78.2	78.0	78.2	78.6	78.7	78.4	78.9	78.9	79.3	79.3	79.6	79.8
Female	74.2	73.8	75.5	74.0	74.9	74.7	76.2	75.2	76.4	76.8	77.9	77.6	78.4	78.8	79.4	79.9	79.5	79.4	78.8	78.9	79.0	79.5	79.4	79.7	80.2
White	70.7	70.9	72.1	70.5	70.9	71.3	72.1	71.6	72.3	73.8	74.8	74.6	75.2	76.7	77.1	77.6	77.3	77.4	77.3	77.7	77.8	78.0	78.2	78.6	79
Black	79.7	79.2	79.3	78.2	79.0	78.1	79.1	79.3	79.3	79.2	81.0	80.4	81.4	81.5	81.4	81.5	82.3	82.1	81.0	81.0	80.8	81.7	81.2	80.8	81.4
Other race	71.1	74.2	76.8	75.4	74.3	77.5	81.3	77.1	80.7	82.0	83.9	85.7	84.5	85.5	85.1	84.6	82.7	84.2	82.8	83.4	83.9	85.0	84.2	85.4	85.5
Diabetes	68.0	66.9	67.1	68.0	68.9	68.5	70.9	70.9	72.7	73.8	74.5	75.1	75.7	77.5	77.7	77.7	77.6	77.7	77.0	77.8	78.1	78.6	78.6	79.1	79.7
Hypertension	80.4	79.1	78.5	77.3	76.7	78.4	78.1	77.1	77.2	78.1	79.5	78.8	79.0	79.7	80.0	80.9	80.7	80.2	79.9	80.0	80.1	80.2	80.6	80.3	80.5
Glomerulonephritis	83.5	81.7	81.8	81.4	81.2	82.3	80.9	80.5	81.2	81.6	82.5	81.4	83.3	84.6	83.4	84.1	84.9	84.6	85.0	84.5	85.1	84.8	85.4	85.3	86.1
Other cause	74.0	74.5	77.5	74.4	75.3	73.6	75.4	74.8	74.0	74.7	76.3	75.5	75.7	75.6	76.2	76.0	75.4	76.4	75.7	75.6	74.6	75.3	74.4	75.0	75.4
All	73.4	73.6	74.5	73.1	73.6	73.7	74.6	74.2	74.7	75.7	77.0	76.8	77.4	78.5	78.7	79.1	79.0	79.1	78.6	78.9	79.0	79.4	79.4	79.6	80

Table I.4
Two-year survival probabilities: incident ESRD patients

from day 91 to two years + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0-4	85.0	90.3	84.1	82.1	83.7	82.9	85.8	85.7	76.7	78.5	79.4	78.2	85.4	84.1	84.2	84.3	90.3	86.0	86.8	90.0	85.5	92.5	86.0	88.9
5-9	91.9	91.1	93.0	93.8	92.6	93.3	93.6	97.0	97.5	96.0	94.7	98.0	96.7	92.7	97.5	96.9	95.8	93.7	97.6	97.8	100.0	95.5	94.0	94.1
10-14	95.6	94.5	96.5	96.7	95.3	95.3	95.7	98.4	94.1	92.7	93.9	97.0	93.8	94.4	98.1	97.1	96.6	96.8	97.8	97.2	96.4	95.5	95.9	96.4
15-19	94.9	92.7	93.6	92.5	93.4	94.1	92.8	94.4	94.8	96.9	95.2	93.1	94.9	94.6	95.1	96.7	92.9	95.1	93.7	95.2	94.5	95.6	96.0	96.3
20-29	85.9	87.0	88.8	87.0	87.6	86.5	88.5	85.8	88.1	88.5	87.9	87.6	89.1	89.6	90.1	88.8	91.0	91.8	92.5	91.7	89.9	90.5	89.2	90.7
30-39	80.3	80.9	80.2	82.1	80.0	80.0	81.2	80.9	82.5	82.1	82.9	81.7	82.7	83.1	82.7	84.0	84.4	85.4	85.0	86.0	85.7	86.2	87.2	86.2
40-49	76.7	76.4	76.2	75.9	77.2	77.8	77.2	77.8	78.6	78.2	79.9	77.7	79.5	80.0	80.1	80.9	80.5	81.4	81.3	81.1	81.4	81.6	82.0	81.8
50-59	70.2	70.0	70.3	68.2	67.3	67.3	68.2	68.5	69.0	70.4	70.5	70.9	72.1	72.8	73.8	73.8	73.4	73.9	73.0	74.2	74.2	74.8	75.4	75.4
60-64	63.1	61.0	60.7	61.2	58.6	58.8	60.1	59.2	60.0	61.2	61.5	62.4	62.9	65.2	65.7	65.1	66.4	66.4	65.1	66.9	67.4	68.0	67.8	69.5
65-69	55.0	55.7	55.6	52.1	55.1	52.9	53.9	55.2	55.8	55.9	56.5	56.8	57.9	59.9	58.8	59.6	60.1	59.1	59.4	59.8	60.7	62.6	61.4	62.9
70-79	46.9	48.5	49.3	44.1	46.6	47.1	46.3	45.5	46.5	47.6	47.9	48.2	49.0	50.0	50.3	50.8	50.7	49.5	50.5	50.7	50.6	51.9	51.9	52.5
80+	30.5	33.5	37.8	30.8	36.2	35.6	34.8	32.5	32.9	37.8	36.7	35.8	36.6	37.4	38.5	38.3	37.3	36.7	37.0	37.2	37.3	37.7	38.4	39.5
Male	67.2	68.4	67.9	64.2	64.6	63.3	63.8	63.0	63.4	63.9	64.0	63.3	63.8	65.3	64.7	65.2	64.5	63.4	63.4	63.7	63.8	64.1	64.0	64.6
Female	69.2	68.3	68.2	64.4	65.3	65.0	64.4	63.6	64.1	64.1	63.8	63.0	63.9	63.9	64.1	64.2	63.6	62.5	62.0	62.1	61.7	63.0	62.7	63.5
White	66.3	66.6	66.1	62.0	62.3	61.8	61.4	60.4	60.1	60.7	60.3	59.4	59.9	60.7	60.6	61.0	59.9	58.8	59.0	59.4	59.3	59.7	59.7	60.5
Black	72.6	73.0	72.4	69.3	70.7	69.3	69.9	69.3	71.1	70.5	71.0	69.8	71.3	71.9	71.5	71.5	72.2	71.1	69.9	69.7	69.9	70.8	70.4	70.4
Other race	69.1	66.7	73.2	69.2	68.5	67.4	70.4	68.9	71.1	73.1	73.2	76.8	74.1	75.0	73.6		69.1	70.0	69.2	70.6	70.2	73.0	71.2	73.6
†Hispanic																	69.0	68.2	69.2	69.4	70.4	70.4	70.0	71.1
†Non-Hispanic																	63.5	62.4	62.0	62.2	61.8	62.7	62.5	63.1
Diabetes	58.1	57.0	55.6	57.1	55.5	55.6	56.7	56.9	58.3	59.4	58.7	59.3	60.0	61.6	61.4	61.6	61.1	60.3	60.1	61.1	61.3	62.2	62.0	63.2
Hypertension	71.7	68.8	67.0	63.3	64.2	63.4	62.3	60.9	61.6	61.9	61.6	60.7	61.6	61.7	62.3	63.3	62.6	60.8	60.8	60.5	60.7	61.0	61.2	61.2
Glomerulonephritis	82.7	80.8	80.6	78.9	78.9	77.4	76.4	76.3	77.2	76.3	77.2	75.2	77.2	78.5	76.9	77.7	78.0	77.0	78.0	76.9	77.9	78.6	78.7	79.5
Other cause	65.3	68.2	70.6	62.6	65.8	65.5	66.8	65.7	64.9	66.3	67.7	66.4	66.7	67.1	66.8	65.9	64.9	64.7	64.2	64.2	62.7	63.9	62.9	63.9
All	68.1	68.4	68.1	64.3	64.9	64.1	64.1	63.2	63.7	64.0	63.9	63.2	63.8	64.7	64.4	64.8	64.1	63.0	62.8	63.0	62.9	63.6	63.4	64.1
ADJUSTED																								
0-19	89.9	87.8	88.3	87.1	87.5	87.6	87.7	90.7	87.3	89.2	88.3	87.4	89.5	88.4	91.6	91.9	89.9	90.4	90.9	92.5	90.7	92.0	90.8	92.1
20-44	77.6	79.2	79.9	80.1	80.0	79.8	80.8	80.1	81.9	81.7	82.5	81.1	82.2	82.5	83.0	83.4	84.2	85.4	85.0	85.2	85.1	85.2	85.6	85.5
45-64	65.2	64.6	65.4	64.6	63.9	64.4	65.7	65.8	66.6	68.4	68.9	69.4	70.7	72.2	72.9	73.0	73.2	73.8	73.0	74.2	74.4	74.9	75.3	75.6
65-74	50.5	52.1	53.2	48.2	51.5	50.2	50.7	51.7	52.8	53.3	53.9	54.3	55.6	56.9	56.4	57.7	57.6	56.7	57.5	58.1	58.3	60.1	59.4	60.6
75+	38.8	41.4	40.3	36.2	40.0	40.9	40.0	37.9	38.5	41.9	41.4	41.4	41.9	42.9	43.6	43.1	43.3	42.3	43.0	43.2	43.5	44.1	44.3	45.1
Male	55.2	56.6	56.8	54.7	55.6	55.2	56.5	56.1	57.2	59.0	59.6	59.7	60.7	62.8	62.8	63.3	63.5	63.5	64.0	64.8	65.1	65.5	65.7	66.3
Female	58.5	58.1	59.3	57.3	58.7	59.3	59.4	59.7	60.6	61.8	62.1	62.1	63.4	63.7	64.5	64.8	64.9	64.7	64.6	64.9	65.0	66.3	66.2	66.9
White	53.4	54.2	55.0	52.8	53.9	54.3	54.7	55.0	55.6	57.6	57.8	58.0	59.2	60.5	61.1	61.6	61.6	61.6	62.3	63.1	63.3	64.0	64.2	64.9
Black	64.5	63.8	63.9	62.1	63.3	62.4	63.9	63.3	65.2	65.1	66.1	65.5	67.0	68.0	68.0	68.1	69.3	68.7	67.7	67.5	68.0	69.2	68.7	68.8
Other race	56.3	56.2	60.0	59.0	58.7	59.6	63.3	61.8	65.4	68.2	69.6	73.7	71.5	73.0	72.1	71.4	69.5	71.4	70.1	72.2	72.0	74.1	72.7	75.1
Diabetes	48.2	47.5	46.9	49.1	48.3	48.9	50.5	51.5	53.5	55.3	55.4	56.5	57.7	59.7	59.9	60.3	60.5	60.5	60.5	61.7	62.3	63.3	63.2	64.4
Hypertension	65.9	64.5	64.0	61.4	62.8	63.2	63.0	62.2	63.2	64.2	64.4	64.2	65.0	65.6	66.4	67.2	67.2	66.4	66.7	66.6	67.0	67.3	67.9	67.6
Glomerulonephritis	69.3	68.1	68.6	67.6	68.5	67.8	67.0	67.0	68.5	68.6	69.8	68.3	70.5	72.1	71.4	71.9	73.1	72.6	73.7	73.4	74.1	74.3	74.9	75.4
Other cause	58.4	59.5	62.5	58.0	60.1	59.6	61.4	60.6	59.9	61.7	62.8	61.7	62.6	62.8	63.0	62.7	62.2	63.0	62.8	63.1	61.9	63.1	62.2	63
All	56.7	57.3	58.0	56.0	57.1	57.1	57.9	57.8	58.8	60.3	60.8	60.9	62.0	63.3	63.6	64.0	64.2	64.1	64.3	64.8	65.1	66.0	65.9	66.6

Table I.5
Three-year survival probabilities: incident ESRD patients

from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	
0-4	82.5	88.7	83.0	78.9	81.6	82.1	81.7	81.3	74.1	77.7	78.4	77.4	82.1	79.4	83.2	82.6	87.1	82.2	85.7	87.8	82.9	91.6	84.3	
5-9	91.9	89.9	92.0	91.4	90.5	91.1	93.6	94.9	96.2	96.0	93.0	98.0	95.6	91.7	95.9	95.9	92.6	93.7	97.6	97.8	96.6	96.6	93.3	92.3
10-14	94.3	89.0	93.5	95.0	93.4	93.2	94.1	96.3	92.5	92.1	93.4	94.6	91.8	91.9	95.1	96.1	95.1	95.7	97.8	96.6	95.9	94.3	94.5	
15-19	92.6	90.4	92.1	92.0	91.6	91.2	90.6	92.3	92.6	94.3	93.1	92.1	93.6	93.2	93.8	93.9	91.3	92.0	91.8	92.9	92.3	93.0	93.9	
20-29	81.5	82.4	84.3	83.2	83.4	82.5	84.1	82.0	84.7	84.8	84.2	84.0	85.6	86.1	86.5	84.9	87.9	88.8	89.2	87.8	86.4	86.3	86.6	
30-39	75.2	74.8	72.8	75.5	73.7	74.1	75.5	74.1	76.6	76.4	77.0	75.5	76.2	77.4	77.1	78.2	79.2	79.5	79.9	80.4	80.6	80.7	81.9	
40-49	68.4	68.4	68.3	67.1	69.0	69.4	68.8	69.9	70.8	69.7	71.1	69.9	71.1	71.8	72.2	73.0	72.8	73.4	73.2	73.4	73.2	74.0	74.1	
50-59	59.6	58.8	58.3	56.6	56.3	55.3	56.6	57.8	57.9	59.2	59.5	59.7	60.1	61.8	62.4	62.7	62.3	63.2	62.8	63.8	64.0	64.9	65.6	
60-64	51.0	48.7	47.2	48.2	45.8	46.0	46.0	46.3	47.8	48.4	48.3	49.7	49.6	51.7	52.8	52.3	53.2	54.4	53.4	54.1	55.4	55.8	56.8	
65-69	40.5	42.7	41.9	38.0	41.4	39.7	40.1	41.4	42.5	41.8	42.0	42.7	43.5	45.4	44.9	46.1	45.6	45.7	46.1	46.6	47.9	49.2	49.1	
70-79	33.6	33.6	34.7	29.6	32.3	32.5	31.7	31.8	32.7	33.7	33.1	33.9	34.0	35.6	35.3	36.0	36.0	35.4	36.0	36.6	37.1	38.2	38.5	
80+	18.2	20.8	18.7	18.2	21.0	21.8	20.6	21.2	19.8	22.9	22.1	21.6	22.6	22.8	23.2	23.1	23.6	22.7	22.3	22.7	23.6	23.7	25.2	
Male	57.6	58.3	57.4	53.5	54.2	52.4	52.5	52.4	52.8	53.3	52.7	52.3	51.9	53.8	53.1	53.9	53.1	51.9	52.1	52.2	52.5	52.7	53.0	
Female	59.3	58.4	57.2	53.5	54.4	54.3	53.5	52.7	53.5	52.4	52.0	51.3	52.0	52.0	52.1	52.1	51.5	51.0	50.1	50.3	50.5	51.5	51.7	
	56.6	56.4	55.5	51.1	51.9	50.9	50.2	49.6	49.1	49.2	48.3	47.7	47.5	48.6	48.1	48.8	47.6	46.8	46.9	47.0	47.3	47.8	48.1	
White																								
Black	62.8	63.6	61.2	58.4	59.7	58.4	58.9	59.0	61.4	60.0	60.3	59.3	60.4	61.1	60.8	60.9	61.6	60.6	59.2	59.3	59.9	60.4	60.6	
Other race	60.4	54.2	62.3	59.7	57.5	57.1	59.6	58.0	60.7	62.6	63.0	66.3	63.4	63.9	63.6	60.3	57.7	57.9	58.3	60.1	59.9	62.0	61.8	
†Hispanic																	57.7	57.3	58.3	58.1	60.3	59.9	60.0	
†Non-Hispanic																	51.7	50.7	50.3	50.5	50.3	51.1	51.4	
Diabetes	45.5	45.0	42.8	43.4	42.9	42.9	43.9	44.2	45.4	45.8	45.4	45.7	46.3	47.6	47.9	47.8	47.4	47.1	46.9	47.8	48.4	49.5	49.8	
Hypertension	62.3	58.3	55.1	52.4	52.2	52.1	50.7	49.6	50.7	50.6	49.8	49.1	49.4	49.8	49.7	51.4	50.7	49.0	49.0	48.8	49.3	49.0	49.7	
Glomerulonephritis	76.5	73.3	72.9	71.8	71.1	68.2	67.8	68.1	69.6	67.9	68.5	67.3	68.6	70.3	68.9	69.5	69.4	69.2	69.5	68.2	70.4	70.9	70.8	
Other cause	55.2	58.2	60.4	51.8	56.5	56.0	56.6	56.5	56.0	57.5	57.9	57.7	57.0	58.4	57.5	56.9	55.9	55.5	55.0	55.2	53.6	54.6	54.4	
All	58.4	58.3	57.3	53.5	54.3	53.3	53.0	52.6	53.1	52.9	52.4	51.8	52.0	53.0	52.6	53.0	52.3	51.4	51.2	51.3	51.6	52.1	52.4	
ADJUSTED																								
0-19	87.0	83.2	85.5	85.0	84.4	84.0	84.5	86.9	84.2	86.6	85.8	85.5	86.7	85.2	88.8	88.7	86.8	86.8	89.2	90.0	87.6	88.9	88.1	
20-44	71.2	72.3	72.5	73.3	73.7	73.3	74.6	73.6	75.7	75.7	76.2	75.0	75.9	76.4	77.0	77.2	78.7	79.4	79.4	79.3	79.1	79.4	80.1	
45-64	53.7	52.9	53.0	52.4	52.0	52.3	53.3	54.4	55.5	56.8	57.4	58.2	58.8	60.8	61.8	62.1	62.3	63.3	62.9	63.8	64.4	65.0	65.7	
65-74	36.6	38.2	38.5	33.8	37.8	36.5	36.2	37.7	39.3	39.2	39.4	40.0	41.0	42.6	42.0	43.6	43.4	43.0	43.7	44.7	45.6	47.1	46.9	
75+	25.4	27.2	25.7	22.7	24.8	26.2	26.2	25.4	25.0	27.7	26.5	27.4	27.0	28.3	28.6	28.2	28.6	28.4	28.4	28.9	29.6	30.0	30.8	
Male	44.2	44.9	44.7	42.8	44.1	43.4	44.3	44.8	45.9	47.7	47.7	48.3	48.4	50.9	50.9	51.6	51.9	52.0	52.7	53.5	54.0	54.5	55.0	
Female	47.1	46.8	47.0	45.6	47.0	47.9	48.0	48.4	49.5	49.8	50.1	50.4	51.5	52.0	52.7	53.0	53.2	53.6	53.3	53.6	54.4	55.6	55.9	
White	42.3	42.6	43.1	41.0	42.7	42.8	42.9	43.7	44.2	45.9	45.6	46.3	46.9	48.5	48.9	49.6	49.8	50.2	50.8	51.5	52.1	52.9	53.4	
Black	53.0	52.7	50.9	50.0	50.9	50.4	51.8	52.0	54.4	53.5	54.5	54.2	55.2	56.4	56.6	56.9	57.9	57.7	56.6	56.8	57.7	58.5	58.6	
Other race	46.0	42.7	46.0	47.6	45.8	48.1	50.8	49.4	53.6	56.6	58.4	62.2	60.2	61.3	61.7	59.7	58.2	59.7	59.4	62.0	62.3	63.5	63.7	
Diabetes	35.6	35.4	34.2	35.5	35.8	36.4	37.7	39.0	40.5	41.7	42.1	43.1	44.1	45.9	46.6	46.8	47.1	47.6	47.7	48.9	49.9	51.2	51.5	
Hypertension	55.3	53.2	51.7	50.4	50.8	52.0	51.5	51.3	52.5	53.4	53.2	53.2	53.4	54.5	54.7	55.9	56.2	55.6	56.0	55.9	56.7	56.5	57.6	
Glomerulonephritis	59.7	57.3	57.7	58.0	58.2	55.9	56.1	56.8	58.8	58.1	58.9	58.8	60.0	62.0	61.8	62.0	62.9	63.5	63.8	63.4	65.5	65.3	65.7	
Other cause	47.5	48.4	50.8	46.4	49.9	49.1	50.3	50.5	50.3	52.2	52.1	52.2	52.1	53.3	53.0	53.2	52.7	53.5	53.2	53.9	52.7	53.6	53.5	
All	45.6	45.8	45.8	44.1	45.5	45.5	46.0	46.5	47.6	48.7	48.8	49.3	49.9	51.4	51.8	52.3	52.5	52.8	53.0	53.6	54.3	55.0	55.4	

Table I.6
Five-year survival probabilities: incident ESRD patients

from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	77.5	79.0	78.4	75.8	76.5	79.7	76.7	75.9	73.3	76.9	74.5	75.9	80.5	76.2	81.1	78.3	84.7	80.4	80.2	85.6	81.2
5-9	87.2	88.6	86.0	88.9	88.4	88.9	90.0	94.9	93.7	92.1	91.2	95.0	92.2	88.5	94.2	94.8	91.6	93.7	96.4	95.6	96.6
10-14	87.3	84.1	90.5	91.2	91.0	90.6	92.0	95.2	89.8	88.5	89.0	91.6	89.2	90.4	91.7	94.6	93.1	92.5	93.8	93.2	92.1
15-19	89.6	87.1	88.1	88.9	86.5	84.8	87.4	87.9	87.6	89.4	89.5	87.7	90.8	89.7	90.4	90.9	87.5	89.1	87.9	88.8	87.9
20-29	76.7	75.1	78.3	75.1	75.8	75.5	78.5	76.2	78.4	78.0	78.5	78.5	79.0	80.4	81.0	79.5	81.8	83.2	82.5	83.4	80.2
30-39	64.3	65.2	63.8	64.8	64.7	64.0	66.2	63.2	67.2	68.0	67.7	66.3	67.0	68.3	67.8	69.4	69.6	70.5	70.5	71.3	71.3
40-49	55.0	54.4	54.8	52.9	56.3	55.9	56.8	57.6	58.1	56.8	57.4	56.9	58.7	59.2	58.9	60.6	58.9	60.0	59.7	60.3	60.5
50-59	41.3	41.7	40.8	39.7	39.3	38.7	40.9	42.3	41.0	41.7	41.4	43.0	42.9	44.7	45.1	45.4	44.7	45.9	45.8	46.7	47.5
60-64	30.7	30.8	28.8	29.0	27.0	27.8	29.2	28.1	30.1	29.8	30.2	30.2	31.3	32.4	33.0	32.9	33.8	35.1	34.8	35.5	36.6
65-69	23.5	24.7	24.1	20.6	22.4	22.5	22.1	23.1	23.2	23.5	23.5	22.7	24.3	24.8	25.5	25.4	25.8	25.9	26.8	27.3	28.5
70-79	15.9	15.7	17.1	13.6	15.2	15.6	14.8	15.5	15.6	16.1	15.8	16.0	15.9	16.7	16.6	17.3	17.6	17.1	17.9	18.2	18.9
80+	7.0	6.6	6.1	6.4	7.3	7.9	7.3	7.5	6.7	8.9	8.7	7.6	7.6	7.9	8.2	8.6	8.3	8.2	8.2	8.2	8.3
Male	43.4	43.2	43.0	38.9	39.4	38.4	39.2	38.3	38.5	38.6	37.8	37.0	36.9	38.2	37.2	38.4	37.2	35.9	36.2	36.3	36.2
Female	43.8	44.4	42.7	38.5	39.6	38.8	38.6	37.7	37.7	36.5	35.9	35.0	35.5	35.1	35.3	35.1	34.3	34.0	33.5	33.6	34.4
White	42.3	41.8	41.5	36.9	37.6	37.0	36.9	35.5	34.7	34.5	33.5	32.5	32.4	32.9	32.4	32.7	31.6	30.6	30.9	30.8	31.3
Black	46.7	48.7	45.7	42.2	43.6	41.9	42.9	42.9	44.9	43.6	43.7	42.5	43.5	43.8	43.4	44.6	44.3	43.7	42.6	43.0	43.2
Other race	43.3	42.5	50.4	46.4	43.4	43.7	47.9	46.9	47.5	49.0	45.9	48.9	46.5	47.5	47.0	42.2	40.4	41.6	41.5	44.4	43.2
†Hispanic																	40.8	40.3	41.7	40.8	43.4
†Non-Hispanic																	35.2	34.4	34.1	34.3	34.1
Diabetes	31.0	28.8	26.8	27.1	26.8	26.6	28.7	27.7	28.7	28.6	27.8	28.1	28.6	29.2	29.3	29.1	28.6	28.5	28.8	29.5	30.0
Hypertension	47.8	42.3	39.6	36.5	36.7	36.2	35.2	34.1	35.0	34.4	34.3	32.5	33.1	33.0	32.9	34.8	34.0	32.8	32.4	32.5	33.0
Glomerulonephritis	65.2	62.6	61.3	58.5	57.8	55.4	56.1	56.0	57.0	56.2	56.1	54.7	55.9	57.3	56.2	57.1	56.4	55.7	56.5	56.0	56.9
Other cause	39.1	43.4	46.2	38.2	42.8	43.0	43.9	44.0	42.5	44.6	44.6	45.0	44.4	45.8	44.9	44.5	43.2	42.9	42.6	42.0	41.7
All	43.6	43.7	42.9	38.7	39.5	38.6	38.9	38.0	38.1	37.7	36.9	36.1	36.3	36.8	36.3	36.8	35.8	35.0	35.0	35.1	35.3
ADJUSTED																					
0-19	80.3	77.2	79.2	79.9	78.4	77.2	79.5	81.9	78.8	80.7	80.4	80.4	82.8	80.8	84.1	84.7	82.5	83.1	83.6	84.8	82.6
20-44	60.6	61.5	62.4	61.5	63.7	62.9	65.3	63.4	65.7	66.4	66.7	65.6	66.3	67.2	67.5	68.1	68.3	69.6	69.2	69.7	69.1
45-64	35.2	35.6	35.5	35.0	34.8	35.2	37.6	38.1	38.8	39.5	39.5	40.9	41.9	43.6	44.2	44.9	44.9	46.2	46.1	47.1	48.2
65-74	19.5	20.4	20.7	17.1	19.2	19.5	18.9	20.2	20.6	21.1	21.3	20.8	22.2	22.6	23.1	23.4	23.9	23.7	24.7	25.5	26.5
75+	10.8	10.7	10.9	8.7	10.4	11.1	10.9	10.6	10.1	11.8	10.9	11.3	10.5	11.2	11.2	12.0	12.0	11.9	12.4	12.4	12.9
Male	29.7	29.4	30.0	28.1	29.2	29.4	30.7	30.7	31.4	32.8	32.6	32.9	33.2	34.9	34.8	35.9	35.9	36.1	36.9	37.7	37.9
Female	31.3	32.4	32.2	30.6	32.1	32.3	33.0	33.3	33.6	33.8	33.9	34.2	35.1	35.3	36.1	36.1	36.3	37.0	37.0	37.3	38.7
White	28.1	27.9	28.8	27.0	28.3	28.8	29.5	29.6	29.8	31.1	30.7	31.0	31.8	32.8	33.2	33.7	33.9	34.2	35.2	35.6	36.5
Black	35.9	36.7	34.5	33.2	34.3	33.5	35.4	35.6	37.1	36.5	37.3	37.1	37.8	38.6	38.7	40.1	40.1	40.5	39.7	40.1	40.8
Other race	28.6	31.1	32.6	33.0	31.0	34.1	37.5	37.2	39.4	41.7	40.1	43.9	42.6	44.0	44.4	41.6	40.8	43.7	42.9	46.6	46.2
Diabetes	22.6	20.9	20.1	20.8	21.2	21.7	23.6	23.7	24.8	25.4	25.3	26.3	27.2	28.2	28.8	28.9	29.1	29.7	30.3	31.4	32.2
Hypertension	40.1	36.9	36.3	34.9	35.3	36.3	36.1	36.3	37.0	37.4	37.8	37.0	37.4	38.1	38.3	39.6	39.8	39.8	39.9	40.1	40.9
Glomerulonephritis	44.1	43.5	43.0	41.7	42.2	40.6	42.3	42.4	43.8	44.4	44.0	44.4	45.1	46.7	47.0	47.4	47.9	48.0	48.9	49.6	50.3
Other cause	31.3	33.3	35.8	32.1	35.4	35.5	36.8	37.1	36.0	38.5	37.8	38.6	38.7	39.8	39.7	39.9	39.3	40.2	40.2	40.1	40.3
All	30.5	30.8	31.0	29.3	30.5	30.8	31.8	31.9	32.4	33.3	33.2	33.5	34.2	35.1	35.5	36.0	36.1	36.5	37.0	37.6	38.3

Table I.7

Ten-year survival probabilities: incident ESRD patients*from day 91 to ten years + 90 days, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	72.5	67.7	73.9	70.5	72.4	73.2	75.0	74.1	63.8	75.2	69.6	72.2	75.6	74.6	75.8	76.4
5-9	79.1	79.7	79.0	81.5	84.2	81.1	85.5	82.8	88.6	85.1	86.0	90.1	87.8	79.2	87.6	86.6
10-14	79.7	75.0	76.5	82.9	82.9	82.2	85.0	88.8	81.2	79.4	80.7	86.1	83.5	84.3	81.6	88.2
15-19	80.5	79.2	80.0	81.0	78.4	76.2	78.5	78.8	79.6	83.2	82.9	78.5	80.9	79.3	82.5	80.6
20-29	63.3	61.2	64.8	62.8	63.2	63.9	65.1	64.0	66.6	64.8	66.5	64.7	66.3	70.0	69.9	68.1
30-39	46.4	46.8	47.5	48.6	48.4	46.8	49.5	47.3	49.1	49.7	50.9	49.2	51.2	51.5	50.8	52.7
40-49	32.8	31.6	32.9	32.8	35.0	35.1	35.9	35.6	36.2	34.3	35.1	34.9	36.9	37.8	37.2	38.0
50-59	15.9	17.2	17.2	15.9	16.6	17.3	18.3	19.3	17.5	17.9	18.0	19.0	19.0	19.3	20.5	20.9
60-64	8.0	7.8	6.2	8.0	8.1	8.9	8.7	8.2	8.8	8.3	8.3	8.5	9.5	9.7	10.2	10.7
65-69	4.6	5.5	4.2	4.8	5.2	6.1	5.1	4.7	5.0	4.8	5.1	4.7	4.8	5.4	5.2	5.6
70-79	2.6	2.0	2.8	2.0	2.8	2.7	2.3	2.5	2.3	2.0	2.0	1.8	2.1	2.3	2.1	2.3
80+	1.4	1.0	1.3	0.2	1.2	0.8	0.6	0.6	0.4	0.6	0.3	0.6	0.5	0.5	0.5	0.6
Male	24.3	24.3	24.7	22.5	23.0	22.5	22.9	21.7	21.1	20.6	20.7	19.3	19.8	20.2	19.3	20.1
Female	24.6	24.5	23.6	20.8	21.9	21.2	20.7	19.6	19.5	18.2	17.3	17.0	17.1	16.8	16.7	16.7
White	25.0	24.4	24.5	22.0	22.6	21.9	21.7	20.5	19.3	18.4	18.3	17.2	17.2	17.4	16.6	17.1
Black	23.1	24.2	22.7	20.6	21.7	21.2	21.3	20.5	21.8	21.0	20.2	19.6	20.6	20.4	20.2	20.8
Other race	24.2	25.4	33.0	28.6	29.0	27.8	31.8	27.1	28.6	27.5	27.0	27.0	25.7	26.0	24.8	22.3
Diabetes	13.7	12.1	11.8	11.3	11.7	11.9	12.4	11.8	11.3	11.1	10.4	10.0	10.4	10.7	10.7	10.4
Hypertension	25.3	21.3	18.6	17.5	17.8	16.6	16.9	14.8	15.7	15.0	15.1	14.2	15.0	14.7	14.5	15.8
Glomerulonephritis	46.7	42.4	41.8	39.8	39.9	39.1	39.4	38.1	38.8	37.5	37.9	35.9	38.6	38.6	37.7	39.4
Other cause	20.4	24.0	27.3	22.8	26.3	26.8	27.2	27.6	26.5	27.3	28.4	29.0	28.0	29.1	28.1	27.6
All	24.5	24.4	24.2	21.7	22.5	21.9	21.9	20.7	20.4	19.5	19.1	18.2	18.5	18.6	18.1	18.5
ADJUSTED																
0-19	68.2	65.1	66.1	68.8	68.2	65.8	69.7	70.6	67.5	71.9	71.0	70.7	72.0	69.5	72.5	73.1
20-44	42.9	42.6	44.8	44.9	46.3	46.1	47.7	46.3	47.8	48.0	48.9	47.8	49.4	50.4	50.3	50.5
45-64	12.7	13.2	13.5	13.5	14.4	15.1	16.3	16.6	16.3	16.6	16.6	17.5	18.7	19.4	20.4	21.1
65-74	3.7	3.9	3.5	3.5	4.2	4.7	4.0	3.9	3.9	3.9	4.2	3.7	4.1	4.5	4.4	4.7
75+	1.8	1.5	1.8	0.8	1.7	1.4	1.3	1.5	1.3	1.0	0.8	1.0	1.0	1.1	1.0	1.2
Male	13.8	13.6	14.3	13.9	14.6	15.3	15.7	15.5	15.2	15.6	16.0	15.7	16.4	17.1	17.1	17.60
Female	15.0	15.3	15.3	14.7	16.0	16.0	16.0	16.0	16.1	15.8	15.7	16.1	16.5	16.8	17.1	17.3
White	13.8	13.5	14.2	13.9	14.9	15.2	15.3	15.4	15.1	15.3	15.5	15.5	16.2	16.8	16.9	17.4
Black	14.7	15.1	14.3	13.9	14.6	14.9	15.3	15.0	15.6	15.2	15.2	15.3	15.9	16.2	16.4	16.8
Other race	12.6	15.4	17.2	16.2	17.8	18.5	20.9	17.9	20.4	20.0	20.7	21.4	21.4	21.5	21.2	21.3
Diabetes	9.0	8.2	8.4	8.3	8.9	9.6	9.8	9.9	9.7	9.7	9.7	9.7	10.3	10.9	11.3	11.2
Hypertension	19.2	17.6	16.7	16.8	17.0	17.1	17.5	17.0	17.2	17.3	17.5	17.2	18.0	18.3	18.5	19.3
Glomerulonephritis	24.2	22.6	22.8	22.6	23.9	24.0	24.9	24.0	24.9	24.5	24.5	24.7	26.4	26.5	26.6	27.9
Other cause	14.5	15.8	17.9	16.8	19.0	19.5	19.7	20.3	19.8	20.5	21.1	21.8	21.5	22.4	22.0	22.2
All	14.3	14.4	14.8	14.3	15.3	15.6	15.9	15.7	15.7	15.7	15.9	15.9	16.5	17.0	17.1	17.5

Table I.8
Incident patient counts: dialysis patients, unknowns dropped

dialysis patients alive on day 91, by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	21	40	53	72	76	97	90	83	90	94	78	109	99	94	78	89	96	86	81	73	94	86	103	95	112
5-9	56	44	65	60	68	49	74	66	56	67	80	58	50	56	85	62	65	55	57	67	61	63	77	55	62
10-14	118	121	155	137	145	132	118	116	122	96	127	135	141	143	150	142	157	134	125	126	139	121	172	151	157
15-19	305	339	312	327	306	308	297	310	332	367	329	307	362	342	297	339	325	285	308	318	290	307	285	310	312
20-29	1,130	1,298	1,460	1,421	1,570	1,592	1,647	1,617	1,710	1,840	1,874	1,926	2,001	1,956	1,923	1,841	1,845	1,713	1,740	1,642	1,687	1,696	1,591	1566	1584
30-39	1,758	1,977	2,239	2,308	2,503	2,649	2,838	2,923	3,219	3,545	3,692	3,833	4,126	4,089	4,215	3,986	4,013	3,852	3,759	3,953	3,779	3,814	3,829	3765	3786
40-49	2,012	2,301	2,430	2,725	2,844	3,111	3,311	3,681	4,025	4,627	4,953	5,574	5,981	6,276	6,485	6,719	7,045	6,864	7,356	7,375	7,573	7,548	7,749	8014	8092
50-59	3,105	3,709	4,038	4,153	4,403	4,715	4,906	5,254	5,928	6,458	6,903	7,470	8,209	8,573	9,482	9,338	9,664	10,490	11,136	11,864	12,288	12,849	13,273	13675	14052
60-64	1,731	2,007	2,305	2,704	2,973	3,310	3,427	3,869	4,224	4,608	5,025	5,576	5,780	6,017	6,252	6,344	6,572	6,827	7,220	7,306	7,601	7,909	7,903	8364	8568
65-69	1,720	1,801	2,104	2,773	2,898	3,293	3,789	4,290	4,840	5,664	6,295	7,001	7,586	7,865	8,428	7,982	8,719	9,235	9,543	9,631	9,745	10,117	10,035	10254	10302
70-79	1,895	2,036	2,633	3,769	3,913	4,594	5,288	6,085	6,714	8,109	9,122	10,745	12,032	12,661	14,073	13,721	15,436	17,078	18,220	19,080	19,640	20,303	20,419	20412	20356
80+	313	333	487	762	799	1,029	1,251	1,429	1,777	2,241	2,600	3,033	3,595	3,918	4,417	4,501	5,405	6,235	6,970	7,712	8,430	8,981	10,067	10428	10810
Male	7,859	8,802	9,968	11,606	12,403	13,420	14,677	16,021	17,679	20,347	22,035	24,404	26,369	27,741	29,558	29,075	31,703	33,509	35,360	37,146	38,244	39,717	41,193	41880	43351
Female	6,305	7,204	8,313	9,605	10,095	11,459	12,359	13,702	15,358	17,369	19,043	21,363	23,593	24,249	26,327	25,989	27,639	29,345	31,155	32,001	33,083	34,077	34,310	35209	34842
White	9,810	10,996	12,582	14,277	15,161	16,774	18,276	19,849	21,906	24,998	27,236	30,182	32,803	33,858	36,366	35,076	38,009	40,577	42,765	44,870	46,719	48,273	49,051	49954	51140
Black	4,029	4,618	5,289	6,396	6,722	7,385	7,913	8,930	9,972	11,533	12,388	13,970	15,287	16,035	17,124	17,149	18,109	19,024	20,245	20,490	20,686	21,506	22,204	22718	22438
Other race	325	392	410	538	615	720	847	944	1,159	1,185	1,454	1,615	1,872	2,097	2,395	2,839	3,224	3,253	3,505	3,787	3,922	4,015	4,248	4417	4615
†Hispanic																	6,723	6,843	7,268	7,951	9,291	8,573	9,051	9581	9734
†Non-Hispanic																	52,619	56,011	59,247	61,196	62,036	65,221	66,452	67508	68459
Diabetes	2,331	3,520	4,603	5,388	6,546	7,577	8,759	9,946	11,269	13,653	15,622	17,999	19,955	21,141	23,379	24,541	27,329	29,557	31,555	32,976	34,622	36,074	36,271	37155	37739
Hypertension	2,811	4,013	5,124	5,606	6,273	7,176	7,822	8,981	10,248	11,987	13,133	14,629	16,315	16,856	18,035	15,572	16,575	17,784	18,875	19,671	20,185	21,091	21,899	22794	22738
Glomerulonephritis	2,445	3,210	3,719	3,910	4,204	4,380	4,575	4,927	5,270	5,519	5,840	6,106	6,238	6,381	6,789	6,633	6,923	6,794	6,777	6,746	6,527	6,468	6,588	6330	6328
Cystic kidney	703	857	991	1,011	1,029	1,091	1,153	1,196	1,207	1,213	1,304	1,370	1,432	1,492	1,539	1,520	1,426	1,485	1,547	1,605	1,561	1,590	1,593	1575	1584
Other urologic	384	570	741	826	816	1,000	1,004	1,113	1,113	1,138	1,027	1,189	1,271	1,049	1,105	1,508	1,724	1,752	1,798	2,102	1,996	2,083	2,128	2054	2060
Other cause	1,542	1,895	2,404	2,651	2,807	3,018	3,091	3,057	3,288	3,780	3,871	4,227	4,574	4,784	4,950	5,201	5,297	5,425	5,898	5,957	6,349	6,426	6,883	6956	7324
Missing cause	3,948	1,941	699	1,819	823	637	632	503	642	426	281	247	177	287	88	89	68	57	65	90	87	62	141	225	420
All	14,164	16,006	18,281	21,211	22,498	24,879	27,036	29,723	33,037	37,716	41,078	45,767	49,962	51,990	55,885	55,064	59,342	62,854	66,515	69,147	71,327	73,794	75,503	77089	78193

Table I.9
90-day survival probabilities: incident dialysis patients

censored at transplant, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	100.0	100.0	100.0	100.0	100.0	100.0	98.1	100.0	98.0	96.2	90.4	97.5	99.0	100.0	96.7	96.0	100.0	97.9	98.8	98.7	99.0	98.9	100.0	99.0	99.2
5-9	100.0	98.3	100.0	98.5	100.0	100.0	100.0	100.0	96.9	100.0	93.6	98.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.6	100.0	98.8	100.0	100.0
10-14	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	94.7	97.4	100.0	100.0	99.4	100.0	100.0	98.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0
15-19	99.7	100.0	100.0	100.0	100.0	99.7	99.7	100.0	98.9	99.7	98.7	99.7	100.0	100.0	99.7	100.0	100.0	100.0	100.0	100.0	100.0	99.1	100.0	99.1	99.7
20-29	99.2	99.4	99.7	99.3	99.1	99.7	99.4	99.5	99.8	99.5	99.1	99.2	99.3	99.4	99.3	99.3	99.4	99.5	99.7	99.5	99.6	99.6	99.6	99.7	99.6
30-39	98.5	99.0	99.1	99.2	99.1	99.1	98.6	99.0	99.2	99.0	98.9	99.1	99.0	99.0	98.9	99.0	98.8	99.0	98.9	99.0	99.1	99.0	99.1	99.0	99.2
40-49	98.7	98.3	98.8	98.2	98.8	98.7	98.9	98.6	99.0	98.6	98.7	99.1	99.0	98.8	98.8	98.6	98.6	98.4	98.3	98.4	98.8	98.7	98.5	98.6	98.3
50-59	97.6	97.5	97.6	96.9	97.8	97.4	97.7	98.0	97.8	97.9	97.8	98.2	98.3	98.0	97.6	98.0	97.8	98.0	97.5	97.4	97.5	97.4	97.6	97.3	97.5
60-64	95.2	95.8	95.6	95.7	96.0	95.4	95.5	96.5	96.2	96.5	96.3	96.6	96.8	96.8	96.5	96.4	96.2	96.2	96.0	96.2	95.9	96.1	96.1	96.1	96.1
65-69	90.7	91.1	89.9	91.5	89.8	90.1	91.6	91.2	92.3	91.9	92.3	92.2	92.5	92.9	92.6	91.8	91.7	91.2	91.6	91.7	91.3	91.7	91.9	91.7	91.8
70-79	87.1	88.2	87.6	88.4	87.7	87.2	87.9	89.3	88.3	88.5	89.1	89.5	89.6	89.1	89.6	88.0	87.5	87.4	87.6	87.4	87.7	87.4	87.5	87.4	87.7
80+	83.8	84.4	84.8	83.0	83.4	82.6	84.5	83.6	85.8	83.9	83.8	85.0	85.3	84.7	84.0	82.1	83.0	81.2	81.0	80.7	81.0	81.2	81.5	81.2	81.1
Male	94.8	95.1	94.6	94.1	94.3	93.6	93.8	94.1	94.0	93.8	93.6	94.0	93.8	93.8	93.6	92.9	92.4	91.9	91.8	91.8	91.8	91.6	91.8	91.5	91.6
Female	95.1	95.8	95.4	94.7	94.4	94.2	94.5	94.7	94.7	94.2	94.2	94.3	94.6	94.0	93.8	93.1	92.7	92.0	92.0	91.5	91.5	91.6	91.4	91.4	91.5
White	94.4	94.8	94.1	93.3	93.4	92.8	93.0	93.2	93.2	92.7	92.7	93.0	93.0	92.7	92.5	91.6	91.1	90.4	90.4	90.2	90.3	90.3	90.2	90.0	90.2
Black	96.5	96.6	97.1	96.8	96.3	96.3	96.4	96.8	96.7	96.6	96.4	96.4	96.5	96.3	96.1	95.7	95.4	95.1	94.8	94.6	94.4	94.2	94.3	94.2	94.3
Other race	94.4	96.9	96.2	95.8	96.8	95.8	97.4	97.9	96.4	96.8	97.1	96.9	96.8	96.1	96.0	95.1	95.4	94.8	94.7	94.2	95.2	94.4	95.1	95.3	94.7
†Hispanic																	94.8	94.3	94.5	94.6	94.1	93.8	94.5	93.8	94.6
†Non-Hispanic																	92.3	91.7	91.6	91.3	91.3	91.3	91.2	91.1	91.2
Diabetes	96.7	95.7	95.5	94.9	95.3	95.0	95.3	95.2	95.3	95.1	95.0	95.3	95.4	94.9	95.0	94.1	93.6	93.4	93.1	92.9	92.8	92.9	92.9	93.0	93.1
Hypertension	96.0	95.0	93.6	93.4	93.1	92.8	92.9	92.7	92.9	92.4	92.0	92.2	92.3	92.2	91.9	91.1	91.2	90.1	90.3	89.8	90.2	89.7	90.0	89.9	90.1
Glomerulonephritis	98.4	98.0	97.5	97.2	96.9	96.8	96.6	96.2	97.0	96.1	96.1	96.7	96.6	96.4	95.9	96.3	95.6	95.2	94.8	95.1	95.5	95.3	95.7	95.7	95.8
Other cause	93.1	94.3	94.3	93.3	93.0	92.0	92.6	94.1	93.2	93.0	93.3	93.4	93.3	93.1	92.5	91.3	90.2	89.4	89.8	89.6	89.3	89.3	88.9	88.3	88.2
All	95.0	95.4	95.0	94.4	94.3	93.9	94.1	94.4	94.3	94.0	93.9	94.1	94.2	93.9	93.7	93.0	92.6	92.0	91.9	91.7	91.7	91.6	91.5	91.6	
ADJUSTED																									
0-19	99.6	99.6	100.0	99.6	100.0	99.6	98.7	100.0	96.8	98.0	90.0	96.2	99.6	100.0	97.9	98.1	100.0	98.1	99.5	99.5	99.1	98.0	99.5	98.2	99.1
20-44	98.9	99.1	99.2	99.1	99.2	99.2	99.0	99.0	99.3	99.0	99.0	99.1	99.1	99.1	98.9	99.0	98.9	98.9	98.9	99.0	99.1	99.1	99.1	99.0	99.1
45-64	97.4	97.3	97.2	96.7	97.3	96.9	97.1	97.6	97.4	97.5	97.4	97.8	97.7	97.5	97.6	97.4	97.5	97.1	97.2	97.2	97.2	97.2	97.3	97.2	97.2
65-74	91.1	91.1	89.8	91.4	89.8	89.7	90.9	91.3	91.4	91.4	91.4	91.5	91.8	91.8	92.0	90.6	90.3	90.1	90.5	90.3	90.3	90.3	90.4	90.5	90.6
75+	87.6	87.9	87.8	87.0	87.1	86.3	87.0	87.3	87.4	86.4	87.0	87.8	87.7	86.9	86.7	85.4	85.3	84.4	84.3	84.2	84.5	84.4	84.5	84.1	84.4
Male	93.4	93.3	92.8	93.1	93.1	92.5	93.0	93.4	93.4	93.3	93.8	93.7	93.7	93.6	92.9	92.8	92.6	92.6	92.7	92.8	92.7	92.9	92.6	92.8	92.8
Female	93.8	94.0	93.7	93.8	93.3	93.3	93.8	94.2	94.3	93.9	94.0	94.3	94.6	94.2	94.0	93.4	93.3	92.9	93.0	92.7	92.8	92.9	92.8	92.9	92.9
White	93.0	93.1	92.3	92.5	92.4	92.0	92.6	93.0	93.1	92.8	92.9	93.3	93.5	93.3	93.2	92.5	92.3	92.0	92.1	92.1	92.2	92.3	92.3	92.2	92.4
Black	95.2	94.6	95.4	95.8	94.7	94.9	95.2	95.6	95.6	95.5	95.2	95.4	95.6	95.3	95.1	94.7	94.4	94.3	94.0	93.9	93.7	93.5	93.6	93.6	93.6
Other race	92.8	95.6	93.9	94.5	95.4	94.0	96.4	97.0	95.2	95.7	96.3	96.2	96.1	95.4	95.4	94.7	95.1	94.7	94.5	94.3	95.2	94.3	95.2	95.4	94.8
Diabetes	93.9	92.4	92.5	92.0	92.7	92.6	93.3	93.5	93.8	93.8	93.9	94.4	94.7	94.2	94.4	93.5	93.3	93.3	93.1	93.1	93.0	93.3	93.3	93.3	93.5
Hypertension	94.6	93.9	92.8	93.1	92.9	93.0	93.5	93.5	93.7	93.5	93.3	93.6	93.7	93.8	93.6	92.9	93.3	92.7	92.9	92.6	93.0	92.6	92.9	92.8	93.0
Glomerulonephritis	96.5	95.9	95.2	95.2	94.9	95.2	95.0	94.6	95.7	94.9	95.0	95.8	95.6	95.4	95.1	95.6	95.0	94.6	94.3	94.8	95.2	94.7	95.3	95.1	95.1
Other cause	91.2	91.9	92.2	92.6	92.0	90.9	91.7	93.4	92.5	92.4	92.7	92.9	92.9	92.5	92.1	91.1	90.4	90.1	90.5	90.5	90.3	90.4	90.0	89.5	89.4
All	93.6	93.6	93.2	93.4	93.2	92.9	93.4	93.8	93.8	93.6	93.6	94.0	94.2	93.9	93.8	93.2	93.0	92.8	92.8	92.7	92.8	92.8	92.9	92.7	92.9

Table I.10

One-year survival probabilities: incident dialysis patients

censored at transplant, from day 91 to one year + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	95.2	91.9	87.9	88.2	83.8	84.8	89.2	93.6	79.0	81.6	77.5	77.4	85.3	81.2	88.3	84.0	91.1	85.1	87.4	90.2	88.7	91.0	90.0	89.6	85.4
5-9	91.7	92.7	95.5	98.0	88.5	88.3	100.0	100.0	100.0	98.3	94.6	94.8	92.0	96.1	100.0	98.4	93.7	95.8	100.0	98.5	100.0	95.1	91.4	96.2	98.2
10-14	97.1	98.3	97.4	98.1	96.6	97.3	98.8	98.8	95.5	96.3	95.5	97.3	94.0	93.2	98.4	98.1	97.4	96.0	98.1	95.9	95.8	97.6	97.0	100.0	98.1
15-19	96.0	94.6	94.6	94.7	96.4	93.6	94.3	95.2	97.7	98.2	96.5	95.7	96.8	95.8	95.5	98.0	96.2	97.9	94.6	97.9	96.3	97.0	97.0	97.3	98.3
20-29	90.5	92.1	92.3	92.3	92.0	90.5	93.0	90.3	91.6	91.5	91.8	91.6	92.9	92.1	92.9	92.3	94.2	95.8	95.2	95.3	93.1	94.6	93.5	93.5	93.6
30-39	88.9	88.7	88.0	89.2	87.1	87.7	88.0	87.6	88.3	88.2	89.4	88.3	89.5	88.8	89.3	89.3	90.0	91.4	90.9	91.2	91.3	91.6	91.9	91.9	92.3
40-49	87.5	87.2	86.0	87.1	87.0	86.6	86.6	86.9	87.7	87.8	88.7	87.0	87.7	88.8	88.8	89.3	89.5	89.8	89.0	89.5	89.9	89.3	89.7	89.3	89.9
50-59	83.2	83.2	83.6	81.3	81.7	81.7	82.0	82.7	83.2	82.7	83.9	83.6	85.0	84.8	85.8	86.2	85.1	85.5	85.3	85.9	85.4	86.1	86.0	85.8	86.3
60-64	78.1	77.2	77.5	77.1	75.4	75.9	76.6	75.7	76.2	77.3	78.1	78.7	79.1	80.9	80.7	80.2	81.3	81.7	79.9	81.2	81.0	81.8	81.0	82.2	82.4
65-69	72.9	73.5	73.8	71.8	72.9	71.0	73.1	72.9	73.1	73.8	75.4	75.0	75.4	77.0	76.0	76.7	77.1	76.5	76.0	76.0	76.5	76.9	76.6	77.5	77.2
70-79	67.1	67.8	68.5	65.1	66.6	66.9	66.1	65.2	65.9	67.3	68.4	68.1	68.4	69.8	70.0	70.4	70.2	69.4	69.5	69.2	69.4	69.8	69.9	69.8	70.3
80+	57.9	53.3	62.2	55.5	56.4	58.1	58.5	55.2	55.2	57.9	59.3	59.1	58.2	60.8	60.9	60.7	59.2	59.1	57.7	58.4	58.0	58.4	59.2	59.4	60.4
Male	79.9	80.4	79.9	77.3	77.2	76.7	76.4	76.3	76.0	77.0	77.9	77.3	77.5	78.9	78.6	78.6	78.4	77.9	77.3	77.6	77.4	77.6	77.5	77.6	77.8
Female	80.8	80.4	80.6	78.1	78.5	77.7	78.3	76.7	77.9	77.5	78.2	77.4	77.9	78.2	78.4	78.9	78.0	77.4	76.5	76.5	76.2	76.6	76.4	76.7	77.4
White	78.6	78.5	78.3	75.3	75.1	74.7	74.6	73.5	73.7	74.4	75.0	74.1	74.3	75.6	75.6	75.9	75.2	74.5	74.0	74.3	74.2	74.2	74.1	74.6	75.0
Black	84.6	84.8	84.4	82.5	83.3	82.3	82.6	82.7	82.9	82.5	83.9	83.0	83.8	83.8	83.5	83.4	83.9	83.4	82.2	82.3	81.8	82.6	82.1	81.7	82.4
Other race	80.0	80.8	83.4	80.6	80.5	81.0	84.1	80.1	83.7	84.0	85.3	86.8	85.6	86.2	85.4	84.5	82.1	83.1	81.8	82.0	82.4	83.9	82.9	84.0	84.3
†Hispanic																									
†Non-Hispanic																									
Diabetes	74.2	73.4	72.7	72.6	73.0	72.4	73.9	73.7	75.2	75.8	76.2	76.4	76.7	78.4	78.2	78.2	77.7	77.4	76.5	77.1	77.2	77.6	77.5	78.0	78.6
Hypertension	83.5	81.6	80.0	78.1	77.2	78.0	77.0	75.6	75.6	76.2	77.3	76.1	76.4	76.8	77.0	78.0	77.4	76.2	75.7	75.6	75.5	75.6	75.8	75.6	75.7
Glomerulonephritis	90.1	88.3	87.7	87.0	86.6	86.5	85.1	84.6	85.3	84.9	85.7	84.2	86.0	87.1	85.6	86.2	86.7	86.1	86.5	85.6	86.3	86.2	86.5	86.6	87.5
Other cause	78.1	79.7	81.8	76.3	77.6	75.9	77.2	76.3	75.7	76.2	77.7	76.6	76.8	76.8	77.1	76.3	75.7	75.9	75.0	74.6	73.4	74.0	73.0	73.4	73.8
All	80.3	80.4	80.2	77.6	77.8	77.2	77.3	76.5	76.9	77.2	78.1	77.3	77.7	78.6	78.5	78.7	78.2	77.7	76.9	77.1	76.8	77.2	77.0	77.2	77.6
ADJUSTED																									
0-19	92.2	90.8	90.2	90.4	88.4	86.4	90.6	92.7	89.5	91.6	88.2	86.7	89.0	87.4	92.1	92.4	91.9	91.3	90.4	93.8	91.3	92.8	91.5	93.8	92.7
20-44	87.3	88.2	88.1	88.4	87.5	87.4	88.0	87.4	88.3	87.9	89.2	88.0	88.8	88.4	89.3	89.3	90.3	91.0	90.6	90.9	90.8	91.0	91.1	91.0	91.5
45-64	80.5	80.2	80.6	79.6	79.3	79.6	80.3	80.3	80.8	81.7	82.6	82.5	83.5	84.5	84.9	85.0	84.9	85.5	84.6	85.5	85.3	85.7	85.5	85.7	86.1
65-74	70.2	70.7	72.2	69.0	70.3	69.1	70.2	70.3	70.8	71.6	73.2	72.9	73.4	75.2	74.4	75.2	75.4	74.8	74.7	74.7	74.9	75.3	75.0	75.6	75.9
75+	61.2	61.8	62.1	58.7	61.0	62.2	61.9	59.2	59.7	62.3	63.2	63.2	62.7	64.0	64.9	64.6	63.9	63.6	62.9	63.1	63.2	63.7	64.0	64.1	64.7
Male	74.3	74.8	74.8	72.8	72.9	73.1	73.3	73.3	73.2	74.8	76.1	75.8	76.3	78.0	77.9	78.0	78.3	78.4	78.0	78.5	78.5	78.8	78.8	79.0	79.3
Female	75.4	75.1	76.2	74.5	75.2	74.8	76.1	74.9	76.2	76.5	77.6	77.1	77.8	78.3	78.8	79.3	78.9	78.7	78.1	78.2	78.3	78.7	78.6	78.9	79.5
White	72.3	72.4	73.2	71.0	71.3	71.4	72.0	71.4	72.0	73.4	74.3	74.0	74.5	76.1	76.4	76.8	76.6	76.5	76.3	76.8	76.8	77.0	77.1	77.5	77.9
Black	80.3	79.8	79.7	78.6	79.2	78.3	79.2	79.3	79.5	79.3	81.1	80.4	81.4	81.5	81.4	81.4	82.2	82.0	80.8	80.9	80.7	81.6	81.0	80.7	81.2
Other race	73.3	75.7	77.3	75.9	75.5	77.4	81.3	76.8	81.2	81.9	83.9	85.6	84.5	85.3	84.8	84.4	82.4	83.9	82.4	83.0	83.5	84.6	83.9	85.0	85.1
Diabetes	69.1	68.2	68.0	68.2	69.0	68.6	70.6	70.6	72.5	73.5	74.2	74.7	75.2	77.1	77.2	77.2	77.0	77.1	76.3	77.2	77.4	78.0	77.9	78.4	79.0
Hypertension	80.4	79.2	78.3	77.0	76.4	78.0	77.6	76.5	76.6	77.6	78.9	78.2	78.4	79.1	79.4	80.4	80.1	79.5	79.3	79.3	79.4	79.5	79.9	79.7	79.8
Glomerulonephritis	85.2	83.5	83.1	82.6	82.5	83.1	81.7	81.2	82.0	82.1	83.1	81.8	83.7	84.9	83.8	84.2	85.1	84.7	85.1	84.7	85.1	84.8	85.3	85.2	86.0
Other cause	75.0	75.8	78.5	74.7	75.5	73.7	75.4	74.7	74.0	74.7	76.1	75.2	75.5	75.3	75.9	75.5	75.1	75.9	75.2	75.0	73.9	74.5	73.6	74.0	74.5
All	74.8	75.0	75.4	73.6	74.0	73.9	74.6	74.1	74.7	75.6	76.8	76.4	77.0	78.1	78.3	78.6	78.6	78.6	78.0	78.4	78.4	78.8	78.7	79.0	79.4

Table I.11

Two-year survival probabilities: incident dialysis patients

censored at transplant, from day 91 to two years + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0-4	80.6	88.9	83.9	78.8	81.4	77.9	78.5	80.7	70.1	73.7	71.8	74.1	79.3	77.2	78.2	77.9	84.2	77.6	83.4	88.1	76.5	89.2	83.3	82.4
5-9	87.1	92.7	90.2	87.6	83.0	88.3	81.7	100.0	100.0	94.2	89.0	94.8	92.0	92.9	96.8	98.4	90.7	95.8	93.5	95.2	100.0	92.6	89.0	93.2
10-14	95.5	93.8	93.0	95.9	90.1	95.5	94.8	98.8	88.5	96.3	89.2	95.9	91.0	89.9	95.4	95.2	93.6	93.3	96.6	95.9	94.3	91.1	94.0	94.5
15-19	94.0	89.5	92.0	89.2	92.6	90.9	88.9	93.0	94.1	95.7	94.1	91.6	94.3	91.7	93.6	95.6	90.0	92.1	90.7	92.4	91.3	93.3	95.1	94.9
20-29	82.1	83.5	84.4	82.2	83.3	79.9	83.9	80.7	84.6	84.5	83.6	83.8	85.8	86.3	87.5	85.6	88.3	89.6	90.6	89.7	87.6	88.6	86.9	88.5
30-39	78.3	79.1	76.9	79.4	75.3	74.7	75.6	76.3	78.5	77.8	79.0	77.3	78.9	79.6	79.3	80.8	81.5	83.2	82.2	83.7	83.5	84.0	85.2	84.3
40-49	76.0	75.1	74.8	74.3	74.3	74.9	74.0	73.8	75.6	75.5	78.0	74.3	76.8	77.2	77.8	78.9	78.6	79.4	79.4	79.4	79.7	79.8	80.2	80.0
50-59	70.0	69.7	69.7	67.4	66.2	66.0	66.4	66.5	67.4	68.8	69.0	69.0	70.4	71.3	72.5	72.3	72.1	72.4	71.5	72.9	72.8	73.3	74.0	73.9
60-64	63.3	60.7	60.6	60.9	58.2	58.2	59.5	58.5	59.3	60.2	60.6	61.7	62.0	64.6	65.0	64.1	65.5	65.6	64.0	66.0	66.4	67.0	66.5	68.4
65-69	55.1	55.7	55.6	52.0	55.0	52.8	53.7	55.0	55.6	55.7	56.2	56.4	57.7	59.6	58.5	59.1	59.6	58.5	58.9	59.2	60.1	61.8	60.6	62.2
70-79	46.9	48.5	49.3	44.1	46.5	47.0	46.3	45.4	46.4	47.6	47.8	48.1	49.0	49.9	50.2	50.6	50.7	49.4	50.4	50.6	50.4	51.7	51.6	52.2
80+	30.6	33.7	37.8	30.8	36.3	35.7	34.8	32.5	32.9	37.8	36.7	35.8	36.6	37.4	38.5	38.3	37.3	36.7	37.0	37.2	37.3	37.7	38.4	39.5
Male	64.4	65.2	64.1	60.3	60.5	58.6	59.1	58.6	59.5	60.5	60.7	60.1	61.0	62.6	62.3	62.7	62.3	61.3	61.4	62.0	62.1	62.3	62.1	62.7
Female	67.1	66.1	65.7	61.9	62.3	62.1	61.3	60.5	61.5	61.5	60.5	61.7	61.8	62.2	62.3	61.9	60.9	60.4	60.5	60.1	61.5	61.1	62.0	62.0
	62.9	62.9	61.9	57.5	57.5	56.5	55.9	55.2	55.4	56.4	56.1	55.4	56.3	57.2	57.4	57.7	57.0	55.9	56.4	57.0	56.9	57.3	57.2	58.1
White																								
Black	71.8	72.0	71.2	68.1	69.3	68.0	68.4	67.8	70.0	69.5	70.3	68.9	70.4	71.1	70.8	70.8	71.6	70.6	69.3	69.1	69.2	70.3	69.8	69.8
Other race	66.7	65.1	69.1	65.2	65.3	62.9	66.8	65.4	69.0	70.0	71.1	74.5	72.6	73.2	72.0	70.5	67.7	69.0	68.0	69.6	69.1	72.0	70.1	72.3
†Hispanic																	67.6	66.9	67.9	68.3	69.3	69.3	68.8	70.0
†Non-Hispanic																	61.4	60.4	60.1	60.4	60.0	60.9	60.7	61.3
Diabetes	55.4	53.8	52.2	53.8	51.5	51.5	52.5	53.3	55.3	56.6	56.4	57.1	58.0	59.8	59.7	60.0	59.6	59.0	58.8	60.0	60.2	61.1	60.9	62.3
Hypertension	70.1	67.4	65.5	61.9	62.7	61.6	60.5	59.1	60.1	60.6	60.3	59.5	60.5	60.5	61.3	62.3	61.7	59.9	60.0	59.7	59.8	60.2	60.4	60.3
Glomerulonephritis	79.6	77.4	76.3	74.7	75.0	72.4	71.6	71.5	73.1	71.8	73.4	71.0	73.4	74.8	73.7	74.4	74.8	73.9	75.1	74.2	75.0	75.7	75.8	76.5
Other cause	63.0	65.6	67.7	59.1	61.7	61.3	62.3	61.1	60.7	62.2	63.5	61.8	62.7	63.0	62.9	61.9	61.5	61.2	60.7	60.8	59.2	60.4	59.5	60.1
All	65.6	65.6	64.9	61.0	61.4	60.2	60.1	59.5	60.5	61.0	61.1	60.3	61.3	62.2	62.3	62.5	62.1	61.1	60.9	61.3	61.2	61.9	61.7	62.4
ADJUSTED																								
0-19	87.2	83.0	84.4	80.5	80.7	81.5	78.5	87.5	81.7	86.7	81.5	81.6	84.2	81.0	86.1	87.2	82.5	82.5	84.1	87.0	83.0	85.8	86.5	87.7
20-44	75.1	77.3	76.6	76.8	75.1	74.2	75.7	75.3	77.8	77.3	78.7	76.5	78.3	78.4	79.5	79.9	81.0	82.6	82.0	82.7	82.5	82.6	82.9	82.9
45-64	66.3	64.9	65.3	64.2	62.9	63.1	64.0	63.6	64.8	66.6	67.2	67.3	68.6	70.4	71.2	71.1	71.5	71.9	71.2	72.5	72.8	73.2	73.5	73.9
65-74	51.0	52.3	53.5	48.4	51.6	50.3	50.7	51.6	52.7	53.2	53.7	54.1	55.4	56.6	56.2	57.3	57.2	56.3	57.1	57.6	57.8	59.5	58.7	60.0
75+	38.8	41.5	40.4	36.2	40.1	40.8	40.0	37.9	38.5	41.9	41.4	41.4	41.9	42.9	43.6	43.1	43.2	42.3	43.0	43.2	43.4	44.1	44.2	45.1
Male	56.6	57.6	57.3	54.6	55.2	54.3	55.5	55.0	56.2	58.0	58.5	58.6	59.6	61.7	61.8	62.1	62.4	62.3	62.7	63.7	64.0	64.3	64.4	65.0
Female	59.6	59.0	59.8	57.3	58.2	58.6	58.6	58.5	59.7	60.6	61.0	60.7	62.1	62.4	63.2	63.4	63.6	63.2	63.1	63.4	63.4	64.8	64.6	65.4
White	54.5	55.0	55.2	52.4	53.1	53.0	53.2	53.3	53.9	55.9	56.0	56.0	57.3	58.6	59.2	59.7	59.7	59.5	60.2	61.1	61.2	61.8	62.0	62.9
Black	65.3	64.4	64.3	62.4	63.2	62.3	63.6	62.8	65.1	64.9	66.0	65.2	66.7	67.7	67.7	67.8	69.0	68.4	67.3	67.1	67.6	68.8	68.3	68.3
Other race	57.7	58.2	60.2	58.4	58.6	58.3	62.7	61.1	65.4	67.2	69.1	72.8	71.1	72.3	71.3	70.6	68.5	70.5	69.2	71.3	71.1	73.3	71.9	74.2
Diabetes	49.0	47.5	46.5	48.4	46.9	47.2	48.6	49.7	52.0	53.9	54.0	55.0	56.2	58.3	58.5	58.7	58.8	58.9	58.8	60.3	60.9	61.8	61.7	63.1
Hypertension	65.6	64.1	63.4	60.6	62.0	62.1	61.9	60.9	62.0	63.1	63.2	62.9	63.8	64.4	65.3	66.0	66.1	65.1	65.5	65.3	65.7	66.1	66.6	66.4
Glomerulonephritis	71.4	69.8	69.6	68.3	69.2	67.7	67.0	66.9	68.5	68.1	69.7	67.7	70.2	71.6	71.2	71.5	72.6	72.0	73.2	72.9	73.4	73.6	74.1	74.6
Other cause	58.9	60.6	63.2	57.4	59.4	58.9	60.4	59.4	58.8	60.7	61.7	60.3	61.4	61.4	61.7	61.2	61.1	61.5	61.3	61.7	60.3	61.4	60.6	61.1
All	58.0	58.2	58.4	55.9	56.6	56.3	56.9	56.7	57.8	59.2	59.7	59.6	60.8	62.0	62.4	62.7	63.0	62.7	62.9	63.6	63.7	64.6	64.5	65.2

Table I.12

Three-year survival probabilities: incident dialysis patients*censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	80.6	84.2	83.9	66.5	74.0	77.9	75.3	67.4	63.9	73.7	68.3	70.4	74.1	65.1	75.3	74.9	78.2	67.0	83.4	88.1	76.5	84.0	83.3
5-9	87.1	92.7	90.2	76.6	83.0	78.5	81.7	83.3	90.9	94.2	80.0	94.8	86.6	86.7	88.4	98.4	85.9	95.8	93.5	95.2	95.7	85.4	85.4
10-14	95.5	82.4	93.0	92.6	90.1	88.1	86.9	87.2	85.1	93.8	87.0	87.1	86.7	82.3	85.5	91.0	90.8	90.6	96.6	92.9	94.3	91.1	92.5
15-19	90.2	85.4	91.0	88.4	90.5	86.1	82.5	88.8	89.9	89.6	89.7	89.5	92.5	89.8	90.7	91.0	87.7	88.6	87.2	88.1	87.5	88.0	90.9
20-29	76.1	77.3	77.6	75.7	75.6	72.3	75.7	74.5	78.4	77.9	77.1	77.8	79.6	80.7	81.3	80.3	83.3	84.8	85.2	84.2	82.9	82.3	83.1
30-39	72.2	71.0	65.9	70.8	66.2	65.6	66.1	66.0	69.7	69.0	70.1	68.1	69.3	71.3	71.3	72.5	74.5	75.2	75.6	76.5	76.7	76.9	78.3
40-49	66.5	65.7	65.2	63.0	63.4	64.1	63.0	63.5	65.4	64.1	66.5	64.0	65.6	66.9	67.8	69.1	69.1	69.8	69.6	70.2	69.8	70.6	70.9
50-59	58.9	57.9	57.0	54.9	54.1	52.5	53.1	54.4	54.7	56.1	56.4	56.5	56.9	58.9	59.4	59.8	59.6	60.4	60.1	61.3	61.4	62.2	63.0
60-64	51.1	48.3	46.9	47.6	44.9	44.9	44.8	45.0	46.5	46.8	48.0	48.0	50.1	51.5	50.3	51.4	52.7	51.8	52.5	53.5	53.7	54.8	
65-69	40.5	42.6	41.9	38.0	41.1	39.4	39.8	41.0	42.2	41.3	41.4	42.0	43.0	44.8	44.3	45.2	44.8	44.8	45.1	45.5	46.8	47.8	47.6
70-79	33.5	33.6	34.7	29.6	32.2	32.4	31.6	31.6	32.6	33.6	33.0	33.9	33.9	35.5	35.2	35.8	35.2	35.8	35.8	36.4	36.7	37.9	38.1
80+	18.1	20.9	18.7	18.2	21.1	21.8	20.5	21.1	19.8	22.9	22.0	21.9	22.6	22.8	23.2	23.1	23.6	22.7	22.3	22.7	23.6	23.7	25.2
Male	52.8	52.8	51.0	47.0	47.3	44.6	44.9	45.6	46.5	47.4	47.1	47.0	46.9	49.0	48.8	49.5	49.2	48.2	48.6	49.1	49.4	49.5	49.9
Female	55.8	54.7	52.8	49.2	49.5	49.5	48.2	47.7	49.1	48.0	48.0	47.2	48.1	48.5	48.7	48.9	48.5	48.1	47.4	47.6	47.8	48.9	49.2
White	51.2	50.2	48.6	44.1	44.2	42.5	41.5	41.7	41.7	42.1	41.4	41.2	41.3	42.8	42.7	43.3	42.7	42.1	42.5	43.0	43.3	43.7	44.1
Black	61.1	61.9	58.8	55.9	56.8	55.9	56.3	56.3	59.3	57.9	58.6	57.5	58.5	59.5	59.3	59.4	60.3	59.5	58.0	58.2	58.7	59.4	59.4
Other race	56.3	50.0	55.5	54.1	51.9	49.4	52.4	52.0	56.5	56.8	59.1	61.9	60.2	60.4	60.7	57.7	55.2	55.9	55.9	58.1	57.9	59.9	59.8
†Hispanic																	55.0	54.6	55.7	55.9	58.1	57.7	57.8
†Non-Hispanic																	48.1	47.4	47.1	47.5	47.3	48.2	48.5
Diabetes	41.0	40.3	37.5	38.1	36.7	36.6	37.7	38.7	40.5	41.1	41.4	42.0	42.6	44.5	44.9	45.1	44.8	44.8	44.7	45.8	46.5	47.6	47.9
Hypertension	59.6	55.8	52.2	49.8	49.2	49.1	47.5	46.7	48.0	48.2	47.4	46.8	47.1	47.6	47.8	49.4	49.0	47.5	47.5	47.4	47.7	47.5	48.2
Glomerulonephritis	71.2	67.1	65.6	64.9	64.2	58.8	58.9	60.0	62.1	59.7	61.3	60.2	61.6	63.8	62.9	63.6	63.7	63.8	64.2	62.9	65.5	65.6	65.6
Other cause	51.5	53.7	55.3	46.0	50.1	49.3	49.1	49.4	49.5	51.0	50.9	50.5	50.5	52.1	51.3	50.8	50.6	50.1	49.7	50.1	48.4	49.4	49.3
All	54.2	53.7	51.8	48.1	48.3	46.9	46.5	46.6	47.7	47.7	47.5	47.1	47.5	48.8	48.7	49.2	48.9	48.2	48.1	48.4	48.7	49.3	49.6
ADJUSTED																							
0-19	82.8	74.3	83.3	75.8	77.6	73.7	69.9	76.0	74.6	79.8	74.5	76.2	79.5	73.9	78.1	80.4	77.9	76.0	80.2	81.6	78.5	78.6	81.3
20-44	67.3	68.4	66.3	67.5	65.6	63.9	65.9	65.4	68.5	68.1	69.1	67.2	68.6	69.4	70.5	71.2	73.2	74.3	74.3	74.8	74.4	74.8	75.7
45-64	54.4	52.6	52.1	50.9	49.9	49.7	50.0	50.9	52.1	53.4	54.2	54.7	55.1	57.6	58.6	58.7	59.0	60.1	59.8	60.8	61.5	61.9	62.8
65-74	37.0	38.4	38.7	34.0	37.8	36.6	36.2	37.5	39.1	38.9	38.9	39.6	40.7	42.1	41.5	42.9	42.8	42.4	43.0	43.9	44.7	46.1	45.7
75+	25.4	27.2	25.7	22.7	24.8	26.2	26.2	25.3	24.9	27.7	26.4	27.4	27.1	28.3	28.6	28.1	28.6	28.3	28.4	28.8	29.6	29.9	30.7
Male	44.6	44.8	44.0	41.4	42.3	40.9	41.7	42.4	43.5	45.3	45.2	45.9	46.0	48.5	48.7	49.2	49.7	49.8	50.5	51.5	52.0	52.2	52.7
Female	47.8	47.0	46.6	44.6	45.6	46.3	45.9	46.2	47.5	47.6	47.9	47.9	49.1	49.7	50.3	50.7	50.9	51.3	50.9	51.3	52.0	53.2	53.6
White	42.4	42.1	42.0	39.3	40.3	39.9	39.7	40.5	40.9	42.6	42.3	42.8	43.4	45.2	45.5	46.2	46.5	46.8	47.5	48.3	48.9	49.5	50.1
Black	53.6	53.2	50.8	49.5	50.1	49.8	51.0	51.0	53.7	52.7	53.8	53.4	54.3	55.6	55.7	56.1	57.2	57.1	55.8	56.0	56.9	57.7	57.8
Other race	46.9	43.3	45.3	46.8	44.9	45.3	48.4	47.4	52.6	54.3	57.0	60.4	58.8	59.7	60.3	58.1	56.6	58.3	57.8	60.5	60.7	61.9	62.2
Diabetes	35.0	34.3	32.4	33.2	32.8	33.1	34.3	35.7	37.5	38.8	39.3	40.2	41.2	43.2	43.9	44.1	44.3	45.0	45.1	46.4	47.5	48.7	49.0
Hypertension	54.5	52.4	50.5	48.9	49.0	50.2	49.6	49.4	50.6	51.5	51.2	51.2	51.4	52.5	52.8	54.0	54.4	53.7	54.2	54.1	54.7	54.6	55.7
Glomerulonephritis	61.3	58.2	58.0	57.9	58.0	54.1	54.4	55.3	57.3	56.0	57.3	56.9	58.2	60.3	60.3	60.3	61.2	61.8	62.0	61.5	63.7	63.3	63.8
Other cause	47.3	48.5	50.5	44.7	48.1	47.3	47.7	48.1	47.9	49.9	49.5	49.4	49.6	50.8	50.4	50.4	50.4	50.9	50.6	51.4	50.0	50.7	50.9
All	46.1	45.9	45.2	42.9	43.8	43.4	43.7	44.2	45.4	46.4	46.5	46.9	47.5	49.1	49.4	49.9	50.3	50.5	50.7	51.4	52.0	52.7	53.2

Table I.13

Five-year survival probabilities: incident dialysis patients*censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	80.6	77.2	83.9	66.5	64.7	64.2	68.5	67.4	63.9	73.7	55.9	61.3	65.8	53.5	65.2	64.1	69.7	67.0	70.6	88.1	71.4
5-9	87.1	92.7	68.7	76.6	83.0	62.8	72.6	83.3	90.9	75.4	80.0	94.8	77.0	78.0	84.2	87.5	85.9	95.8	93.5	88.4	95.7
10-14	79.4	73.9	84.1	92.6	86.8	88.1	80.2	82.1	70.8	86.6	79.8	78.4	79.9	79.1	74.2	84.6	86.2	86.0	86.2	82.6	83.7
15-19	87.7	79.5	77.5	84.2	84.2	70.1	75.5	81.2	76.0	78.4	84.3	82.1	85.4	79.2	80.2	85.0	80.4	82.8	78.8	78.4	79.3
20-29	72.0	65.7	67.2	62.4	61.3	58.4	65.2	61.8	67.4	63.8	66.2	65.9	68.1	69.8	71.4	71.6	73.4	75.0	74.0	77.1	72.5
30-39	58.8	58.2	52.0	54.6	52.7	50.6	50.9	48.4	54.7	55.4	54.5	53.6	55.6	57.7	57.0	59.4	60.1	61.9	61.8	63.2	63.4
40-49	51.9	49.3	48.8	45.6	47.4	46.7	46.8	46.9	48.4	46.0	47.4	47.1	48.4	49.5	50.3	52.4	51.1	52.4	51.9	53.3	53.4
50-59	39.5	39.2	38.3	36.2	34.8	33.6	35.2	36.3	35.0	35.5	35.0	36.7	36.9	38.8	39.1	39.7	39.0	39.9	40.3	41.3	42.0
60-64	30.7	30.1	28.1	28.1	25.5	26.0	27.3	25.6	27.6	27.0	27.4	27.6	28.4	29.6	30.3	29.2	30.5	31.8	31.5	32.3	32.8
65-69	23.4	24.6	24.0	20.4	22.1	22.1	21.7	22.5	22.5	22.5	22.5	21.5	23.4	23.6	24.3	23.8	24.2	24.1	25.1	25.1	26.4
70-79	15.9	15.7	17.1	13.6	15.1	15.5	14.7	15.3	15.4	16.0	15.7	15.9	15.8	16.5	16.4	17.1	17.3	16.8	17.6	17.8	18.4
80+	7.1	6.6	6.1	6.4	7.2	7.8	7.3	7.5	6.7	8.9	8.7	7.6	7.6	7.8	8.2	8.6	8.3	8.2	8.1	8.2	8.3
Male	35.9	33.9	32.6	28.7	28.4	27.0	27.7	27.6	28.5	28.8	28.3	28.1	28.4	29.8	29.6	30.8	30.3	29.4	30.1	30.5	30.5
Female	37.9	38.0	35.3	31.4	31.5	30.7	30.2	29.6	30.1	29.0	29.0	28.2	28.9	29.0	29.3	29.3	28.9	28.9	28.6	28.8	29.4
White	34.1	31.7	30.3	26.0	25.7	24.6	24.2	23.5	23.2	23.3	22.6	22.3	22.6	23.2	23.4	23.6	23.3	22.7	23.5	23.7	24.4
Black	43.2	45.0	41.2	37.4	38.2	37.2	38.0	38.0	40.4	39.0	39.8	38.7	39.5	40.1	40.0	41.3	41.3	40.9	39.9	40.4	40.5
Other race	33.9	34.4	41.5	37.7	33.7	31.5	36.5	37.9	39.2	38.5	37.2	39.6	39.9	40.3	40.7	36.6	34.8	37.0	37.2	40.0	38.6
†Hispanic																	35.3	34.3	36.3	35.5	38.3
†Non-Hispanic																	28.9	28.5	28.6	29.0	28.8
Diabetes	24.9	22.3	19.2	19.8	18.5	17.9	20.1	19.9	21.5	21.2	21.3	22.0	22.7	23.7	24.2	24.2	24.1	24.2	24.9	25.8	26.3
Hypertension	43.4	37.7	34.5	32.1	31.1	31.2	29.7	29.1	30.2	29.9	29.8	28.3	28.9	28.9	29.3	31.1	30.6	29.7	29.5	29.6	29.9
Glomerulonephritis	55.2	51.5	48.4	44.7	44.0	39.6	40.7	41.6	42.6	41.6	42.6	42.3	42.9	44.7	44.3	46.0	45.5	44.7	46.1	45.9	46.9
Other cause	33.1	35.6	37.4	29.2	32.4	32.6	32.7	32.7	31.7	33.6	33.1	33.3	33.8	35.4	34.8	34.5	34.0	34.1	33.9	33.4	33.2
All	36.8	35.8	33.9	30.0	29.9	28.8	28.9	28.6	29.2	28.9	28.6	28.2	28.6	29.4	29.5	30.1	29.6	29.2	29.4	29.7	30.0
ADJUSTED																					
0-19	74.8	65.1	65.2	71.7	69.3	56.2	60.3	67.8	60.3	66.2	66.0	65.7	68.7	60.5	63.9	70.0	68.3	69.2	67.0	68.3	66.8
20-44	55.3	53.9	51.5	50.0	50.6	47.9	51.1	49.1	52.6	52.6	53.2	52.0	53.8	54.8	55.9	57.3	57.6	59.2	59.0	60.7	59.6
45-64	35.0	33.9	33.4	31.9	30.5	30.5	32.2	32.0	32.7	33.1	33.3	34.8	35.3	37.3	38.0	38.4	38.6	40.0	40.1	41.4	42.4
65-74	19.8	20.6	20.8	17.2	19.1	19.3	18.7	19.9	20.2	20.5	20.6	20.0	21.5	21.8	22.2	22.3	22.8	22.4	23.5	24.0	24.9
75+	10.9	10.7	10.9	8.8	10.4	11.0	10.8	10.6	10.1	11.8	10.9	11.3	10.5	11.2	11.1	11.9	12.0	11.9	12.4	12.3	12.8
Male	28.7	27.3	27.1	24.7	25.1	25.1	26.0	26.0	26.7	28.1	27.6	28.2	28.5	30.2	30.4	31.3	31.6	31.7	32.6	33.6	33.8
Female	30.6	31.0	30.1	28.1	28.9	28.9	29.2	29.4	29.7	29.7	30.0	30.0	31.0	31.2	31.9	32.0	32.2	32.9	33.1	33.3	34.6
White	26.5	25.2	25.4	23.1	23.6	23.8	24.0	24.0	24.1	25.3	24.9	25.2	25.9	27.0	27.5	27.8	28.2	28.4	29.5	30.1	31.0
Black	35.5	36.2	33.4	31.5	32.2	31.7	33.3	33.4	35.1	34.3	35.3	35.1	35.7	36.5	36.7	38.1	38.3	38.6	37.9	38.3	38.9
Other race	26.5	29.4	31.7	31.3	28.4	29.5	33.3	33.9	36.2	37.2	36.2	39.7	39.7	40.6	41.3	38.1	37.3	40.5	40.2	43.6	42.9
Diabetes	20.4	18.2	16.2	16.9	16.5	16.5	18.3	18.4	19.9	20.3	20.3	21.4	22.3	23.4	24.2	24.2	24.5	25.1	25.9	27.1	28.0
Hypertension	38.7	34.9	34.0	32.3	32.2	33.4	32.9	33.1	33.7	34.2	34.5	33.7	34.1	34.7	35.1	36.4	36.7	36.7	36.9	37.0	37.7
Glomerulonephritis	44.0	42.2	41.2	38.4	38.8	36.2	37.4	37.8	39.0	39.1	39.2	40.0	40.2	41.9	42.2	42.8	43.4	43.2	44.3	44.8	45.7
Other cause	29.8	31.4	33.5	28.7	31.4	31.6	32.4	32.3	31.1	33.6	32.7	33.1	33.7	34.8	34.7	34.6	34.5	35.4	35.4	35.3	35.3
All	29.5	29.0	28.5	26.3	26.8	26.8	27.5	27.5	28.1	28.8	28.7	29.0	29.7	30.7	31.1	31.6	31.9	32.2	32.8	33.5	34.2

Table I.14

Ten-year survival probabilities: incident dialysis patients*censored at transplant, from day 91 to ten years + 90 days, by age, gender, race, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	64.5	66.2	55.9	39.9	53.9	25.7	68.5	57.8	39.1	73.7	38.3	54.5	53.9	46.8	55.9	64.1
5-9	87.1	61.8	51.6	76.6	83.0	31.4	72.6	83.3	90.9	62.8	64.0	35.5	66.0	29.3	56.8	58.3
10-14	60.6	49.2	54.5	80.1	65.5	74.6	59.4	82.1	50.4	54.8	57.3	69.7	65.9	71.9	49.1	63.9
15-19	79.0	61.1	63.9	68.3	62.4	52.1	57.6	57.7	63.5	66.6	62.8	63.6	61.4	62.5	66.4	60.7
20-29	52.1	44.1	44.9	42.2	41.9	40.6	42.6	39.9	44.7	40.6	44.7	41.9	45.4	50.8	50.8	51.0
30-39	37.2	34.2	30.0	32.0	30.9	29.1	28.2	27.5	28.8	30.7	31.0	30.0	32.2	32.9	30.8	34.5
40-49	25.5	22.3	22.1	21.0	22.6	20.7	20.4	21.0	22.6	18.9	19.8	19.3	20.8	21.4	21.9	21.6
50-59	12.8	13.3	13.1	11.1	10.8	11.5	10.7	11.2	10.3	10.3	10.1	10.8	10.5	10.4	11.4	11.5
60-64	7.6	7.2	5.5	6.8	6.6	7.0	6.8	5.7	6.5	5.5	5.4	5.6	6.1	6.5	6.8	6.4
65-69	4.5	5.3	4.0	4.7	4.9	5.7	4.6	4.1	4.3	4.0	4.3	3.8	4.0	4.4	4.1	4.1
70-79	2.6	2.0	2.7	1.9	2.8	2.6	2.2	2.4	2.2	1.9	1.9	1.7	2.0	2.1	1.9	2.1
80+	1.4	1.0	1.3	0.2	1.1	0.8	0.6	0.6	0.4	0.6	0.3	0.6	0.5	0.5	0.5	0.5
Male	13.2	11.6	10.4	9.4	9.7	9.3	9.2	8.9	8.8	8.3	8.8	8.0	8.5	8.8	8.7	9.0
Female	15.1	14.3	12.3	10.9	10.9	10.5	9.4	8.9	9.5	8.4	7.9	7.9	7.9	8.1	8.0	8.3
White	13.0	10.6	9.7	8.1	8.3	7.7	7.0	6.6	6.2	5.5	5.6	5.2	5.3	5.6	5.4	5.5
Black	16.7	17.7	14.7	13.9	14.0	14.2	13.6	12.9	14.4	13.7	13.3	12.9	13.5	13.6	13.5	14.0
Other race	12.1	14.5	15.4	13.5	14.0	11.5	15.6	13.7	14.0	11.3	12.6	12.2	12.4	12.8	12.4	12.0
Diabetes	7.5	5.3	4.4	4.1	4.2	4.2	4.0	4.2	4.4	3.8	4.1	3.8	4.0	4.3	4.6	4.3
Hypertension	17.3	14.3	10.7	11.0	10.6	10.1	9.6	8.2	9.1	9.0	8.5	8.3	8.7	8.7	8.8	9.8
Glomerulonephritis	29.9	23.3	19.2	18.2	18.6	17.3	17.3	16.7	16.9	15.5	17.4	16.1	18.1	18.4	17.0	19.6
Other cause	11.2	12.1	13.8	10.6	12.0	12.5	11.9	12.3	12.4	12.0	12.2	12.5	12.7	13.7	12.8	12.9
All	14.1	12.9	11.3	10.1	10.3	9.9	9.3	8.9	9.1	8.3	8.3	7.9	8.2	8.5	8.3	8.7
ADJUSTED																
0-19	59.4	42.0	42.2	51.9	45.2	35.3	41.7	47.9	44.7	50.3	43.0	44.7	45.0	43.0	44.0	43.5
20-44	33.4	29.3	27.3	27.4	28.1	26.4	27.1	26.1	27.5	27.4	28.1	27.1	28.9	29.9	29.4	30.5
45-64	10.7	10.2	10.0	9.1	9.2	9.6	9.5	9.4	9.5	9.0	9.2	9.7	10.1	10.5	11.4	11.3
65-74	3.8	3.9	3.5	3.4	4.0	4.5	3.7	3.5	3.5	3.4	3.6	3.1	3.6	3.8	3.6	3.7
75+	1.8	1.5	1.8	0.8	1.7	1.4	1.3	1.5	1.3	1.0	0.7	1.0	0.9	1.0	1.0	1.1
Male	10.4	9.3	9.2	8.6	9.2	9.8	9.7	9.3	9.0	9.1	9.4	9.2	9.6	10.1	10.1	10.2
Female	11.9	11.5	11.0	10.3	11.0	10.9	10.2	10.2	10.7	10.1	9.9	10.1	10.5	10.8	10.8	11.1
White	9.8	8.6	8.7	8.0	8.7	8.9	8.4	8.4	8.1	8.0	8.1	8.0	8.5	8.9	8.9	9.1
Black	12.6	12.9	11.4	11.3	11.5	11.9	11.5	11.4	12.3	11.6	11.6	11.7	11.9	12.3	12.4	12.8
Other race	8.8	12.3	12.4	11.2	12.5	12.1	14.9	12.6	13.7	13.0	13.2	14.4	14.6	15.0	14.7	14.5
Diabetes	6.0	4.4	4.0	3.8	4.2	4.6	4.1	4.4	4.5	4.1	4.5	4.3	4.6	5.1	5.4	5.1
Hypertension	15.6	14.0	12.5	12.7	12.9	13.2	13.0	12.5	12.6	12.8	12.5	12.4	12.9	13.1	13.4	14.0
Glomerulonephritis	20.9	17.5	16.5	15.5	17.0	16.8	16.6	15.8	16.5	15.5	16.2	16.1	17.3	17.6	16.8	18.1
Other cause	10.7	11.2	12.8	11.2	12.7	13.2	12.7	13.0	12.8	12.9	12.8	13.4	13.6	14.2	13.4	13.7
All	11.0	10.3	10.0	9.4	10.0	10.3	9.9	9.7	9.8	9.5	9.6	9.6	10.0	10.4	10.4	10.6

Table I.14
Standard errors

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	15.1	12.1	19.0	14.0	12.7	12.5	8.3	11.2	10.0	5.9	11.4	9.1	9.5	9.3	10.6	8.4
5-9	6.1	16.3	16.3	11.4	7.0	17.3	10.9	10.3	8.3	14.3	14.1	19.9	13.0	16.1	16.0	20.5
10-14	8.1	10.7	10.3	8.7	9.6	9.6	13.4	7.6	13.0	12.7	11.4	10.0	9.9	8.4	8.8	10.8
15-19	3.9	4.8	6.3	5.4	6.9	6.2	5.6	5.7	5.4	4.7	5.5	5.1	5.4	4.8	5.1	4.7
20-29	2.4	2.4	2.5	2.3	2.2	2.3	2.1	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.9	1.8
30-39	1.7	1.6	1.5	1.5	1.5	1.4	1.3	1.3	1.2	1.1	1.1	1.1	1.1	1.1	1.0	1.1
40-49	1.2	1.1	1.1	1.0	1.1	1.0	1.0	0.9	0.9	0.8	0.7	0.7	0.7	0.7	0.7	0.7
50-59	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4
60-64	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3
65-69	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2
70-79	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
80+	0.6	0.5	0.5	0.1	0.3	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1
Male	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Female	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
White	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
Black	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3
Other race	1.9	2.0	2.2	1.8	1.7	1.5	1.5	1.3	1.2	1.1	1.0	1.0	0.9	0.9	0.8	0.7
Diabetes	0.6	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1
Hypertension	0.8	0.6	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3
Glomerulonephritis	1.3	1.0	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.7	0.7	0.6	0.7
Other cause	0.4	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.4	0.4	0.4	0.4	0.4
All	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1

Table I.15
Incident patient counts: hemodialysis patients, unknowns dropped

dialysis patients alive on day 91, by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	*	12	10	12	*	19	22	13	16	21	19	17	16	15	*	12	*	19	10	16	12	15	17	16	18
5-9	32	29	31	20	17	9	17	20	12	17	26	14	10	13	19	20	20	16	21	24	20	22	29	17	24
10-14	93	83	80	67	59	72	54	53	48	47	53	40	63	58	66	56	61	58	62	59	66	66	86	75	80
15-19	281	300	239	245	226	220	205	210	242	256	217	213	232	223	187	221	224	192	230	243	206	229	219	239	224
20-29	1,012	1,107	1,204	1,149	1,215	1,260	1,256	1,219	1,254	1,388	1,379	1,394	1,438	1,436	1,394	1,393	1,419	1,355	1,424	1,360	1,400	1,430	1,353	1,349	1,351
30-39	1,507	1,652	1,778	1,763	1,937	1,984	2,134	2,180	2,420	2,610	2,675	2,699	2,955	2,937	2,992	2,937	3,120	3,068	3,076	3,252	3,165	3,245	3,270	3,250	3,235
40-49	1,768	1,992	1,942	2,168	2,251	2,389	2,508	2,815	3,103	3,475	3,745	4,037	4,457	4,666	4,849	5,133	5,580	5,676	6,259	6,295	6,508	6,577	6,832	7,004	7,106
50-59	2,709	3,170	3,329	3,371	3,528	3,741	3,877	4,166	4,773	5,135	5,367	5,801	6,311	6,709	7,381	7,446	7,896	8,834	9,569	10,328	10,840	11,269	11,751	12,215	12,573
60-64	1,559	1,698	1,918	2,226	2,456	2,669	2,775	3,108	3,415	3,753	4,031	4,437	4,553	4,862	5,003	5,158	5,553	5,915	6,357	6,465	6,745	7,093	7,067	7,540	7,761
65-69	1,529	1,540	1,793	2,370	2,368	2,566	2,979	3,393	3,915	4,626	5,099	5,535	6,077	6,259	6,741	6,592	7,469	8,000	8,429	8,546	8,688	9,002	8,977	9,151	9,256
70-79	1,655	1,780	2,248	3,225	3,306	3,709	4,307	4,924	5,542	6,821	7,581	8,716	9,778	10,465	11,324	11,795	13,493	15,147	16,441	17,293	17,898	18,431	18,658	18,638	18,609
80+	272	285	410	650	665	820	1,027	1,203	1,503	1,932	2,257	2,585	3,067	3,372	3,722	4,021	4,911	5,692	6,475	7,220	7,914	8,338	9,419	9,761	10,118
Male	6,958	7,601	8,267	9,511	9,928	10,532	11,496	12,537	14,077	16,184	17,367	18,754	20,456	21,840	23,041	23,504	26,493	28,729	30,999	32,868	33,990	35,365	36,886	37,632	38,968
Female	5,468	6,047	6,715	7,755	8,108	8,926	9,665	10,767	12,166	13,897	15,082	16,734	18,501	19,175	20,646	21,280	23,261	25,243	27,354	28,233	29,472	30,352	30,792	31,623	31,387
White	8,491	9,199	10,143	11,356	11,850	12,650	13,880	15,083	16,821	19,239	20,723	22,453	24,519	25,682	27,359	27,566	30,860	33,820	36,680	38,847	40,829	42,196	43,252	44,184	45,281
Black	3,650	4,085	4,477	5,437	5,676	6,185	6,571	7,420	8,429	9,838	10,472	11,708	12,903	13,601	14,391	14,883	16,187	17,329	18,598	18,858	19,153	19,944	20,655	21,123	20,939
Other race	285	364	362	473	510	623	710	801	993	1,004	1,254	1,327	1,535	1,732	1,937	2,335	2,707	2,823	3,075	3,396	3,480	3,577	3,771	3,948	4,135
†Hispanic																	5,718	5,956	6,450	7,101	8,353	7,787	8,180	8,713	8,932
†Non-Hispanic																	44,036	48,016	51,903	54,000	55,109	57,930	59,498	60,542	61,423
Diabetes	1,904	2,840	3,571	4,148	5,078	5,801	6,727	7,668	8,877	10,821	12,286	13,902	15,399	16,676	18,282	19,990	22,943	25,461	27,833	29,279	31,045	32,445	32,734	33,730	34,463
Hypertension	2,472	3,487	4,314	4,690	5,236	5,839	6,369	7,380	8,481	9,945	10,785	11,877	13,403	13,892	14,688	13,241	14,518	15,794	17,023	17,870	18,378	19,218	20,072	20,894	20,852
Glomerulonephritis	2,113	2,762	3,043	3,149	3,334	3,394	3,522	3,761	4,002	4,173	4,389	4,438	4,549	4,722	4,936	4,995	5,380	5,453	5,565	5,658	5,468	5,416	5,625	5,345	5,304
Cystic kidney	630	720	830	841	812	858	896	914	931	919	956	969	1,007	1,058	1,083	1,116	1,061	1,157	1,261	1,280	1,274	1,275	1,333	1,255	1,279
Other urologic	334	490	617	693	669	795	826	927	927	969	839	971	1,012	833	868	1,235	1,474	1,516	1,592	1,845	1,740	1,820	1,878	1,825	1,807
Other cause	1,335	1,619	1,988	2,127	2,235	2,305	2,370	2,304	2,558	2,931	2,972	3,148	3,464	3,634	3,772	4,139	4,328	4,545	5,024	5,101	5,483	5,492	5,928	6,010	6,314
Missing cause	3,638	1,730	619	1,618	672	466	451	350	467	323	222	183	123	200	58	68	50	46	55	68	74	51	108	196	336
All	12,426	13,648	14,982	17,266	18,036	19,458	21,161	23,304	26,243	30,081	32,449	35,488	38,957	41,015	43,687	44,784	49,754	53,972	58,353	61,101	63,462	65,717	67,678	69,255	70,355

Table I.16

90-day survival probabilities: incident hemodialysis patients

censored at transplant, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	91.5	100.0	100.0	100.0	100.0	90.9	86.7	100.0	100.0	100.0	94.4	100.0	100.0	100.0	100.0	100.0
5-9	100.0	100.0	100.0	95.7	100.0	100.0	100.0	100.0	100.0	100.0	96.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
10-14	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
15-19	100.0	100.0	100.0	100.0	100.0	100.0	99.6	100.0	100.0	99.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.6	100.0	99.6	100.0
20-29	99.8	99.8	99.8	99.8	99.8	99.9	99.8	99.9	99.9	99.9	99.6	99.8	99.7	99.7	99.6	99.6	99.8	99.8	99.8	99.8	99.8	99.8	99.7	99.8	99.8
30-39	99.5	99.7	99.4	99.6	99.6	99.5	99.3	99.4	99.9	99.6	99.7	99.5	99.6	99.4	99.2	99.6	99.3	99.5	99.4	99.5	99.4	99.4	99.5	99.3	99.6
40-49	99.3	99.1	99.5	99.1	99.5	99.5	99.6	99.3	99.5	99.3	99.3	99.6	99.7	99.6	99.1	99.4	99.4	99.3	99.1	99.3	99.4	99.4	99.3	99.2	99.0
50-59	98.9	98.8	99.0	98.8	99.1	99.1	99.0	99.3	99.2	99.2	98.9	99.4	99.0	99.2	99.0	99.2	99.0	99.0	98.7	98.9	99.0	98.9	98.9	98.7	98.9
60-64	98.1	98.2	98.2	98.0	98.4	98.2	98.2	98.3	98.3	98.6	98.1	98.5	98.5	98.6	98.1	98.4	98.4	98.3	98.2	98.3	98.1	98.2	98.3	98.2	98.3
65-69	96.6	96.7	96.7	96.3	95.7	95.9	96.3	96.0	96.9	96.5	96.6	96.5	96.6	96.8	97.0	96.7	96.5	96.5	96.7	96.7	96.3	96.7	96.9	96.5	96.6
70-79	95.6	95.9	95.6	95.4	94.5	94.4	94.6	95.1	94.2	94.6	95.2	94.8	94.9	95.3	95.2	95.3	95.1	94.8	95.1	95.0	94.9	94.9	94.8	94.9	94.9
80+	94.7	94.8	94.0	93.1	92.6	91.9	92.9	91.7	93.6	92.4	92.9	92.9	93.8	93.2	93.3	92.8	93.7	92.2	92.5	92.8	92.5	92.6	92.6	92.3	92.3
Male	98.1	98.2	98.0	97.6	97.6	97.5	97.3	97.3	97.3	97.1	97.2	97.3	97.1	97.4	97.0	97.1	97.0	96.6	96.9	96.9	96.7	96.7	96.7	96.6	96.7
Female	98.3	98.3	98.3	97.8	97.5	97.4	97.6	97.4	97.6	97.4	97.3	97.2	97.4	97.2	97.2	97.1	97.1	96.7	96.5	96.5	96.4	96.6	96.4	96.3	96.3
White	98.1	98.1	97.8	97.2	97.1	96.9	96.9	96.8	96.9	96.6	96.7	96.6	96.7	96.7	96.5	96.5	96.3	95.9	96.0	96.1	96.0	96.1	96.0	95.8	95.9
Black	98.6	98.6	98.9	98.5	98.4	98.3	98.4	98.4	98.4	98.3	98.3	98.3	98.3	98.4	98.1	98.1	98.2	98.1	97.8	98.0	97.7	97.7	97.6	97.6	97.5
Other race	97.7	98.2	98.3	98.1	98.4	98.5	98.5	98.5	98.3	98.3	98.6	98.2	98.2	98.1	98.3	97.9	98.5	98.1	97.7	97.9	97.9	97.8	98.0	98.2	98.0
†Hispanic																	98.1	97.7	97.7	97.7	97.4	97.4	97.8	97.4	98.0
†Non-Hispanic																	96.9	96.5	96.6	96.6	96.5	96.5	96.4	96.3	96.3
Diabetes	98.6	97.8	98.2	97.9	97.9	97.8	97.8	97.8	97.7	97.8	97.7	97.8	97.8	97.7	97.8	97.7	97.4	97.3	97.1	97.1	97.0	97.2	97.1	97.0	97.2
Hypertension	98.6	98.0	97.7	97.0	96.9	96.8	96.9	96.7	96.7	96.4	96.5	96.3	96.5	96.8	96.4	96.4	96.7	95.8	96.3	96.2	96.3	95.9	96.0	96.1	96.0
Glomerulonephritis	99.3	99.3	99.0	98.9	98.6	98.6	98.4	98.0	98.8	98.2	98.3	98.5	98.4	98.1	98.0	98.4	98.1	98.1	97.7	98.1	97.9	97.9	98.2	98.0	97.9
Other cause	97.7	98.1	97.9	97.4	97.1	96.9	97.0	97.2	97.2	97.0	96.9	96.7	96.7	96.7	96.3	96.2	95.8	95.5	95.7	95.8	95.4	95.7	95.4	94.9	95.0
All	98.2	98.2	98.1	97.7	97.5	97.4	97.4	97.4	97.4	97.2	97.2	97.2	97.3	97.3	97.1	97.1	97.0	96.7	96.7	96.7	96.6	96.6	96.6	96.5	96.5
ADJUSTED																									
0-19	100.0	100.0	100.0	99.1	100.0	100.0	99.1	100.0	97.7	99.1	100.0	100.0	100.0	100.0	99.0	97.9	100.0	98.9	100.0	99.2	100.0	99.0	100.0	99.2	100.0
20-44	99.6	99.6	99.6	99.6	99.6	99.6	99.6	99.5	99.8	99.6	99.5	99.6	99.7	99.6	99.2	99.5	99.4	99.6	99.4	99.6	99.5	99.5	99.6	99.4	99.5
45-64	98.9	98.7	98.9	98.6	98.9	98.8	98.9	98.9	98.9	99.0	98.6	99.1	98.9	99.0	98.7	98.9	98.8	98.8	98.6	98.7	98.8	98.8	98.8	98.6	98.7
65-74	96.9	96.8	96.5	96.3	95.6	95.6	95.9	96.1	96.0	95.9	96.2	96.0	96.2	96.3	96.5	96.2	95.9	96.0	96.2	96.0	95.9	96.1	96.1	96.1	96.0
75+	95.6	95.8	95.5	95.2	94.1	93.8	94.2	93.5	94.1	93.7	94.2	94.0	94.3	94.3	94.0	94.2	94.5	93.5	93.7	94.0	93.7	93.7	93.7	93.4	93.6
Male	97.6	97.5	97.3	97.2	97.1	97.0	97.0	97.0	97.0	96.9	97.1	97.2	97.1	97.4	97.0	97.1	97.1	96.9	97.1	97.2	97.0	97.0	97.1	97.0	97.1
Female	97.8	97.7	97.8	97.5	97.1	97.0	97.3	97.2	97.5	97.3	97.2	97.2	97.5	97.3	97.3	97.3	97.3	97.0	96.9	96.9	96.9	97.1	97.0	96.8	96.9
White	97.6	97.5	97.2	96.9	96.7	96.6	96.7	96.7	96.9	96.7	96.8	96.9	97.0	97.0	96.9	97.0	96.9	96.6	96.8	96.8	96.7	96.8	96.8	96.7	96.8
Black	98.1	97.8	98.3	98.1	97.7	97.7	97.9	97.9	97.9	97.9	97.8	97.9	97.9	98.0	97.7	97.7	97.8	97.8	97.5	97.7	97.4	97.4	97.3	97.3	97.2
Other race	96.9	97.4	97.3	97.6	97.7	97.9	97.9	98.0	97.7	97.8	98.3	97.9	97.9	97.8	98.1	97.8	98.4	98.0	97.7	97.9	97.9	97.8	98.1	98.3	98.0
Diabetes	97.4	96.2	97.1	96.9	96.9	96.8	97.0	97.0	97.0	97.2	97.2	97.5	97.5	97.4	97.6	97.5	97.3	97.3	97.1	97.2	97.1	97.3	97.2	97.1	97.3
Hypertension	98.0	97.5	97.3	96.8	96.7	96.8	97.1	97.0	97.0	96.8	97.0	96.9	97.1	97.4	97.1	97.1	97.4	96.8	97.2	97.2	97.2	96.9	97.1	97.1	97.1
Glomerulonephritis	98.4	98.6	98.1	98.1	97.8	97.9	97.6	97.1	98.2	97.6	97.9	98.1	98.1	97.7	97.7	98.1	97.9	97.9	97.5	98.0	97.7	97.6	98.0	97.7	97.6
Other cause	97.0	97.3	97.2	97.1	96.7	96.4	96.6	96.9	96.9	96.8	96.7	96.5	96.5	96.5	96.2	96.2	96.0	95.8	96.0	96.1	95.7	96.1	95.8	95.3	95.4
All	97.7	97.6	97.5	97.3	97.1	97.0	97.1	97.1	97.2	97.1	97.1	97.2	97.3	97.3	97.2	97.2	97.2	97.0	97.0	97.1	97.0	97.0	97.0	96.9	97.0

Table I.17

One-year survival probabilities: incident hemodialysis patients

censored at transplant, from day 91 to one year + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	
0-4	100.0	88.9	87.5	90.0	87.5	94.1	84.0	81.8	58.4	69.0	66.7	81.0	82.5	47.3	71.1	68.4	100.0	80.2	64.0	83.3	100.0	80.0	84.4	93.8	100.0	
5-9	88.1	92.4	100.0	93.8	100.0	100.0	100.0	100.0	100.0	100.0	87.8	100.0	100.0	92.9	100.0	95.0	87.5	100.0	100.0	100.0	100.0	91.1	84.8	88.2	100.0	
10-14	96.4	97.6	98.4	95.8	96.4	96.4	100.0	97.6	94.6	98.0	96.1	97.4	92.4	92.2	96.5	100.0	100.0	92.2	95.6	90.2	96.7	97.2	95.5	100.0	98.9	
15-19	96.0	94.6	95.4	95.4	97.5	93.5	95.3	95.7	96.9	99.0	96.0	94.9	96.5	95.3	96.1	98.0	95.4	97.6	94.3	98.2	95.4	96.5	96.6	96.5	97.6	
20-29	90.7	92.6	92.5	92.8	92.3	90.4	92.8	90.4	91.2	91.0	91.6	91.4	92.0	92.2	93.0	92.1	94.1	95.1	94.8	94.8	92.7	94.4	93.1	93.2	93.1	
30-39	90.2	89.8	88.7	89.9	87.5	88.5	88.2	87.6	88.6	87.9	88.7	87.5	89.1	87.9	89.2	88.7	89.5	91.1	90.4	90.6	90.5	91.0	91.4	91.6	91.7	
40-49	88.0	88.0	86.8	88.1	87.5	87.6	87.5	87.2	87.7	87.4	88.2	86.2	87.6	88.5	88.7	88.6	89.1	89.5	88.4	89.1	89.4	88.7	89.5	88.9	89.3	
50-59	84.0	84.0	84.3	81.8	82.0	82.7	82.4	83.0	83.6	82.9	83.6	83.4	85.0	85.0	85.8	86.1	84.9	85.2	85.2	85.6	85.2	85.6	85.6	85.6	85.9	
60-64	79.5	78.4	78.3	78.4	75.8	76.1	77.3	76.3	76.3	77.4	77.7	78.1	79.1	81.6	81.3	80.3	81.6	81.7	80.1	81.4	80.9	81.7	80.7	81.9	82.1	
65-69	73.8	74.3	74.8	72.3	73.9	71.6	73.5	73.6	73.0	74.1	75.3	75.1	75.2	77.0	76.4	77.3	77.4	76.6	75.8	76.0	76.4	76.8	76.3	77.1	76.7	
70-79	68.6	68.5	69.5	65.9	67.3	66.9	66.6	65.5	66.0	67.2	68.7	68.2	68.7	70.4	70.4	70.5	70.2	69.5	69.5	69.1	69.3	69.4	69.5	69.4	69.8	
80+	58.0	53.5	64.5	57.3	57.5	59.2	59.0	55.8	54.7	58.8	59.8	59.0	58.9	62.1	61.6	61.0	59.6	59.6	57.7	58.5	57.9	58.4	59.1	59.3	60.2	
Male	80.7	81.0	80.0	77.5	77.3	76.9	76.3	76.2	75.6	76.5	77.3	76.6	77.1	78.7	78.4	78.2	78.0	77.5	77.0	77.1	76.9	77.0	77.0	77.1	77.2	
Female	81.9	81.4	81.7	78.6	78.9	78.3	78.8	76.9	77.7	77.2	77.6	76.7	77.5	78.2	78.4	78.3	77.5	77.0	75.9	76.0	75.6	76.1	75.7	76.1	76.7	
White	79.5	79.2	78.8	75.3	75.1	74.6	74.4	73.1	72.9	73.5	73.8	72.9	73.4	75.1	75.1	75.1	74.4	73.8	73.4	73.5	73.5	73.4	73.4	73.8	74.0	
Black	85.3	85.5	85.0	83.3	83.9	82.9	83.0	83.0	83.0	82.5	83.6	82.7	83.7	83.9	83.7	83.3	83.7	83.2	81.8	81.9	81.5	82.2	81.6	81.3	81.9	
Other race	80.0	80.7	84.2	80.1	80.8	81.5	83.9	80.1	83.2	83.1	85.7	86.0	85.0	85.3	85.0	83.2	81.2	82.6	81.2	81.9	81.8	83.2	82.3	83.5	83.7	
†Hispanic																	82.0	81.6	81.6	81.1	81.7	82.3	81.8	82.1	82.6	
†Non-Hispanic																	77.2	76.7	75.8	76.0	75.5	75.8	75.7	75.8	76.1	
Diabetes	76.5	74.8	73.8	73.6	73.9	73.6	74.6	74.2	75.1	75.7	75.9	76.1	76.7	78.7	78.7	78.2	77.7	77.5	76.3	77.0	77.0	77.4	77.4	77.7	78.2	
Hypertension	84.8	82.6	80.9	79.0	78.1	78.4	77.3	75.9	75.6	76.2	77.0	75.7	76.3	76.8	77.2	77.9	77.1	75.8	75.4	75.3	75.0	75.2	75.2	75.3	75.3	
Glomerulonephritis	90.9	88.4	87.9	86.9	86.5	86.3	84.5	84.0	84.7	83.7	84.6	82.9	85.0	86.2	84.4	85.1	85.7	85.2	85.4	84.4	85.2	85.3	85.6	85.5	86.4	
Other cause	78.5	80.1	81.6	75.9	76.9	75.5	76.9	75.9	75.0	75.4	76.5	75.6	75.5	76.2	76.1	74.8	74.5	74.4	73.8	73.5	72.2	72.5	71.5	71.9	72.2	
All	81.2	81.2	80.8	78.0	78.0	77.5	77.5	76.5	76.6	76.8	77.5	76.7	77.3	78.4	78.4	78.2	77.8	77.3	76.5	76.6	76.3	76.6	76.4	76.6	76.9	
ADJUSTED																										
0-19	92.0	90.5	92.7	90.4	94.1	89.4	91.5	91.5	89.6	94.8	88.7	90.1	91.1	86.2	91.9	93.9	92.3	92.0	88.9	93.7	92.7	91.6	91.0	93.8	96.4	
20-44	88.2	89.2	88.6	88.9	87.7	87.8	87.9	87.1	88.3	87.3	88.6	87.0	88.2	87.7	89.1	88.6	89.7	90.5	89.9	90.3	90.4	90.6	90.6	90.6	90.9	
45-64	81.7	81.3	81.3	80.4	79.7	80.1	80.9	80.6	80.9	81.5	82.0	81.8	83.3	84.6	84.9	84.7	84.7	85.2	84.4	85.2	85.0	85.3	85.1	85.3	85.6	
65-74	72.0	71.5	73.4	69.9	71.3	69.5	70.6	70.9	70.7	71.6	73.2	72.9	73.3	75.3	74.6	75.4	75.4	74.7	74.5	74.5	74.7	74.8	74.7	75.1	75.3	
75+	62.4	63.4	63.7	59.9	62.1	62.9	62.6	59.6	59.7	62.7	63.5	63.0	63.1	64.9	65.4	64.8	64.2	63.8	62.9	63.2	63.1	63.6	63.7	63.8	64.3	
Male	75.5	75.7	75.3	73.6	73.5	73.4	73.5	73.5	73.1	74.6	75.8	75.4	76.1	78.0	77.9	77.8	78.2	78.1	77.8	78.2	78.3	78.4	78.5	78.6	78.8	
Female	77.1	76.7	78.0	75.6	76.1	75.8	77.0	75.4	76.4	76.7	77.4	76.9	77.8	78.6	79.0	79.2	78.8	78.7	77.8	78.1	78.0	78.4	78.2	78.5	79.0	
White	73.9	73.9	74.3	71.8	72.0	72.0	72.5	71.6	71.9	73.3	73.9	73.5	74.3	76.2	76.4	76.7	76.4	76.3	76.1	76.5	76.6	76.6	76.7	77.1	77.4	
Black	81.4	80.8	80.7	79.9	80.2	79.3	79.9	79.9	79.9	79.6	81.1	80.5	81.6	81.9	81.8	81.6	82.2	81.9	80.7	80.8	80.5	81.3	80.7	80.4	80.9	
Other race	73.7	75.6	78.6	75.8	76.1	78.2	81.3	77.0	80.7	81.3	84.6	85.1	84.2	84.9	84.8	83.5	82.0	83.6	82.2	83.0	83.2	84.1	83.5	84.7	84.7	
Diabetes	71.6	70.0	69.4	69.6	70.1	69.9	71.6	71.3	72.5	73.6	74.1	74.5	75.4	77.6	77.8	77.3	77.1	77.3	76.2	77.1	77.4	77.8	77.8	78.2	78.7	
Hypertension	81.6	80.1	79.4	78.0	77.2	78.2	77.8	76.8	76.8	77.7	78.8	77.8	78.3	79.2	79.5	80.3	79.9	79.3	79.1	79.1	79.1	79.2	79.4	79.4	79.5	
Glomerulonephritis	86.3	83.7	83.8	82.8	83.0	83.1	81.4	80.9	81.5	81.3	82.5	80.9	83.2	84.4	83.1	83.5	84.6	84.2	84.4	83.8	84.3	84.1	84.6	84.4	85.2	
Other cause	75.6	76.4	78.6	74.8	75.3	73.6	75.5	74.6	73.7	74.5	75.5	74.8	74.9	75.3	75.6	74.7	74.7	75.0	74.6	74.5	73.2	73.6	72.7	73.0	73.3	
All	76.3	76.2	76.5	74.6	74.8	74.5	75.1	74.4	74.7	75.6	76.6	76.1	76.9	78.3	78.5	78.5	78.5	78.4	77.8	78.2	78.1	78.4	78.4	78.6	78.9	

Table I.18

Two-year survival probabilities: incident hemodialysis patients

censored at transplant, from day 91 to two years + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0-4	100.0	88.9	87.5	90.0	87.5	78.4	54.2	54.5	58.4	49.3	50.1	70.8	41.3	31.5	71.1	68.4	66.7	80.2	64.0	83.3	75.0	80.0	75.0	93.8
5-9	88.1	92.4	87.5	93.8	100.0	100.0	83.3	100.0	100.0	85.7	87.8	100.0	100.0	92.9	100.0	95.0	79.5	100.0	90.9	100.0	100.0	91.1	84.8	88.2
10-14	96.4	97.6	92.4	90.5	88.4	93.2	96.3	97.6	81.8	98.0	96.1	97.4	89.2	87.4	93.5	100.0	97.5	88.7	92.3	90.2	96.7	89.6	93.6	94.8
15-19	93.8	89.4	93.9	89.2	95.5	92.4	89.3	93.4	93.0	96.1	93.8	91.3	94.3	91.8	95.1	95.3	88.3	91.1	91.4	91.9	89.4	92.8	94.1	94.2
20-29	83.2	84.5	85.5	81.9	84.5	80.3	83.0	81.4	84.2	83.8	83.6	83.9	84.9	86.2	87.5	85.0	88.1	89.3	90.4	89.2	86.8	88.8	86.7	88.0
30-39	80.8	80.8	77.1	79.9	75.7	75.4	76.2	76.2	79.1	77.8	78.4	76.6	78.6	78.8	79.2	80.2	80.9	83.1	81.9	83.3	82.6	83.5	84.5	83.7
40-49	77.3	76.7	76.4	76.0	75.9	76.3	74.9	74.2	75.6	75.7	77.2	73.9	77.1	77.6	78.4	78.6	78.2	79.3	79.0	79.3	79.2	79.2	80.0	79.4
50-59	71.2	70.7	71.0	68.4	66.8	67.1	67.3	67.5	67.9	69.0	68.7	69.4	71.0	71.9	73.5	72.7	72.4	72.6	71.7	72.6	72.9	73.0	73.6	73.6
60-64	64.3	62.4	61.9	62.8	59.7	58.7	61.1	59.6	59.8	60.9	60.8	61.9	63.0	65.4	66.2	65.0	66.3	65.9	64.7	66.4	66.3	67.1	66.2	68.4
65-69	56.3	56.1	56.7	52.6	56.4	54.1	55.0	56.1	55.8	56.3	56.0	57.1	58.4	60.4	58.7	59.9	60.3	59.2	59.1	59.4	60.2	61.8	60.4	61.8
70-79	48.1	49.5	50.2	45.0	48.0	47.1	47.2	45.9	46.8	48.1	48.3	48.6	49.6	50.6	51.1	51.4	51.0	49.5	50.6	50.7	50.6	51.4	51.5	51.8
80+	31.8	34.2	40.3	31.1	37.2	36.0	35.8	33.2	33.4	38.7	36.8	36.0	37.8	38.7	39.4	39.1	37.6	37.2	37.0	37.4	37.1	37.7	38.5	39.5
Male	65.3	65.8	64.2	60.4	61.1	58.9	59.5	58.6	59.5	60.2	60.1	59.8	61.0	62.5	62.5	62.6	62.1	61.0	61.3	61.6	61.7	61.8	61.6	62.2
Female	68.6	67.6	67.3	62.6	63.2	62.7	62.1	61.0	61.3	61.4	60.7	60.1	61.5	61.9	62.4	62.0	61.5	60.6	59.8	60.0	59.5	60.8	60.5	61.3
White	64.2	63.7	62.5	57.4	57.9	56.5	56.2	55.1	54.6	55.5	54.8	54.4	55.6	56.7	57.0	57.1	56.2	55.2	55.8	56.3	56.2	56.4	56.4	57.3
Black	72.7	73.0	72.0	69.0	70.2	68.6	68.8	68.0	70.2	69.6	69.7	68.7	70.4	71.1	71.4	70.6	71.4	70.2	68.8	68.7	68.8	69.8	69.3	69.3
Other race	66.4	65.8	70.1	65.2	64.7	63.4	66.8	66.8	69.4	70.1	70.9	74.1	72.1	72.2	71.2	69.8	67.1	68.5	67.4	69.4	68.2	71.3	69.4	71.4
†Hispanic																	67.4	66.8	67.4	68.0	68.8	69.1	68.5	69.8
†Non-Hispanic																	61.1	60.0	59.8	59.9	59.5	60.3	60.1	60.6
Diabetes	58.4	55.8	53.7	54.8	53.3	53.3	53.7	54.2	55.6	57.2	56.5	57.5	58.9	60.7	60.8	60.7	60.1	59.6	59.1	60.2	60.3	61.1	60.9	62.1
Hypertension	72.1	68.7	66.4	63.1	63.8	61.9	61.2	59.6	60.2	60.8	60.0	59.3	60.7	60.8	61.7	62.3	61.6	59.7	59.8	59.3	59.5	59.8	59.8	60.0
Glomerulonephritis	80.6	77.6	76.3	74.3	75.1	72.2	71.0	70.6	72.9	70.6	71.4	69.7	72.2	73.4	72.7	73.4	73.1	72.8	74.0	72.6	73.3	74.6	74.8	75.3
Other cause	63.5	65.9	67.7	58.5	61.1	60.9	62.6	60.9	59.9	61.0	61.8	60.5	61.0	61.8	61.6	59.9	60.1	59.4	59.2	59.5	57.7	58.7	57.9	58.3
All	66.8	66.6	65.6	61.4	62.1	60.7	60.7	59.7	60.3	60.8	60.4	60.0	61.3	62.2	62.4	62.3	61.8	60.8	60.6	60.9	60.7	61.3	61.1	61.8
ADJUSTED																								
0-19	89.0	83.7	87.2	80.3	88.4	85.5	77.5	85.8	82.0	88.3	85.0	84.5	85.3	78.8	89.6	90.2	80.6	81.9	83.2	84.8	83.3	84.5	86.6	89.2
20-44	77.1	78.8	77.2	76.9	75.4	74.6	75.2	75.0	77.8	76.9	78.0	75.6	77.7	77.8	79.4	79.1	80.3	82.3	81.4	82.1	81.6	82.0	82.3	82.3
45-64	67.8	66.3	66.7	65.5	64.1	63.9	65.2	64.4	64.9	66.6	66.7	67.2	68.9	70.7	71.9	71.2	71.5	71.8	71.1	72.2	72.5	72.8	73.0	73.5
65-74	52.9	53.1	54.8	49.4	53.3	51.0	51.9	52.4	52.9	53.6	53.7	54.4	55.8	57.2	56.4	57.9	57.6	56.4	57.2	57.6	57.8	59.1	58.4	59.4
75+	40.4	43.3	42.0	37.1	41.4	41.3	41.2	38.6	39.2	42.7	41.5	41.7	42.7	43.7	44.5	43.7	43.5	42.6	43.1	43.4	43.4	43.9	44.1	44.9
Male	58.1	58.6	57.9	55.4	56.5	54.8	56.2	55.4	56.5	58.2	58.4	58.6	60.0	61.9	62.1	62.4	62.6	62.3	62.8	63.6	63.9	64.0	64.0	64.6
Female	61.9	61.1	62.1	58.8	59.7	59.8	59.9	59.5	60.0	61.1	60.8	60.9	62.5	63.0	63.8	63.7	63.7	63.3	62.9	63.2	63.2	64.5	64.3	65.0
White	56.7	56.7	56.8	53.3	54.5	53.9	54.4	53.9	54.0	56.1	55.8	56.1	57.6	59.0	59.6	60.0	59.7	59.5	60.2	61.0	61.1	61.5	61.7	62.4
Black	66.6	65.7	65.5	64.0	64.6	63.2	64.3	63.6	65.7	65.6	66.0	65.5	67.2	68.2	68.7	68.1	69.3	68.5	67.1	67.0	67.5	68.6	68.0	68.1
Other race	58.1	59.2	61.8	59.0	58.4	59.2	63.1	62.8	66.0	67.9	69.3	73.0	71.2	71.9	71.3	70.5	68.5	70.4	69.1	71.4	70.7	72.9	71.5	73.6
Diabetes	52.0	49.6	48.3	49.7	48.8	48.9	49.9	50.8	52.4	54.7	54.2	55.6	57.3	59.2	59.7	59.7	59.5	59.5	59.2	60.6	61.1	61.8	61.7	63.0
Hypertension	67.3	65.2	64.5	61.9	63.1	62.1	62.3	61.4	62.2	63.3	63.0	62.8	63.9	64.7	65.4	66.1	66.0	65.0	65.3	65.1	65.5	65.7	66.1	66.1
Glomerulonephritis	72.6	70.3	70.3	68.4	70.2	67.9	67.1	66.4	68.8	67.5	68.6	67.1	69.8	70.9	71.0	71.2	71.6	71.5	72.7	71.9	72.3	73.0	73.6	73.9
Other cause	59.6	61.1	63.6	57.5	59.5	58.9	61.2	59.6	58.5	60.3	60.8	59.9	60.6	61.2	61.3	60.2	60.6	60.5	60.5	61.0	59.4	60.3	59.7	59.9
All	59.9	59.7	59.9	57.0	58.0	57.1	57.9	57.4	58.2	59.6	59.5	59.7	61.2	62.4	63.0	63.0	63.1	62.8	62.9	63.4	63.6	64.2	64.2	64.8

Table I.19
Three-year survival probabilities: incident hemodialysis patients

censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	100.0	88.9	87.5	30.0	87.5	78.4	43.4	27.3	43.8	49.3	50.1	70.8	41.3	15.8	71.1	54.7	66.7	60.2	64.0	83.3	75.0	80.0	75.0
5-9	88.1	92.4	87.5	93.8	100.0	100.0	83.3	66.7	100.0	85.7	87.8	100.0	100.0	92.9	85.7	95.0	68.2	100.0	90.9	100.0	100.0	72.9	75.4
10-14	96.4	88.7	92.4	90.5	88.4	82.0	82.0	87.9	73.7	93.3	91.7	81.8	81.3	87.4	82.1	100.0	91.4	88.7	92.3	83.8	96.7	89.6	93.6
15-19	89.6	86.1	93.9	88.1	95.5	90.9	80.8	88.3	88.4	89.1	89.6	89.3	91.6	90.1	91.7	91.4	85.9	88.7	89.9	88.9	87.0	86.6	89.6
20-29	78.1	78.5	78.7	75.6	76.0	72.1	75.0	75.2	77.8	77.2	77.8	78.5	79.1	80.8	81.5	79.8	83.4	84.3	84.6	83.8	82.5	82.4	82.6
30-39	74.8	72.9	66.3	71.9	65.8	66.7	66.3	66.2	71.0	69.2	69.6	67.7	69.5	70.7	72.1	71.9	74.0	74.8	75.3	76.2	75.8	76.3	77.7
40-49	68.1	67.3	67.5	65.3	65.3	64.9	63.5	64.5	66.0	64.5	66.7	64.1	67.0	68.2	68.4	68.8	69.1	69.9	69.3	70.1	69.4	70.1	70.9
50-59	60.2	58.9	58.0	55.7	54.8	53.2	54.4	55.2	55.2	56.5	56.5	57.6	57.7	60.3	60.7	60.6	60.3	61.1	60.5	61.2	61.6	62.1	62.8
60-64	52.5	49.7	48.5	49.2	46.1	45.4	45.9	46.2	47.5	47.2	47.2	48.4	49.4	51.5	53.0	51.6	52.6	53.2	52.4	53.0	53.7	53.9	54.4
65-69	41.6	42.2	42.6	38.9	41.9	40.7	41.4	42.2	43.0	42.0	41.6	43.1	43.8	45.9	45.2	46.2	45.6	45.4	45.7	45.8	47.0	48.1	47.2
70-79	34.7	34.3	35.3	30.0	33.2	32.4	32.8	32.6	33.1	33.9	33.5	34.7	34.9	36.2	36.1	36.4	36.1	35.4	35.9	36.6	37.0	37.8	37.9
80+	18.9	22.5	20.3	18.3	20.9	22.2	20.4	21.5	19.9	23.3	22.0	21.9	23.4	23.7	24.2	23.7	24.0	23.0	22.2	22.8	23.4	23.6	25.0
Male	53.9	53.3	50.9	46.9	47.7	44.8	45.3	45.9	46.9	47.0	46.8	47.1	47.3	49.5	49.4	49.6	49.1	48.1	48.7	48.9	49.2	49.3	49.4
Female	57.5	55.9	54.1	49.9	49.7	49.9	48.8	48.3	49.0	47.9	47.3	47.2	48.2	48.7	48.9	48.5	48.1	47.8	46.8	47.1	47.1	48.3	48.5
White	52.6	50.9	48.9	44.0	44.1	42.2	41.7	41.7	41.3	41.2	40.3	40.5	41.0	42.7	42.6	42.8	42.0	41.4	42.0	42.4	42.7	43.0	43.3
Black	62.2	62.5	59.6	56.3	57.5	56.4	56.7	56.6	59.3	57.8	58.3	57.7	58.6	59.4	59.8	59.2	59.9	59.2	57.6	57.8	58.3	59.0	58.9
Other race	55.0	50.0	55.9	54.5	50.7	50.6	52.0	53.1	56.7	57.2	58.4	61.6	59.5	59.3	59.9	57.1	54.6	55.5	55.6	58.0	57.0	59.4	58.9
†Hispanic																	55.0	54.5	55.4	55.8	57.7	57.6	57.5
†Non-Hispanic																	47.8	47.2	46.8	47.1	46.8	47.7	47.8
Diabetes	43.8	41.9	39.1	39.4	38.3	38.0	38.4	39.9	41.0	41.6	42.0	43.0	43.8	45.9	46.4	46.0	45.6	45.5	45.1	46.2	46.7	47.8	47.9
Hypertension	61.5	57.2	53.1	50.8	49.8	49.0	48.1	47.2	48.4	48.4	47.2	46.9	47.8	48.0	48.4	49.6	48.9	47.3	47.2	47.2	47.4	47.3	47.6
Glomerulonephritis	72.9	66.8	65.1	64.4	63.8	58.4	58.6	59.2	61.9	58.5	59.4	59.0	60.1	62.9	61.9	62.0	62.0	63.0	63.2	61.2	63.8	64.7	64.7
Other cause	52.1	53.9	54.7	45.1	49.0	49.1	49.6	49.5	49.2	49.5	49.3	49.4	49.1	50.9	50.1	48.7	48.8	48.3	48.3	48.7	47.2	47.5	47.6
All	55.5	54.5	52.4	48.3	48.6	47.2	47.0	47.0	47.9	47.4	47.0	47.1	47.7	49.1	49.2	49.1	48.6	48.0	47.8	48.1	48.2	48.8	49.0
ADJUSTED																							
0-19	83.5	77.0	87.2	75.8	88.4	79.8	64.0	72.1	73.7	79.1	78.7	78.6	79.6	75.5	80.3	83.8	75.4	77.4	81.2	79.7	80.1	75.8	80.5
20-44	69.7	70.0	67.2	67.7	65.4	64.0	65.1	65.4	69.2	67.8	68.6	66.4	68.6	69.4	70.6	70.3	72.6	73.7	73.8	74.3	73.6	74.2	75.1
45-64	56.2	54.0	53.5	52.2	51.0	50.2	51.0	51.7	52.5	53.5	54.1	55.0	55.6	58.5	59.5	59.1	59.3	60.3	59.8	60.6	61.3	61.6	62.3
65-74	38.7	38.9	39.7	35.0	39.0	37.3	37.5	38.7	39.7	39.4	39.2	40.2	41.3	42.9	42.2	43.6	43.1	42.5	43.2	44.0	44.6	46.0	45.3
75+	27.2	28.7	26.8	23.2	25.3	26.2	27.1	26.0	25.4	28.0	26.5	28.1	27.9	28.9	29.4	28.6	28.9	28.6	28.4	28.9	29.6	29.7	30.5
Male	46.2	45.7	44.6	42.0	43.3	41.3	42.6	43.2	44.2	45.4	45.5	46.4	46.6	49.3	49.5	49.8	50.0	50.0	50.7	51.5	52.0	52.1	52.5
Female	50.1	48.8	48.6	46.1	46.6	47.1	47.0	47.2	48.0	48.1	47.9	48.5	49.8	50.4	51.0	51.0	51.1	51.3	50.7	51.2	51.7	52.9	53.1
White	44.6	43.6	43.4	40.3	41.4	40.4	40.8	41.4	41.5	42.8	42.2	43.2	44.0	46.0	46.2	46.7	46.7	46.9	47.5	48.3	48.7	49.2	49.7
Black	55.0	54.1	52.0	50.6	51.2	50.5	51.7	51.8	54.3	53.3	54.2	54.1	55.0	56.2	56.7	56.4	57.4	57.1	55.7	55.9	56.9	57.6	57.5
Other race	46.3	43.6	46.4	47.8	43.9	46.8	48.5	49.0	52.9	55.3	57.0	60.9	58.9	59.5	60.4	58.4	56.6	58.4	57.9	60.7	60.4	61.6	61.8
Diabetes	37.5	36.0	34.2	34.7	34.4	34.3	35.2	37.0	38.1	39.5	39.9	41.4	42.5	44.7	45.4	45.2	45.2	45.7	45.6	46.9	47.8	48.9	49.0
Hypertension	56.0	53.5	51.5	49.9	49.7	49.9	50.0	49.8	51.0	51.7	51.1	51.3	52.0	53.0	53.1	54.4	54.4	53.6	53.9	54.1	54.5	54.4	55.1
Glomerulonephritis	63.1	58.1	58.3	57.9	58.5	54.1	54.8	54.9	57.7	55.5	56.6	56.6	57.7	60.1	60.4	59.7	60.3	61.7	61.8	60.5	62.8	62.9	63.3
Other cause	48.1	48.9	50.4	44.4	47.8	47.5	48.7	48.6	48.1	49.4	48.7	49.3	49.1	50.6	50.2	49.4	49.7	49.8	49.9	50.6	49.3	49.6	49.9
All	48.0	47.2	46.5	43.9	44.8	44.1	44.7	45.1	46.0	46.7	46.6	47.4	48.2	49.9	50.2	50.4	50.5	50.6	50.7	51.4	51.9	52.5	52.8

Table I.20

Five-year survival probabilities: incident hemodialysis patients*censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	100.0	71.1	87.5	30.0	0.0	78.4	28.9	27.3	43.8	49.3	16.7	26.6	41.3	15.8	71.1	54.7	66.7	60.2	64.0	83.3	75.0
5-9	88.1	92.4	58.3	93.8	100.0	100.0	83.3	66.7	100.0	85.7	87.8	100.0	100.0	46.4	85.7	95.0	68.2	100.0	90.9	75.0	100.0
10-14	80.2	81.4	82.1	90.5	88.4	82.0	68.3	87.9	49.1	80.9	91.7	81.8	71.7	80.7	70.4	93.8	83.1	81.4	92.3	83.8	89.3
15-19	86.8	80.2	77.9	82.7	90.8	79.6	75.6	81.0	73.6	77.6	87.9	80.1	83.9	76.4	81.9	87.3	78.8	80.5	81.4	78.0	78.8
20-29	74.4	67.5	69.4	63.2	62.2	58.3	64.8	62.4	67.0	65.1	67.5	66.5	67.6	69.8	72.1	71.8	73.9	74.1	73.2	76.6	73.0
30-39	61.8	60.2	52.8	57.0	53.6	51.2	51.6	49.0	55.8	55.8	54.4	53.5	56.7	57.8	57.9	59.4	59.8	62.0	61.8	62.9	62.4
40-49	54.0	51.2	51.2	47.6	49.1	47.7	47.0	48.6	49.0	46.9	48.1	48.2	50.6	50.6	50.6	52.3	51.5	53.0	51.8	53.6	53.1
50-59	40.6	39.6	39.2	36.2	35.5	34.8	35.6	36.5	35.9	36.0	35.9	38.3	38.1	40.0	40.5	40.8	39.7	40.9	40.6	41.8	42.3
60-64	31.5	31.6	29.0	29.3	26.8	26.9	28.0	26.1	28.6	27.9	28.0	28.5	29.9	30.9	31.5	30.2	31.3	32.4	32.5	32.8	33.1
65-69	24.0	24.6	24.4	20.8	22.7	23.1	22.8	23.2	23.2	23.2	22.7	22.5	24.3	24.6	25.3	24.5	24.9	24.5	25.4	25.4	26.5
70-79	16.7	16.0	17.5	13.9	15.9	15.8	15.5	15.7	15.9	16.2	16.1	16.5	16.5	17.1	17.1	17.5	17.4	16.9	17.7	17.7	18.5
80+	7.6	7.1	6.8	6.2	7.3	8.3	7.2	7.8	6.7	9.0	8.8	7.8	7.7	8.3	8.6	8.9	8.3	8.2	8.0	8.2	8.1
Male	36.8	34.5	32.7	28.6	28.9	27.3	27.9	27.7	28.9	28.7	28.5	28.5	29.1	30.2	30.2	31.0	30.3	29.4	30.1	30.4	30.3
Female	39.1	38.8	36.0	31.5	31.5	31.5	30.4	29.8	30.1	28.9	28.6	28.2	29.0	29.0	29.4	28.9	28.2	28.5	28.1	28.3	28.8
White	35.2	32.4	30.3	25.8	25.5	24.6	24.0	23.2	22.9	22.7	22.1	21.9	22.5	23.1	23.3	23.2	22.7	22.1	23.0	23.2	23.9
Black	43.9	45.2	41.9	37.3	38.9	37.9	38.2	38.0	40.4	38.9	39.4	38.8	39.6	40.0	40.3	41.0	40.7	40.7	39.5	40.0	40.0
Other race	34.6	33.8	41.7	39.0	34.0	32.4	35.9	38.8	40.2	39.0	37.0	39.5	40.1	39.4	39.6	36.4	34.3	36.7	37.0	39.8	37.7
†Hispanic																	35.3	34.2	36.3	35.6	38.0
†Non-Hispanic																	28.6	28.4	28.3	28.6	28.4
Diabetes	26.9	23.0	20.0	20.3	19.5	18.8	20.6	20.8	22.1	21.7	22.3	23.0	24.1	24.8	25.4	25.1	24.7	24.8	25.3	26.2	26.6
Hypertension	45.4	38.9	34.8	32.3	31.7	31.6	29.8	29.2	30.6	30.2	29.7	28.6	29.4	29.1	29.9	31.1	30.4	29.6	29.3	29.4	29.5
Glomerulonephritis	57.4	51.8	48.2	44.5	44.0	39.2	40.0	40.4	43.0	40.6	41.2	41.7	41.4	44.4	43.4	44.5	44.2	43.9	44.9	44.4	45.5
Other cause	33.4	35.6	37.1	28.6	31.6	33.4	32.9	32.5	31.3	32.8	32.0	32.5	33.0	34.4	33.8	32.9	32.2	32.4	32.4	31.8	31.8
All	37.9	36.5	34.2	30.0	30.1	29.3	29.1	28.7	29.4	28.8	28.5	28.4	29.0	29.6	29.8	30.0	29.3	29.0	29.2	29.4	29.6
ADJUSTED																					
0-19	74.7	67.2	64.2	69.1	78.4	66.5	55.2	64.3	55.5	64.8	72.9	65.2	68.0	57.3	66.5	77.0	65.5	65.5	69.9	64.9	68.5
20-44	58.1	55.4	52.6	50.9	50.9	47.7	50.6	49.1	53.2	52.7	53.3	51.8	54.6	54.8	56.1	57.1	57.2	58.9	58.7	60.3	58.8
45-64	36.4	35.1	34.4	32.5	31.6	31.4	32.5	32.3	33.2	33.4	33.7	35.6	36.2	38.1	38.8	38.9	38.8	40.3	40.2	41.4	42.3
65-74	21.0	21.0	21.6	17.8	20.0	20.0	19.7	20.6	20.9	20.9	20.8	20.6	22.2	22.5	22.9	22.7	23.1	22.4	23.5	23.9	24.8
75+	11.8	11.5	11.5	9.2	10.8	11.4	11.3	10.8	10.3	11.8	11.3	11.6	10.9	11.5	11.5	12.2	11.9	11.9	12.2	12.3	12.8
Male	30.0	28.1	27.8	25.2	26.1	25.5	26.7	26.5	27.3	28.4	28.2	29.0	29.4	30.9	31.0	31.8	31.9	31.9	32.7	33.7	33.80
Female	32.2	32.3	31.4	29.0	29.6	30.0	29.8	29.9	30.3	30.1	30.2	30.5	31.7	31.7	32.5	32.3	32.2	32.9	32.9	33.2	34.3
White	28.2	26.5	26.3	23.8	24.5	24.5	24.7	24.4	24.6	25.7	25.3	25.8	26.7	27.6	28.1	28.2	28.4	28.4	29.5	30.0	30.8
Black	36.5	36.6	34.5	32.1	33.3	32.6	33.9	34.0	35.7	34.8	35.6	35.8	36.4	37.1	37.6	38.4	38.3	38.9	37.9	38.2	38.9
Other race	27.6	29.0	32.4	32.9	28.5	30.5	33.5	35.3	36.9	38.2	36.6	40.3	40.7	40.6	41.2	38.8	37.5	40.7	40.4	43.7	42.7
Diabetes	22.0	18.8	17.1	17.5	17.5	17.1	19.0	19.3	20.5	20.8	21.3	22.3	23.7	24.5	25.2	25.1	25.2	25.6	26.3	27.5	28.2
Hypertension	40.0	35.8	34.4	32.6	32.7	33.5	32.9	33.1	34.0	34.4	34.5	34.0	34.4	35.0	35.4	36.6	36.6	36.6	36.7	36.9	37.4
Glomerulonephritis	46.2	42.6	41.8	38.7	39.7	36.1	37.4	37.1	39.9	38.8	39.1	40.2	40.0	42.1	42.5	42.3	42.9	43.1	43.9	44.0	45.1
Other cause	30.3	31.6	33.7	28.7	31.6	32.6	33.0	32.4	31.2	33.5	32.3	33.3	33.8	34.8	34.6	34.1	33.8	34.4	34.6	34.4	34.5
All	31.0	30.0	29.5	27.0	27.8	27.6	28.1	28.1	28.7	29.2	29.1	29.7	30.5	31.3	31.7	32.0	32.0	32.4	32.8	33.4	34

Table I.21

Ten-year survival probabilities: incident hemodialysis patients*censored at transplant, from day 91 to ten years + 90 days, by age, gender, race, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	0.0	71.1	0.0	0.0	0.0	0.0	28.9	0.0	21.9	49.3	16.7	26.6	41.3	15.8	71.1	54.7
5-9	88.1	46.2	58.3	93.8	100.0	100.0	83.3	66.7	100.0	85.7	87.8	50.0	100.0	46.4	0.0	95.0
10-14	64.3	55.5	27.4	77.5	55.2	82.0	68.3	87.9	24.6	71.9	78.6	81.8	56.5	67.2	40.6	67.0
15-19	77.3	62.9	60.4	68.1	74.8	63.6	60.0	49.9	58.7	66.5	70.1	66.8	64.8	59.6	70.9	59.8
20-29	53.4	46.2	46.4	44.1	43.8	41.2	42.7	40.7	45.2	42.9	45.6	43.4	44.0	52.2	50.4	51.1
30-39	40.0	36.3	30.7	34.1	31.5	30.4	28.4	28.4	30.4	31.9	31.3	31.2	34.0	32.4	31.8	34.9
40-49	26.5	23.6	24.4	21.2	23.1	21.6	21.0	21.5	23.0	19.5	20.1	20.2	21.9	21.5	21.8	21.2
50-59	13.2	13.5	13.7	11.1	11.4	11.8	11.1	11.4	10.8	10.7	10.5	11.7	11.0	10.8	11.7	11.8
60-64	7.9	7.2	5.8	7.4	6.9	7.6	7.1	6.1	6.9	5.8	5.6	6.0	6.5	6.8	7.1	6.7
65-69	4.8	5.2	4.3	4.9	4.9	5.8	5.0	4.5	4.5	4.1	4.5	4.0	4.1	4.6	4.2	4.1
70-79	2.6	2.0	2.8	2.0	3.0	2.6	2.2	2.4	2.3	1.8	1.9	1.6	2.0	2.1	2.1	2.0
80+	1.3	0.9	1.5	0.3	1.1	0.8	0.5	0.7	0.5	0.5	0.2	0.5	0.5	0.5	0.4	0.5
Male	13.5	11.8	10.5	9.3	9.8	9.5	9.2	9.0	9.1	8.3	8.9	8.3	8.7	8.8	8.8	8.8
Female	15.6	14.6	12.6	10.9	10.7	10.7	9.4	8.7	9.3	8.2	7.6	7.8	7.8	7.8	7.6	7.9
White	13.4	10.8	9.6	7.9	8.1	7.7	6.8	6.5	6.2	5.2	5.3	5.1	5.1	5.3	5.1	5.2
Black	17.0	17.7	15.2	13.8	13.9	14.3	13.4	12.9	14.1	13.5	13.1	12.9	13.4	13.2	13.4	13.5
Other race	12.0	14.0	15.6	13.4	15.1	12.0	15.8	12.8	14.1	11.0	12.4	11.9	12.4	11.6	11.7	11.6
Diabetes	7.9	5.6	4.9	4.1	4.3	4.4	4.0	4.4	4.4	4.0	4.3	4.1	4.3	4.6	4.8	4.5
Hypertension	18.3	14.5	10.7	11.0	10.7	10.3	9.6	8.3	9.3	9.1	8.6	8.4	8.9	8.5	9.0	9.7
Glomerulonephritis	31.4	24.1	19.0	18.2	18.1	17.3	16.7	15.9	17.1	15.1	16.7	16.3	17.4	17.8	16.3	18.2
Other cause	11.2	11.9	13.8	10.1	11.8	12.8	12.0	12.2	12.4	11.4	11.4	12.3	11.9	12.7	12.0	11.7
All	14.5	13.1	11.5	10.0	10.2	10.1	9.3	8.8	9.2	8.3	8.2	8.0	8.2	8.3	8.2	8.4
ADJUSTED																
0-19	58.5	44.5	35.7	49.6	50.3	47.8	40.9	36.6	38.9	52.2	53.4	49.1	47.5	40.2	45.0	43.8
20-44	35.2	30.3	28.5	28.2	28.2	26.8	26.8	26.0	28.0	28.0	28.3	27.8	29.5	29.5	29.2	30.5
45-64	11.2	10.5	10.5	9.2	9.6	10.0	9.7	9.5	9.7	9.1	9.3	10.1	10.2	10.5	11.4	11.1
65-74	4.1	3.9	3.8	3.7	4.2	4.6	3.9	3.7	3.7	3.3	3.6	3.1	3.6	3.8	3.6	3.6
75+	1.8	1.5	1.9	1.0	1.8	1.3	1.2	1.4	1.3	1.0	0.7	1.0	0.9	1.1	1.0	1.0
Male	10.8	9.4	9.6	8.7	9.7	10.0	9.9	9.7	9.4	9.2	9.7	9.5	9.8	10.2	10.3	10.2
Female	12.5	12.0	11.6	10.7	11.2	11.3	10.4	10.3	10.8	10.1	9.8	10.2	10.6	10.7	10.6	10.9
White	10.4	9.0	9.1	8.2	9.1	9.2	8.7	8.6	8.4	8.0	8.2	8.3	8.7	9.0	8.9	9.0
Black	12.8	13.0	11.9	11.5	11.8	12.3	11.8	11.8	12.3	11.8	11.8	12.0	12.1	12.4	12.5	12.6
Other race	8.7	11.7	12.8	11.4	13.2	12.6	15.4	12.5	13.5	13.0	13.4	14.3	15.1	14.4	14.6	14.7
Diabetes	6.2	4.6	4.4	3.8	4.3	4.7	4.2	4.6	4.6	4.2	4.6	4.5	4.9	5.3	5.5	5.2
Hypertension	16.0	14.0	12.5	12.8	13.1	13.2	13.0	12.6	12.6	12.8	12.7	12.5	13.0	13.0	13.3	13.8
Glomerulonephritis	22.0	18.0	16.9	15.8	17.1	17.0	16.5	15.5	16.9	15.5	16.2	16.4	17.3	17.1	16.8	17.4
Other cause	10.8	11.1	13.1	11.2	13.0	13.6	13.1	13.2	13.1	12.6	12.5	13.6	13.2	13.8	13.2	13.1
All	11.5	10.6	10.5	9.6	10.4	10.6	10.1	10.0	10.0	9.6	9.7	9.8	10.1	10.4	10.4	10.5

Table I.22

Incident patient counts: CAPD/CCPD patients, unknowns dropped

dialysis patients alive on day 91, by age, gender, race, ethnicity, & primary diagnosis

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	*	20	33	47	52	70	58	52	60	51	38	60	60	59	46	62	79	62	68	54	77	63	77	72	90
5-9	*	*	27	30	45	30	41	34	29	34	34	25	24	29	46	36	39	37	34	38	35	39	44	32	30
10-14	*	20	47	57	71	46	49	51	48	35	57	58	45	54	59	66	83	65	55	60	63	45	79	62	69
15-19	*	18	49	59	61	65	60	68	61	81	75	58	94	76	71	82	87	74	62	63	69	71	53	58	72
20-29	53	103	169	185	224	210	255	247	282	278	327	294	304	312	297	302	274	234	212	197	189	172	146	145	153
30-39	101	186	315	388	378	429	429	477	534	601	655	704	735	713	759	738	644	542	501	509	449	394	397	358	382
40-49	108	171	343	394	409	463	526	542	594	737	837	980	945	1,054	988	1,168	1,082	892	797	788	781	738	656	715	686
50-59	147	314	493	533	596	627	633	666	713	868	946	982	1,121	1,110	1,229	1,368	1,276	1,229	1,160	1,134	1,046	1,153	1,074	1,045	1,025
60-64	58	188	267	331	322	394	376	420	466	504	605	621	660	661	678	801	708	653	589	570	578	569	548	582	518
65-69	44	143	234	212	224	269	291	338	341	417	533	503	455	612	558	671	623	590	561	522	541	540	518	534	471
70-79	44	125	306	265	259	325	284	380	391	478	592	609	636	694	777	891	891	880	811	794	777	803	766	719	711
80+	7	25	59	52	47	59	62	66	90	112	118	96	131	145	162	189	226	236	186	206	215	248	229	243	245
Male	312	659	1,212	1,370	1,478	1,582	1,680	1,784	1,957	2,265	2,589	2,789	2,786	2,970	3,035	3,427	3,200	2,918	2,659	2,602	2,588	2,556	2,472	2,443	2,424
Female	279	663	1,130	1,183	1,210	1,405	1,384	1,557	1,652	1,931	2,228	2,201	2,424	2,549	2,635	2,947	2,812	2,576	2,377	2,333	2,232	2,279	2,115	2,122	2,028
White	478	1,008	1,706	1,878	1,997	2,300	2,323	2,507	2,708	3,117	3,601	3,696	3,824	3,971	4,090	4,561	4,398	4,077	3,667	3,673	3,528	3,497	3,279	3,193	3,185
Black	100	297	599	625	621	623	666	748	796	967	1,086	1,147	1,198	1,321	1,306	1,458	1,277	1,131	1,079	1,030	1,005	1,032	1,000	1,069	946
Other race	13	17	37	50	70	64	75	86	105	112	130	147	188	227	274	355	337	286	290	232	287	306	308	303	321
†Hispanic																	607	519	497	516	572	478	507	485	484
†Non-Hispanic																	5,405	4,975	4,539	4,419	4,248	4,357	4,080	4,080	3,968
Diabetes	167	416	769	819	889	1,003	1,104	1,238	1,282	1,624	1,905	2,039	2,201	2,275	2,401	2,878	2,829	2,565	2,347	2,330	2,275	2,213	2,115	2,058	1,929
Hypertension	116	295	614	570	558	647	663	695	848	954	1,203	1,142	1,160	1,299	1,295	1,294	1,126	1,115	1,009	997	967	970	984	1,029	1,008
Glomerulonephritis	155	269	451	490	562	595	604	661	732	806	861	906	939	953	1,011	1,109	1,042	927	846	744	777	745	658	664	701
Cystic kidney	38	83	109	115	148	145	159	172	173	196	236	273	265	293	308	308	282	253	224	263	231	259	206	258	237
Other urologic	13	53	85	84	82	104	81	85	87	88	95	88	113	106	101	150	144	140	122	136	134	145	136	110	125
Other cause	89	161	287	347	365	409	377	409	386	457	488	518	515	568	542	628	578	488	485	459	434	501	480	436	429
Missing cause	13	45	27	128	84	84	76	81	101	71	29	24	17	25	12	*	11	*	*	*	*	*	*	10	23
All	591	1,322	2,342	2,553	2,688	2,987	3,064	3,341	3,609	4,196	4,817	4,990	5,210	5,519	5,670	6,374	6,012	5,494	5,036	4,935	4,820	4,835	4,587	4,565	4,452

Table I.23

90-day survival probabilities: incident CAPD/CCPD patients

censored at transplant, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.5	100.0	100.0	100.0	100.0	98.5	100.0	100.0	100.0	100.0	98.8	100.0	100.0	98.6	100.0
5-9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
10-14	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.3	100.0	100.0	100.0	98.4	100.0	100.0	98.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0
15-19	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.7	100.0	100.0
20-29	100.0	99.1	100.0	99.5	99.6	99.5	100.0	98.8	100.0	99.7	99.4	99.7	99.4	100.0	99.7	99.7	99.7	100.0	99.6	99.5	100.0	99.5	100.0	100.0	100.0
30-39	99.1	99.0	98.8	99.5	99.7	99.1	98.5	99.4	99.1	99.4	99.3	99.0	99.2	99.6	99.4	99.4	99.6	99.5	99.8	99.2	100.0	100.0	99.5	99.7	100.0
40-49	100.0	98.9	99.4	98.8	99.3	98.8	99.4	99.1	99.5	99.6	99.5	99.7	99.5	99.1	99.5	99.4	99.2	99.6	99.6	99.6	99.6	100.0	99.7	99.9	99.4
50-59	98.8	98.0	99.0	98.8	99.2	98.0	99.3	98.9	98.7	99.0	99.1	98.8	99.3	99.0	99.2	99.1	99.0	99.4	99.3	99.4	99.3	99.5	99.5	99.7	99.6
60-64	98.5	99.5	98.6	98.6	98.6	95.6	97.1	97.1	97.8	99.4	98.4	98.2	99.0	99.1	98.2	98.8	99.2	99.1	98.9	98.8	98.8	99.3	99.3	99.3	99.8
65-69	96.2	97.6	94.5	94.7	94.4	96.9	97.7	96.2	97.0	96.2	97.7	98.3	97.7	99.1	98.5	98.0	97.1	99.0	97.6	98.2	98.8	98.9	99.6	98.9	99.4
70-79	96.1	95.1	92.5	93.2	94.8	95.9	94.3	95.8	95.0	96.4	95.7	97.2	97.0	96.2	98.3	96.6	96.4	97.6	96.8	97.2	97.1	96.9	96.8	97.6	98.3
80+	100.0	97.4	94.1	88.2	92.7	87.3	89.3	88.4	93.4	96.7	94.7	90.7	93.4	93.9	91.8	92.9	93.5	93.8	93.5	96.0	95.8	96.4	94.9	95.5	97.4
Male	99.4	98.4	97.2	97.8	98.6	97.4	98.1	98.1	98.2	98.7	98.4	98.8	98.7	98.6	98.9	98.6	98.3	98.9	98.3	98.7	98.7	98.8	98.6	99.1	99.2
Female	98.1	98.1	98.0	97.7	97.9	97.9	98.2	97.7	98.2	98.6	98.5	98.4	98.8	98.8	98.6	98.4	98.4	98.8	98.8	98.8	99.0	99.1	99.2	99.0	99.5
White	98.7	98.2	97.1	97.7	98.2	97.3	97.9	97.7	98.0	98.4	98.2	98.5	98.6	98.6	98.8	98.3	98.3	98.7	98.4	98.6	98.6	98.8	98.7	98.8	99.2
Black	99.0	98.4	98.9	98.2	98.8	98.9	99.0	98.5	98.7	99.4	99.0	98.7	99.0	99.0	98.6	98.9	98.4	99.2	98.8	99.2	99.4	99.5	99.2	99.5	99.5
Other race	100.0	100.0	100.0	94.9	98.6	95.9	98.7	100.0	100.0	99.2	98.5	100.0	100.0	99.2	99.3	99.2	98.6	99.3	99.7	98.3	99.3	98.7	99.4	99.4	99.7
†Hispanic																	98.9	98.9	98.5	99.4	99.0	99.4	99.2	99.0	99.2
†Non-Hispanic																	98.3	98.8	98.6	98.7	98.8	98.9	98.8	99.0	99.3
Diabetes	97.7	99.1	97.6	97.7	98.7	97.9	97.9	98.3	97.9	98.6	98.5	98.3	98.6	98.5	98.9	98.7	98.3	99.1	98.6	98.7	98.9	99.0	98.9	99.2	99.3
Hypertension	100.0	97.4	96.5	96.8	96.7	97.5	97.5	96.5	98.2	97.3	97.4	98.6	98.2	98.3	98.3	97.4	97.4	98.4	98.2	98.9	98.3	98.4	98.4	98.5	99.4
Glomerulonephritis	99.4	99.6	98.3	98.8	99.3	98.2	98.9	99.0	99.2	99.8	99.2	99.5	99.5	99.5	99.4	99.5	99.5	99.3	99.2	98.9	99.9	99.6	99.5	99.6	99.6
Other cause	98.5	97.4	98.0	97.8	98.3	97.1	98.5	97.7	97.8	99.2	98.7	98.4	98.9	99.0	98.5	98.5	98.4	98.4	98.2	98.5	98.4	98.7	98.8	98.9	99.1
All	98.8	98.3	97.6	97.7	98.3	97.6	98.1	97.9	98.2	98.6	98.4	98.6	98.7	98.7	98.8	98.5	98.4	98.9	98.5	98.7	98.8	98.9	98.9	99.0	99.3
ADJUSTED																									
0-19	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.5	100.0	100.0	100.0	99.6	99.6	100.0	99.5	100.0	100.0	99.6	99.5	100.0	99.5	100.0
20-44	99.6	98.8	99.3	99.4	99.6	99.2	99.1	99.1	99.5	99.5	99.4	99.4	99.3	99.5	99.5	99.5	99.3	99.6	99.8	99.3	99.9	99.9	99.7	99.9	99.8
45-64	98.9	98.7	99.0	98.7	99.0	97.3	98.7	98.5	98.5	99.2	99.0	98.9	99.3	99.1	99.0	99.1	99.2	99.4	99.2	99.4	99.3	99.6	99.5	99.6	99.7
65-74	95.7	96.3	94.5	95.3	94.7	96.2	96.7	96.7	95.9	96.6	96.9	98.2	98.0	98.3	98.4	97.4	97.4	98.4	97.7	97.7	98.3	98.1	98.5	98.8	98.8
75+	100.0	97.9	91.8	89.3	94.9	94.5	92.5	92.3	95.7	96.4	95.8	94.7	94.7	94.7	96.1	95.3	94.3	96.2	94.9	97.0	96.3	96.6	96.1	96.1	98.1
Male	98.9	97.7	96.0	96.6	97.8	95.9	96.9	97.1	97.3	98.0	97.5	98.1	97.9	98.0	98.4	98.0	97.7	98.5	97.8	98.4	98.4	98.5	98.2	98.8	98.9
Female	96.2	96.8	96.9	96.0	96.3	96.4	96.9	96.3	96.9	97.7	97.7	97.5	98.1	98.2	97.8	97.7	97.7	98.4	98.3	98.3	98.6	98.8	99.0	98.7	99.3
White	97.4	97.0	95.6	96.1	96.8	95.6	96.4	96.4	96.8	97.5	97.4	97.7	97.9	98.0	98.3	97.7	97.8	98.4	97.9	98.3	98.3	98.5	98.4	98.6	99.0
Black	97.9	97.3	98.1	97.1	97.8	98.0	98.0	96.9	97.3	98.7	97.9	97.3	97.8	97.9	97.1	97.9	96.8	98.6	97.7	98.4	98.8	99.1	98.6	99.1	99.0
Other race	100.0	100.0	100.0	92.2	97.0	92.4	97.6	100.0	100.0	98.5	97.6	100.0	100.0	98.6	98.7	98.7	98.0	99.1	99.4	97.7	99.0	98.3	99.2	99.1	99.6
Diabetes	95.5	98.1	95.9	95.8	97.5	96.0	96.2	97.2	96.5	97.7	97.7	97.3	97.8	97.7	98.3	98.1	97.7	98.8	98.2	98.3	98.6	98.7	98.6	99.0	99.1
Hypertension	100.0	96.9	96.1	95.9	95.7	97.1	97.0	96.2	97.8	97.0	97.2	98.4	98.1	98.2	98.2	97.3	97.5	98.5	98.3	99.0	98.4	98.5	98.6	98.6	99.5
Glomerulonephritis	98.4	99.2	96.6	97.4	98.3	96.2	97.4	97.7	98.3	99.5	98.3	98.9	98.8	98.9	98.8	99.0	99.1	98.6	98.4	98.0	99.8	99.3	99.2	99.1	99.2
Other cause	96.7	95.9	97.0	96.4	97.2	94.9	97.2	96.2	96.2	98.5	97.6	97.1	97.9	98.0	97.3	97.3	97.2	97.3	96.9	97.7	97.3	97.9	97.9	98.0	98.4
All	97.7	97.3	96.4	96.3	97.1	96.1	96.9	96.7	97.1	97.9	97.6	97.8	98.0	98.1	98.2	97.9	97.7	98.5	98.0	98.3	98.5	98.6	98.5	98.8	99.1

Table I.23
Standard errors

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	
0-4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.3	0	
5-9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
10-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.5	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
15-19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0
20-29	0.0	0.9	0.0	0.5	0.4	0.5	0.0	0.7	0.0	0.3	0.4	0.3	0.4	0.0	0.3	0.3	0.3	0.0	0.4	0.5	0.0	0.5	0.0	0.0	0.0	0
30-39	0.9	0.7	0.6	0.3	0.3	0.4	0.6	0.3	0.4	0.3	0.3	0.4	0.3	0.2	0.3	0.3	0.3	0.3	0.2	0.4	0.0	0.0	0.3	0.3	0	0
40-49	0.0	0.8	0.4	0.5	0.4	0.5	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.0	0.2	0.1	0.3	0.3
50-59	0.9	0.7	0.4	0.5	0.3	0.5	0.3	0.4	0.4	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
60-64	1.5	0.5	0.7	0.6	0.6	1.0	0.8	0.8	0.7	0.3	0.5	0.5	0.4	0.4	0.5	0.4	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2
65-69	2.6	1.2	1.4	1.4	1.5	1.0	0.8	1.0	0.9	0.9	0.6	0.6	0.7	0.4	0.5	0.5	0.6	0.4	0.6	0.6	0.5	0.4	0.3	0.4	0.4	0.4
70-79	2.7	1.7	1.4	1.4	1.3	1.0	1.3	1.0	1.0	0.8	0.6	0.6	0.7	0.7	0.4	0.6	0.6	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.5
80+	0.0	2.5	2.8	3.9	3.5	3.9	3.5	3.4	2.4	1.6	1.9	2.7	2.0	1.9	2.0	1.7	1.5	1.5	1.7	1.3	1.3	1.1	1.4	1.3	1	1
Male	0.4	0.5	0.5	0.4	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Female	0.8	0.5	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
White	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Black	0.9	0.7	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.2
Other race	0.0	0.0	0.0	2.8	1.4	2.3	1.2	0.0	0.0	0.8	1.0	0.0	0.0	0.6	0.5	0.5	0.6	0.5	0.3	0.8	0.5	0.6	0.4	0.4	0.3	0.3
†Hispanic																	0.4	0.4	0.5	0.3	0.4	0.3	0.4	0.4	0.4	0.4
†Non-Hispanic																	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1
Diabetes	1.1	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Hypertension	0.0	0.9	0.7	0.7	0.7	0.6	0.6	0.7	0.5	0.5	0.5	0.3	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.2
Glomerulonephritis	0.6	0.4	0.6	0.5	0.4	0.5	0.4	0.4	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.4	0.1	0.2	0.3	0.3	0.2	0.2
Other cause	0.8	0.7	0.5	0.5	0.4	0.6	0.4	0.5	0.5	0.3	0.4	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3
All	0.4	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1

Table I.24

One-year survival probabilities: incident CAPD/CCPD patients*censored at transplant, from day 91 to one year + 90 days, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	85.7	100.0	84.1	84.2	80.7	81.2	92.9	97.8	80.8	88.9	76.9	77.3	86.6	88.6	89.4	85.2	91.0	85.6	90.2	91.2	86.3	93.9	89.9	89.4	83.7
5-9	80.0	100.0	89.4	100.0	83.2	81.6	100.0	100.0	100.0	100.0	96.3	100.0	87.4	95.7	100.0	100.0	96.0	93.9	100.0	97.4	100.0	100.0	97.1	100.0	100.0
10-14	100.0	100.0	97.8	100.0	96.1	97.9	97.2	100.0	93.8	93.0	95.6	97.6	97.4	96.4	100.0	96.0	94.8	98.0	100.0	100.0	96.0	97.8	98.3	100.0	97.1
15-19	100.0	100.0	90.1	92.5	93.2	92.1	96.0	94.2	100.0	96.6	100.0	95.8	96.1	96.4	98.8	97.7	100.0	96.3	98.4	98.0	98.4	98.2	100.0	100.0	100.0
20-29	95.7	90.4	90.8	89.0	90.4	91.8	95.0	89.0	92.4	91.7	90.9	92.5	95.4	93.4	95.1	94.2	94.3	98.2	97.9	98.9	95.6	95.7	95.0	95.5	97.0
30-39	81.0	87.1	84.3	88.3	86.2	87.0	85.3	88.1	88.5	89.7	91.8	93.4	91.7	92.7	92.6	92.1	93.2	94.1	93.3	95.7	95.7	96.0	95.6	95.3	96.4
40-49	85.5	82.2	82.8	84.6	84.9	84.2	83.5	87.1	87.9	87.8	90.0	90.2	90.8	91.6	91.1	92.5	92.6	92.5	93.4	92.7	94.1	95.5	92.0	93.8	94.8
50-59	78.8	80.3	80.4	79.7	81.9	77.9	80.2	81.8	82.6	82.7	85.6	85.2	87.0	87.3	89.1	87.9	87.3	89.6	87.2	89.4	88.6	91.5	90.7	90.7	91.1
60-64	78.5	72.5	74.4	72.1	72.6	76.1	76.2	74.6	77.5	78.4	79.3	82.9	81.5	83.7	81.9	81.9	80.0	83.1	81.9	81.0	83.0	83.7	86.6	86.6	89.7
65-69	67.3	68.7	67.7	70.9	66.3	68.1	68.5	67.8	74.2	74.0	75.9	77.4	80.9	80.0	78.5	79.4	77.6	77.0	79.8	78.8	77.6	79.1	80.0	82.4	82.3
70-79	53.1	64.1	62.7	59.5	64.0	71.3	65.2	65.2	64.4	66.3	64.7	69.2	68.6	70.1	70.6	72.4	71.5	71.5	73.0	72.4	70.7	77.2	75.0	76.7	79.5
80+	55.6	60.5	51.6	40.0	43.4	47.6	50.7	43.3	49.5	46.6	59.5	61.3	61.0	57.8	60.5	60.8	59.3	53.9	57.7	57.6	59.2	60.6	56.2	64.4	68.8
Male	78.7	77.8	78.6	77.6	78.7	79.2	80.0	80.4	79.8	80.5	82.2	83.8	84.5	84.7	84.8	84.3	83.3	84.6	84.1	85.0	84.2	86.7	84.8	87.2	87.6
Female	79.1	78.5	75.2	77.9	78.5	78.0	78.5	77.8	81.7	81.4	82.4	84.4	84.5	85.0	84.8	85.0	84.4	83.5	84.6	84.2	84.1	85.7	85.9	85.9	88.6
White	78.1	76.8	76.1	77.1	77.5	77.9	77.9	77.9	79.3	79.4	80.8	82.5	83.3	83.4	83.7	83.1	81.9	82.3	82.1	82.9	81.9	84.4	83.2	85.0	86.8
Black	80.4	81.5	79.5	78.8	82.2	81.5	83.0	82.1	83.9	84.8	86.2	87.2	87.3	87.7	86.5	87.1	88.9	88.9	89.9	89.8	90.6	90.5	90.4	90.1	90.5
Other race	93.8	94.4	74.3	86.7	79.5	77.9	86.4	86.0	90.0	87.9	88.1	95.7	89.1	91.8	93.1	93.5	88.2	88.9	91.5	88.4	88.2	92.4	89.8	90.7	93.1
†Hispanic	88.9	87.6	90.2	89.8	87.1	92.0	88.0	88.4	94.2
†Non-Hispanic	83.2	83.7	83.7	84.1	83.8	85.6	84.9	86.4	87.3
Diabetes	62.4	67.6	69.7	71.9	71.1	72.0	71.6	73.9	77.3	76.4	78.6	80.5	80.8	82.4	81.5	81.7	81.1	80.4	80.7	81.6	80.9	84.2	81.6	84.4	86.6
Hypertension	80.3	78.8	75.4	74.7	75.6	77.7	79.9	76.8	78.4	78.4	80.8	83.3	83.3	82.7	82.2	83.6	82.9	82.8	83.5	83.1	83.0	83.9	85.4	84.8	84.5
Glomerulonephritis	88.4	87.6	85.3	89.7	87.7	90.6	89.7	89.8	90.3	91.0	91.4	90.2	92.5	93.3	93.6	92.9	92.2	92.2	94.0	94.6	94.2	92.5	95.3	95.6	95.1
Other cause	84.7	81.6	81.6	79.1	82.9	79.4	82.0	81.1	80.1	83.3	83.6	87.0	87.1	85.4	87.6	85.7	84.2	87.8	86.3	86.4	85.4	88.5	86.8	87.4	90.3
All	78.9	78.1	77.0	77.7	78.6	78.7	79.3	79.1	80.7	80.9	82.3	84.0	84.5	84.8	84.8	84.6	83.8	84.1	84.4	84.7	84.2	86.2	85.3	86.6	88.1
ADJUSTED																									
0-19	83.0	100.0	82.3	87.8	79.3	78.1	92.1	94.6	84.9	88.8	87.0	82.6	86.6	87.6	92.4	88.7	90.3	89.3	92.0	93.5	88.3	94.6	91.3	93.1	87.8
20-44	85.3	86.7	85.8	87.1	86.2	87.5	87.4	88.2	88.5	89.0	90.7	92.0	91.8	91.9	92.3	92.1	93.6	94.2	94.5	94.8	95.6	95.9	95.4	94.5	96.3
45-64	77.8	76.6	78.0	77.5	79.1	78.1	79.2	80.2	82.1	83.1	85.0	86.2	86.9	87.8	88.1	88.0	87.1	89.2	87.7	88.9	88.7	90.6	90.2	90.6	91.8
65-74	59.4	66.5	65.4	65.0	65.0	68.1	67.3	67.3	70.4	72.9	73.5	75.2	77.2	78.7	76.5	77.6	77.1	76.9	79.4	78.2	77.2	81.0	78.8	81.9	81.4
75+	52.4	54.1	52.9	47.5	52.8	62.9	57.0	54.7	55.8	53.6	58.0	64.3	62.3	60.3	63.8	66.4	64.1	62.7	63.8	65.1	63.9	66.8	67.2	69.4	75.1
Male	69.1	70.3	71.7	69.7	70.7	73.0	73.4	74.1	73.8	75.3	77.5	79.4	80.6	81.0	81.5	81.4	80.7	83.0	82.3	83.5	82.8	85.5	83.3	86.0	86.2
Female	67.8	70.3	68.1	69.5	70.1	70.1	70.8	71.2	75.0	75.7	77.9	79.8	80.0	81.1	80.9	81.8	81.5	80.5	81.8	81.7	81.2	83.4	83.9	83.5	86.5
White	66.1	67.4	68.2	68.3	68.4	70.3	70.1	71.1	72.6	73.8	76.0	77.9	79.2	79.8	80.3	80.2	79.3	80.3	80.0	81.0	80.2	82.9	81.9	83.7	85.5
Black	68.7	73.2	71.8	69.0	73.1	72.3	74.7	72.3	74.9	77.0	78.9	80.8	80.8	81.3	79.9	81.9	84.0	84.4	85.9	85.8	86.6	86.8	87.0	86.5	86.1
Other race	87.2	91.6	61.2	79.1	66.2	66.2	80.5	79.7	85.9	82.5	84.0	93.5	84.1	88.9	89.4	91.4	86.1	86.6	88.8	86.3	84.4	91.0	87.9	89.4	91.5
Diabetes	52.9	59.0	62.4	64.5	63.6	65.4	64.9	67.7	71.8	71.1	74.3	76.2	76.5	78.9	78.0	78.5	78.2	78.2	78.4	79.4	78.7	82.4	79.8	82.7	85.0
Hypertension	77.5	76.4	73.4	71.0	71.8	76.4	77.9	75.2	76.7	77.3	80.0	81.8	82.6	81.9	81.6	83.4	83.4	83.5	84.3	84.0	83.6	85.0	86.4	85.8	85.5
Glomerulonephritis	80.4	81.5	77.8	83.2	79.7	85.7	83.1	83.9	84.6	86.3	86.2	85.1	87.8	89.7	90.1	89.4	88.4	88.6	90.8	91.7	91.5	89.3	93.3	93.2	92.4
Other cause	76.9	77.1	77.2	73.3	77.5	72.8	75.5	75.2	73.3	77.4	77.5	81.6	81.6	79.3	82.7	80.6	78.4	83.5	81.3	82.3	80.7	84.9	82.1	83.0	86.7
All	68.5	70.2	69.9	69.6	70.4	71.7	72.3	72.7	74.4	75.5	77.6	79.6	80.3	81.1	81.2	81.6	81.0	81.9	82.1	82.7	82.1	84.6	83.6	84.9	86.4

Table I.25

Two-year survival probabilities: incident CAPD/CCPD patients

censored at transplant, from day 91 to two years + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0-4	42.9	94.7	78.1	71.5	77.0	75.5	89.7	92.6	71.2	88.9	70.9	77.3	83.5	88.6	82.9	75.6	85.0	75.2	85.5	88.6	76.4	91.5	83.5	80.4
5-9	80.0	100.0	89.4	90.0	74.9	81.6	79.5	100.0	100.0	100.0	84.4	100.0	87.4	95.7	92.9	100.0	96.0	93.9	95.0	92.6	100.0	95.2	93.1	94.1
10-14	100.0	78.8	97.8	100.0	88.8	97.9	92.1	100.0	93.8	93.0	82.4	97.6	92.7	92.0	100.0	92.3	89.4	95.3	100.0	100.0	92.4	94.5	93.5	97.6
15-19	100.0	100.0	86.6	88.5	85.2	86.8	89.5	91.2	96.6	94.3	97.7	95.8	94.1	86.7	93.3	98.8	92.4	97.1	87.4	95.5	98.0	93.9	98.2	96.7
20-29	80.3	77.1	81.6	81.2	75.3	80.9	87.5	79.5	86.7	84.9	82.3	83.7	89.7	87.9	89.1	89.5	88.7	90.2	93.0	92.5	94.2	86.9	88.9	91.5
30-39	66.8	75.8	74.5	80.1	75.9	73.7	72.9	76.4	79.3	79.2	81.2	83.4	80.6	83.9	82.7	85.9	85.5	84.2	84.0	88.0	89.8	87.7	91.5	90.2
40-49	73.0	67.5	67.9	69.0	69.5	73.4	69.9	74.6	75.9	74.0	80.4	75.5	80.0	79.7	79.1	81.1	82.0	82.6	83.5	81.3	84.5	86.0	83.2	85.4
50-59	63.8	65.9	63.9	64.4	66.1	60.8	62.3	61.7	65.6	67.3	69.4	67.9	71.4	73.7	73.1	71.8	72.6	73.7	72.9	75.6	74.6	77.0	79.2	79.7
60-64	67.7	50.6	51.7	53.3	53.1	56.0	55.0	57.5	60.1	59.8	57.3	61.4	61.5	67.1	64.9	62.0	61.1	66.4	62.2	65.4	67.8	68.6	71.9	69.3
65-69	36.7	54.6	47.3	50.9	50.8	48.4	42.9	46.2	52.5	52.4	56.2	54.8	58.6	60.9	61.8	60.0	56.8	55.4	61.1	58.6	57.6	63.8	62.7	65.8
70-79	46.9	42.3	42.8	37.2	37.9	47.7	38.3	43.5	41.4	41.7	41.0	48.4	47.9	48.0	48.4	48.2	48.0	50.6	49.3	49.1	47.7	56.6	52.9	56.5
80+	11.1	36.8	21.9	23.3	22.0	31.2	25.4	17.6	23.2	31.4	34.9	35.8	33.3	33.1	33.5	31.6	37.7	31.3	37.3	34.1	37.7	39.0	33.1	37.5
Male	64.7	62.3	62.4	60.9	61.7	60.1	61.1	62.7	63.0	63.2	64.3	65.2	67.4	69.8	68.7	67.3	66.7	67.9	66.8	68.6	69.0	70.8	70.9	71.9
Female	62.6	61.5	57.2	62.5	61.8	63.5	59.7	60.7	65.8	65.8	66.9	68.5	69.6	69.4	69.3	68.6	68.8	67.6	69.7	69.0	69.0	72.2	71.2	72.8
White	61.7	60.7	57.8	60.2	59.4	59.9	57.5	59.3	61.8	61.6	61.7	63.6	65.5	66.3	66.3	64.2	64.5	64.2	64.5	65.6	65.2	67.7	67.0	68.7
Black	70.9	65.6	65.2	64.9	68.3	68.1	69.0	69.3	71.8	71.4	75.1	73.6	75.2	76.6	73.2	75.8	76.1	77.7	77.2	77.5	79.2	80.0	80.6	79.4
Other race	80.4	66.2	65.3	70.1	66.6	60.1	67.2	59.6	64.6	73.4	81.7	83.8	79.2	83.1	85.1	78.7	73.6	75.3	78.7	78.7	77.7	83.6	80.9	84.0
†Hispanic																	74.7	70.8	78.9	74.5	75.8	79.7	77.9	75.8
†Non-Hispanic																	66.9	67.5	67.0	68.1	68.1	70.6	70.2	71.9
Diabetes	38.7	46.5	47.9	53.3	48.1	49.6	47.6	51.5	55.6	55.6	56.1	57.6	59.6	61.8	61.7	60.2	60.9	60.0	60.4	62.1	63.5	66.4	65.7	67.4
Hypertension	63.4	62.4	60.1	56.9	61.7	62.6	62.5	60.1	64.5	62.2	64.4	67.8	68.5	67.5	67.5	67.8	66.5	68.4	68.6	67.1	66.1	68.9	70.8	70.2
Glomerulonephritis	82.3	74.8	73.8	78.3	76.8	77.1	77.8	79.1	77.4	78.1	82.6	78.8	82.8	86.6	83.1	83.6	83.8	82.9	84.5	86.6	86.6	84.7	85.9	87.9
Other cause	71.6	68.1	65.2	64.7	66.8	65.3	64.7	66.6	66.8	71.9	71.8	75.0	76.2	75.9	75.5	74.3	73.0	75.2	75.1	75.1	72.9	76.8	74.5	76.5
All	63.7	61.9	59.8	61.7	61.8	61.8	60.5	61.8	64.3	64.4	65.5	66.7	68.4	69.6	69.0	67.9	67.7	67.8	68.2	68.8	69.0	71.5	71.1	72.3
ADJUSTED																								
0-19	58.1	86.3	77.9	78.7	68.9	72.2	79.2	90.1	76.8	86.9	74.1	82.6	82.1	80.1	84.8	81.9	81.8	81.7	82.8	89.0	81.2	87.7	84.1	83.6
20-44	68.7	74.6	74.3	76.6	74.9	74.9	76.5	76.9	78.6	78.5	80.7	80.4	81.7	82.3	82.5	84.2	84.8	84.8	85.2	87.0	89.9	87.0	88.9	89.0
45-64	64.1	58.5	59.6	60.6	60.5	60.7	60.2	62.4	66.1	67.0	68.4	68.5	71.3	73.9	72.9	72.4	73.1	75.0	73.6	75.6	75.9	77.5	79.1	78.5
65-74	39.6	48.7	44.7	44.0	44.6	47.4	41.0	46.4	49.2	50.1	51.9	54.6	56.6	58.2	58.1	57.8	55.9	57.5	58.7	57.6	57.1	63.8	60.6	65.7
75+	27.7	32.0	30.3	26.8	28.6	39.4	30.9	29.8	28.6	32.8	34.9	40.1	38.0	38.8	38.6	37.3	41.6	39.1	42.5	40.8	40.8	46.3	43.7	44.2
Male	52.3	52.9	53.3	51.1	51.2	52.2	52.5	54.2	55.0	56.3	57.2	58.6	61.2	64.3	63.6	63.0	62.9	65.6	64.4	66.4	67.0	69.2	68.8	70.2
Female	47.1	50.5	48.7	51.9	50.8	53.6	49.3	52.5	56.5	57.7	60.5	61.8	62.7	63.3	63.2	63.6	64.6	63.4	65.5	65.0	64.7	68.6	68.2	69.3
White	46.0	49.0	47.8	49.3	47.8	50.5	47.5	50.8	53.2	54.4	55.0	57.1	59.5	61.0	61.5	60.2	61.2	61.8	62.0	62.9	63.2	65.9	65.4	67.2
Black	55.9	53.3	54.9	52.2	55.5	55.4	57.1	56.0	58.9	59.7	63.9	63.0	64.5	66.7	62.8	67.6	67.4	69.7	69.6	70.2	71.8	73.6	74.6	72.7
Other race	63.5	49.5	50.0	59.3	50.3	44.6	57.8	48.5	54.2	65.5	76.1	76.8	71.1	78.0	78.1	73.9	70.6	71.9	73.9	75.3	71.1	80.8	77.4	82.0
Diabetes	30.1	37.4	39.7	44.9	39.6	42.6	40.2	44.1	48.2	48.9	50.2	51.4	53.3	56.5	56.4	55.5	56.8	56.8	57.0	58.7	60.3	63.6	63.0	64.7
Hypertension	59.4	59.6	57.6	52.0	57.2	61.4	59.9	58.3	62.4	60.9	63.2	65.8	67.6	66.3	66.8	67.7	67.7	69.9	70.3	68.9	67.2	71.1	72.7	72.1
Glomerulonephritis	71.4	65.2	63.5	68.0	64.9	68.4	67.5	69.6	67.6	69.4	74.0	70.4	74.0	80.3	75.7	76.9	77.5	76.3	77.9	80.6	81.5	79.1	80.7	82.5
Other cause	60.0	61.7	59.1	57.6	59.0	56.8	55.3	58.5	57.8	63.8	63.5	66.6	67.9	67.6	67.8	66.8	64.7	68.3	67.6	68.9	66.2	70.9	67.0	69.8
All	50.0	51.6	50.9	51.4	50.9	53.0	51.0	53.3	55.7	57.0	58.7	60.0	62.0	63.9	63.5	63.3	63.7	64.6	64.9	65.8	66.1	69.0	68.5	69.9

Table I.26

Three-year survival probabilities: incident CAPD/CCPD patients

censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	42.9	94.7	78.1	71.5	77.0	75.5	89.7	86.0	71.2	88.9	64.5	69.6	83.5	78.1	79.1	75.6	78.2	65.2	85.5	88.6	76.4	83.1	83.5
5-9	80.0	100.0	89.4	90.0	74.9	61.2	79.5	100.0	83.3	100.0	76.0	100.0	87.4	95.7	84.4	100.0	96.0	93.9	95.0	92.6	93.3	95.2	93.1
10-14	100.0	52.5	97.8	93.3	88.8	97.9	92.1	93.3	93.8	93.0	82.4	97.6	92.7	75.3	100.0	84.1	89.4	89.4	100.0	100.0	92.4	94.5	93.5
15-19	100.0	100.0	86.6	88.5	79.9	75.4	85.8	87.9	91.5	87.7	90.2	91.0	94.1	81.8	93.3	95.6	90.0	89.9	81.0	83.2	86.0	91.0	98.2
20-29	74.3	68.9	72.3	75.2	71.2	77.0	79.8	73.3	80.1	78.1	74.6	75.9	82.4	81.8	85.4	83.9	82.6	85.2	89.4	82.6	86.8	80.1	84.9
30-39	57.8	65.6	62.8	69.9	69.5	63.8	64.8	65.4	68.8	69.5	72.5	74.1	69.1	73.0	72.5	77.7	78.1	78.5	78.8	80.7	82.8	82.5	84.0
40-49	56.7	58.2	55.5	55.7	56.8	62.8	60.2	61.9	62.1	60.5	65.2	63.3	64.5	66.9	68.2	70.7	70.5	71.5	72.1	72.0	72.8	75.8	72.6
50-59	53.0	54.3	51.8	51.0	53.3	48.1	48.5	47.6	51.7	53.4	56.4	52.4	57.4	57.7	57.7	57.7	58.0	57.7	60.6	61.4	63.0	64.6	66.3
60-64	50.7	38.7	37.2	41.3	39.4	42.5	43.2	42.8	41.4	46.0	42.1	47.6	46.3	49.9	51.1	46.4	46.1	53.4	49.7	48.5	51.8	53.9	60.1
65-69	26.5	44.2	36.0	35.2	36.2	35.4	30.6	31.9	38.5	35.8	39.8	38.5	42.9	43.4	42.5	45.2	41.0	40.4	41.3	41.1	42.6	45.5	50.5
70-79	38.8	28.2	28.9	25.2	23.7	31.9	20.9	26.3	29.5	26.5	24.4	32.1	29.1	33.8	31.3	32.5	32.9	34.1	33.6	32.9	33.8	39.2	38.0
80+	0.0	15.8	10.9	13.3	17.6	11.5	16.4	10.8	13.1	14.4	22.2	23.6	19.9	18.2	15.0	15.8	19.9	17.3	19.4	18.4	22.4	24.8	19.6
Male	51.2	49.9	50.1	48.8	48.5	46.7	47.4	46.8	48.1	49.4	49.2	51.0	51.6	54.2	53.1	53.1	52.3	52.6	52.2	54.0	53.6	55.7	58.1
Female	52.9	50.6	44.4	49.3	50.9	50.8	48.9	49.0	53.3	51.5	53.1	54.5	55.7	55.2	55.6	55.6	55.5	55.2	57.1	55.0	58.5	59.7	59.6
White	48.9	48.0	45.1	46.0	47.4	46.2	43.9	44.2	46.6	46.4	46.2	48.4	48.7	49.9	50.0	49.5	49.3	49.4	50.3	50.6	51.3	53.3	53.7
Black	64.0	57.4	53.1	56.7	55.3	57.1	59.3	58.2	61.7	60.9	62.8	61.9	64.0	65.1	62.4	64.8	65.4	66.7	65.8	64.4	67.8	68.0	70.0
Other race	72.3	53.5	52.0	54.3	56.6	44.1	60.2	53.4	53.8	56.6	72.9	71.6	70.8	69.2	73.9	66.0	62.1	59.7	62.8	66.5	66.2	68.6	72.4
†Hispanic																	60.8	60.0	66.6	61.0	64.1	67.6	67.0
†Non-Hispanic																	53.0	53.2	53.1	53.7	54.8	56.5	57.7
Diabetes	25.4	32.9	32.4	35.5	33.4	35.0	34.7	35.5	38.5	38.6	39.3	40.8	42.9	43.7	43.9	43.6	43.7	44.6	44.6	45.3	48.8	50.8	51.8
Hypertension	54.9	49.2	47.8	47.8	48.4	51.4	51.3	46.7	50.9	48.4	50.8	54.5	52.0	53.9	52.9	53.9	53.3	53.9	56.4	52.7	54.3	55.6	58.9
Glomerulonephritis	71.8	67.8	64.4	69.9	67.4	63.6	65.6	67.7	67.0	67.6	70.9	69.4	74.4	73.5	73.1	75.2	73.8	72.7	73.0	77.6	78.1	73.0	76.0
Other cause	58.9	56.9	54.7	53.0	57.1	53.1	52.2	54.4	55.9	61.2	59.6	62.6	63.0	66.3	65.3	65.3	63.8	64.6	64.4	59.4	65.9	65.3	
All	52.0	50.3	47.3	49.0	49.6	48.7	48.1	47.9	50.5	50.4	51.0	52.6	53.5	54.7	54.3	54.3	53.8	53.9	54.5	54.5	55.9	57.6	58.8
ADJUSTED																							
0-19	58.1	78.0	77.9	74.7	66.4	61.6	76.6	82.7	71.1	81.7	64.7	76.2	82.1	66.9	80.3	75.6	77.5	70.9	78.8	81.4	72.7	82.2	84.1
20-44	58.9	64.7	63.4	67.3	67.1	65.9	67.9	66.1	67.1	68.0	70.5	71.4	69.9	70.9	73.3	76.0	76.3	78.1	77.8	78.2	80.1	79.8	80.4
45-64	49.1	46.8	46.3	46.9	46.7	47.8	47.6	48.5	50.6	53.1	53.8	53.8	56.8	58.4	58.9	58.6	59.3	61.2	61.9	62.3	63.8	65.3	67.7
65-74	29.9	35.6	31.6	30.6	30.3	33.3	27.2	30.1	35.8	33.2	34.9	38.6	39.8	41.7	40.0	42.8	40.6	41.1	41.3	41.0	42.9	47.0	46.9
75+	19.6	19.0	19.3	15.4	18.0	23.3	15.8	17.9	18.5	19.4	20.8	24.6	20.7	25.6	21.4	22.0	25.8	25.2	26.1	25.2	26.6	29.6	30.2
Male	38.3	40.6	40.9	39.1	37.9	39.5	38.8	38.3	40.1	42.4	41.8	44.3	45.1	48.5	47.7	48.6	48.4	50.4	50.0	52.0	51.9	54.4	55.9
Female	37.0	39.3	36.5	38.6	39.7	41.1	38.5	40.9	43.6	43.0	46.4	47.3	48.2	48.5	48.9	50.2	51.1	50.8	52.7	50.6	54.0	56.1	56.5
White	33.0	36.4	35.6	35.4	36.0	37.7	34.4	36.1	38.4	39.4	39.9	42.3	42.9	44.8	45.2	45.8	46.5	47.5	48.3	48.5	49.9	52.1	52.6
Black	47.6	44.3	42.2	43.3	41.4	43.3	46.2	43.7	47.1	47.8	49.6	49.7	51.3	53.2	50.5	55.0	54.7	56.8	56.5	55.2	58.1	59.9	62.3
Other race	52.6	35.2	35.8	43.8	39.5	29.2	50.6	41.8	43.7	48.5	65.8	62.4	61.0	62.8	64.5	59.7	58.9	56.3	57.4	62.3	58.1	64.8	68.2
Diabetes	19.0	25.3	25.6	28.4	26.3	29.6	28.2	29.1	31.9	32.5	33.9	35.2	37.1	38.5	38.9	39.4	40.0	41.7	41.6	42.3	45.7	48.1	49.0
Hypertension	50.8	46.5	45.7	42.9	43.9	50.6	48.4	45.6	49.1	47.4	49.9	52.6	51.3	53.0	52.4	53.9	55.0	56.3	59.1	55.5	55.7	58.8	61.4
Glomerulonephritis	58.0	57.4	53.4	58.0	54.1	53.8	53.8	56.4	55.4	57.1	59.7	59.8	63.1	64.4	63.3	66.4	65.6	64.2	63.6	68.9	71.2	65.2	68.4
Other cause	45.8	50.3	48.6	45.8	48.7	44.3	42.5	45.7	46.6	52.1	50.6	52.8	53.0	56.8	56.2	56.8	55.9	56.1	55.8	57.3	51.6	59.0	56.7
All	37.8	39.8	38.6	38.8	38.7	40.3	38.7	39.5	41.7	42.7	43.9	45.6	46.5	48.5	48.3	49.4	49.7	50.7	51.3	51.4	53.0	55.2	56.2

Table I.26
Standard errors

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	18.9	5.0	8.2	9.6	6.9	6.2	4.5	7.9	6.9	4.7	9.7	8.7	5.4	7.8	6.8	6.8	6.2	8.8	5.7	4.8	5.9	8.4	4.9
5-9	16.0	0.0	7.2	9.0	9.8	16.3	12.3	0.0	13.9	0.0	10.7	0.0	8.2	4.2	9.8	0.0	3.8	4.2	4.8	5.2	6.2	4.5	4.7
10-14	0.0	19.4	2.1	6.2	5.5	2.1	5.5	6.2	4.2	4.7	7.4	2.4	5.0	10.9	0.0	6.8	4.6	6.4	0.0	0.0	4.4	3.8	3.7
15-19	0.0	0.0	5.6	5.2	7.8	7.4	6.0	5.2	5.8	5.4	5.4	5.3	2.9	7.0	3.9	3.3	4.0	5.4	6.5	7.1	6.6	4.4	1.8
20-29	7.0	5.5	4.3	4.1	4.0	4.1	3.6	3.6	3.1	3.2	3.1	3.2	2.7	2.8	2.6	2.7	2.8	2.9	2.7	3.6	3.0	3.6	3.7
30-39	5.3	3.9	3.2	2.8	2.8	3.0	2.9	2.7	2.5	2.3	2.2	2.0	2.2	2.0	2.0	1.9	2.0	2.1	2.2	2.1	2.1	2.2	2.2
40-49	5.0	4.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.1	1.9	1.8	1.9	1.7	1.7	1.5	1.6	1.7	1.8	1.8	1.8	1.8	2.0
50-59	4.0	2.8	2.3	2.2	2.1	2.1	2.1	2.0	2.0	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.6	1.6	1.6	1.6	1.5	1.6
60-64	6.1	3.5	2.9	2.7	2.7	2.5	2.4	2.3	2.3	2.0	2.0	2.0	2.0	2.0	1.8	1.8	2.0	2.0	2.1	2.2	2.2	2.2	2.2
65-69	6.2	3.9	3.0	3.1	3.1	2.8	2.7	2.5	2.6	2.3	2.1	2.2	2.3	2.0	2.1	1.9	2.0	2.0	2.1	2.2	2.1	2.2	2.3
70-79	6.8	3.6	2.4	2.5	2.5	2.5	2.3	2.2	2.2	2.0	1.7	1.9	1.8	1.8	1.6	1.5	1.5	1.6	1.6	1.6	1.7	1.7	1.8
80+	0.0	5.6	3.8	4.2	5.3	3.9	4.4	3.5	3.3	3.2	3.7	4.1	3.3	3.1	2.7	2.5	2.6	2.4	2.8	2.6	2.7	2.6	2.6
Male	2.9	2.0	1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.2	1.1	1.1	1.1	1.0	1.0	0.9	1.0	1.0	1.1	1.1	1.1	1.1	1.1
Female	3.1	2.0	1.6	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.1	1.1	1.1	1.1	1.1	1.2
White	2.4	1.6	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.0	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.9	0.9	0.9	0.9	0.9	1.0
Black	4.9	2.9	2.1	2.0	2.1	2.1	2.0	1.9	1.8	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.4	1.5	1.5	1.6	1.6	1.5	1.5
Other race	11.4	11.7	8.4	7.6	6.6	7.0	6.1	5.8	5.3	5.3	4.2	4.2	3.6	3.4	2.9	2.7	2.8	3.1	3.0	3.3	2.9	2.8	2.7
†Hispanic																	2.2	2.3	2.3	2.3	2.1	2.3	2.3
†Non-Hispanic																	0.7	0.8	0.8	0.8	0.8	0.8	0.8
Diabetes	3.5	2.5	1.8	1.8	1.8	1.7	1.6	1.5	1.5	1.4	1.2	1.2	1.2	1.1	1.1	1.0	1.0	1.1	1.1	1.1	1.1	1.1	1.2
Hypertension	4.7	3.0	2.1	2.2	2.2	2.1	2.1	2.0	1.8	1.7	1.5	1.6	1.6	1.5	1.5	1.5	1.6	1.6	1.6	1.7	1.7	1.7	1.7
Glomerulonephritis	4.0	3.1	2.6	2.5	2.4	2.4	2.4	2.2	2.1	2.0	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.7	1.9	1.8	1.7	1.9	2.0
Other cause	3.8	2.4	2.1	1.9	1.9	2.0	2.0	1.9	1.9	1.8	1.8	1.8	1.8	1.6	1.7	1.5	1.6	1.7	1.8	1.8	1.9	1.7	1.8
All	2.1	1.4	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.8	0.8	0.8

Table I.27

Five-year survival probabilities: incident CAPD/CCPD patients*censored at transplant, from day 91 to five years + 90 days, by age, gender, race, ethnicity, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	42.9	94.7	78.1	71.5	77.0	56.7	89.7	86.0	71.2	88.9	64.5	69.6	70.1	56.4	65.7	58.8	69.2	65.2	69.9	88.6	70.5
5-9	80.0	100.0	89.4	90.0	74.9	40.8	53.0	100.0	83.3	85.7	76.0	100.0	87.4	95.7	76.0	75.0	96.0	93.9	95.0	92.6	93.3
10-14	100.0	26.3	83.9	93.3	88.8	97.9	92.1	85.6	82.1	93.0	72.1	71.1	92.7	75.3	83.3	84.1	89.4	89.4	72.4	80.0	72.8
15-19	100.0	100.0	75.1	88.5	71.0	59.9	75.3	82.4	80.7	80.5	74.2	85.3	89.4	81.8	79.6	95.6	83.1	89.9	72.2	78.3	73.7
20-29	69.9	52.1	57.3	62.5	52.2	61.3	65.5	59.8	68.5	59.0	58.5	64.4	72.0	69.2	77.6	69.7	72.3	78.7	77.3	75.3	69.5
30-39	47.7	49.3	45.4	49.7	51.2	47.8	48.6	46.6	52.6	54.3	54.7	55.4	52.9	57.1	59.7	60.9	62.3	61.9	63.8	65.4	71.0
40-49	39.0	39.3	40.8	38.8	40.0	46.6	44.5	40.2	46.1	42.9	45.4	46.0	42.4	51.5	50.1	52.3	49.4	49.3	51.9	52.3	56.2
50-59	34.3	36.3	34.4	34.3	33.8	29.5	33.1	30.3	29.3	33.8	32.5	30.7	36.8	38.6	35.7	35.3	37.1	33.9	40.7	37.1	40.4
60-64	38.0	22.0	20.4	21.3	19.5	22.4	26.7	24.2	23.7	24.0	21.8	26.1	25.8	28.2	29.3	25.3	25.9	29.5	25.0	30.1	29.7
65-69	14.3	21.5	17.4	16.5	18.9	20.6	16.8	16.9	19.4	16.2	22.2	17.1	22.7	23.6	21.1	22.3	19.4	20.4	21.9	20.3	22.8
70-79	18.4	12.2	11.3	9.3	8.4	15.5	7.0	13.8	11.6	12.8	9.9	13.3	13.5	12.8	12.0	14.9	14.1	14.0	15.1	15.2	14.9
80+	0.0	2.6	3.1	0.0	6.6	1.6	9.0	1.4	4.0	6.8	6.3	6.6	6.4	4.5	6.6	4.8	5.4	5.3	5.5	6.5	7.3
Male	35.2	29.4	30.1	29.5	29.2	30.0	31.5	29.2	29.0	30.7	28.9	29.8	31.8	34.4	32.6	33.0	30.7	30.0	31.2	33.1	32.8
Female	38.7	34.3	29.3	31.8	32.8	31.2	33.3	31.6	34.7	32.8	33.5	34.5	36.0	36.1	35.9	34.8	36.4	34.9	37.5	35.5	38.9
White	32.3	28.3	27.2	27.1	29.0	27.5	28.0	26.1	26.9	27.1	25.5	27.1	28.5	29.6	28.6	28.3	27.5	26.9	29.3	28.8	29.8
Black	56.6	41.9	35.8	39.7	35.9	40.3	43.2	41.5	45.2	43.5	45.3	43.3	46.0	47.3	44.9	46.8	49.0	46.4	46.8	47.7	49.2
Other race	54.2	53.5	38.2	26.4	35.9	29.4	48.6	41.6	33.4	38.0	47.3	44.4	45.7	48.3	55.3	41.8	39.3	42.1	43.9	48.9	53.1
†Hispanic																	40.2	36.8	41.8	36.6	40.9
†Non-Hispanic																	32.7	31.8	33.4	34.0	34.9
Diabetes	15.7	17.6	15.9	17.4	16.6	17.7	17.7	16.5	19.6	18.5	17.7	19.4	20.8	23.5	24.0	21.7	22.7	22.6	23.6	23.5	25.9
Hypertension	40.6	29.0	31.9	33.5	31.1	34.2	36.4	31.4	32.7	30.9	33.6	34.9	35.2	36.3	33.2	35.5	34.4	32.6	34.4	34.2	37.4
Glomerulonephritis	52.7	46.1	46.3	46.5	46.1	46.1	49.3	51.4	46.7	52.4	52.7	50.0	58.6	52.9	52.7	57.5	53.6	52.4	56.9	61.1	58.1
Other cause	41.6	38.8	34.5	33.7	37.4	33.3	38.5	37.6	38.2	42.1	39.4	42.6	43.8	48.2	46.3	46.4	47.2	44.5	48.2	46.4	45.0
All	36.9	31.9	29.7	30.6	30.9	30.6	32.3	30.4	31.7	31.7	31.1	31.9	33.8	35.2	34.2	33.9	33.5	32.3	34.2	34.2	35.6
ADJUSTED																					
0-19	58.1	69.7	62.1	74.7	62.4	45.0	66.2	75.3	62.7	72.0	53.6	63.8	72.0	58.4	60.4	67.3	69.2	70.9	59.6	72.6	58.8
20-44	46.8	48.2	47.8	47.8	49.0	50.2	52.5	49.5	50.9	51.4	51.9	53.5	52.6	56.6	59.2	58.3	59.4	60.1	61.0	61.7	64.7
45-64	32.2	28.4	29.1	29.3	27.3	28.5	31.6	29.2	31.0	32.7	31.2	33.0	35.7	38.7	37.5	37.3	38.7	38.5	41.1	40.9	43.0
65-74	14.8	16.3	13.8	13.8	14.0	19.1	13.1	15.9	17.2	15.3	18.5	17.6	21.3	21.2	19.1	21.7	19.4	20.4	21.3	21.0	23.1
75+	8.2	5.1	7.1	2.5	6.7	8.0	5.8	7.8	5.5	9.4	6.5	8.4	6.9	7.5	7.5	8.4	10.1	8.8	10.9	10.7	10.0
Male	24.1	22.7	23.6	22.4	21.3	25.1	24.5	22.7	23.2	25.5	23.4	25.1	27.0	29.9	28.7	29.7	28.3	29.1	30.3	32.5	32.70
Female	24.3	24.6	23.4	23.3	24.1	24.1	24.7	25.6	26.8	26.1	28.5	28.6	29.8	30.8	30.3	30.8	33.2	32.0	34.4	32.2	35.3
White	19.4	19.8	20.7	19.9	20.6	22.0	20.9	20.9	21.6	22.6	21.8	23.5	25.1	26.8	26.0	26.7	27.0	27.3	29.3	28.8	30.5
Black	39.5	29.4	26.2	27.2	23.8	27.6	30.4	28.2	30.6	30.8	32.3	31.3	33.2	35.2	33.1	36.6	37.7	36.1	37.0	38.1	38.7
Other race	33.3	35.2	24.3	21.4	23.4	18.5	39.7	28.8	26.8	31.5	39.8	35.7	35.4	42.2	45.6	35.9	37.0	40.1	38.8	44.9	45.1
Diabetes	11.6	13.2	12.4	13.8	12.9	15.6	14.0	13.3	15.7	15.3	15.3	16.6	17.9	20.6	20.9	19.9	20.9	21.5	22.4	22.4	24.7
Hypertension	37.4	27.0	31.3	29.2	27.7	34.2	33.6	31.6	32.5	31.0	33.5	34.0	35.4	36.0	33.5	36.0	36.8	36.3	38.9	37.6	39.3
Glomerulonephritis	37.1	36.5	36.2	35.1	34.3	37.7	38.0	39.9	35.2	42.0	40.3	40.8	45.3	42.2	41.0	46.5	44.2	43.0	45.7	50.2	49.4
Other cause	28.9	32.9	29.8	27.9	29.7	26.0	29.8	29.8	29.7	33.8	31.4	33.0	34.5	38.8	36.8	37.8	37.5	37.1	39.0	39.6	37.4
All	24.4	23.5	23.4	22.8	22.6	24.6	24.5	24.0	24.9	25.8	25.8	26.7	28.3	30.3	29.5	30.2	30.6	30.5	32.2	32.4	34

Table I.27
Standard errors

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	18.9	5.0	8.2	9.6	6.9	11.7	4.5	7.9	6.9	4.7	9.7	8.7	9.5	11.6	10.0	11.2	8.0	8.8	10.6	4.8	7.7
5-9	16.0	0.0	7.2	9.0	9.8	17.4	19.5	0.0	13.9	12.2	10.7	0.0	8.2	4.2	11.6	18.8	3.8	4.2	4.8	5.2	6.2
10-14	0.0	16.3	9.0	6.2	5.5	2.1	5.5	9.1	10.9	4.7	11.1	14.9	5.0	10.9	10.3	6.8	4.6	6.4	13.3	16.0	12.1
15-19	0.0	0.0	8.8	5.2	10.5	9.7	8.5	7.1	8.6	6.9	9.3	7.3	5.3	7.0	7.9	3.3	5.9	5.4	8.2	8.1	9.6
20-29	7.8	6.6	5.1	5.3	5.0	5.7	4.7	4.7	4.2	4.4	4.2	4.3	3.6	3.9	3.6	4.1	4.0	3.7	4.1	4.3	4.7
30-39	5.5	4.4	3.7	3.5	3.5	3.4	3.4	3.1	2.9	2.8	2.7	2.6	2.6	2.6	2.4	2.5	2.6	2.8	3.0	2.9	2.9
40-49	5.2	4.1	3.0	2.9	2.9	2.9	2.7	2.8	2.6	2.3	2.1	2.0	2.1	1.9	2.0	1.8	1.9	2.1	2.3	2.3	2.2
50-59	3.9	2.7	2.2	2.2	2.0	2.0	2.0	2.0	1.9	1.8	1.7	1.7	1.7	1.7	1.6	1.5	1.5	1.6	1.7	1.7	1.8
60-64	6.0	3.0	2.4	2.2	2.2	2.1	2.3	2.1	2.0	2.0	1.7	1.8	1.8	1.9	1.8	1.7	1.8	2.0	2.0	2.1	2.1
65-69	4.8	3.2	2.3	2.4	2.6	2.4	2.2	2.0	2.1	1.8	1.8	1.7	2.0	1.8	1.8	1.6	1.6	1.7	1.8	1.9	1.9
70-79	5.4	2.6	1.7	1.7	1.6	1.9	1.4	1.7	1.6	1.5	1.2	1.4	1.3	1.3	1.1	1.2	1.1	1.1	1.2	1.3	1.3
80+	0.0	2.1	1.9	0.0	3.4	1.3	3.3	1.1	1.9	2.2	2.1	2.3	2.0	1.6	1.9	1.4	1.4	1.4	1.6	1.6	1.7
Male	2.9	1.9	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.1	1.0	1.1	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.1
Female	3.1	1.9	1.5	1.5	1.5	1.4	1.5	1.3	1.4	1.2	1.2	1.2	1.2	1.1	1.1	1.0	1.0	1.1	1.1	1.2	1.2
White	2.3	1.5	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.9	0.9	0.9
Black	5.2	2.9	2.1	2.1	2.1	2.1	2.1	2.0	1.9	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.5	1.6	1.7	1.7	1.8
Other race	13.4	11.7	8.4	7.7	6.8	6.6	6.5	6.0	5.1	5.6	5.1	5.0	4.4	3.9	3.5	3.0	3.0	3.3	3.3	3.7	3.2
†Hispanic																	2.3	2.5	2.5	2.5	2.4
†Non-Hispanic																	0.7	0.8	0.8	0.8	0.9
Diabetes	2.9	2.1	1.5	1.5	1.5	1.4	1.4	1.2	1.3	1.1	1.0	1.0	1.0	1.0	1.0	0.9	0.9	0.9	1.0	1.0	1.0
Hypertension	4.7	2.8	2.0	2.1	2.1	2.0	2.1	1.9	1.8	1.6	1.5	1.6	1.6	1.5	1.5	1.5	1.6	1.6	1.6	1.7	1.7
Glomerulonephritis	4.7	3.6	2.9	3.0	2.7	2.7	2.8	2.6	2.4	2.3	2.2	2.2	2.2	2.2	2.1	2.0	2.1	2.2	2.3	2.4	2.4
Other cause	4.0	2.5	2.2	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	2.0	2.0	1.9	1.9	1.8	1.8	2.0	2.0	2.0	2.1
All	2.1	1.4	1.0	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.8	0.8	0.8

Table I.28

Ten-year survival probabilities: incident CAPD/CCPD patients*censored at transplant, from day 91 to ten years + 90 days, by age, gender, race, & primary diagnosis*

UNADJUSTED	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	42.9	94.7	78.1	71.5	61.6	28.3	89.7	86.0	44.5	88.9	34.4	55.7	52.6	56.4	52.6	58.8
5-9	80.0	75.0	67.1	90.0	74.9	20.4	53.0	100.0	83.3	64.3	50.7	100.0	58.3	0.0	76.0	37.5
10-14	0.0	26.3	63.9	81.7	88.8	48.9	34.5	85.6	61.6	31.0	36.0	71.1	92.7	75.3	53.6	84.1
15-19	100.0	66.7	64.4	70.8	30.4	33.2	54.4	74.9	80.7	66.4	45.6	44.8	48.7	60.0	54.3	69.6
20-29	54.9	31.1	35.3	47.0	39.1	32.1	41.1	35.4	46.2	35.8	41.4	32.2	50.0	47.8	59.1	46.2
30-39	26.7	25.8	21.8	26.8	28.2	24.2	30.1	24.2	26.1	27.6	30.9	27.6	22.6	31.9	28.9	38.0
40-49	21.1	15.7	13.2	20.6	20.8	18.5	17.7	20.2	21.2	19.5	18.1	18.7	15.9	22.4	22.8	22.3
50-59	13.4	11.9	9.4	10.3	9.5	10.3	8.3	8.8	8.1	9.3	9.8	8.3	9.5	9.2	10.2	9.7
60-64	7.9	7.7	3.3	3.2	5.1	4.7	7.3	4.3	4.7	4.1	2.7	4.0	5.1	5.2	6.1	4.1
65-69	4.1	4.3	2.8	3.9	4.3	7.1	3.8	1.7	2.7	3.5	4.0	2.8	3.9	3.7	4.0	4.3
70-79	6.1	1.3	1.7	1.3	0.7	2.9	1.9	1.7	1.2	1.4	1.3	1.4	1.9	1.0	1.3	1.9
80+	0.0	2.6	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.8	0.8	0.9	0.7	0.0	0.6	0.0
Male	15.2	11.3	9.3	11.2	10.4	9.8	11.2	9.9	8.8	9.6	9.2	8.5	9.4	10.8	9.6	10.7
Female	18.5	12.6	9.3	12.5	14.0	11.9	12.6	11.7	13.9	12.4	11.7	11.4	11.3	11.5	13.5	11.6
White	14.2	10.5	8.9	9.6	10.7	8.9	9.6	8.0	7.0	7.3	7.7	6.4	7.2	7.9	8.1	7.2
Black	26.6	15.6	10.1	17.3	16.0	16.4	17.5	17.2	21.9	19.6	17.1	17.6	18.0	18.2	18.7	20.0
Other race	36.2	26.7	13.9	13.2	14.6	12.2	18.3	22.3	17.7	18.0	17.3	17.5	11.8	18.6	21.2	17.2
Diabetes	5.7	4.2	1.6	4.4	5.3	4.4	3.5	4.0	5.1	3.5	3.3	3.6	3.5	3.9	5.5	4.1
Hypertension	14.9	11.6	9.6	13.2	12.2	11.2	13.4	9.5	12.0	10.3	10.4	11.9	10.0	13.5	12.3	11.3
Glomerulonephritis	28.1	16.0	20.5	20.2	23.8	19.4	24.2	21.5	18.3	24.1	23.5	17.8	25.0	23.5	23.6	27.8
Other cause	19.8	16.7	12.5	14.6	13.0	13.4	15.6	16.4	15.1	16.6	16.6	16.0	17.9	17.8	17.1	19.2
All	16.7	12.0	9.3	11.8	12.1	10.8	11.9	10.7	11.2	10.9	10.4	9.8	10.3	11.1	11.5	11.2
ADJUSTED																
0-19	40.3	43.7	43.1	56.8	40.9	22.4	41.8	70.4	49.0	48.8	25.9	37.6	38.5	38.9	37.9	46.3
20-44	28.4	26.5	21.4	26.6	29.1	25.1	28.6	27.6	27.3	26.1	27.0	25.4	25.0	29.2	31.4	31.3
45-64	11.1	9.3	7.8	9.0	8.4	8.6	9.1	8.6	9.4	9.7	8.7	9.2	10.0	11.3	11.9	11.4
65-74	4.2	2.6	2.7	3.2	2.9	5.5	3.4	2.2	2.5	3.1	3.5	3.2	3.5	3.3	3.5	4.0
75+	4.2	1.6	0.6	0.0	1.3	3.0	0.9	1.3	0.8	0.2	0.6	0.3	1.2	0.0	1.0	1.0
Male	10.2	9.1	7.8	8.5	7.4	9.7	9.0	7.8	7.1	7.9	7.6	7.8	8.6	9.7	9.3	10.2
Female	10.5	9.4	8.0	9.1	10.7	10.0	9.3	10.1	11.1	10.2	10.5	10.0	10.2	10.6	12.1	11.6
White	8.3	7.8	7.4	7.4	7.7	8.8	7.8	7.5	6.6	7.0	7.6	6.9	8.0	8.5	9.0	8.7
Black	14.2	9.5	6.9	10.4	9.5	10.1	10.1	10.1	12.7	11.9	10.5	11.0	11.2	11.6	12.2	13.8
Other race	17.8	15.2	9.8	10.9	8.2	7.1	16.1	11.1	13.6	15.9	14.1	14.2	8.3	17.0	17.5	16.5
Diabetes	4.3	3.5	1.7	3.9	4.7	5.4	3.3	3.8	4.4	3.4	3.5	3.6	4.0	4.2	5.5	4.8
Hypertension	17.0	11.8	12.1	12.3	11.0	14.3	13.0	11.9	13.3	12.1	11.5	12.5	11.6	14.2	14.3	13.1
Glomerulonephritis	16.3	13.5	14.9	13.7	16.9	16.3	17.0	14.5	12.2	18.3	16.1	14.6	17.4	16.8	16.0	20.4
Other cause	12.1	13.9	10.5	11.5	9.7	10.0	11.7	11.8	10.2	12.0	12.8	11.4	13.4	13.5	11.7	14.8
All	10.4	9.1	7.9	8.7	8.9	9.9	9.1	8.9	8.9	9.0	8.9	8.8	9.3	10.1	10.7	10.8

Table I.29

90-day patient survival probabilities: first transplants, deceased donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	100.0	100.0	96.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
5-9	100.0	100.0	100.0	100.0	97.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
10-14	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
15-19	100.0	99.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
20-29	100.0	99.8	99.7	99.8	99.9	100.0	99.7	99.9	100.0	99.9	99.9	99.6	100.0	99.9
30-39	99.4	99.8	99.9	99.6	99.7	99.9	99.9	99.7	99.7	99.9	99.8	99.6	99.8	100.0
40-49	99.6	99.5	99.6	99.8	99.8	99.5	99.7	99.8	99.6	99.7	99.7	99.5	99.8	99.7
50-59	99.1	99.5	99.0	99.5	99.0	99.4	99.5	99.6	99.5	99.5	99.4	99.9	99.6	99.4
60-64	99.4	98.8	99.2	99.3	99.3	98.9	99.6	99.8	99.3	98.6	99.5	99.5	98.7	99.7
65+	98.0	99.5	99.5	100.0	98.5	99.3	99.7	99.2	99.7	99.0	99.6	99.4	99.7	100.0
Male	99.5	99.6	99.5	99.7	99.6	99.6	99.8	99.9	99.7	99.5	99.6	99.6	99.6	99.8
Female	99.5	99.6	99.6	99.6	99.5	99.7	99.5	99.5	99.6	99.8	99.8	99.8	99.8	99.7
White	99.5	99.5	99.6	99.7	99.5	99.6	99.7	99.7	99.6	99.5	99.6	99.6	99.6	99.8
Black	99.8	100.0	99.4	99.6	99.8	99.8	99.6	99.7	99.7	99.7	99.7	99.8	99.8	99.7
Other race	99.2	99.6	100.0	100.0	99.7	99.4	99.7	100.0	99.5	99.8	99.7	99.8	99.4	99.5
†Hispanic							99.7	99.7	99.9	99.4	99.8	99.8	99.6	99.9
†Non-Hispanic							99.6	99.7	99.7	99.6	99.6	99.6	99.7	99.7
Diabetes	99.1	99.2	99.3	99.7	99.6	99.7	99.8	99.6	99.6	99.6	99.5	99.4	99.6	99.6
Hypertension	99.7	99.8	99.7	99.9	99.6	99.7	99.5	99.7	99.5	99.4	99.8	99.9	99.9	99.8
Glomerulonephritis	99.8	99.7	99.7	99.7	99.5	99.7	99.8	99.9	99.9	99.8	100.0	99.8	99.7	99.9
Other cause	99.4	99.8	99.5	99.5	99.5	99.5	99.6	99.6	99.6	99.5	99.5	99.8	99.6	99.7
All	99.5	99.6	99.5	99.7	99.6	99.6	99.7	99.7	99.6	99.6	99.6	99.7	99.7	99.7
ADJUSTED														
0-19	100.0	99.4	99.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
20-44	99.5	99.6	99.7	99.8	99.8	99.9	99.9	99.7	99.7	99.9	99.7	99.6	99.8	99.9
45-64	99.3	99.5	99.3	99.5	99.3	99.5	99.5	99.7	99.5	99.5	99.6	99.7	99.6	99.6
65+	98.7	98.9	99.3	99.2	99.0	98.6	99.8	99.3	99.5	98.6	99.3	99.4	99.2	99.8
Male	99.0	99.0	98.9	99.4	99.2	99.2	99.7	99.8	99.4	99.1	99.3	99.3	99.3	99.6
Female	98.8	99.2	99.2	99.2	99.0	99.4	99.1	99.0	99.2	99.6	99.6	99.6	99.6	99.5
White	98.8	98.8	99.0	99.3	98.9	99.2	99.5	99.5	99.3	99.2	99.3	99.3	99.4	99.7
Black	99.5	100.0	98.9	99.3	99.6	99.6	99.3	99.4	99.5	99.5	99.6	99.7	99.7	99.5
Other race	98.0	99.2	100.0	100.0	99.2	98.9	99.4	100.0	99.1	99.6	99.5	99.6	99.1	99.2
Diabetes	98.4	98.6	98.9	99.4	99.3	99.5	99.8	99.4	99.4	99.4	99.2	99.1	99.4	99.5
Hypertension	99.5	99.7	99.6	99.8	99.4	99.5	99.3	99.6	99.3	99.2	99.7	99.8	99.8	99.8
Glomerulonephritis	99.6	99.3	99.4	99.4	99.0	99.4	99.6	99.9	99.8	99.6	100.0	99.6	99.4	99.9
Other cause	98.8	99.5	98.9	98.9	99.0	99.0	99.2	99.4	99.3	99.2	99.1	99.6	99.3	99.5
All	98.9	99.1	99.0	99.3	99.1	99.3	99.4	99.5	99.3	99.3	99.4	99.4	99.4	99.6

Table I.30

One-year patient survival probabilities: first transplants, deceased donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	93.9	97.1	96.7	96.9	100.0	100.0	100.0	100.0	97.4	100.0	96.3	97.1	97.0	97.3
5-9	100.0	100.0	100.0	97.9	95.0	100.0	100.0	100.0	100.0	97.1	100.0	100.0	100.0	100.0
10-14	98.8	100.0	100.0	97.7	100.0	98.8	100.0	100.0	100.0	100.0	100.0	100.0	99.1	100.0
15-19	99.0	98.9	99.5	98.1	99.5	99.3	99.3	98.6	99.5	99.4	99.3	99.3	100.0	99.4
20-29	98.7	99.0	98.6	98.9	99.5	99.0	99.2	98.9	99.1	99.2	99.2	99.0	99.5	99.6
30-39	98.4	98.8	98.7	98.4	98.4	98.6	98.7	99.2	98.6	98.9	99.3	99.0	98.9	99.2
40-49	98.4	98.4	98.3	98.2	97.7	98.1	98.3	98.6	98.0	98.2	98.2	98.2	98.2	98.1
50-59	97.1	96.4	96.8	96.7	96.8	97.2	97.0	97.7	97.5	96.8	96.6	97.7	97.5	97.3
60-64	96.7	97.4	93.8	96.6	96.7	96.1	95.9	96.3	96.0	95.1	97.2	96.8	95.6	97.9
65+	94.0	97.9	94.1	96.6	95.2	96.4	95.0	94.5	96.7	94.4	95.1	95.5	96.2	96.3
Male	98.1	98.1	97.9	97.7	97.7	97.9	97.9	98.2	98.1	97.4	97.8	97.9	97.6	97.7
Female	97.9	98.4	97.7	98.1	98.0	98.0	97.9	98.1	97.8	98.1	98.0	98.2	98.3	98.7
White	98.0	98.1	97.8	97.8	97.5	97.7	98.0	98.1	98.0	97.5	98.1	97.9	97.7	97.8
Black	97.9	98.2	97.9	97.9	98.5	98.6	97.6	98.3	97.8	98.0	97.5	98.3	98.2	98.6
Other race	98.3	99.3	98.0	98.8	98.7	97.7	98.5	98.5	98.2	97.8	97.7	98.6	98.0	98.3
†Hispanic						97.5	99.4	98.6	98.1	97.3	98.3	98.7	97.9	98.5
†Non-Hispanic						98.0	97.8	98.1	97.9	97.7	97.8	97.9	97.9	98.0
Diabetes	96.9	97.6	96.6	97.3	97.3	97.4	97.6	97.7	97.6	96.7	97.3	97.5	97.2	97.2
Hypertension	98.3	97.7	98.1	98.2	98.1	98.7	97.2	98.1	97.4	97.0	97.3	98.4	97.9	98.6
Glomerulonephritis	98.4	98.6	99.1	98.7	98.3	98.4	98.6	98.7	98.6	99.2	99.0	98.6	98.4	99.0
Other cause	98.4	98.7	97.8	97.4	97.8	97.7	98.2	98.4	98.2	98.0	98.1	98.0	98.3	98.1
All	98.0	98.2	97.8	97.9	97.8	98.0	97.9	98.2	98.0	97.7	97.9	98.0	97.9	98.1
ADJUSTED														
0-19	97.7	98.8	99.4	97.2	100.0	100.0	100.0	99.4	99.0	100.0	99.3	99.4	99.0	99.0
20-44	98.2	98.5	98.4	98.6	98.6	98.5	98.7	99.0	98.7	98.8	98.9	98.9	99.2	99.3
45-64	97.3	97.3	96.9	97.0	96.8	97.3	97.1	97.8	97.3	97.2	97.3	97.7	97.3	97.6
65+	95.3	96.7	93.4	95.2	94.9	95.2	95.3	94.5	96.0	94.0	95.7	95.9	96.0	96.3
Male	95.7	95.8	95.6	95.3	95.5	96.0	96.1	96.8	96.5	95.6	96.3	96.6	96.3	96.4
Female	95.2	96.5	95.1	96.1	95.9	96.2	96.1	96.5	95.9	96.6	96.6	97.0	97.1	97.9
White	95.6	96.0	95.3	95.5	95.1	95.7	96.2	96.6	96.4	95.9	96.8	96.6	96.4	96.7
Black	95.7	96.3	96.0	96.0	97.1	97.4	95.9	97.1	96.3	96.5	95.9	97.3	97.2	97.8
Other race	95.9	98.4	95.6	97.6	96.8	95.6	97.1	97.1	97.0	96.3	96.0	97.6	96.9	97.2
Diabetes	94.4	95.9	94.1	95.5	95.5	95.8	96.3	96.5	96.5	95.3	96.2	96.6	96.2	96.4
Hypertension	97.3	96.5	97.2	97.3	97.2	98.1	96.0	97.4	96.4	95.9	96.5	98.0	97.3	98.3
Glomerulonephritis	96.5	96.9	98.0	97.3	96.6	96.8	97.3	97.4	97.3	98.5	98.1	97.6	97.3	98.3
Other cause	96.7	97.3	95.4	94.8	95.6	95.5	96.6	97.0	96.7	96.6	96.7	96.5	97.3	96.7
All	95.6	96.1	95.4	95.7	95.7	96.1	96.1	96.7	96.3	96.0	96.5	96.8	96.7	97.0

Table I.31

Two-year patient survival probabilities: first transplants, deceased donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0-4	93.0	90.9	97.1	96.7	93.8	100.0	97.2	97.3	100.0	97.4	100.0	96.3	97.1	93.9
5-9	93.3	100.0	100.0	100.0	97.9	92.5	98.0	100.0	100.0	100.0	97.1	100.0	97.5	97.9
10-14	96.5	98.8	97.2	98.8	94.7	98.9	96.4	98.9	98.6	100.0	100.0	98.7	100.0	97.2
15-19	96.9	98.0	97.8	97.8	97.6	99.5	98.0	97.8	97.9	98.4	99.4	98.6	97.8	97.3
20-29	97.6	96.9	97.1	97.4	98.2	98.6	97.7	98.1	97.8	97.7	97.8	97.6	98.7	97.7
30-39	96.3	96.4	96.3	96.8	95.9	96.5	96.4	96.5	97.6	96.8	96.6	96.7	96.9	97.4
40-49	93.5	95.9	95.5	94.8	94.8	95.6	95.0	96.1	96.2	95.7	96.0	94.7	95.3	95.7
50-59	93.5	94.6	92.6	93.3	92.6	93.0	93.6	93.4	94.1	94.0	93.1	92.2	93.3	93.8
60-64	92.9	91.3	91.6	89.5	91.1	91.9	91.8	91.8	91.5	90.9	89.7	92.6	91.2	90.6
65+	87.9	90.1	93.6	86.8	90.6	88.9	90.4	89.0	87.7	92.9	88.4	89.9	90.5	90.3
Male	94.6	95.5	95.1	95.0	94.4	95.0	95.1	95.1	95.2	95.4	94.4	94.1	94.5	94.3
Female	95.4	95.9	95.4	95.0	95.5	95.8	94.9	95.5	95.9	95.4	95.2	95.0	95.4	95.5
White	94.8	95.6	95.4	94.9	94.8	95.1	94.7	95.3	95.7	95.7	95.0	94.6	94.5	94.9
Black	95.1	95.6	94.6	94.8	94.5	95.6	95.4	95.2	94.8	94.4	94.1	93.9	95.5	94.5
Other race	94.8	96.7	95.4	97.0	96.7	96.7	96.9	95.3	95.8	95.4	94.4	95.3	95.8	95.0
†Hispanic							95.3	97.0	97.4	96.7	95.4	95.6	96.1	95.4
†Non-Hispanic							95.0	95.1	95.2	95.2	94.6	94.3	94.7	94.7
Diabetes	92.9	93.3	92.9	92.7	93.3	93.6	93.3	93.5	93.8	94.0	92.8	92.3	92.7	92.7
Hypertension	94.9	95.5	94.4	94.3	95.6	95.3	95.4	94.9	95.3	94.3	92.8	94.0	95.6	94.7
Glomerulonephritis	97.1	96.9	96.8	97.4	96.5	96.6	96.1	96.6	97.1	96.8	97.3	96.7	96.6	96.7
Other cause	94.5	96.6	96.5	95.9	94.2	96.1	95.8	96.4	96.2	96.4	96.2	95.5	95.7	96.0
All	94.9	95.6	95.2	95.0	94.8	95.3	95.0	95.3	95.5	95.4	94.7	94.4	94.9	94.8
ADJUSTED														
0-19	94.4	96.6	97.6	98.3	94.8	99.0	97.3	98.7	98.7	99.0	100.0	98.0	98.8	97.0
20-44	95.5	96.1	95.7	96.4	96.5	96.9	96.5	96.9	97.3	96.6	96.6	96.6	97.3	97.4
45-64	92.5	93.9	93.3	92.7	92.5	93.4	93.4	93.8	94.4	94.4	94.0	93.0	93.7	94.0
65+	88.5	89.3	90.2	87.1	88.8	88.1	89.1	88.8	88.1	89.8	87.1	90.1	89.6	89.3
Male	87.9	90.1	89.7	89.7	88.7	90.3	90.8	91.1	91.5	91.8	90.6	90.2	91.1	91.2
Female	89.3	90.8	90.1	89.7	91.0	91.6	90.3	91.5	92.4	91.6	91.7	91.5	92.5	92.7
White	88.3	90.3	90.4	89.5	89.5	90.5	90.2	91.3	92.4	92.4	91.7	91.1	91.2	92.2
Black	90.0	91.0	89.2	90.4	89.9	92.0	91.7	91.8	91.1	90.6	90.2	90.2	92.9	91.4
Other race	88.2	92.0	89.8	93.5	93.4	92.2	93.9	90.8	91.7	92.4	90.7	92.1	92.9	92.2
Diabetes	87.2	88.3	87.8	87.7	89.0	89.6	89.4	90.1	90.8	91.2	89.9	89.3	90.0	90.4
Hypertension	91.8	92.8	91.5	91.3	93.3	92.9	93.3	92.7	93.4	92.1	90.3	92.2	94.2	93.1
Glomerulonephritis	93.6	93.3	93.2	94.3	92.9	93.3	92.5	93.4	94.3	94.0	95.0	94.0	94.0	94.4
Other cause	88.3	92.9	92.9	91.7	88.6	92.5	92.1	93.4	93.1	93.5	93.4	92.3	92.6	93.6
All	88.6	90.4	89.9	89.8	89.7	90.9	90.6	91.3	91.9	91.8	91.1	90.8	91.7	91.9

Table I.32

Three-year patient survival probabilities: first transplants, deceased donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	97.4	90.7	90.9	97.1	96.7	93.8	100.0	97.2	94.6	96.9	94.7	95.5	96.3	97.1
5-9	98.2	93.3	97.4	100.0	100.0	97.9	92.5	94.0	100.0	100.0	100.0	97.1	100.0	92.5
10-14	90.5	96.5	97.5	94.4	97.6	94.7	98.9	96.4	98.9	98.6	99.0	98.6	98.7	100.0
15-19	95.8	94.2	97.0	95.7	96.2	97.6	98.5	96.0	97.1	97.9	97.9	98.8	97.2	96.4
20-29	96.0	95.7	95.1	95.9	95.5	96.5	97.1	96.0	96.4	97.2	96.5	96.5	96.1	98.0
30-39	94.1	94.4	94.1	93.7	94.3	94.0	94.2	94.8	94.7	95.9	94.6	94.6	94.4	95.1
40-49	89.3	89.8	92.9	92.5	91.5	91.8	92.8	92.0	93.3	92.8	93.2	93.9	91.9	93.1
50-59	87.8	90.0	89.4	87.9	89.3	89.0	88.1	89.6	89.1	89.6	89.8	89.6	87.7	89.3
60-64	84.6	86.5	86.2	87.8	81.7	85.7	87.2	86.4	86.0	85.8	84.5	84.6	87.3	87.2
65+	81.7	79.5	83.4	84.0	79.9	83.0	80.8	84.4	79.7	81.5	85.4	83.2	83.5	82.6
Male	91.1	91.2	92.0	91.9	91.5	91.5	91.7	92.2	91.8	91.8	92.1	92.0	90.4	91.4
Female	92.4	93.0	93.4	92.4	92.0	92.8	93.0	91.7	92.4	93.0	92.3	91.9	92.1	92.5
White	91.8	91.5	92.7	92.3	91.6	92.1	92.1	91.9	92.2	92.3	92.5	92.5	91.5	91.5
Black	90.2	92.8	91.8	91.3	91.5	91.2	91.9	92.4	91.4	92.1	91.2	90.6	89.5	92.4
Other race	94.1	93.1	93.0	93.0	94.3	94.6	95.3	92.3	92.7	92.8	92.4	92.7	94.3	93.5
†Hispanic								93.1	95.3	95.5	93.7	94.0	92.7	94.4
†Non-Hispanic								91.9	91.7	91.9	92.0	91.7	90.8	91.5
Diabetes	88.5	88.5	90.0	87.9	88.0	90.0	89.7	89.3	89.0	89.1	89.3	88.8	88.1	88.6
Hypertension	90.4	92.0	92.2	90.8	91.2	92.6	91.4	91.7	91.9	92.2	91.3	89.6	90.0	92.4
Glomerulonephritis	95.0	94.9	94.2	95.1	95.1	93.9	94.6	94.1	94.4	94.5	94.6	95.9	94.6	94.5
Other cause	91.7	91.8	93.4	94.1	93.0	92.0	93.2	93.7	93.6	94.3	94.0	94.0	92.7	93.6
All	91.6	91.9	92.5	92.1	91.7	92.0	92.2	92.0	92.0	92.3	92.2	92.0	91.1	91.9
ADJUSTED														
0-19	96.0	92.9	95.4	95.7	97.1	94.8	98.5	95.1	98.1	98.1	98.0	98.7	97.3	96.9
20-44	92.8	93.3	93.9	93.4	93.8	94.1	94.6	94.6	94.9	95.5	94.8	94.8	94.5	95.6
45-64	86.5	87.7	88.9	88.8	88.1	89.0	89.1	89.4	89.7	90.1	90.4	90.6	88.7	90.3
65+	78.1	79.7	81.3	81.5	79.3	81.0	80.7	82.2	80.1	81.1	81.0	81.8	84.2	83.2
Male	80.0	81.0	83.0	83.3	83.0	83.4	84.2	85.6	85.2	85.7	86.2	86.6	84.4	86.3
Female	82.7	84.2	85.6	84.0	83.7	85.7	86.1	84.6	86.0	87.4	86.2	86.4	86.8	87.9
White	81.3	81.5	84.5	84.2	83.0	84.5	84.9	85.1	85.9	86.6	86.9	87.7	86.2	86.6
Black	80.6	85.4	83.8	82.9	84.6	83.8	85.3	86.6	85.4	86.7	85.4	84.6	83.4	88.0
Other race	86.4	84.7	83.8	84.6	87.9	89.4	89.3	85.5	85.9	86.1	87.5	88.0	90.4	89.0
Diabetes	79.0	79.9	82.8	79.7	80.1	83.7	83.6	83.4	83.4	84.0	84.5	84.5	83.6	84.6
Hypertension	84.7	87.4	87.8	86.0	86.8	88.9	87.2	88.1	88.6	89.2	88.1	86.2	87.1	90.2
Glomerulonephritis	88.5	88.9	87.5	89.6	89.6	87.7	89.4	88.7	89.3	89.3	89.9	92.4	90.4	90.4
Other cause	82.7	83.0	86.6	88.2	86.2	84.4	87.0	88.2	88.2	89.8	89.1	89.8	87.5	89.2
All	81.2	82.3	84.1	83.7	83.4	84.4	85.0	85.3	85.6	86.4	86.3	86.6	85.5	87.0

Table I.33

Five-year patient survival probabilities: first transplants, deceased donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	91.3	88.9	94.7	90.7	90.9	94.1	93.3	93.8	97.1	97.2	91.9	90.6	89.5	90.9
5-9	95.3	93.3	96.4	93.3	94.7	97.4	94.7	95.8	90.0	92.0	100.0	97.4	100.0	91.4
10-14	96.3	97.9	89.2	95.3	93.8	93.1	95.1	93.9	97.8	95.2	96.8	95.9	99.0	95.9
15-19	93.5	92.4	94.4	92.9	93.6	94.0	93.4	95.3	95.5	92.7	91.2	97.2	95.8	95.1
20-29	89.1	89.7	90.3	92.0	91.5	91.3	91.3	93.0	93.2	91.0	92.9	94.3	93.3	92.6
30-39	81.0	85.2	88.1	89.0	87.1	87.3	88.2	88.6	89.2	90.0	90.0	92.2	90.1	89.8
40-49	75.6	81.1	81.7	82.1	85.0	83.0	85.0	83.8	84.9	84.2	86.4	86.5	86.7	86.9
50-59	70.4	74.5	76.6	79.1	77.5	76.9	77.5	79.3	78.6	80.0	78.5	80.0	79.4	79.7
60-64	65.2	67.9	72.7	75.1	71.0	76.2	66.3	69.2	73.6	75.0	75.3	73.4	71.9	70.7
65+	61.4	71.1	72.0	61.4	65.6	66.3	62.7	68.5	61.6	67.2	65.3	70.0	69.0	65.6
Male	78.2	81.4	83.1	83.6	82.9	83.4	83.1	83.4	83.9	84.4	84.5	85.0	84.1	83.6
Female	83.5	84.6	86.3	87.0	86.8	84.6	85.1	86.2	85.9	84.6	85.0	86.5	85.7	84.3
White	80.9	83.2	84.5	84.8	84.9	84.1	84.1	85.2	84.7	84.5	85.0	85.9	84.9	83.9
Black	76.8	79.9	82.7	84.6	83.1	82.5	82.0	82.1	83.3	83.8	83.3	84.2	83.7	82.9
Other race	86.8	87.4	89.7	88.7	83.9	87.7	90.2	86.6	91.0	88.0	87.8	88.8	87.3	87.9
†Hispanic										88.0	88.3	90.5	87.2	86.6
†Non-Hispanic										84.1	84.3	85.0	84.4	83.5
Diabetes	70.4	75.0	77.8	78.1	79.3	75.8	77.2	78.6	80.1	78.4	78.7	80.0	79.4	78.0
Hypertension	77.2	81.0	82.3	84.7	83.2	82.1	82.0	84.4	82.0	83.1	85.4	84.5	83.0	80.7
Glomerulonephritis	86.5	87.2	90.0	89.5	87.2	89.0	89.6	88.4	88.8	88.9	88.8	89.9	88.7	90.4
Other cause	83.1	84.9	85.6	86.4	87.2	87.8	87.5	87.5	88.1	88.6	87.5	89.5	88.9	87.6
All	80.2	82.6	84.3	84.9	84.4	83.9	83.9	84.5	84.6	84.5	84.7	85.6	84.7	83.9
ADJUSTED														
0-19	93.8	92.7	93.6	91.4	91.5	92.7	93.7	93.3	96.1	93.0	95.6	94.2	96.1	95.3
20-44	80.9	83.8	86.1	87.7	87.3	86.6	88.2	88.4	89.6	89.3	89.7	91.5	90.2	89.4
45-64	68.0	73.6	75.4	76.8	76.7	76.9	76.7	78.5	78.5	79.3	80.1	81.0	80.9	81.5
65+	55.3	61.0	65.8	61.8	63.9	63.8	61.6	64.4	64.1	66.6	65.5	69.2	65.4	63.5
Male	54.9	62.1	64.9	66.9	66.3	67.9	68.2	69.4	71.0	72.4	73.1	74.7	73.5	73.7
Female	63.7	66.9	70.5	72.2	72.9	69.6	71.4	73.9	73.4	72.6	73.7	76.5	75.3	74.4
White	58.4	64.2	67.0	68.7	69.7	69.2	69.6	72.3	72.4	72.7	73.9	76.3	74.5	74.6
Black	57.8	63.8	67.4	70.5	68.5	67.8	69.0	69.0	71.0	72.5	72.7	74.3	73.8	72.8
Other race	65.6	68.9	77.1	75.5	66.1	74.0	79.9	74.9	80.0	78.0	77.1	78.9	79.6	80.4
Diabetes	51.8	58.8	62.1	63.7	66.2	61.7	64.1	66.9	69.5	67.9	69.0	71.4	70.9	70.4
Hypertension	62.8	70.2	72.6	76.6	74.5	73.7	73.8	77.3	73.9	76.4	79.8	79.0	77.2	74.8
Glomerulonephritis	69.6	72.4	78.1	78.0	73.8	77.6	78.6	77.3	78.7	79.3	79.2	81.1	79.4	82.8
Other cause	65.6	70.4	71.6	72.8	75.1	76.7	76.2	76.3	77.8	79.4	77.8	81.5	80.4	79.4
All	58.3	64.1	67.2	69.1	69.0	68.7	69.6	71.3	72.1	72.6	73.5	75.6	74.4	74.1

Table I.33
Standard errors

UNADJUSTED	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	4.1	5.2	3.6	4.4	4.9	4.0	4.5	4.2	2.9	2.7	4.4	5.1	4.9	6
5-9	2.6	3.2	2.5	3.7	3.6	2.5	3.6	2.9	4.7	3.8	0.0	2.6	0.0	4.7
10-14	1.8	1.5	3.6	2.3	2.7	3.0	2.4	2.1	1.5	2.3	1.8	2.3	1.0	2.3
15-19	1.7	1.9	1.6	1.7	1.7	1.7	1.8	1.5	1.5	2.1	2.4	1.4	1.4	1.7
20-29	1.1	1.0	1.0	0.9	0.9	1.0	0.9	0.9	0.9	1.0	0.9	0.8	0.9	1
30-39	1.1	1.0	0.9	0.8	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.8	0.8
40-49	1.3	1.1	1.1	1.0	0.9	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8
50-59	1.8	1.5	1.4	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1
60-64	3.7	3.0	2.9	2.6	2.5	2.3	2.4	2.3	2.1	2.1	2.0	2.0	1.9	1.9
65+	7.2	4.9	4.6	4.2	3.9	3.4	3.4	3.0	2.9	2.7	2.7	2.3	2.4	2.2
Male	0.8	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Female	0.9	0.8	0.8	0.7	0.7	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
White	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6
Black	1.3	1.2	1.1	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9
Other race	2.7	2.3	2.1	2.0	2.4	1.9	1.7	1.9	1.6	1.7	1.8	1.6	1.7	1.6
†Hispanic										1.3	1.3	1.1	1.2	1.2
†Non-Hispanic										0.5	0.5	0.5	0.5	0.5
Diabetes	1.4	1.3	1.2	1.1	1	1.1	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9
Hypertension	1.5	1.3	1.3	1.1	1.1	1.2	1.1	1.0	1.1	1.0	1.0	1.0	1.1	1.1
Glomerulonephritis	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Other cause	1.0	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.8
All	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.5

Table I.34

Ten-year patient survival probabilities: first transplants, deceased donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	82.4	87.5	85.0	85.7	90.2	87.0	80.6	92.1	86.0	87.9	91.2	83.3	90.6	97.1
5-9	71.4	92.3	77.8	87.3	86.5	85.9	86.7	90.9	77.8	89.5	94.9	89.5	85.4	82.5
10-14	73.9	80.6	82.2	77.6	74.6	88.8	86.2	79.7	88.2	83.8	91.7	85.4	84.1	89.1
15-19	82.2	87.5	84.1	76.2	82.4	85.0	85.4	86.6	84.5	85.2	85.9	84.1	84.9	85.9
20-29	70.7	72.2	71.7	75.0	72.3	75.9	77.6	77.4	79.1	79.0	75.6	79.4	80.9	82.3
30-39	60.0	60.6	58.7	61.5	61.3	62.8	68.0	68.0	69.4	67.3	69.5	71.1	70.6	72.8
40-49	48.7	47.9	48.9	48.9	49.2	53.5	56.9	58.5	59.6	58.7	59.5	62.7	63.1	65.7
50-59	33.8	36.3	35.8	34.2	37.0	42.2	45.0	47.2	49.4	47.9	46.3	50.7	48.5	50.5
60-64	33.3	23.7	19.6	28.8	26.1	32.9	29.9	37.9	35.9	37.4	36.0	34.0	36.0	39.0
65+	0.0	20.0	23.5	8.7	12.5	40.9	32.5	33.3	24.2	25.8	27.8	23.5	28.9	26.2
Male	56.3	58.6	56.1	57.8	56.2	58.6	59.7	61.0	61.0	59.5	59.6	61.5	60.9	62.9
Female	65.1	64.3	63.1	61.6	62.1	65.1	64.8	66.3	66.5	65.2	63.6	65.7	66.1	66.7
White	60.7	63.0	59.9	61.3	59.4	62.4	63.1	64.3	63.3	61.7	61.3	63.8	63.7	64.4
Black	54.4	51.3	54.2	52.3	53.0	55.4	55.6	58.0	60.9	60.8	58.5	58.3	59.0	62.2
Other race	69.8	70.4	62.8	62.8	72.7	69.1	69.6	68.6	72.6	67.4	72.3	76.7	71.1	74.8
Diabetes	43.8	39.6	39.5	42.2	41.8	44.6	46.1	48.5	49.3	47.4	45.5	50.2	48.6	53.0
Hypertension	59.1	55.0	56.5	53.5	51.3	55.2	55.3	57.9	59.7	58.8	56.6	59.0	60.6	60.3
Glomerulonephritis	68.2	72.1	68.1	70.4	70.7	70.9	71.6	73.4	73.5	70.6	70.2	73.0	72.4	73.1
Other cause	58.9	62.7	61.5	62.4	61.8	66.7	67.4	68.4	67.3	68.3	70.6	71.3	71.6	72.2
All	59.5	60.7	58.7	59.2	58.4	61.0	61.7	63.1	63.2	61.8	61.2	63.1	62.9	64.3
ADJUSTED														
0-19	74.2	82.9	81.2	76.9	79.9	83.1	84.3	84.5	82.7	83.9	88.0	82.1	82.6	87.1
20-44	57.3	57.9	56.7	59.9	59.9	62.0	65.4	66.6	68.3	67.1	67.6	71.0	71.0	73.9
45-64	31.2	33.9	33.8	33.7	34.4	40.8	42.6	45.1	46.0	46.0	45.1	49.2	49.7	51.7
65+	10.0	7.9	16.2	9.5	17.8	26.2	22.2	26.8	25.0	23.4	24.2	22.5	25.7	28.5
Male	22.5	25.0	24.3	26.0	26.1	29.6	32.5	34.0	35.3	34.5	35.3	38.2	38.2	41.8
Female	31.1	30.9	30.7	30.6	31.9	36.4	37.7	40.1	40.7	40.5	39.1	42.7	44.3	45.2
White	25.6	28.3	26.9	28.6	28.5	32.6	35.3	37.3	37.6	37.0	37.5	40.6	41.7	43.7
Black	25.2	23.8	26.1	25.6	26.8	30.9	32.4	33.8	36.9	37.4	34.8	37.2	37.4	42.0
Other race	34.7	30.9	30.4	28.2	41.4	36.7	39.3	41.7	48.2	40.4	47.9	57.0	51.2	51.2
Diabetes	19.5	17.5	17.4	19.8	19.7	24.0	25.7	27.0	29.0	28.2	26.8	31.5	31.0	36.1
Hypertension	37.0	34.0	37.2	33.7	32.7	35.9	38.3	41.7	44.7	43.5	42.2	45.0	47.1	46.9
Glomerulonephritis	36.3	40.6	37.0	40.5	42.4	43.7	46.8	49.2	50.6	46.9	47.0	51.0	51.4	53.7
Other cause	28.4	33.1	32.7	33.7	34.3	41.0	44.0	45.8	43.9	46.3	50.0	50.9	51.6	53.2
All	25.6	27.2	26.7	27.8	28.2	32.2	34.6	36.4	37.5	36.9	36.9	40.1	40.6	43.3

Table I.34
Standard errors

UNADJUSTED	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	6.4	5.7	5.6	4.6	4.6	4.9	6.5	4.3	5.2	5.6	4.8	6.7	5.1	2.9
5-9	6.4	4.2	6.1	4.5	4.7	4.3	4.3	3.8	6.1	4.9	3.5	4.9	5.0	5.9
10-14	4.7	3.8	3.7	3.9	4.1	3.0	3.5	4.6	3.5	4.1	3.2	3.9	3.2	3.2
15-19	2.8	2.3	2.4	3.0	2.5	2.4	2.5	2.3	2.4	2.5	2.6	2.7	2.5	2.5
20-29	1.8	1.7	1.6	1.6	1.5	1.4	1.4	1.4	1.3	1.3	1.5	1.3	1.4	1.3
30-39	1.8	1.6	1.6	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.2	1.2	1.1
40-49	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2
50-59	2.9	2.6	2.3	2.2	2.0	1.9	1.7	1.7	1.5	1.5	1.5	1.4	1.4	1.4
60-64	8.7	6.7	5.2	5.0	4.1	3.7	3.0	3.2	2.9	2.6	2.6	2.5	2.4	2.4
65+	0.0	11.0	9.5	5.2	5.9	7.3	5.1	4.8	3.7	3.5	3.3	3.0	2.9	2.7
Male	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8
Female	1.5	1.5	1.3	1.3	1.2	1.2	1.1	1.1	1.0	1.0	1.0	1.0	1.0	1
White	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7
Black	2.1	2.0	1.8	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.2	1.2
Other race	5.7	5.4	5.2	5.0	3.9	3.7	3.1	3.2	2.8	3.0	2.6	2.5	2.5	2.5
Diabetes	2.4	2.2	1.9	1.8	1.6	1.6	1.5	1.4	1.3	1.3	1.3	1.2	1.2	1.1
Hypertension	2.5	2.3	2.2	2.1	1.9	1.8	1.6	1.7	1.5	1.5	1.5	1.4	1.3	1.4
Glomerulonephritis	1.6	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.2	1.1	1.1	1.1
Other cause	1.6	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.1	1.2	1.1	1.1	1.1	1.1
All	1.0	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6

Table I.35

90-day patient survival probabilities: first transplants, living donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	96.6	98.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.9	100.0	100.0	100.0	96.9
5-9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
10-14	97.8	98.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
15-19	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.3	100.0	100.0	100.0	100.0	100.0	100.0
20-29	100.0	100.0	99.8	100.0	100.0	100.0	99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0
30-39	100.0	99.6	100.0	100.0	100.0	99.8	99.7	99.9	100.0	99.9	100.0	100.0	100.0	99.9
40-49	99.7	100.0	100.0	99.8	99.8	100.0	99.8	100.0	100.0	99.9	99.8	100.0	100.0	100.0
50-59	98.5	99.2	99.3	100.0	99.3	99.6	99.6	99.8	99.9	99.9	99.5	99.6	99.7	99.7
60-64	95.3	95.9	100.0	98.8	100.0	100.0	99.5	100.0	100.0	99.7	99.7	99.5	100.0	99.8
65+	100.0	100.0	100.0	100.0	98.5	98.9	99.1	99.3	100.0	99.2	99.6	99.0	99.2	100.0
Male	99.4	99.6	99.9	99.9	99.7	99.8	99.8	99.8	100.0	99.8	99.8	99.6	99.9	99.9
Female	99.7	99.6	99.9	100.0	99.9	99.9	99.7	99.9	99.9	99.9	99.7	100.0	99.8	99.8
White	99.5	99.6	99.9	99.9	99.8	99.9	99.8	99.9	100.0	99.8	99.8	99.8	99.9	99.8
Black	99.6	99.6	99.7	100.0	99.7	99.8	99.6	99.8	100.0	99.8	99.9	99.9	99.9	99.9
Other race	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.6	100.0	100.0	100.0
†Hispanic						100.0	100.0	99.8	100.0	99.6	100.0	100.0	99.8	99.8
†Non-Hispanic						99.8	99.7	99.9	100.0	99.9	99.8	99.7	99.9	99.9
Diabetes	99.6	99.5	99.8	99.6	99.5	99.8	99.5	99.9	99.9	99.7	99.4	99.8	99.7	99.8
Hypertension	100.0	100.0	100.0	100.0	99.7	99.8	99.8	100.0	100.0	99.8	99.8	100.0	99.7	99.7
Glomerulonephritis	99.8	99.7	100.0	100.0	100.0	100.0	100.0	99.8	100.0	99.8	100.0	99.8	100.0	100.0
Other cause	99.0	99.3	99.8	100.0	99.9	99.8	99.6	99.9	100.0	99.9	99.9	99.7	99.9	99.8
All	99.5	99.6	99.9	99.9	99.8	99.9	99.7	99.9	100.0	99.8	99.8	99.8	99.9	99.9
ADJUSTED														
0-19	98.1	98.9	100.0	100.0	100.0	100.0	100.0	99.5	100.0	99.5	100.0	100.0	100.0	99.0
20-44	100.0	99.8	99.9	100.0	99.9	99.9	99.6	99.9	100.0	99.8	100.0	100.0	100.0	99.9
45-64	98.5	99.6	99.6	99.7	99.6	99.8	99.8	99.9	99.9	99.9	99.5	99.7	99.8	99.8
65+	100.0	91.9	100.0	100.0	98.9	99.1	98.3	99.4	100.0	99.0	99.7	98.9	99.3	100.0
Male	97.9	98.6	99.5	99.6	99.3	99.5	99.4	99.6	100.0	99.5	99.7	99.2	99.8	99.8
Female	99.0	98.8	99.7	100.0	99.8	99.8	99.2	99.8	99.8	99.7	99.4	100.0	99.6	99.6
White	98.2	98.6	99.7	99.7	99.5	99.7	99.3	99.7	99.9	99.6	99.6	99.5	99.7	99.7
Black	99.0	99.1	99.3	100.0	99.4	99.5	99.1	99.6	100.0	99.7	99.7	99.7	99.7	99.8
Other race	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.3	100.0	100.0	100.0
Diabetes	99.2	99.1	99.6	99.3	99.1	99.8	99.2	99.8	99.8	99.5	99.2	99.8	99.6	99.8
Hypertension	100.0	100.0	100.0	100.0	99.5	99.6	99.6	100.0	100.0	99.7	99.7	100.0	99.6	99.6
Glomerulonephritis	99.5	99.1	100.0	100.0	100.0	100.0	100.0	99.4	100.0	99.6	100.0	99.5	100.0	100.0
Other cause	96.5	98.0	99.3	100.0	99.7	99.4	99.0	99.8	100.0	99.8	99.7	99.3	99.9	99.6
All	98.4	98.7	99.6	99.8	99.5	99.6	99.3	99.7	99.9	99.6	99.6	99.6	99.7	99.7

Table I.35
Standard errors

UNADJUSTED	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	2.3	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	2.2
5-9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
10-14	1.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
15-19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0
20-29	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0
30-39	0.0	0.3	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.1
40-49	0.3	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0
50-59	0.8	0.5	0.5	0.0	0.4	0.3	0.3	0.2	0.1	0.1	0.2	0.2	0.2	0.1
60-64	3.2	2.3	0.0	1.2	0.0	0.0	0.5	0.0	0.0	0.3	0.3	0.4	0.0	0.2
65+	0.0	0.0	0.0	0.0	1.4	1.1	0.9	0.7	0.0	0.6	0.4	0.5	0.4	0
Male	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1
Female	0.2	0.2	0.1	0.0	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.1
White	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1
Black	0.4	0.4	0.3	0.0	0.3	0.2	0.3	0.2	0.0	0.2	0.1	0.1	0.1	0.1
Other race	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0
†Hispanic						0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.2	0.2
†Non-Hispanic						0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1
Diabetes	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.1	0.1	0.2	0.2	0.1	0.2	0.1
Hypertension	0	0	0	0	0.3	0.2	0.2	0.0	0.0	0.2	0.2	0.0	0.2	0.2
Glomerulonephritis	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0
Other cause	0.4	0.3	0.2	0.0	0.1	0.1	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1
All	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1

Table I.36

One-year patient survival probabilities: first transplants, living donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0-4	96.6	98.1	98.7	100.0	98.3	98.4	100.0	100.0	100.0	97.9	100.0	98.5	97.1	96.9
5-9	100.0	100.0	100.0	98.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.4	98.2	100.0
10-14	96.7	96.8	100.0	100.0	100.0	99.0	100.0	100.0	100.0	100.0	99.0	100.0	100.0	100.0
15-19	99.3	98.6	100.0	100.0	99.4	100.0	99.4	99.3	100.0	100.0	100.0	99.5	100.0	100.0
20-29	99.6	99.8	99.4	99.8	99.8	100.0	99.6	99.4	99.6	99.6	99.7	100.0	99.3	99.8
30-39	99.6	99.3	99.5	99.3	99.5	99.4	99.1	99.6	99.5	99.3	99.1	99.7	100.0	99.5
40-49	99.0	99.3	98.7	98.9	99.1	99.5	98.5	99.2	99.1	99.0	98.8	99.0	99.1	99.2
50-59	98.0	97.3	97.7	98.5	97.6	98.3	98.2	98.8	98.7	98.2	98.7	98.1	99.1	98.6
60-64	93.0	90.5	98.7	97.6	97.4	97.3	97.9	98.6	98.4	99.1	98.0	97.9	99.0	98.4
65+	100.0	96.2	91.9	100.0	94.1	97.8	97.2	93.8	96.9	98.4	97.8	97.7	97.2	98.1
Male	98.7	98.8	98.9	99.0	98.9	99.2	99.1	98.8	98.9	98.9	99.0	98.9	99.1	99.0
Female	99.3	98.5	99.1	99.5	99.0	99.3	98.3	99.4	99.4	99.2	98.8	98.8	99.1	99.1
White	98.9	98.7	99.0	99.2	98.9	99.3	98.9	99.1	99.1	99.1	98.9	98.8	99.1	99.1
Black	98.9	98.2	98.9	99.5	99.2	98.4	98.1	98.6	99.0	98.7	98.9	98.7	99.5	98.6
Other race	100.0	98.7	98.9	98.3	100.0	100.0	100.0	98.6	100.0	99.0	99.2	99.1	99.2	99.4
†Hispanic						99.4	99.7	99.3	99.5	98.3	98.9	99.3	99.7	99.5
†Non-Hispanic						99.2	98.7	99.0	99.1	99.1	98.9	98.8	99.1	99.0
Diabetes	98.3	98.6	98.2	98.7	98.4	99.1	97.9	98.6	98.0	98.8	97.9	98.2	99.0	98.6
Hypertension	99.2	99.0	98.5	98.6	98.7	98.5	98.6	99.3	99.4	98.3	99.0	99.4	98.9	99.2
Glomerulonephritis	99.7	99.0	99.7	99.5	99.3	99.8	99.5	99.4	99.5	99.2	99.7	99.1	99.4	99.4
Other cause	98.7	98.2	99.0	99.6	99.1	99.1	98.8	98.9	99.4	99.3	99.0	98.8	99.1	98.9
All	99.0	98.6	99.0	99.2	99.0	99.2	98.8	99.0	99.1	99.0	98.9	98.8	99.1	99.0
ADJUSTED														
0-19	97.1	96.8	99.6	100.0	99.1	99.1	99.5	99.5	100.0	99.5	100.0	99.1	98.7	99.0
20-44	99.3	99.1	99.2	99.2	99.5	99.5	99.0	99.4	99.0	99.3	98.8	99.4	99.6	99.6
45-64	97.7	98.3	98.0	98.2	97.9	98.6	97.9	98.6	98.8	98.4	98.5	98.2	98.8	98.6
65+	100.0	81.5	90.7	100.0	94.4	97.2	96.7	94.4	97.5	97.9	97.9	97.4	97.5	97.7
Male	95.6	95.9	96.5	96.9	96.9	97.8	97.7	97.0	97.4	97.6	97.8	97.7	98.2	98.0
Female	98.0	95.8	97.5	98.7	97.6	98.2	96.0	98.5	98.7	98.2	97.6	97.6	98.2	98.2
White	96.5	95.9	96.9	97.7	96.8	98.2	97.1	97.9	97.9	98.0	97.7	97.7	98.1	98.2
Black	97.0	95.6	97.2	98.7	98.2	96.6	95.9	97.1	97.9	97.5	97.9	97.6	98.9	97.5
Other race	100.0	96.6	97.0	96.4	100.0	100.0	100.0	97.3	100.0	98.0	98.6	98.5	98.6	98.9
Diabetes	96.7	97.4	96.6	97.7	97.3	98.5	96.7	97.8	97.1	98.3	97.1	97.6	98.6	98.2
Hypertension	98.2	97.9	97.1	97.3	97.7	97.4	97.5	98.9	99.0	97.4	98.5	99.2	98.4	98.9
Glomerulonephritis	98.9	96.8	99.1	98.4	98.0	99.4	98.6	98.3	98.7	98.0	99.2	98.0	98.6	98.7
Other cause	95.5	94.8	97.1	98.9	97.6	97.5	97.1	97.3	98.6	98.5	97.8	97.5	98.1	97.9
All	96.6	95.8	96.9	97.7	97.1	98.0	96.9	97.6	97.9	97.8	97.7	97.7	98.2	98.1

Table I.37

Two-year patient survival probabilities: first transplants, living donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0-4	95.2	96.6	98.1	98.7	100.0	98.3	96.8	97.1	98.3	98.3	97.9	98.7	97.0	95.6
5-9	94.2	100.0	100.0	95.8	98.0	100.0	100.0	97.3	100.0	100.0	100.0	100.0	98.4	98.2
10-14	89.3	96.7	95.8	100.0	100.0	100.0	97.9	100.0	100.0	100.0	100.0	96.9	98.8	98.0
15-19	95.4	99.3	97.2	99.4	99.4	98.2	100.0	98.3	99.3	98.8	98.8	99.5	99.5	100.0
20-29	98.5	98.5	99.1	99.2	99.1	98.4	99.1	99.0	98.7	99.1	98.6	98.1	98.6	98.6
30-39	97.2	97.7	98.5	98.2	98.6	98.3	97.7	98.6	98.0	98.4	98.8	98.3	98.6	98.9
40-49	98.0	96.9	98.1	97.9	96.3	97.8	97.6	97.3	97.6	97.6	97.4	97.4	97.8	97.6
50-59	93.5	96.0	95.8	96.3	95.9	94.7	95.6	97.1	96.8	97.5	95.3	96.4	96.3	97.6
60-64	96.6	93.0	89.2	96.2	93.9	94.0	96.0	96.3	97.6	95.6	95.9	95.5	94.1	96.2
65+	85.0	93.8	92.3	89.2	90.2	88.2	94.6	93.6	91.7	93.1	93.9	93.0	92.5	93.1
Male	96.6	97.3	97.9	98.1	97.7	97.3	97.6	98.1	97.4	97.3	96.7	97.3	96.9	97.8
Female	96.3	97.9	97.4	98.0	97.5	97.3	97.5	97.3	98.0	98.5	97.8	96.9	97.1	97.2
White	96.3	97.5	97.8	98.1	97.9	97.3	97.8	97.8	97.7	97.8	97.2	97.1	97.0	97.6
Black	97.3	97.4	96.8	97.5	96.4	97.3	95.6	96.8	97.0	97.2	96.8	96.9	96.8	97.4
Other race	100.0	100.0	97.4	98.9	96.6	97.6	100.0	100.0	98.6	100.0	97.4	98.3	98.3	97.7
†Hispanic							98.5	98.9	98.1	98.6	96.8	97.8	97.6	98.8
†Non-Hispanic							97.4	97.6	97.6	97.7	97.2	97.0	96.9	97.4
Diabetes	97.2	94.9	96.5	96.4	96.6	94.8	96.7	96.0	95.9	95.6	94.7	95.3	95.6	96.2
Hypertension	95.2	98.4	97.7	97.0	97.0	97.4	95.9	97.8	97.6	98.4	97.0	97.2	96.8	96.8
Glomerulonephritis	97.2	98.7	98.4	99.3	98.4	98.1	98.8	99.2	98.8	98.4	98.3	98.2	98.0	98.7
Other cause	95.6	98.1	97.7	98.4	97.9	98.1	97.8	97.5	98.0	98.5	98.1	97.6	97.4	97.8
All	96.5	97.6	97.7	98.1	97.6	97.3	97.6	97.7	97.7	97.8	97.2	97.1	97.0	97.5
ADJUSTED														
0-19	89.1	97.1	95.3	98.2	99.5	98.2	98.1	97.5	99.0	98.6	98.9	98.5	98.2	97.4
20-44	97.2	97.4	98.1	98.3	98.1	97.9	97.5	98.0	98.0	97.7	98.1	97.4	97.9	98.0
45-64	94.6	95.4	96.6	96.5	94.5	95.2	96.2	96.4	96.5	97.0	95.7	96.0	96.1	96.9
65+	85.3	94.2	78.9	86.1	91.4	86.7	93.4	93.3	92.0	94.0	92.4	93.7	91.9	93.7
Male	88.2	91.0	93.0	94.0	93.0	92.4	93.6	94.9	93.8	93.7	93.0	94.3	93.7	95.4
Female	89.2	94.0	92.9	94.4	93.6	93.2	94.1	93.6	95.4	96.6	95.2	93.6	94.4	94.3
White	87.9	92.0	93.1	94.2	93.9	92.5	94.3	94.3	94.6	94.8	94.0	93.9	94.1	95.0
Black	91.8	93.1	92.3	93.8	91.6	94.1	90.8	93.2	93.8	94.4	94.0	94.3	94.0	95.1
Other race	100.0	100.0	93.1	97.0	92.8	94.4	100.0	100.0	97.3	100.0	95.0	97.2	97.0	95.7
Diabetes	94.2	90.3	93.5	93.3	94.0	91.5	94.7	93.7	93.6	93.5	92.4	93.5	94.0	94.8
Hypertension	89.9	96.4	95.2	94.3	94.2	95.3	92.8	96.3	96.0	97.4	95.4	95.7	95.3	95.3
Glomerulonephritis	90.7	95.8	95.0	97.8	95.2	94.6	96.6	97.8	96.9	96.0	96.0	95.9	95.5	97.1
Other cause	87.0	93.6	93.2	95.3	93.8	94.6	94.3	93.7	95.1	96.3	95.9	94.8	94.6	95.5
All	88.5	92.3	92.8	94.1	93.2	92.7	93.8	94.3	94.4	94.9	93.9	94.0	94.0	94.9

Table I.38

Three-year patient survival probabilities: first transplants, living donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	96.1	95.2	96.6	96.2	98.7	100.0	98.3	96.8	97.1	98.3	98.3	95.7	98.7	97.0
5-9	98.1	94.2	100.0	98.3	95.8	98.0	98.3	98.2	97.3	100.0	100.0	97.8	100.0	98.4
10-14	100.0	89.3	96.7	93.7	100.0	100.0	100.0	97.9	100.0	99.0	99.1	100.0	95.9	95.3
15-19	98.4	94.8	98.6	95.7	98.8	99.4	98.2	98.9	97.2	99.3	98.1	98.8	97.9	98.9
20-29	96.3	98.1	97.5	98.0	97.3	97.6	97.3	97.0	98.4	97.7	97.9	98.2	97.2	98.0
30-39	97.9	95.0	95.4	97.3	96.5	97.4	97.7	96.9	97.2	96.2	97.3	98.2	96.9	97.3
40-49	94.1	95.7	94.9	96.5	95.9	94.8	96.3	95.8	95.3	96.2	96.0	95.9	95.6	96.5
50-59	90.8	92.9	93.1	93.6	91.7	90.9	91.7	93.9	95.1	94.7	94.0	92.3	94.5	93.7
60-64	96.9	96.6	90.7	85.1	89.7	86.6	90.5	92.6	93.1	94.2	87.3	93.1	90.7	92.0
65+	100.0	80.0	93.8	92.3	81.1	82.9	83.8	90.2	88.1	86.9	89.9	89.4	90.4	87.7
Male	96.0	95.1	95.6	96.2	95.8	95.9	95.9	95.9	96.4	95.5	95.1	95.0	95.5	95.1
Female	96.6	95.5	96.4	95.9	96.0	95.3	95.8	96.0	95.7	96.5	96.1	96.2	95.1	95.2
White	96.1	95.0	96.0	96.5	95.8	96.1	95.8	96.1	96.2	95.9	95.5	95.3	95.4	94.9
Black	96.2	96.2	94.7	93.5	96.1	94.5	95.7	94.2	95.0	95.6	94.1	96.2	94.3	95.4
Other race	100.0	100.0	98.6	96.2	96.6	92.2	97.6	99.2	97.7	97.2	99.4	96.9	97.5	98.3
†Hispanic								96.8	97.8	96.6	97.0	95.9	96.7	97.1
†Non-Hispanic								95.8	95.8	95.8	95.3	95.4	95.1	94.8
Diabetes	94.3	94.1	90.4	93.7	92.7	92.9	92.0	93.5	92.4	92.7	91.9	92.2	92.7	92.3
Hypertension	95.6	94.0	97.2	96.0	94.0	94.6	95.6	93.7	95.4	95.4	95.8	95.0	96.0	94.8
Glomerulonephritis	97.8	96.4	97.9	96.9	97.9	97.1	97.2	97.6	98.5	98.0	97.0	97.2	96.4	96.8
Other cause	96.3	95.1	97.5	96.7	96.7	96.6	97.2	97.0	96.4	96.7	96.4	96.6	96.0	96.0
All	96.3	95.3	95.9	96.1	95.9	95.6	95.9	95.9	96.1	95.9	95.5	95.5	95.3	95.1
ADJUSTED														
0-19	98.4	89.1	96.6	92.7	97.8	99.5	97.7	96.8	97.0	98.5	98.1	97.9	98.1	96.4
20-44	95.2	95.2	95.4	96.5	95.9	96.4	96.6	95.7	96.3	96.1	96.0	97.2	95.4	96.1
45-64	91.9	93.2	91.9	93.6	91.9	90.1	92.4	93.8	93.9	94.1	92.9	93.0	93.3	93.9
65+	100.0	80.5	94.2	76.4	79.3	82.9	81.1	89.7	87.5	87.1	89.5	87.6	91.0	87.3
Male	85.9	83.2	85.7	87.7	86.9	87.9	88.6	89.3	90.6	89.3	88.8	89.3	90.4	90.2
Female	89.8	87.0	89.9	89.2	89.3	88.0	89.7	90.6	89.9	92.1	91.3	91.8	90.1	90.7
White	87.0	84.1	87.5	89.1	87.4	88.6	88.6	90.0	90.3	90.4	90.0	89.9	90.4	90.1
Black	89.1	88.6	86.6	85.1	90.5	87.3	90.7	88.0	89.7	91.0	88.3	92.8	89.5	91.4
Other race	100.0	100.0	96.7	89.6	91.1	84.2	94.4	98.3	95.7	94.7	98.6	94.0	95.8	97.0
Diabetes	88.6	88.2	82.4	88.5	86.9	87.6	87.0	89.8	88.1	88.8	88.3	88.9	89.9	89.7
Hypertension	89.7	87.5	93.7	91.9	88.8	89.5	92.2	89.1	92.3	92.5	93.2	92.3	93.9	92.5
Glomerulonephritis	92.6	88.1	93.3	90.7	93.5	91.3	92.0	93.5	96.1	94.7	92.9	93.4	91.9	93.0
Other cause	87.9	85.6	91.7	90.5	90.5	90.3	92.2	92.2	91.2	92.3	91.6	92.7	91.4	91.8
All	87.5	84.8	87.4	88.2	87.9	87.8	88.9	89.8	90.2	90.4	89.8	90.3	90.2	90.4

Table I.38
Standard errors

UNADJUSTED	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0-4	2.7	3.2	2.3	2.6	1.3	0.0	1.7	2.2	2.0	1.7	1.7	2.9	1.3	2.1
5-9	1.9	3.2	0.0	1.6	2.9	2.0	1.7	1.8	2.6	0.0	0.0	2.2	0.0	1.6
10-14	0.0	3.4	1.9	2.5	0.0	0.0	0.0	1.4	0.0	1.0	0.9	0.0	2.0	2.3
15-19	1.1	1.8	0.9	1.7	0.8	0.6	1.0	0.8	1.2	0.7	1.1	0.9	1.0	0.7
20-29	0.9	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.7	0.6
30-39	0.7	1.0	0.9	0.7	0.8	0.7	0.6	0.7	0.6	0.7	0.7	0.5	0.6	0.6
40-49	1.4	1.2	1.1	0.9	0.9	1.0	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6
50-59	2.3	2.0	1.8	1.5	1.6	1.6	1.4	1.1	0.9	0.9	0.9	0.9	0.7	0.7
60-64	3.0	3.3	4.4	4.1	3.4	3.7	2.7	2.1	1.8	1.6	2.1	1.4	1.5	1.4
65+	0.0	8.7	5.9	5.1	6.3	5.8	4.4	3.1	3.1	2.8	2.4	2.0	1.8	1.6
Male	0.6	0.7	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.5	0.5	0.4	0.4
Female	0.7	0.7	0.6	0.7	0.6	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5
White	0.5	0.6	0.5	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Black	1.4	1.4	1.4	1.5	1.0	1.2	1.0	1.1	1.0	0.9	1.0	0.8	0.9	0.8
Other race	0.0	0.0	1.4	2.2	1.9	2.5	1.3	0.8	1.3	1.4	0.6	1.2	1.0	0.9
†Hispanic									0.8	0.9	0.8	0.9	0.8	0.7
†Non-Hispanic									0.4	0.4	0.4	0.4	0.4	0.3
Diabetes	1.2	1.2	1.4	1.2	1.2	1.1	1.1	1.0	1.1	0.9	1.0	0.9	0.8	0.8
Hypertension	1.5	1.8	1.1	1.1	1.3	1.2	1.0	1.2	1.0	1.0	0.9	0.9	0.8	0.8
Glomerulonephritis	0.6	0.7	0.6	0.7	0.5	0.6	0.6	0.5	0.4	0.5	0.5	0.5	0.5	0.5
Other cause	0.8	0.9	0.6	0.7	0.6	0.6	0.5	0.5	0.6	0.5	0.5	0.5	0.5	0.5
All	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.3	0.3

Table I.39
Five-year patient survival probabilities: first transplants, living donors

by age, gender, race/ethnicity, primary diagnosis, & transplant number

UNADJUSTED	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	89.1	91.7	96.1	95.2	96.6	94.3	97.4	100.0	96.6	96.8	97.1	98.3	98.3	95.7
5-9	97.3	93.9	98.1	92.3	98.6	98.3	93.7	98.0	98.3	98.2	97.3	100.0	100.0	97.8
10-14	97.7	94.8	98.9	85.7	94.5	92.6	98.0	98.9	98.0	95.9	96.5	98.0	98.1	96.4
15-19	94.5	93.7	97.6	93.5	98.0	95.7	96.4	99.4	96.5	96.6	92.1	97.8	96.3	93.8
20-29	92.3	95.4	93.8	96.3	96.2	96.0	95.6	95.0	93.7	95.3	95.6	95.3	95.9	96.2
30-39	92.2	89.7	94.3	91.5	91.7	94.1	93.1	93.2	95.2	93.9	92.1	92.6	94.5	95.4
40-49	92.3	89.0	88.6	91.1	88.7	89.5	90.6	90.5	91.8	91.0	91.5	91.2	92.4	90.7
50-59	87.5	87.2	82.4	82.7	85.1	88.6	82.7	83.8	85.2	86.9	87.2	86.0	87.9	86.9
60-64	83.9	68.4	84.4	79.3	83.7	74.3	76.9	70.7	81.0	87.9	81.9	82.7	76.5	85.3
65+	80.0	85.7	100.0	70.0	87.5	84.6	70.3	70.7	75.0	80.4	77.1	69.7	78.6	77.1
Male	91.4	91.8	92.9	91.7	92.3	92.7	91.7	91.2	92.0	92.0	90.8	89.8	90.6	89.8
Female	92.0	91.1	92.2	91.1	92.3	91.8	91.4	91.7	91.7	92.1	90.7	91.4	92.1	91.8
White	91.7	92.7	92.7	91.0	92.6	92.6	91.7	92.0	91.6	92.3	90.8	90.5	91.4	90.4
Black	90.5	85.3	90.2	94.1	90.2	89.6	91.0	89.1	92.0	90.0	89.4	89.5	89.2	91.0
Other race	94.1	84.6	98.2	95.2	93.1	93.6	89.7	89.7	95.3	92.4	94.7	92.9	95.3	93.4
†Hispanic										93.2	93.5	93.3	93.8	94.0
†Non-Hispanic										91.8	90.4	90.1	90.9	90.1
Diabetes	84.1	84.1	88.6	87.9	83.2	85.8	84.2	84.4	85.0	86.3	83.8	83.1	83.0	83.9
Hypertension	93.7	86.6	89.5	87.5	91.5	92.1	89.7	88.6	89.6	88.5	89.6	89.1	91.1	91.1
Glomerulonephritis	95.0	96.1	95.7	94.2	95.2	94.3	95.4	95.5	95.3	94.5	94.8	94.6	94.4	93.2
Other cause	92.2	93.3	93.1	92.0	96.3	94.3	93.4	93.5	93.8	95.1	91.8	92.7	94.0	93.1
All	91.6	91.6	92.6	91.4	92.3	92.3	91.6	91.4	91.9	92.0	90.8	90.5	91.2	90.6
ADJUSTED														
0-19	91.8	90.0	97.3	86.1	95.2	91.7	94.7	99.0	96.4	94.0	92.1	98.0	97.1	95.3
20-44	89.8	90.6	90.8	91.7	91.5	92.4	92.2	91.7	91.9	91.8	90.6	91.7	92.4	93.2
45-64	87.1	81.5	83.2	82.7	83.4	85.9	82.7	82.3	85.7	87.4	85.9	85.0	86.3	86.1
65+	79.0	77.0	100.0	71.0	88.5	64.0	63.6	70.3	71.2	80.3	76.8	70.9	77.5	75.7
Male	75.0	72.7	76.2	73.4	76.2	77.8	75.8	75.6	78.6	80.0	77.7	77.1	79.6	79.2
Female	79.1	74.2	77.9	75.7	79.6	79.1	78.3	79.7	80.2	82.1	79.2	81.1	82.8	83.1
White	76.4	76.4	76.9	73.2	78.0	78.7	76.7	78.1	78.3	81.3	78.0	78.7	81.4	80.4
Black	78.2	62.9	73.8	82.7	76.4	76.9	79.5	75.8	83.2	79.9	78.8	79.1	79.0	83.4
Other race	84.8	58.9	95.8	88.7	84.1	82.7	75.6	79.3	88.7	85.3	90.1	87.2	89.3	87.2
Diabetes	71.2	69.2	78.0	76.8	70.4	75.2	72.8	74.2	76.4	79.0	75.6	75.1	76.2	77.6
Hypertension	87.6	72.4	76.9	74.9	82.1	84.2	81.3	78.7	82.1	80.7	83.1	82.6	86.0	86.5
Glomerulonephritis	85.8	86.9	86.2	81.1	85.1	83.7	86.1	86.8	87.0	85.5	86.8	86.2	86.8	84.7
Other cause	80.9	78.2	78.6	77.2	88.0	83.8	81.5	82.0	83.3	87.6	80.9	83.3	86.0	85.5
All	76.6	73.2	76.7	74.1	77.4	78.1	76.6	77.2	79.1	80.8	78.2	78.6	80.8	80.7

Table I.39
Standard errors

UNADJUSTED	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0-4	3.9	3.9	2.7	3.2	2.3	3.1	1.8	0.0	2.4	2.2	2.0	1.7	1.7	2.9
5-9	2.6	4.1	1.9	3.7	1.4	1.6	3.5	2.0	1.7	1.8	2.6	0.0	0.0	2.2
10-14	1.6	2.3	1.1	3.8	2.4	2.7	1.4	1.1	1.4	2.0	2.0	1.4	1.3	2
15-19	1.8	2.0	1.4	2.0	1.2	1.7	1.4	0.6	1.4	1.4	2.0	1.2	1.5	1.9
20-29	1.2	1.0	1.2	0.9	0.9	0.9	0.9	0.9	1.1	0.9	0.9	0.9	0.8	0.8
30-39	1.1	1.5	1.1	1.3	1.2	1.0	1.1	1.0	0.8	1.0	1.1	1.0	0.9	0.8
40-49	1.2	2.0	1.9	1.6	1.6	1.5	1.4	1.3	1.1	1.1	1.1	1.1	0.9	1
50-59	1.9	3.1	3.1	2.9	2.5	1.9	2.2	2.0	1.7	1.5	1.4	1.4	1.3	1.2
60-64	4.9	10.3	6.3	7.4	5.6	5.0	4.7	5.0	3.6	2.7	2.8	2.6	2.7	2
65+	7.7	12.2	0.0	9.9	8.0	6.9	7.4	7.0	5.2	4.1	4.0	3.8	3.2	2.7
Male	0.8	0.9	0.8	0.9	0.8	0.7	0.7	0.8	0.7	0.7	0.7	0.7	0.7	0.6
Female	0.9	1.2	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.7
White	0.6	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.6	0.6	0.5	0.5
Black	1.7	2.6	2.2	1.7	1.8	1.8	1.5	1.6	1.4	1.4	1.4	1.4	1.3	1.2
Other race	2.3	5.0	1.8	2.7	3.0	2.8	3.2	2.8	1.9	2.4	1.9	2.2	1.6	1.8
†Hispanic										1.4	1.3	1.2	1.2	1
†Non-Hispanic										0.5	0.6	0.6	0.5	0.5
Diabetes	1.7	2	1.7	1.6	1.7	1.7	1.6	1.6	1.5	1.3	1.5	1.3	1.4	1.2
Hypertension	1.4	2.7	2.3	2.5	1.8	1.6	1.7	1.6	1.6	1.6	1.5	1.4	1.3	1.2
Glomerulonephritis	0.8	0.8	0.9	0.9	0.9	0.9	0.8	0.7	0.7	0.8	0.7	0.7	0.7	0.8
Other cause	1.0	1.1	1.1	1.1	0.7	0.9	0.9	0.9	0.8	0.7	0.9	0.8	0.7	0.7
All	0.6	0.7	0.6	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5

Table I.40

Ten-year patient survival probabilities: first transplants, living donors*by age, gender, race/ethnicity, primary diagnosis, & transplant number*

UNADJUSTED	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	66.7	70.4	94.3	90.3	90.7	87.5	85.4	94.1	95.2	91.5	90.6	94.7	97.1	93.1
5-9	75.0	88.5	95.5	96.2	89.2	83.8	90.9	96.2	90.4	95.7	93.3	91.7	91.8	93.2
10-14	90.6	84.1	86.5	94.8	85.6	89.5	90.6	89.1	81.0	87.9	88.4	90.1	93.1	92.2
15-19	89.0	89.6	85.2	87.8	84.8	85.5	90.8	91.3	86.3	91.2	83.7	88.0	90.0	92.4
20-29	80.4	78.9	83.7	82.0	82.0	81.5	90.8	85.9	88.1	87.9	84.4	87.2	88.2	86.3
30-39	71.6	74.3	75.6	73.6	78.8	78.6	75.6	82.2	80.2	79.7	81.2	80.6	81.6	82.1
40-49	65.1	66.8	66.1	68.8	70.1	69.7	66.7	73.3	72.5	70.7	72.4	72.4	71.5	73.4
50-59	42.3	63.8	66.2	61.7	60.3	66.4	63.2	56.2	53.0	55.4	59.8	57.3	56.5	60.0
60-64	55.6	50.0	65.0	58.1	67.9	48.2	52.6	46.9	37.9	58.1	41.9	47.4	51.2	43.1
65+	.	33.3	33.3	12.5	34.6	52.0	28.6	0.0	45.0	68.8	53.8	24.3	34.1	38.2
Male	72.6	74.7	76.8	73.8	74.2	74.8	80.1	79.7	79.0	79.5	77.5	77.1	76.7	76.8
Female	75.9	77.1	78.6	78.9	78.4	77.6	80.0	81.3	77.9	78.4	75.9	77.2	77.3	75.8
White	73.4	76.3	78.0	76.5	76.1	76.3	80.9	80.3	78.8	79.8	77.3	78.0	77.8	77.0
Black	75.3	71.5	72.5	70.5	72.0	73.0	74.9	77.6	74.6	74.0	73.4	72.8	71.6	69.9
Other race	77.3	77.8	83.3	80.3	84.4	78.4	76.9	90.9	82.3	79.2	78.2	77.0	79.3	84.3
Diabetes	52.0	51.8	54.4	54.3	57.6	59.8	63.1	67.8	64.9	58.7	58.7	57.9	59.4	56.7
Hypertension	70.6	76.8	83.4	73.8	74.8	75.1	72.0	77.3	72.0	76.5	73.5	73.7	71.9	72.1
Glomerulonephritis	83.8	82.7	81.5	83.1	83.3	82.4	87.5	86.6	84.5	84.2	82.0	85.0	84.8	84.7
Other cause	74.8	79.7	83.3	82.1	80.7	79.7	86.1	83.2	83.1	89.3	84.0	83.3	83.6	82.5
All	73.8	75.7	77.5	75.8	75.8	75.9	80.1	80.4	78.5	79.0	76.8	77.1	77.0	76.4
ADJUSTED														
0-19	80.1	77.5	85.0	88.3	82.3	80.8	84.2	89.4	80.4	86.5	83.3	86.2	88.3	88.9
20-44	66.7	67.9	71.2	71.2	72.5	73.6	76.7	77.7	78.9	76.9	75.2	77.2	77.7	76.1
45-64	47.8	58.7	58.0	57.5	60.1	59.1	57.5	56.4	50.0	57.7	56.8	56.8	56.3	59.6
65+	0.0	53.0	48.9	27.9	37.4	39.5	29.1	33.2	39.9	60.5	43.2	22.6	35.7	33.4
Male	33.9	37.4	41.2	41.1	41.9	42.9	45.9	46.1	45.5	48.2	46.1	45.9	46.6	48.3
Female	41.4	44.9	47.4	50.3	51.6	51.0	50.8	54.4	49.3	51.5	48.6	50.6	52.4	51.1
White	36.1	39.9	44.3	45.0	45.6	46.2	49.3	49.3	47.8	50.1	46.9	48.3	49.7	49.8
Black	42.7	43.0	40.8	43.0	45.4	47.7	44.0	48.7	43.2	47.2	49.2	47.2	46.2	46.3
Other race	44.8	47.8	57.1	55.7	62.6	53.7	45.5	78.8	61.6	57.3	50.8	52.7	60.7	65.0
Diabetes	26.9	26.6	29.5	32.2	34.8	38.1	38.9	46.0	42.2	37.6	38.9	37.5	41.1	39.9
Hypertension	42.0	59.0	66.9	53.7	56.2	56.5	48.4	55.2	50.2	56.0	53.3	56.0	52.3	56.0
Glomerulonephritis	54.6	52.6	52.3	56.8	59.9	57.6	63.8	62.1	56.0	58.5	55.8	61.1	60.8	62.2
Other cause	43.3	50.8	57.4	58.6	56.9	56.2	59.7	54.9	57.2	68.8	60.1	58.4	59.7	58.9
All	36.6	40.2	43.5	44.3	45.5	45.9	47.7	49.3	46.7	49.1	46.7	47.5	48.8	49.1

Table I.40
Standard errors

UNADJUSTED	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
0-4	10.7	8.6	3.9	5.2	4.4	4.1	5.0	3.3	3.2	3.6	4.0	2.5	2.9	3.3
5-9	7.5	6.1	3.1	2.6	5.0	6.0	4.9	2.6	4.0	2.4	3.2	3.9	3.9	3.2
10-14	3.6	4.0	3.3	2.5	3.5	3.3	3.0	3.2	4.3	3.4	3.3	3.0	2.7	2.6
15-19	2.5	2.5	3.1	2.6	2.8	2.7	2.4	2.5	2.8	2.3	3.1	2.5	2.3	2
20-29	1.9	1.9	1.8	1.7	1.6	1.8	1.4	1.7	1.5	1.5	1.7	1.5	1.4	1.5
30-39	2.5	2.2	2.0	2.0	1.6	1.7	2.1	1.9	1.9	1.8	1.7	1.7	1.6	1.5
40-49	3.3	3.1	2.9	2.3	2.1	2.1	3.1	2.7	2.6	2.3	2.2	2.1	1.9	1.8
50-59	4.7	4.2	3.8	3.3	2.8	2.7	4.4	4.0	3.8	3.5	3.0	2.8	2.7	2.4
60-64	15.3	14.7	10.3	8.7	6.2	6.6	11.0	8.6	8.7	7.4	5.7	5.6	5.5	4.6
65+	.	20.0	20.0	9.1	9.0	9.7	14.6	0.0	10.7	11.2	9.5	6.8	7.2	5.8
Male	1.5	1.4	1.3	1.3	1.1	1.2	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.1
Female	1.9	1.7	1.6	1.5	1.3	1.4	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3
White	1.3	1.2	1.1	1.0	1.0	1.0	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9
Black	3.1	3.1	3.0	2.8	2.5	2.5	3.1	3.1	3.2	2.7	2.6	2.4	2.4	2.4
Other race	6.2	6.1	5.0	4.9	3.7	4.0	5.8	3.8	4.8	4.7	4.6	4.5	3.7	3.2
Diabetes	3.3	3.1	2.9	2.5	2.2	2.3	2.6	2.5	2.4	2.3	2.4	2.2	2.1	2.1
Hypertension	3.6	3.2	2.6	2.8	2.5	2.6	3.6	3.1	3.5	2.7	2.5	2.4	2.3	2.3
Glomerulonephritis	1.7	1.6	1.6	1.5	1.4	1.4	1.4	1.5	1.5	1.5	1.5	1.3	1.3	1.2
Other cause	2.0	1.7	1.6	1.5	1.4	1.4	1.5	1.6	1.5	1.2	1.4	1.3	1.3	1.2
All	1.2	1.1	1.0	1.0	0.9	0.9	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8