

C. METHODS OF TREATMENT

The modalities of treatment of ESRD are described in Chapter III. Chapter XIII describes the methods used to determine treatment modality and some problems with and limitations of the data. Modality in these tables follows a "60 day rule" in which changes in modality with duration less than 60 days are not considered a change in modality. This is discussed in greater detail in the *Researcher's Guide to the USRDS Database*.

Starting with the 1992 ADR, patients who we have classified as lost to followup are excluded from these tables. A patient is considered lost to followup during periods of one year or more during which the patient does not have a functioning transplant and has no dialysis bill records. No changes were made to the lost to followup methodology for this ADR.

Below is a list of the categories of treatment modality used in these tables. This list indicates which categories are commonly combined in the tables when fewer categories are required.

Death does not appear in the year-end modality tables, which report only living patients. This category is used when looking at the subsequent modality history of patients alive at some point, as in Table C.9 and following and in the time-series charts in Chapter III.

Transplant Patients with a functioning transplant.

Center Hemodialysis

Home Hemodialysis This category should be treated with some caution since home hemo patients cannot always be reliably identified.

Center Self Hemodialysis is a very small category of patients who administer their own hemodialysis at a dialysis center. This category is usually combined into Center Hemodialysis.

CAPD Continuous Ambulatory Peritoneal Dialysis is usually combined with CCPD.

CCPD Continuous Cycling Peritoneal Dialysis is usually combined with CAPD.

Other Peritoneal Dialysis includes primarily intermittent peritoneal dialysis (IPD) and is a small category except among very young children. This category is sometimes combined with unknown dialysis to form an other/unknown dialysis category.

Uncertain Dialysis indicates a period when either the type of dialysis is unknown or a period during which multiple types of dialysis occur but no one type of dialysis lasts for at least 60 days. This category is sometimes combined with other peritoneal to form an other/unknown dialysis category.

The descriptions above indicate how the detailed categories are commonly aggregated.

The tables in this section are divided into three groups. The first group (Tables C.1 through C.8 and C.14-C.15) show counts and percentages of patients alive at the end of each year by modality and various demographic categories. Tables C.7-C.8 are also by ESRD Network. Tables C.14 and C.15 are also by state. All ESRD patients are included. The totals by year are thus slightly higher than the point prevalence counts in Section B which include the U.S. resident

population only. Detailed demographic breakdowns are given for dialysis and functioning transplant patients for all years and for more detailed modality categories for 1989, 1993, and 1997. Note that the coding of race changed somewhat in 1982, as discussed in Chapter XIII.

The second group of tables (Tables C.9-C.11) show modality at two years after first service for all patients starting renal replacement therapy from 1992 through 1994. Table C.9 is by sex, age, and modality at 90 days. Table C.10 shows more detail for pediatric patients. Table C.11 is by age, sex, race, and diabetic vs. nondiabetic status.

The third group of tables (Tables C.12 and C.13) show counts of patients alive at the end of each year by modality by year by the number of years the patient has had ESRD (Table C.12) or by the number of years the patient has been on the end of year modality (Table C.13). Both tables give counts for three years.

Table C.1
Living ESRD Patients on December 31 by Year and Treatment Modality

Living ESRD Patients on December 31	Year									
	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Total	138,655	155,536	172,257	190,259	209,157	226,512	248,474	270,843	290,472	307,967
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
Modality										
Dialysis	100,480	113,104	124,918	137,678	151,470	163,430	179,762	196,325	209,922	221,596
	72.47%	72.72%	72.52%	72.36%	72.42%	72.15%	72.35%	72.49%	72.27%	71.95%
Functioning Tx	38,175	42,432	47,339	52,581	57,687	63,082	68,712	74,518	80,550	86,371
	27.53%	27.28%	27.48%	27.64%	27.58%	27.85%	27.65%	27.51%	27.73%	28.05%
Dialysis	100,480	113,104	124,918	137,678	151,470	163,430	179,762	196,325	209,922	221,596
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
Dialysis Type										
Center Hemo	81,520	92,403	102,170	112,982	124,048	135,376	149,312	163,295	177,236	191,494
	81.13%	81.70%	81.79%	82.06%	81.90%	82.83%	83.06%	83.18%	84.43%	86.42%
Center Self Hemo	1,109	979	865	655	700	74	175	475	478	395
	1.10%	0.87%	0.69%	0.48%	0.46%	0.05%	0.10%	0.24%	0.23%	0.18%
Home Hemo	2,194	2,073	1,716	1,519	1,462	305	429	1,700	2,159	1,729
	2.18%	1.83%	1.37%	1.10%	0.97%	0.19%	0.24%	0.87%	1.03%	0.78%
CAPD	12,884	14,644	16,426	18,172	19,968	21,255	22,108	21,402	19,173	16,771
	12.82%	12.95%	13.15%	13.20%	13.18%	13.01%	12.30%	10.90%	9.13%	7.57%
CCPD	896	1,050	1,652	2,131	2,733	3,495	4,386	7,070	8,923	9,668
	0.89%	0.93%	1.32%	1.55%	1.80%	2.14%	2.44%	3.60%	4.25%	4.36%
Other Peri.	460	361	377	290	280	261	478	453	304	227
	0.46%	0.32%	0.30%	0.21%	0.18%	0.16%	0.27%	0.23%	0.14%	0.10%
Uncertain Dialysis	1,417	1,594	1,712	1,929	2,279	2,664	2,874	1,930	1,649	1,312
	1.41%	1.41%	1.37%	1.40%	1.50%	1.63%	1.60%	0.98%	0.79%	0.59%
Transplant	0	0	0	0	0	0	0	0	0	0
	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.2
 Living ESRD Patients on December 31 by Year,
 Dialysis / Functioning Graft Status, and Patient Age

Dialysis/TX Status = Dialysis

Living ESRD Patients On, December 31	Year									
	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
TOTAL	100,480	113,104	124,918	137,678	151,470	163,430	179,762	196,325	209,922	221,596
0- 4	123	134	136	144	147	151	165	203	221	207
5- 9	132	142	162	141	136	140	166	176	169	198
10- 14	315	301	326	328	322	333	347	365	353	362
15- 19	831	928	884	875	917	945	909	956	1,022	1,001
20- 24	1,888	2,014	2,105	2,184	2,336	2,416	2,544	2,667	2,674	2,598
25- 29	3,440	3,732	3,875	3,900	4,064	4,121	4,386	4,659	4,885	4,935
30- 34	4,731	5,265	5,628	5,993	6,278	6,591	7,023	7,402	7,476	7,391
35- 39	6,161	6,708	7,091	7,585	8,306	8,741	9,500	10,080	10,454	10,526
40- 44	6,530	7,424	8,441	9,301	10,033	10,652	11,375	12,632	13,477	13,948
45- 49	7,119	8,107	8,753	9,943	10,960	12,018	13,569	15,429	16,755	17,217
50- 54	8,338	9,271	10,067	10,909	12,199	13,338	15,063	16,516	18,013	19,031
55- 59	10,261	11,121	12,054	13,137	14,300	15,318	16,837	18,595	20,045	21,266
60- 64	13,017	14,180	15,372	16,446	17,535	18,451	19,979	22,018	23,309	24,390
65- 69	14,031	15,993	17,725	19,312	21,216	22,800	24,516	26,019	27,327	28,472
70- 74	11,024	12,824	14,874	17,236	19,364	21,325	23,730	25,427	26,914	28,844
75- 79	7,704	9,070	10,244	11,832	13,435	14,678	16,629	18,563	20,564	22,857
80- 84	3,587	4,330	5,227	6,036	7,127	8,124	9,255	10,281	11,270	12,605
85 +	1,248	1,560	1,954	2,376	2,795	3,288	3,769	4,337	4,994	5,748

Dialysis/TX Status = Functioning Tx

Living ESRD Patients On, December 31	Year									
	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
TOTAL	38,175	42,432	47,339	52,581	57,687	63,082	68,712	74,518	80,550	86,371
0- 4	158	154	146	155	172	187	191	186	220	210
5- 9	381	435	472	531	524	547	543	580	597	657
10- 14	609	669	718	754	821	874	953	1,043	1,115	1,099
15- 19	1,232	1,239	1,270	1,295	1,301	1,356	1,558	1,687	1,721	1,805
20- 24	2,181	2,175	2,286	2,433	2,519	2,546	2,554	2,513	2,546	2,543
25- 29	3,823	3,992	4,236	4,371	4,395	4,448	4,468	4,609	4,735	4,824
30- 34	5,264	5,612	5,922	6,435	6,760	7,139	7,440	7,626	7,707	7,726
35- 39	5,698	6,274	7,068	7,559	8,084	8,560	9,105	9,638	10,225	10,560
40- 44	5,083	5,885	6,723	7,588	8,333	9,112	9,799	10,609	11,186	11,831
45- 49	4,330	4,895	5,413	6,267	7,180	8,163	9,222	10,320	11,338	12,014
50- 54	3,649	4,128	4,710	5,197	5,958	6,710	7,539	8,318	9,386	10,610
55- 59	2,809	3,235	3,739	4,310	4,889	5,526	6,166	6,788	7,517	8,573
60- 64	1,930	2,378	2,842	3,335	3,752	4,196	4,667	5,275	6,014	6,678
65- 69	775	1,029	1,328	1,669	2,103	2,592	3,062	3,543	4,056	4,551
70- 74	188	251	358	539	735	921	1,179	1,412	1,694	2,065
75- 79	48	64	86	112	130	172	223	319	417	538
80- 84	*	11	14	19	21	26	36	41	63	72
85 +	*	*	*	12	10	*	*	11	13	15

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.3
 Living ESRD Patients on December 31 by Year,
 Dialysis / Functioning Graft Status,
 Sex, Race, Age, and Primary Disease Causing ESRD

Dialysis/TX Status = Dialysis

Living ESRD Patients On	Year									
	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Total	100,480	113,104	124,918	137,678	151,470	163,430	179,762	196,325	209,922	221,596
Patient Sex										
.. Male	51,561	58,012	64,327	71,173	78,237	84,648	93,088	101,525	109,219	115,902
.. Female	48,919	55,092	60,591	66,505	73,233	78,782	86,674	94,800	100,703	105,694
Patient Race										
.. Native Amer.	1,206	1,457	1,668	1,879	2,211	2,430	2,752	3,227	3,651	3,663
.. Asian	2,977	3,191	3,533	4,033	4,498	5,230	6,111	7,084	7,642	7,885
.. Black	35,210	40,425	45,072	50,106	55,855	60,998	67,260	73,500	78,654	82,624
.. White	60,628	67,602	74,219	81,233	88,451	94,216	102,682	110,380	116,676	123,269
.. Other/Unknown	459	429	426	427	455	556	957	2,134	3,299	4,155
Disease Groups										
.. Diabetes	24,378	29,451	34,762	40,848	47,330	52,330	60,300	69,495	77,379	84,076
.. Hypertension	27,464	31,765	35,937	40,485	45,532	49,367	54,834	57,780	59,933	61,673
.. Glomeruloneph.	17,802	19,340	20,508	21,621	22,833	24,173	26,043	27,859	29,147	29,433
.. Cystic Kidney	5,094	5,317	5,518	5,828	6,070	6,305	6,705	7,008	7,076	6,985
.. Other Urologic	1,901	2,085	2,241	2,425	2,676	2,781	3,022	3,465	3,895	4,182
.. Other Cause	11,344	12,587	13,399	14,305	15,312	16,014	17,329	19,710	20,964	21,639
.. Unknown Cause	7,060	7,053	7,228	7,601	7,974	8,184	8,583	8,719	8,911	8,938
.. Missing Cause	5,437	5,506	5,325	4,565	3,743	4,276	2,946	2,289	2,617	4,670

Dialysis/TX Status = Functioning Tx

Living ESRD Patients On	Year									
	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
Total	38,175	42,432	47,339	52,581	57,687	63,082	68,712	74,518	80,550	86,371
Patient Sex										
.. Male	23,299	25,784	28,665	31,692	34,676	37,832	41,147	44,627	48,094	51,576
.. Female	14,876	16,648	18,674	20,889	23,011	25,250	27,565	29,891	32,456	34,795
Patient Race										
.. Native Amer.	380	438	501	578	639	694	776	837	896	957
.. Asian	1,059	1,241	1,428	1,614	1,855	2,054	2,319	2,589	2,883	3,191
.. Black	6,126	6,723	7,469	8,310	9,175	10,068	11,359	12,691	14,049	15,282
.. White	30,137	33,458	37,255	41,267	45,093	49,175	53,091	57,189	61,399	65,463
.. Other/Unknown	473	572	686	812	925	1,091	1,167	1,212	1,323	1,478
Disease Groups										
.. Diabetes	6,575	7,617	8,763	9,999	11,127	12,614	14,046	15,469	16,989	18,350
.. Hypertension	4,903	5,457	6,186	6,854	7,663	8,458	9,431	10,317	11,206	11,971
.. Glomeruloneph.	11,423	12,619	14,047	15,533	16,872	18,043	19,360	20,823	22,263	23,661
.. Cystic Kidney	2,649	3,040	3,506	3,961	4,499	4,965	5,426	6,004	6,566	7,157
.. Other Urologic	764	846	957	1,100	1,223	1,404	1,545	1,703	1,865	2,007
.. Other Cause	5,993	6,524	7,141	7,926	8,634	9,415	10,190	10,963	11,808	12,581
.. Unknown Cause	2,817	3,068	3,312	3,606	3,937	4,246	4,584	4,841	5,089	5,340
.. Missing Cause	3,051	3,261	3,427	3,602	3,732	3,937	4,130	4,398	4,764	5,304

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to follow-up on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.4
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality and Patient Age

Living ESRD Patients on December 31, 1989

Patient age	Center									Uncerta-
	Total	Hemo	Hemo	Home	CAPD	CCPD	Peri.	Dialysis	ant	
TOTAL	155,536	92,403	979	2,073	14,644	1,050	361	1,594	42,432	
0-4	288	21			54	27	12	20	154	
5-9	577	38			51	25	15	13	435	
10-14	970	118		*	98	40	13	29	669	
15-19	2,167	576	*	21	217	53	14	41	1,239	
20-24	4,189	1,547	26	27	322	35	*	52	2,175	
25-29	7,724	2,769	77	71	671	53	10	81	3,992	
30-34	10,877	3,928	78	131	946	71	11	100	5,612	
35-39	12,982	5,038	105	178	1,156	71	19	141	6,274	
40-44	13,309	5,668	94	223	1,242	82	11	104	5,885	
45-49	13,002	6,272	94	245	1,290	70	16	120	4,895	
50-54	13,399	7,447	109	236	1,255	70	21	133	4,128	
55-59	14,356	9,105	86	224	1,486	88	22	110	3,235	
60-64	16,558	11,732	105	239	1,811	105	36	152	2,378	
65-69	17,022	13,568	109	212	1,754	125	50	175	1,029	
70-74	13,075	11,191	52	124	1,213	82	35	127	251	
75-79	9,134	8,041	26	99	708	31	35	130	64	
80-84	4,341	3,910	*	31	295	18	22	47	11	
85+	1,566	1,434	*	*	75	*	14	19	*	

Living ESRD Patients on December 31, 1993

Patient age	Center									Uncerta-
	Total	Hemo	Hemo	Home	CAPD	CCPD	Peri.	Dialysis	ant	
TOTAL	226,512	135,376	74	305	21,255	3,495	261	2,664	63,082	
0-4	338	31			35	44	10	31	187	
5-9	687	43			31	36	*	23	547	
10-14	1,207	128			68	88	11	38	874	
15-19	2,301	563		*	165	135	14	66	1,356	
20-24	4,962	1,775		*	446	120	*	66	2,546	
25-29	8,569	3,101	*	*	738	140	*	128	4,448	
30-34	13,730	4,846	*	17	1,298	225	12	186	7,139	
35-39	17,301	6,617	14	25	1,610	260	16	199	8,560	
40-44	19,764	8,248	*	24	1,846	261	16	249	9,112	
45-49	20,181	9,448	10	25	1,966	279	19	271	8,163	
50-54	20,048	10,743	10	29	2,012	297	11	236	6,710	
55-59	20,844	12,664	*	22	2,018	294	14	299	5,526	
60-64	22,647	15,511	*	31	2,268	291	40	305	4,196	
65-69	25,392	19,470	*	43	2,692	396	30	164	2,592	
70-74	22,246	18,569	*	29	2,169	364	20	168	921	
75-79	14,850	13,128	*	20	1,228	161	15	125	172	
80-84	8,150	7,431		17	509	73	13	81	26	
85+	3,295	3,060		*	156	31	*	29	*	

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.4 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality and Patient Age

Living ESRD Patients on December 31, 1997

Patient age	Total	Hemo	Hemo	Hemo	CAPD	CCPD	Peri.	Dialysis	ant
TOTAL	307,967	191,494	395	1,729	16,771	9,668	227	1,312	86,371
0-4	417	67	*	*	11	112	*	*	210
5-9	855	78	*	*	21	91	*	*	657
10-14	1,461	147	*	*	34	162	*	*	1,099
15-19	2,806	667	*	*	96	204	*	18	1,805
20-24	5,141	2,041	*	13	285	228	*	27	2,543
25-29	9,759	3,936	17	27	574	335	*	39	4,824
30-34	15,117	5,936	17	55	829	487	12	55	7,726
35-39	21,086	8,524	39	101	1,197	595	16	54	10,560
40-44	25,779	11,364	40	131	1,484	829	22	78	11,831
45-49	29,231	14,311	51	183	1,669	901	19	83	12,014
50-54	29,641	15,989	44	184	1,802	908	13	91	10,610
55-59	29,839	18,160	48	157	1,852	945	16	88	8,573
60-64	31,068	21,334	41	163	1,811	939	22	80	6,678
65-69	33,023	25,166	31	201	1,812	1,081	20	161	4,551
70-74	30,909	25,872	38	207	1,591	926	27	183	2,065
75-79	23,395	20,849	14	164	1,060	609	18	143	538
80-84	12,677	11,693	*	75	470	229	10	122	72
85+	5,763	5,360	*	47	173	87	*	72	15

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.5
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality,
 Sex, Race, Age, and Primary Disease Causing ESRD

Living ESRD Patients on December 31, 1989

	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri. Dialysis	in ant Transpl.	Uncerta-
TOTAL	155,536	92,403	979	2,073	14,644	1,050	361	1,594	42,432
PATIENT SEX									
Male	83,796	47,049	537	1,183	7,656	500	163	924	25,784
Female	71,740	45,354	442	890	6,988	550	198	670	16,648
PATIENT RACE									
Native Amer.	1,895	1,156	15	62	193	*	*	17	438
Asian	4,432	2,653	70	42	344	36	*	45	1,241
Black	47,148	35,540	385	373	3,388	247	111	381	6,723
White	101,060	52,714	500	1,588	10,679	757	243	1,121	33,458
Other/Unknown	1,001	340	*	*	40	*	*	30	572
DISEASE GROUPS									
Diabetes	37,068	24,339	124	289	3,984	248	87	380	7,617
Hypertension	37,222	27,365	222	364	3,163	184	102	365	5,457
Glomeruloneph.	31,959	14,734	264	538	3,210	220	51	323	12,619
Cystic Kidney	8,357	4,078	70	243	760	66	14	86	3,040
Other Urologic	2,931	1,759	22	46	204	20	*	28	846
Other Cause	19,111	9,825	133	280	1,864	183	65	237	6,524
Unknown Cause	10,121	5,777	81	144	856	71	23	101	3,068
Missing Cause	8,767	4,526	63	169	603	58	13	74	3,261

Living ESRD Patients on December 31, 1993

	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri. Dialysis	in ant Transpl.	Uncerta-
TOTAL	226,512	135,376	74	305	21,255	3,495	261	2,664	63,082
PATIENT SEX									
Male	122,480	69,863	53	153	11,184	1,813	138	1,444	37,832
Female	104,032	65,513	21	152	10,071	1,682	123	1,220	25,250
PATIENT RACE									
Native Amer.	3,124	2,057		*	303	33	*	31	694
Asian	7,284	4,395	*	*	653	79	*	92	2,054
Black	71,066	53,783	34	74	5,422	876	83	726	10,068
White	143,391	74,665	39	221	14,826	2,496	171	1,798	49,175
Other/Unknown	1,647	476			51	11	*	17	1,091
DISEASE GROUPS									
Diabetes	64,944	43,727	15	61	6,698	933	70	826	12,614
Hypertension	57,825	42,509	16	79	5,284	817	54	608	8,458
Glomeruloneph.	42,216	18,824	23	69	4,031	711	46	469	18,043
Cystic Kidney	11,270	4,878	*	14	1,042	195	14	159	4,965
Other Urologic	4,185	2,313		*	346	62	*	47	1,404
Other Cause	25,429	12,674	11	49	2,399	488	46	347	9,415
Unknown Cause	12,430	6,767	*	15	1,042	208	14	135	4,246
Missing Cause	8,213	3,684	*	14	413	81	*	73	3,937

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to follow-up on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.5 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality,
 Sex, Race, Age, and Primary Disease Causing ESRD

Living ESRD Patients on December 31, 1997

	Total	Hemo	Self Hemo	Home Hemo	CAPD	CCPD	Peri.	Dialysis	ant	Uncerta-
TOTAL	307,967	191,494	395	1,729	16,771	9,668	227	1,312	86,371	
PATIENT SEX										
.. Male	167,478	100,362	229	962	8,322	5,191	119	717	51,576	
.. Female	140,489	91,132	166	767	8,449	4,477	108	595	34,795	
PATIENT RACE										
.. Native Amer.	4,620	3,190	*	61	280	112	*	11	957	
.. Asian	11,076	6,688	11	47	699	397	17	26	3,191	
.. Black	97,906	75,012	159	441	4,239	2,405	54	314	15,282	
.. White	188,732	103,070	213	1,169	11,205	6,545	136	931	65,463	
.. Other/Unknown	5,633	3,534	*	11	348	209	18	30	1,478	
DISEASE GROUPS										
.. Diabetes	102,426	73,854	86	526	5,906	3,235	74	395	18,350	
.. Hypertension	73,644	55,078	94	386	3,672	2,074	43	326	11,971	
.. Glomeruloneph.	53,094	23,695	87	310	3,240	1,868	45	188	23,661	
.. Cystic Kidney	14,142	5,597	31	95	785	437	10	30	7,157	
.. Other Urologic	6,189	3,596	*	47	310	189	*	29	2,007	
.. Other Cause	34,220	18,052	55	226	1,803	1,264	31	208	12,581	
.. Unknown Cause	14,278	7,667	22	87	698	391	14	59	5,340	
.. Missing Cause	9,974	3,955	14	52	357	210	*	77	5,304	

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.6
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality, Age,
 Sex, Race, and Primary Disease Causing ESRD

Living ESRD Patients on December 31, 1989

Age Dec. 31	TOTAL	Center		Self	Home	CAPD	CCPD	Other	Uncerta-	Transpl-	%
		Total	Hemo	Hemo	Hemo				in		
Under 20	4,002	753	*	24	420	145	54	103	2,497		
	PATIENT SEX										
	2,311	418	*	11	242	70	38	61	1,468		
	1,691	335	*	13	178	75	16	42	1,029		
	PATIENT RACE										
	50	*		*	*		*	*	34		
	137	33		*	16	*		*	79		
	761	276	*	*	94	27	11	32	314		
	3,005	427	*	18	302	113	42	64	2,036		
	49	10			*			*	34		
	DISEASE GROUPS										
	23	*			*				11		
	139	48	*		11	*	*	*	66		
	1,240	280	*	*	139	45	*	40	716		
	190	18		*	19	16	*	*	125		
	264	44		*	19	*	*	*	184		
	1,581	266	*	12	183	56	34	35	994		
	380	74		*	42	11	*	*	243		
	185	14			*	*	*	*	158		
20-44	49,081	18,950	380	630	4,337	312	56	478	23,938		
	PATIENT SEX										
	28,735	11,315	222	397	2,171	135	28	272	14,195		
	20,346	7,635	158	233	2,166	177	28	206	9,743		
	PATIENT RACE										
	498	210	*	14	50	*	*	*	212		
	1,473	599	25	11	128	15		12	683		
	13,656	8,376	160	136	1,267	89	19	115	3,494		
	32,957	9,660	187	465	2,873	206	35	336	19,195		
	497	105	*	*	19	*		11	354		
	DISEASE GROUPS										
	10,339	3,692	30	63	1,252	78	12	102	5,110		
	7,376	4,033	59	79	578	31	*	77	2,510		
	14,717	5,169	136	228	1,240	92	16	138	7,698		
	1,468	516	14	37	119	11	*	17	751		
	875	313	10	19	38	*	*	*	490		
	8,328	3,272	80	111	745	57	11	93	3,959		
	3,294	1,201	34	52	233	22	*	26	1,723		
	2,684	754	17	41	132	20	*	22	1,697		
45-64	57,315	34,556	394	944	5,842	333	95	515	14,636		
	PATIENT SEX										
	31,082	17,574	203	537	3,011	165	38	318	9,236		
	26,233	16,982	191	407	2,831	168	57	197	5,400		
	PATIENT RACE										
	914	584	*	26	104	*	*	*	180		
	1,676	1,019	37	24	129	*		14	446		
	19,770	14,944	164	168	1,491	86	35	147	2,735		
	34,638	17,892	181	722	4,107	235	59	338	11,104		
	317	117	*	*	11			10	171		

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.6 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality, Age,
 Sex, Race, and Primary Disease Causing ESRD

Living ESRD Patients on December 31, 1989

Age Dec. 31	DISEASE GROUPS	Treatment Modality									%
		Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain	in Dialysis	
45-64	Diabetes	15,982	11,269	64	136	1,833	113	42	150	2,375	
	Hypertension	13,677	9,328	101	151	1,290	61	17	113	2,616	
	Glomeruloneph.	10,145	4,689	94	234	1,120	53	12	83	3,860	
	Cystic Kidney	4,823	2,124	40	155	448	26	*	46	1,980	
	Other										
	Urologic	612	389	*	16	43	*	*	*	148	
	Other Cause	5,249	2,968	32	105	591	42	*	66	1,437	
	Unknown Cause	3,150	1,756	26	57	295	19	*	25	966	
	Missing Cause	3,677	2,033	30	90	222	16	*	27	1,254	
	TOTAL	45,138	38,144	199	475	4,045	260	156	498	1,361	
65 and over	PATIENT SEX										
	Male	21,668	17,742	109	238	2,232	130	59	273	885	
	Female	23,470	20,402	90	237	1,813	130	97	225	476	
	PATIENT RACE										
	Native Amer.	433	355	*	21	34	*	*	*	12	
	Asian	1,146	1,002	*	*	71	*	*	16	33	
	Black	12,961	11,944	58	65	536	45	46	87	180	
	White	30,460	24,735	129	383	3,397	203	107	383	1,123	
	Other/Unknown	138	108	*	*	*	*	*	*	13	
	DISEASE GROUPS										
Diabetes	10,724	9,369	30	90	896	57	33	128	121		
Hypertension	16,030	13,956	61	134	1,284	87	75	168	265		
Glomeruloneph.	5,857	4,596	30	67	711	30	16	62	345		
Cystic Kidney	1,876	1,420	16	50	174	13	*	16	184		
Other											
Urologic	1,180	1,013	*	10	104	*	*	15	24		
Other Cause	3,953	3,319	20	52	345	28	12	43	134		
Unknown Cause	3,297	2,746	21	34	286	19	10	45	136		
Missing Cause	2,221	1,725	16	38	245	18	*	21	152		

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to follow-up on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.6 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality, Age,
 Sex, Race, and Primary Disease Causing ESRD

Living ESRD Patients on December 31, 1993

Age Dec. 31	TOTAL	Center		Self	Home	CAPD	CCPD	Other	Uncerta-	Transpl-	%
		Total	Hemo	Hemo	Hemo				in		
Under 20	4,533	765	*	299	303	42	158	2,964			
	PATIENT SEX										
	Male	2,668	424	*	175	151	25	80	1,811		
	Female	1,865	341		124	152	17	78	1,153		
	PATIENT RACE										
	Native Amer.	66	17		*	*		*	45		
	Asian	155	40	*	11	12		*	86		
	Black	889	299		77	72	11	33	397		
	White	3,310	400	*	208	218	30	114	2,339		
	Other/Unknown	113	*		*		*	*	97		
	DISEASE GROUPS										
	Diabetes	22	*		*	*			*		
	Hypertension	149	54		12	*		*	66		
	Glomeruloneph.	1,337	294	*	105	103	13	44	777		
	Cystic Kidney	229	21		*	18	*	11	167		
	Other										
	Urologic	377	57		29	18	*	13	254		
	Other Cause	1,795	267	*	111	122	17	59	1,218		
	Unknown Cause	389	53		23	26	*	18	266		
	Missing Cause	235	10		*	*		*	208		
20-44	64,326	24,587	30	78	5,938	1,006	54	828	31,805		
	PATIENT SEX										
	Male	37,616	15,026	22	36	2,954	494	31	429	18,624	
	Female	26,710	9,561	*	42	2,984	512	23	399	13,181	
	PATIENT RACE										
	Native Amer.	695	303		*	64	10	*	308		
	Asian	2,162	860		*	226	30	*	32	1,010	
	Black	19,128	11,737	17	29	1,957	312	22	261	4,793	
	White	41,642	11,586	13	47	3,674	651	29	517	25,125	
	Other/Unknown	699	101			17	*	*	569		
	DISEASE GROUPS										
	Diabetes	14,275	5,030	*	13	1,643	244	14	224	7,103	
	Hypertension	10,575	5,900	*	17	1,015	173	10	134	3,319	
	Glomeruloneph.	18,486	6,401	*	22	1,558	278	13	215	9,991	
	Cystic Kidney	1,830	620		*	161	27	*	37	979	
	Other										
	Urologic	1,423	516		*	76	20		16	794	
	Other Cause	10,985	4,150	*	11	1,069	186	*	132	5,421	
	Unknown Cause	4,313	1,579	*	*	348	62	*	47	2,263	
	Missing Cause	2,439	391	*	*	68	16		23	1,935	
45-64	83,720	48,366	32	107	8,264	1,161	84	1,111	24,595		
	PATIENT SEX										
	Male	46,005	25,270	23	64	4,282	616	46	618	15,086	
	Female	37,715	23,096	*	43	3,982	545	38	493	9,509	
	PATIENT RACE										
	Native Amer.	1,510	993			180	15	*	17	304	
	Asian	2,692	1,513	*	*	260	21	*	35	858	
	Black	29,718	22,160	14	26	2,411	332	29	345	4,401	
	White	49,239	23,563	17	79	5,393	789	52	712	18,634	
	Other/Unknown	561	137			20	*	*	398		

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to follow-up on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.6 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality, Age,
 Sex, Race, and Primary Disease Causing ESRD

Living ESRD Patients on December 31, 1993

Age Dec. 31	DISEASE GROUPS	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain in Dialysis	Transplant
45-64	Diabetes	28,291	19,164	*	22	3,170	401	31	429	5,067
	Hypertension	20,094	13,412	*	23	1,847	274	16	256	4,261
	Glomeruloneph.	14,113	6,007	13	32	1,370	191	11	163	6,326
	Cystic Kidney	6,567	2,466	*	*	615	100	*	97	3,274
	Other									
	Urologic	974	554		*	101	15	*	11	290
	Other Cause	7,035	3,676	*	15	709	109	13	98	2,411
	Unknown Cause	3,850	2,001		*	325	51	*	41	1,425
	Missing Cause	2,796	1,086	*	*	127	20	*	16	1,541
	TOTAL	73,933	61,658	12	118	6,754	1,025	81	567	3,718
PATIENT SEX	Male	36,191	29,143	*	51	3,773	552	36	317	2,311
	Female	37,742	32,515	*	67	2,981	473	45	250	1,407
PATIENT RACE	Native Amer.	853	744		*	57	*		*	37
	Asian	2,275	1,982		*	156	16		20	100
	Black	21,331	19,587	*	19	977	160	21	87	477
	White	49,200	39,116	*	94	5,551	838	60	455	3,077
	Other/Unknown	274	229			13	*		*	27
DISEASE GROUPS	Diabetes	22,356	19,524	*	26	1,881	287	25	173	436
	Hypertension	27,007	23,143	*	39	2,410	361	28	210	812
	Glomeruloneph.	8,280	6,122	*	14	998	139	*	47	949
	Cystic Kidney	2,644	1,771	*	*	257	50	*	14	545
	Other									
	Urologic	1,411	1,186		*	140	*	*	*	66
	Other Cause	5,614	4,581		22	510	71	*	58	365
	Unknown Cause	3,878	3,134	*	*	346	69	*	29	292
	Missing Cause	2,743	2,197		*	212	39	*	29	253

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.6 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality, Age,
 Sex, Race, and Primary Disease Causing ESRD

Living ESRD Patients on December 31, 1997

Age Dec. 31	TOTAL	Center		Self	Home	CAPD	CCPD	Other	Peri.	Uncerta-	in	Transpl-
		Total	Hemo	Hemo	Hemo							
Under 20	5,539	959	*	21	162	569	20	36	3,771			
	PATIENT SEX											
	Male	3,278	521	*	88	280	15	25	2,340			
	Female	2,261	438	*	12	74	289	*	11	1,431		
	PATIENT RACE											
	Native Amer.	58	16		*	*						38
	Asian	197	42	*	10	24	*	*				118
	Black	1,184	361	*	33	148	*	11	621			
	White	3,855	483		11	102	368	14	20	2,857		
	Other/Unknown	245	57	*	16	26	*	*				137
	DISEASE GROUPS											
	Diabetes	40	30	*	*	*						*
	Hypertension	142	59		10	*			*			64
	Glomeruloneph.	1,470	326	*	51	162	*	*				910
	Cystic Kidney	301	39	*	*	31	*	*				222
	Other											
	Urologic	423	57	*	*	31	*	*				322
	Other Cause	2,340	356		11	71	280	*	16	1,599		
	Unknown Cause	413	71	*	14	46	*	*				278
	Missing Cause	410	21	*	*	*	*	*				372
20-44	76,882	31,801	116	327	4,369	2,474	58	253	37,484			
	PATIENT SEX											
	Male	44,564	19,089	71	185	2,051	1,258	33	127	21,750		
	Female	32,318	12,712	45	142	2,318	1,216	25	126	15,734		
	PATIENT RACE											
	Native Amer.	998	495	*	15	76	39	*	*	368		
	Asian	2,805	1,072	*	*	199	123	*	*	1,391		
	Black	24,667	15,756	51	91	1,400	853	16	92	6,408		
	White	46,794	13,714	56	212	2,583	1,399	34	148	28,648		
	Other/Unknown	1,618	764	*	*	111	60	*	*	669		
	DISEASE GROUPS											
	Diabetes	16,843	6,708	13	56	1,125	619	17	49	8,256		
	Hypertension	12,756	7,602	19	37	667	417	*	35	3,970		
	Glomeruloneph.	21,529	7,767	32	101	1,258	695	16	76	11,584		
	Cystic Kidney	2,049	661	*	21	124	62	*	*	1,166		
	Other											
	Urologic	2,025	806	*	13	101	52	*	*	1,043		
	Other Cause	13,631	5,709	27	69	747	444	*	62	6,565		
	Unknown Cause	4,687	1,725	*	18	220	121	*	*	2,583		
	Missing Cause	3,362	823	*	12	127	64	*	10	2,317		
45-64	119,779	69,794	184	687	7,134	3,693	70	342	37,875			
	PATIENT SEX											
	Male	67,084	37,770	97	425	3,503	1,981	37	193	23,078		
	Female	52,695	32,024	87	262	3,631	1,712	33	149	14,797		
	PATIENT RACE											
	Native Amer.	2,289	1,569	*	37	144	49	*	*	478		
	Asian	4,260	2,317	*	21	290	144	10	*	1,470		
	Black	42,144	31,463	88	194	2,082	1,030	22	102	7,163		
	White	68,664	32,892	86	430	4,457	2,383	31	218	28,167		
	Other/Unknown	2,422	1,553	*	*	161	87	*	11	597		

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to follow-up on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.6 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Treatment Modality, Age,
 Sex, Race, and Primary Disease Causing ESRD

Living ESRD Patients on December 31, 1997

Age Dec. 31	DISEASE GROUPS	Center		Center	Home	CAPD	CCPD	Other	Uncerta-	Transpl-	%
		Total	Hemo	Self	Hemo			in	Diagnosis		
45-64	Diabetes	45,979	32,024	46	225	2,977	1,564	33	130	8,980	
	Hypertension	26,021	17,234	45	130	1,434	728	12	62	6,376	
	Glomeruloneph.	19,332	7,873	41	144	1,189	613	*	53	9,412	
	Cystic Kidney	8,267	2,795	19	45	453	245	*	17	4,689	
	Other										
	Urologic	1,621	917	*	14	106	47	*	*	525	
	Other Cause	10,179	5,442	19	82	585	313	*	38	3,693	
	Unknown Cause	4,629	2,197	*	36	260	100	*	14	2,011	
	Missing Cause	3,751	1,312	*	11	130	83	*	20	2,189	
	TOTAL	105,767	88,940	94	694	5,106	2,932	79	681	7,241	
65 and over	PATIENT SEX										
	Male	52,552	42,982	61	343	2,680	1,672	34	372	4,408	
	Female	53,215	45,958	33	351	2,426	1,260	45	309	2,833	
	PATIENT RACE										
	Native Amer.	1,275	1,110	*	*	59	21	*	*	73	
	Asian	3,814	3,257	*	18	200	106	*	15	212	
	Black	29,911	27,432	19	148	724	374	15	109	1,090	
	White	69,419	55,981	71	516	4,063	2,395	57	545	5,791	
	Other/Unknown	1,348	1,160	*	*	60	36	*	10	75	
	DISEASE GROUPS										
Diabetes	39,564	35,092	27	244	1,802	1,049	24	216	1,110		
Hypertension	34,725	30,183	30	219	1,561	921	22	228	1,561		
Glomeruloneph.	10,763	7,729	13	61	742	398	15	50	1,755		
Cystic Kidney	3,525	2,102	*	27	204	99	*	*	1,080		
Other											
Urologic	2,120	1,816	*	19	96	59		12	117		
Other Cause	8,070	6,545	*	64	400	227	*	92	724		
Unknown Cause	4,549	3,674	*	32	204	124	*	36	468		
Missing Cause	2,451	1,799	*	28	97	55	*	42	426		

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. The coding of race changed in 1982 (see Chapter XIV). Comparisons by race across years must be treated with caution. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.7
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and ESRD Network of Residence

Patients alive on December 31, 1989

AND TOTAL

ESRD Network of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
1 New England	7,097	3,882	79	785	78	2,273
2 NY	11,626	7,545	231	1,297	138	2,415
3 NJ, PR	7,075	4,694	79	794	156	1,352
4 PA	8,456	5,159	69	745	84	2,399
5 MD, DC, VA, WV	9,171	5,964	89	813	117	2,188
6 NC, SC, GA	12,050	7,861	152	1,303	145	2,589
7 FL	8,237	5,531	43	664	89	1,910
8 TN, AL, MS	8,435	5,479	156	875	88	1,837
9 OH, IN, KY	11,747	6,102	130	1,627	133	3,755
10 IL	7,398	4,338	74	594	72	2,320
11 ND, SD, MN, WI	11,424	5,548	149	1,350	153	4,224
12 NE, IA, KS, MO	6,676	3,235	124	1,069	95	2,153
13 OK, AR, LA	6,197	3,977	52	716	69	1,383
14 TX	10,602	6,876	105	783	124	2,714
15 Mountain	6,047	3,272	94	590	73	2,018
16 Northwest	4,721	2,114	378	484	101	1,644
17 N CA, HI	7,421	4,613	35	539	63	2,171
18 S CA	10,430	6,884	31	654	139	2,722
Unkwn. Net.	726	308	*	12	38	365
TOTAL	155,536	93,382	2,073	15,694	1,955	42,432

Patients alive on December 31, 1989

AND Age on Dec 31 Under 65

ESRD Network of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
1 New England	4,815	1,993	62	507	52	2,201
2 NY	8,171	4,586	200	965	78	2,342
3 NJ, PR	5,042	2,988	70	574	89	1,321
4 PA	5,623	2,706	50	511	47	2,309
5 MD, DC, VA, WV	6,624	3,721	74	628	77	2,124
6 NC, SC, GA	8,851	5,066	128	1,013	110	2,534
7 FL	5,336	2,960	33	481	52	1,810
8 TN, AL, MS	6,112	3,404	142	675	71	1,820
9 OH, IN, KY	8,446	3,441	101	1,140	96	3,668
10 IL	5,277	2,545	53	417	46	2,216
11 ND, SD, MN, WI	8,253	3,082	98	928	103	4,042
12 NE, IA, KS, MO	4,739	1,769	87	715	63	2,105
13 OK, AR, LA	4,439	2,422	41	567	51	1,358
14 TX	7,856	4,445	88	601	83	2,639
15 Mountain	4,441	1,949	60	443	50	1,939
16 Northwest	3,474	1,248	249	314	76	1,587
17 N CA, HI	5,150	2,600	33	392	41	2,084
18 S CA	7,279	4,039	27	514	86	2,613
Unkwn. Net.	470	75	*	*	30	359
TOTAL	110,398	55,039	1,598	11,389	1,301	41,071

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.7 shows changes over a 9 year period.

Table C.8 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.7 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and ESRD Network of Residence

Patients alive on December 31, 1989
 AND Age on Dec 31 65 and over

ESRD Network of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
1 New England	2,282	1,889	17	278	26	72
2 NY	3,455	2,959	31	332	60	73
3 NJ, PR	2,033	1,706	*	220	67	31
4 PA	2,833	2,453	19	234	37	90
5 MD, DC, VA, WV	2,547	2,243	15	185	40	64
6 NC, SC, GA	3,199	2,795	24	290	35	55
7 FL	2,901	2,571	10	183	37	100
8 TN, AL, MS	2,323	2,075	14	200	17	17
9 OH, IN, KY	3,301	2,661	29	487	37	87
10 IL	2,121	1,793	21	177	26	104
11 ND, SD, MN, WI	3,171	2,466	51	422	50	182
12 NE, IA, KS, MO	1,937	1,466	37	354	32	48
13 OK, AR, LA	1,758	1,555	11	149	18	25
14 TX	2,746	2,431	17	182	41	75
15 Mountain	1,606	1,323	34	147	23	79
16Northwest	1,247	866	129	170	25	57
17 N CA, HI	2,271	2,013	*	147	22	87
18 S CA	3,151	2,845	*	140	53	109
Unknwn. Net.	256	233	*	*	*	*
TOTAL	45,138	38,343	475	4,305	654	1,361

Patients alive on December 31, 1993
 AND TOTAL

ESRD Network of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
1 New England	9,851	5,330	14	1,197	139	3,171
2 NY	16,294	10,458	19	2,028	231	3,558
3 NJ, PR	10,091	6,472	10	1,377	215	2,017
4 PA	11,768	7,104	*	1,016	181	3,466
5 MD, DC, VA, WV	13,690	8,632	29	1,450	157	3,422
6 NC, SC, GA	18,393	12,113	14	2,238	213	3,815
7 FL	12,295	8,189	*	1,072	134	2,896
8 TN, AL, MS	12,066	7,991	17	1,067	111	2,880
9 OH, IN, KY	16,926	8,950	*	2,258	183	5,531
10 IL	10,717	6,398	*	1,065	140	3,108
11 ND, SD, MN, WI	16,609	8,195	16	1,997	223	6,178
12 NE, IA, KS, MO	9,581	4,838	36	1,480	91	3,136
13 OK, AR, LA	9,090	5,785	*	1,028	125	2,146
14 TX	16,295	10,780	18	1,327	163	4,007
15 Mountain	9,052	4,998	10	994	131	2,919
16Northwest	6,674	3,224	74	765	114	2,497
17 N CA, HI	10,783	6,449	13	1,075	147	3,099
18 S CA	14,525	8,997	*	1,269	157	4,096
Unknwn. Net.	1,812	547	*	47	70	1,140
TOTAL	226,512	135,450	305	24,750	2,925	63,082

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Note: Table C.7 shows changes over a 9 year period. Table C.8 pools data for the past 3 years in order to show greater detail. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.7 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and ESRD Network of Residence

Patients alive on December 31, 1993
 AND Age on Dec 31 Under 65

ESRD Network of Residence	Total	Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
1 New England	6,163	2,391	*	697	105	2,961
2 NY	10,724	5,794	14	1,398	161	3,357
3 NJ, PR	6,791	3,717	*	959	170	1,938
4 PA	7,464	3,438	*	698	140	3,187
5 MD, DC, VA, WV	9,220	4,838	15	1,030	122	3,215
6 NC, SC, GA	12,936	7,411	12	1,694	181	3,638
7 FL	7,542	4,069	*	739	96	2,634
8 TN, AL, MS	8,461	4,770	14	782	90	2,805
9 OH, IN, KY	11,488	4,602	*	1,502	143	5,237
10 IL	7,152	3,378	*	714	111	2,944
11 ND, SD, MN, WI	11,285	4,111	11	1,233	178	5,752
12 NE, IA, KS, MO	6,338	2,400	*	880	75	2,975
13 OK, AR, LA	6,251	3,333	*	740	107	2,066
14 TX	11,404	6,518	10	931	130	3,815
15 Mountain	6,364	2,827	*	714	108	2,709
16Northwest	4,775	1,803	42	498	88	2,344
17 N CA, HI	7,202	3,415	12	794	96	2,885
18 S CA	9,550	4,696	*	946	122	3,781
Unknwn. Net.	1,469	269	*	22	54	1,121
TOTAL	152,579	73,780	187	16,971	2,277	59,364

Patients alive on December 31, 1993
 AND Age on Dec 31 65 and over

ESRD Network of Residence	Total	Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
1 New England	3,688	2,939	*	500	34	210
2 NY	5,570	4,664	*	630	70	201
3 NJ, PR	3,300	2,755	*	418	45	79
4 PA	4,304	3,666	*	318	41	279
5 MD, DC, VA, WV	4,470	3,794	14	420	35	207
6 NC, SC, GA	5,457	4,702	*	544	32	177
7 FL	4,753	4,120	*	333	38	262
8 TN, AL, MS	3,605	3,221	*	285	21	75
9 OH, IN, KY	5,438	4,348	*	756	40	294
10 IL	3,565	3,020	*	351	29	164
11 ND, SD, MN, WI	5,324	4,084	*	764	45	426
12 NE, IA, KS, MO	3,243	2,438	28	600	16	161
13 OK, AR, LA	2,839	2,452	*	288	18	80
14 TX	4,891	4,262	*	396	33	192
15 Mountain	2,688	2,171	*	280	23	210
16Northwest	1,899	1,421	32	267	26	153
17 N CA, HI	3,581	3,034	*	281	51	214
18 S CA	4,975	4,301	*	323	35	315
Unknwn. Net.	343	278	*	25	16	19
TOTAL	73,933	61,670	118	7,779	648	3,718

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.7 shows changes over a 9 year period.

Table C.8 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.7 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and ESRD Network of Residence

Patients alive on December 31, 1997

AND TOTAL

ESRD Network of Residence	Total	Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
1 New England	12,844	7,357	57	1,274	44	4,112
2 NY	21,206	14,321	107	1,766	141	4,871
3 NJ, PR	13,337	8,745	82	1,534	136	2,840
4 PA	15,592	9,843	59	938	91	4,661
5 MD, DC, VA, WV	18,879	12,330	125	1,513	94	4,817
6 NC, SC, GA	25,877	17,908	162	2,372	137	5,298
7 FL	16,725	11,000	331	1,142	103	4,149
8 TN, AL, MS	16,918	11,523	84	1,302	80	3,929
9 OH, IN, KY	22,446	12,576	76	2,456	121	7,217
10 IL	14,123	8,518	106	1,090	63	4,346
11 ND, SD, MN, WI	22,505	11,907	56	2,022	88	8,432
12 NE, IA, KS, MO	12,631	6,762	86	1,563	63	4,157
13 OK, AR, LA	12,743	8,623	36	1,013	31	3,040
14 TX	22,621	15,471	60	1,540	67	5,483
15 Mountain	12,557	7,292	87	1,078	58	4,042
16Northwest	8,982	4,479	162	859	38	3,444
17 N CA, HI	14,156	8,793	16	1,252	41	4,054
18 S CA	19,786	12,604	13	1,554	76	5,539
Unknwn. Net.	4,039	1,837	24	171	67	1,940
TOTAL	307,967	191,889	1,729	26,439	1,539	86,371

Patients alive on December 31, 1997

AND Age on Dec 31 Under 65

ESRD Network of Residence	Total	Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
1 New England	7,788	3,190	35	817	16	3,730
2 NY	13,655	7,756	64	1,261	80	4,494
3 NJ, PR	8,656	4,795	54	1,093	81	2,633
4 PA	9,527	4,662	37	646	39	4,143
5 MD, DC, VA, WV	12,519	6,890	73	1,079	62	4,415
6 NC, SC, GA	17,699	10,727	125	1,831	86	4,930
7 FL	10,154	5,543	183	791	38	3,599
8 TN, AL, MS	11,481	6,646	71	982	48	3,734
9 OH, IN, KY	14,678	6,359	39	1,627	61	6,592
10 IL	9,313	4,477	34	728	24	4,050
11 ND, SD, MN, WI	14,773	5,768	37	1,269	42	7,657
12 NE, IA, KS, MO	8,159	3,323	48	965	24	3,799
13 OK, AR, LA	8,603	5,001	20	722	10	2,850
14 TX	15,504	9,236	41	1,116	37	5,074
15 Mountain	8,684	4,142	50	796	33	3,663
16Northwest	6,283	2,418	101	584	21	3,159
17 N CA, HI	9,306	4,677	14	911	17	3,687
18 S CA	13,210	6,971	*	1,159	36	5,035
Unknwn. Net.	2,208	274		24	24	1,886
TOTAL	202,200	102,855	1,035	18,401	779	79,130

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.7 shows changes over a 9 year period.

Table C.8 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.7 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and ESRD Network of Residence

Patients alive on December 31, 1997
 AND Age on Dec 31 65 and over

ESRD Network of Residence	Total	Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
1 New England	5,056	4,167	22	457	28	382
2 NY	7,551	6,565	43	505	61	377
3 NJ, PR	4,681	3,950	28	441	55	207
4 PA	6,065	5,181	22	292	52	518
5 MD, DC, VA, WV	6,360	5,440	52	434	32	402
6 NC, SC, GA	8,178	7,181	37	541	51	368
7 FL	6,571	5,457	148	351	65	550
8 TN, AL, MS	5,437	4,877	13	320	32	195
9 OH, IN, KY	7,768	6,217	37	829	60	625
10 IL	4,810	4,041	72	362	39	296
11 ND, SD, MN, WI	7,732	6,139	19	753	46	775
12 NE, IA, KS, MO	4,472	3,439	38	598	39	358
13 OK, AR, LA	4,140	3,622	16	291	21	190
14 TX	7,117	6,235	19	424	30	409
15 Mountain	3,873	3,150	37	282	25	379
16Northwest	2,699	2,061	61	275	17	285
17 N CA, HI	4,850	4,116	*	341	24	367
18 S CA	6,576	5,633	*	395	40	504
Unknwn. Net.	1,831	1,563	24	147	43	54
TOTAL	105,767	89,034	694	8,038	760	7,241

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.
 All ESRD Patients except those who are lost to followup on December 31 are included.
 Note: Table C.7 shows changes over a 9 year period.
 Table C.8 pools data for the past 3 years in order to show greater detail.
 * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.8
 Living Dialysis Patients on December 31
 by Age, Treatment Modality, and ESRD Network of Residence
 for Three Years Ending 1997

ESRD Network of Residence	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Dialysis
TOTAL	627,843	532,025	1,348	5,588	57,346	25,661	984	4,891
1 New England	24,992	20,583	11	180	2,449	1,554	16	199
2 NY	46,732	39,392	654	335	4,418	1,409	169	355
3 NJ, PR	30,098	24,378	134	238	3,167	1,754	143	284
4 PA	31,577	27,856	58	224	2,157	969	24	289
5 MD, DC, VA, WV	39,140	33,465	82	421	3,167	1,529	38	438
6 NC, SC, GA	57,854	49,453	*	572	4,753	2,613	143	314
7 FL	35,386	30,486	42	933	2,109	1,417	15	384
8 TN, AL, MS	36,399	31,899	35	245	2,686	1,246	25	263
9 OH, IN, KY	43,150	34,561	*	277	5,918	1,932	92	367
10 IL	28,201	23,980	*	387	2,473	1,112	36	204
11 ND, SD, MN, WI	40,067	32,991	*	238	5,179	1,322	11	320
12 NE, IA, KS, MO	23,900	18,691	*	297	3,471	1,226	*	211
13 OK, AR, LA	27,127	23,701	*	107	2,211	974	*	119
14 TX	47,950	42,646	94	221	2,846	1,888	35	220
15 Mountain	23,926	20,076	64	228	2,102	1,223	47	186
16 Northwest	16,258	12,842	*	541	2,030	614	51	173
17 N CA, HI	28,692	24,529	130	43	2,443	1,376	*	163
18 S CA	41,111	35,852	*	53	3,475	1,391	92	245
Unknwn. Net.	5,283	4,644	*	48	292	112	30	157

ESRD Network of Residence	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Dialysis
Age on Dec 31 Under 65	353,621	287,799	1,027	3,412	39,784	18,134	689	2,776
1 New England	11,828	9,076	11	116	1,534	994	12	85
2 NY	26,589	21,477	487	217	3,067	1,013	119	209
3 NJ, PR	17,607	13,586	93	165	2,262	1,246	76	179
4 PA	16,028	13,528	48	120	1,532	637	17	146
5 MD, DC, VA, WV	22,758	18,745	68	228	2,265	1,107	35	310
6 NC, SC, GA	36,226	29,735	*	475	3,660	2,046	98	206
7 FL	18,453	15,276	35	512	1,486	948	11	185
8 TN, AL, MS	22,058	18,657	32	217	2,061	902	22	167
9 OH, IN, KY	23,127	17,570	*	152	3,907	1,246	66	185
10 IL	15,481	12,747	*	136	1,697	760	27	106
11 ND, SD, MN, WI	20,623	16,179	*	149	3,263	850	*	172
12 NE, IA, KS, MO	12,355	9,173	*	154	2,085	833	*	107
13 OK, AR, LA	16,141	13,715	*	69	1,563	715	*	69
14 TX	29,315	25,544	65	155	2,042	1,345	24	140
15 Mountain	14,188	11,384	59	143	1,540	919	27	116
16 Northwest	9,385	7,136	*	328	1,311	467	40	100
17 N CA, HI	15,979	12,949	97	34	1,829	978	*	89
18 S CA	23,605	19,694	*	41	2,566	1,099	73	129
Unknwn. Net.	1,875	1,628	*	114	29	29	27	76

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.7 shows changes over a 9 year period.

Table C.8 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.8 (Continued)
 Living Dialysis Patients on December 31
 by Age, Treatment Modality, and ESRD Network of Residence
 for Three Years Ending 1997

Age on Dec 31 65 and over

ESRD Network of Residence	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Dialysis
1 New England	13,164	11,507		64	915	560	*	114
2 NY	20,143	17,915	167	118	1,351	396	50	146
3 NJ, PR	12,491	10,792	41	73	905	508	67	105
4 PA	15,549	14,328	10	104	625	332	*	143
5 MD, DC, VA, WV	16,382	14,720	14	193	902	422	*	128
6 NC, SC, GA	21,628	19,718		97	1,093	567	45	108
7 FL	16,933	15,210	*	421	623	469	*	199
8 TN, AL, MS	14,341	13,242	*	28	625	344	*	96
9 OH, IN, KY	20,023	16,991	*	125	2,011	686	26	182
10 IL	12,720	11,233	*	251	776	352	*	98
11 ND, SD, MN, WI	19,444	16,812	*	89	1,916	472	*	148
12 NE, IA, KS, MO	11,545	9,518	*	143	1,386	393		104
13 OK, AR, LA	10,986	9,986	*	38	648	259	*	50
14 TX	18,635	17,102	29	66	804	543	11	80
15 Mountain	9,738	8,692	*	85	562	304	20	70
16 Northwest	6,873	5,706	*	213	719	147	11	73
17 N CA, HI	12,713	11,580	33	*	614	398	*	74
18 S CA	17,506	16,158		12	909	292	19	116
Unknwn. Net.	3,408	3,016		47	178	83	*	81
TOTAL	274,222	244,226	321	2,176	17,562	7,527	295	2,115

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Note: Table C.7 shows changes over a 9 year period. Table C.8 pools data for the past 3 years in order to show greater detail. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.9
Modality at 2 Years after First ESRD Service
by Sex, Age, and Modality at 90 Days

Year of first service = 92 - 94
AND TOTAL

		Modality at 2 Years								
		Center, Un-coded	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant	Death	TOTAL	Patients	
TOTAL		0.01%	44.26%	0.26%	8.69%	0.59%	9.63%	36.56%	100%	184,737
Age at first service										
Under 20		21.01%	0.14%	13.25%	3.16%	57.14%	5.31%	100%	2,884	
20-44		41.44%	0.24%	12.76%	1.01%	28.68%	15.86%	100%	32,942	
45-64		0.01%	50.41%	0.29%	11.17%	0.75%	9.93%	27.46%	100%	61,838
65 and over		0.01%	41.73%	0.25%	5.23%	0.24%	0.64%	51.89%	100%	87,073
TOTAL		Modality on day 90								
		Uncoded								
		83.33%						16.67%	100%	18
		Center Hemo								
		56.69%	0.26%	3.23%	0.18%	6.21%	33.44%	100%	134,781	
		Home Hemo								
		27.25%	19.38%	8.43%	2.25%	7.30%	35.39%	100%	356	
		CAPD & CCPD								
		14.90%	0.14%	41.23%	0.54%	12.85%	30.33%	100%	26,336	
		Oth/Unk dialysis								
		27.14%	0.61%	17.07%	14.15%	16.56%	24.47%	100%	4,451	
		Transplant								
		2.26%		0.81%	1.32%	92.66%	2.95%	100%	5,698	
		Death								
							100.00%	100%	13,097	
Age at first service										
Under 20		Center Hemo								
		47.71%	0.19%	5.64%	1.72%	40.06%	4.68%	100%	1,046	
		Home Hemo								
						100.00%		100%	*	
		CAPD & CCPD								
		8.77%		35.62%	1.64%	46.99%	6.99%	100%	730	
		Oth/Unk dialysis								
		10.03%	0.67%	16.39%	16.05%	48.16%	8.70%	100%	299	
		Transplant								
		1.65%		1.77%	1.65%	93.42%	1.52%	100%	790	
		Death								
							100.00%	100%	15	
20-44		Center Hemo								
		56.79%	0.25%	5.71%	0.37%	20.61%	16.28%	100%	21,553	
		Home Hemo								
		27.45%	23.53%	13.73%	1.96%	23.53%	9.80%	100%	51	
		CAPD & CCPD								
		15.75%	0.12%	41.70%	0.63%	27.55%	14.24%	100%	6,487	
		Oth/Unk dialysis								
		24.86%	0.57%	19.61%	14.36%	27.07%	13.54%	100%	1,219	
		Transplant								
		2.34%		0.75%	1.20%	93.47%	2.24%	100%	3,080	
		Death								
							100.00%	100%	552	
45-64		Uncoded								
		83.33%					16.67%	100%	*	
		Center Hemo								
		62.52%	0.28%	4.50%	0.20%	6.90%	25.60%	100%	46,033	
		Home Hemo								
		28.16%	19.42%	12.62%	2.91%	8.74%	28.16%	100%	103	
		CAPD & CCPD								
		16.25%	0.15%	45.07%	0.62%	11.65%	26.25%	100%	9,809	
		Oth/Unk dialysis								
		34.59%	0.66%	18.45%	13.22%	12.00%	21.08%	100%	2,125	
		Transplant								
		2.01%		0.47%	1.36%	92.08%	4.08%	100%	1,691	
		Death								
							100.00%	100%	2,071	
65 and over		Uncoded								
		83.33%					16.67%	100%	12	
		Center Hemo								
		52.74%	0.25%	1.50%	0.07%	0.50%	44.94%	100%	66,149	
		Home Hemo								
		27.27%	18.69%	5.05%	2.02%	0.51%	46.46%	100%	198	
		CAPD & CCPD								
		13.37%	0.15%	37.30%	0.30%	1.20%	47.67%	100%	9,310	
		Oth/Unk dialysis								
		17.33%	0.50%	9.90%	15.59%	0.99%	55.69%	100%	808	
		Transplant								
		7.30%		0.73%	1.46%	77.37%	13.14%	100%	137	
		Death								
							100.00%	100%	10,459	

(CONTINUED)

Includes patients receiving their first ESRD service in the indicated 3-year period.
Modality classification is described in notes at beginning of this Section. Age computed as of First ESRD Service.
The coding of race changed in 1982 (see Chapter XIII). Comparisons by race across years must be treated with caution.
* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.9 (Continued)
Modality at 2 Years after First ESRD Service
by Sex, Age, and Modality at 90 Days

Year of first service = 92 - 94

Male

		Modality at 2 Years								
		Uncoded	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant	Death	TOTAL	Patients
TOTAL		0.00%	43.08%	0.25%	8.63%	0.59%	10.92%	36.53%	100%	98,394
Age at first service										
Under 20		20.22%	0.06%	11.60%	2.98%	60.05%	5.09%	100%	1,612	
20-44		42.80%	0.23%	10.58%	0.86%	28.63%	16.90%	100%	19,547	
45-64		0.01%	48.76%	0.30%	11.10%	0.76%	11.56%	27.52%	100%	32,958
65 and over		0.00%	39.80%	0.23%	5.82%	0.25%	0.84%	53.06%	100%	44,277
TOTAL		Modality on day 90								
		100.00%							100%	*
		55.52%	0.26%	3.16%	0.17%	7.50%	33.39%	100%	71,166	
		26.90%	17.54%	8.19%	2.34%	9.36%	35.67%	100%	171	
		14.70%	0.11%	40.94%	0.49%	13.56%	30.20%	100%	14,154	
		27.56%	0.65%	16.40%	13.92%	17.29%	24.19%	100%	2,464	
		2.04%		0.85%	1.13%	93.04%	2.93%	100%	3,278	
							100.00%	100%	7,158	
Age at first service										
Under 20		48.31%		4.46%	1.60%	41.71%	3.92%	100%	561	
						100.00%		100%	*	
		7.49%		32.04%	2.07%	50.13%	8.27%	100%	387	
		11.73%	0.62%	16.05%	16.05%	46.30%	9.26%	100%	162	
		1.42%		2.43%	1.01%	93.72%	1.42%	100%	494	
							100.00%	100%	*	
20-44		56.69%	0.20%	4.40%	0.33%	21.26%	17.12%	100%	13,328	
		21.43%	28.57%	17.86%		28.57%	3.57%	100%	28	
		16.81%	0.12%	38.82%	0.55%	28.03%	15.68%	100%	3,475	
		27.12%	0.72%	16.64%	12.91%	26.97%	15.64%	100%	697	
		1.95%		0.71%	0.95%	94.15%	2.25%	100%	1,691	
							100.00%	100%	328	
45-64		100.00%						100%	*	
		60.99%	0.31%	4.54%	0.18%	8.38%	25.59%	100%	24,331	
		30.91%	14.55%	9.09%	3.64%	9.09%	32.73%	100%	55	
		15.47%	0.12%	44.86%	0.52%	13.06%	25.97%	100%	5,183	
		33.19%	0.76%	18.59%	13.58%	13.33%	20.54%	100%	1,178	
		1.97%		0.39%	1.57%	91.83%	4.23%	100%	1,016	
							100.00%	100%	1,193	
65 and over		100.00%						100%	*	
		51.13%	0.25%	1.62%	0.08%	0.69%	46.23%	100%	32,946	
		26.74%	16.28%	4.65%	2.33%	1.16%	48.84%	100%	86	
		13.04%	0.12%	39.07%	0.31%	1.45%	46.02%	100%	5,109	
		18.74%	0.23%	10.07%	15.69%	1.41%	53.86%	100%	427	
		9.09%				80.52%	10.39%	100%	77	
							100.00%	100%	5,631	

(CONTINUED)

Includes patients receiving their first ESRD service in the indicated 3-year period.
Modality classification is described in notes at beginning of this Section. Age computed as of First ESRD Service.
The coding of race changed in 1982 (see Chapter XIII). Comparisons by race across years must be treated with caution.
* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.10
Modality at 2 Years after First ESRD Service
by Sex, Age, and Modality at 90 Days
for Pediatric Patients

Year of first service = 92 - 94
AND TOTAL

		Modality at 2 Years								
		Center	Home	CAPD &	di al ysis	Transp-	Death	TOTAL	Patien-	
		Uncoded	Hemo	CCPD	is	lant			ts	
TOTAL		0.01%	44.26%	0.26%	8.69%	0.59%	9.63%	36.56%	100%, 184,737	
Age at first service										
Not pediatric		0.01%	44.63%	0.26%	8.61%	0.55%	8.88%	37.06%	100%, 181,853	
Under 5			9.07%		19.14%	5.54%	53.90%	12.34%	100%, 397	
5-9			9.76%	0.53%	11.87%	5.01%	69.66%	3.17%	100%, 379	
10-14			13.58%		14.48%	2.39%	64.93%	4.63%	100%, 670	
15-19			30.74%	0.14%	11.40%	2.36%	51.11%	4.24%	100%, 1,438	
TOTAL		Modality on day 90								
Uncoded		83.33%						16.67%	100%, 18	
Center Hemo			56.69%	0.26%	3.23%	0.18%	6.21%	33.44%	100%, 134,781	
Home Hemo			27.25%	19.38%	8.43%	2.25%	7.30%	35.39%	100%, 356	
CAPD & CCPD			14.90%	0.14%	41.23%	0.54%	12.85%	30.33%	100%, 26,336	
Oth/Unk dialysis			27.14%	0.61%	17.07%	14.15%	16.56%	24.47%	100%, 4,451	
Transplant			2.26%		0.81%	1.32%	92.66%	2.95%	100%, 5,698	
Death								100.00%	100%, 13,097	
Age at first service										
Not pediatric		Modality on day 90								
Uncoded		83.33%						16.67%	100%, 18	
Center Hemo			56.76%	0.26%	3.21%	0.17%	5.94%	33.66%	100%, 133,735	
Home Hemo			27.56%	19.60%	8.52%	2.27%	6.25%	35.80%	100%, 352	
CAPD & CCPD			15.08%	0.14%	41.39%	0.51%	11.88%	31.00%	100%, 25,606	
Oth/Unk dialysis			28.37%	0.60%	17.12%	14.02%	14.28%	25.60%	100%, 4,152	
Transplant			2.36%		0.65%	1.26%	92.54%	3.18%	100%, 4,908	
Death								100.00%	100%, 13,082	
Under 5			43.40%		1.89%		41.51%	13.21%	100%, 53	
CAPD & CCPD			4.86%		41.67%	3.47%	36.11%	13.89%	100%, 144	
Oth/Unk dialysis			4.88%		17.07%	19.51%	41.46%	17.07%	100%, 82	
Transplant			1.79%		0.89%	0.89%	94.64%	1.79%	100%, 112	
Death								100.00%	100%, *	
5-9			41.79%		4.48%	4.48%	46.27%	2.99%	100%, 67	
CAPD & CCPD			4.00%		31.00%	4.00%	55.00%	6.00%	100%, 100	
Oth/Unk dialysis			6.78%	3.39%	13.56%	15.25%	57.63%	3.39%	100%, 59	
Transplant			0.66%		1.97%	1.97%	94.74%	0.66%	100%, 152	
Death								100.00%	100%, *	
10-14			35.15%		7.43%	2.97%	48.51%	5.94%	100%, 202	
CAPD & CCPD			4.28%		34.22%	0.53%	55.08%	5.88%	100%, 187	
Oth/Unk dialysis			13.70%		17.81%	10.96%	54.79%	2.74%	100%, 73	
Transplant			0.98%		2.45%	0.49%	95.10%	0.98%	100%, 204	
Death								100.00%	100%, *	
15-19			52.07%	0.28%	5.52%	1.24%	37.02%	3.87%	100%, 724	
Home Hemo								100.00%	100%, *	
CAPD & CCPD			15.05%		35.12%	0.67%	44.48%	4.68%	100%, 299	
Oth/Unk dialysis			14.12%		16.47%	17.65%	42.35%	9.41%	100%, 85	
Transplant			2.48%		1.55%	2.48%	91.30%	2.17%	100%, 322	
Death								100.00%	100%, *	

(CONTINUED)

Includes patients receiving their first ESRD service in the indicated 3-year period.
Modality classification is described in notes at beginning of this Section. Age computed as of First ESRD Service.
The coding of race changed in 1982 (see Chapter XIII). Comparisons by race across years must be treated with caution.
* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.10 (Continued)
Modality at 2 Years after First ESRD Service
by Sex, Age, and Modality at 90 Days
for Pediatric Patients

Year of first service = 92 - 94
AND Sex= Male

		Modality at 2 Years							TOTAL	Patients
		Uncoded	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant	Death		
TOTAL		0.00%	43.08%	0.25%	8.63%	0.59%	10.92%	36.53%	100%, 98,394	
Age at first service										
Not pediatric		0.00%	43.46%	0.25%	8.58%	0.55%	10.10%	37.06%	100%, 96,782	
Under 5			8.59%		17.97%	4.69%	57.81%	10.94%	100%, 256	
5-9			10.50%	0.42%	9.66%	4.62%	71.85%	2.94%	100%, 238	
10-14			13.82%		14.41%	2.65%	65.88%	3.24%	100%, 340	
15-19			29.82%		8.87%	2.06%	54.63%	4.63%	100%, 778	
TOTAL		Modality on day 90								
Uncoded		100.00%							100%, *	
Center Hemo			55.52%	0.26%	3.16%	0.17%	7.50%	33.39%	100%, 71,166	
Home Hemo			26.90%	17.54%	8.19%	2.34%	9.36%	35.67%	100%, 171	
CAPD & CCPD			14.70%	0.11%	40.94%	0.49%	13.56%	30.20%	100%, 14,154	
Oth/Unk dialysis			27.56%	0.65%	16.40%	13.92%	17.29%	24.19%	100%, 2,464	
Transplant			2.04%		0.85%	1.13%	93.04%	2.93%	100%, 3,278	
Death								100.00%	100%, 7,158	
Age at first service										
Not pediatric		100.00%							100%, *	
Center Hemo			55.58%	0.26%	3.15%	0.16%	7.22%	33.62%	100%, 70,605	
Home Hemo			27.22%	17.75%	8.28%	2.37%	8.28%	36.09%	100%, 169	
CAPD & CCPD			14.91%	0.12%	41.19%	0.45%	12.53%	30.81%	100%, 13,767	
Oth/Unk dialysis			28.67%	0.65%	16.42%	13.77%	15.25%	25.24%	100%, 2,302	
Transplant			2.16%		0.57%	1.15%	92.92%	3.20%	100%, 2,784	
Death								100.00%	100%, 7,152	
Under 5			43.75%				46.88%	9.38%	100%, 32	
CAPD & CCPD			4.60%		40.23%	3.45%	36.78%	14.94%	100%, 87	
Oth/Unk dialysis			6.12%		20.41%	18.37%	38.78%	16.33%	100%, 49	
Transplant			1.16%		1.16%		95.35%	2.33%	100%, 86	
Death								100.00%	100%, *	
5-9			46.34%		7.32%	4.88%	39.02%	2.44%	100%, 41	
CAPD & CCPD			4.41%		22.06%	4.41%	63.24%	5.88%	100%, 68	
Oth/Unk dialysis			8.82%	2.94%	8.82%	14.71%	61.76%	2.94%	100%, 34	
Transplant					2.11%	1.05%	95.79%	1.05%	100%, 95	
10-14			41.05%		6.32%	3.16%	46.32%	3.16%	100%, 95	
CAPD & CCPD			2.17%		35.87%	1.09%	54.35%	6.52%	100%, 92	
Oth/Unk dialysis			15.15%		18.18%	15.15%	48.48%	3.03%	100%, 33	
Transplant			0.84%		3.36%		95.80%		100%, 119	
Death								100.00%	100%, *	
15-19			50.64%		4.07%	1.02%	40.46%	3.82%	100%, 393	
Home Hemo							100.00%		100%, *	
CAPD & CCPD			14.29%		29.29%	0.71%	49.29%	6.43%	100%, 140	
Oth/Unk dialysis			17.39%		15.22%	15.22%	41.30%	10.87%	100%, 46	
Transplant			2.58%		2.58%	2.06%	90.72%	2.06%	100%, 194	
Death								100.00%	100%, *	

(CONTINUED)

Includes patients receiving their first ESRD service in the indicated 3-year period.
Modality classification is described in notes at beginning of this Section. Age computed as of First ESRD Service.
The coding of race changed in 1982 (see Chapter XIII). Comparisons by race across years must be treated with caution.
* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.10 (Continued)
Modality at 2 Years after First ESRD Service
by Sex, Age, and Modality at 90 Days
for Pediatric Patients

Year of first service = 92 - 94
AND Sex= Female

		Modality at 2 Years								
		Uncoded	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant	Death	TOTAL	Patients
TOTAL		0.01%	45.60%	0.27%	8.75%	0.60%	8.17%	36.59%	100%	86,343
Age at first service										
Not pediatric		0.01%	45.96%	0.27%	8.66%	0.56%	7.49%	37.05%	100%	85,071
Under 5			9.93%		21.28%	7.09%	46.81%	14.89%	100%	141
5-9			8.51%	0.71%	15.60%	5.67%	65.96%	3.55%	100%	141
10-14			13.33%		14.55%	2.12%	63.94%	6.06%	100%	330
15-19			31.82%	0.30%	14.39%	2.73%	46.97%	3.79%	100%	660
TOTAL										
Modality on day 90										
Uncoded		80.00%						20.00%	100%	15
Center Hemo			57.99%	0.26%	3.31%	0.18%	4.77%	33.50%	100%	63,615
Home Hemo			27.57%	21.08%	8.65%	2.16%	5.41%	35.14%	100%	185
CAPD & CCPD			15.14%	0.17%	41.58%	0.59%	12.03%	30.49%	100%	12,182
Oth/Unk dialysis			26.62%	0.55%	17.92%	14.44%	15.65%	24.81%	100%	1,987
Transplant			2.56%		0.74%	1.57%	92.15%	2.98%	100%	2,420
Death								100.00%	100%	5,939
Age at first service										
Not pediatric										
Uncoded		80.00%						20.00%	100%	15
Center Hemo			58.07%	0.26%	3.28%	0.17%	4.51%	33.71%	100%	63,130
Home Hemo			27.87%	21.31%	8.74%	2.19%	4.37%	35.52%	100%	183
CAPD & CCPD			15.28%	0.18%	41.63%	0.57%	11.12%	31.21%	100%	11,839
Oth/Unk dialysis			28.00%	0.54%	18.00%	14.32%	13.08%	26.05%	100%	1,850
Transplant			2.64%		0.75%	1.41%	92.04%	3.15%	100%	2,124
Death								100.00%	100%	5,930
Under 5										
Center Hemo			42.86%		4.76%		33.33%	19.05%	100%	21
CAPD & CCPD			5.26%		43.86%	3.51%	35.09%	12.28%	100%	57
Oth/Unk dialysis			3.03%		12.12%	21.21%	45.45%	18.18%	100%	33
Transplant			3.85%			3.85%	92.31%		100%	26
Death								100.00%	100%	*
5-9										
Center Hemo			34.62%			3.85%	57.69%	3.85%	100%	26
CAPD & CCPD			3.13%		50.00%	3.13%	37.50%	6.25%	100%	32
Oth/Unk dialysis			4.00%	4.00%	20.00%	16.00%	52.00%	4.00%	100%	25
Transplant			1.75%		1.75%	3.51%	92.98%		100%	57
Death								100.00%	100%	*
10-14										
Center Hemo			29.91%		8.41%	2.80%	50.47%	8.41%	100%	107
CAPD & CCPD			6.32%		32.63%		55.79%	5.26%	100%	95
Oth/Unk dialysis			12.50%		17.50%	7.50%	60.00%	2.50%	100%	40
Transplant			1.18%		1.18%	1.18%	94.12%	2.35%	100%	85
Death								100.00%	100%	*
15-19										
Center Hemo			53.78%	0.60%	7.25%	1.51%	32.93%	3.93%	100%	331
Home Hemo								100.00%	100%	*
CAPD & CCPD			15.72%		40.25%	0.63%	40.25%	3.14%	100%	159
Oth/Unk dialysis			10.26%		17.95%	20.51%	43.59%	7.69%	100%	39
Transplant			2.34%			3.13%	92.19%	2.34%	100%	128
Death								100.00%	100%	*

Includes patients receiving their first ESRD service in the indicated 3-year period.
Modality classification is described in notes at beginning of this Section. Age computed as of First ESRD Service.
The coding of race changed in 1982 (see Chapter XIII). Comparisons by race across years must be treated with caution.
* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.11 (Continued)
Modality at 2 Years after First ESRD Service
by Age, Sex, Race, and Diabetic/Non-diabetic

Year of first service = 92 - 94
AND Age at first service Under 20

		Modality at 2 Years									
			Oth/Unk,								
		Center	Home	CAPD &	di alys-	Transp-		Patien-			
		Hemo	Hemo	CCPD	is	lant	Death	TOTAL			
		ts									
	TOTAL	All	TOTAL	21.01%	0.14%	13.25%	3.16%	57.14%	5.31%	100%	2,884
			Diabetes	54.55%		13.64%		22.73%	9.09%	100%	44
			Not Diabetes	20.49%	0.14%	13.24%	3.20%	57.68%	5.25%	100%	2,840
		Native Amer.	TOTAL	18.60%		11.63%		62.79%	6.98%	100%	43
			Diabetes	50.00%				50.00%	100%		*
			Not Diabetes	17.07%		12.20%		65.85%	4.88%	100%	41
		Asian	TOTAL	31.15%		15.57%	4.92%	45.90%	2.46%	100%	122
			Diabetes	100.00%					100%		*
			Not Diabetes	30.58%		15.70%	4.96%	46.28%	2.48%	100%	121
		Black	TOTAL	33.82%	0.13%	12.68%	3.83%	43.06%	6.47%	100%	757
			Diabetes	57.89%		10.53%		26.32%	5.26%	100%	19
			Not Diabetes	33.20%	0.14%	12.74%	3.93%	43.50%	6.50%	100%	738
		White	TOTAL	15.37%	0.16%	13.82%	3.00%	62.51%	5.14%	100%	1,867
			Diabetes	50.00%		18.18%		22.73%	9.09%	100%	22
			Not Diabetes	14.96%	0.16%	13.77%	3.04%	62.98%	5.09%	100%	1,845
Male	All	TOTAL	20.22%	0.06%	11.60%	2.98%	60.05%	5.09%	100%	1,612	
			Diabetes	50.00%		18.75%		18.75%	12.50%	100%	16
			Not Diabetes	19.92%	0.06%	11.53%	3.01%	60.46%	5.01%	100%	1,596
		Native Amer.	TOTAL	14.29%		9.52%		66.67%	9.52%	100%	21
			Diabetes	100.00%					100%		*
			Not Diabetes	10.00%		10.00%		70.00%	10.00%	100%	20
		Asian	TOTAL	32.79%		13.11%	3.28%	49.18%	1.64%	100%	61
			Not Diabetes	32.79%		13.11%	3.28%	49.18%	1.64%	100%	61
		Black	TOTAL	30.32%	0.23%	10.63%	3.39%	49.32%	6.11%	100%	442
			Diabetes	42.86%		14.29%		28.57%	14.29%	100%	*
			Not Diabetes	30.11%	0.23%	10.57%	3.45%	49.66%	5.98%	100%	435
		White	TOTAL	15.50%		12.57%	3.02%	63.84%	5.07%	100%	1,026
			Diabetes	50.00%		25.00%		12.50%	12.50%	100%	*
			Not Diabetes	15.23%		12.48%	3.05%	64.24%	5.01%	100%	1,018
Female	All	TOTAL	22.01%	0.24%	15.33%	3.38%	53.46%	5.58%	100%	1,272	
			Diabetes	57.14%		10.71%		25.00%	7.14%	100%	28
			Not Diabetes	21.22%	0.24%	15.43%	3.46%	54.10%	5.55%	100%	1,244
		Native Amer.	TOTAL	22.73%		13.64%		59.09%	4.55%	100%	22
			Diabetes						100.00%	100%	*
			Not Diabetes	23.81%		14.29%		61.90%		100%	21
		Asian	TOTAL	29.51%		18.03%	6.56%	42.62%	3.28%	100%	61
			Diabetes	100.00%					100%		*
			Not Diabetes	28.33%		18.33%	6.67%	43.33%	3.33%	100%	60
		Black	TOTAL	38.73%		15.56%	4.44%	34.29%	6.98%	100%	315
			Diabetes	66.67%		8.33%		25.00%		100%	12
			Not Diabetes	37.62%		15.84%	4.62%	34.65%	7.26%	100%	303
		White	TOTAL	15.22%	0.36%	15.34%	2.97%	60.88%	5.23%	100%	841
			Diabetes	50.00%		14.29%		28.57%	7.14%	100%	14
			Not Diabetes	14.63%	0.36%	15.36%	3.02%	61.43%	5.20%	100%	827

(CONTINUED)

Includes patients receiving their first ESRD service in the indicated 3-year period.
Modality classification is described in notes at beginning of this Section. Age computed as of First ESRD Service.
The coding of race changed in 1982 (see Chapter XIII). Comparisons by race across years must be treated with caution.
* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.11 (Continued)
Modality at 2 Years after First ESRD Service
by Age, Sex, Race, and Diabetic/Non-diabetic

Year of first service = 92 - 94
AND Age at first service 20-44

		Modality at 2 Years								
			Oth/Unk,	Center	Home	CAPD &	di alys-	Transp-	Patien-	
				Hemo	Hemo	CCPD	is	lant	Death	
		TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	
Male	All	TOTAL	41.44%	0.24%	12.76%	1.01%	28.68%	15.86%	100%	32,942
		Diabetes	36.29%	0.19%	12.76%	0.82%	29.67%	20.26%	100%	10,258
		Not Diabetes	43.77%	0.26%	12.77%	1.10%	28.24%	13.86%	100%	22,684
	Native Amer.	TOTAL	55.18%	0.48%	15.66%	1.20%	15.18%	12.29%	100%	415
		Diabetes	57.07%	0.54%	13.59%	1.63%	11.41%	15.76%	100%	184
		Not Diabetes	53.68%	0.43%	17.32%	0.87%	18.18%	9.52%	100%	231
	Asian	TOTAL	46.02%	0.18%	17.99%	1.52%	28.56%	5.73%	100%	1,117
		Diabetes	56.73%		12.28%	2.34%	19.30%	9.36%	100%	171
		Not Diabetes	44.08%	0.21%	19.03%	1.37%	30.23%	5.07%	100%	946
	Black	TOTAL	55.09%	0.19%	11.21%	1.04%	13.00%	19.46%	100%	12,780
		Diabetes	57.32%	0.13%	10.00%	0.89%	12.85%	18.81%	100%	2,350
		Not Diabetes	54.59%	0.20%	11.49%	1.07%	13.04%	19.61%	100%	10,430
White	TOTAL	31.54%	0.29%	13.66%	0.91%	39.47%	14.14%	100%	18,224	
	Diabetes	28.67%	0.21%	13.69%	0.75%	35.65%	21.03%	100%	7,503	
	Not Diabetes	33.55%	0.34%	13.65%	1.02%	42.14%	9.31%	100%	10,721	
Female	All	TOTAL	42.80%	0.23%	10.58%	0.86%	28.63%	16.90%	100%	19,547
		Diabetes	37.05%	0.26%	11.47%	0.71%	30.14%	20.36%	100%	5,743
		Not Diabetes	45.20%	0.21%	10.21%	0.93%	28.00%	15.46%	100%	13,804
	Native Amer.	TOTAL	59.66%	0.43%	12.88%		15.45%	11.59%	100%	233
		Diabetes	62.63%	1.01%	11.11%		9.09%	16.16%	100%	99
		Not Diabetes	57.46%		14.18%		20.15%	8.21%	100%	134
	Asian	TOTAL	49.32%		14.58%	1.02%	28.47%	6.61%	100%	590
		Diabetes	57.45%		11.70%	1.06%	15.96%	13.83%	100%	94
		Not Diabetes	47.78%		15.12%	1.01%	30.85%	5.24%	100%	496
	Black	TOTAL	55.87%	0.17%	8.83%	0.90%	12.62%	21.62%	100%	7,781
		Diabetes	58.86%	0.08%	7.63%	0.68%	13.83%	18.91%	100%	1,179
		Not Diabetes	55.33%	0.18%	9.04%	0.94%	12.41%	22.10%	100%	6,602
White	TOTAL	32.84%	0.28%	11.75%	0.82%	40.00%	14.30%	100%	10,702	
	Diabetes	30.05%	0.30%	12.59%	0.74%	35.34%	20.98%	100%	4,346	
	Not Diabetes	34.75%	0.27%	11.19%	0.88%	43.19%	9.72%	100%	6,356	
Female	All	TOTAL	39.45%	0.27%	15.95%	1.23%	28.76%	14.33%	100%	13,395
		Diabetes	35.33%	0.11%	14.40%	0.95%	29.08%	20.13%	100%	4,515
		Not Diabetes	41.54%	0.35%	16.75%	1.37%	28.60%	11.39%	100%	8,880
	Native Amer.	TOTAL	49.45%	0.55%	19.23%	2.75%	14.84%	13.19%	100%	182
		Diabetes	50.59%		16.47%	3.53%	14.12%	15.29%	100%	85
		Not Diabetes	48.45%	1.03%	21.65%	2.06%	15.46%	11.34%	100%	97
	Asian	TOTAL	42.31%	0.38%	21.82%	2.09%	28.65%	4.74%	100%	527
		Diabetes	55.84%		12.99%	3.90%	23.38%	3.90%	100%	77
		Not Diabetes	40.00%	0.44%	23.33%	1.78%	29.56%	4.89%	100%	450
	Black	TOTAL	53.89%	0.22%	14.92%	1.26%	13.60%	16.10%	100%	4,999
		Diabetes	55.76%	0.17%	12.38%	1.11%	11.87%	18.70%	100%	1,171
		Not Diabetes	53.32%	0.24%	15.70%	1.31%	14.13%	15.31%	100%	3,828
White	TOTAL	29.69%	0.29%	16.38%	1.02%	38.71%	13.91%	100%	7,522	
	Diabetes	26.77%	0.10%	15.20%	0.76%	36.08%	21.10%	100%	3,157	
	Not Diabetes	31.80%	0.44%	17.23%	1.21%	40.62%	8.71%	100%	4,365	

(CONTINUED)

Includes patients receiving their first ESRD service in the indicated 3-year period.
Modality classification is described in notes at beginning of this Section. Age computed as of First ESRD Service.
The coding of race changed in 1982 (see Chapter XIII). Comparisons by race across years must be treated with caution.
* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.11 (Continued)
Modality at 2 Years after First ESRD Service
by Age, Sex, Race, and Diabetic/Non-diabetic

Year of first service = 92 - 94
AND Age at first service 45-64

Table with columns for demographic groups (All, Native Amer., Asian, Black, White, Male, Female) and modality types (Center, Home, CAPD, dialysis, Transplant, Death, Total). Rows include Diabetes and Not Diabetes percentages for each group.

(CONTINUED)

Includes patients receiving their first ESRD service in the indicated 3-year period.
Modality classification is described in notes at beginning of this Section. Age computed as of First ESRD Service.
The coding of race changed in 1982 (see Chapter XIII). Comparisons by race across years must be treated with caution.
* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.12
 Living ESRD Patients on December 31 for Selected Years
 by Year End Treatment Modality and Years Patient Has Had ESRD

Patients living on December 31, 1989

Yearend	Dialysis Type												
	Modality	Functioning Tx		Diagnosis		Hemo		Self Home		CAPD	CCPD	Peri.	Other in Transpl.
Counts													
Total	155,536	113,104	42,432	113,104	92,403	979	2,073	14,644	1,050	361	1,594	0	
Years of ESRD													
0	38,992	36,697	2,295	36,697	29,671	107	225	5,386	325	125	858	0	
1	26,822	22,728	4,094	22,728	18,406	167	282	3,274	243	97	259	0	
2	18,314	13,610	4,704	13,610	11,176	108	212	1,817	156	44	97	0	
3	13,997	9,196	4,801	9,196	7,664	99	165	1,101	84	31	52	0	
4	10,987	6,655	4,332	6,655	5,537	84	117	788	61	20	48	0	
5	8,923	5,007	3,916	5,007	4,214	57	109	526	35	12	54	0	
6	7,490	4,047	3,443	4,047	3,370	61	115	408	36	12	45	0	
7	6,471	3,199	3,272	3,199	2,623	56	97	330	37	*	49	0	
8	5,417	2,700	2,717	2,700	2,251	53	100	243	21	*	30	0	
9	3,827	1,942	1,885	1,942	1,608	40	98	161	13	*	19	0	
10	3,441	1,703	1,738	1,703	1,388	23	109	144	12	*	24	0	
11	2,852	1,390	1,462	1,390	1,126	30	95	119	*	*	13	0	
12	3,973	2,234	1,739	2,234	1,822	42	190	149	*	*	20	0	
13	1,067	520	547	520	414	14	33	49	*	*	0	0	
14	1,006	544	462	544	423	13	42	53	*	*	0	0	
15	805	444	361	444	341	14	46	35	*	*	0	0	
16	668	359	309	359	280	10	28	37	*	*	0	0	
17	97	40	57	40	28	*	*	*	*	*	0	0	
18	97	35	62	35	24	*	*	*	*	*	0	0	
19	55	19	36	19	11	*	*	*	*	*	0	0	
20	138	16	122	16	13	*	*	*	*	*	0	0	
21	44	10	34	10	*	*	*	*	*	*	0	0	
22	*	*	*	0	*	*	*	*	*	*	0	0	
23	*	*	*	*	*	*	*	*	*	*	0	0	
24	42	*	35	*	*	*	*	*	*	*	0	0	
26	*	*	*	0	*	*	*	*	*	*	0	0	

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Years patient has had ESRD are tabulated as full years and should be interpreted as x <= years < x+1. Thus 0 should be read as less than 1 year; 1 as at least 1 year but less than 2; 2 as at least 2 years but less than 3. * indicates table cell contains fewer than 10 cases and is suppressed.

Table C.12 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Year End Treatment Modality and Years Patient Has Had ESRD

Patients living on December 31, 1993

Yearend	Dialysis Type											
	Modality	Center		Home	CAPD	CCPD	Other	Uncerta	Transpl	%		
Counts	Functioning Tx	Dialysis	Hemo	Hemo	Hemo	CAPD	CCPD	Peri	Dialysis	ant	%	
Total	226,512	163,430	63,082	163,430	135,376	74	305	21,255	3,495	261	2,664	0
Years of ESRD												
0	52,242	49,665	2,577	49,665	39,797	*	58	7,206	945	79	1,571	0
1	40,129	35,268	4,861	35,268	28,533	13	61	5,165	893	78	525	0
2	27,425	21,336	6,089	21,336	17,624	*	38	2,980	553	41	96	0
3	20,840	14,515	6,325	14,515	12,307	*	21	1,728	342	17	94	0
4	16,614	10,402	6,212	10,402	9,055	*	19	1,061	190	*	63	0
5	12,601	7,167	5,434	7,167	6,223	*	11	744	133	12	41	0
6	9,862	5,073	4,789	5,073	4,380	*	14	512	113	*	46	0
7	8,199	3,838	4,361	3,838	3,313	*	13	395	67	*	42	0
8	6,727	3,004	3,723	3,004	2,628	*	11	286	35	*	35	0
9	5,721	2,417	3,304	2,417	2,109	*	*	221	48	*	24	0
10	4,908	2,024	2,884	2,024	1,749	*	*	189	37	*	38	0
11	4,444	1,728	2,716	1,728	1,495	*	*	168	31	*	24	0
12	3,751	1,443	2,308	1,443	1,296	*	*	112	21	*	11	0
13	2,697	1,072	1,625	1,072	934	*	*	93	23	*	12	0
14	2,457	999	1,458	999	892	*	*	81	15	*	*	0
15	2,088	828	1,260	828	731	*	*	70	12	*	*	0
16	2,826	1,321	1,505	1,321	1,191	*	12	89	17	*	*	0
17	793	337	456	337	294	*	*	31	*	*	*	0
18	744	354	390	354	297	*	*	43	*	*	*	0
19	590	268	322	268	236	*	*	23	*	*	*	0
20	487	220	267	220	181	*	*	27	*	*	*	0
21	81	30	51	30	24	*	*	*	*	*	*	0
22	66	22	44	22	18	*	*	*	*	*	*	0
23	43	11	32	11	*	*	*	*	*	*	*	0
24	108	60	48	60	46	*	*	12	*	*	*	0
25	32	*	24	*	*	*	*	*	*	*	*	0
26	*	*	*	*	*	*	*	*	*	*	*	0
27	*	*	*	*	*	*	*	*	*	*	*	0
28	29	18	11	18	12	*	*	*	*	*	*	0
30	*	*	0	*	*	*	*	*	*	*	*	0

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Years patient has had ESRD are tabulated as full years and should be interpreted as x <= years < x+1. Thus 0 should be read as less than 1 year; 1 as at least 1 year but less than 2; 2 as at least 2 years but less than 3. * indicates table cell contains fewer than 10 cases and is suppressed.

Table C.12 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Year End Treatment Modality and Years Patient Has Had ESRD

Patients living on December 31, 1997

Yearend	Dialysis Type											
	Modality	Center										Uncerta-
Counts	Function-	Center	Home	Home	Home	CAPD	CCPD	Peri.	Dialysis	ant	Transpl-	%
Total	Dialysis	ning Tx	Dialysis	Hemo	Hemo	Hemo	CAPD	CCPD	Peri.	Dialysis	ant	%
0	69,303	66,521	2,782	66,521	57,405	52	318	5,286	2,669	80	711	0
1	53,776	48,391	5,385	48,391	41,135	51	478	4,104	2,373	74	176	0
2	35,726	28,367	7,359	28,367	24,140	56	160	2,244	1,640	30	97	0
3	28,017	20,199	7,818	20,199	17,581	38	120	1,503	889	14	54	0
4	21,657	14,082	7,575	14,082	12,443	26	88	938	528	*	54	0
5	17,640	10,150	7,490	10,150	9,004	25	71	657	355	*	32	0
6	13,999	7,423	6,576	7,423	6,551	13	62	480	287	*	28	0
7	11,342	5,378	5,964	5,378	4,781	12	53	316	186	*	28	0
8	9,442	4,082	5,360	4,082	3,653	12	28	234	128	*	25	0
9	7,705	3,224	4,481	3,224	2,864	12	26	183	113	*	24	0
10	6,258	2,320	3,938	2,320	2,043	11	24	132	96	*	12	0
11	5,452	1,924	3,528	1,924	1,687	13	25	123	65	*	*	0
12	4,621	1,652	2,969	1,652	1,449	*	30	98	57	*	*	0
13	3,999	1,387	2,612	1,387	1,216	*	23	79	56	*	*	0
14	3,505	1,199	2,306	1,199	1,039	*	16	85	37	*	16	0
15	3,218	1,069	2,149	1,069	916	*	30	63	46	*	*	0
16	2,720	846	1,874	846	746	*	21	46	22	*	*	0
17	2,021	670	1,351	670	567	*	19	47	26	*	*	0
18	1,836	615	1,221	615	519	*	27	33	29	*	*	0
19	1,577	505	1,072	505	420	*	33	27	16	*	*	0
20	1,980	729	1,251	729	630	*	37	32	15	*	*	0
21	584	208	376	208	181	*	*	14	*	*	*	0
22	560	247	313	247	202	*	*	20	10	*	*	0
23	441	171	270	171	128	*	15	11	*	*	*	0
24	354	138	216	138	115	*	*	*	*	*	*	0
25	57	24	33	24	19	*	*	*	*	*	*	0
26	45	19	26	19	13	*	*	*	*	*	*	0
27	28	*	19	*	*	*	*	*	*	*	*	0
28	61	32	29	32	28	*	*	*	*	*	*	0
29	26	*	19	*	*	*	*	*	*	*	*	0

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Years patient has had ESRD are tabulated as full years and should be interpreted as x <= years < x+1. Thus 0 should be read as less than 1 year; 1 as at least 1 year but less than 2; 2 as at least 2 years but less than 3. * indicates table cell contains fewer than 10 cases and is suppressed.

Table C.13
 Living ESRD Patients on December 31 for Selected Years
 by Year End Treatment Modality and Years Patient Has Been on that Modality

Patients living on December 31, 1989

Yearend	Dialysis Type												
	Modality	Functioning Tx		Diagnosis		Hemo		Self Home		CAPD		Other	Uncertain
Counts													
Total	155,536	113,104	42,432	113,104	92,403	979	2,073	14,644	1,050	361	1,594	0	
Years of ESRD													
0	55,316	47,961	7,355	47,961	36,051	444	1,175	7,798	778	251	1,464	0	
1	32,179	25,790	6,389	25,790	21,301	263	399	3,457	163	78	129	0	
2	19,524	13,776	5,748	13,776	11,694	142	180	1,660	80	19	*	0	
3	13,598	8,274	5,324	8,274	7,318	61	95	773	19	*		0	
4	9,554	5,499	4,055	5,499	4,848	39	93	506	*	*		0	
5	6,754	3,519	3,235	3,519	3,136	20	86	275	*	*		0	
6	5,101	2,592	2,509	2,592	2,415	*	39	134				0	
7	3,566	1,566	2,000	1,566	1,522	*	*	37				0	
8	2,764	1,234	1,530	1,234	1,228	*	*	*				0	
9	1,944	785	1,159	785	783	*						0	
10	1,602	584	1,018	584	584							0	
11	1,260	426	834	426	425	*						0	
12	1,458	829	629	829	829							0	
13	216	110	106	110	110							0	
14	245	136	109	136	136							0	
15	118	23	95	23	23							0	
16	70		70	0								0	
17	37		37	0								0	
18	42		42	0								0	
19	20		20	0								0	
20	112		112	0								0	
21	16		16	0								0	
22	*		*	0								0	
24	34		34	0								0	
26	*		*	0								0	

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Years patient has been on modality are tabulated as full years and should be interpreted as x <= years < x+1. Thus 0 should be read as less than 1 year; 1 as at least 1 year but less than 2; 2 as at least 2 years but less than 3. * indicates table cell contains fewer than 10 cases and is suppressed.

Table C.13 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Year End Treatment Modality and Years Patient Has Been on that Modality

Patients living on December 31, 1993

Yearend	Dialysis Type												
	Modality	Center	Center	Center	Home	Home	Home	CAPD	CCPD	Peri.	Other	Uncerta-	Transpl-
Counts	Function-	Function-	Function-	Function-	Function-	Function-	Function-	Function-	Function-	Function-	Function-	Function-	Function-
Total	Dialysis	ning Tx	Dialysis	Hemo	Hemo	Hemo	CAPD	CCPD	Peri.	Dialysis	ant		
0	72,391	62,998	9,393	62,998	47,515	31	167	10,490	2,333	169	2,293		0
1	45,458	37,387	8,071	37,387	30,767	11	53	5,372	749	67	368		0
2	28,521	20,944	7,577	20,944	18,203	*	28	2,451	242	11	*		0
3	20,075	13,574	6,501	13,574	12,122	14	11	1,305	112	*	*		0
4	14,991	9,558	5,433	9,558	8,794	*	19	702	37	*	*		0
5	10,991	6,290	4,701	6,290	5,855	*	11	404	16	*	*		0
6	8,144	3,857	4,287	3,857	3,613	*	*	233	*	*	*		0
7	6,401	2,535	3,866	2,535	2,400	*	*	130	*	*	*		0
8	4,760	1,788	2,972	1,788	1,704	*	*	79	*	*	*		0
9	3,556	1,201	2,355	1,201	1,145	*	*	52	*	*	*		0
10	2,898	946	1,952	946	918	*	*	28	*	*	*		0
11	2,176	603	1,573	603	592	*	*	*	*	*	*		0
12	1,700	497	1,203	497	496	*	*	*	*	*	*		0
13	1,209	330	879	330	330	*	*	*	*	*	*		0
14	1,047	242	805	242	242	*	*	*	*	*	*		0
15	854	191	663	191	191	*	*	*	*	*	*		0
16	870	380	490	380	380	*	*	*	*	*	*		0
17	111	37	74	37	37	*	*	*	*	*	*		0
18	135	64	71	64	64	*	*	*	*	*	*		0
19	64	*	56	*	*	*	*	*	*	*	*		0
20	46		46	0		*	*	*	*	*	*		0
21	24		24	0		*	*	*	*	*	*		0
22	17		17	0		*	*	*	*	*	*		0
23	15		15	0		*	*	*	*	*	*		0
24	35		35	0		*	*	*	*	*	*		0
25	11		11	0		*	*	*	*	*	*		0
26	*		*	0		*	*	*	*	*	*		0
28	*		*	0		*	*	*	*	*	*		0
30	*		*	0		*	*	*	*	*	*		0

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Years patient has been on modality are tabulated as full years and should be interpreted as x <= years < x+1. Thus 0 should be read as less than 1 year; 1 as at least 1 year but less than 2; 2 as at least 2 years but less than 3. * indicates table cell contains fewer than 10 cases and is suppressed.

Table C.13 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Year End Treatment Modality and Years Patient Has Been on that Modality

Patients living on December 31, 1997

Yearend	Dialysis Type											
	Modality	Functioning Tx	Dialysis	Hemo	Center	Self	Home	CAPD	CCPD	Peri.	Other in Transpl.	Uncerta.
Total	307,950	221,588	86,362	221,588	191,488	395	1,729	16,770	9,667	227	1,312	0
Years of ESRD												
0	91,769	80,600	11,169	80,600	65,344	144	801	7,572	5,383	127	1,229	0
1	63,622	53,230	10,392	53,230	45,077	91	577	4,526	2,796	80	83	0
2	38,087	28,533	9,554	28,533	25,178	131	280	1,942	989	13		0
3	27,057	18,703	8,354	18,703	17,248	24	47	1,107	271	*		0
4	19,742	12,532	7,210	12,532	11,752		10	636	133	*		0
5	14,531	8,410	6,121	8,410	7,984		*	382	43			0
6	11,347	5,740	5,607	5,740	5,500		*	207	30			0
7	8,740	3,969	4,771	3,969	3,786		*	166	14			0
8	6,897	2,932	3,965	2,932	2,824		*	98	*			0
9	5,486	2,106	3,380	2,106	2,047		*	57	*			0
10	4,421	1,349	3,072	1,349	1,325		*	22				0
11	3,743	957	2,786	957	930			26	*			0
12	2,814	679	2,135	679	666		*	11				0
13	2,188	457	1,731	457	447		*	*				0
14	1,875	396	1,479	396	389		*	*				0
15	1,474	248	1,226	248	244		*	*				0
16	1,159	199	960	199	199							0
17	865	151	714	151	151							0
18	752	106	646	106	106							0
19	619	82	537	82	82							0
20	541	158	383	158	158							0
21	55	18	37	18	18							0
22	76	29	47	29	29							0
23	43	*	39	*	*							0
24	23		23	0								0
25	10		10	0								0
26	*		*	0								0
27	*		*	0								0
28	*		*	0								0
29	*		*	0								0

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Years patient has been on modality are tabulated as full years and should be interpreted as x <= years < x+1. Thus 0 should be read as less than 1 year; 1 as at least 1 year but less than 2; 2 as at least 2 years but less than 3. * indicates table cell contains fewer than 10 cases and is suppressed.

Table C.14
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1989

AND TOTAL

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
Alabama	3,211	2,082	*	347	23	757
Alaska	151	59	*	*	*	76
Arizona	2,177	1,308	*	230	27	605
Arkansas	1,320	785	14	170	13	338
California	16,951	10,822	62	1,148	194	4,725
Colorado	1,463	765	19	135	18	526
Connecticut	1,956	1,040	14	297	27	578
Delaware	464	307		55	*	98
District of Columbia	921	740		21	10	150
Florida	8,237	5,531	43	664	89	1,910
Georgia	4,731	3,063	30	500	50	1,088
Hawaii	825	610	*	44	*	162
Idaho	412	187	13	45	*	159
Illinois	7,398	4,338	74	594	72	2,320
Indiana	3,208	1,580	72	572	34	950
Iowa	1,473	652	42	215	18	546
Kansas	1,242	597	35	230	26	354
Kentucky	1,942	1,002	27	278	22	613
Louisiana	3,284	2,389	31	265	20	579
Maine	525	247	*	41	*	226
Maryland	3,174	2,026	15	327	49	757
Massachusetts	3,294	1,865	51	309	34	1,035
Michigan	5,575	2,954	29	916	108	1,568
Minnesota	2,312	1,123	42	88	14	1,045
Mississippi	2,037	1,450	83	183	26	295
Missouri	3,175	1,692	41	424	40	978
Montana	385	142	24	70	*	141
Nebraska	786	294	*	200	11	275
Nevada	580	305	31	62	*	175
New Hampshire	484	230	*	55	*	196
New Jersey	5,204	3,301	66	671	143	1,023
New Mexico	898	522	*	95	*	272
New York	11,626	7,545	231	1,297	138	2,415
North Carolina	4,520	2,748	92	610	70	1,000
North Dakota	335	146	*	23	*	159
Ohio	6,597	3,520	31	777	77	2,192
Oklahoma	1,593	803	*	281	36	466
Oregon	1,419	570	47	266	22	514
Pennsylvania	7,992	4,852	69	690	80	2,301
Rhode Island	599	393	*	47	*	152
South Carolina	2,799	2,050	30	193	25	501
South Dakota	377	158	38	22		159
Tennessee	3,187	1,947	71	345	39	785
Texas	10,602	6,876	105	783	124	2,714
Utah	745	324	11	33	10	367
Vermont	239	107	*	36	*	86
Virginia	4,064	2,662	67	356	32	947
Washington	2,354	1,156	289	94	61	754
West Virginia	1,012	536	*	109	26	334
Wisconsin	2,825	1,167	34	301	30	1,293
Wyoming	184	48	24	35	*	73
Other non-U.S.	123	100		*	*	12

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.14 shows changes over a 9 year period.

Table C.15 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1989

AND TOTAL

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
Puerto Rico	1,823	1,358	13	116	13	323
Unknown State	726	308	*	12	38	365
TOTAL	155,536	93,382	2,073	15,694	1,955	42,432

Patients Alive on December 31, 1989

AND Age on Dec 31 Under 65

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
Alabama	2,342	1,289	*	284	19	748
Alaska	131	42	*	*	*	76
Arizona	1,511	730	*	173	17	586
Arkansas	972	480	13	137	*	334
California	11,775	6,189	56	875	123	4,532
Colorado	1,131	488	12	99	15	517
Connecticut	1,300	523	11	192	16	558
Delaware	329	187		43	*	96
District of Columbia	629	457		19	*	147
Florida	5,336	2,960	33	481	52	1,810
Georgia	3,508	1,984	25	406	34	1,059
Hawaii	587	391	*	31	*	159
Idaho	303	110	*	30	*	147
Illinois	5,277	2,545	53	417	46	2,216
Indiana	2,308	875	54	408	27	944
Iowa	1,051	354	26	122	12	537
Kansas	867	314	31	156	18	348
Kentucky	1,495	635	26	210	14	610
Louisiana	2,283	1,458	22	215	17	571
Maine	397	141	*	27	*	221
Maryland	2,386	1,338	15	252	36	745
Massachusetts	2,202	939	41	195	26	1,001
Michigan	4,037	1,767	20	662	78	1,510
Minnesota	1,655	578	19	53	*	996
Mississippi	1,454	918	80	142	20	294
Missouri	2,219	919	24	302	29	945
Montana	280	80	16	41	*	137
Nebraska	602	182	*	135	*	275
Nevada	407	169	19	50	*	166
New Hampshire	341	113		37	*	189
New Jersey	3,639	2,042	58	464	79	996
New Mexico	664	327	*	72	*	258
New York	8,171	4,586	200	965	78	2,342
North Carolina	3,373	1,799	77	457	56	984
North Dakota	241	77	*	15	*	146
Ohio	4,643	1,931	21	522	55	2,114
Oklahoma	1,184	484	*	215	26	453
Oregon	1,046	321	31	181	15	498
Pennsylvania	5,294	2,519	50	468	44	2,213
Rhode Island	400	213	*	35		148

(CONTINUED)

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.14 shows changes over a 9 year period.

Table C.15 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1989
 AND Age on Dec 31 Under 65

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
South Carolina	1,970	1,283	26	150	20	491
South Dakota	278	86	28	16		148
Tennessee	2,316	1,197	60	249	32	778
Texas	7,856	4,445	88	601	83	2,639
Utah	587	203	10	26	*	340
Vermont	175	64	*	21	*	84
Virginia	2,893	1,638	53	276	20	906
Washington	1,714	695	188	56	46	729
West Virginia	716	288	*	81	15	326
Wisconsin	2,042	574	29	182	15	1,242
Wyoming	141	32	12	23	*	72
Other non-U.S.	104	84		*	*	12
Puerto Rico	1,366	921	12	104	10	319
Unknown State	470	75	*	*	30	359
TOTAL	110,398	55,039	1,598	11,389	1,301	41,071

Patients Alive on December 31, 1989
 AND Age on Dec 31 65 and over

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
Alabama	869	793		63	*	*
Alaska	20	17		*		
Arizona	666	578	*	57	10	19
Arkansas	348	305	*	33	*	*
California	5,176	4,633	*	273	71	193
Colorado	332	277	*	36	*	*
Connecticut	656	517	*	105	11	20
Delaware	135	120		12	*	*
District of Columbia	292	283		*	*	*
Florida	2,901	2,571	10	183	37	100
Georgia	1,223	1,079	*	94	16	29
Hawaii	238	219		13	*	*
Idaho	109	77	*	15	*	12
Illinois	2,121	1,793	21	177	26	104
Indiana	900	705	18	164	*	*
Iowa	422	298	16	93	*	*
Kansas	375	283	*	74	*	*
Kentucky	447	367	*	68	*	*
Louisiana	1,001	931	*	50	*	*
Maine	128	106		14	*	*
Maryland	788	688		75	13	12
Massachusetts	1,092	926	10	114	*	34
Michigan	1,538	1,187	*	254	30	58
Minnesota	657	545	23	35	*	49
Mississippi	583	532	*	41	*	*
Missouri	956	773	17	122	11	33
Montana	105	62	*	29	*	*
Nebraska	184	112		65	*	*

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.
 All ESRD Patients except those who are lost to followup on December 31 are included.
 Note: Table C.14 shows changes over a 9 year period.
 Table C.15 pools data for the past 3 years in order to show greater detail.
 * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1989
 AND Age on Dec 31 65 and over

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	0th/Unk dialysis	Transplant
Nevada	173	136	12	12	*	*
New Hampshire	143	117	*	18		*
New Jersey	1,565	1,259	*	207	64	27
New Mexico	234	195		23	*	14
New York	3,455	2,959	31	332	60	73
North Carolina	1,147	949	15	153	14	16
North Dakota	94	69	*	*		13
Ohio	1,954	1,589	10	255	22	78
Oklahoma	409	319	*	66	10	13
Oregon	373	249	16	85	*	16
Pennsylvania	2,698	2,333	19	222	36	88
Rhode Island	199	180	*	12	*	*
South Carolina	829	767	*	43	*	10
South Dakota	99	72	10	*		11
Tennessee	871	750	11	96	*	*
Texas	2,746	2,431	17	182	41	75
Utah	158	121	*	*	*	27
Vermont	64	43	*	15	*	*
Virginia	1,171	1,024	14	80	12	41
Washington	640	461	101	38	15	25
West Virginia	296	248	*	28	11	*
Wisconsin	783	593	*	119	15	51
Wyoming	43	16	12	12	*	*
Other non-U.S.	19	16		*	*	
Puerto Rico	457	437	*	12	*	*
Unknown State	256	233	*	*	*	*
TOTAL	45,138	38,343	475	4,305	654	1,361

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included.
 Note: Table C.14 shows changes over a 9 year period.
 Table C.15 pools data for the past 3 years in order to show greater detail.
 * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 By Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1993
 AND TOTAL

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	0th/Unk dialysis	Transplant
Alabama	4,502	2,841		441	43	1,177
Alaska	248	106		27	*	111
Arizona	3,334	2,156	*	340	49	787
Arkansas	1,947	1,118	*	257	29	541
California	23,975	14,465	19	2,257	295	6,939
Colorado	2,191	1,133	*	237	31	789
Connecticut	2,722	1,319	14	555	31	803
Delaware	721	448		94	*	171
District of Columbia	1,340	1,079		44	20	197
Florida	12,295	8,189	*	1,072	134	2,896
Georgia	7,256	4,869	*	744	61	1,581
Hawaii	1,185	874		61	*	242
Idaho	609	246	*	103	*	250
Illinois	10,717	6,398	*	1,065	140	3,108
Indiana	4,661	2,445	*	795	32	1,388
Iowa	2,087	978	28	266	22	793
Kansas	1,768	914	*	316	13	524
Kentucky	2,907	1,524		367	28	988
Louisiana	4,756	3,325		477	70	884
Maine	734	353		62	*	316
Maryland	4,918	3,080	18	474	56	1,290
Massachusetts	4,631	2,713		394	75	1,449
Michigan	8,279	4,412	*	1,284	124	2,457
Minnesota	3,278	1,559	*	179	46	1,493
Mississippi	3,015	2,313	*	218	28	453
Missouri	4,578	2,542	*	611	45	1,375
Montana	545	252		70	*	216
Nebraska	1,148	404	*	287	11	444
Nevada	889	440	*	106	15	321
New Hampshire	635	292		79	12	252
New Jersey	7,428	4,621	10	1,024	186	1,587
New Mexico	1,352	761		224	14	353
New York	16,294	10,458	19	2,028	231	3,558
North Carolina	7,046	4,443	11	1,098	115	1,379
North Dakota	501	235		39	*	224
Ohio	9,358	4,981	*	1,096	123	3,155
Oklahoma	2,387	1,342	*	294	26	721
Oregon	2,002	943	*	314	26	718
Pennsylvania	11,047	6,656	*	922	173	3,295
Rhode Island	808	523		61	10	214
South Carolina	4,091	2,801	*	396	37	855
South Dakota	511	285	*	29	*	189
Tennessee	4,549	2,837	14	408	40	1,250
Texas	16,295	10,780	18	1,327	163	4,007
Utah	1,057	431		46	19	561
Vermont	321	130		46	*	137
Virginia	6,042	3,835	*	694	64	1,440
Washington	3,270	1,677	72	251	68	1,202
West Virginia	1,390	638	*	238	17	495
Wisconsin	4,040	1,704	12	466	43	1,815
Wyoming	229	77		41	*	108
Other non-U.S.	225	165		38	*	21

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Note: Table C.14 shows changes over a 9 year period.

Table C.15 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1993
 AND TOTAL

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
Puerto Rico	2,586	1,793		341	29	423
Unknown State	1,812	547	*	47	70	1,140
TOTAL	226,512	135,450	305	24,750	2,925	63,082

Patients Alive on December 31, 1993
 AND Age on Dec 31 Under 65

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
Alabama	3,150	1,649		318	36	1,147
Alaska	217	83		23	*	108
Arizona	2,205	1,208	*	234	38	724
Arkansas	1,360	635	*	171	25	527
California	15,835	7,512	17	1,668	210	6,428
Colorado	1,593	644	*	169	25	754
Connecticut	1,727	631	*	323	18	746
Delaware	500	250		77	*	166
District of Columbia	844	605		38	18	183
Florida	7,542	4,069	*	739	96	2,634
Georgia	5,101	2,984		568	55	1,494
Hawaii	803	521		50	*	224
Idaho	425	129	*	67	*	221
Illinois	7,152	3,378	*	714	111	2,944
Indiana	3,128	1,208	*	549	26	1,344
Iowa	1,371	450	*	156	15	745
Kansas	1,163	451	*	192	12	507
Kentucky	2,048	822		251	19	956
Louisiana	3,210	1,940		358	63	849
Maine	490	152		36	*	299
Maryland	3,400	1,779	11	334	45	1,231
Massachusetts	2,830	1,197		220	62	1,351
Michigan	5,619	2,375		839	98	2,307
Minnesota	2,171	654		99	35	1,383
Mississippi	2,092	1,452	*	166	22	449
Missouri	2,981	1,270	*	384	37	1,289
Montana	387	136		44	*	203
Nebraska	823	229	*	148	11	434
Nevada	633	243	*	84	12	290
New Hampshire	436	140		51	*	236
New Jersey	4,866	2,516	*	677	145	1,521
New Mexico	931	420		170	14	327
New York	10,724	5,794	14	1,398	161	3,357
North Carolina	4,977	2,724	10	826	92	1,325
North Dakota	324	99		19	*	204
Ohio	6,312	2,572	*	702	98	2,937
Oklahoma	1,681	758	*	211	19	690
Oregon	1,377	488	*	191	21	676
Pennsylvania	6,964	3,188	*	621	133	3,021
Rhode Island	448	202		40	*	199

(CONTINUED)

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Note: Table C.14 shows changes over a 9 year period. Table C.15 pools data for the past 3 years in order to show greater detail. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1993

AND Age on Dec 31 Under 65

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
South Carolina	2,858	1,703	*	300	34	819
South Dakota	342	144		20	*	172
Tennessee	3,219	1,669	11	298	32	1,209
Texas	11,404	6,518	10	931	130	3,815
Utah	826	266		33	17	510
Vermont	232	69		27	*	130
Virginia	4,043	2,144	*	497	49	1,350
Washington	2,369	967	40	173	53	1,136
West Virginia	933	310	*	161	10	451
Wisconsin	2,829	839	11	256	37	1,686
Wyoming	176	46		24	*	104
Other non-U.S.	173	121		31		21
Puerto Rico	1,866	1,158		273	25	410
Unknown State	1,469	269	*	22	54	1,121
TOTAL	152,579	73,780	187	16,971	2,277	59,364

Patients Alive on December 31, 1993

AND Age on Dec 31 65 and over

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
Alabama	1,352	1,192		123	*	30
Alaska	31	23		*	*	*
Arizona	1,129	948	*	106	11	63
Arkansas	587	483		86	*	14
California	8,140	6,953	*	589	85	511
Colorado	598	489		68	*	35
Connecticut	995	688	*	232	13	57
Delaware	221	198		17	*	*
District of Columbia	496	474		*	*	14
Florida	4,753	4,120		333	38	262
Georgia	2,155	1,885	*	176	*	87
Hawaii	382	353		11		18
Idaho	184	117		36	*	29
Illinois	3,565	3,020	*	351	29	164
Indiana	1,533	1,237		246	*	44
Iowa	716	528	23	110	*	48
Kansas	605	463		124	*	17
Kentucky	859	702		116	*	32
Louisiana	1,546	1,385		119	*	35
Maine	244	201		26		17
Maryland	1,518	1,301	*	140	11	59
Massachusetts	1,801	1,516		174	13	98
Michigan	2,660	2,037	*	445	26	150
Minnesota	1,107	905	*	80	11	110
Mississippi	923	861		52	*	*
Missouri	1,597	1,272	*	227	*	86
Montana	158	116		26	*	13
Nebraska	325	175	*	139		10

(CONTINUED)

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.14 shows changes over a 9 year period.

Table C.15 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1993
 AND Age on Dec 31 65 and over

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	0th/Unk dialysis	Transplant
Nevada	256	197	*	22	*	31
New Hampshire	199	152	*	28	*	16
New Jersey	2,562	2,105	*	347	41	66
New Mexico	421	341	*	54	*	26
New York	5,570	4,664	*	630	70	201
North Carolina	2,069	1,719	*	272	23	54
North Dakota	177	136	*	20	*	20
Ohio	3,046	2,409	*	394	25	218
Oklahoma	706	584	*	83	*	31
Oregon	625	455	*	123	*	42
Pennsylvania	4,083	3,468	*	301	40	274
Rhode Island	360	321	*	21	*	15
South Carolina	1,233	1,098	*	96	*	36
South Dakota	169	141	*	*	*	17
Tennessee	1,330	1,168	*	110	*	41
Texas	4,891	4,262	*	396	33	192
Utah	231	165	*	13	*	51
Vermont	89	61	*	19	*	*
Virginia	1,999	1,691	*	197	15	90
Washington	901	710	32	78	15	66
West Virginia	457	328	*	77	*	44
Wisconsin	1,211	865	*	210	*	129
Wyoming	53	31	*	17	*	*
Other non-U.S.	52	44	*	*	*	*
Puerto Rico	720	635	*	68	*	13
Unknown State	343	278	*	25	16	19
TOTAL	73,933	61,670	118	7,779	648	3,718

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Note: Table C.14 shows changes over a 9 year period. Table C.15 pools data for the past 3 years in order to show greater detail. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1997
 AND TOTAL

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
Alabama	6,308	4,127	16	570	16	1,579
Alaska	378	155	*	41		180
Arizona	4,618	3,074	45	353	21	1,125
Arkansas	2,837	1,764	*	264	13	788
California	32,077	19,981	27	2,696	115	9,258
Colorado	2,914	1,557	11	252	*	1,085
Connecticut	3,590	2,009	*	559	20	994
Delaware	964	600	*	75	*	284
District of Columbia	1,593	1,295	*	46	*	240
Florida	16,725	11,000	331	1,142	103	4,149
Georgia	10,208	7,168	97	812	44	2,087
Hawaii	1,588	1,177	*	92	*	316
Idaho	878	388	*	127	*	353
Illinois	14,123	8,518	106	1,090	63	4,346
Indiana	6,144	3,472	17	804	24	1,827
Iowa	2,587	1,246	26	232	*	1,074
Kansas	2,383	1,339	16	338	14	676
Kentucky	3,762	2,094	*	304	39	1,320
Louisiana	6,573	4,832	21	416	*	1,296
Maine	1,017	599		74	*	343
Maryland	6,992	4,441	46	578	24	1,903
Massachusetts	5,947	3,519	41	425	18	1,944
Michigan	11,378	6,666	26	1,227	51	3,408
Minnesota	4,405	2,109	*	193	15	2,086
Mississippi	4,241	3,226	39	276	18	682
Missouri	6,084	3,512	41	672	23	1,836
Montana	739	369	*	53		313
Nebraska	1,577	665	*	321	17	571
Nevada	1,352	765	*	116	*	459
New Hampshire	787	370	*	100	*	311
New Jersey	9,778	6,359	73	920	98	2,328
New Mexico	1,973	1,207	*	246	10	505
New York	21,206	14,321	107	1,766	141	4,871
North Carolina	9,913	6,729	35	1,081	80	1,988
North Dakota	586	275		41	*	267
Ohio	12,540	7,010	54	1,348	58	4,070
Oklahoma	3,333	2,027	*	333	10	956
Oregon	2,594	1,239	48	306	10	991
Pennsylvania	14,628	9,243	57	863	88	4,377
Rhode Island	1,021	634		68	*	316
South Carolina	5,756	4,011	30	479	13	1,223
South Dakota	754	435	*	72	*	244
Tennessee	6,369	4,170	29	456	46	1,668
Texas	22,621	15,471	60	1,540	67	5,483
Utah	1,375	545	*	74	*	739
Vermont	482	226	*	48		204
Virginia	8,386	5,559	65	682	48	2,032
Washington	4,393	2,328	102	332	24	1,607
West Virginia	1,908	1,035	*	207	17	642
Wisconsin	5,382	2,422	26	489	18	2,427
Wyoming	325	144	10	37	*	129
Other non-U.S.	402	345		25	*	31

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.14 shows changes over a 9 year period.

Table C.15 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1997

AND TOTAL

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
Puerto Rico	3,434	2,280	*	607	38	500
Unknown State	4,039	1,837	24	171	67	1,940
TOTAL	307,967	191,889	1,729	26,439	1,539	86,371

Patients Alive on December 31, 1997

AND Age on Dec 31 Under 65

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk	Transplant
Alabama	4,243	2,287	10	422	11	1,513
Alaska	298	97	*	29		171
Arizona	3,048	1,726	26	272	10	1,014
Arkansas	1,942	1,009	*	180	*	742
California	21,284	10,823	21	1,977	52	8,411
Colorado	2,091	896	*	175	*	1,005
Connecticut	2,128	881	*	348	*	888
Delaware	647	326	*	54	*	265
District of Columbia	1,054	791	*	39	*	216
Florida	10,154	5,543	183	791	38	3,599
Georgia	7,066	4,388	73	650	22	1,933
Hawaii	1,030	658	*	77	*	292
Idaho	594	190	*	83	*	313
Illinois	9,313	4,477	34	728	24	4,050
Indiana	3,973	1,719	10	530	12	1,702
Iowa	1,675	562	16	130	*	965
Kansas	1,548	667	10	228	*	638
Kentucky	2,600	1,132	*	216	20	1,228
Louisiana	4,390	2,853	10	308	*	1,218
Maine	646	286		41		319
Maryland	4,721	2,508	30	404	19	1,760
Massachusetts	3,564	1,495	25	270	*	1,767
Michigan	7,437	3,431	15	818	22	3,151
Minnesota	2,872	868	*	118	*	1,875
Mississippi	2,896	1,985	35	211	12	653
Missouri	3,876	1,759	20	433	10	1,654
Montana	506	182	*	31		289
Nebraska	1,060	335	*	174	*	542
Nevada	925	432	*	81	*	406
New Hampshire	526	169	*	75		279
New Jersey	6,051	3,207	46	597	54	2,147
New Mexico	1,342	695	*	187	*	451
New York	13,655	7,756	64	1,261	80	4,494
North Carolina	6,668	3,902	26	817	55	1,868
North Dakota	405	137		24	*	243
Ohio	8,105	3,508	25	881	29	3,662
Oklahoma	2,271	1,139	*	234	*	890
Oregon	1,813	660	26	217	*	905
Pennsylvania	8,880	4,336	36	592	38	3,878
Rhode Island	596	262		46	*	286

(CONTINUED)

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.14 shows changes over a 9 year period.

Table C.15 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1997
 AND Age on Dec 31 Under 65

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
South Carolina	3,965	2,437	26	364	*	1,129
South Dakota	484	211	*	60		212
Tennessee	4,342	2,374	26	349	25	1,568
Texas	15,504	9,236	41	1,116	37	5,074
Utah	1,034	306	*	53	*	666
Vermont	328	97	*	37		191
Virginia	5,535	3,106	33	503	31	1,862
Washington	3,072	1,289	64	224	14	1,481
West Virginia	1,209	485	*	133	*	577
Wisconsin	3,575	1,121	19	249	10	2,176
Wyoming	244	87	*	28	*	121
Other non-U.S.	299	246		23		30
Puerto Rico	2,508	1,509	*	489	27	475
Unknown State	2,208	274		24	24	1,886
TOTAL	202,200	102,855	1,035	18,401	779	79,130

Patients Alive on December 31, 1997
 AND Age on Dec 31 65 and over

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	Oth/Unk dialysis	Transplant
Alabama	2,065	1,840	*	148	*	66
Alaska	80	58	*	12		*
Arizona	1,570	1,348	19	81	11	111
Arkansas	895	755	*	84	*	46
California	10,793	9,158	*	719	63	847
Colorado	823	661	*	77	*	80
Connecticut	1,462	1,128	*	211	13	106
Delaware	317	274	*	21	*	19
District of Columbia	539	504	*	*	*	24
Florida	6,571	5,457	148	351	65	550
Georgia	3,142	2,780	24	162	22	154
Hawaii	558	519		15		24
Idaho	284	198		44	*	40
Illinois	4,810	4,041	72	362	39	296
Indiana	2,171	1,753	*	274	12	125
Iowa	912	684	10	102	*	109
Kansas	835	672	*	110	*	38
Kentucky	1,162	962	*	88	19	92
Louisiana	2,183	1,979	11	108	*	78
Maine	371	313		33	*	24
Maryland	2,271	1,933	16	174	*	143
Massachusetts	2,383	2,024	16	155	11	177
Michigan	3,941	3,235	11	409	29	257
Minnesota	1,533	1,241		75	*	211
Mississippi	1,345	1,241	*	65	*	29
Missouri	2,208	1,753	21	239	13	182
Montana	233	187		22		24
Nebraska	517	330	*	147	10	29

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.
 All ESRD Patients except those who are lost to followup on December 31 are included.
 Note: Table C.14 shows changes over a 9 year period.
 Table C.15 pools data for the past 3 years in order to show greater detail.
 * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.14 (Continued)
 Living ESRD Patients on December 31 for Selected Years
 by Age, Treatment Modality, and State of Residence

Patients Alive on December 31, 1997
 AND Age on Dec 31 65 and over

State of Residence	Total	Center Hemo	Home Hemo	CAPD & CCPD	0th/Unk dialysis	Transplant
Nevada	427	333	*	35	*	53
New Hampshire	261	201	*	25	*	32
New Jersey	3,727	3,152	27	323	44	181
New Mexico	631	512	*	59	*	54
New York	7,551	6,565	43	505	61	377
North Carolina	3,245	2,827	*	264	25	120
North Dakota	181	138	*	17	*	24
Ohio	4,435	3,502	29	467	29	408
Oklahoma	1,062	888	*	99	*	66
Oregon	781	579	22	89	*	86
Pennsylvania	5,748	4,907	21	271	50	499
Rhode Island	425	372	*	22	*	30
South Carolina	1,791	1,574	*	115	*	94
South Dakota	270	224	*	12	*	32
Tennessee	2,027	1,796	*	107	21	100
Texas	7,117	6,235	19	424	30	409
Utah	341	239	*	21	*	73
Vermont	154	129	*	11	*	13
Virginia	2,851	2,453	32	179	17	170
Washington	1,321	1,039	38	108	10	126
West Virginia	699	550	*	74	*	65
Wisconsin	1,807	1,301	*	240	*	251
Wyoming	81	57	*	*	*	*
Other non-U.S.	103	99	*	*	*	*
Puerto Rico	926	771	*	118	11	25
Unknown State	1,831	1,563	24	147	43	54
TOTAL	105,767	89,034	694	8,038	760	7,241

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Note: Table C.14 shows changes over a 9 year period. Table C.15 pools data for the past 3 years in order to show greater detail. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.15
 Living Dialysis Patients on December 31
 by Age, Treatment Modality, and State of Residence
 for Three Years Ending 1997

TOTAL	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Diyalysis
Alabam	13,130	11,310		46	1,188	517	*	68
Alaska	1,047	883	*	*	123	19	*	*
Arizona	9,852	8,455	63	115	637	507		75
Arkansas	5,788	4,909		21	654	171	*	32
California	65,508	56,475	124	92	5,609	2,725	100	383
Colorado	5,168	4,355		32	448	294	*	35
Connecticut	7,359	5,548		19	1,050	664	*	73
Delaware	1,966	1,686		*	188	74	*	11
District of Columbia	3,914	3,683	*	30	119	38	*	34
Florida	35,386	30,486	42	933	2,109	1,417	15	384
Georgia	22,899	19,897		326	1,654	881	*	140
Hawaii	3,634	3,328	*	*	235	42		21
Idaho	1,401	998		14	266	108	*	14
Illinois	28,201	23,980	*	387	2,473	1,112	36	204
Indiana	12,184	9,493	*	70	2,050	459	17	93
Iowa	4,365	3,466		98	534	220		47
Kansas	4,716	3,630	*	41	784	224	*	35
Kentucky	6,932	5,781	*	19	666	339	46	80
Louisiana	14,760	13,252		61	833	565	*	48
Maine	1,854	1,598		11	134	105	*	*
Maryland	14,200	12,024	63	171	1,242	553	26	121
Massachusetts	11,555	9,998	11	120	786	550	*	83
Michigan	22,673	18,303	*	131	3,453	617	10	156
Minnesota	6,602	5,954		10	414	166		58
Mississippi	9,982	8,982	*	109	624	179	*	79
Missouri	12,029	9,793	*	147	1,322	677		89
Montana	1,213	1,020		*	142	32	*	10
Nebraska	2,790	1,802	*	11	831	105		40
Nevada	2,491	2,109		24	240	97		21
New Hampshire	1,388	1,031		11	214	116	*	14
New Jersey	21,540	17,738	134	208	2,011	1,127	107	215
New Mexico	4,042	3,206	*	10	512	250	40	23
New York	46,732	39,392	654	335	4,418	1,409	169	355
North Carolina	22,153	18,446	*	137	2,172	1,139	136	120
North Dakota	928	758	*	*	127	28		13
Ohio	24,034	19,287		188	3,202	1,134	29	194
Oklahoma	6,579	5,540	*	25	724	238	*	39
Oregon	4,644	3,486		135	736	238	*	48
Pennsylvania	29,611	26,170	58	219	1,969	895	22	278
Rhode Island	2,096	1,844		*	145	83		19
South Carolina	12,802	11,110	*	109	927	593	*	54
South Dakota	1,420	1,218		*	123	64		*
Tennessee	13,287	11,607	31	90	874	550	19	116
Texas	47,950	42,646	94	221	2,846	1,888	35	220
Utah	1,834	1,569		19	183	43	*	17
Vermont	740	564		14	120	36		*
Virginia	17,584	15,070	*	199	1,386	704	*	211
Washington	7,953	6,455	*	379	763	217	37	97
West Virginia	3,442	2,688	*	21	420	234	*	72
Wisconsin	8,444	6,758	*	89	1,062	447	*	85
Wyoming	539	382		28	82	32		15
Other non-U.S.	953	846	*		94	*		*

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.14 shows changes over a 9 year period.

Table C.15 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.15 (Continued)
 Living Dialysis Patients on December 31
 by Age, Treatment Modality, and State of Residence
 for Three Years Ending 1997

TOTAL

State of Residence	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Dialysis
Puerto Rico	8,266	6,372		30	1,136	623	36	69
Unknown State	5,283	4,644		48	292	112	30	157
TOTAL	627,843	532,025	1,348	5,588	57,346	25,661	984	4,891

Age on Dec 31 Under 65

State of Residence	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Dialysis
Alabama	7,737	6,409		33	887	365	*	42
Alaska	787	673	*	*	85	18	*	*
Arizona	5,716	4,674	58	70	499	374		41
Arkansas	3,368	2,788		15	421	122	*	21
California	36,914	30,279	96	73	4,138	2,049	76	203
Colorado	3,129	2,546		24	305	225	*	26
Connecticut	3,610	2,506		12	666	391	*	32
Delaware	1,132	920		*	146	52	*	*
District of Columbia	2,366	2,194	*	17	101	28	*	20
Florida	18,453	15,276	35	512	1,486	948	11	185
Georgia	14,488	12,104		261	1,332	702	*	88
Hawaii	2,187	1,946	*	*	194	28		13
Idaho	754	493		11	163	76	*	10
Illinois	15,481	12,747	*	136	1,697	760	27	106
Indiana	6,519	4,753		50	1,360	296	14	46
Iowa	2,073	1,567		55	297	135		19
Kansas	2,514	1,780		28	534	152	*	19
Kentucky	3,950	3,136	*	16	497	227	32	41
Louisiana	8,943	7,838		34	633	412	*	25
Maine	886	728		10	83	64		*
Maryland	8,378	6,810	55	92	906	387	26	102
Massachusetts	5,310	4,335	11	75	473	375	*	34
Michigan	12,455	9,579	*	70	2,290	424	*	85
Minnesota	2,853	2,454		*	256	103		33
Mississippi	6,384	5,584	*	102	490	144	*	59
Missouri	6,288	4,902	*	62	793	481		49
Montana	655	521		*	95	23	*	*
Nebraska	1,480	924	*	*	461	65		20
Nevada	1,483	1,208		15	173	74		13
New Hampshire	709	466		*	137	89	*	*
New Jersey	11,654	9,186	93	139	1,305	752	51	128
New Mexico	2,461	1,846	*	*	378	192	23	14
New York	26,589	21,477	487	217	3,067	1,013	119	209
North Carolina	13,656	10,843	*	116	1,627	897	91	79
North Dakota	420	334	*	*	55	24		*
Ohio	12,658	9,681		86	2,050	723	20	98
Oklahoma	3,830	3,089	*	20	509	181	*	23
Oregon	2,597	1,842		72	473	185	*	24
Pennsylvania	14,896	12,608	48	117	1,386	585	15	137
Rhode Island	929	775		*	95	51		*
South Carolina	8,082	6,788	*	98	701	447	*	39

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Note: Table C.14 shows changes over a 9 year period. Table C.15 pools data for the past 3 years in order to show greater detail. * indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.15 (Continued)
 Living Dialysis Patients on December 31
 by Age, Treatment Modality, and State of Residence
 for Three Years Ending 1997

Age on Dec 31 Under 65

State of Residence	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Dialysis
South Dakota	756	595		*	101	52		*
Tennessee	7,937	6,664	30	82	684	393	18	66
Texas	29,315	25,544	65	155	2,042	1,345	24	140
Utah	1,076	888		12	130	32	*	13
Vermont	384	266		11	80	24		*
Virginia	10,276	8,475	*	104	999	536	*	151
Washington	4,592	3,607	*	238	495	165	28	57
West Virginia	1,738	1,266	*	15	259	156	*	37
Wisconsin	4,139	3,217	*	66	561	247		46
Wyoming	323	222		15	55	22		*
Other non-U.S.	696	608			82	*		*
Puerto Rico	5,740	4,210		26	938	490	25	51
Unknown State	1,875	1,628		*	114	29	27	76
TOTAL	353,621	287,799	1,027	3,412	39,784	18,134	689	2,776

Age on Dec 31 65 and over

State of Residence	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Dialysis
Alabama	5,393	4,901		13	301	152		26
Alaska	260	210	*	*	38	*	*	*
Arizona	4,136	3,781	*	45	138	133		34
Arkansas	2,420	2,121	*	*	233	49		11
California	28,594	26,196	28	19	1,471	676	24	180
Colorado	2,039	1,809		*	143	69	*	*
Connecticut	3,749	3,042		*	384	273	*	41
Delaware	834	766		*	42	22		*
District of Columbia	1,548	1,489	*	13	18	10		14
Florida	16,933	15,210	*	421	623	469	*	199
Georgia	8,411	7,793		65	322	179	*	52
Hawaii	1,447	1,382		*	41	14		*
Idaho	647	505		*	103	32		*
Illinois	12,720	11,233	*	251	776	352	*	98
Indiana	5,665	4,740	*	20	690	163	*	47
Iowa	2,292	1,899		43	237	85		28
Kansas	2,202	1,850	*	13	250	72		16
Kentucky	2,982	2,645		*	169	112	14	39
Louisiana	5,817	5,414		27	200	153		23
Maine	968	870		*	51	41	*	*
Maryland	5,822	5,214	*	79	336	166		19
Massachusetts	6,245	5,663		45	313	175		49
Michigan	10,218	8,724	*	61	1,163	193	*	71
Minnesota	3,749	3,500		*	158	63		25
Mississippi	3,598	3,398	*	*	134	35	*	20
Missouri	5,741	4,891		85	529	196		40
Montana	558	499			47	*		*
Nebraska	1,310	878		*	370	40		20
Nevada	1,008	901		*	67	23		*
New Hampshire	679	565		*	77	27		*

(CONTINUED)

(CONTINUED)

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31.

All ESRD Patients except those who are lost to followup on December 31 are included.

Note: Table C.14 shows changes over a 9 year period.

Table C.15 pools data for the past 3 years in order to show greater detail.

* indicates that table cell contains fewer than 10 patients and is suppressed.

Table C.15 (Continued)
 Living Dialysis Patients on December 31
 by Age, Treatment Modality, and State of Residence
 for Three Years Ending 1997

Age on Dec 31 65 and over

State of Residence	Total	Center Hemo	Center Self Hemo	Home Hemo	CAPD	CCPD	Other Peri.	Uncertain Dialysis
New Jersey	9,886	8,552	41	69	706	375	56	87
New Mexico	1,581	1,360		*	134	58	17	*
New York	20,143	17,915	167	118	1,351	396	50	146
North Carolina	8,497	7,603		21	545	242	45	41
North Dakota	508	424			72	*		*
Ohio	11,376	9,606		102	1,152	411	*	96
Oklahoma	2,749	2,451	*	*	215	57	*	16
Oregon	2,047	1,644		63	263	53		24
Pennsylvania	14,715	13,562	10	102	583	310	*	141
Rhode Island	1,167	1,069		*	50	32		12
South Carolina	4,720	4,322		11	226	146		15
South Dakota	664	623		*	22	12		*
Tennessee	5,350	4,943	*	*	190	157	*	50
Texas	18,635	17,102	29	66	804	543	11	80
Utah	758	681		*	53	11	*	*
Vermont	356	298		*	40	12		*
Virginia	7,308	6,595	*	95	387	168	*	60
Washington	3,361	2,848	*	141	268	52	*	40
West Virginia	1,704	1,422	*	*	161	78	*	35
Wisconsin	4,305	3,541		23	501	200	*	39
Wyoming	216	160		13	27	10		*
Other non-U.S.	257	238	*		12			*
Puerto Rico	2,526	2,162		*	198	133	11	18
Unknown State	3,408	3,016		47	178	83	*	81
TOTAL	274,222	244,226	321	2,176	17,562	7,527	295	2,115

Modality classification is described in notes at the beginning of this Section. Age is computed as of December 31. All ESRD Patients except those who are lost to followup on December 31 are included. Note: Table C.14 shows changes over a 9 year period. Table C.15 pools data for the past 3 years in order to show greater detail. * indicates that table cell contains fewer than 10 patients and is suppressed.

