

H. HOSPITALIZATION

Residents of the 50 states, the District of Columbia, Puerto Rico and the Territories are included in these tables.

Ideally, only patients whose Medicare billing records include all hospitalizations are included in these tables. To achieve this goal, starting in the 1998 ADR, in addition to the rules used before for including patients in the hospitalization rates, dialysis patients must reach a certain level of Medicare paid dialysis bills. This new criterion is intended to assure that information on hospitalizations is complete for all patients included in the years at risk. Dialysis patient start dates (January 1 of the year for prevalent patients and day 91 of ESRD for incident patients) must fall between the start and end dates based on Medicare paid dialysis claims described below.

- The **start date based on Medicare paid dialysis claims** is 30 days after the first month in which there are at least \$675 of Medicare paid dialysis claims.
- The **end date based on Medicare paid dialysis claims** is the end of a 3-month period in which there are less than \$675 of paid claims in each month.

These rules are similar to the rules used for the cost analyses (Chapter X) except that the paid claims dates only come into play for the start date. The end date is still the earliest of death, three days prior to transplant, and December 31 of the year.

This section includes counts of hospital admissions and hospital days and rates per year at risk for the years 1995 through 1997. The methodology used for computing the first admissions rates for 1997 in H.1 closely parallels the methodology used for mortality rates in Section D. The rates are modeled to improve stability in small groups of patients, and the resulting stabilized rates are a weighted average of the observed first hospitalization rate in the patient group and the modeled rate for that group with more weight given to the observed rate when there are more patients (and therefore more information) in the group. (See Chapter XIII for a more thorough description of this methodology.) These smoothed first hospitalization rates are used to calculate the expected number of first hospitalizations and result in Standardized Hospitalization Ratios (SHRs). Table H.2 shows SHRs by state with smaller states combined.

The rates of total admissions and days hospitalized are computed in the same manner as in prior years, except that, starting with the 1998 ADR, the total admission rate is expressed per 1000 patient years at risk and the days hospitalized rate is expressed per 1 patient year at risk. The three year period of 1995-1997 has been pooled to increase stability, but followup is still for single calendar year periods using the cohorts of patients alive at the beginning of each year. The number of hospital admissions and days and the number of years at risk for each event are computed separately for each year and then summed over the three years before the rates are computed. Thus, a patient who is alive at the beginning of 1995 and dies in 1997 will contribute two and a fraction years at risk and one death. The years at risk for hospital days are reduced by

subtracting days spent in the hospital from the days at risk. This calculation explicitly accounts for the fact that one is not at risk for a new hospitalization while already in the hospital.

In addition, previously transplanted patients who have experienced transplant failure and who have returned to dialysis for at least 60 days are counted with the hospitalizations and the years at risk calculated from day 60 of that dialytic therapy.

Patients are classified by patient characteristics and by treatment modality at the beginning of the year using the following categories, which are defined in the same way as in Section D as described in Chapter XIII:

- All Dialysis patients
- Hemodialysis patients
- CAPD/CCPD patients
- All ESRD patients.

As with the mortality rates in Section D, patients who die from AIDS are now completely excluded from all calculations.

Table H.1
First Admissions per 1000 Patient Years at Risk
and Standard Errors of First Admission Rates
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate
 FOR Year: 1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1236.1	1267.2	843.0	1188.3	1298.6	1471.1	1377.7	1063.6	1409.8	1549.5	1111.5	1077.6	731.6	1074.6	1168.6
0-14	1440.8	1273.1	1004.7	1511.9	1414.0	1440.8	1273.1	1004.7	1511.9	1414.0	1440.8	1273.1	1004.7	1511.9	1414.0
15-19	1010.1	1288.7	686.3	1074.6	1018.6	1713.2	1699.9	1677.0	1882.5	1804.4	1006.3	1230.6	668.5	1077.8	1002.5
20-24	981.3	950.3	717.8	1050.6	952.3	1822.6	1086.7	1229.1	1977.5	1745.0	937.1	969.4	699.5	992.7	914.0
25-29	954.6	895.1	632.6	1002.7	948.9	1733.4	1214.1	1068.0	1955.6	1653.0	852.0	835.3	611.8	917.0	815.9
30-34	1039.1	1081.2	758.1	1072.4	1035.3	1678.8	1630.0	1430.3	1817.0	1618.6	891.8	859.9	692.3	975.1	831.4
35-39	1030.1	1052.0	651.0	1060.2	1038.2	1546.2	1474.7	1325.5	1562.1	1550.3	900.1	886.9	558.5	986.7	838.9
40-44	1042.3	1091.4	642.8	1036.9	1086.5	1510.3	1213.4	1304.4	1469.5	1568.5	905.3	983.2	543.5	951.5	884.8
45-49	1058.4	1219.6	701.2	1034.2	1107.6	1446.7	1381.3	974.3	1394.1	1520.0	900.5	964.6	630.7	920.6	899.3
50-54	1144.9	1241.1	893.2	1116.3	1186.1	1411.2	1342.8	1103.1	1360.8	1476.2	982.0	1033.6	780.6	988.3	994.2
55-59	1183.8	1203.7	917.7	1129.7	1255.3	1394.8	1283.5	1146.8	1308.5	1507.3	1014.8	958.7	752.2	995.1	1057.0
60-64	1240.9	1288.3	887.7	1203.6	1293.6	1408.3	1359.9	1002.1	1352.9	1484.2	1093.9	1074.6	792.3	1079.6	1128.4
65-69	1292.1	1318.4	899.9	1235.9	1353.7	1418.0	1383.0	1050.1	1334.5	1508.3	1184.2	1135.8	757.7	1143.2	1235.1
70-74	1344.1	1463.1	919.3	1311.2	1385.0	1504.5	1457.9	998.8	1434.6	1586.9	1238.3	1441.2	846.9	1213.6	1269.3
75-79	1396.8	1413.6	907.5	1419.3	1420.2	1559.8	1568.8	1045.8	1548.5	1612.9	1321.9	1213.0	834.4	1335.4	1347.3
80-84	1479.0	1581.6	803.8	1519.2	1507.4	1687.6	1524.1	1050.7	1710.4	1750.4	1416.6	1603.4	699.8	1439.0	1447.6
85 up	1603.9	1483.4	1177.2	1662.7	1607.8	1728.3	1573.6	1280.2	1711.1	1797.4	1575.2	1397.1	1088.3	1634.5	1576.0

OF Standard Errors of First Admission Rate
 FOR Year: 1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	3.65	21.77	11.93	4.97	4.65	2.40	22.95	18.43	7.03	6.29	1.60	25.80	10.81	4.41	4.06
0-14	48.31	255.01	153.12	91.51	58.58	48.31	255.01	153.12	91.51	58.58	48.31	255.01	153.12	91.51	58.58
15-19	41.45	205.75	94.76	53.50	43.10	316.71	438.16	412.43	345.72	383.29	30.29	186.77	88.26	51.39	40.26
20-24	22.34	112.87	58.06	26.68	23.95	103.33	220.48	244.63	152.30	141.66	16.15	112.58	54.61	24.99	22.54
25-29	16.27	85.16	46.51	18.83	17.71	45.90	205.35	171.30	85.21	54.77	11.83	80.88	44.16	17.70	16.78
30-34	13.86	83.74	45.10	15.97	14.86	29.28	186.18	178.12	57.85	33.97	10.27	77.64	42.10	15.20	14.49
35-39	11.73	68.18	33.73	13.10	13.03	23.28	136.35	123.06	42.69	28.39	8.79	67.64	31.03	12.64	12.83
40-44	10.54	60.15	29.69	11.22	12.29	19.21	83.35	103.94	31.39	25.46	8.01	72.26	27.49	10.98	12.32
45-49	9.65	50.95	29.28	10.24	11.18	15.08	64.24	64.42	23.15	21.16	7.56	65.90	29.81	10.31	11.53
50-54	9.77	49.27	34.03	10.62	10.92	12.69	57.50	59.07	19.00	18.06	8.17	72.65	36.61	11.42	12.00
55-59	9.43	43.82	32.99	10.12	10.65	11.02	48.66	52.90	15.77	16.44	8.30	70.21	36.12	11.60	12.13
60-64	9.01	45.34	30.29	10.05	9.70	10.00	49.94	43.28	14.84	14.22	8.24	76.40	36.74	12.00	11.49
65-69	7.96	42.87	24.99	9.48	8.03	8.72	48.18	36.44	13.41	11.93	7.31	69.19	29.46	11.72	9.42
70-74	8.19	53.82	24.93	10.57	7.83	9.81	60.99	36.18	15.88	12.97	7.10	85.89	29.97	12.51	8.63
75-79	9.54	67.34	27.74	13.93	8.76	13.00	89.56	46.50	22.27	16.80	7.94	83.20	30.81	16.01	9.27
80-84	13.18	107.71	33.78	20.58	11.96	21.70	132.72	66.75	38.74	28.09	10.48	141.91	34.49	22.21	12.13
85 up	21.25	154.12	70.47	31.85	19.43	41.14	237.68	120.05	68.86	54.75	16.52	157.77	74.39	33.08	19.29

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate

FOR Year: 1997,

Modality group: 1 All Dialysis Patients,

AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1150.1	1188.7	823.9	1069.2	1222.1	1393.1	1312.3	1055.4	1286.5	1475.2	1047.1	1022.2	717.6	991.7	1108.7
0-14	1460.4	1112.7	861.4	1398.2	1502.1	1460.4	1112.7	861.4	1398.2	1502.1	1460.4	1112.7	861.4	1398.2	1502.1
15-19	890.5	1042.8	660.0	888.7	930.8	1343.9	1533.9	1411.0	1489.5	1571.9	888.4	984.8	670.5	906.7	912.8
20-24	836.8	847.6	638.4	882.5	820.1	1446.7	1195.7	1121.4	1614.7	1282.4	807.6	811.6	599.2	843.5	795.3
25-29	850.1	731.5	604.8	865.6	863.9	1589.8	1116.3	966.2	1921.4	1465.5	767.1	703.7	584.4	798.1	757.5
30-34	961.1	1042.7	648.7	978.5	979.2	1632.6	1825.2	1014.2	1788.0	1581.7	811.5	750.1	619.7	891.6	757.8
35-39	984.9	1071.2	597.3	1014.9	984.8	1464.3	1362.4	989.1	1556.4	1454.4	867.8	942.8	535.8	955.0	792.1
40-44	992.0	1032.8	613.5	978.3	1039.5	1446.1	1097.7	1160.8	1349.8	1533.0	865.9	988.5	520.0	916.8	826.6
45-49	994.9	1182.5	674.6	954.1	1054.8	1363.8	1365.0	964.7	1302.6	1418.5	858.5	913.0	595.5	872.0	861.0
50-54	1054.5	1110.5	860.4	1024.9	1094.5	1276.6	1187.1	951.5	1239.6	1333.9	928.3	976.0	795.0	936.8	930.4
55-59	1098.7	1126.8	865.8	1020.6	1183.1	1321.9	1208.7	1140.6	1200.5	1442.4	944.3	922.1	683.9	920.5	987.8
60-64	1153.5	1244.2	818.3	1085.8	1224.7	1315.8	1335.2	910.3	1209.3	1412.4	1038.5	1047.8	742.2	1008.3	1086.4
65-69	1224.3	1270.7	934.7	1144.3	1278.1	1383.2	1340.5	1088.8	1281.6	1456.6	1127.1	1142.8	806.5	1059.8	1174.7
70-74	1272.8	1422.6	953.3	1217.2	1307.7	1425.8	1372.3	1106.8	1325.4	1489.1	1197.2	1481.7	852.3	1157.4	1224.8
75-79	1312.1	1430.6	928.0	1289.2	1336.2	1470.0	1403.9	1059.9	1393.3	1525.3	1260.2	1431.1	878.4	1242.0	1282.2
80-84	1411.3	1486.1	793.1	1411.6	1443.4	1642.4	1291.0	956.1	1634.2	1721.5	1362.9	1629.9	730.2	1353.4	1392.4
85 up	1552.9	1606.6	1245.7	1598.2	1555.3	1812.4	1496.0	1165.7	1839.8	1841.5	1518.0	1573.2	1214.4	1542.8	1523.6

OF Standard Errors of First Admission Rate

FOR Year: 1997,

Modality group: 1 All Dialysis Patients,

AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1.77	26.80	14.37	5.39	4.81	2.58	32.63	23.54	9.54	8.26	1.51	30.08	14.16	5.49	5.03
0-14	61.19	223.28	150.79	103.16	76.69	61.19	223.28	150.79	103.16	76.69	61.19	223.28	150.79	103.16	76.69
15-19	41.68	211.69	108.85	58.67	49.70	271.70	371.53	338.31	289.58	328.78	36.58	194.92	107.87	58.53	48.18
20-24	21.96	123.50	68.44	29.65	27.15	126.53	263.43	240.74	184.19	144.36	19.18	119.05	64.26	28.85	26.62
25-29	16.06	92.16	54.91	20.75	20.50	59.08	231.67	166.53	120.11	66.09	14.04	88.66	54.20	20.08	20.29
30-34	13.89	104.89	48.83	18.25	17.43	36.76	267.00	156.16	76.63	41.42	12.30	90.42	48.43	17.95	17.45
35-39	11.77	84.36	41.03	15.20	14.85	28.36	158.98	119.69	58.97	32.76	10.67	87.47	40.40	15.12	15.31
40-44	10.39	66.65	35.95	12.62	14.08	23.39	94.25	114.68	38.90	30.33	9.52	83.10	34.93	12.83	14.59
45-49	9.61	60.11	36.89	11.51	13.07	18.79	79.61	80.93	30.25	25.10	9.07	77.28	38.80	11.93	14.17
50-54	9.87	58.25	40.12	12.47	12.68	15.78	70.03	61.87	25.25	21.43	9.97	88.29	48.19	13.68	14.70
55-59	9.85	55.83	41.10	12.26	12.77	14.73	65.26	70.90	21.83	21.05	10.20	87.42	44.79	14.07	14.91
60-64	9.76	62.13	36.63	12.89	11.97	13.93	73.95	53.53	21.49	19.09	10.51	94.57	46.01	15.43	14.48
65-69	8.82	61.39	35.26	13.04	9.86	12.95	74.75	54.07	21.80	16.62	9.35	91.75	42.80	15.62	11.64
70-74	8.95	82.86	34.55	15.13	9.39	14.43	103.15	57.64	26.06	17.74	9.08	119.47	40.16	17.90	10.53
75-79	10.21	103.74	37.39	19.73	10.32	19.05	142.39	68.65	36.34	22.97	9.97	128.35	42.29	22.73	11.13
80-84	14.25	148.16	44.06	29.48	14.29	32.52	172.77	84.16	65.88	39.65	13.36	193.36	47.73	32.04	14.81
85 up	23.98	224.28	90.88	48.95	23.92	67.59	297.43	149.73	125.14	82.77	21.93	224.63	98.63	51.33	24.29

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate
 FOR Year: 1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1331.8	1333.5	862.1	1305.2	1393.5	1536.8	1425.8	1071.6	1487.7	1625.1	1194.5	1137.6	746.3	1174.7	1251.1
0-14	1415.4	1609.3	1211.4	1713.2	1305.5	1415.4	1609.3	1211.4	1713.2	1305.5	1415.4	1609.3	1211.4	1713.2	1305.5
15-19	1156.1	1365.3	720.0	1311.3	1134.1	2450.6	1954.5	1973.8	2694.4	2340.3	1152.8	1294.2	696.5	1306.0	1118.0
20-24	1162.5	1059.3	779.1	1272.2	1121.9	2110.6	1191.8	1366.8	2201.5	2269.4	1103.4	1060.7	772.5	1192.9	1064.6
25-29	1099.6	1087.0	671.3	1207.9	1063.5	1877.7	1376.7	1347.4	1959.2	1875.9	975.2	984.8	641.1	1106.7	896.5
30-34	1148.5	1107.6	900.9	1207.0	1112.7	1739.7	1394.1	1919.8	1838.4	1674.3	1005.6	974.7	778.8	1099.2	930.6
35-39	1099.1	1033.4	711.3	1128.9	1124.4	1665.3	1568.2	1773.4	1569.1	1723.8	950.2	831.9	589.8	1038.3	911.9
40-44	1124.6	1191.3	683.8	1137.1	1161.8	1607.0	1413.9	1480.9	1614.6	1630.2	971.6	969.0	580.4	1015.3	976.2
45-49	1153.2	1265.7	731.9	1162.3	1182.9	1553.8	1403.0	1019.2	1487.4	1676.8	967.3	1044.2	669.3	1010.5	953.3
50-54	1263.2	1385.6	932.0	1232.2	1309.7	1569.0	1518.7	1436.1	1469.8	1678.0	1057.9	1104.1	758.6	1067.4	1079.1
55-59	1280.2	1276.7	966.7	1246.1	1343.3	1464.9	1354.5	1153.6	1393.3	1582.4	1107.5	1026.2	823.4	1096.1	1147.2
60-64	1325.0	1322.0	963.2	1303.1	1368.0	1481.4	1378.0	1113.1	1444.5	1551.7	1158.1	1121.9	844.2	1155.6	1181.1
65-69	1352.3	1350.5	873.0	1298.8	1434.0	1442.0	1407.6	1025.0	1361.5	1551.6	1248.1	1140.6	719.0	1218.9	1313.0
70-74	1410.7	1482.3	891.6	1368.5	1475.4	1556.9	1490.1	933.7	1484.6	1669.0	1285.8	1385.5	839.6	1255.4	1332.8
75-79	1484.0	1406.9	891.1	1498.8	1528.0	1620.8	1623.8	1038.8	1617.3	1688.4	1397.7	1069.9	790.4	1403.3	1444.2
80-84	1550.8	1634.8	823.1	1585.4	1590.1	1717.6	1642.7	1141.8	1739.0	1773.9	1481.3	1530.1	684.7	1498.7	1526.3
85 up	1651.3	1424.7	1085.4	1694.7	1669.6	1677.9	1524.4	1305.2	1642.5	1762.8	1633.7	1289.6	899.8	1682.4	1642.1

OF Standard Errors of First Admission Rate
 FOR Year: 1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2.02	25.97	14.52	5.97	5.66	2.52	30.08	23.02	8.89	8.78	1.81	33.12	14.56	6.55	6.12
0-14	70.19	355.39	207.29	147.65	79.11	70.19	355.39	207.29	147.65	79.11	70.19	355.39	207.29	147.65	79.11
15-19	52.40	218.70	109.08	80.50	62.74	488.85	469.67	450.55	531.63	513.29	46.49	203.53	103.92	80.89	60.87
20-24	29.10	143.40	74.23	41.02	35.98	141.68	232.01	265.55	195.91	219.76	25.49	146.53	73.63	40.07	35.07
25-29	21.44	116.18	62.35	29.94	26.28	65.29	226.58	247.65	106.91	82.07	19.00	114.52	60.12	29.83	25.77
30-34	17.95	103.22	68.51	24.23	21.73	43.67	188.79	280.69	78.35	51.81	16.24	104.91	63.65	24.23	22.31
35-39	15.22	87.97	45.18	19.56	20.00	36.23	182.77	201.83	55.95	47.63	13.72	86.28	41.55	19.90	20.25
40-44	14.02	92.51	40.69	17.63	18.69	29.97	130.29	157.78	46.36	40.50	12.93	107.59	38.28	18.06	19.67
45-49	12.53	72.38	38.47	15.96	16.39	22.60	92.32	88.73	32.18	33.65	11.98	97.18	40.29	17.25	17.39
50-54	12.30	69.06	48.54	15.34	16.04	18.86	83.75	112.39	25.85	28.46	12.54	100.83	48.66	17.88	18.10
55-59	11.28	56.99	43.87	13.95	14.96	15.08	64.68	69.58	20.64	23.41	12.57	95.38	50.99	17.71	18.20
60-64	10.26	55.39	41.77	12.96	13.08	13.10	61.37	62.29	18.67	19.18	11.85	104.44	51.65	16.93	16.68
65-69	8.74	50.84	30.02	11.50	10.72	10.84	57.54	44.83	15.77	15.50	10.33	89.88	36.51	15.86	13.85
70-74	9.09	60.80	30.38	12.51	10.72	12.28	68.97	42.41	18.57	17.11	10.01	105.77	39.99	15.93	12.92
75-79	11.00	75.43	34.53	16.64	12.43	16.45	101.25	56.76	26.10	22.29	11.55	94.07	40.06	20.54	14.26
80-84	15.30	124.83	43.03	24.51	16.89	27.19	157.55	89.51	44.46	36.35	15.12	164.60	44.22	28.17	18.32
85 up	23.88	163.26	86.61	36.40	26.67	48.55	234.64	144.47	75.53	66.65	22.94	170.80	90.11	39.86	28.13

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate

FOR Year: 1997,

Modality group: 2 Hemodialysis Pts, 60 days on hemo,

AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1233.7	1265.5	853.2	1178.3	1304.5	1448.8	1349.9	1065.4	1391.2	1528.2	1115.4	1102.1	739.5	1065.0	1184.4
0-14	1723.6	1478.6	1610.2	1524.9	1782.1	1723.6	1478.6	1610.2	1524.9	1782.1	1723.6	1478.6	1610.2	1524.9	1782.1
15-19	1018.1	1138.8	694.2	1035.1	1065.3	1674.0	1641.1	1720.5	1745.5	1775.0	1004.4	1076.7	671.7	1033.7	1033.6
20-24	958.1	912.5	793.7	990.6	947.0	1856.3	1166.8	1248.6	1979.8	1748.1	914.5	921.2	784.5	929.8	912.2
25-29	936.4	863.1	633.6	954.0	956.5	1827.3	1077.5	1202.5	1908.0	1810.5	833.9	859.5	608.5	867.8	819.9
30-34	1017.8	1117.7	759.7	1028.4	1028.5	1724.9	1885.9	1468.8	1814.7	1664.8	871.6	843.0	677.9	930.2	824.3
35-39	1010.1	1139.7	674.4	1036.9	1006.4	1520.5	1501.3	1263.3	1532.5	1527.2	889.7	984.9	585.4	962.9	823.0
40-44	1029.4	1112.8	616.3	1027.1	1070.9	1495.8	1157.4	1216.9	1457.4	1574.0	896.1	1071.9	523.5	938.3	872.4
45-49	1049.9	1213.1	725.8	1017.6	1109.1	1420.4	1353.5	964.2	1372.4	1500.2	898.9	963.1	658.7	904.6	910.4
50-54	1131.7	1227.5	883.3	1105.8	1171.4	1371.6	1305.5	1121.0	1340.4	1416.8	978.9	1055.3	750.9	979.1	999.2
55-59	1162.7	1168.3	937.5	1110.1	1236.1	1355.2	1234.9	1156.2	1280.3	1457.4	1002.9	951.2	772.3	980.6	1050.7
60-64	1229.6	1279.4	895.4	1193.5	1285.5	1385.7	1332.3	1027.0	1333.3	1463.3	1087.6	1108.5	791.2	1073.9	1123.4
65-69	1279.7	1294.0	901.4	1218.6	1349.1	1389.4	1357.2	1060.9	1314.8	1473.8	1180.9	1107.4	748.3	1127.8	1246.3
70-74	1339.6	1451.1	910.3	1302.2	1387.1	1486.3	1422.5	990.6	1420.6	1571.9	1237.8	1458.1	837.6	1207.5	1274.8
75-79	1397.1	1400.6	897.8	1414.9	1422.9	1549.6	1571.8	1043.4	1540.6	1601.1	1322.9	1168.1	820.0	1332.0	1351.5
80-84	1482.6	1565.4	811.6	1510.3	1514.6	1693.1	1513.7	1063.9	1702.5	1761.4	1418.4	1576.5	701.3	1427.9	1453.2
85 up	1605.0	1445.6	1184.0	1665.4	1607.3	1731.6	1497.7	1287.2	1727.9	1795.2	1575.1	1384.8	1088.5	1633.1	1574.9

OF Standard Errors of First Admission Rate

FOR Year: 1997,

Modality group: 2 Hemodialysis Pts, 60 days on hemo,

AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	3.93	22.30	12.55	4.98	4.86	3.93	24.04	19.84	7.30	6.82	2.67	29.00	12.09	4.66	4.51
0-14	84.31	334.78	327.05	126.22	123.67	84.31	334.78	327.05	126.22	123.67	84.31	334.78	327.05	126.22	123.67
15-19	39.02	186.19	102.95	55.65	51.88	304.14	428.93	441.75	329.15	377.64	34.72	177.29	101.35	58.18	52.23
20-24	18.79	120.43	66.02	25.30	25.30	111.48	247.20	265.14	164.72	164.63	16.56	126.86	67.26	25.68	25.91
25-29	13.61	88.98	47.83	17.90	18.75	51.97	193.34	212.65	89.96	71.22	11.99	94.66	48.44	18.25	19.07
30-34	11.52	87.15	48.60	15.10	15.58	31.85	230.64	191.98	61.56	41.00	10.33	82.97	48.87	15.59	16.33
35-39	9.64	71.97	36.69	12.55	13.16	24.12	146.39	125.72	44.19	32.81	8.81	78.89	37.29	13.19	14.02
40-44	8.66	60.81	29.61	10.76	12.59	19.63	84.59	106.52	32.54	29.35	8.02	84.90	29.98	11.47	13.65
45-49	7.87	50.75	30.80	9.68	11.40	14.97	67.25	67.71	23.79	23.34	7.56	73.81	34.85	10.63	12.91
50-54	7.91	47.74	34.02	10.07	10.94	12.32	59.42	64.21	19.43	19.09	8.17	78.81	39.40	11.84	13.40
55-59	7.50	41.22	32.70	9.41	10.51	10.57	49.22	56.03	15.92	17.23	8.14	73.60	39.25	11.78	13.30
60-64	7.17	42.43	29.37	9.31	9.58	9.60	50.05	46.33	14.86	15.01	8.09	81.30	38.18	12.16	12.58
65-69	6.30	39.61	24.11	8.69	7.85	8.29	48.05	38.30	13.38	12.36	7.16	70.54	30.74	11.72	10.25
70-74	6.45	50.25	23.31	9.66	7.57	9.28	61.07	36.87	15.76	13.38	6.89	88.59	30.45	12.46	9.21
75-79	7.46	62.24	25.86	12.67	8.33	12.20	89.15	47.25	22.00	17.10	7.62	83.46	31.17	15.89	9.66
80-84	10.21	97.42	31.62	18.60	11.24	20.40	129.80	67.07	38.22	28.66	9.92	139.17	35.15	21.81	12.42
85 up	16.25	139.87	65.27	28.76	17.98	38.52	228.45	121.36	68.36	55.35	15.42	155.04	74.29	32.46	19.44

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate
 FOR Year: 1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1138.4	1183.4	824.1	1055.7	1216.3	1368.9	1285.0	1055.9	1274.3	1449.7	1040.6	1036.0	717.3	977.0	1111.6
0-14	1709.4	1342.3	1232.2	1422.7	1939.6	1709.4	1342.3	1232.2	1422.7	1939.6	1709.4	1342.3	1232.2	1422.7	1939.6
15-19	892.1	1033.3	659.8	859.5	965.6	1328.0	1505.5	1426.2	1438.4	1567.1	888.2	970.2	661.2	881.1	931.4
20-24	811.7	894.8	635.3	828.8	812.7	1345.3	1202.9	1148.5	1473.5	1223.4	787.1	848.8	599.5	793.2	792.2
25-29	818.0	712.4	582.0	832.3	834.1	1601.3	1126.8	984.7	1853.8	1485.7	742.4	682.3	564.4	767.6	735.7
30-34	938.2	1071.3	652.1	948.2	959.3	1650.7	1799.4	1057.6	1742.7	1609.0	794.2	801.3	614.0	861.6	741.4
35-39	960.7	1082.9	588.0	1000.8	945.1	1442.0	1341.3	950.3	1547.6	1426.6	853.7	959.5	547.9	940.2	768.5
40-44	975.1	991.2	590.7	971.0	1014.6	1429.4	1045.1	1099.5	1344.6	1534.1	854.9	965.6	508.0	907.5	806.6
45-49	974.8	1196.5	672.5	934.1	1037.8	1340.8	1360.0	965.8	1281.6	1397.5	844.4	927.4	593.8	853.0	850.0
50-54	1027.2	1107.3	821.9	1001.7	1065.6	1223.6	1165.3	946.0	1205.8	1262.7	915.6	1006.8	737.7	917.9	928.2
55-59	1073.6	1079.4	879.8	1000.0	1160.9	1289.6	1157.6	1132.1	1172.1	1415.5	923.7	891.2	708.2	905.3	963.6
60-64	1135.1	1268.3	829.6	1069.9	1208.6	1294.5	1339.8	964.2	1191.6	1390.7	1022.5	1096.5	728.6	994.0	1072.9
65-69	1208.2	1261.0	926.3	1127.9	1267.5	1351.2	1348.4	1086.3	1257.5	1422.3	1119.0	1103.0	796.8	1049.1	1175.2
70-74	1262.9	1378.0	942.5	1208.1	1302.2	1404.1	1269.1	1111.1	1311.2	1471.2	1190.8	1478.0	830.7	1151.4	1222.0
75-79	1309.8	1430.7	921.5	1292.6	1333.1	1466.1	1396.7	1049.3	1400.1	1521.8	1255.9	1425.7	871.3	1244.5	1276.2
80-84	1416.0	1461.3	814.2	1400.6	1450.2	1641.3	1258.0	951.3	1608.3	1723.9	1367.0	1604.6	757.5	1343.3	1398.5
85 up	1547.2	1604.2	1203.8	1591.3	1549.4	1807.5	1443.5	1127.3	1818.2	1838.1	1511.5	1570.1	1164.0	1537.5	1516.4

OF Standard Errors of First Admission Rate
 FOR Year: 1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1.25	28.42	15.52	5.58	5.21	4.51	30.29	22.49	8.85	7.93	2.66	29.23	13.67	5.07	4.88
0-14	111.53	301.07	271.79	150.03	180.80	111.53	301.07	271.79	150.03	180.80	111.53	301.07	271.79	150.03	180.80
15-19	46.17	225.76	122.55	67.71	69.23	267.03	372.60	350.57	289.65	335.77	44.52	207.73	121.83	69.89	68.28
20-24	21.23	146.54	76.84	31.95	31.83	130.74	268.58	250.03	195.79	159.91	20.38	142.43	73.76	31.99	32.19
25-29	15.46	97.93	60.37	22.59	23.98	68.73	237.16	184.35	135.91	87.42	14.74	95.53	60.71	22.47	24.18
30-34	13.42	120.65	57.35	19.84	20.46	41.22	302.88	171.87	85.36	52.82	12.95	106.10	58.14	20.08	20.81
35-39	11.26	93.08	47.05	16.75	16.95	31.19	171.64	131.49	66.75	40.73	11.14	98.98	48.43	17.16	17.78
40-44	10.01	71.90	40.35	13.96	16.38	25.35	100.61	126.77	44.20	37.78	10.02	93.62	40.51	14.61	17.30
45-49	9.17	69.62	42.52	12.48	15.22	20.00	91.60	92.68	33.97	30.37	9.46	93.28	46.11	13.30	16.97
50-54	9.36	64.34	44.28	13.52	14.54	16.30	77.67	71.24	28.17	24.75	10.44	102.98	53.36	15.28	17.66
55-59	9.32	59.82	46.89	13.21	14.69	15.33	71.40	81.03	24.33	24.78	10.58	95.47	52.94	15.60	17.69
60-64	9.25	68.88	41.04	13.82	13.76	14.48	82.57	63.88	23.77	22.47	10.94	110.15	50.87	17.01	17.26
65-69	8.36	66.59	39.15	13.93	11.28	13.35	83.79	62.13	23.99	19.23	9.81	99.50	48.19	17.20	13.88
70-74	8.48	88.61	37.70	16.14	10.66	14.81	109.64	64.61	28.66	20.40	9.51	130.82	44.75	19.65	12.40
75-79	9.58	110.88	41.06	21.01	11.47	19.40	151.57	75.43	39.97	26.06	10.27	141.26	48.08	24.88	12.75
80-84	13.25	153.83	48.63	31.03	15.72	32.84	178.75	90.99	70.68	44.53	13.64	204.33	54.75	34.68	16.80
85 up	21.87	230.08	93.78	51.27	25.74	67.52	292.34	155.61	134.17	91.09	21.94	234.06	103.40	55.32	26.93

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate
 FOR Year: 1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1340.2	1335.9	883.2	1299.7	1414.2	1513.7	1397.5	1074.7	1464.2	1605.1	1214.7	1179.1	764.0	1174.7	1288.0
0-14	1745.2	1972.4	1758.5	1796.6	1598.2	1745.2	1972.4	1758.5	1796.6	1598.2	1745.2	1972.4	1758.5	1796.6	1598.2
15-19	1178.0	1187.9	775.0	1293.6	1186.9	2606.7	2002.3	2108.8	2545.3	2414.5	1153.1	1129.4	748.0	1268.2	1153.5
20-24	1174.0	986.1	943.0	1222.6	1158.9	2325.7	1370.1	1454.9	2284.4	2535.9	1105.2	940.9	945.1	1128.6	1095.0
25-29	1124.2	1171.0	725.9	1156.5	1146.7	2065.8	1289.6	1693.3	1912.2	2234.3	987.0	1167.9	672.0	1047.3	954.3
30-34	1145.1	1144.0	930.5	1153.5	1140.9	1836.6	1662.2	1962.4	1880.6	1762.9	995.7	918.2	770.0	1040.2	955.8
35-39	1095.3	1208.0	797.4	1096.6	1120.8	1641.5	1650.4	1671.3	1520.7	1732.7	953.8	1008.8	650.4	1003.8	923.5
40-44	1126.7	1367.4	670.3	1128.9	1172.0	1601.3	1412.8	1384.1	1598.0	1650.6	972.8	1271.6	569.9	999.3	989.3
45-49	1170.3	1231.0	793.8	1161.1	1216.8	1524.1	1350.4	1022.3	1468.3	1662.1	994.6	1037.4	738.3	1009.4	1002.1
50-54	1276.4	1371.0	969.6	1245.0	1322.3	1545.8	1484.3	1534.2	1463.1	1637.4	1077.1	1120.1	762.2	1080.7	1103.2
55-59	1264.1	1259.3	989.4	1229.5	1327.4	1416.3	1316.4	1180.1	1364.8	1505.1	1111.3	1072.0	837.0	1086.8	1168.4
60-64	1320.0	1289.1	967.5	1298.8	1367.8	1455.3	1330.1	1107.5	1423.1	1528.7	1165.0	1141.9	860.1	1162.1	1189.0
65-69	1341.5	1317.7	882.0	1280.8	1433.6	1414.8	1362.7	1046.6	1344.0	1515.3	1250.0	1138.1	710.0	1199.9	1339.0
70-74	1408.1	1485.8	885.0	1359.0	1482.4	1538.7	1480.8	919.2	1469.9	1652.6	1290.5	1405.9	841.9	1249.5	1348.2
75-79	1484.2	1387.5	880.5	1489.1	1535.3	1604.7	1620.1	1041.7	1601.6	1667.2	1403.4	1012.8	773.6	1395.9	1461.7
80-84	1551.5	1617.0	822.4	1577.5	1595.8	1726.9	1624.6	1164.6	1737.8	1790.5	1478.5	1490.9	669.5	1486.6	1529.2
85 up	1658.6	1373.0	1125.3	1701.6	1675.2	1684.3	1416.1	1310.5	1668.0	1755.9	1639.5	1274.8	931.7	1682.2	1647.8

OF Standard Errors of First Admission Rate
 FOR Year: 1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1.44	27.81	16.12	6.25	6.22	4.33	27.85	21.93	8.14	8.33	3.26	33.35	14.59	6.17	6.11
0-14	131.68	480.02	388.27	223.04	166.31	131.68	480.02	388.27	223.04	166.31	131.68	480.02	388.27	223.04	166.31
15-19	59.63	209.09	135.39	101.98	85.30	548.47	492.51	510.69	534.81	539.43	57.32	197.58	129.82	104.64	84.17
20-24	31.09	163.14	106.83	46.77	47.68	176.18	282.99	308.82	233.27	313.38	29.67	160.75	108.64	46.60	47.52
25-29	22.74	158.79	78.54	34.26	34.90	82.07	233.01	354.75	123.72	126.04	21.89	173.06	74.97	35.01	34.53
30-34	18.68	122.62	90.81	27.28	28.28	53.78	247.96	326.37	95.71	73.18	18.27	117.28	83.81	27.86	29.44
35-39	15.62	117.52	62.20	22.29	24.93	40.86	220.18	210.64	63.68	63.28	15.50	120.71	59.09	23.42	25.95
40-44	14.24	122.84	48.32	20.08	23.35	33.37	151.00	169.73	53.06	53.03	14.38	166.83	46.81	21.18	25.19
45-49	12.61	82.06	49.23	18.10	20.09	24.04	103.85	100.55	36.65	41.07	13.45	115.66	54.70	20.31	22.34
50-54	12.22	78.81	59.67	17.36	19.24	19.79	96.87	139.71	29.31	33.43	13.97	117.29	60.26	21.13	23.03
55-59	10.75	63.00	50.43	15.20	17.20	15.32	72.34	80.88	22.87	26.44	13.47	112.00	60.15	20.07	22.47
60-64	9.74	59.06	47.00	14.05	15.06	13.34	66.56	71.24	20.54	22.03	12.63	117.54	60.03	19.14	20.40
65-69	8.20	54.03	33.82	12.28	12.15	10.95	61.98	51.65	17.30	17.47	10.86	101.42	42.01	17.45	16.76
70-74	8.46	66.00	32.85	13.28	11.98	12.34	76.08	47.14	20.22	19.21	10.35	119.85	44.39	17.47	15.13
75-79	10.16	80.37	36.88	17.56	13.68	16.40	110.02	63.37	28.22	24.71	11.80	100.83	43.32	22.40	16.36
80-84	14.01	128.94	45.90	25.79	18.35	27.32	165.53	97.88	48.42	40.78	15.17	171.78	47.90	30.40	20.48
85 up	21.78	166.47	94.79	38.28	28.77	48.77	232.05	157.10	82.43	74.19	22.90	179.03	100.21	43.04	31.20

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate
 FOR Year: 1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1214.5	1263.4	773.0	1257.8	1231.1	1597.5	1638.2	1057.1	1631.5	1619.5	1055.6	934.8	673.5	1128.3	1062.8
0-14	1233.5	1170.9	695.9	1528.9	1188.9	1233.5	1170.9	695.9	1528.9	1188.9	1233.5	1170.9	695.9	1528.9	1188.9
15-19	907.3	1050.8	581.5	1090.1	874.9	1674.5	1732.8	1353.4	2244.7	1896.0	920.9	975.3	634.7	1123.3	876.7
20-24	1026.5	925.6	542.5	1334.0	930.3	1665.8	1267.2	1085.6	1911.5	1545.1	982.6	809.8	492.5	1280.3	884.2
25-29	954.3	907.3	609.6	1171.8	881.4	1411.9	1546.5	976.1	1777.1	1334.9	867.2	702.9	591.6	1112.4	765.4
30-34	1054.7	968.9	666.9	1248.2	1005.0	1493.3	1224.2	1079.6	1695.1	1469.4	918.7	867.7	633.2	1169.2	815.5
35-39	1069.3	775.0	566.7	1138.4	1112.4	1591.4	1349.6	1213.9	1739.0	1571.5	908.1	625.1	501.4	1066.8	880.7
40-44	1058.2	1056.7	670.3	1067.3	1096.1	1502.9	1534.8	1316.1	1527.1	1498.7	916.3	801.9	579.1	1004.7	897.7
45-49	1076.3	1202.3	645.2	1144.8	1074.0	1540.3	1468.3	1026.3	1519.2	1572.7	892.5	909.8	590.7	1040.1	836.8
50-54	1178.3	1330.0	881.0	1173.7	1202.3	1596.0	1685.4	1079.6	1534.7	1670.8	974.5	951.5	804.5	1039.0	957.7
55-59	1273.3	1421.2	818.7	1314.4	1282.3	1654.5	1632.7	1181.3	1645.6	1718.6	1033.5	1045.2	650.1	1105.5	1029.3
60-64	1289.8	1423.9	874.0	1305.6	1300.0	1569.1	1740.7	949.3	1638.9	1574.7	1100.1	1026.0	817.5	1105.9	1118.0
65-69	1344.4	1607.5	861.1	1492.6	1335.8	1635.2	1888.8	976.2	1646.5	1687.0	1169.2	1220.9	783.2	1357.3	1152.2
70-74	1351.3	1564.8	1045.2	1518.2	1332.7	1651.3	1877.7	1138.3	1736.9	1645.3	1216.0	1231.5	938.8	1366.0	1207.4
75-79	1362.5	1649.1	1026.4	1542.9	1357.6	1712.6	1733.9	1063.2	1821.5	1739.8	1267.4	1475.3	991.3	1406.4	1263.6
80-84	1413.5	1951.5	793.6	1854.2	1411.5	1601.0	1888.5	1013.3	1780.7	1636.6	1368.3	1579.4	741.0	1921.1	1360.1
85 up	1563.7	2090.6	1021.6	1506.8	1603.7	1534.6	2004.8	1109.4	1410.9	1664.3	1570.7	1633.4	891.2	1583.4	1595.0

OF Standard Errors of First Admission Rate
 FOR Year: 1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	10.56	35.14	16.00	9.52	6.53	15.94	65.95	42.19	22.77	13.52	9.02	47.06	19.49	11.55	7.62
0-14	54.89	337.47	154.96	161.56	75.50	54.89	337.47	154.96	161.56	75.50	54.89	337.47	154.96	161.56	75.50
15-19	65.86	297.26	133.69	117.14	72.35	540.54	548.78	415.39	624.80	522.66	47.52	266.87	137.46	114.94	69.42
20-24	47.97	176.12	84.56	89.79	52.45	174.78	309.74	258.29	325.72	226.32	33.94	156.63	76.66	86.07	50.16
25-29	34.36	147.00	90.17	60.65	37.79	70.56	354.61	209.12	209.53	92.08	25.25	120.43	87.93	59.14	37.54
30-34	29.87	153.59	77.54	53.40	32.92	50.43	234.90	228.63	152.28	67.32	22.47	151.93	73.30	52.72	33.58
35-39	26.99	117.70	60.57	41.91	32.84	47.43	250.97	241.24	147.54	63.07	19.85	104.61	54.76	40.53	33.58
40-44	24.53	137.59	67.32	36.30	29.78	40.54	238.64	224.50	107.66	56.43	18.47	125.48	61.32	36.01	31.05
45-49	23.46	129.03	60.91	37.01	27.59	36.43	172.19	155.03	84.10	54.84	17.71	138.93	59.31	37.89	27.88
50-54	24.49	139.55	80.42	37.68	28.64	34.65	193.96	141.21	74.94	54.49	18.97	144.05	83.37	39.86	29.51
55-59	26.07	146.76	82.56	42.83	29.47	33.21	175.73	150.10	72.48	52.68	20.83	171.86	79.63	47.05	31.12
60-64	25.21	167.24	86.86	45.08	27.18	30.39	218.08	112.57	75.34	44.66	20.89	172.96	106.29	50.50	30.14
65-69	22.88	184.82	71.83	49.81	23.38	28.27	247.43	101.39	73.35	41.29	18.68	192.02	84.80	60.46	25.06
70-74	24.45	196.22	97.62	62.12	24.05	33.56	262.74	134.06	96.68	46.68	19.39	211.07	111.75	72.71	25.29
75-79	30.79	256.82	107.26	90.67	30.09	50.94	343.55	153.07	160.57	70.14	23.68	254.36	119.65	97.40	30.81
80-84	46.88	459.68	115.67	155.47	45.45	79.19	451.12	199.05	222.09	108.52	36.27	386.99	112.99	191.91	46.56
85 up	92.96	526.59	206.39	210.63	90.26	143.24	500.27	237.18	257.44	201.18	71.87	424.78	193.03	234.56	92.94

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate
 FOR Year: 1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1190.7	1197.4	802.6	1191.5	1213.5	1506.3	1501.3	1031.1	1475.2	1536.4	1060.0	924.6	704.9	1106.1	1070.9
0-14	1238.7	957.8	752.7	1417.3	1205.9	1238.7	957.8	752.7	1417.3	1205.9	1238.7	957.8	752.7	1417.3	1205.9
15-19	812.1	766.9	552.2	956.9	828.8	1672.7	1441.0	1160.6	1921.8	1681.4	813.7	725.4	614.5	1000.2	816.1
20-24	888.8	760.9	562.0	1106.2	834.7	1603.8	1206.1	952.6	1604.6	1411.9	841.6	608.7	516.6	1049.3	758.6
25-29	948.5	844.8	606.1	1048.4	916.2	1489.2	1250.1	970.4	1628.1	1393.6	855.3	680.8	562.3	981.4	795.5
30-34	1030.4	883.0	604.0	1128.7	1023.7	1570.3	1310.1	955.6	1725.8	1505.9	860.6	689.9	568.6	1042.6	803.6
35-39	1090.3	932.2	628.3	1096.0	1123.2	1527.5	1321.6	1008.0	1573.4	1511.5	933.6	744.8	554.6	1041.6	894.5
40-44	1045.5	1110.1	676.0	1031.2	1088.5	1441.1	1458.4	1052.5	1415.0	1457.9	901.6	868.8	599.0	981.5	876.9
45-49	1085.2	1104.4	699.6	1153.8	1079.3	1437.5	1422.1	971.2	1475.8	1458.8	928.1	844.3	644.3	1080.3	871.7
50-54	1196.5	1149.0	893.7	1258.6	1184.0	1523.0	1454.1	1039.0	1595.9	1554.3	1010.4	906.1	814.5	1136.2	951.4
55-59	1212.8	1316.7	812.7	1229.0	1226.5	1475.3	1550.5	1116.1	1490.1	1501.6	1038.7	1024.1	669.3	1092.2	1047.7
60-64	1245.0	1276.5	838.9	1244.0	1268.9	1433.0	1507.4	922.7	1431.6	1490.0	1113.7	1048.5	804.2	1150.8	1122.8
65-69	1299.0	1461.0	913.1	1392.0	1292.9	1582.0	1631.7	1062.2	1590.2	1601.5	1148.2	1186.9	796.4	1256.9	1142.8
70-74	1300.0	1579.0	994.2	1380.2	1295.5	1558.1	1807.9	1107.1	1523.0	1565.4	1199.3	1243.9	887.8	1302.0	1197.2
75-79	1292.9	1609.4	1009.5	1298.8	1314.1	1521.2	1743.5	1107.0	1458.8	1556.9	1246.0	1327.6	914.7	1241.6	1267.1
80-84	1349.0	1785.0	940.5	1619.2	1367.5	1579.2	1837.9	1097.6	1657.1	1629.2	1312.5	1431.5	825.3	1558.5	1322.2
85 up	1624.5	1889.8	1152.9	1518.1	1625.9	1790.3	1885.2	1140.3	1515.4	1785.7	1584.7	1525.0	993.6	1462.8	1569.9

OF Standard Errors of First Admission Rate
 FOR Year: 1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	5.28	47.86	21.78	11.67	7.19	18.40	102.76	59.54	33.08	19.86	10.48	72.17	33.12	18.31	11.62
0-14	69.74	322.35	200.04	238.18	137.86	69.74	322.35	200.04	238.18	137.86	69.74	322.35	200.04	238.18	137.86
15-19	62.14	264.13	162.47	189.41	125.77	474.51	503.42	378.76	531.03	453.71	57.89	235.82	168.45	180.44	113.74
20-24	49.71	213.36	133.07	155.40	102.43	240.58	357.39	263.31	341.64	288.85	45.84	165.05	116.22	141.01	89.93
25-29	37.27	227.64	134.27	116.75	81.68	105.95	352.06	251.80	308.46	177.71	35.62	179.28	119.87	105.70	75.10
30-34	31.95	214.64	119.34	106.28	72.48	73.78	333.31	241.35	287.13	133.09	30.84	170.08	107.24	96.20	67.73
35-39	29.23	222.37	116.62	87.72	70.16	61.20	326.79	238.85	246.82	113.81	29.02	180.95	100.79	80.12	69.12
40-44	24.88	234.55	118.27	72.78	61.50	51.20	331.21	236.31	181.40	101.68	24.87	193.98	103.66	68.06	60.60
45-49	24.66	202.55	118.21	80.86	57.66	46.41	263.81	201.70	164.53	97.06	25.24	182.65	109.91	77.97	56.57
50-54	26.26	218.38	144.34	88.41	60.09	45.34	283.65	192.25	158.16	97.76	27.62	197.07	142.38	87.53	59.69
55-59	25.96	249.40	136.60	89.20	59.03	41.05	288.98	211.73	136.56	90.00	28.53	234.70	120.89	92.35	61.66
60-64	25.87	251.36	142.68	99.34	56.38	39.47	301.93	167.33	142.86	84.02	29.19	236.73	155.60	107.66	59.92
65-69	22.98	299.37	141.61	109.77	47.36	38.46	337.53	180.85	156.61	78.76	24.70	279.43	142.95	117.27	48.30
70-74	23.51	340.55	162.27	131.90	47.03	44.62	391.99	216.13	179.78	88.31	24.36	310.52	154.30	143.52	46.36
75-79	28.97	397.25	172.01	168.91	57.88	64.85	444.98	233.87	241.61	123.69	29.36	340.94	160.01	170.08	56.27
80-84	43.96	501.91	191.29	263.60	86.17	111.13	496.92	253.94	338.92	199.25	43.65	415.48	169.38	262.26	81.48
85 up	93.63	571.31	284.63	317.11	170.99	233.12	543.06	281.34	332.93	335.38	90.96	467.95	246.63	304.15	158.30

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate
 FOR Year: 1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1240.0	1309.9	748.5	1314.0	1251.8	1695.4	1741.6	1081.2	1744.7	1722.0	1051.2	941.5	648.8	1148.2	1053.4
0-14	1227.2	1071.5	802.6	1750.0	1157.2	1227.2	1071.5	802.6	1750.0	1157.2	1227.2	1071.5	802.6	1750.0	1157.2
15-19	1020.2	922.0	543.0	1219.2	950.7	1786.8	1685.0	1241.9	2258.6	1876.5	1051.6	855.0	610.9	1289.6	949.3
20-24	1125.2	960.1	542.0	1394.8	1004.8	1657.8	1356.5	1034.0	1895.6	1558.7	1085.4	784.4	504.1	1326.7	936.5
25-29	961.9	937.6	582.3	1267.3	870.0	1364.1	1518.0	983.8	1794.8	1355.1	877.6	708.2	561.7	1202.1	744.9
30-34	1075.3	1031.8	672.4	1331.1	986.9	1429.7	1346.8	1071.7	1648.2	1443.3	969.7	875.9	630.8	1258.7	828.8
35-39	1050.2	921.6	591.5	1188.5	1089.9	1667.6	1479.7	1110.2	1817.4	1638.2	887.7	719.7	538.3	1093.8	866.6
40-44	1074.0	1043.5	679.1	1138.9	1102.7	1588.2	1530.5	1157.3	1715.0	1568.2	933.3	796.5	602.6	1052.9	921.9
45-49	1069.1	1267.1	662.5	1155.0	1074.4	1665.5	1581.0	1090.4	1597.2	1730.9	861.4	978.4	599.1	1022.4	820.8
50-54	1161.7	1418.1	763.6	1125.2	1218.6	1678.9	1800.9	1082.6	1516.0	1813.7	945.4	1023.4	693.9	987.7	970.5
55-59	1338.7	1425.1	808.1	1394.9	1343.6	1873.6	1708.2	1103.3	1783.0	2020.9	1029.9	1057.0	704.4	1145.0	1013.7
60-64	1334.0	1580.1	880.4	1363.0	1332.1	1713.0	1929.4	1107.5	1802.9	1683.5	1088.4	1119.0	759.1	1107.7	1112.5
65-69	1392.2	1650.5	838.4	1551.9	1386.4	1687.5	1993.8	990.1	1677.2	1783.0	1193.6	1213.6	777.8	1425.8	1165.2
70-74	1418.3	1618.1	996.4	1603.4	1389.5	1746.9	1867.5	1126.6	1859.6	1745.1	1241.3	1272.4	865.6	1403.9	1225.3
75-79	1464.4	1799.3	1004.9	1719.6	1433.2	1916.6	1920.9	1080.8	1976.8	1960.3	1301.7	1470.2	933.4	1528.5	1261.1
80-84	1514.1	1977.5	944.8	1790.2	1498.2	1626.2	2024.5	1090.6	1689.9	1699.9	1463.5	1541.8	855.0	1786.1	1422.1
85 up	1481.5	2132.5	1011.2	1559.2	1550.9	1410.5	2135.7	1127.3	1549.1	1670.4	1532.1	1629.4	880.5	1533.1	1530.3

OF Standard Errors of First Admission Rate
 FOR Year: 1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	5.54	42.11	19.12	11.45	7.84	20.29	101.22	60.49	33.55	23.14	10.66	64.85	28.63	17.94	12.22
0-14	81.74	354.17	222.26	326.51	149.30	81.74	354.17	222.26	326.51	149.30	81.74	354.17	222.26	326.51	149.30
15-19	75.91	305.86	152.80	219.47	156.43	496.43	570.96	401.02	618.23	505.38	72.62	269.28	159.42	212.71	143.20
20-24	49.20	249.83	116.02	171.29	103.54	200.85	376.65	274.79	398.89	292.13	46.32	201.35	103.00	155.19	93.06
25-29	34.91	208.17	122.24	124.71	75.66	88.53	395.95	247.35	302.86	162.14	33.92	158.33	113.81	115.46	69.57
30-34	30.69	230.26	122.92	111.65	66.86	65.45	320.00	261.24	228.82	128.33	30.87	202.24	110.77	105.80	63.91
35-39	27.42	184.09	98.10	88.02	69.00	70.03	333.84	266.96	244.16	136.07	25.87	150.03	85.67	79.72	63.40
40-44	26.59	201.75	110.92	81.82	65.76	61.85	316.08	258.36	209.13	124.85	25.98	167.67	96.88	75.80	62.73
45-49	24.47	227.13	101.10	76.48	60.60	54.68	290.22	226.25	154.51	124.98	23.55	205.64	91.05	72.83	54.98
50-54	24.98	237.85	122.26	73.46	62.62	50.39	309.05	219.42	133.76	122.65	24.74	210.63	112.21	72.32	58.45
55-59	28.59	237.07	135.67	91.38	68.04	51.34	280.29	211.31	143.53	127.50	28.76	224.33	125.09	92.12	62.93
60-64	26.69	290.92	145.41	91.16	60.42	44.15	352.49	197.41	145.53	96.49	28.25	249.83	139.72	91.57	61.26
65-69	24.43	300.26	123.02	100.11	53.25	39.10	382.14	163.07	131.06	88.44	26.44	259.62	128.30	115.79	53.22
70-74	27.76	315.67	168.81	124.19	57.87	47.73	376.83	195.71	178.31	100.40	29.37	287.48	172.91	131.72	57.71
75-79	36.93	396.51	189.69	180.82	74.90	75.72	452.06	212.42	270.87	155.19	37.07	348.71	196.08	176.58	70.72
80-84	56.93	543.73	203.20	260.66	112.34	104.79	541.48	254.45	283.67	200.00	60.02	433.56	184.95	293.33	110.44
85 up	97.41	616.50	245.79	294.12	186.86	157.92	593.60	272.45	320.68	280.90	106.44	483.49	217.38	293.04	187.65

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate

FOR Year: 1997,

Modality group: 5 All ESRD Patients,

AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1234.0	1262.2	842.8	1187.8	1295.3	1469.7	1377.5	1061.4	1409.8	1547.0	1109.3	1066.7	732.7	1074.0	1165.0
0-14	1401.1	1211.7	1005.4	1474.7	1370.0	1401.1	1211.7	1005.4	1474.7	1370.0	1401.1	1211.7	1005.4	1474.7	1370.0
15-19	1021.8	1295.3	680.2	1084.3	1033.8	1755.5	1719.3	1694.4	1936.3	1819.6	1016.7	1242.3	666.5	1081.6	1018.3
20-24	982.3	926.0	732.0	1053.0	951.1	1823.8	1085.8	1224.4	1983.7	1743.0	937.8	941.2	714.3	995.4	911.5
25-29	951.2	893.7	635.1	1003.7	940.8	1715.4	1241.4	1066.3	1947.3	1628.6	850.1	826.1	614.6	918.2	811.0
30-34	1033.5	1054.5	754.1	1070.7	1027.6	1655.4	1627.6	1398.2	1807.8	1591.6	888.0	833.5	691.2	974.3	826.6
35-39	1027.4	1016.1	643.7	1061.5	1033.3	1537.4	1474.0	1301.8	1570.5	1534.6	897.9	846.8	552.1	987.0	836.3
40-44	1040.0	1086.9	643.0	1036.0	1082.4	1510.0	1221.3	1303.2	1468.3	1567.5	902.7	968.5	545.0	950.7	880.2
45-49	1056.1	1211.5	703.8	1033.9	1102.7	1442.2	1380.6	967.3	1393.3	1512.1	899.4	948.2	635.6	920.5	897.0
50-54	1143.0	1242.0	897.3	1115.5	1182.3	1408.9	1340.2	1099.3	1359.8	1473.4	980.6	1040.7	789.0	987.5	991.0
55-59	1183.0	1198.1	915.7	1130.5	1253.2	1394.2	1277.7	1147.2	1308.4	1506.5	1014.1	955.5	749.9	996.2	1054.7
60-64	1239.0	1293.0	887.6	1202.5	1290.4	1407.3	1364.9	995.9	1352.5	1482.8	1091.8	1077.2	797.0	1078.4	1124.7
65-69	1291.6	1317.4	900.6	1235.8	1352.7	1417.9	1381.8	1048.9	1334.5	1508.3	1183.4	1135.3	759.9	1143.1	1233.5
70-74	1344.3	1463.2	919.7	1311.5	1384.9	1504.5	1458.4	999.6	1434.9	1586.6	1238.4	1440.4	847.1	1213.6	1269.4
75-79	1396.7	1413.9	907.7	1419.7	1419.9	1559.7	1569.5	1045.7	1548.7	1612.8	1321.6	1212.7	834.6	1335.8	1346.9
80-84	1479.2	1582.2	804.0	1519.4	1507.7	1687.7	1526.0	1050.3	1710.5	1750.5	1416.9	1602.0	700.2	1439.1	1447.8
85 up	1604.1	1485.9	1176.8	1662.9	1608.0	1728.5	1579.0	1278.1	1711.1	1797.5	1575.3	1396.8	1088.6	1634.6	1576.2

OF Standard Errors of First Admission Rate

FOR Year: 1997,

Modality group: 5 All ESRD Patients,

AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	3.64	22.20	12.20	5.09	4.74	2.39	22.95	18.41	7.04	6.28	1.58	25.54	10.81	4.41	4.04
0-14	46.21	242.17	153.69	88.95	55.94	46.21	242.17	153.69	88.95	55.94	46.21	242.17	153.69	88.95	55.94
15-19	41.27	206.69	94.16	53.63	43.29	318.99	442.86	416.68	350.77	386.68	30.06	187.62	88.06	51.14	40.28
20-24	22.20	110.77	59.02	26.87	23.87	102.45	220.62	244.24	153.54	139.76	16.01	109.74	55.34	25.06	22.36
25-29	16.12	85.12	46.81	18.95	17.56	45.13	207.81	171.73	84.90	53.96	11.70	80.17	44.26	17.74	16.59
30-34	13.73	82.45	44.94	16.07	14.77	28.66	187.01	174.49	57.75	33.28	10.17	75.60	41.88	15.23	14.39
35-39	11.66	66.48	33.66	13.21	13.00	22.97	137.15	120.95	42.97	28.02	8.72	64.85	30.87	12.67	12.77
40-44	10.49	60.38	29.85	11.30	12.29	19.11	83.98	104.56	31.52	25.42	7.95	71.64	27.54	11.01	12.26
45-49	9.62	51.04	29.54	10.33	11.18	15.00	64.40	64.11	23.28	21.12	7.51	65.19	30.03	10.35	11.48
50-54	9.76	49.66	34.33	10.71	10.96	12.64	57.61	59.12	19.08	18.11	8.13	73.26	36.89	11.47	11.98
55-59	9.43	44.07	33.17	10.23	10.72	11.01	48.79	53.16	15.86	16.51	8.27	70.15	36.08	11.67	12.14
60-64	9.02	45.86	30.57	10.15	9.77	9.99	50.28	43.29	14.93	14.30	8.21	76.95	37.09	12.06	11.50
65-69	7.98	43.34	25.28	9.58	8.11	8.73	48.48	36.66	13.50	12.01	7.30	69.65	29.72	11.79	9.46
70-74	8.21	54.44	25.23	10.70	7.91	9.81	61.44	36.46	16.00	13.06	7.10	86.46	30.19	12.60	8.69
75-79	9.57	68.11	28.06	14.09	8.86	13.01	90.20	46.83	22.44	16.92	7.95	83.76	31.04	16.14	9.34
80-84	13.23	108.89	34.17	20.82	12.11	21.72	133.66	67.19	39.03	28.30	10.49	142.74	34.75	22.37	12.22
85 up	21.33	155.74	71.23	32.23	19.66	41.18	239.25	120.68	69.36	55.16	16.53	158.65	74.91	33.32	19.44

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate
 FOR Year: 1997,
 Modality group: 5 All ESRD Patients,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1147.9	1181.3	823.8	1069.0	1218.4	1391.4	1309.8	1053.1	1287.0	1472.1	1044.9	1010.5	718.6	991.5	1104.8
0-14	1410.7	1051.5	851.4	1367.3	1438.1	1410.7	1051.5	851.4	1367.3	1438.1	1410.7	1051.5	851.4	1367.3	1438.1
15-19	905.9	1029.7	665.1	912.2	941.1	1372.9	1538.1	1424.8	1529.6	1581.9	900.9	976.6	676.0	921.4	923.8
20-24	834.9	812.5	661.4	880.9	816.0	1459.1	1183.1	1116.1	1614.6	1302.8	805.7	776.5	622.2	842.5	790.5
25-29	846.5	714.7	605.3	867.4	855.1	1575.7	1111.7	964.1	1915.0	1448.1	764.7	683.4	584.9	800.0	751.2
30-34	956.4	1000.3	652.2	978.8	970.4	1611.8	1814.4	1012.2	1793.3	1553.0	808.3	716.5	623.5	891.3	753.4
35-39	982.5	1045.6	587.0	1016.1	980.5	1456.5	1359.0	960.7	1567.8	1442.2	865.3	913.6	528.4	955.0	789.0
40-44	990.8	1019.7	610.7	977.3	1038.3	1443.3	1097.0	1159.6	1342.9	1530.8	864.7	966.9	517.8	916.7	825.0
45-49	994.3	1179.7	674.8	956.0	1050.6	1361.8	1376.2	951.2	1305.9	1412.4	858.5	894.1	599.6	873.8	858.8
50-54	1052.1	1108.6	863.8	1023.8	1089.9	1274.3	1184.2	947.6	1238.3	1330.7	926.2	973.3	803.9	935.8	926.0
55-59	1097.9	1124.0	862.3	1021.4	1180.7	1321.2	1208.7	1141.6	1199.7	1441.5	943.6	916.5	679.1	921.7	985.4
60-64	1151.1	1243.8	821.1	1085.1	1220.0	1314.8	1332.3	910.3	1209.8	1410.1	1035.7	1051.6	747.2	1007.7	1080.6
65-69	1223.1	1270.4	936.2	1143.6	1276.4	1382.2	1340.7	1085.9	1280.7	1455.7	1125.8	1141.0	811.2	1059.1	1172.6
70-74	1273.0	1422.1	954.2	1217.8	1307.6	1425.9	1372.8	1108.7	1326.3	1488.7	1197.2	1479.3	852.5	1157.3	1224.7
75-79	1311.5	1430.3	928.2	1289.9	1335.3	1469.7	1405.2	1059.8	1393.5	1524.7	1259.6	1428.8	878.7	1243.0	1281.1
80-84	1411.6	1486.1	793.5	1411.8	1443.7	1642.5	1294.1	956.0	1634.4	1721.6	1363.1	1625.8	730.7	1353.5	1392.6
85 up	1553.1	1607.5	1245.6	1598.4	1555.5	1812.7	1503.2	1164.6	1839.9	1841.6	1518.1	1569.3	1214.8	1542.9	1523.7

OF Standard Errors of First Admission Rate
 FOR Year: 1997,
 Modality group: 5 All ESRD Patients,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1.77	27.19	14.65	5.50	4.89	2.69	32.37	23.34	9.49	8.18	1.58	29.53	14.07	5.45	4.98
0-14	57.55	210.04	149.76	100.58	71.62	57.55	210.04	149.76	100.58	71.62	57.55	210.04	149.76	100.58	71.62
15-19	41.42	210.01	110.04	59.04	49.66	274.19	372.30	341.52	295.17	330.83	36.08	193.71	108.78	58.32	47.93
20-24	21.71	118.46	70.36	29.66	26.97	125.75	260.62	239.69	184.84	144.90	18.85	113.60	65.92	28.72	26.32
25-29	15.87	90.07	54.95	20.84	20.30	57.91	228.02	166.55	119.36	65.34	13.80	86.23	53.99	20.09	20.00
30-34	13.74	101.15	49.25	18.37	17.28	35.82	266.54	156.32	76.74	40.52	12.12	86.25	48.65	17.98	17.27
35-39	11.66	83.01	40.62	15.28	14.78	27.77	159.28	116.11	59.25	32.25	10.52	84.99	39.96	15.13	15.19
40-44	10.33	66.40	35.97	12.67	14.08	23.06	94.60	115.06	38.80	30.16	9.40	81.60	34.76	12.83	14.52
45-49	9.56	60.24	37.07	11.60	13.04	18.59	80.12	80.06	30.41	24.99	8.96	75.95	39.00	11.96	14.07
50-54	9.81	58.41	40.31	12.55	12.68	15.61	69.72	61.75	25.29	21.41	9.85	88.50	48.31	13.70	14.59
55-59	9.81	56.10	41.08	12.36	12.82	14.61	65.57	70.92	21.87	21.08	10.09	86.62	44.42	14.12	14.87
60-64	9.72	62.57	37.04	12.99	12.01	13.83	74.04	53.78	21.59	19.12	10.40	95.04	46.39	15.47	14.42
65-69	8.80	61.95	35.60	13.15	9.93	12.87	75.10	54.18	21.89	16.68	9.28	92.07	43.12	15.68	11.66
70-74	8.95	83.59	34.90	15.28	9.48	14.35	103.63	57.97	26.20	17.82	9.03	119.87	40.36	17.98	10.57
75-79	10.21	104.63	37.74	19.93	10.41	18.94	143.03	68.95	36.52	23.08	9.91	128.76	42.50	22.85	11.17
80-84	14.26	149.32	44.48	29.76	14.43	32.35	173.60	84.50	66.21	39.85	13.29	193.72	47.96	32.20	14.89
85 up	23.99	225.73	91.66	49.42	24.16	67.25	299.01	150.12	125.71	83.17	21.81	224.89	99.08	51.58	24.41

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1 (Continued)
 First Admissions per 1000 Patient Years at Risk
 and Standard Errors of First Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Rate

FOR Year: 1997,

Modality group: 5 All ESRD Patients,

AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1330.1	1330.7	861.9	1304.5	1390.8	1535.8	1427.1	1069.5	1487.5	1623.5	1192.6	1127.9	747.5	1173.9	1248.2
0-14	1388.8	1560.6	1212.7	1662.6	1281.1	1388.8	1560.6	1212.7	1662.6	1281.1	1388.8	1560.6	1212.7	1662.6	1281.1
15-19	1164.6	1380.7	709.2	1307.4	1156.1	2486.7	1973.9	1987.2	2732.7	2353.7	1162.3	1312.8	692.6	1299.9	1140.4
20-24	1167.7	1054.2	781.6	1282.5	1123.8	2099.2	1190.4	1359.6	2210.9	2221.0	1108.1	1053.8	775.2	1203.3	1064.8
25-29	1096.2	1103.9	676.3	1207.8	1055.4	1855.0	1408.7	1340.8	1950.3	1839.7	973.9	991.0	646.3	1107.2	893.4
30-34	1141.2	1098.9	882.0	1201.7	1106.7	1712.9	1393.6	1836.0	1814.9	1649.6	1000.5	964.2	768.6	1096.6	925.9
35-39	1096.2	989.9	708.3	1130.3	1118.8	1656.2	1567.8	1775.1	1574.4	1703.1	948.4	787.7	585.5	1039.1	910.2
40-44	1120.5	1200.4	687.5	1136.3	1152.9	1611.2	1428.9	1477.7	1621.3	1631.6	966.3	966.8	585.8	1013.3	966.3
45-49	1148.4	1250.2	736.9	1158.2	1177.2	1546.0	1386.3	1019.3	1482.4	1666.5	964.3	1032.9	674.5	1006.8	950.9
50-54	1262.5	1390.2	937.2	1232.0	1308.0	1567.2	1519.1	1432.2	1469.1	1676.3	1058.0	1118.6	765.6	1067.0	1078.3
55-59	1279.7	1268.3	966.9	1247.0	1341.8	1464.5	1343.5	1153.1	1394.1	1581.8	1107.0	1025.6	825.0	1097.0	1145.2
60-64	1323.8	1330.3	959.2	1301.6	1366.9	1480.5	1388.2	1098.8	1443.4	1551.2	1157.0	1121.3	848.2	1153.9	1180.1
65-69	1352.4	1349.1	873.1	1299.2	1433.8	1442.6	1405.7	1024.9	1362.0	1552.4	1247.9	1140.5	719.3	1219.2	1312.1
70-74	1410.8	1482.7	891.6	1368.6	1475.5	1556.9	1490.8	933.6	1484.7	1668.8	1286.1	1385.3	839.8	1255.5	1333.1
75-79	1484.3	1407.7	891.1	1498.9	1528.4	1621.0	1625.0	1038.4	1617.4	1688.7	1397.9	1070.5	790.7	1403.4	1444.6
80-84	1551.0	1636.3	823.1	1585.6	1590.3	1717.7	1645.7	1140.7	1739.0	1774.0	1481.5	1530.4	685.1	1498.8	1526.6
85 up	1651.5	1429.4	1084.6	1694.8	1669.8	1678.1	1532.5	1302.1	1642.4	1762.8	1633.8	1291.7	900.6	1682.5	1642.2

OF Standard Errors of First Admission Rate

FOR Year: 1997,

Modality group: 5 All ESRD Patients,

AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2.02	26.45	14.80	6.10	5.76	2.63	29.90	22.84	8.84	8.72	1.89	32.65	14.47	6.50	6.06
0-14	67.79	345.66	207.41	141.97	77.28	67.79	345.66	207.41	141.97	77.28	67.79	345.66	207.41	141.97	77.28
15-19	52.04	219.91	107.11	80.44	63.20	488.25	474.04	453.47	533.14	516.08	45.94	204.54	102.95	80.39	61.06
20-24	28.92	143.81	74.43	41.49	35.80	138.98	232.01	264.58	197.15	212.25	25.18	146.30	73.53	40.36	34.73
25-29	21.18	117.99	62.90	30.06	25.97	63.60	231.08	246.95	106.31	80.06	18.69	115.21	60.44	29.83	25.42
30-34	17.71	103.22	66.81	24.24	21.60	42.37	189.31	266.70	77.60	50.58	15.96	104.17	62.16	24.15	22.14
35-39	15.09	84.66	45.28	19.68	19.93	35.61	183.37	201.75	56.12	46.93	13.54	81.48	41.39	19.92	20.14
40-44	13.91	93.36	40.95	17.73	18.59	29.75	130.82	158.15	46.67	40.49	12.72	107.82	38.42	18.05	19.41
45-49	12.44	72.12	38.78	16.03	16.38	22.33	91.56	88.45	32.22	33.51	11.83	96.47	40.50	17.24	17.29
50-54	12.27	69.72	49.03	15.46	16.12	18.70	84.15	112.25	25.90	28.51	12.44	101.60	49.07	17.94	18.09
55-59	11.26	57.14	44.20	14.07	15.04	14.98	64.43	69.88	20.73	23.48	12.46	95.72	51.12	17.77	18.18
60-64	10.24	55.98	41.88	13.06	13.18	13.01	61.74	61.69	18.74	19.25	11.75	104.83	51.94	16.97	16.70
65-69	8.73	51.26	30.31	11.61	10.81	10.78	57.72	45.04	15.85	15.57	10.26	90.26	36.68	15.93	13.89
70-74	9.09	61.38	30.67	12.63	10.82	12.21	69.31	42.60	18.66	17.19	9.95	106.23	40.19	16.01	12.98
75-79	11.01	76.15	34.86	16.80	12.55	16.36	101.75	57.01	26.23	22.40	11.49	94.50	40.25	20.64	14.33
80-84	15.31	125.97	43.43	24.75	17.06	27.05	158.36	89.85	44.68	36.53	15.04	165.25	44.44	28.31	18.41
85 up	23.90	164.78	87.31	36.75	26.93	48.29	236.16	144.78	75.89	66.97	22.81	171.54	90.51	40.06	28.27

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 Rates are smoothed based on 3-year pooled rates 1995-1997.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.2
First Admission Standardized Hospitalization Ratios for 1995-1997 by State
for All Dialysis Patients: Rates by Individual Years and Aggregate Rate for the Period,
Based on 1997 Rates Adjusted for Age on January 1, Race, Sex, and Diabetic Status

State	YEAR			
	1995	1996	1997	%
All	1.03	1.04	1.03	1.00
Alabama	1.09	1.13	1.09	1.07
Western Mountain States**	0.84	0.82	0.87	0.85
Arizona	0.91	0.92	0.95	0.88
Arkansas	1.19	1.26	1.21	1.11
California and Hawaii	0.95	0.96	0.95	0.94
Colorado	0.89	0.91	0.89	0.86
Connecticut	1.06	1.07	1.07	1.03
Pennsylvania and Delaware	1.15	1.18	1.18	1.10
District of Columbia	1.16	1.17	1.17	1.15
Florida	1.03	1.04	1.04	1.01
Georgia	1.14	1.20	1.15	1.08
Illinois	1.08	1.10	1.08	1.06
Indiana	1.02	1.03	1.02	1.01
Iowa	0.93	0.95	0.90	0.94
Kansas	1.02	0.97	1.06	1.02
Kentucky	1.10	1.11	1.15	1.04
Louisiana	1.20	1.23	1.23	1.16
New England*	1.01	1.07	1.00	0.98
Maryland	1.05	1.11	1.04	1.00
Massachusetts	1.02	1.05	1.02	1.00
Michigan	0.96	0.97	0.95	0.96
Minnesota	0.92	0.92	0.93	0.91
Mississippi	0.99	0.98	1.01	1.00
Missouri	0.96	1.01	0.94	0.92
Nebraska	0.89	0.88	0.95	0.85
New Jersey	1.17	1.24	1.16	1.11
New Mexico	0.95	1.00	1.00	0.88
New York	1.00	1.02	1.03	0.95
North Carolina	1.10	1.11	1.11	1.07
Dakotas	0.86	0.84	0.85	0.87
Ohio	1.07	1.07	1.08	1.05
Oklahoma	1.03	1.09	1.06	0.95
Oregon	0.90	0.90	0.90	0.88
Rhode Island	1.01	0.98	1.04	1.01
South Carolina	1.01	1.01	1.02	1.00
Tennessee	1.04	1.08	1.05	0.99
Texas	0.98	0.98	0.99	0.98
Utah	0.73	0.74	0.70	0.75
Virginia	1.02	1.05	1.04	0.99
Washington	0.89	0.93	0.89	0.85
West Virginia	1.29	1.38	1.34	1.19
Wisconsin	0.93	0.92	0.94	0.92
Guam	0.88	1.33	0.78	0.91
Mariana Islands	0.72	0.88	0.90	0.33
Puerto Rico and Virgin Islands	1.00	1.01	0.98	1.00

Some states have been combined due to the small number of dialysis units
 *New England includes Maine, Vermont and New Hampshire
 **Western Mountain States include Nevada, Wyoming, Idaho, Montana and Alaska.
 Patients who died from AIDS are excluded from all calculations.
 Deaths resulting from street drugs and accidents unrelated to treatment are not counted.
 Includes only dialysis patients who have reached day 91 of ESRD by the end of the year.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.

Table H.3
Total Admissions per 1000 Patient Years at Risk
and Standard Errors of Total Admission Rates
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1941	1978	1321	1915	1996	2283	2090	1654	2217	2379	1751	1771	1144	1753	1789
0-14	2613	1484	1673	2523	2713	2689	*	3183	1196	2596	1566	1730	2463	2715	
15-19	1757	2099	1022	2055	1651	2325	*	2899	*	1764	2099	1033	2053	1654	
20-24	1640	1294	1189	1738	1623	3405	*	3808	3208	1538	1370	1189	1600	1539	
25-29	1738	1677	984	1834	1713	3100	2353	1625	3390	2986	1507	1563	941	1648	1413
30-34	1871	2010	1117	1941	1864	2896	2966	2017	3025	2858	1580	1622	1016	1767	1432
35-39	1811	1856	1003	1859	1827	2702	2316	2158	2811	2692	1543	1641	793	1694	1423
40-44	1784	1780	982	1824	1806	2509	1892	1974	2531	2554	1535	1665	791	1659	1439
45-49	1766	1892	1158	1731	1843	2326	2054	1543	2230	2461	1509	1577	1037	1558	1487
50-54	1852	2074	1398	1810	1914	2254	2142	1745	2211	2329	1583	1909	1198	1582	1611
55-59	1889	1943	1405	1808	1994	2179	2032	1645	2068	2331	1643	1623	1221	1605	1709
60-64	1950	1971	1435	1893	2025	2178	1976	1537	2100	2288	1739	1938	1349	1711	1786
65-69	1979	1998	1403	1942	2036	2165	2111	1672	2067	2274	1818	1659	1147	1824	1852
70-74	2036	2093	1439	2017	2075	2258	2131	1573	2174	2356	1888	2007	1326	1888	1913
75-79	2063	2089	1355	2153	2066	2274	2202	1619	2305	2310	1965	1932	1216	2056	1972
80-84	2139	2256	1347	2303	2118	2443	2130	1668	2497	2495	2049	2408	1192	2223	2030
85 up	2226	2305	1882	2387	2178	2470	3150	1954	2548	2478	2179	2006	1797	2345	2133

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2.17	16.81	9.84	3.44	2.97	4.00	21.65	18.77	6.41	5.53	2.58	26.60	11.38	4.08	3.51
0-14	52.51	359.93	225.64	98.12	66.84	350.04	*	601.53	422.87	53.45	434.20	233.29	99.26	67.90	
15-19	33.95	249.12	117.99	60.48	45.17	354.52	*	504.62	*	34.57	249.12	120.85	61.82	45.58	
20-24	17.71	130.06	68.08	27.55	25.38	111.54	*	170.11	159.00	17.75	137.64	69.21	27.47	25.51	
25-29	13.70	109.87	54.75	20.85	19.62	47.87	354.73	274.60	86.84	59.10	13.92	114.30	55.44	21.07	19.95
30-34	11.33	101.38	48.55	17.28	16.02	30.05	231.60	208.00	58.23	36.11	11.88	108.86	49.17	17.90	16.91
35-39	9.52	79.52	38.05	13.93	14.06	24.66	155.42	144.86	46.31	30.52	10.03	91.31	36.82	14.40	15.07
40-44	8.47	65.42	33.35	12.09	12.89	20.19	94.98	118.60	34.05	26.83	9.12	89.88	32.92	12.78	14.11
45-49	7.65	52.34	33.93	10.84	11.71	15.73	67.44	77.86	24.56	22.40	8.61	81.34	37.44	11.98	13.32
50-54	7.52	52.58	36.92	10.88	11.18	13.30	62.93	67.88	20.41	19.16	8.99	95.67	43.21	12.72	13.53
55-59	7.16	46.37	35.09	10.31	10.73	11.46	54.28	57.50	16.88	17.22	9.12	87.89	43.69	12.98	13.57
60-64	6.72	45.74	33.63	10.05	9.65	10.35	51.42	50.27	15.71	14.97	8.86	101.72	45.51	13.13	12.60
65-69	5.76	43.06	26.99	9.45	7.72	8.98	52.08	42.45	14.33	12.43	7.58	75.64	34.19	12.76	9.87
70-74	5.90	52.31	27.35	10.43	7.51	10.02	64.53	42.86	16.68	13.42	7.34	90.22	35.52	13.50	9.08
75-79	6.97	68.76	29.99	13.68	8.48	13.40	96.18	55.34	23.30	17.53	8.20	97.70	35.41	17.09	9.72
80-84	9.65	109.05	40.72	20.23	11.43	22.39	148.07	84.02	39.82	29.32	10.74	162.71	45.78	23.76	12.45
85 up	15.50	176.24	80.33	30.71	18.56	42.77	403.38	146.84	74.96	56.48	16.76	191.26	95.10	34.09	19.77

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1804	1871	1276	1750	1866	2166	1975	1557	2074	2257	1643	1724	1139	1628	1682
0-14	2421	*	1530	2438	2456	2059	*	*	*	2411	*	1530	2394	2455	
15-19	1532	1211	1314	1751	1443	1317	.	.	*	1542	1211	1341	1769	1445	
20-24	1400	1363	1203	1474	1361	2470	*	*	3203	1873	1353	1412	1197	1392	1337
25-29	1557	1193	998	1597	1568	2862	*	1360	3188	2733	1368	1229	974	1457	1313
30-34	1759	2105	1002	1824	1755	2785	3356	1629	2979	2729	1468	1707	925	1661	1303
35-39	1725	1860	909	1804	1694	2555	2282	1501	2782	2516	1487	1659	781	1671	1296
40-44	1681	1655	909	1705	1711	2352	1656	1734	2316	2428	1461	1654	729	1585	1339
45-49	1651	1892	1090	1606	1724	2179	2045	1361	2066	2294	1431	1595	997	1487	1381
50-54	1702	1866	1342	1644	1776	2074	1927	1607	2010	2158	1476	1723	1144	1485	1489
55-59	1770	1878	1408	1657	1885	2073	2004	1681	1912	2224	1547	1476	1212	1507	1609
60-64	1814	1899	1278	1710	1922	2051	1904	1326	1902	2197	1640	1887	1234	1584	1711
65-69	1857	1794	1417	1798	1910	2070	1899	1588	1975	2157	1724	1593	1284	1686	1762
70-74	1903	2108	1382	1879	1933	2108	2134	1574	2010	2177	1802	2083	1268	1803	1823
75-79	1922	2100	1415	1969	1931	2156	2105	1699	2088	2208	1844	2096	1301	1915	1850
80-84	2003	2189	1205	2182	1989	2375	1816	1438	2429	2454	1929	2527	1115	2121	1913
85 up	2129	2127	2004	2346	2080	2395	*	1837	2548	2386	2093	2046	2011	2313	2049

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2.93	24.43	13.84	4.77	3.93	5.88	32.81	26.64	10.19	7.72	3.38	36.54	16.09	5.41	4.54
0-14	65.49	*	300.15	120.98	83.32	369.88	*	.	*	*	66.84	*	300.15	122.17	85.01
15-19	43.74	323.70	198.17	77.54	57.10	439.00	.	.	*	*	44.36	323.70	202.22	78.93	57.54
20-24	22.47	198.75	99.26	34.45	31.91	151.44	*	*	256.43	180.21	22.68	206.01	99.78	34.45	32.48
25-29	17.41	139.63	74.40	25.85	25.32	66.07	*	329.89	127.61	78.80	17.58	143.81	76.30	25.94	25.72
30-34	14.63	148.85	61.76	22.31	20.68	39.22	384.98	254.43	81.22	45.88	15.27	157.13	63.09	22.94	21.68
35-39	12.06	107.01	52.14	17.80	17.44	31.71	207.41	171.11	67.15	37.50	12.71	123.30	52.89	18.26	18.63
40-44	10.56	79.54	44.23	14.90	16.20	25.52	115.11	145.01	44.80	33.22	11.37	110.02	44.35	15.69	17.74
45-49	9.71	69.17	46.65	13.53	14.99	20.63	88.59	99.02	33.95	28.31	10.84	108.78	52.91	14.73	17.06
50-54	9.79	69.77	48.17	14.20	14.48	17.90	84.33	80.73	29.42	24.66	11.53	124.02	58.78	16.11	17.52
55-59	9.69	66.31	49.93	14.05	14.31	16.31	79.85	83.75	25.16	23.39	11.95	115.97	61.28	16.91	17.84
60-64	9.46	70.15	44.45	14.49	13.29	15.50	81.61	65.24	24.87	21.52	11.99	137.25	61.01	17.96	16.87
65-69	8.31	66.18	41.09	14.61	10.60	14.14	83.90	64.56	24.96	18.38	10.35	106.68	53.48	18.24	13.04
70-74	8.37	91.99	39.68	16.72	10.05	15.74	126.43	67.84	29.52	19.65	9.94	134.99	49.05	20.55	11.73
75-79	9.65	115.76	44.98	21.80	11.15	21.05	186.10	89.20	41.31	25.82	10.92	147.84	52.08	26.01	12.41
80-84	13.22	180.52	56.37	32.54	14.97	35.64	238.46	114.76	74.01	44.15	14.30	267.82	64.57	36.71	15.95
85 up	22.11	276.93	113.46	53.07	25.04	71.24	*	216.49	142.00	89.21	23.44	283.76	132.32	58.09	26.27

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2082	2065	1365	2065	2147	2375	2170	1740	2301	2495	1880	1821	1149	1893	1925
0-14	2897	*	1826	2671	3071	4063	*	*	*	2866	*	1959	2588	3070	
15-19	2007	2560	776	2383	1902	2915	*	*	3884	*	2014	2560	765	2372	1907
20-24	1910	1238	1176	2052	1919	4012	*	*	4163	4320	1754	1333	1180	1856	1773
25-29	1964	2058	967	2143	1889	3324	2582	1990	3546	3255	1691	1893	901	1916	1539
30-34	2016	1920	1260	2092	2005	3041	2695	2471	3073	3045	1725	1535	1128	1909	1592
35-39	1935	1852	1091	1940	2028	2899	2358	2812	2836	2978	1628	1619	804	1730	1610
40-44	1942	1991	1064	2013	1949	2731	2241	2316	2772	2759	1653	1685	855	1787	1582
45-49	1925	1891	1225	1915	2000	2503	2067	1762	2384	2696	1625	1554	1074	1680	1625
50-54	2030	2292	1470	1999	2085	2441	2357	2003	2368	2546	1723	2124	1254	1718	1761
55-59	2013	2001	1403	1955	2117	2273	2055	1610	2179	2446	1759	1784	1231	1727	1830
60-64	2071	2020	1598	2034	2129	2271	2020	1759	2212	2367	1843	1997	1469	1834	1872
65-69	2079	2123	1393	2033	2161	2225	2224	1730	2109	2363	1915	1720	1032	1937	1959
70-74	2151	2086	1488	2096	2230	2348	2129	1573	2243	2491	1980	1942	1385	1948	2033
75-79	2197	2083	1303	2256	2225	2348	2235	1565	2393	2390	2101	1784	1133	2151	2138
80-84	2275	2293	1472	2373	2274	2486	2284	1865	2524	2527	2185	2333	1261	2290	2187
85 up	2313	2411	1743	2407	2286	2511	3169	2042	2547	2535	2261	1971	1503	2361	2233

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis Patients,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	3.21	23.12	13.98	4.93	4.52	5.45	28.75	26.36	8.23	7.89	3.97	38.76	16.10	6.18	5.50
0-14	86.91	*	339.13	167.26	110.09	767.87	*	*	*	*	88.15	*	363.84	169.89	110.98
15-19	52.65	339.10	139.45	93.83	72.03	499.94	*	*	776.80	*	53.95	339.10	142.10	96.77	72.82
20-24	27.88	171.66	93.56	44.25	40.29	155.46	*	*	224.13	249.82	27.89	184.86	96.07	44.26	40.19
25-29	21.83	162.71	80.85	34.21	30.71	69.04	389.27	469.01	118.21	88.60	22.43	177.26	80.56	35.17	31.34
30-34	17.81	138.18	77.24	27.17	25.19	46.65	287.32	339.47	83.52	58.30	18.78	150.56	77.50	28.43	26.70
35-39	15.44	118.82	55.17	22.36	23.52	39.03	234.63	233.49	63.94	52.04	16.28	135.87	51.28	23.43	25.21
40-44	14.07	113.62	50.40	20.49	21.15	32.76	162.55	200.04	51.90	45.24	15.19	155.82	48.79	21.94	23.10
45-49	12.35	80.07	49.26	17.93	18.62	24.17	103.99	123.36	35.38	36.32	14.09	122.47	52.90	20.51	21.12
50-54	11.66	79.03	57.34	16.74	17.46	19.74	93.48	123.05	28.15	30.19	14.25	148.35	63.60	20.57	21.10
55-59	10.59	64.82	49.33	15.07	16.15	16.09	74.00	79.05	22.67	25.37	14.03	133.31	62.32	20.15	20.80
60-64	9.52	60.28	50.71	13.84	14.01	13.88	66.18	76.98	20.18	20.82	13.12	151.37	67.75	19.14	18.90
65-69	7.98	56.39	35.79	12.35	11.20	11.62	66.12	56.25	17.50	16.84	11.09	107.11	44.03	17.77	15.05
70-74	8.29	63.60	37.69	13.32	11.24	12.96	75.04	55.30	20.18	18.30	10.85	121.16	51.40	17.87	14.27
75-79	10.02	85.48	40.18	17.51	12.97	17.36	112.30	70.48	28.14	23.84	12.37	129.43	48.08	22.61	15.54
80-84	14.06	136.78	58.28	25.79	17.62	28.76	187.13	121.15	47.23	39.19	16.20	204.60	64.67	31.14	19.78
85 up	21.70	227.78	113.19	37.65	27.57	53.45	431.31	199.32	88.26	72.92	23.94	258.83	133.91	42.10	29.96

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1926	1963	1332	1890	1990	2238	2039	1639	2177	2336	1747	1805	1158	1730	1798
0-14	2518	*	2704	2614	2385	2777	*		3183	*	2477	*	2704	2497	2426
15-19	1747	1336	1018	1952	1733	2342		*	2789	*	1744	1336	1032	1940	1727
20-24	1602	1250	1353	1628	1622	3541	*		3941	3226	1496	1341	1359	1474	1549
25-29	1691	1565	1011	1754	1688	3111	2012	1818	3252	3067	1475	1506	973	1574	1406
30-34	1830	2101	1106	1867	1838	2950	3318	2015	2999	2947	1538	1623	986	1688	1396
35-39	1772	1965	1025	1808	1781	2674	2214	1857	2741	2695	1520	1853	859	1640	1401
40-44	1766	1799	902	1810	1779	2480	1809	1714	2488	2552	1528	1789	733	1646	1421
45-49	1739	1873	1177	1703	1817	2263	2016	1538	2192	2386	1502	1547	1049	1533	1495
50-54	1822	2016	1377	1781	1887	2193	2016	1792	2157	2263	1565	2019	1120	1561	1598
55-59	1846	1898	1424	1771	1952	2116	1978	1639	2014	2260	1613	1587	1255	1580	1680
60-64	1925	1936	1447	1869	2006	2133	1922	1535	2061	2243	1727	1975	1380	1695	1780
65-69	1962	1981	1398	1912	2032	2125	2075	1679	2034	2229	1816	1675	1127	1794	1870
70-74	2026	2080	1415	1999	2074	2230	2082	1533	2150	2334	1884	2057	1313	1874	1917
75-79	2058	2075	1345	2140	2062	2256	2220	1622	2290	2285	1962	1863	1196	2044	1972
80-84	2142	2210	1371	2288	2124	2452	2122	1690	2491	2511	2048	2325	1207	2202	2032
85 up	2227	2248	1888	2387	2176	2483	3049	2000	2571	2481	2176	1978	1782	2339	2129

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2.34	18.02	10.82	3.60	3.28	4.25	22.68	20.01	6.63	6.00	2.80	29.71	12.68	4.30	3.90
0-14	86.67	*	511.03	141.95	116.93	371.07	*		601.53	*	89.86	*	511.03	145.64	120.85
15-19	42.81	225.79	142.50	70.85	61.20	379.94		*	517.89	*	43.58	225.79	145.96	72.64	61.61
20-24	20.23	165.60	87.00	29.55	30.28	134.14	*	*	192.97	198.54	20.20	177.61	88.07	29.21	30.44
25-29	15.44	129.56	63.34	22.49	22.98	57.66	419.56	387.68	94.47	75.06	15.61	135.82	63.75	22.70	23.18
30-34	12.78	116.89	58.81	18.53	18.84	35.86	278.45	226.72	63.73	44.95	13.25	122.65	59.92	19.11	19.50
35-39	10.61	91.84	45.97	15.00	16.15	28.53	169.31	149.14	49.52	36.97	11.12	109.38	46.46	15.49	17.09
40-44	9.43	73.59	36.87	13.05	14.86	22.82	101.42	124.98	36.18	31.84	10.13	106.93	36.81	13.82	16.15
45-49	8.41	58.55	39.04	11.54	13.29	17.25	73.24	84.44	26.13	25.30	9.49	95.37	43.82	12.77	15.24
50-54	8.22	56.72	41.29	11.54	12.60	14.33	66.65	75.77	21.42	21.11	9.90	108.25	47.78	13.55	15.46
55-59	7.69	49.27	38.64	10.76	11.89	12.19	57.29	62.29	17.54	18.72	9.86	94.99	48.77	13.59	15.25
60-64	7.19	47.64	36.33	10.41	10.66	10.94	53.04	54.23	16.20	16.21	9.59	110.09	49.27	13.65	14.17
65-69	6.15	44.89	29.02	9.71	8.46	9.43	53.40	45.64	14.73	13.28	8.20	82.30	36.61	13.11	11.04
70-74	6.25	54.58	28.58	10.66	8.13	10.45	66.81	44.77	17.00	14.22	7.85	95.38	37.14	13.81	9.94
75-79	7.30	71.17	31.32	13.91	8.99	13.84	98.59	57.66	23.64	18.28	8.65	101.77	36.90	17.40	10.38
80-84	10.02	109.28	42.68	20.45	11.99	23.10	148.24	86.24	40.36	30.59	11.17	163.60	48.27	23.97	13.05
85 up	15.93	177.18	82.33	31.00	19.20	43.98	411.17	152.04	76.04	58.47	17.22	192.17	96.94	34.37	20.45

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1780	1858	1284	1724	1845	2120	1924	1556	2034	2213	1629	1758	1151	1606	1674
0-14	2488	*	*	2555	2469	2109	*	*	*	*	2501	*	*	2475	2532
15-19	1525	1325	1452	1704	1425	1317	*	*	*	*	1536	1325	1495	1726	1418
20-24	1354	1508	1304	1365	1347	2427	*	3179	1775	1309	1586	1299	1285	1328	
25-29	1493	1212	976	1537	1493	2736	*	1259	3003	2636	1336	1252	961	1409	1281
30-34	1724	2148	1013	1767	1732	2819	3637	1657	2890	2822	1441	1773	936	1609	1273
35-39	1686	1936	874	1766	1640	2569	2344	1157	2788	2536	1457	1740	832	1625	1258
40-44	1656	1576	847	1691	1673	2338	1552	1581	2288	2444	1443	1600	688	1571	1299
45-49	1615	1901	1094	1577	1680	2120	1985	1385	2047	2212	1413	1716	989	1456	1368
50-54	1663	1813	1346	1612	1736	1997	1837	1673	1939	2071	1463	1761	1098	1469	1483
55-59	1720	1807	1465	1621	1827	2007	1953	1684	1851	2159	1508	1301	1305	1487	1550
60-64	1778	1878	1290	1683	1886	2002	1851	1368	1873	2142	1613	1960	1225	1560	1688
65-69	1839	1818	1402	1775	1898	2032	1919	1602	1941	2117	1717	1605	1247	1671	1764
70-74	1886	2065	1346	1863	1920	2077	2005	1539	1985	2149	1791	2117	1227	1792	1813
75-79	1913	2108	1428	1962	1919	2131	2160	1687	2088	2175	1837	2072	1320	1906	1840
80-84	2003	2142	1242	2166	1989	2389	1786	1430	2407	2480	1924	2469	1166	2102	1905
85 up	2123	2127	1962	2346	2071	2407	*	1870	2569	2384	2085	2046	1941	2309	2038

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	3.16	26.13	15.09	4.98	4.32	6.32	34.36	28.59	10.60	8.48	3.65	40.25	17.68	5.66	5.00
0-14	110.27	*	*	173.86	154.94	398.58	*	*	*	*	115.13	*	*	177.70	161.08
15-19	54.63	382.49	248.98	88.22	75.97	439.00	*	*	*	*	55.60	382.49	256.32	90.32	76.36
20-24	24.70	262.47	115.72	36.02	36.34	175.14	*	293.94	207.73	24.90	276.15	116.22	35.89	36.98	
25-29	18.99	153.87	81.88	27.27	28.49	76.78	*	379.51	134.16	96.18	19.18	159.04	83.98	27.40	28.87
30-34	16.10	168.24	71.66	23.56	23.57	45.58	486.00	272.44	85.85	55.50	16.65	175.51	74.03	24.23	24.20
35-39	13.13	117.17	57.98	18.87	19.46	36.59	224.55	170.55	71.95	44.70	13.70	135.86	61.81	19.30	20.40
40-44	11.53	84.12	47.75	15.87	18.26	28.62	118.34	155.76	47.40	38.86	12.36	119.58	48.28	16.73	19.70
45-49	10.50	77.08	51.98	14.22	16.76	22.60	95.06	108.46	36.08	31.79	11.72	130.82	59.29	15.44	19.17
50-54	10.56	74.20	53.25	14.92	16.08	19.25	88.46	90.47	30.78	27.05	12.49	136.68	63.79	16.97	19.67
55-59	10.38	69.91	55.49	14.60	15.84	17.46	83.96	90.39	26.15	25.71	12.82	120.30	69.86	17.59	19.81
60-64	10.12	73.26	47.73	14.97	14.69	16.57	83.94	71.62	25.82	23.58	12.85	149.88	64.13	18.50	18.80
65-69	8.94	70.27	44.10	15.07	11.69	15.08	87.66	70.04	25.81	19.97	11.20	116.43	56.63	18.80	14.52
70-74	8.97	96.48	41.56	17.15	10.97	16.64	131.66	71.00	30.31	21.09	10.72	141.46	51.23	21.08	12.90
75-79	10.19	120.29	47.95	22.21	11.89	21.93	191.63	92.47	42.24	27.13	11.58	154.47	56.15	26.46	13.29
80-84	13.84	181.00	59.98	32.95	15.78	37.08	238.65	117.19	74.68	46.45	14.98	269.44	69.93	37.10	16.81
85 up	22.77	276.93	114.84	53.64	25.90	73.34	*	223.45	144.51	91.90	24.14	283.76	132.99	58.65	27.19

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2076	2049	1380	2042	2155	2327	2119	1711	2259	2447	1891	1858	1166	1873	1959
0-14	2565	*	*	2723	2263	4063	*	*	*	2439	*	*	2541	2276	
15-19	2004	1342	637	2271	2086	3088	*	*	*	1989	1342	623	2230	2082	
20-24	1928	1012	1412	1969	1997	4291	*	*	4346	4692	1750	1106	1431	1732	1856
25-29	1968	1996	1060	2073	1953	3480	2354	*	3462	3541	1683	1897	989	1837	1584
30-34	1985	2055	1256	2007	1998	3140	3139	2489	3123	3158	1680	1451	1069	1802	1574
35-39	1913	2011	1199	1874	2025	2820	2017	2494	2698	2984	1630	2029	892	1665	1644
40-44	1951	2253	972	2015	1954	2693	2246	1908	2719	2747	1677	2265	788	1786	1614
45-49	1921	1833	1269	1901	2007	2436	2060	1723	2331	2633	1646	1304	1113	1676	1669
50-54	2017	2240	1421	1981	2083	2393	2208	2017	2325	2504	1709	2331	1147	1700	1752
55-59	1979	1980	1384	1919	2092	2209	2000	1596	2129	2364	1743	1885	1203	1698	1837
60-64	2054	1977	1615	2012	2123	2223	1967	1709	2166	2327	1850	1993	1551	1831	1887
65-69	2060	2079	1396	1998	2161	2181	2157	1731	2076	2310	1917	1739	1023	1896	1998
70-74	2142	2087	1471	2075	2234	2319	2107	1528	2217	2467	1981	2004	1395	1931	2048
75-79	2190	2057	1277	2241	2225	2331	2241	1577	2371	2369	2098	1667	1082	2138	2145
80-84	2276	2248	1480	2358	2283	2489	2284	1909	2524	2534	2185	2232	1242	2269	2197
85 up	2317	2325	1803	2407	2291	2524	3055	2099	2572	2542	2262	1917	1564	2355	2236

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	3.46	24.83	15.49	5.18	4.99	5.74	30.12	27.96	8.49	8.48	4.35	43.99	18.21	6.56	6.18
0-14	140.14	*	*	245.53	177.82	767.87	*	*	*	143.70	*	*	254.12	182.22	
15-19	67.29	279.73	154.44	115.60	98.31	573.45	*	*	*	68.72	279.73	155.66	119.54	99.14	
20-24	33.71	206.67	131.71	49.24	51.61	190.93	*	*	250.94	339.49	33.55	225.70	134.59	48.71	51.45
25-29	25.82	217.74	99.73	38.49	37.92	85.89	490.80	*	132.38	116.81	26.35	242.93	97.91	39.51	38.30
30-34	20.89	162.44	101.23	29.85	31.13	57.87	338.48	384.02	94.96	76.29	21.72	169.82	101.43	30.95	32.42
35-39	17.91	147.82	72.98	24.67	28.44	45.44	256.14	238.86	68.23	65.17	18.96	182.95	70.33	25.96	30.44
40-44	16.20	143.38	57.69	22.64	25.37	37.55	185.86	206.93	55.52	55.28	17.56	225.35	56.58	24.39	27.71
45-49	13.90	89.99	58.77	19.54	21.57	26.56	114.82	132.54	37.72	41.35	16.06	136.66	64.80	22.58	24.81
50-54	12.94	86.81	65.35	17.98	20.06	21.26	100.37	136.90	29.60	33.38	16.08	172.80	72.09	22.33	24.76
55-59	11.39	69.31	53.79	15.79	17.89	16.99	78.37	85.90	23.54	27.26	15.35	148.13	68.02	21.27	23.69
60-64	10.17	62.68	55.18	14.37	15.45	14.53	68.38	81.84	20.73	22.28	14.33	162.21	75.69	20.09	21.49
65-69	8.45	58.13	38.54	12.66	12.20	12.08	67.17	60.09	17.92	17.75	11.99	116.17	47.58	18.23	16.94
70-74	8.69	66.18	39.31	13.57	12.02	13.39	77.52	57.68	20.50	19.18	11.50	129.06	53.68	18.25	15.51
75-79	10.41	88.26	41.24	17.79	13.66	17.82	114.95	73.70	28.47	24.71	12.94	133.89	48.54	23.04	16.50
80-84	14.48	137.03	60.28	26.05	18.33	29.52	187.13	124.56	47.95	40.64	16.70	205.50	66.66	31.37	20.60
85 up	22.24	230.18	117.88	37.98	28.53	54.94	440.94	206.83	89.42	75.73	24.52	260.91	139.90	42.42	30.96

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1975	2073	1231	2081	1977	2533	2486	1750	2615	2549	1719	1604	1040	1881	1700
0-14	2199	*	812	2470	2173	*				*	2188	*	875	2470	2150
15-19	1689	*	840	2248	1411	*					1711	*	840	2274	1429
20-24	1683	1228	755	2126	1588	2862	*	3312	2836	1608	1286	705	2053	1506	
25-29	1818	1710	927	2119	1708	2820	2889	1433	3488	2644	1590	1397	854	1968	1414
30-34	1922	1755	1021	2235	1839	2635	1742	*	3057	2546	1666	1762	966	2100	1472
35-39	1898	1171	852	2057	1920	2751	2417	3296	3161	2670	1586	660	627	1911	1465
40-44	1780	1753	1107	1789	1833	2509	2304	2858	2697	2467	1499	1317	869	1632	1458
45-49	1838	2016	1066	1863	1876	2534	2190	1507	2374	2662	1500	1682	985	1690	1406
50-54	1956	2380	1475	1942	1980	2560	2909	1616	2560	2597	1623	1353	1421	1668	1613
55-59	2086	2228	1315	2094	2122	2562	2398	1807	2563	2643	1743	1757	1013	1767	1764
60-64	2073	2302	1367	2127	2077	2495	2478	1509	2582	2507	1755	1866	1193	1800	1764
65-69	2048	2155	1434	2342	2007	2451	2707	1653	2498	2493	1790	1509	1237	2201	1733
70-74	2074	2213	1686	2351	2039	2472	2680	1941	2627	2454	1886	1427	1476	2142	1867
75-79	2075	2303	1467	2433	2053	2529	1757	1523	2785	2556	1944	2489	1463	2279	1920
80-84	2063	*	912	2746	2037	2306	*	1179	2559	2331	2012	*	867	2931	1980
85 up	2205	*	1813	2093	2215	2109	*	*	1171	2338	2234	*	2398	2322	2212

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	6.22	51.75	25.19	12.46	7.57	12.64	77.79	58.65	26.79	15.16	7.04	66.77	27.12	14.01	8.58
0-14	67.48	*	234.26	160.76	78.61	*				*	67.98	*	252.70	160.76	79.15
15-19	60.28	*	216.96	126.67	70.36	*					61.18	*	216.96	128.51	71.37
20-24	39.71	220.57	105.76	79.94	50.89	216.35	*	*	417.25	276.81	40.29	230.91	105.11	81.68	51.50
25-29	31.45	208.97	118.74	58.38	39.72	89.73	630.43	413.76	229.49	100.02	32.85	210.66	121.96	59.90	41.76
30-34	25.74	214.45	87.51	49.74	32.03	58.19	380.15	*	153.83	63.74	28.21	259.72	87.45	52.47	35.75
35-39	22.99	157.90	68.88	39.92	30.70	53.59	420.73	521.22	145.03	58.82	24.64	140.79	61.45	41.10	34.12
40-44	20.58	160.66	75.64	34.06	27.88	46.50	277.41	349.10	109.38	53.24	22.33	186.29	71.66	35.41	31.48
45-49	19.89	140.43	73.56	33.74	26.57	40.94	180.61	215.32	76.64	51.86	22.07	218.99	77.61	37.32	29.29
50-54	20.15	151.45	87.71	34.93	26.20	38.94	205.15	173.23	71.90	49.76	22.98	199.42	101.48	39.42	29.87
55-59	21.06	147.55	91.37	38.30	26.81	36.32	177.76	173.92	66.36	47.39	25.32	259.04	101.83	46.01	31.74
60-64	20.34	178.17	96.88	40.96	24.47	34.47	215.68	142.57	69.24	42.27	24.78	315.45	131.76	50.36	29.43
65-69	17.59	170.38	78.34	43.58	19.99	31.12	270.66	122.89	67.00	37.30	21.15	203.47	101.38	58.04	23.35
70-74	19.15	202.03	102.03	54.77	21.00	37.59	276.46	158.49	91.01	43.35	22.16	279.94	133.62	68.97	23.88
75-79	25.02	281.33	111.87	82.21	27.10	58.87	487.39	203.48	157.15	67.09	27.62	338.68	136.99	96.64	29.55
80-84	38.21	*	131.67	144.94	40.87	97.72	*	393.02	255.92	110.86	41.92	*	138.82	187.24	44.24
85 up	74.94	*	427.25	232.59	81.00	193.35	*	*	390.22	237.40	82.22	*	641.01	273.66	87.28

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1903	2007	1186	1938	1924	2379	2420	1503	2416	2401	1688	1543	1045	1783	1690
0-14	2241	*	704	2334	2245	*					2215	*	704	2334	2208
15-19	1429	*		1749	1329						1439	*		1749	1343
20-24	1464	700	645	1834	1390	2411	*		2930	2070	1419	709	617	1770	1359
25-29	1767	*	1153	1864	1762	3034		*	3657	2835	1493	*	1082	1711	1429
30-34	1846	2012	778	2157	1747	2603	2793	*	3572	2401	1546	1511	743	1966	1350
35-39	1872	1235	911	2018	1852	2508	*		2873	2446	1604	1044	583	1923	1423
40-44	1723	2243	962	1685	1790	2295	2567	1904	2438	2270	1480	2054	804	1560	1460
45-49	1784	1987	1031	1803	1810	2311	2445	870	2022	2448	1506	918	1075	1745	1374
50-54	1895	2162	1319	1897	1918	2428	2531	1361	2510	2470	1560	1477	1290	1649	1514
55-59	2012	2256	1127	1928	2085	2415	2303	1709	2373	2491	1721	2192	782	1660	1785
60-64	2010	2352	1276	1963	2049	2338	2624	1109	2242	2421	1759	1828	1451	1762	1776
65-69	1939	1727	1528	2086	1928	2298	1911	1557	2336	2331	1729	1570	1515	1895	1712
70-74	1976	2401	1544	2156	1965	2299	2868	1785	2374	2291	1847	*	1457	2022	1842
75-79	1959	1966	1304	2156	1971	2426	*	1766	2241	2485	1853	2321	1178	2134	1860
80-84	1978	*	814	2593	1982	2143	*	*	3390	2090	1961	*	674	2562	1972
85 up	2280		3313	2216	2282	2212		*	*	2545	2289		*	2414	2262

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	8.55	79.51	36.93	17.87	10.19	17.26	119.22	79.46	40.26	20.05	9.75	102.84	41.10	19.91	11.69
0-14	88.73	*	265.92	197.28	105.73	*					89.47	*	265.92	197.28	106.98
15-19	77.27	*		170.68	90.44						77.95	*		170.68	91.62
20-24	58.06	264.61	178.88	113.10	74.40	328.16	*		563.84	398.30	59.02	268.14	178.06	115.44	75.95
25-29	46.19	*	197.73	83.86	58.77	141.63		*	414.04	150.88	47.24	*	200.95	84.38	61.20
30-34	37.24	340.13	120.01	72.39	45.90	82.90	640.68	*	266.27	87.08	40.64	377.71	120.51	74.40	51.65
35-39	32.84	308.81	117.67	57.40	42.44	70.04	*	*	216.56	75.10	36.42	369.22	99.98	59.46	49.08
40-44	28.15	266.21	109.58	45.80	37.98	59.95	468.62	405.87	150.06	67.27	31.21	320.73	108.35	47.62	44.70
45-49	27.67	197.72	116.75	48.01	35.99	53.87	262.14	232.58	107.45	66.18	31.55	245.40	134.33	54.00	40.67
50-54	28.41	220.65	118.91	51.15	36.18	52.51	296.28	190.63	108.92	64.55	32.92	308.07	152.04	57.32	42.02
55-59	28.87	223.38	122.24	54.20	36.07	49.20	271.39	246.69	97.43	61.36	35.11	400.11	128.50	64.09	43.86
60-64	28.72	293.99	137.59	61.35	33.79	47.43	382.70	171.09	101.07	56.83	35.78	443.45	232.40	77.73	41.40
65-69	24.06	237.20	121.17	63.88	26.84	43.29	367.81	179.83	104.38	50.03	28.83	307.84	170.41	81.11	31.60
70-74	25.01	315.31	135.94	82.62	26.85	52.02	422.81	252.39	139.88	58.02	28.53	*	164.96	102.93	30.26
75-79	32.20	439.69	137.43	127.73	34.34	82.86	*	353.24	247.45	91.43	35.03	532.47	148.44	152.01	37.09
80-84	48.06	*	166.10	215.34	50.92	138.33	*	*	590.05	150.07	51.94	*	163.50	251.24	54.67
85 up	101.98		828.23	418.70	107.23	326.21		*	412.90	108.15		*	482.88	111.86	

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2050	2119	1267	2200	2039	2690	2532	1966	2753	2721	1752	1646	1036	1967	1711
0-14	2139	*	*	2698	2076	2150	*	*	2698	2076
15-19	1965	*	661	2622	1519	*	2003	*	661	2679	1543
20-24	1833	1574	802	2346	1726	3122	*	3671	3254	1741	1685	744	2269	1610	
25-29	1859	1895	744	2308	1659	2658	2889	*	3408	2475	1670	1550	654	2168	1402
30-34	1986	1540	1186	2301	1918	2665	*	2728	2694	1762	1933	1118	2216	1567	
35-39	1923	1147	818	2092	1990	3030	2990	*	3359	2958	1570	546	650	1899	1502
40-44	1840	1324	1209	1901	1881	2771	2136	3785	2936	2734	1518	500	913	1713	1456
45-49	1893	2044	1088	1919	1949	2782	1902	2131	2644	2940	1494	2270	933	1638	1439
50-54	2014	2544	1624	1979	2044	2705	3179	2198	2598	2763	1679	1247	1509	1685	1701
55-59	2165	2206	1487	2236	2165	2717	2465	1895	2706	2837	1767	1281	1231	1867	1741
60-64	2133	2273	1445	2242	2107	2648	2404	1926	2815	2605	1751	1903	1027	1827	1752
65-69	2160	2457	1358	2523	2097	2595	3199	1729	2599	2669	1856	1458	1026	2442	1757
70-74	2198	2062	1837	2483	2146	2636	2523	2030	2783	2631	1942	1268	1511	2231	1906
75-79	2228	2484	1701	2594	2175	2625	*	1370	3046	2633	2075	2590	2084	2367	2015
80-84	2193	*	1038	2861	2130	2448	.	*	2284	2561	2101	*	1113	3279	1996
85 up	2111	*	*	2034	2120	2049	*	*	*	2222	2153	*	*	2276	2128

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	9.04	68.12	34.42	17.33	11.30	18.48	102.60	85.26	35.77	23.06	10.17	87.71	36.08	19.68	12.65
0-14	103.86	*	*	275.35	117.34	104.55	*	*	275.35	117.52
15-19	93.35	*	249.83	180.96	111.37	*	95.37	*	249.83	185.78	113.14
20-24	53.82	321.36	130.13	111.36	69.03	283.86	*	*	611.81	368.41	54.61	343.91	129.49	113.86	69.61
25-29	42.90	240.63	143.20	80.45	53.85	115.56	630.43	*	275.50	133.05	45.57	248.26	146.16	83.87	57.13
30-34	35.57	272.29	122.33	68.38	44.61	81.67	*	*	186.06	93.23	39.04	352.83	121.96	73.75	49.29
35-39	32.18	183.60	84.77	55.53	44.39	82.34	597.99	*	194.26	93.54	33.45	145.85	77.74	56.87	47.45
40-44	30.14	191.13	103.30	50.74	41.02	72.88	342.08	564.17	158.32	86.11	31.96	166.73	95.21	52.82	44.35
45-49	28.59	199.45	94.68	47.39	39.35	62.35	245.53	360.26	107.41	82.60	30.88	338.33	94.77	51.58	42.19
50-54	28.56	206.99	128.37	47.80	37.94	57.86	280.96	366.29	95.69	77.81	32.07	260.05	135.55	54.29	42.33
55-59	30.74	196.52	134.63	53.83	40.04	53.64	235.02	244.59	90.29	74.23	36.54	320.18	156.30	65.87	45.99
60-64	28.80	223.94	135.92	54.80	35.49	49.97	260.76	230.17	93.94	63.14	34.36	448.65	156.67	66.10	41.83
65-69	25.72	237.52	102.39	59.11	29.89	44.60	374.41	167.90	87.17	55.68	31.09	270.82	122.59	81.75	34.65
70-74	29.69	261.86	153.09	72.85	33.62	54.13	364.10	203.01	119.23	64.87	35.17	338.86	227.75	92.71	38.86
75-79	39.55	362.27	187.88	106.70	43.98	83.51	*	246.11	199.98	98.67	44.70	437.86	291.83	124.93	48.80
80-84	62.77	*	211.86	195.55	68.39	137.47	.	*	278.99	162.65	70.89	*	237.28	276.11	75.29
85 up	110.32	*	*	279.40	123.44	239.81	*	*	*	289.23	126.42	*	*	331.97	139.39

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pt.,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1937	1973	1320	1914	1991	2281	2088	1651	2217	2375	1747	1760	1144	1752	1783
0-14	2544	1365	1778	2469	2623	2689	*		3183	1196	2528	1397	1837	2410	2629
15-19	1777	2127	995	2082	1667	2593		*	3227	*	1779	2127	1018	2068	1671
20-24	1641	1277	1217	1745	1617	3403	*		3836	3180	1540	1351	1217	1606	1535
25-29	1728	1731	973	1828	1697	3078	2634	1625	3364	2960	1499	1571	930	1644	1401
30-34	1861	1969	1100	1935	1853	2874	2966	1974	3014	2832	1571	1576	1002	1762	1422
35-39	1804	1813	999	1859	1814	2682	2316	2156	2805	2664	1538	1585	786	1694	1414
40-44	1779	1782	983	1821	1797	2507	1913	1974	2529	2550	1529	1649	794	1657	1428
45-49	1758	1877	1158	1728	1829	2318	2047	1533	2229	2446	1503	1551	1041	1555	1476
50-54	1848	2075	1401	1808	1908	2249	2131	1737	2209	2321	1582	1939	1209	1580	1608
55-59	1887	1937	1398	1808	1990	2178	2026	1636	2069	2329	1641	1619	1216	1605	1705
60-64	1947	1969	1431	1892	2021	2177	1975	1529	2099	2285	1735	1933	1350	1709	1781
65-69	1977	1996	1402	1942	2034	2164	2108	1670	2066	2272	1817	1659	1147	1823	1850
70-74	2036	2093	1440	2018	2075	2258	2131	1574	2175	2355	1887	2007	1326	1888	1913
75-79	2063	2089	1355	2153	2066	2274	2202	1619	2305	2310	1965	1932	1216	2056	1972
80-84	2139	2256	1347	2303	2118	2443	2130	1668	2497	2495	2049	2408	1192	2223	2030
85 up	2226	2305	1882	2387	2178	2470	3150	1954	2548	2478	2179	2006	1797	2345	2133

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts.,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2.16	16.73	9.80	3.43	2.96	3.99	21.59	18.71	6.40	5.50	2.57	26.37	11.34	4.07	3.49
0-14	50.38	331.05	229.53	94.97	63.63	350.04	*		601.53	422.87	51.29	387.56	237.11	95.95	64.69
15-19	33.44	244.02	114.86	59.65	44.39	356.20		*	492.11	*	34.03	244.02	119.16	60.91	44.78
20-24	17.52	128.38	68.22	27.42	24.96	110.18	*	*	170.21	154.82	17.57	135.77	69.35	27.33	25.11
25-29	13.52	110.15	53.87	20.67	19.26	47.16	358.49	274.60	85.71	58.13	13.73	113.66	54.49	20.90	19.58
30-34	11.19	99.34	47.63	17.17	15.76	29.54	231.60	203.62	57.79	35.35	11.75	105.77	48.25	17.78	16.66
35-39	9.42	77.66	37.78	13.86	13.85	24.28	155.42	143.43	45.94	29.92	9.94	88.18	36.51	14.33	14.87
40-44	8.40	65.16	33.18	12.03	12.73	20.05	95.08	118.60	33.94	26.57	9.04	89.02	32.78	12.72	13.92
45-49	7.59	51.87	33.74	10.79	11.56	15.63	67.09	77.22	24.51	22.18	8.53	79.99	37.29	11.92	13.13
50-54	7.48	52.35	36.74	10.84	11.10	13.24	62.50	67.45	20.33	19.05	8.94	95.99	43.09	12.67	13.41
55-59	7.14	46.17	34.81	10.29	10.67	11.44	54.12	57.13	16.85	17.17	9.07	87.18	43.31	12.95	13.48
60-64	6.70	45.58	33.52	10.03	9.61	10.33	51.25	49.97	15.70	14.94	8.83	101.33	45.45	13.10	12.53
65-69	5.76	43.02	26.96	9.44	7.70	8.97	52.01	42.39	14.33	12.42	7.56	75.64	34.17	12.75	9.85
70-74	5.90	52.31	27.35	10.43	7.50	10.01	64.53	42.88	16.68	13.42	7.33	90.22	35.52	13.49	9.07
75-79	6.97	68.76	29.99	13.68	8.47	13.40	96.18	55.34	23.30	17.53	8.20	97.70	35.41	17.09	9.72
80-84	9.65	109.05	40.72	20.23	11.43	22.39	148.07	84.02	39.82	29.32	10.74	162.71	45.78	23.76	12.44
85 up	15.50	176.24	80.33	30.71	18.56	42.77	403.38	146.84	74.96	56.48	16.76	191.26	95.10	34.09	19.77

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	1800	1860	1275	1748	1860	2164	1970	1553	2074	2253	1638	1704	1141	1627	1675
0-14	2347	*	1530	2383	2369	2059	*	*	*	2339	*	1530	2339	2371	
15-19	1565	1211	1314	1824	1451	2181	.	.	*	1566	1211	1341	1817	1453	
20-24	1398	1324	1264	1470	1355	2480	*	*	3203	1912	1351	1371	1259	1390	1330
25-29	1544	1172	982	1590	1550	2840	*	1360	3151	2720	1356	1208	957	1452	1296
30-34	1752	2041	998	1823	1742	2771	3356	1629	2984	2709	1458	1636	922	1658	1290
35-39	1719	1826	898	1804	1684	2538	2282	1473	2775	2496	1481	1614	773	1671	1286
40-44	1676	1642	909	1702	1703	2349	1656	1734	2313	2422	1455	1630	731	1582	1329
45-49	1645	1875	1091	1604	1713	2174	2041	1352	2068	2283	1425	1560	1003	1484	1370
50-54	1698	1855	1349	1643	1768	2070	1910	1604	2011	2150	1474	1723	1162	1484	1482
55-59	1767	1874	1399	1657	1878	2071	2004	1663	1914	2221	1543	1473	1209	1506	1602
60-64	1811	1890	1279	1709	1916	2049	1894	1326	1903	2194	1636	1879	1236	1583	1703
65-69	1855	1794	1414	1796	1907	2067	1899	1583	1973	2154	1722	1593	1283	1685	1759
70-74	1903	2108	1383	1881	1932	2108	2134	1576	2011	2176	1802	2083	1268	1804	1822
75-79	1922	2100	1415	1969	1930	2155	2105	1699	2088	2208	1843	2096	1301	1916	1849
80-84	2003	2189	1205	2182	1989	2375	1816	1438	2429	2454	1929	2527	1115	2121	1912
85 up	2129	2127	2004	2346	2080	2395	*	1837	2548	2386	2093	2046	2011	2313	2049

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2.92	24.25	13.79	4.76	3.91	5.85	32.67	26.56	10.18	7.68	3.36	36.08	16.04	5.39	4.51
0-14	62.52	*	300.15	117.53	78.66	369.88	*	.	*	*	63.80	*	300.15	118.57	80.29
15-19	43.26	323.70	198.17	76.95	56.04	528.97	.	.	*	*	43.75	323.70	202.22	77.99	56.46
20-24	22.20	193.15	100.52	34.13	31.38	150.39	*	*	256.43	179.04	22.41	200.00	101.09	34.13	31.93
25-29	17.16	136.28	73.00	25.60	24.85	65.13	*	329.89	125.64	77.80	17.33	141.43	74.77	25.70	25.20
30-34	14.46	144.29	61.30	22.22	20.32	38.63	384.98	254.43	80.79	45.00	15.09	150.59	62.58	22.85	21.29
35-39	11.93	105.07	51.52	17.71	17.18	31.18	207.41	167.84	66.52	36.75	12.59	120.00	52.32	18.17	18.37
40-44	10.47	78.93	44.03	14.82	16.00	25.31	115.11	145.01	44.62	32.82	11.27	108.43	44.16	15.60	17.50
45-49	9.63	68.43	46.50	13.47	14.79	20.50	88.14	98.31	33.89	28.03	10.75	106.41	52.85	14.65	16.81
50-54	9.72	69.12	47.93	14.15	14.34	17.80	83.22	80.50	29.33	24.49	11.45	124.02	58.55	16.05	17.33
55-59	9.65	66.02	49.36	14.02	14.22	16.26	79.85	82.62	25.11	23.31	11.88	114.32	60.70	16.86	17.69
60-64	9.43	69.71	44.44	14.46	13.21	15.46	81.13	65.24	24.86	21.45	11.93	136.28	60.98	17.92	16.75
65-69	8.29	66.18	41.00	14.59	10.58	14.11	83.90	64.36	24.92	18.35	10.32	106.68	53.41	18.22	13.00
70-74	8.36	91.99	39.70	16.72	10.04	15.74	126.43	67.90	29.52	19.64	9.93	134.99	49.05	20.54	11.72
75-79	9.65	115.76	44.98	21.80	11.15	21.05	186.10	89.20	41.31	25.82	10.92	147.84	52.08	26.01	12.41
80-84	13.22	180.52	56.37	32.54	14.97	35.64	238.46	114.76	74.01	44.15	14.30	267.82	64.57	36.71	15.95
85 up	22.11	276.93	113.46	53.07	25.04	71.24	*	216.49	142.00	89.21	23.44	283.76	132.32	58.09	26.27

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.3 (Continued)
 Total Admissions per 1000 Patient Years at Risk
 and Standard Errors of Total Admission Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts.,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	2079	2065	1362	2064	2143	2373	2171	1736	2300	2492	1878	1821	1147	1892	1922
0-14	2838	*	2029	2617	2990	4063	*	*	*	2810	*	2168	2535	2993	
15-19	2012	2565	739	2369	1928	2847	*	*	3640	*	2022	2565	746	2358	1934
20-24	1916	1238	1174	2072	1913	3996	*	*	4205	4216	1761	1333	1178	1876	1771
25-29	1957	2174	961	2140	1876	3301	2960	1990	3528	3214	1686	1929	896	1914	1534
30-34	2003	1901	1223	2079	1996	3007	2695	2361	3046	3009	1716	1513	1098	1899	1588
35-39	1928	1797	1093	1939	2012	2876	2358	2836	2832	2939	1623	1548	799	1730	1603
40-44	1937	2018	1066	2012	1939	2733	2284	2316	2772	2760	1647	1685	859	1787	1570
45-49	1915	1879	1223	1911	1985	2490	2056	1749	2380	2675	1618	1539	1076	1677	1615
50-54	2028	2307	1468	1996	2083	2435	2357	1982	2363	2540	1724	2185	1259	1716	1763
55-59	2012	1993	1398	1956	2116	2273	2044	1610	2180	2444	1759	1784	1222	1728	1829
60-64	2068	2024	1589	2032	2126	2269	2025	1739	2211	2365	1841	1997	1467	1833	1870
65-69	2078	2120	1393	2033	2160	2225	2219	1730	2109	2363	1914	1720	1032	1938	1958
70-74	2151	2086	1488	2095	2229	2348	2129	1573	2243	2491	1980	1942	1385	1947	2033
75-79	2196	2083	1303	2256	2225	2348	2235	1565	2393	2390	2101	1784	1133	2151	2138
80-84	2275	2293	1472	2373	2275	2486	2284	1865	2524	2527	2186	2333	1261	2290	2187
85 up	2313	2411	1743	2407	2286	2511	3169	2042	2547	2535	2261	1971	1503	2361	2233

OF Standard Error of Total Admission Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts.,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	3.20	23.06	13.92	4.92	4.50	5.44	28.71	26.29	8.22	7.87	3.95	38.59	16.03	6.17	5.47
0-14	84.05	*	347.94	160.75	106.25	767.87	*	*	*	85.25	*	371.88	162.98	107.24	
15-19	51.72	325.82	132.80	92.48	70.82	474.56	*	*	700.59	*	53.06	325.82	138.44	95.49	71.56
20-24	27.64	171.66	92.77	44.23	39.61	153.01	*	*	224.13	240.23	27.67	184.86	95.22	44.25	39.60
25-29	21.56	165.32	79.80	33.99	30.13	67.97	406.58	469.01	116.88	86.79	22.17	177.54	79.49	34.96	30.82
30-34	17.58	136.82	74.71	26.91	24.83	45.76	287.32	324.32	82.68	56.92	18.57	148.37	75.08	28.17	26.40
35-39	15.29	115.31	54.99	22.24	23.17	38.50	234.63	232.37	63.51	51.06	16.14	129.94	50.95	23.31	24.90
40-44	13.96	113.70	50.12	20.42	20.89	32.63	162.35	200.04	51.79	44.98	15.06	155.82	48.57	21.86	22.75
45-49	12.25	79.53	48.87	17.85	18.40	24.02	103.45	122.15	35.30	35.96	13.97	121.30	52.55	20.41	20.86
50-54	11.62	79.09	57.07	16.69	17.38	19.66	93.48	121.52	28.05	30.06	14.20	149.02	63.53	20.52	20.99
55-59	10.56	64.55	49.11	15.04	16.08	16.06	73.60	79.05	22.64	25.32	13.98	133.31	61.82	20.11	20.70
60-64	9.49	60.19	50.36	13.82	13.97	13.85	66.05	76.03	20.16	20.79	13.08	151.37	67.61	19.09	18.83
65-69	7.97	56.30	35.79	12.35	11.19	11.61	65.99	56.25	17.49	16.83	11.08	107.11	44.03	17.76	15.02
70-74	8.29	63.60	37.69	13.32	11.23	12.95	75.04	55.30	20.18	18.29	10.85	121.16	51.40	17.87	14.26
75-79	10.02	85.48	40.18	17.51	12.96	17.36	112.30	70.48	28.14	23.84	12.37	129.43	48.08	22.61	15.53
80-84	14.06	136.78	58.28	25.79	17.62	28.76	187.13	121.15	47.23	39.19	16.20	204.60	64.67	31.14	19.78
85 up	21.70	227.78	113.19	37.65	27.57	53.45	431.31	199.32	88.26	72.92	23.94	258.83	133.91	42.10	29.96

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis patients,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	14	14	10	14	15	18	15	14	18	18	12	8	12	13	
0-14	17	11	10	18	17	20	*	.	25	16	16	14	10	17	
15-19	11	14	6	13	10	19	.	*	27	*	11	14	6	13	
20-24	9	7	6	10	9	22	*	.	24	22	8	8	6	9	
25-29	10	11	5	11	10	19	15	10	21	19	9	10	5	9	
30-34	12	12	7	12	12	19	18	13	20	19	10	9	6	10	
35-39	12	12	7	12	12	19	15	18	20	19	10	10	5	10	
40-44	12	12	7	12	12	18	14	15	19	18	10	10	5	10	
45-49	12	12	8	12	13	17	13	10	17	18	10	9	7	10	
50-54	14	15	10	13	14	17	15	13	17	18	11	15	8	11	
55-59	14	13	11	14	15	17	14	13	16	19	12	10	10	11	
60-64	15	14	12	15	15	17	13	14	17	18	13	15	10	13	
65-69	16	14	11	16	16	18	15	15	17	19	14	11	8	14	
70-74	16	16	12	16	16	18	18	14	18	19	14	12	10	15	
75-79	16	16	11	18	16	18	16	14	20	18	15	15	9	16	
80-84	16	16	12	18	16	19	14	14	21	19	15	19	11	17	
85 up	16	18	14	19	16	19	26	17	19	19	16	15	13	18	

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis patients,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.04	0.03	0.01	0.01	0.01	0.06	0.05	0.02	0.01	0.01	0.07	0.03	0.01	
0-14	0.13	0.97	0.54	0.25	0.16	0.92	*	.	1.61	1.49	0.13	1.26	0.56	0.26	
15-19	0.08	0.62	0.27	0.15	0.11	0.98	.	*	1.49	*	0.08	0.62	0.28	0.15	
20-24	0.04	0.30	0.15	0.06	0.06	0.28	*	*	0.42	0.41	0.04	0.32	0.15	0.06	
25-29	0.03	0.28	0.13	0.05	0.05	0.12	0.88	0.67	0.21	0.14	0.03	0.29	0.13	0.05	
30-34	0.03	0.24	0.12	0.04	0.04	0.07	0.56	0.53	0.15	0.09	0.03	0.26	0.12	0.04	
35-39	0.02	0.20	0.10	0.03	0.04	0.06	0.38	0.41	0.12	0.08	0.02	0.23	0.09	0.03	
40-44	0.02	0.16	0.09	0.03	0.03	0.05	0.25	0.32	0.09	0.07	0.02	0.21	0.09	0.03	
45-49	0.02	0.13	0.09	0.03	0.03	0.04	0.17	0.20	0.07	0.06	0.02	0.19	0.10	0.03	
50-54	0.02	0.14	0.10	0.03	0.03	0.04	0.16	0.18	0.06	0.05	0.02	0.26	0.11	0.03	
55-59	0.02	0.12	0.10	0.03	0.03	0.03	0.14	0.16	0.05	0.05	0.02	0.22	0.12	0.03	
60-64	0.02	0.12	0.09	0.03	0.03	0.03	0.13	0.15	0.04	0.04	0.02	0.28	0.12	0.04	
65-69	0.02	0.11	0.08	0.03	0.02	0.03	0.14	0.12	0.04	0.03	0.02	0.20	0.09	0.03	
70-74	0.02	0.14	0.08	0.03	0.02	0.03	0.18	0.12	0.05	0.04	0.02	0.22	0.10	0.04	
75-79	0.02	0.18	0.08	0.04	0.02	0.04	0.25	0.16	0.07	0.05	0.02	0.26	0.10	0.05	
80-84	0.03	0.28	0.12	0.06	0.03	0.06	0.37	0.24	0.11	0.08	0.03	0.44	0.14	0.06	
85 up	0.04	0.48	0.22	0.08	0.05	0.11	1.11	0.42	0.20	0.15	0.04	0.51	0.25	0.09	

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis patients,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	13	13	10	12	14	17	14	14	16	17	11	12	8	11	12
0-14	17	*	9	17	18	21	*	.	*	*	17	*	9	15	18
15-19	9	6	7	11	9	21	.	.	*	*	9	6	7	11	9
20-24	8	9	5	8	8	15	*	*	16	15	7	10	5	7	8
25-29	9	6	6	9	9	17	*	8	20	16	8	6	6	8	7
30-34	10	11	7	10	11	17	20	13	18	17	9	8	7	9	8
35-39	11	13	7	11	11	18	14	18	20	18	9	13	5	10	8
40-44	11	10	6	11	12	17	11	13	17	17	9	10	4	9	8
45-49	11	11	7	11	12	16	12	9	16	17	9	10	6	9	9
50-54	12	14	11	12	13	16	14	14	15	17	10	13	8	10	10
55-59	13	14	11	12	14	16	15	13	15	18	11	10	10	10	11
60-64	14	13	12	13	14	16	13	13	16	17	12	14	10	11	12
65-69	14	12	11	14	15	17	13	14	17	18	13	11	9	13	13
70-74	15	16	12	15	15	17	20	15	17	18	13	12	10	14	13
75-79	15	14	11	16	15	18	14	15	18	18	14	15	9	15	14
80-84	15	16	10	17	15	19	11	11	21	19	14	20	9	16	14
85 up	15	19	14	17	15	18	*	16	19	18	15	18	14	17	15

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis patients,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.06	0.04	0.01	0.01	0.02	0.08	0.08	0.03	0.02	0.01	0.09	0.04	0.01	0.01
0-14	0.17	*	0.73	0.31	0.22	1.16	*	.	*	*	0.17	*	0.73	0.30	0.22
15-19	0.11	0.72	0.45	0.19	0.14	1.72	.	.	*	*	0.11	0.72	0.46	0.19	0.14
20-24	0.05	0.51	0.20	0.08	0.08	0.37	*	*	0.56	0.50	0.05	0.53	0.20	0.08	0.08
25-29	0.04	0.30	0.18	0.06	0.06	0.16	*	0.81	0.31	0.18	0.04	0.31	0.18	0.06	0.06
30-34	0.04	0.34	0.17	0.05	0.05	0.09	0.92	0.71	0.19	0.11	0.04	0.34	0.17	0.05	0.05
35-39	0.03	0.28	0.15	0.04	0.04	0.08	0.50	0.58	0.17	0.10	0.03	0.34	0.13	0.04	0.05
40-44	0.03	0.20	0.11	0.04	0.04	0.07	0.29	0.38	0.12	0.09	0.03	0.27	0.11	0.04	0.04
45-49	0.02	0.17	0.12	0.03	0.04	0.05	0.21	0.26	0.09	0.07	0.03	0.27	0.13	0.04	0.04
50-54	0.03	0.18	0.13	0.04	0.04	0.05	0.22	0.23	0.08	0.07	0.03	0.33	0.16	0.04	0.05
55-59	0.03	0.18	0.14	0.04	0.04	0.04	0.21	0.23	0.07	0.06	0.03	0.30	0.18	0.04	0.05
60-64	0.03	0.18	0.13	0.04	0.04	0.04	0.21	0.20	0.07	0.06	0.03	0.37	0.17	0.05	0.04
65-69	0.02	0.17	0.11	0.04	0.03	0.04	0.22	0.19	0.07	0.05	0.03	0.28	0.14	0.05	0.03
70-74	0.02	0.25	0.11	0.05	0.03	0.04	0.37	0.20	0.08	0.05	0.03	0.32	0.13	0.06	0.03
75-79	0.03	0.30	0.12	0.06	0.03	0.06	0.46	0.26	0.12	0.07	0.03	0.38	0.14	0.07	0.03
80-84	0.04	0.47	0.16	0.09	0.04	0.10	0.58	0.31	0.21	0.12	0.04	0.73	0.18	0.10	0.04
85 up	0.06	0.80	0.30	0.14	0.07	0.19	*	0.63	0.38	0.24	0.06	0.82	0.34	0.15	0.07

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis patients,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	16	14	11	16	16	19	15	14	18	19	14	12	8	14	14
0-14	16	*	11	20	15	15	*	.	*	*	16	*	11	20	15
15-19	12	17	5	14	11	17	.	*	27	*	12	17	5	14	11
20-24	11	5	7	12	11	27	*	*	29	28	10	6	7	11	10
25-29	12	15	5	13	12	22	16	12	23	22	10	14	4	11	10
30-34	13	13	7	14	13	22	17	14	23	21	11	11	6	12	10
35-39	13	10	7	12	14	21	16	17	21	22	10	7	5	11	11
40-44	14	14	8	14	14	21	18	17	22	20	11	9	6	12	11
45-49	14	12	9	14	14	18	14	12	18	20	11	8	8	11	11
50-54	15	16	10	15	16	19	16	13	18	20	13	17	8	12	13
55-59	15	13	11	15	16	18	14	14	17	19	13	10	9	13	13
60-64	16	14	12	16	17	18	14	14	18	19	14	17	10	14	14
65-69	17	15	12	16	17	18	16	15	18	19	15	12	8	15	15
70-74	17	16	12	17	17	19	17	13	18	19	15	12	10	15	15
75-79	17	16	11	19	17	19	17	14	20	19	16	15	9	17	16
80-84	18	16	14	19	17	19	15	17	21	19	17	18	13	18	16
85 up	17	17	15	19	16	19	25	17	19	19	17	13	13	19	16

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 1 All Dialysis patients,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.06	0.04	0.01	0.01	0.01	0.08	0.07	0.02	0.02	0.01	0.10	0.04	0.02	0.01
0-14	0.20	*	0.81	0.44	0.24	1.46	*	.	*	*	0.20	*	0.87	0.46	0.24
15-19	0.13	0.86	0.34	0.22	0.17	1.18	.	*	1.96	*	0.13	0.86	0.35	0.23	0.17
20-24	0.07	0.36	0.22	0.11	0.09	0.39	*	*	0.57	0.62	0.06	0.39	0.23	0.10	0.09
25-29	0.05	0.43	0.18	0.08	0.08	0.17	0.96	1.15	0.29	0.22	0.05	0.48	0.17	0.08	0.08
30-34	0.04	0.35	0.18	0.07	0.06	0.12	0.70	0.79	0.22	0.15	0.05	0.39	0.18	0.07	0.07
35-39	0.04	0.27	0.14	0.06	0.06	0.10	0.59	0.57	0.17	0.14	0.04	0.28	0.13	0.06	0.06
40-44	0.04	0.29	0.14	0.05	0.06	0.09	0.45	0.53	0.14	0.12	0.04	0.35	0.13	0.06	0.06
45-49	0.03	0.20	0.13	0.05	0.05	0.06	0.27	0.31	0.09	0.10	0.04	0.28	0.14	0.05	0.05
50-54	0.03	0.20	0.15	0.04	0.05	0.05	0.24	0.30	0.08	0.08	0.04	0.40	0.16	0.05	0.06
55-59	0.03	0.16	0.14	0.04	0.04	0.04	0.19	0.23	0.06	0.07	0.04	0.31	0.17	0.05	0.06
60-64	0.03	0.16	0.14	0.04	0.04	0.04	0.17	0.21	0.06	0.06	0.04	0.43	0.18	0.05	0.05
65-69	0.02	0.15	0.10	0.03	0.03	0.03	0.17	0.16	0.05	0.05	0.03	0.28	0.12	0.05	0.04
70-74	0.02	0.17	0.10	0.04	0.03	0.04	0.21	0.16	0.06	0.05	0.03	0.30	0.14	0.05	0.04
75-79	0.03	0.23	0.11	0.05	0.04	0.05	0.30	0.20	0.08	0.06	0.03	0.37	0.14	0.06	0.04
80-84	0.04	0.36	0.18	0.07	0.05	0.08	0.47	0.35	0.13	0.11	0.04	0.56	0.20	0.08	0.05
85 up	0.06	0.59	0.32	0.10	0.07	0.14	1.17	0.56	0.24	0.19	0.06	0.64	0.38	0.12	0.08

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	14	13	10	14	14	17	14	13	17	18	12	8	12	13	
0-14	16	*	12	16	16	18	*	25	*	15	*	12	15	16	
15-19	10	12	6	11	9	20	*	29	*	10	12	6	11	9	
20-24	9	8	7	9	9	23	*	24	22	8	8	7	8	8	
25-29	10	8	6	10	10	19	15	11	21	18	8	7	5	8	
30-34	11	12	7	11	11	19	20	12	20	19	9	9	7	10	
35-39	11	12	7	11	12	19	14	15	19	19	9	11	5	10	
40-44	11	12	6	12	12	18	13	13	18	18	9	10	5	10	
45-49	12	12	7	11	12	16	13	10	16	17	10	9	6	10	
50-54	13	14	10	13	14	16	13	13	16	17	11	15	7	10	
55-59	14	13	12	13	14	16	13	14	16	17	11	9	10	11	
60-64	14	13	12	14	15	17	13	13	16	17	12	15	10	12	
65-69	15	14	11	15	15	17	14	14	17	18	13	12	8	13	
70-74	15	16	11	16	15	18	17	13	17	18	14	12	10	14	
75-79	16	15	10	17	15	18	16	14	19	18	15	13	9	16	
80-84	16	16	12	18	15	19	13	14	21	19	15	18	11	17	
85 up	16	17	14	19	16	19	24	16	19	19	16	15	13	18	

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.05	0.03	0.01	0.01	0.01	0.06	0.06	0.02	0.02	0.01	0.07	0.03	0.01	
0-14	0.21	*	1.06	0.35	0.29	0.93	*	1.61	*	0.22	*	1.06	0.35	0.30	
15-19	0.10	0.67	0.34	0.17	0.14	1.09	*	1.60	*	0.10	0.67	0.35	0.17	0.14	
20-24	0.05	0.40	0.19	0.07	0.07	0.33	*	0.46	0.51	0.05	0.43	0.19	0.07	0.07	
25-29	0.04	0.29	0.15	0.05	0.05	0.14	1.14	0.92	0.23	0.18	0.04	0.28	0.15	0.05	
30-34	0.03	0.27	0.15	0.04	0.05	0.09	0.66	0.55	0.16	0.11	0.03	0.28	0.16	0.05	
35-39	0.03	0.23	0.12	0.04	0.04	0.07	0.42	0.41	0.13	0.09	0.03	0.27	0.12	0.04	
40-44	0.02	0.18	0.10	0.03	0.04	0.06	0.27	0.33	0.10	0.08	0.02	0.25	0.10	0.03	
45-49	0.02	0.14	0.10	0.03	0.03	0.04	0.18	0.22	0.07	0.07	0.02	0.23	0.11	0.03	
50-54	0.02	0.15	0.11	0.03	0.03	0.04	0.17	0.20	0.06	0.06	0.03	0.29	0.12	0.03	
55-59	0.02	0.12	0.11	0.03	0.03	0.03	0.15	0.18	0.05	0.05	0.03	0.22	0.14	0.04	
60-64	0.02	0.12	0.10	0.03	0.03	0.03	0.13	0.16	0.04	0.04	0.03	0.30	0.13	0.04	
65-69	0.02	0.12	0.08	0.03	0.02	0.03	0.14	0.13	0.04	0.04	0.02	0.21	0.09	0.04	
70-74	0.02	0.15	0.08	0.03	0.02	0.03	0.19	0.13	0.05	0.04	0.02	0.23	0.10	0.04	
75-79	0.02	0.19	0.09	0.04	0.02	0.04	0.26	0.17	0.07	0.05	0.02	0.27	0.10	0.05	
80-84	0.03	0.29	0.12	0.06	0.03	0.06	0.37	0.24	0.11	0.08	0.03	0.45	0.14	0.06	
85 up	0.04	0.48	0.22	0.08	0.05	0.12	1.11	0.42	0.20	0.16	0.05	0.51	0.26	0.09	

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All					Diabetes					Non-Diabetes					
	Native					Native					Native					
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	
All	13	13	10	12	13	16	13	13	16	17	11	12	8	11	12	
0-14	17	*	*	17	18	20	*	..	*	*	17	..	*	15	19	
15-19	9	7	7	10	8	21	*	*	9	7	7	10	8	
20-24	7	10	5	7	7	15	*	17	13	7	11	5	6	7
25-29	8	6	6	8	8	16	*	8	18	15	7	6	6	7	7	
30-34	10	11	8	10	10	17	20	12	17	17	8	8	7	9	7	
35-39	11	14	6	11	11	18	15	14	19	17	9	13	5	9	8	
40-44	10	9	5	10	11	16	9	11	16	17	9	9	4	9	8	
45-49	11	11	6	10	11	15	11	9	15	15	9	11	5	9	9	
50-54	12	13	11	11	12	15	13	15	14	15	10	13	8	9	10	
55-59	12	13	12	12	13	16	15	13	15	17	10	9	11	10	10	
60-64	13	13	12	13	14	16	13	14	15	16	11	14	10	11	11	
65-69	14	12	11	14	14	16	13	15	16	17	12	11	8	12	13	
70-74	14	16	11	14	14	17	19	14	16	17	13	12	10	14	13	
75-79	14	14	11	16	14	17	14	14	18	17	14	14	9	15	13	
80-84	15	15	10	17	14	19	11	10	21	19	14	19	10	16	13	
85 up	15	19	13	17	15	18	*	14	19	18	15	18	13	17	14	

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.07	0.04	0.01	0.01	0.02	0.09	0.08	0.03	0.02	0.01	0.10	0.05	0.01	0.01
0-14	0.28	*	*	0.44	0.41	1.19	*	..	*	*	0.29	..	*	0.43	0.42
15-19	0.13	0.85	0.55	0.21	0.18	1.72	*	*	0.13	0.85	0.56	0.21	0.18
20-24	0.06	0.68	0.22	0.08	0.08	0.42	..	*	0.66	0.56	0.06	0.72	0.22	0.08	0.08
25-29	0.04	0.33	0.20	0.06	0.07	0.18	*	0.92	0.32	0.22	0.04	0.34	0.21	0.06	0.07
30-34	0.04	0.37	0.20	0.05	0.06	0.11	1.10	0.72	0.20	0.13	0.04	0.37	0.20	0.06	0.06
35-39	0.03	0.30	0.16	0.05	0.05	0.09	0.56	0.59	0.18	0.11	0.03	0.36	0.15	0.05	0.05
40-44	0.03	0.20	0.12	0.04	0.05	0.07	0.29	0.40	0.12	0.10	0.03	0.29	0.12	0.04	0.05
45-49	0.03	0.19	0.12	0.04	0.04	0.06	0.23	0.28	0.10	0.08	0.03	0.33	0.13	0.04	0.05
50-54	0.03	0.20	0.15	0.04	0.04	0.05	0.23	0.26	0.08	0.07	0.03	0.36	0.17	0.04	0.05
55-59	0.03	0.19	0.16	0.04	0.04	0.05	0.23	0.25	0.07	0.07	0.03	0.30	0.20	0.05	0.05
60-64	0.03	0.19	0.14	0.04	0.04	0.05	0.21	0.22	0.07	0.06	0.03	0.39	0.18	0.05	0.05
65-69	0.02	0.18	0.12	0.04	0.03	0.04	0.22	0.21	0.07	0.06	0.03	0.31	0.14	0.05	0.04
70-74	0.02	0.26	0.12	0.05	0.03	0.05	0.40	0.21	0.08	0.06	0.03	0.33	0.14	0.06	0.03
75-79	0.03	0.30	0.13	0.06	0.03	0.06	0.48	0.26	0.12	0.07	0.03	0.40	0.14	0.07	0.04
80-84	0.04	0.47	0.17	0.09	0.04	0.10	0.58	0.31	0.21	0.12	0.04	0.73	0.20	0.10	0.04
85 up	0.06	0.80	0.29	0.14	0.07	0.20	*	0.60	0.38	0.25	0.06	0.82	0.34	0.16	0.07

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	15	14	10	15	16	18	15	14	18	19	14	12	8	13	14
0-14	13	*	*	15	12	15	*	.	*	*	13	*	*	15	12
15-19	11	15	5	12	11	20	.	*	*	*	11	15	5	12	11
20-24	11	5	9	11	11	28	*	*	28	31	9	5	9	9	10
25-29	12	10	5	12	12	23	18	*	23	22	9	8	5	10	10
30-34	13	13	7	13	13	22	20	12	22	21	10	9	7	11	10
35-39	12	11	8	12	13	20	14	16	19	21	10	9	6	10	10
40-44	13	16	7	14	13	20	19	15	21	19	11	12	6	12	10
45-49	13	12	9	13	14	17	14	12	17	18	11	6	8	11	11
50-54	15	15	8	14	15	18	13	11	17	19	12	18	7	12	13
55-59	15	12	11	14	15	17	12	14	16	18	12	9	9	12	13
60-64	16	13	11	15	16	17	13	13	17	18	14	17	10	13	14
65-69	16	15	11	16	17	17	15	14	17	18	14	12	7	14	15
70-74	16	16	12	16	17	18	17	13	18	19	15	12	10	15	15
75-79	17	15	10	18	17	19	16	14	20	18	16	13	8	17	16
80-84	17	16	14	19	17	19	15	17	20	19	17	18	12	18	16
85 up	17	16	15	19	16	19	23	18	20	19	17	12	13	19	16

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.06	0.04	0.01	0.01	0.02	0.08	0.08	0.02	0.02	0.01	0.11	0.05	0.02	0.02
0-14	0.31	*	*	0.56	0.40	1.46	*	.	*	*	0.33	*	*	0.60	0.41
15-19	0.16	0.92	0.41	0.27	0.22	1.41	.	*	*	*	0.16	0.92	0.43	0.27	0.22
20-24	0.08	0.44	0.32	0.12	0.12	0.47	*	*	0.61	0.84	0.08	0.48	0.33	0.11	0.12
25-29	0.06	0.49	0.21	0.09	0.09	0.21	1.32	*	0.33	0.28	0.06	0.49	0.21	0.09	0.09
30-34	0.05	0.40	0.24	0.07	0.08	0.15	0.83	0.84	0.25	0.19	0.05	0.43	0.25	0.08	0.08
35-39	0.04	0.33	0.18	0.06	0.07	0.12	0.65	0.59	0.18	0.17	0.05	0.38	0.18	0.06	0.07
40-44	0.04	0.38	0.16	0.06	0.06	0.10	0.52	0.57	0.15	0.14	0.04	0.51	0.15	0.06	0.07
45-49	0.04	0.23	0.15	0.05	0.06	0.07	0.30	0.34	0.10	0.11	0.04	0.30	0.17	0.06	0.06
50-54	0.03	0.22	0.16	0.05	0.05	0.06	0.24	0.31	0.08	0.09	0.04	0.47	0.18	0.06	0.07
55-59	0.03	0.17	0.15	0.04	0.05	0.05	0.19	0.25	0.06	0.07	0.04	0.33	0.19	0.06	0.06
60-64	0.03	0.16	0.14	0.04	0.04	0.04	0.17	0.22	0.06	0.06	0.04	0.46	0.19	0.05	0.06
65-69	0.02	0.15	0.11	0.03	0.03	0.03	0.18	0.17	0.05	0.05	0.03	0.30	0.12	0.05	0.05
70-74	0.02	0.18	0.11	0.04	0.03	0.04	0.21	0.16	0.06	0.05	0.03	0.31	0.14	0.05	0.04
75-79	0.03	0.24	0.12	0.05	0.04	0.05	0.30	0.21	0.08	0.07	0.03	0.36	0.13	0.06	0.04
80-84	0.04	0.36	0.18	0.07	0.05	0.08	0.47	0.36	0.13	0.11	0.04	0.57	0.21	0.09	0.05
85 up	0.06	0.59	0.33	0.10	0.07	0.15	1.17	0.59	0.24	0.20	0.07	0.64	0.40	0.12	0.08

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	17	16	11	17	17	22	20	17	24	22	14	12	8	15	14
0-14	16	*	7	21	14	*	.	.	.	*	16	*	8	21	14
15-19	11	*	3	16	9	*	11	*	3	16	9
20-24	11	6	3	13	10	21	*	*	22	22	10	6	3	13	10
25-29	12	17	5	14	11	18	14	10	23	17	11	18	4	12	9
30-34	13	13	6	15	12	18	14	*	22	18	11	13	5	14	10
35-39	14	8	7	14	15	21	13	36	25	20	11	6	4	12	11
40-44	14	13	8	15	14	21	18	22	25	20	12	8	6	13	11
45-49	15	12	9	15	16	22	13	12	21	23	12	10	9	13	11
50-54	17	19	13	17	17	23	23	15	23	23	13	11	12	14	13
55-59	18	19	10	18	18	22	20	14	22	24	14	15	8	15	14
60-64	18	18	13	19	18	22	18	16	24	22	15	18	10	16	15
65-69	19	19	15	22	18	23	26	18	24	24	16	10	11	21	15
70-74	19	19	16	24	18	24	24	22	28	24	16	11	10	22	16
75-79	19	26	14	24	19	24	27	17	29	24	18	26	13	22	17
80-84	18	*	9	24	18	22	*	14	23	22	18	*	8	25	17
85 up	18	*	24	15	18	18	*	*	12	17	18	*	22	16	18

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.02	0.14	0.07	0.04	0.02	0.04	0.21	0.18	0.08	0.04	0.02	0.18	0.07	0.04	0.02
0-14	0.18	*	0.69	0.46	0.20	*	.	.	.	*	0.18	*	0.74	0.46	0.20
15-19	0.15	*	0.44	0.33	0.18	*	0.15	*	0.44	0.33	0.18
20-24	0.10	0.47	0.22	0.19	0.13	0.57	*	*	1.03	0.75	0.10	0.49	0.22	0.20	0.13
25-29	0.08	0.64	0.26	0.15	0.10	0.22	1.38	1.08	0.57	0.25	0.08	0.73	0.26	0.15	0.11
30-34	0.07	0.58	0.21	0.13	0.08	0.15	1.06	*	0.40	0.16	0.07	0.69	0.20	0.13	0.09
35-39	0.06	0.41	0.20	0.10	0.08	0.14	0.96	1.64	0.40	0.16	0.06	0.42	0.15	0.10	0.09
40-44	0.06	0.42	0.20	0.10	0.08	0.13	0.76	0.93	0.32	0.15	0.06	0.45	0.19	0.10	0.09
45-49	0.06	0.34	0.21	0.09	0.07	0.12	0.44	0.59	0.22	0.15	0.06	0.53	0.23	0.10	0.08
50-54	0.06	0.41	0.25	0.10	0.07	0.11	0.56	0.52	0.21	0.14	0.06	0.55	0.29	0.11	0.08
55-59	0.06	0.42	0.25	0.11	0.08	0.10	0.50	0.48	0.19	0.14	0.07	0.75	0.28	0.13	0.09
60-64	0.06	0.49	0.30	0.12	0.07	0.10	0.57	0.46	0.20	0.12	0.07	0.94	0.37	0.14	0.08
65-69	0.05	0.49	0.24	0.13	0.06	0.09	0.81	0.39	0.20	0.11	0.06	0.51	0.30	0.17	0.07
70-74	0.06	0.58	0.30	0.17	0.06	0.11	0.79	0.51	0.28	0.13	0.06	0.77	0.35	0.21	0.07
75-79	0.07	0.91	0.34	0.25	0.08	0.18	1.83	0.66	0.49	0.20	0.08	1.05	0.41	0.29	0.09
80-84	0.11	*	0.40	0.41	0.12	0.29	*	1.31	0.74	0.33	0.12	*	0.41	0.53	0.13
85 up	0.21	*	1.50	0.61	0.22	0.55	*	*	1.21	0.63	0.23	*	1.88	0.70	0.24

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate

FOR Year: 1995-1997,

Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,

AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	16	15	10	15	16	20	18	15	21	20	13	12	8	14	14
0-14	16	*	8	17	15	*	.	.	.	*	16	*	8	17	15
15-19	10	*	*	14	8	10	*	*	14	8	
20-24	9	3	3	10	10	18	*	.	14	20	9	3	3	10	9
25-29	11	*	5	12	11	19	.	*	28	17	9	*	4	10	9
30-34	12	15	6	13	12	17	23	*	20	16	10	9	5	13	9
35-39	13	13	10	13	13	18	*	*	20	17	11	18	4	12	10
40-44	13	17	6	13	14	19	24	17	20	18	11	13	5	12	10
45-49	14	13	10	14	15	20	16	10	16	22	11	5	10	13	10
50-54	16	16	11	17	16	21	19	10	23	21	13	10	11	14	12
55-59	16	18	9	15	17	20	17	11	19	22	14	19	8	13	14
60-64	17	18	11	16	17	20	17	11	20	21	14	21	9	13	14
65-69	17	15	12	20	17	21	21	13	22	21	15	10	10	19	15
70-74	17	20	16	23	17	23	23	28	27	22	15	*	9	19	15
75-79	17	16	14	20	17	23	*	21	24	23	16	19	12	19	16
80-84	17	*	7	25	17	19	*	*	37	17	17	*	6	23	17
85 up	18	.	45	15	18	23	.	*	*	23	18	.	*	16	17

OF Standard Error of Hospital Day Rate

FOR Year: 1995-1997,

Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,

AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.02	0.22	0.11	0.05	0.03	0.05	0.32	0.25	0.11	0.06	0.03	0.28	0.11	0.05	0.03
0-14	0.23	*	0.87	0.53	0.27	*	.	.	.	*	0.23	*	0.87	0.53	0.27
15-19	0.20	*	*	0.48	0.22	0.20	*	*	0.48	0.22
20-24	0.14	0.57	0.35	0.26	0.19	0.86	*	.	1.22	1.20	0.15	0.58	0.36	0.27	0.20
25-29	0.11	*	0.42	0.21	0.14	0.34	.	.	1.11	0.36	0.12	*	0.41	0.21	0.15
30-34	0.09	0.91	0.32	0.18	0.12	0.20	1.78	*	0.61	0.22	0.10	0.93	0.31	0.18	0.13
35-39	0.09	0.99	0.39	0.14	0.11	0.18	*	*	0.56	0.20	0.09	1.51	0.27	0.15	0.13
40-44	0.08	0.72	0.28	0.12	0.10	0.17	1.38	1.18	0.42	0.19	0.08	0.80	0.26	0.13	0.12
45-49	0.08	0.49	0.36	0.13	0.10	0.15	0.65	0.78	0.30	0.19	0.09	0.56	0.41	0.15	0.11
50-54	0.08	0.58	0.34	0.15	0.10	0.15	0.79	0.52	0.32	0.18	0.09	0.80	0.45	0.16	0.12
55-59	0.08	0.61	0.35	0.15	0.10	0.14	0.72	0.61	0.27	0.18	0.10	1.14	0.42	0.18	0.12
60-64	0.08	0.79	0.39	0.17	0.10	0.14	0.94	0.52	0.29	0.16	0.10	1.45	0.58	0.20	0.12
65-69	0.07	0.68	0.34	0.19	0.08	0.13	1.17	0.52	0.31	0.15	0.08	0.77	0.44	0.25	0.09
70-74	0.07	0.88	0.42	0.26	0.08	0.16	1.16	0.97	0.45	0.17	0.08	*	0.41	0.31	0.09
75-79	0.09	1.21	0.44	0.38	0.10	0.25	*	1.18	0.78	0.27	0.10	1.47	0.46	0.44	0.11
80-84	0.14	*	0.50	0.65	0.15	0.40	*	*	1.85	0.42	0.15	*	0.49	0.73	0.16
85 up	0.28	.	2.85	1.07	0.29	1.02	.	.	*	1.19	0.29	.	*	1.22	0.30

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	18	17	11	19	18	24	21	19	25	24	15	13	8	16	14
0-14	16	*	*	28	13	16	*	*	28	13
15-19	12	*	3	17	10	*	13	*	3	17	11
20-24	11	7	4	15	11	23	*	*	28	23	11	8	3	14	10
25-29	13	19	4	15	12	18	14	*	20	18	12	21	3	14	10
30-34	14	12	6	16	13	20	*	*	24	19	12	15	5	15	10
35-39	15	6	5	15	16	25	18	*	29	24	11	2	4	13	12
40-44	15	8	9	17	15	23	15	26	30	22	12	2	7	14	12
45-49	16	12	9	17	16	24	11	13	25	25	12	14	8	13	12
50-54	17	21	15	17	18	24	25	27	23	25	14	11	12	14	14
55-59	19	20	11	20	19	25	22	17	24	26	15	12	8	16	15
60-64	19	18	16	22	19	24	19	22	27	23	16	15	10	18	15
65-69	20	21	16	24	20	26	29	21	25	27	16	9	12	22	15
70-74	21	18	16	26	20	26	24	17	28	26	18	9	12	23	17
75-79	22	31	15	26	21	26	*	14	31	25	20	30	17	23	20
80-84	20	*	10	23	21	24	..	*	18	26	19	*	10	27	19
85 up	17	*	*	15	17	15	*	*	*	15	18	*	*	15	18

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.03	0.19	0.10	0.05	0.03	0.05	0.28	0.26	0.10	0.07	0.03	0.24	0.10	0.05	0.04
0-14	0.28	*	*	0.85	0.29	0.28	*	*	0.85	0.29
15-19	0.23	*	0.52	0.44	0.29	*	0.23	*	0.52	0.46	0.29
20-24	0.13	0.68	0.28	0.28	0.17	0.74	*	*	1.62	0.96	0.13	0.73	0.28	0.28	0.17
25-29	0.11	0.75	0.33	0.20	0.14	0.29	1.38	*	0.65	0.35	0.12	0.88	0.32	0.21	0.15
30-34	0.09	0.75	0.27	0.18	0.11	0.22	*	*	0.53	0.24	0.10	0.98	0.25	0.19	0.12
35-39	0.09	0.42	0.21	0.15	0.12	0.23	1.42	*	0.55	0.26	0.09	0.28	0.19	0.15	0.13
40-44	0.09	0.48	0.28	0.15	0.11	0.21	0.88	1.43	0.48	0.24	0.09	0.34	0.26	0.15	0.12
45-49	0.08	0.47	0.26	0.14	0.11	0.18	0.57	0.88	0.32	0.23	0.09	0.82	0.27	0.15	0.12
50-54	0.08	0.58	0.38	0.14	0.11	0.17	0.77	1.23	0.28	0.23	0.09	0.76	0.38	0.15	0.12
55-59	0.09	0.58	0.37	0.16	0.12	0.16	0.69	0.72	0.26	0.22	0.10	0.96	0.39	0.19	0.13
60-64	0.08	0.62	0.44	0.16	0.10	0.15	0.72	0.76	0.28	0.18	0.10	1.21	0.47	0.20	0.12
65-69	0.08	0.68	0.35	0.17	0.09	0.14	1.08	0.57	0.26	0.17	0.09	0.67	0.41	0.24	0.10
70-74	0.09	0.76	0.44	0.23	0.10	0.16	1.08	0.58	0.36	0.20	0.10	0.88	0.64	0.29	0.11
75-79	0.12	1.23	0.55	0.33	0.13	0.25	*	0.77	0.61	0.30	0.14	1.42	0.81	0.38	0.15
80-84	0.19	*	0.65	0.53	0.21	0.41	..	*	0.77	0.50	0.21	*	0.69	0.76	0.23
85 up	0.30	*	*	0.74	0.34	0.63	*	*	*	0.72	0.35	*	*	0.85	0.40

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts.,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	14	14	10	14	15	18	15	14	18	18	12	8	12	13	
0-14	16	10	11	17	16	20	*	.	25	16	16	12	11	17	
15-19	11	14	5	13	10	18	.	*	25	*	11	14	6	13	
20-24	9	7	6	10	9	22	*	*	25	22	8	7	6	9	
25-29	10	11	5	11	10	19	17	10	22	19	9	10	5	9	
30-34	12	12	7	12	12	19	18	13	20	19	10	9	6	10	
35-39	12	11	7	12	12	19	15	18	20	19	9	10	5	10	
40-44	12	12	7	12	12	18	14	15	19	18	10	9	6	10	
45-49	12	12	8	12	13	17	13	10	17	18	10	9	7	10	
50-54	14	15	10	13	14	17	15	13	17	18	11	15	9	11	
55-59	14	13	11	14	15	17	14	13	16	19	12	10	10	11	
60-64	15	14	12	15	15	17	13	14	17	18	13	15	10	13	
65-69	16	14	11	16	16	18	15	15	17	19	14	11	8	14	
70-74	16	16	12	16	16	18	14	18	19	14	12	10	15	14	
75-79	16	16	11	18	16	18	16	14	20	18	15	15	9	16	
80-84	16	16	12	18	16	19	14	14	21	19	15	19	11	17	
85 up	16	18	14	19	16	19	26	17	19	19	16	15	13	18	

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts.,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.04	0.03	0.01	0.01	0.01	0.06	0.05	0.02	0.01	0.01	0.07	0.03	0.01	
0-14	0.12	0.89	0.56	0.25	0.15	0.92	*	.	1.61	1.49	0.13	1.13	0.58	0.25	
15-19	0.08	0.61	0.27	0.15	0.11	0.91	.	*	1.33	*	0.08	0.61	0.28	0.15	
20-24	0.04	0.30	0.15	0.06	0.06	0.27	*	*	0.42	0.39	0.04	0.32	0.15	0.06	
25-29	0.03	0.28	0.12	0.05	0.05	0.12	0.89	0.67	0.21	0.14	0.03	0.29	0.12	0.05	
30-34	0.03	0.24	0.12	0.04	0.04	0.07	0.56	0.52	0.14	0.09	0.03	0.25	0.12	0.04	
35-39	0.02	0.19	0.10	0.03	0.04	0.06	0.38	0.40	0.12	0.08	0.02	0.22	0.09	0.03	
40-44	0.02	0.16	0.09	0.03	0.03	0.05	0.25	0.32	0.09	0.07	0.02	0.21	0.09	0.03	
45-49	0.02	0.13	0.09	0.03	0.03	0.04	0.17	0.20	0.07	0.06	0.02	0.19	0.09	0.03	
50-54	0.02	0.14	0.10	0.03	0.03	0.04	0.16	0.18	0.05	0.05	0.02	0.26	0.11	0.03	
55-59	0.02	0.12	0.10	0.03	0.03	0.03	0.14	0.16	0.05	0.05	0.02	0.21	0.12	0.03	
60-64	0.02	0.12	0.09	0.03	0.03	0.03	0.13	0.15	0.04	0.04	0.02	0.28	0.12	0.04	
65-69	0.02	0.11	0.08	0.03	0.02	0.03	0.14	0.12	0.04	0.03	0.02	0.20	0.09	0.03	
70-74	0.02	0.14	0.08	0.03	0.02	0.03	0.18	0.12	0.05	0.04	0.02	0.22	0.10	0.04	
75-79	0.02	0.18	0.08	0.04	0.02	0.04	0.25	0.16	0.07	0.05	0.02	0.26	0.10	0.05	
80-84	0.03	0.28	0.12	0.06	0.03	0.06	0.37	0.24	0.11	0.08	0.03	0.44	0.14	0.06	
85 up	0.04	0.48	0.22	0.08	0.05	0.11	1.11	0.42	0.20	0.15	0.04	0.51	0.25	0.09	

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	13	13	10	12	14	17	14	14	16	17	11	11	8	11	12
0-14	17	*	9	16	17	21	*	.	*	*	16	*	9	15	17
15-19	10	6	7	12	9	21	.	.	*	*	10	6	7	12	9
20-24	8	9	5	8	8	15	*	*	16	15	7	9	5	7	8
25-29	9	6	6	9	9	17	*	8	19	16	8	6	5	8	7
30-34	10	11	7	10	11	17	20	13	18	17	8	8	7	9	8
35-39	11	13	7	11	11	18	14	18	20	17	9	13	5	10	8
40-44	11	10	6	11	12	17	11	13	17	17	9	10	5	9	8
45-49	11	11	7	11	12	16	12	9	16	17	9	10	6	9	9
50-54	12	13	11	12	13	16	14	14	15	17	10	13	8	10	10
55-59	13	14	11	12	14	16	15	13	15	18	11	10	10	10	11
60-64	14	13	12	13	14	16	13	13	16	17	12	14	10	11	12
65-69	14	12	11	14	15	17	13	14	17	18	13	11	9	13	13
70-74	15	16	12	15	15	17	20	15	17	18	13	12	10	14	13
75-79	15	14	11	16	15	18	14	15	18	18	14	15	9	15	14
80-84	15	16	10	17	15	19	11	11	21	19	14	20	9	16	14
85 up	15	19	14	17	15	18	*	16	19	18	15	18	14	17	15

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.06	0.04	0.01	0.01	0.02	0.08	0.08	0.03	0.02	0.01	0.09	0.04	0.01	0.01
0-14	0.16	*	0.73	0.30	0.21	1.16	*	.	*	*	0.16	*	0.73	0.29	0.21
15-19	0.11	0.72	0.45	0.19	0.14	1.58	.	.	*	*	0.11	0.72	0.46	0.20	0.14
20-24	0.05	0.50	0.20	0.08	0.08	0.36	*	*	0.56	0.48	0.05	0.51	0.20	0.08	0.08
25-29	0.04	0.30	0.17	0.06	0.06	0.15	*	0.81	0.30	0.18	0.04	0.31	0.18	0.06	0.06
30-34	0.03	0.33	0.16	0.05	0.05	0.09	0.92	0.71	0.19	0.11	0.04	0.33	0.17	0.05	0.05
35-39	0.03	0.27	0.14	0.04	0.04	0.08	0.50	0.57	0.17	0.09	0.03	0.33	0.13	0.04	0.05
40-44	0.03	0.19	0.12	0.04	0.04	0.07	0.29	0.38	0.12	0.09	0.03	0.26	0.12	0.04	0.04
45-49	0.02	0.17	0.11	0.03	0.04	0.05	0.21	0.26	0.09	0.07	0.03	0.26	0.13	0.04	0.04
50-54	0.03	0.18	0.13	0.04	0.04	0.05	0.22	0.23	0.08	0.07	0.03	0.33	0.15	0.04	0.05
55-59	0.03	0.18	0.14	0.04	0.04	0.04	0.21	0.23	0.07	0.06	0.03	0.30	0.18	0.04	0.05
60-64	0.03	0.18	0.13	0.04	0.04	0.04	0.21	0.20	0.07	0.06	0.03	0.36	0.17	0.05	0.04
65-69	0.02	0.17	0.11	0.04	0.03	0.04	0.22	0.19	0.07	0.05	0.03	0.28	0.14	0.05	0.03
70-74	0.02	0.25	0.11	0.05	0.03	0.04	0.37	0.20	0.08	0.05	0.03	0.32	0.13	0.06	0.03
75-79	0.03	0.30	0.12	0.06	0.03	0.06	0.46	0.26	0.12	0.07	0.03	0.38	0.14	0.07	0.03
80-84	0.04	0.47	0.16	0.09	0.04	0.10	0.58	0.31	0.21	0.12	0.04	0.73	0.18	0.10	0.04
85 up	0.06	0.80	0.30	0.14	0.07	0.19	*	0.63	0.38	0.24	0.06	0.82	0.34	0.15	0.07

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.4 (Continued)
 Hospital Days per Patient Year at Risk
 and Standard Errors of Hospital Day Rates
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	16	14	11	16	16	19	15	14	18	19	14	12	9	14	14
0-14	16	*	13	20	14	15	*	.	*	*	16	*	13	20	14
15-19	12	17	4	14	12	16	.	*	24	*	12	17	5	14	12
20-24	11	5	7	12	11	27	*	*	29	28	10	6	7	11	10
25-29	12	15	5	13	12	22	18	12	23	22	10	14	4	11	10
30-34	13	13	7	14	13	21	17	13	23	21	11	10	6	12	10
35-39	13	10	7	13	14	21	16	17	21	22	10	7	5	11	11
40-44	14	14	8	14	14	21	18	17	22	20	11	9	7	12	11
45-49	14	12	9	14	14	18	14	12	18	19	11	8	8	11	11
50-54	15	16	10	15	16	19	16	13	18	20	13	17	9	12	13
55-59	15	13	11	15	16	18	14	14	17	20	13	10	9	13	13
60-64	16	14	12	16	17	18	14	14	18	19	14	17	10	14	14
65-69	17	15	12	16	17	18	16	15	18	19	15	12	8	15	15
70-74	17	16	12	17	17	19	17	13	18	19	15	12	10	15	15
75-79	17	16	11	19	17	19	17	14	20	19	16	15	9	17	16
80-84	18	16	14	19	17	19	15	17	21	19	17	18	13	18	16
85 up	17	17	15	19	16	19	25	17	19	19	17	13	13	19	16

OF Standard Error of Hospital Day Rate
 FOR Year: 1995-1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	0.01	0.06	0.04	0.01	0.01	0.01	0.08	0.07	0.02	0.02	0.01	0.10	0.04	0.02	0.01
0-14	0.19	*	0.85	0.43	0.23	1.46	*	.	*	*	0.20	*	0.91	0.44	0.23
15-19	0.12	0.83	0.32	0.22	0.17	1.11	.	*	1.75	*	0.13	0.83	0.34	0.23	0.17
20-24	0.07	0.36	0.22	0.11	0.09	0.38	*	*	0.57	0.59	0.06	0.39	0.22	0.10	0.09
25-29	0.05	0.43	0.17	0.08	0.08	0.17	0.98	1.15	0.29	0.22	0.05	0.48	0.17	0.08	0.08
30-34	0.04	0.35	0.17	0.07	0.06	0.12	0.70	0.76	0.22	0.15	0.05	0.38	0.17	0.07	0.07
35-39	0.04	0.26	0.14	0.06	0.06	0.10	0.59	0.56	0.17	0.14	0.04	0.27	0.13	0.06	0.06
40-44	0.04	0.29	0.14	0.05	0.05	0.09	0.45	0.53	0.14	0.12	0.04	0.35	0.13	0.06	0.06
45-49	0.03	0.20	0.13	0.05	0.05	0.06	0.26	0.31	0.09	0.09	0.04	0.27	0.14	0.05	0.05
50-54	0.03	0.20	0.15	0.04	0.05	0.05	0.24	0.30	0.08	0.08	0.04	0.40	0.17	0.05	0.06
55-59	0.03	0.16	0.14	0.04	0.04	0.04	0.19	0.23	0.06	0.07	0.04	0.31	0.17	0.05	0.05
60-64	0.03	0.16	0.14	0.04	0.04	0.04	0.17	0.21	0.06	0.06	0.04	0.43	0.18	0.05	0.05
65-69	0.02	0.15	0.10	0.03	0.03	0.03	0.17	0.16	0.05	0.05	0.03	0.28	0.12	0.05	0.04
70-74	0.02	0.17	0.10	0.04	0.03	0.04	0.21	0.16	0.06	0.05	0.03	0.30	0.14	0.05	0.04
75-79	0.03	0.23	0.11	0.05	0.04	0.05	0.30	0.20	0.08	0.06	0.03	0.37	0.14	0.06	0.04
80-84	0.04	0.36	0.18	0.07	0.05	0.08	0.47	0.35	0.13	0.11	0.04	0.56	0.20	0.08	0.05
85 up	0.06	0.59	0.32	0.10	0.07	0.14	1.17	0.56	0.24	0.19	0.06	0.64	0.38	0.12	0.08

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.

Table H.5
Total Hospital Discharges
by Diagnostic Related Groups for 1995-1997

Category	YEAR								
	1995			1996			1997		
	TYPE			TYPE			TYPE		
	Medical	Procedure	ALL	Medical	Procedure	ALL	Medical	Procedure	ALL
Nervous System	17749	1998	19747	19175	2425	21600	20833	2556	23389
Eye	287	750	1037	263	591	854	257	487	744
ENT	1380	203	1583	1536	265	1801	1492	240	1732
Respiratory System	27302	1293	28595	30492	1402	31894	32044	1492	33536
Circulatory System	77900	81470	159370	85240	83111	168351	90566	79865	170431
GI System	27181	7867	35048	28703	8127	36830	29827	8127	37954
Hepatic System	5785	2558	8343	5989	2779	8768	6619	2842	9461
Muscular/Skeletal System	6898	8041	14939	7360	8874	16234	8353	9819	18172
Skin/Breast	4836	2930	7766	5180	2988	8168	5418	2899	8317
Endocrine System	17157	3969	21126	17558	4147	21705	17561	4078	21639
Renal System	39227	29604	68831	44146	29321	73467	45604	28190	73794
Male Reproduction System	285	734	1019	326	729	1055	272	711	983
Female Reproduction System	300	742	1042	313	765	1078	334	850	1184
Pregnancy	193	97	290	195	88	283	137	83	220
Haemo System	3001	234	3235	3299	283	3582	3539	270	3809
Myeloprolif System	1027	294	1321	1087	285	1372	1219	321	1540
Infection	16995	4882	21877	19827	5728	25555	21724	5854	27578
Psych	4742	281	5023	5068	291	5359	5239	312	5551
Injury/Poisoning	6436	4044	10480	6544	4488	11032	6527	4450	10977
Burns	60	60	120	51	105	156	79	68	147
Other Factors	7150	736	7886	8405	824	9229	9452	865	10317
Unclassified	.	2704	2704	.	3005	3005	.	3251	3251
HIV	1899	213	2112	2048	233	2281	1697	233	1930
ALL	267790	155704	423494	292805	160854	453659	308793	157863	466656

One DRG per admission.
Includes all discharges after the date of first ESRD service.
*Values for cells with fewer than 10 patients are suppressed.

Table H.6
Total Hospital Discharges
by Diagnostic Related Groups for 1997

Description	Type	Year
		1997
Admissions		
478 OTHER VASCULAR PROCEDURES W CC	Procedure	34010
127 HEART FAILURE & SHOCK	Medical	30829
316 RENAL FAILURE	Medical	27796
120 OTHER CIRCULATORY SYSTEM O. R. PROCEDURES	Procedure	23668
144 OTHER CIRCULATORY SYSTEM DIAGNOSES W CC	Medical	21742
416 SEPTICEMIA AGE >17	Medical	16389
315 OTHER KIDNEY & URINARY TRACT O. R. PROCEDURES	Procedure	16117
296 NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC	Medical	11757
089 SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC	Medical	11749
182 ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC	Medical	10499
331 OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC	Medical	10157
174 G. I. HEMORRHAGE W CC	Medical	9154
302 KIDNEY TRANSPLANT	Procedure	8199
113 AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE	Procedure	7794
462 REHABILITATION	Medical	7718
014 SPECIFIC CEREBROVASCULAR DISORDERS EXCEPT TIA	Medical	7194
188 OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC	Medical	6330
138 CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC	Medical	6013
415 O. R. PROCEDURE FOR INFECTIOUS & PARASITIC DISEASES	Procedure	5854
452 COMPLICATIONS OF TREATMENT W CC	Medical	5030
130 PERIPHERAL VASCULAR DISORDERS W CC	Medical	5028
132 ATHEROSCLEROSIS W CC	Medical	4625
294 DIABETES AGE >35	Medical	4326
320 KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC	Medical	4321
124 CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG	Medical	4291
018 CRANIAL & PERIPHERAL NERVE DISORDERS W CC	Medical	4282
079 RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC	Medical	4206
442 OTHER O. R. PROCEDURES FOR INJURIES W CC	Procedure	3921
121 CIRCULATORY DISORDERS W AMI & C. V. COMP DISCH ALIVE	Medical	3899
475 RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT	Medical	3868
204 DISORDERS OF PANCREAS EXCEPT MALIGNANCY	Medical	3787
112 PERCUTANEOUS CARDIOVASCULAR PROCEDURES	Procedure	3477
087 PULMONARY EDEMA & RESPIRATORY FAILURE	Medical	3369
143 CHEST PAIN	Medical	3288
277 CELLULITIS AGE >17 W CC	Medical	3268
024 SEIZURE & HEADACHE AGE >17 W CC	Medical	3006
430 PSYCHOSES	Medical	2947
148 MAJOR SMALL & LARGE BOWEL PROCEDURES W CC	Procedure	2587
088 CHRONIC OBSTRUCTIVE PULMONARY DISEASE	Medical	2546
304 KIDNEY, URETER & MAJOR BLADDER PROC FOR NON-NEOPL W CC	Procedure	2445
395 RED BLOOD CELL DISORDERS AGE >17	Medical	2233
209 MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY	Procedure	2131
116 OTH PERM CARD PACEMKR IMPLANT/AICD LEAD/GENERATOR PROC/PTCA W CORONARY	Procedure	2103
140 ANGINA PECTORIS	Medical	2049
141 SYNCOPES & COLLAPSE W CC	Medical	2033
170 OTHER DIGESTIVE SYSTEM O. R. PROCEDURES W CC	Procedure	2008
015 TRANSIENT ISCHEMIC ATTACK & PRECEREBRAL OCCLUSIONS	Medical	1920
114 UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS	Procedure	1907
180 G. I. OBSTRUCTION W CC	Medical	1905
110 MAJOR CARDIOVASCULAR PROCEDURES W CC	Procedure	1880
292 OTHER ENDOCRINE, NUTRIT & METAB O. R. PROC W CC	Procedure	1827
419 FEVER OF UNKNOWN ORIGIN AGE >17 W CC	Medical	1792
096 BRONCHITIS & ASTHMA AGE >17 W CC	Medical	1767
217 WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCLESKELET & CONN TISS DIS	Procedure	1761
483 TRACHEOSTOMY EXCEPT FOR FACE, MOUTH & NECK DIAGNOSES	Procedure	1758
210 HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC	Procedure	1623
106 CORONARY BYPASS W CARDIAC CATH	Procedure	1594
263 SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W CC	Procedure	1577
493 LAPAROSCOPIC CHOLECYSTECTOMY W/O C. D. E. W CC	Procedure	1448
085 PLEURAL EFFUSION W CC	Medical	1393
123 CIRCULATORY DISORDERS W AMI, EXPIRED	Medical	1376
125 CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG	Medical	1362
477 NON-EXTENSIVE O. R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	Procedure	1359
423 OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES	Medical	1337
243 MEDICAL BACK PROBLEMS	Medical	1318
122 CIRCULATORY DISORDERS W AMI W/O C. V. COMP DISCH ALIVE	Medical	1303
463 SIGNS & SYMPTOMS W CC	Medical	1264
332 OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC	Medical	1218

(CONTINUED)

One DRG per admission.

Includes all discharges after the date of first ESRD service.

*Values for cells with fewer than 15 patients are excluded.

Table H.6 (Continued)
 Total Hospital Discharges
 by Diagnostic Related Groups for 1997

Description	Type	Year 1997 Admissions
489 HIV W MAJOR RELATED CONDITION	Medi cal	1206
213 AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS	Procedure	1178
205 DISORDERS OF LIVER EXCEPT MALIG, CIRRH, ALC HEPA W CC	Medi cal	1163
107 CORONARY BYPASS W/O CARDIAC CATH	Procedure	1118
418 POSTOPERATIVE & POST-TRAUMATIC INFECTIONS	Medi cal	1096
271 SKIN ULCERS	Medi cal	1088
256 OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES	Medi cal	1074
236 FRACTURES OF HIP & PELVIS	Medi cal	1071
034 OTHER DISORDERS OF NERVOUS SYSTEM W CC	Medi cal	1026
429 ORGANIC DISTURBANCES & MENTAL RETARDATION	Medi cal	1012
005 EXTRACRANIAL VASCULAR PROCEDURES	Procedure	1000
099 RESPIRATORY SIGNS & SYMPTOMS W CC	Medi cal	967
159 HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC	Procedure	961
076 OTHER RESP SYSTEM O. R. PROCEDURES W CC	Procedure	927
421 VIRAL ILLNESS AGE >17	Medi cal	893
207 DISORDERS OF THE BILIARY TRACT W CC	Medi cal	888
461 O. R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES	Procedure	865
007 PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC	Procedure	841
240 CONNECTIVE TISSUE DISORDERS W CC	Medi cal	829
016 NONSPECIFIC CEREBROVASCULAR DISORDERS W CC	Medi cal	826
449 POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC	Medi cal	797
269 OTHER SKIN, SUBCUT TISS & BREAST PROC W CC	Procedure	790
285 AMPUTAT OF LOWER LIMB FOR ENDOCRINE, NUTRIT, & METABOL DISORDERS	Procedure	776
126 ACUTE & SUBACUTE ENDOCARDITIS	Medi cal	766
425 ACUTE ADJUST REACT & DISTURBANCES OF PSYCHOSOCIAL DYSFUNCTION	Medi cal	763
397 COAGULATION DISORDERS	Medi cal	757
317 ADMIT FOR RENAL DIALYSIS	Medi cal	750
295 DIABETES AGE 0-35	Medi cal	731
104 CARDIAC VALVE PROCEDURES W CARDIAC CATH	Procedure	722
403 LYMPHOMA & NON-ACUTE LEUKEMIA W CC	Medi cal	721
287 SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS	Procedure	649
239 PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY	Medi cal	648
105 CARDIAC VALVE PROCEDURES W/O CARDIAC CATH	Procedure	644
197 CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C. D. E. W CC	Procedure	633
150 PERITONEAL ADHESIOLYSIS W CC	Procedure	622
012 DEGENERATIVE NERVOUS SYSTEM DISORDERS	Medi cal	600
176 COMPLICATED PEPTIC ULCER	Medi cal	599
289 PARATHYROID PROCEDURES	Procedure	591
068 OTITIS MEDIA & URI AGE >17 W CC	Medi cal	577
154 STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W CC	Procedure	571
238 OSTEOMYELITIS	Medi cal	568
214 BACK & NECK PROCEDURES W CC	Procedure	555
075 MAJOR CHEST PROCEDURES	Procedure	552
218 LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W CC	Procedure	525
244 BONE DISEASES & SPECIFIC ARTHROPATHIES W CC	Medi cal	525
398 RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC	Medi cal	517
253 FX, SPRN, STRN & DISL OF UPARM, LOWLEG EX FOOT AGE >17 W CC	Medi cal	516
202 CIRRHOSIS & ALCOHOLIC HEPATITIS	Medi cal	508
082 RESPIRATORY NEOPLASMS	Medi cal	506
101 OTHER RESPIRATORY SYSTEM DIAGNOSES W CC	Medi cal	502
247 SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE	Medi cal	499
490 HIV W OR W/O OTHER RELATED CONDITION	Medi cal	491
310 TRANSURETHRAL PROCEDURES W CC	Procedure	482
248 TENDONITIS, MYOSITIS & BURSITIS	Medi cal	461
303 KIDNEY, URETER & MAJOR BLADDER PROCEDURES FOR NEOPLASM	Procedure	456
001 CRANIOTOMY AGE >17 EXCEPT FOR TRAUMA	Procedure	450
333 OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17	Medi cal	449
134 HYPERTENSION	Medi cal	446
358 UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC	Procedure	441
300 ENDOCRINE DISORDERS W CC	Medi cal	431
023 NONTRAUMATIC STUPOR & COMA	Medi cal	394
161 INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC	Procedure	389
157 ANAL & STOMAL PROCEDURES W CC	Procedure	387
177 UNCOMPLICATED PEPTIC ULCER W CC	Medi cal	377
280 TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W CC	Medi cal	374
440 WOUND DEBRIDEMENTS FOR INJURIES	Procedure	374
129 CARDIAC ARREST, UNEXPLAINED	Medi cal	365
410 CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS	Medi cal	360

(CONTINUED)

One DRG per admission.

Includes all discharges after the date of first ESRD service.

*Values for cells with fewer than 15 patients are excluded.

Table H.6 (Continued)
 Total Hospital Discharges
 by Diagnostic Related Groups for 1997

Description	Type	Year
		1997 Admissions
336 TRANSURETHRAL PROSTATECTOMY W CC	Procedure	359
426 DEPRESSIVE NEUROSES	Medical	348
115 PERM CARDIAC PACEMAKER IMPLANT W AMI, HEART FAILURE OR SHOCK	Procedure	336
191 PANCREAS, LIVER & SHUNT PROCEDURES W CC	Procedure	335
078 PULMONARY EMBOLISM	Medical	324
028 TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC	Medical	320
172 DIGESTIVE MALIGNANCY W CC	Medical	312
424 O. R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS	Procedure	312
226 SOFT TISSUE PROCEDURES W CC	Procedure	311
065 DYSEQUILIBRIUM	Medical	291
135 CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC	Medical	289
020 NERVOUS SYSTEM INFECTION EXCEPT VIRAL MENINGITIS	Medical	283
131 PERIPHERAL VASCULAR DISORDERS W/O CC	Medical	283
283 MINOR SKIN DISORDERS W CC	Medical	273
325 KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W CC	Medical	271
022 HYPERTENSIVE ENCEPHALOPATHY	Medical	269
323 URINARY STONES W CC, &/OR ESW LITHOTRIPSY	Medical	269
203 MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS	Medical	257
272 MAJOR SKIN DISORDERS W CC	Medical	245
464 SIGNS & SYMPTOMS W/O CC	Medical	241
488 HIV W EXTENSIVE O. R. PROCEDURE	Procedure	233
036 RETINAL PROCEDURES	Procedure	225
444 TRAUMATIC INJURY AGE >17 W CC	Medical	224
249 AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	Medical	212
092 INTERSTITIAL LUNG DISEASE W CC	Medical	211
231 LOCAL EXCISION & REMOVAL OF INT FIX DEVICES EXCEPT HIP & FEMUR	Procedure	207
128 DEEP VEIN THROMBOPHEBITIS	Medical	205
225 FOOT PROCEDURES	Procedure	204
242 SEPTIC ARTHRITIS	Medical	202
094 PNEUMOTHORAX W CC	Medical	199
216 BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	Procedure	197
394 OTHER O. R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS	Procedure	191
479 OTHER VASCULAR PROCEDURES W/O CC	Procedure	189
145 OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC	Medical	188
350 INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM	Medical	188
152 MINOR SMALL & LARGE BOWEL PROCEDURES W CC	Procedure	183
290 THYROID PROCEDURES	Procedure	179
308 MINOR BLADDER PROCEDURES W CC	Procedure	179
257 TOTAL MASTECTOMY FOR MALIGNANCY W CC	Procedure	176
221 KNEE PROCEDURES W CC	Procedure	173
265 SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W CC	Procedure	169
108 OTHER CARDIOTHORACIC PROCEDURES	Procedure	168
066 EPISTAXIS	Medical	167
223 MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMTY PROC W CC	Procedure	167
401 LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O. R. PROC W CC	Procedure	167
368 INFECTIONS, FEMALE REPRODUCTIVE SYSTEM	Medical	165
341 PENIS PROCEDURES	Procedure	161
046 OTHER DISORDERS OF THE EYE AGE >17 W CC	Medical	158
445 TRAUMATIC INJURY AGE >17 W/O CC	Medical	158
073 OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17	Medical	152
179 INFLAMMATORY BOWEL DISEASE	Medical	151
010 NERVOUS SYSTEM NEOPLASMS W CC	Medical	143
235 FRACTURES OF FEMUR	Medical	141
306 PROSTATECTOMY W CC	Procedure	141
422 VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17	Medical	141
298 NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17	Medical	139
119 VEIN LIGATION & STRIPPING	Procedure	137
184 ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17	Medical	137
466 AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS	Medical	134
369 MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS	Medical	133
002 CRANIOTOMY FOR TRAUMA AGE >17	Procedure	130
185 DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17	Medical	127
090 SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC	Medical	126
318 KIDNEY & URINARY TRACT NEOPLASMS W CC	Medical	126
019 CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC	Medical	124
322 KIDNEY & URINARY TRACT INFECTIONS AGE 0-17	Medical	124
164 APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC	Procedure	119
201 OTHER HEPATOBIILIARY OR PANCREAS O. R. PROCEDURES	Procedure	116

(CONTINUED)

One DRG per admission.

Includes all discharges after the date of first ESRD service.

*Values for cells with fewer than 15 patients are excluded.

Table H.6 (Continued)
 Total Hospital Discharges
 by Diagnostic Related Groups for 1997

Description	Type	Year 1997 Admissions
447 ALLERGIC REACTIONS AGE >17	Medical	116
233 OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC	Procedure	113
228 MAJOR THUMB OR JOINT PROC. OR OTH HAND OR WRIST PROC W CC	Procedure	108
183 ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC	Medical	107
499 BACK & NECK PROCS EXCEPT SPINAL FUSION W CC	Procedure	107
166 APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC	Procedure	106
042 INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS	Procedure	105
305 KIDNEY, URETER & MAJOR BLADDER PROC FOR NON-NEOPL W/O CC	Procedure	105
004 SPINAL PROCEDURES	Procedure	103
190 OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17	Medical	102
364 D&C, CONIZATION EXCEPT FOR MALIGNANCY	Procedure	100
491 MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITY	Procedure	94
360 VAGINA, CERVIX & VULVA PROCEDURES	Procedure	92
297 NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC	Medical	91
467 OTHER FACTORS INFLUENCING HEALTH STATUS	Medical	91
009 SPINAL DISORDERS & INJURIES	Medical	89
083 MAJOR CHEST TRAUMA W CC	Medical	87
413 OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC	Medical	87
400 LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE	Procedure	85
193 BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C. D. E. W CC	Procedure	84
427 NEUROSES EXCEPT DEPRESSIVE	Medical	83
133 ATHEROSCLEROSIS W/O CC	Medical	82
454 OTHER INJURY, POISONING & TOXIC EFFECT DIAG W CC	Medical	80
497 SPINAL FUSION W CC	Procedure	80
299 INBORN ERRORS OF METABOLISM	Medical	79
392 SPLENECTOMY AGE >17	Procedure	79
200 HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY	Procedure	78
250 FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W CC	Medical	78
482 TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSES	Procedure	78
278 CELLULITIS AGE >17 W/O CC	Medical	77
189 OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC	Medical	75
321 KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC	Medical	75
195 CHOLECYSTECTOMY W C. D. E. W CC	Procedure	74
460 NON-EXTENSIVE BURNS W/O O.R. PROCEDURE	Medical	74
354 UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC	Procedure	73
021 VIRAL MENINGITIS	Medical	72
334 MAJOR MALE PELVIC PROCEDURES W CC	Procedure	71
139 CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC	Medical	68
027 TRAUMATIC STUPOR & COMA, COMA >1 HR	Medical	67
063 OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES	Procedure	67
146 RECTAL RESECTION W CC	Procedure	67
487 OTHER MULTIPLE SIGNIFICANT TRAUMA	Medical	67
091 SIMPLE PNEUMONIA & PLEURISY AGE 0-17	Medical	61
053 SINUS & MASTOID PROCEDURES AGE >17	Procedure	60
246 NON-SPECIFIC ARTHROPATHIES	Medical	60
037 ORBITAL PROCEDURES	Procedure	59
045 NEUROLOGICAL EYE DISORDERS	Medical	57
100 RESPIRATORY SIGNS & SYMPTOMS W/O CC	Medical	57
339 TESTES PROCEDURES, NON-MALIGNANCY AGE >17	Procedure	57
417 SEPTICEMIA AGE 0-17	Medical	56
471 BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY	Procedure	56
476 PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	Procedure	56
168 MOUTH PROCEDURES W CC	Procedure	54
245 BONE DISEASES & SPECIFIC ARTHROPATHIES W/O CC	Medical	54
312 URETHRAL PROCEDURES, AGE >17 W CC	Procedure	54
383 OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS	Medical	54
187 DENTAL EXTRACTIONS & RESTORATIONS	Medical	53
070 OTITIS MEDIA & URI AGE 0-17	Medical	51
039 LENS PROCEDURES WITH OR WITHOUT VITRECTOMY	Procedure	50
117 CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT	Procedure	50
026 SEIZURE & HEADACHE AGE 0-17	Medical	49
259 SUBTOTAL MASTECTOMY FOR MALIGNANCY W CC	Procedure	48
501 KNEE PROC W PDX OF INFECTION W CC	Procedure	48
458 NON-EXTENSIVE BURNS W SKIN GRAFT	Procedure	47
230 LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR	Procedure	46
480 LIVER TRANSPLANT	Procedure	46
118 CARDIAC PACEMAKER DEVICE REPLACEMENT	Procedure	45
261 BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION	Procedure	44

(CONTINUED)

One DRG per admission.

Includes all discharges after the date of first ESRD service.

*Values for cells with fewer than 15 patients are excluded.

Table H.6 (Continued)
Total Hospital Discharges
by Diagnostic Related Groups for 1997

Description	Type	Year 1997 Admissions
439 SKIN GRAFTS FOR INJURIES	Procedure	44
031 CONCUSSION AGE >17 W CC	Medical	43
040 EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17	Procedure	43
370 CESAREAN SECTION W CC	Procedure	43
428 DISORDERS OF PERSONALITY & IMPULSE CONTROL	Medical	43
486 OTHER O. R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA	Procedure	40
035 OTHER DISORDERS OF NERVOUS SYSTEM W/O CC	Medical	39
175 G. I. HEMORRHAGE W/O CC	Medical	39
025 SEIZURE & HEADACHE AGE >17 W/O CC	Medical	37
276 NON-MALIGNANT BREAST DISORDERS	Medical	37
064 EAR, NOSE, MOUTH & THROAT MALIGNANCY	Medical	36
366 MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC	Medical	36
372 VAGINAL DELIVERY W COMPLICATING DIAGNOSES	Medical	36
485 LIMB REATTACHMENT, HIP AND FEMUR PROC FOR MULTIPLE SIGNIFICANT TRAUM	Procedure	36
356 FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	Procedure	35
409 RADIOTHERAPY	Medical	35
453 COMPLICATIONS OF TREATMENT W/O CC	Medical	34
098 BRONCHITIS & ASTHMA AGE 0-17	Medical	33
254 FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W/O CC	Medical	33
406 MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O. R. PROC W CC	Procedure	33
237 SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH	Medical	31
288 O. R. PROCEDURES FOR OBESITY	Procedure	31
363 D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY	Procedure	31
408 MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O. R. PROC	Procedure	31
503 KNEE PROCEDURES W/O PDX OF INFECTION	Procedure	31
262 BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY	Procedure	29
044 ACUTE MAJOR EYE INFECTIONS	Medical	28
181 G. I. OBSTRUCTION W/O CC	Medical	28
348 BENIGN PROSTATIC HYPERTROPHY W CC	Medical	28
352 OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES	Medical	28
346 MALIGNANCY, MALE REPRODUCTIVE SYSTEM W CC	Medical	27
142 SYNCOPE & COLLAPSE W/O CC	Medical	26
396 RED BLOOD CELL DISORDERS AGE 0-17	Medical	26
357 UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY	Procedure	24
432 OTHER MENTAL DISORDER DIAGNOSES	Medical	24
006 CARPAL TUNNEL RELEASE	Procedure	23
050 SIALOADENECTOMY	Procedure	23
241 CONNECTIVE TISSUE DISORDERS W/O CC	Medical	23
328 URETHRAL STRICTURE AGE >17 W CC	Medical	23
017 NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC	Medical	21
055 MISCELLANEOUS EAR, NOSE, MOUTH & THROAT PROCEDURES	Procedure	21
160 HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC	Procedure	21
365 OTHER FEMALE REPRODUCTIVE SYSTEM O. R. PROCEDURES	Procedure	21
381 ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	Procedure	21
420 FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC	Medical	20
459 NON-EXTENSIVE BURNS W WOUND DEBRIDEMENT OR OTHER O. R. PROC	Procedure	20
013 MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA	Medical	19
212 HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17	Procedure	19
431 CHILDHOOD MENTAL DISORDERS	Medical	19
268 SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES	Procedure	18
281 TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O CC	Medical	18
215 BACK & NECK PROCEDURES W/O CC	Procedure	17
057 T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17	Procedure	16
080 RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC	Medical	16
232 ARTHROSCOPY	Procedure	16
274 MALIGNANT BREAST DISORDERS W CC	Medical	16
338 TESTES PROCEDURES, FOR MALIGNANCY	Procedure	16
072 NASAL TRAUMA & DEFORMITY	Medical	15
097 BRONCHITIS & ASTHMA AGE >17 W/O CC	Medical	15
102 OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC	Medical	15
103 HEART TRANSPLANT	Procedure	15
264 SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W/O CC	Procedure	15
286 ADRENAL & PITUITARY PROCEDURES	Procedure	15
344 OTHER MALE REPRODUCTIVE SYSTEM O. R. PROCEDURES FOR MALIGNANCY	Procedure	15
353 PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY	Procedure	15
373 VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES	Medical	15
441 HAND PROCEDURES FOR INJURIES	Procedure	15

One DRG per admission.

Includes all discharges after the date of first ESRD service.

*Values for cells with fewer than 15 patients are excluded.

Notes for Table H.6
DRG Codes Which Have Changed Meaning
Between Year of 1997 and 1998

DRG Codes	Year	Changed Meaning
109	1997	OTH CARDIOTHORACIC PROC W/O PUMP
109	1998	CORONARY BYPASS W/O CARDIAC CATH
116	1997	OTH PERM CARDIAC PACEMAKER IMPLANT OR AICD LEAD OR GENERATOR PROC
116	1998	OTH PERM CARDIAC PACEMAKER IMPLANT OR PTCA W CORONARY ART STENT
456	1997	BURNS, TRANSFERRED TO ANOTHER ACUTE CARE FACILITY
456	1998	NO LONGER VALID
457	1997	EXTENSIVE BURNS W/O O. R. PROCEDURE
457	1998	NO LONGER VALID
458	1997	NON-EXTENSIVE BURNS W SKIN GRAFT
458	1998	NO LONGER VALID
459	1997	NON-EXTENSIVE BURNS W WOUND DEBRIDEMENT OR OTHER O. R. PROC
459	1998	NO LONGER VALID
460	1997	NON-EXTENSIVE BURNS W/O O. R. PROCEDURE
460	1998	NO LONGER VALID
472	1997	EXTENSIVE BURNS W O. R. PROCEDURE
472	1998	NO LONGER VALID

One DRG per admission.

Includes all discharges after the date of first ESRD service.

*Values for cells with fewer than 15 patients are excluded.

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997.
 Modality group: 1 All dialysis patients,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	56105	855	1429	18902	34200	20058	523	579	5946	12615	35157	329	840	12618	21114
0-14	140	*	4	39	88	*	*	*	*	132	*	4	37	83	
15-19	157	*	4	54	93	*	*	*	*	151	*	4	54	88	
20-24	507	9	19	239	229	31	*	16	15	459	9	18	215	208	
25-29	989	12	28	469	466	184	*	64	113	794	12	25	399	348	
30-34	1707	22	41	806	819	510	9	141	350	1166	11	36	650	461	
35-39	2571	36	50	1227	1233	725	10	12	179	515	1810	26	37	1032	702
40-44	3461	65	73	1726	1551	1064	29	19	307	687	2344	36	53	1387	847
45-49	4172	112	84	2002	1909	1527	74	29	503	886	2573	38	55	1457	999
50-54	4448	94	133	1985	2159	1894	68	57	665	1059	2490	26	75	1291	1072
55-59	4821	110	117	2026	2471	2377	90	67	859	1294	2372	19	50	1134	1149
60-64	5447	108	124	2077	3053	2621	83	68	885	1523	2752	25	55	1154	1498
65-69	7617	125	201	2233	4953	3422	89	113	975	2181	4088	36	87	1217	2713
70-74	7974	80	220	1861	5737	2899	40	100	724	1991	4934	40	117	1102	3652
75-79	6581	46	180	1191	5114	1792	19	62	391	1298	4677	27	118	777	3735
80-84	3831	25	93	650	3035	780	10	32	173	551	2987	15	61	462	2438
85 up	1682	8	58	317	1290	227	*	12	62	149	1428	6	45	250	1121

OF Pt Years at risk for First Admission
 FOR Year: 1997.
 Modality group: 1 All dialysis patients,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	48833	729	1720	17839	27884	14435	420	557	4590	8599	33568	306	1142	12914	18876
0-14	101	*	6	30	60	*	*	*	*	96	*	6	29	58	
15-19	184	*	7	70	98	*	*	*	*	177	*	7	66	96	
20-24	600	11	26	261	284	20	*	10	10	565	10	25	246	269	
25-29	1215	18	44	569	564	119	*	30	83	1074	17	40	527	473	
30-34	1867	20	65	860	882	329	4	78	239	1496	15	59	761	630	
35-39	2610	38	90	1217	1226	492	10	12	116	347	2080	28	76	1082	866
40-44	3531	64	123	1792	1504	744	28	20	237	445	2732	36	100	1524	1042
45-49	4173	96	133	2124	1766	1105	56	30	388	613	2993	40	99	1695	1132
50-54	4233	96	149	1938	1976	1521	67	63	546	810	2655	29	85	1364	1142
55-59	4404	96	139	1961	2127	1791	74	57	694	913	2558	22	81	1237	1196
60-64	4715	92	173	1904	2474	2003	64	82	743	1071	2635	27	88	1124	1370
65-69	6167	92	202	1951	3845	2448	62	98	755	1488	3596	29	103	1153	2284
70-74	6248	54	217	1541	4368	2026	32	82	551	1330	4113	21	134	962	2969
75-79	5067	31	187	964	3848	1247	14	59	300	862	3725	18	125	642	2919
80-84	2668	15	120	459	2057	466	6	36	105	313	2156	9	84	340	1714
85 up	1051	4	40	198	803	117	*	10	33	73	916	3	29	161	717

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997
 Modality group: 1 All dialysis patients,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	58520	1149	1548	23697	31422	26370	804	697	10660	13814	31140	333	839	12583	17155
0-14	107	*	*	33	61	*	*	*	100	*	*	30	59
15-19	164	9	5	65	78	*	..	*	*	..	156	9	4	61	76
20-24	576	11	26	264	256	55	*	*	26	24	507	11	25	231	227
25-29	947	19	26	456	431	209	*	*	79	125	717	16	24	368	298
30-34	1471	27	41	692	688	427	7	10	143	259	1022	19	31	534	425
35-39	1950	35	70	975	848	572	15	19	207	327	1345	20	51	753	506
40-44	2384	39	80	1185	1053	795	26	23	324	413	1553	13	57	843	626
45-49	3254	81	94	1575	1465	1365	55	29	598	671	1828	26	64	943	771
50-54	4043	109	105	1821	1943	1987	81	43	851	973	1988	28	60	942	942
55-59	4979	141	138	2295	2337	2756	116	69	1257	1262	2149	24	68	996	1050
60-64	6437	147	130	2906	3152	3710	118	73	1638	1811	2621	27	57	1217	1302
65-69	9423	193	230	3676	5209	5176	154	130	2070	2744	4055	37	97	1522	2374
70-74	9631	172	255	3514	5589	4781	124	135	1789	2661	4689	45	116	1662	2844
75-79	7263	100	201	2388	4514	2972	72	99	1104	1667	4169	27	101	1238	2781
80-84	4000	48	97	1207	2622	1200	28	43	435	680	2743	19	54	748	1913
85 up	1891	17	46	645	1176	358	6	20	135	196	1498	11	26	495	961

OF Pt Years at risk for First Admission
 FOR Year: 1997
 Modality group: 1 All dialysis patients,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	43899	866	1750	18116	22576	17153	561	613	7207	8493	26042	298	1125	10619	13764
0-14	77	*	*	18	50	*	*	*	73	*	*	17	49
15-19	150	5	9	54	73	*	..	*	*	..	140	5	9	48	73
20-24	473	8	30	203	218	26	*	*	13	8	436	6	28	186	204
25-29	873	17	44	377	409	110	*	*	41	64	742	14	43	326	339
30-34	1258	27	44	555	615	239	6	3	78	151	1001	21	41	470	457
35-39	1770	33	87	842	781	341	9	8	131	190	1412	23	78	703	586
40-44	2168	35	108	1051	945	517	18	13	208	270	1623	18	94	831	663
45-49	2816	63	139	1332	1247	862	38	31	393	393	1915	24	106	924	838
50-54	3199	85	102	1487	1474	1274	59	23	595	575	1870	26	77	874	871
55-59	3861	113	129	1841	1720	1865	88	56	895	791	1937	25	73	922	903
60-64	4863	117	153	2228	2291	2512	90	77	1135	1159	2259	25	74	1048	1099
65-69	6969	141	263	2843	3631	3620	111	132	1519	1797	3224	29	130	1265	1778
70-74	6799	108	272	2550	3798	3072	78	134	1204	1614	3624	29	137	1306	2131
75-79	4881	74	203	1582	2966	1803	41	86	662	985	3006	32	116	894	1940
80-84	2619	26	125	782	1665	693	14	33	248	385	1890	11	91	522	1262
85 up	1123	13	38	373	690	216	4	14	83	111	890	9	24	283	572

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1S (Continued)
Supplement to Table H.1
Years at Risk and Counts of First Admissions Used to Estimate
First Admissions per 1000 Patient Years at Risk
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
FOR Year: 1997.
Modality group: 2 Hemodialysis Pts, 60 days on hemo,
AND SEX: All
Table with columns for Age, Race, and Diabetic Status (Diabetes, Non-Diabetes) and rows for age groups (0-14 to 85 up).

OF Pt Years at risk for First Admission
FOR Year: 1997.
Modality group: 2 Hemodialysis Pts, 60 days on hemo,
AND SEX: All
Table with columns for Age, Race, and Diabetic Status (Diabetes, Non-Diabetes) and rows for age groups (0-14 to 85 up).

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
Includes all patients who have reached day 91 of ESRD by the end of the year.
Hospitalization rates are considered accurate to within plus or minus the standard error.
See notes at the beginning of this section and Chapter XIII for a description of the methodology.
"." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997.
 Modality group: 2 Hemodialysis Pts. 60 days on hemo,
 AND SEX: Male

	All												Diabetes				Non-Diabetes			
	Native												Native				Native			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White					
All	47951	751	1213	17106	28285	16964	465	504	5381	10288	30206	284	704	11412	17594					
0-14	58	*	*	20	33	*	*	*	*	53	.	.	*	18	31					
15-19	102	*	*	41	57	*	.	.	*	97	*	*	41	53						
20-24	408	7	14	198	181	24	.	.	12	12	370	7	14	178	165					
25-29	780	10	23	394	345	131	*	*	49	78	639	10	21	340	262					
30-34	1385	19	33	702	618	401	*	*	126	258	960	10	28	563	353					
35-39	2123	34	36	1078	956	554	9	9	159	369	1539	25	27	906	572					
40-44	2858	55	56	1512	1199	843	25	15	269	518	1966	30	40	1213	666					
45-49	3491	92	64	1793	1489	1249	64	23	453	681	2176	28	41	1301	786					
50-54	3720	85	105	1758	1707	1558	63	47	584	827	2113	22	57	1149	863					
55-59	4063	95	102	1811	1974	1981	77	56	752	1041	2017	17	46	1027	909					
60-64	4625	98	109	1902	2445	2220	76	59	806	1228	2338	22	50	1060	1188					
65-69	6481	112	173	2077	4029	2912	81	96	903	1780	3473	31	77	1134	2199					
70-74	6888	70	197	1749	4806	2531	33	94	669	1696	4238	37	101	1047	3033					
75-79	5880	42	157	1142	4493	1628	18	57	372	1162	4149	24	100	748	3258					
80-84	3517	23	86	621	2759	714	9	30	166	495	2744	14	56	443	2220					
85 up	1572	8	54	308	1194	213	*	11	59	140	1334	6	42	244	1036					

OF Pt Years at risk for First Admission
 FOR Year: 1997.
 Modality group: 2 Hemodialysis Pts. 60 days on hemo,
 AND SEX: Male

	All												Diabetes				Non-Diabetes			
	Native												Native				Native			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White					
All	42158	648	1456	16341	23159	12454	382	483	4231	7134	28986	264	955	11807	15685					
0-14	32	*	*	15	14	*	*	*	*	29	.	.	*	14	13					
15-19	119	*	*	54	57	*	.	.	*	112	*	*	51	55						
20-24	494	8	19	227	225	17	.	.	9	8	464	7	19	214	213					
25-29	993	16	35	498	432	83	*	*	24	55	893	15	32	464	371					
30-34	1556	15	51	769	689	256	*	*	70	176	1265	12	45	680	502					
35-39	2200	35	70	1075	987	388	10	9	104	259	1782	25	60	954	718					
40-44	2948	56	100	1571	1183	596	26	16	208	335	2306	30	81	1338	833					
45-49	3553	79	102	1931	1396	915	48	25	351	477	2571	31	74	1542	901					
50-54	3626	85	126	1765	1591	1308	61	53	498	670	2274	24	72	1243	905					
55-59	3790	90	116	1797	1721	1531	69	49	624	749	2212	21	67	1145	958					
60-64	4080	80	149	1772	2017	1741	57	68	691	888	2268	23	80	1046	1099					
65-69	5343	85	175	1842	3173	2142	57	82	713	1252	3091	29	92	1087	1859					
70-74	5450	49	194	1465	3679	1797	30	77	518	1143	3561	20	116	921	2478					
75-79	4531	29	166	920	3381	1131	13	54	284	767	3317	16	109	615	2557					
80-84	2447	14	108	445	1863	433	6	34	102	287	1973	8	74	332	1549					
85 up	994	4	38	195	752	110	*	9	32	67	867	3	29	159	673					

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1S (Continued)
Supplement to Table H.1
Years at Risk and Counts of First Admissions Used to Estimate
First Admissions per 1000 Patient Years at Risk
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997.
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	50654	1008	1306	21398	26347	23237	723	614	9852	11712	26516	274	680	11136	14238
, 0-14	46	..	*	14	24	*	*	..	40	..	*	11	23
, 15-19	106	*	*	43	50	*	..	*	*	..	98	*	*	39	48
, 20-24	406	*	22	202	166	40	*	*	22	16	357	*	22	175	148
, 25-29	703	12	19	348	312	158	*	*	65	89	528	11	17	276	216
, 30-34	1085	21	25	541	481	305	7	*	115	170	765	13	18	416	308
, 35-39	1463	31	47	774	592	424	14	17	174	216	1013	17	30	587	366
, 40-44	1844	31	57	986	750	616	20	17	283	290	1195	11	40	686	448
, 45-49	2623	68	70	1332	1129	1115	45	24	519	519	1459	23	45	785	591
, 50-54	3299	87	81	1574	1506	1662	65	36	758	773	1584	22	43	793	713
, 55-59	4223	122	118	2052	1872	2375	101	60	1136	1034	1787	20	57	880	820
, 60-64	5569	137	111	2681	2556	3277	110	62	1517	1533	2192	25	49	1115	988
, 65-69	8276	174	198	3405	4394	4624	141	116	1931	2364	3477	31	79	1397	1947
, 70-74	8712	159	232	3338	4891	4377	117	121	1703	2372	4185	39	107	1576	2441
, 75-79	6732	92	186	2302	4094	2786	69	90	1070	1528	3827	22	95	1186	2503
, 80-84	3765	48	91	1171	2429	1137	28	42	422	631	2575	19	49	727	1771
, 85 up	1802	15	44	635	1101	334	5	19	133	176	1434	10	25	487	907

OF Pt Years at risk for First Admission
 FOR Year: 1997.
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	37766	752	1436	16423	18673	15336	509	541	6738	7306	21815	236	885	9427	11091
, 0-14	27	..	*	9	16	*	*	..	24	..	*	7	15
, 15-19	97	*	*	36	48	*	..	*	*	..	91	*	*	32	47
, 20-24	336	*	19	164	137	17	*	*	11	4	311	*	17	151	131
, 25-29	624	9	29	298	269	73	*	*	35	35	532	6	29	255	229
, 30-34	915	19	24	457	404	157	3	*	62	89	747	16	22	389	312
, 35-39	1327	23	55	680	551	253	7	8	112	125	1058	15	46	561	421
, 40-44	1679	25	79	888	666	401	15	11	182	186	1258	10	67	697	472
, 45-49	2214	50	95	1121	924	710	31	27	343	303	1474	19	67	765	608
, 50-54	2572	70	72	1264	1130	1075	49	17	530	462	1456	21	54	719	646
, 55-59	3323	100	108	1669	1400	1669	79	49	831	684	1605	21	59	820	695
, 60-64	4235	110	132	2054	1875	2260	86	67	1067	996	1892	22	64	947	849
, 65-69	6186	133	223	2672	3077	3303	106	116	1437	1593	2767	26	107	1181	1432
, 70-74	6184	98	252	2445	3325	2860	72	123	1161	1464	3228	24	128	1247	1810
, 75-79	4522	68	190	1539	2675	1703	39	78	648	911	2751	29	111	864	1726
, 80-84	2455	26	119	760	1530	652	14	32	239	354	1770	11	86	510	1159
, 85 up	1070	13	34	367	647	202	4	12	81	101	852	8	22	280	539

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1.

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	13228	205	397	3334	9095	5138	117	138	1110	3664	7908	87	254	2167	5327
0-14	118	*	*	28	81	114	*	*	28	77
15-19	84	*	*	24	49	83	*	*	24	48
20-24	226	7	9	87	113	18	*	*	10	202	*	7	79	100	
25-29	354	9	10	135	193	77	*	*	17	56	272	7	9	115	136
30-34	587	7	21	209	341	194	*	*	35	152	383	6	18	168	188
35-39	776	4	32	280	452	266	*	*	41	218	499	3	27	235	229
40-44	937	14	33	339	538	321	8	8	59	239	609	6	25	277	295
45-49	1097	26	41	379	627	438	17	9	104	297	644	9	32	267	326
50-54	1211	28	44	391	730	531	19	14	140	348	654	9	30	245	364
55-59	1267	29	32	393	792	653	24	19	197	396	597	*	13	189	387
60-64	1415	17	31	327	1011	696	12	18	165	478	708	5	12	159	527
65-69	1901	26	52	348	1450	889	17	27	174	653	990	9	24	168	784
70-74	1646	18	40	228	1345	631	11	18	115	477	991	7	21	110	850
75-79	1010	12	34	100	858	286	*	11	37	230	713	8	23	62	618
80-84	447	*	11	51	384	109	*	*	16	89	329	..	8	30	291
85 up	152	*	*	15	131	29	*	*	*	21	120	*	*	11	107

OF Pt Years at risk for First Admission
 FOR Year: 1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	10891	167	501	2671	7370	3188	75	123	674	2247	7536	90	374	1942	5031
0-14	102	*	*	20	71	100	*	*	20	70
15-19	97	*	*	26	55	94	*	*	25	55
20-24	204	5	17	56	119	10	*	*	6	190	*	17	53	110	
25-29	402	10	20	124	237	64	*	*	9	52	332	10	19	111	183
30-34	569	10	32	166	349	135	*	*	21	107	424	6	31	142	235
35-39	734	12	45	260	405	161	*	*	25	131	566	10	43	233	271
40-44	904	15	43	319	511	221	3	4	43	167	669	11	39	270	339
45-49	1034	26	67	341	586	285	15	9	72	187	733	11	57	263	393
50-54	1038	23	46	332	616	342	13	13	92	213	676	9	33	233	390
55-59	982	18	36	285	622	378	12	12	108	229	590	*	24	173	386
60-64	1078	16	37	261	744	432	9	21	100	292	634	7	16	154	449
65-69	1375	10	60	235	1051	528	6	30	105	375	828	4	30	125	664
70-74	1194	13	34	145	992	372	7	13	63	286	803	6	22	78	693
75-79	761	8	28	66	653	174	*	11	19	140	575	5	17	46	502
80-84	328	*	17	28	282	67	*	*	11	50	256	..	13	14	229
85 up	90	*	*	8	77	19	*	*	*	14	69	*	*	4	61

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	6686	82	186	1444	4865	2539	51	64	448	1916	4056	31	117	976	2891
0-14	68	*	*	14	48	65	*	*	14	45
15-19	40	*	*	8	27	39	*	*	8	26
20-24	81	*	5	33	39	*	*	73	*	*	30	35	
25-29	165	*	4	59	94	36	..	*	9	24	128	*	3	49	70
30-34	272	*	7	87	171	94	*	..	13	79	172	*	7	72	91
35-39	369	*	12	121	230	143	*	..	15	125	222	*	9	104	105
40-44	490	*	8	13	175	287	184	*	30	144	302	*	11	143	141
45-49	555	16	17	171	339	225	10	*	38	166	324	6	13	130	171
50-54	586	8	24	181	366	263	5	9	64	182	310	*	15	114	174
55-59	623	11	15	177	406	324	10	11	87	205	293	*	4	89	197
60-64	679	9	13	136	507	329	6	8	63	241	345	*	4	72	264
65-69	957	10	24	131	777	433	*	15	61	338	514	*	8	69	431
70-74	877	8	20	85	756	300	*	*	45	240	562	*	14	40	503
75-79	579	*	21	36	514	135	*	*	13	114	436	*	17	22	393
80-84	256	*	7	24	224	54	*	*	*	46	197	..	5	16	176
85 up	89	..	*	*	80	13	..	*	*	9	74	..	*	*	69

OF Pt Years at risk for First Admission
 FOR Year: 1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	5620	68	230	1221	4010	1654	33	62	283	1242	3874	34	166	912	2712
0-14	61	*	*	13	42	60	*	*	13	40
15-19	54	*	*	13	35	53	*	*	13	34
20-24	88	*	6	27	49	*	*	83	*	*	25	46	
25-29	188	*	8	59	114	29	..	*	4	23	155	*	7	54	89
30-34	269	*	13	82	162	60	*	..	7	51	203	*	13	73	109
35-39	344	*	18	118	201	87	*	*	9	75	252	*	16	107	124
40-44	487	6	18	178	276	129	*	*	24	99	351	*	16	151	174
45-49	512	14	27	153	311	154	8	*	27	113	350	7	22	123	195
50-54	494	11	20	134	319	176	6	9	36	119	308	*	11	93	194
55-59	520	5	19	137	346	217	4	8	55	141	297	*	12	81	202
60-64	537	11	19	112	386	218	6	11	44	152	314	*	7	65	232
65-69	700	4	26	89	575	259	*	15	35	202	430	*	10	53	363
70-74	668	5	20	59	580	192	*	*	28	156	464	*	17	30	414
75-79	463	*	18	34	407	94	*	*	9	80	358	*	13	23	318
80-84	187	*	11	11	164	29	*	*	*	23	154	..	8	6	139
85 up	49	..	*	*	44	7	..	*	*	5	41	..	*	*	38

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD.
 AND SEX: Female

	All				Diabetes				Non-Diabetes						
	Native				Native				Native						
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	6542	123	211	1890	4230	2599	66	74	662	1748	3852	56	137	1191	2436
0-14	50	*	*	14	33	49	*	*	14	32
15-19	44	*	*	16	22	44	*	*	16	22
20-24	145	*	4	54	74	12	*	*	*	7	129	*	3	49	65
25-29	189	7	6	76	99	41	*	*	8	32	144	5	6	66	66
30-34	315	*	14	122	170	100	*	*	22	73	211	*	11	96	97
35-39	407	*	20	159	222	123	*	*	26	93	277	3	18	131	124
40-44	447	6	20	164	251	137	*	*	29	95	307	*	14	134	154
45-49	542	10	24	208	288	213	7	*	66	131	320	*	19	137	155
50-54	625	20	20	210	364	268	14	5	76	166	344	*	15	131	190
55-59	644	18	17	216	386	329	14	8	110	191	304	*	9	100	190
60-64	736	8	18	191	504	367	*	10	102	237	363	*	8	87	263
65-69	944	16	28	217	673	456	10	12	113	315	476	*	16	99	353
70-74	769	10	20	143	589	331	*	13	70	237	429	*	7	70	347
75-79	431	8	13	64	344	151	*	7	24	116	277	*	6	40	225
80-84	191	..	4	27	160	55	..	*	11	43	132	..	*	14	115
85 up	63	*	*	9	51	16	*	*	*	12	46	*	*	7	38

OF Pt Years at risk for First Admission
 FOR Year: 1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD.
 AND SEX: Female

	All				Diabetes				Non-Diabetes						
	Native				Native				Native						
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	5271	99	271	1450	3360	1534	43	61	390	1006	3663	56	208	1031	2319
0-14	41	*	*	6	30	40	*	*	6	30
15-19	43	*	*	14	21	41	*	*	12	21
20-24	116	*	11	29	70	6	*	*	*	4	106	*	10	28	64
25-29	214	9	12	64	123	35	*	*	5	28	176	8	12	57	94
30-34	301	*	19	84	186	75	*	*	14	56	221	*	18	69	126
35-39	390	10	27	142	204	75	*	*	15	56	314	8	27	125	147
40-44	417	8	25	141	236	92	*	*	19	68	318	*	23	119	165
45-49	522	11	40	187	275	131	7	*	45	74	382	*	35	140	198
50-54	544	12	26	199	297	166	7	4	55	94	367	*	21	140	196
55-59	462	13	16	148	275	161	9	4	53	88	293	*	12	92	184
60-64	540	6	18	149	358	214	*	10	56	139	320	*	8	89	217
65-69	675	6	35	146	476	269	3	15	70	173	398	*	20	72	301
70-74	525	8	14	86	412	181	*	9	35	130	339	*	5	48	279
75-79	299	5	11	33	247	80	*	7	10	60	217	*	4	23	185
80-84	142	..	6	17	118	37	..	*	9	27	103	..	*	7	90
85 up	41	*	*	5	33	12	*	*	9	28	46	*	*	3	23

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: All

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	15156	2012	2996	42764	65958	46573	1334	1278	16640	26531	66672	663	1696	25326	38498																									
0-14	256	*	8	73	157	9	*	*	*	241	*	8	68	150																										
15-19	331	11	9	122	178	*	*	*	*	316	11	8	117	171																										
20-24	1107	20	47	510	499	88	*	42	41	987	20	45	453	446																										
25-29	1966	31	55	937	914	398	*	145	241	1536	28	50	777	660																										
30-34	3217	49	85	1510	1531	950	16	15	286	620	2214	30	70	1194	899																									
35-39	4583	71	120	2226	2119	1316	25	31	390	857	3198	46	88	1805	1231																									
40-44	5913	105	155	2936	2644	1882	56	42	634	1119	3941	49	112	2251	1494																									
45-49	7502	195	181	3599	3422	2907	131	59	1103	1567	4459	64	121	2418	1807																									
50-54	8551	205	242	3821	4141	3903	150	100	1525	2044	4515	55	139	2239	2040																									
55-59	9861	251	257	4342	4846	5154	206	137	2123	2569	4558	43	119	2143	2222																									
60-64	11927	258	255	4995	6232	6346	204	141	2526	3343	5401	52	113	2380	2818																									
65-69	17073	318	432	5916	10187	8608	243	243	3047	4933	8166	73	185	2744	5104																									
70-74	17620	252	475	5378	11337	7680	164	235	2513	4652	9637	85	233	2766	6507																									
75-79	13845	146	381	3580	9628	4764	91	161	1495	2965	8847	54	219	2016	6516																									
80-84	7831	73	190	1857	5657	1980	38	75	608	1231	5730	34	115	1210	4351																									
85 up	3573	25	104	962	2466	585	8	32	197	345	2926	17	71	745	2082																									

OF Pt Years at risk for First Admission
 FOR Year: 1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: All

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	93317	1608	3490	36102	50858	31718	985	1175	11820	17189	60062	612	2283	23654	32942																									
0-14	190	*	10	50	120	4	*	*	*	182	*	10	48	117																										
15-19	339	6	17	125	174	*	*	*	*	322	6	16	116	172																										
20-24	1097	20	57	469	518	48	*	23	20	1023	17	55	437	488																										
25-29	2137	36	89	956	1011	234	*	72	153	1859	33	84	863	844																										
30-34	3183	48	111	1429	1537	584	10	8	158	404	2540	37	102	1243	1111																									
35-39	4451	74	180	2075	2056	854	19	21	247	556	3541	54	157	1800	1480																									
40-44	5778	100	234	2870	2495	1278	46	33	449	728	4417	55	197	2379	1738																									
45-49	7070	160	275	3476	3068	1986	96	63	782	1020	4970	64	206	2638	2010																									
50-54	7494	183	253	3442	3492	2814	127	87	1148	1394	4569	55	164	2247	2044																									
55-59	8321	212	270	3817	3883	3672	162	113	1595	1713	4534	49	156	2169	2126																									
60-64	9625	209	327	4144	4797	4526	155	161	1880	2236	4930	52	163	2181	2495																									
65-69	13162	233	465	4797	7499	6072	173	230	2275	3289	6843	59	233	2420	4081																									
70-74	13058	162	489	4094	8175	5099	110	216	1755	2944	7747	50	271	2270	5108																									
75-79	9952	105	390	2545	6818	3051	55	145	961	1848	6734	50	241	1536	4862																									
80-84	5287	41	245	1240	3722	1160	21	70	352	699	4047	20	175	862	2977																									
85 up	2174	17	78	571	1494	333	5	23	116	183	1806	12	54	444	1289																									

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	56410	858	1438	18999	34394	20141	526	580	5962	12678	35373	329	848	12695	21243
0-14	148	*	4	39	96	*	*	*	140	*	140	*	4	37	91
15-19	165	*	4	57	98	*	*	*	158	*	158	*	4	56	93
20-24	515	9	20	243	232	32	*	16	16	466	9	19	219	210	
25-29	1003	12	29	476	472	185	*	65	113	807	12	26	405	354	
30-34	1724	22	42	811	830	516	9	143	354	1177	11	37	653	468	
35-39	2606	36	50	1239	1256	738	10	12	180	527	1832	26	37	1043	713
40-44	3503	65	73	1742	1577	1078	29	19	308	700	2372	36	53	1402	860
45-49	4225	114	85	2020	1940	1538	76	29	505	893	2613	38	56	1472	1022
50-54	4484	95	136	1992	2184	1905	69	57	668	1066	2514	26	78	1295	1089
55-59	4855	110	118	2039	2491	2391	90	68	863	1303	2391	19	50	1142	1160
60-64	5468	108	124	2083	3068	2627	83	68	886	1528	2767	25	55	1159	1508
65-69	7635	125	202	2236	4967	3428	89	113	976	2186	4100	36	88	1219	2722
70-74	7984	80	220	1863	5744	2899	40	100	724	1991	4943	40	117	1103	3659
75-79	6582	46	180	1192	5114	1792	19	62	391	1298	4678	27	118	778	3735
80-84	3831	25	93	650	3035	780	10	32	173	551	2987	15	61	462	2438
85 up	1682	8	58	317	1290	227	*	12	62	149	1428	6	45	250	1121

OF Pt Years at risk for First Admission
 FOR Year: 1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	49195	737	1732	17930	28134	14517	421	560	4604	8662	33846	312	1151	12989	19063
0-14	111	*	6	31	69	*	*	*	106	*	106	*	6	30	67
15-19	189	*	7	71	101	*	*	*	181	*	181	*	7	68	99
20-24	613	12	26	266	292	21	*	10	11	578	11	25	251	276	
25-29	1240	19	44	576	581	120	*	31	84	1097	18	40	533	489	
30-34	1898	21	65	866	906	336	4	79	246	1519	16	59	766	646	
35-39	2657	39	93	1228	1259	507	10	13	116	361	2112	29	78	1092	884
40-44	3577	65	125	1811	1528	757	28	20	241	454	2765	37	102	1540	1056
45-49	4224	96	135	2137	1801	1116	57	31	388	623	3033	40	100	1707	1157
50-54	4279	98	151	1950	2008	1534	69	64	550	817	2689	29	87	1371	1167
55-59	4438	97	141	1971	2147	1802	74	57	698	920	2580	23	83	1242	1210
60-64	4741	92	173	1909	2495	2007	64	82	743	1075	2656	27	88	1128	1387
65-69	6183	92	202	1952	3859	2452	62	98	756	1491	3608	29	103	1154	2295
70-74	6256	54	217	1543	4375	2027	32	82	551	1331	4121	21	134	963	2975
75-79	5071	31	187	964	3852	1247	14	59	300	863	3728	18	125	642	2922
80-84	2668	15	120	459	2057	466	6	36	105	313	2156	9	84	340	1714
85 up	1051	4	40	198	803	117	*	10	33	73	916	3	29	161	717

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1

Table H.1S (Continued)
 Supplement to Table H.1
 Years at Risk and Counts of First Admissions Used to Estimate
 First Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF First Admission Events
 FOR Year: 1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	58746	1154	1558	23765	31564	26432	808	698	10678	13853	31299	334	848	12631	17255
0-14	108	*	*	34	61	*	*	*	101	*	*	31	59
15-19	166	9	5	65	80	*	..	*	*	..	158	9	4	61	78
20-24	592	11	27	267	267	56	*	*	26	25	521	11	26	234	236
25-29	963	19	26	461	442	213	*	*	80	128	729	16	24	372	306
30-34	1493	27	43	699	701	434	7	10	143	266	1037	19	33	541	431
35-39	1977	35	70	987	863	578	15	19	210	330	1366	20	51	762	518
40-44	2410	40	82	1194	1067	804	27	23	326	419	1569	13	59	849	634
45-49	3277	81	96	1579	1482	1369	55	30	598	674	1846	26	65	946	785
50-54	4067	110	106	1829	1957	1998	81	43	857	978	2001	29	61	944	951
55-59	5006	141	139	2303	2355	2763	116	69	1260	1266	2167	24	69	1001	1062
60-64	6459	150	131	2912	3164	3719	121	73	1640	1815	2634	27	58	1221	1310
65-69	9438	193	230	3680	5220	5180	154	130	2071	2747	4066	37	97	1525	2382
70-74	9636	172	255	3515	5593	4781	124	135	1789	2661	4694	45	116	1663	2848
75-79	7263	100	201	2388	4514	2972	72	99	1104	1667	4169	27	101	1238	2781
80-84	4000	48	97	1207	2622	1200	28	43	435	680	2743	19	54	748	1913
85 up	1891	17	46	645	1176	358	6	20	135	196	1498	11	26	495	961

OF Pt Years at risk for First Admission
 FOR Year: 1997,
 Modality group: 5 All ESRD Pts,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	44122	871	1758	18172	22724	17202	564	615	7216	8526	26216	301	1132	10665	13879
0-14	79	*	*	19	51	*	*	*	75	*	*	18	50
15-19	150	5	9	54	73	*	..	*	*	..	140	5	9	48	73
20-24	484	8	31	203	226	27	*	*	13	9	446	6	29	186	212
25-29	897	17	44	380	430	114	*	*	41	68	761	14	43	330	355
30-34	1286	27	46	563	631	248	6	3	79	158	1020	21	43	477	465
35-39	1794	35	88	847	797	347	9	8	131	196	1429	25	79	708	596
40-44	2201	36	109	1059	967	521	18	13	208	274	1652	18	96	839	682
45-49	2846	64	140	1340	1267	870	39	32	394	397	1937	24	106	931	853
50-54	3214	85	103	1493	1483	1280	59	23	598	577	1880	26	77	876	877
55-59	3884	114	129	1846	1736	1870	89	56	897	794	1954	25	73	927	917
60-64	4884	118	154	2236	2302	2519	91	78	1137	1161	2274	25	75	1053	1108
65-69	6979	141	263	2845	3639	3620	111	132	1520	1797	3234	29	130	1266	1785
70-74	6801	108	272	2551	3800	3072	78	134	1204	1614	3626	29	137	1307	2133
75-79	4881	74	203	1582	2966	1803	41	86	662	985	3006	32	116	894	1940
80-84	2619	26	125	782	1665	693	14	33	248	385	1890	11	91	522	1262
85 up	1123	13	38	373	690	216	4	14	83	111	890	9	24	283	572

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.1 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.1S may differ from the rates in H.1

Table H.3S (Continued)
 Supplement to Table H.3
 Years at Risk and Counts of Total Admissions Used to Compute
 Total Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
 FOR Year: 1995-1997.
 Modality group: 1 All dialysis patients,
 AND SEX: Male

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	77676	5868	8490	34333	25461	35914	3625	3416	41395	85539	36136	2225	5011	90484	37150	0-14	1366	*	26	406	869	31	*	*	*	1301	*	26	384	834								
15-19	1226	14	44	510	639	9	*	*	1209	14	44	502	631	20-24	3881	47	147	1830	1819	266	*	*	156	108	3556	47	144	1633	1696									
25-29	7993	73	180	3817	3835	1876	*	17	624	1203	6049	73	163	3155	2604	30-34	14465	200	263	6681	7201	5040	76	41	1345	3538	9244	118	215	5240	3610									
35-39	20477	302	304	10278	9434	6493	121	77	1717	4501	13683	181	218	8376	4838	40-44	25345	433	422	13103	11150	8497	207	143	2673	5342	16494	226	270	10203	5701									
45-49	28927	748	546	14097	13242	11159	533	189	3703	6567	17416	215	355	10188	6546	50-54	30255	715	776	13402	15050	13432	522	396	4670	7653	16390	193	379	8496	7219									
55-59	33351	802	795	13906	17339	16167	630	403	5777	9040	16749	162	391	7946	8129	60-64	36755	733	827	13918	20921	17510	544	413	5850	10422	18727	189	409	7776	10282									
65-69	50002	735	1189	15142	32444	21440	512	605	6264	13770	27771	223	576	8538	18263	70-74	51725	525	1212	12634	36972	17940	285	538	4635	12273	32870	238	668	7698	24141									
75-79	39681	329	990	8155	29977	10483	128	363	2556	7312	28517	201	624	5423	22198	80-84	22954	147	457	4499	17666	4441	58	157	1077	3088	18183	89	298	3340	14374									
85 up	9273	59	312	1955	6903	1130	*	72	322	715	7977	52	231	1586	6084																									

OF Pt years at risk for Total Admission
 FOR Year: 1995-1997.
 Modality group: 1 All dialysis patients,
 AND SEX: Male

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	9391	3136	6656	76776	20843	62751	1835	2194	19960	37901	43735	1291	4399	55570	81536	0-14	564	*	17	167	354	15	*	*	*	540	*	17	160	340								
15-19	800	12	33	291	443	7	*	*	784	12	33	284	437	20-24	2772	34	122	1242	1337	108	*	*	49	58	2629	33	120	1173	1268									
25-29	5134	61	180	2390	2446	656	*	12	196	440	4423	59	167	2165	1984	30-34	8221	95	263	3663	4103	1810	23	25	452	1297	6298	69	232	3155	2771									
35-39	11869	162	334	5696	5569	2541	53	51	617	1789	9204	109	279	5013	3734	40-44	15075	262	464	7683	6517	3612	125	82	1154	2200	11292	137	371	6437	4257									
45-49	17517	395	501	8775	7679	5121	261	139	1792	2863	12169	135	356	6854	4742	50-54	17775	383	578	8152	8473	6475	271	246	2323	3547	11102	112	331	5722	4850									
55-59	18842	427	565	8394	9200	7797	314	240	3021	4065	10830	110	323	5273	5053	60-64	20258	386	647	8141	10885	8539	286	311	3075	4744	11417	100	331	4909	6009									
65-69	26922	410	839	8423	16986	10358	270	381	3171	6384	16108	140	449	5065	10363	70-74	27180	249	877	6722	19129	8509	134	342	2306	5637	18239	114	527	4269	13243									
75-79	20643	157	700	4142	15525	4863	61	214	1224	3312	15464	96	480	2831	12002	80-84	11461	67	379	2062	8880	1870	32	109	443	1259	9427	35	267	1574	7515									
85 up	4356	28	156	833	3318	472	*	39	126	300	3810	25	115	686	2969																									

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
 Supplement to Table H.3
 Years at Risk and Counts of Total Admissions Used to Compute
 Total Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
 FOR Year: 1995-1997.
 Modality group: 1 All dialysis patients,
 AND SEX: Female

	All												Diabetes												Non-Diabetes											
	Native,				Native,				Native,				Native,				Native,				Native,				Native,											
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White											
All	21737	7979	9539	75152	25466	90041	5694	4355	78118	99872	24799	2207	5096	93724	22523	1111	*	29	255	778	28	*	*	1057	*	29	232	765								
0-14	1453	57	31	645	697	34	..	*	25	*	1394	57	29	601	686	1453	57	31	645	697	34	..	*	25	*	1394	57	29	601	686						
15-19	4693	52	158	2150	2268	666	*	*	345	299	3954	52	151	1759	1946	4693	52	158	2150	2268	666	*	*	345	299	3954	52	151	1759	1946						
20-24	8092	160	143	3924	3784	2318	44	18	900	1350	5681	114	125	2967	2411	8092	160	143	3924	3784	2318	44	18	900	1350	5681	114	125	2967	2411						
25-29	12810	193	266	5926	6334	4248	88	53	1354	2728	8435	104	212	4506	3554	12810	193	266	5926	6334	4248	88	53	1354	2728	8435	104	212	4506	3554						
30-34	15713	243	391	7521	7435	5516	101	145	1967	3274	10001	142	246	5454	4079	15713	243	391	7521	7435	5516	101	145	1967	3274	10001	142	246	5454	4079						
35-39	19065	307	446	9652	8492	6949	190	134	2854	3718	11844	117	307	6635	4689	19065	307	446	9652	8492	6949	190	134	2854	3718	11844	117	307	6635	4689						
40-44	24305	558	618	11412	11539	10719	395	204	4542	5509	13298	161	412	6705	5918	24305	558	618	11412	11539	10719	395	204	4542	5509	13298	161	412	6705	5918						
45-49	30304	841	657	14255	14257	15283	636	265	7074	7116	14614	205	389	6974	6965	30304	841	657	14255	14257	15283	636	265	7074	7116	14614	205	389	6974	6965						
50-54	36141	953	809	16831	17200	19971	771	415	9244	9289	15726	179	390	7342	7741	36141	953	809	16831	17200	19971	771	415	9244	9289	15726	179	390	7342	7741						
55-59	47343	1123	993	21589	23105	26784	932	522	12006	12927	19745	174	470	9190	9815	47343	1123	993	21589	23105	26784	932	522	12006	12927	19745	174	470	9190	9815						
60-64	67862	1418	1514	27103	37209	36685	1131	946	14523	19699	29793	258	549	11884	16940	67862	1418	1514	27103	37209	36685	1131	946	14523	19699	29793	258	549	11884	16940						
65-69	67287	1076	1558	24745	39382	32858	805	809	12357	18536	33275	257	726	11877	20291	67287	1076	1558	24745	39382	32858	805	809	12357	18536	33275	257	726	11877	20291						
70-74	48011	594	1051	16596	29460	18306	396	493	7228	10051	28862	190	555	9045	18943	48011	594	1051	16596	29460	18306	396	493	7228	10051	28862	190	555	9045	18943						
75-79	26183	281	638	8463	16654	7470	149	237	2856	4158	18193	130	380	5408	12225	26183	281	638	8463	16654	7470	149	237	2856	4158	18193	130	380	5408	12225						
80-84	11364	112	237	4085	6872	2206	54	105	833	1209	8927	58	126	3145	5555	11364	112	237	4085	6872	2206	54	105	833	1209	8927	58	126	3145	5555						
85 up																																				

OF Pt years at risk for Total Admission
 FOR Year: 1995-1997.
 Modality group: 1 All dialysis patients,
 AND SEX: Female

	All												Diabetes												Non-Diabetes											
	Native,				Native,				Native,				Native,				Native,				Native,				Native,											
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White											
All	2553	3864	6987	84819	5019	80009	2624	2503	33948	40032	19563	1212	4435	49508	63638	384	*	16	95	253	7	*	*	369	*	15	90	249								
0-14	724	22	40	271	367	12	..	*	6	*	692	22	38	253	360	724	22	40	271	367	12	..	*	6	*	692	22	38	253	360						
15-19	2457	42	134	1048	1182	166	*	*	83	69	2255	39	128	947	1098	2457	42	134	1048	1182	166	*	*	83	69	2255	39	128	947	1098						
20-24	4121	78	148	1831	2003	697	17	9	254	415	3360	60	139	1549	1567	4121	78	148	1831	2003	697	17	9	254	415	3360	60	139	1549	1567						
25-29	6355	101	211	2833	3159	1397	33	21	441	896	4890	68	188	2361	2233	6355	101	211	2833	3159	1397	33	21	441	896	4890	68	188	2361	2233						
30-34	8119	131	358	3878	3666	1903	43	52	694	1100	6144	88	306	3152	2533	8119	131	358	3878	3666	1903	43	52	694	1100	6144	88	306	3152	2533						
35-39	9815	154	419	4794	4357	2545	85	58	1029	1348	7165	69	359	3713	2965	9815	154	419	4794	4357	2545	85	58	1029	1348	7165	69	359	3713	2965						
40-44	12627	295	505	5959	5769	4283	191	116	1905	2044	8185	104	384	3992	3643	12627	295	505	5959	5769	4283	191	116	1905	2044	8185	104	384	3992	3643						
45-49	14928	367	447	7130	6837	6262	270	132	2988	2795	8482	97	310	4059	3956	14928	367	447	7130	6837	6262	270	132	2988	2795	8482	97	310	4059	3956						
50-54	17953	476	577	8609	8123	8784	375	258	4242	3798	8938	100	317	4251	4231	17953	476	577	8609	8123	8784	375	258	4242	3798	8938	100	317	4251	4231						
55-59	22865	556	621	10615	10852	11795	461	297	5429	5461	10711	87	320	5010	5243	22865	556	621	10615	10852	11795	461	297	5429	5461	10711	87	320	5010	5243						
60-64	32647	668	1087	13329	17221	16487	509	547	6887	8336	15558	150	532	6134	8646	32647	668	1087	13329	17221	16487	509	547	6887	8336	15558	150	532	6134	8646						
65-69	31277	516	1047	11807	17662	13991	378	514	5508	7440	16805	132	524	6097	9980	31277	516	1047	11807	17662	13991	378	514	5508	7440	16805	132	524	6097	9980						
70-74	21857	285	807	7355	13238	7795	177	315	3021	4205	13737	106	490	4205	8859	21857	285	807	7355	13238	7795	177	315	3021	4205	13737	106	490	4205	8859						
75-79	11509	123	433	3567	7323	3005	65	127	1131	1645	8325	56	301	2361	5589	11509	123	433	3567	7323	3005	65	127	1131	1645	8325	56	301	2361	5589						
80-84	4914	46	136	1697	3006	879	17	51	327	477	3947	29	84	1332	2488	4914	46	136	1697	3006	879	17	51	327	477	3947	29	84	1332	2488						
85 up																																				

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
Supplement to Table H.3
Years at Risk and Counts of Total Admissions Used to Compute
Total Admissions per 1000 Patient Years at Risk
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
FOR Year: 1995-1997.
Modality group: 2 Hemodialysis Pts, 60 days on hemo,
AND SEX: All
Table with columns for Age, Race, and Diabetic Status (All, Diabetes, Non-Diabetes) and rows for various age groups (0-14 to 85 up).

OF Pt years at risk for Total Admission
FOR Year: 1995-1997.
Modality group: 2 Hemodialysis Pts, 60 days on hemo,
AND SEX: All
Table with columns for Age, Race, and Diabetic Status (All, Diabetes, Non-Diabetes) and rows for various age groups (0-14 to 85 up).

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
Includes all patients who have reached day 91 of ESRD by the end of the year.
Hospitalization rates are considered accurate to within plus or minus the standard error.
See notes at the beginning of this section and Chapter XIII for a description of the methodology.
"." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
 Supplement to Table H.3
 Years at Risk and Counts of Total Admissions Used to Compute
 Total Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All												Diabetes												Non-Diabetes															
	Native				Amer.				Asian				Black				White				Native				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	17252	5059	7239	19597	82385	12702	3134	2961	36812	68173	99625	1908	4242	80512	11895																									
0-14	509	*	*	216	254	28	*	..	*	472	..	*	*	194	247																									
15-19	779	12	34	373	352	9	*	763	12	34	365	345																										
20-24	3003	33	127	1437	1373	192	..	*	117	73	2761	33	125	1283	1289																									
25-29	6183	62	142	3177	2748	1270	*	11	501	751	4851	62	131	2643	1970																									
30-34	11463	163	200	5626	5399	3825	56	37	1133	2586	7487	102	160	4412	2766																									
35-39	16485	273	227	8758	7102	4931	109	46	1501	3218	11299	164	181	7093	3801																									
40-44	20608	351	315	11346	8393	6673	172	103	2330	3955	13618	179	203	8810	4347																									
45-49	23645	608	443	12299	10047	8801	436	163	3218	4843	14534	172	278	8894	5095																									
50-54	24830	597	639	11674	11665	10761	431	342	3968	5860	13712	166	296	7493	5680																									
55-59	27431	668	697	12333	13313	13210	541	347	5007	7054	13839	117	349	7145	6125																									
60-64	30828	657	730	12645	16485	14608	486	365	5264	8247	15766	171	365	7112	8055																									
65-69	42343	669	1011	13876	26351	18141	479	523	5656	11239	23500	190	485	7901	14764																									
70-74	44249	458	1049	11800	30593	15577	232	470	4291	10391	27890	224	574	7221	19754																									
75-79	35245	307	887	7802	26033	9447	127	333	2445	6428	25173	180	553	5187	19186																									
80-84	20955	140	429	4322	15886	4152	56	149	1039	2851	16501	84	278	3209	12851																									
85 up	8696	59	292	1913	6391	1077	*	70	316	673	7459	52	213	1550	5620																									

OF Pt years at risk for Total Admission
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All												Diabetes												Non-Diabetes															
	Native				Amer.				Asian				Black				White				Native				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	78271	2722	5638	69376	98859	53161	1629	1903	18098	30803	22548	1085	3685	50131	66857																									
0-14	205	*	*	85	103	13	*	..	*	189	..	*	*	78	98																									
15-19	511	9	23	219	247	7	*	497	9	23	212	243																										
20-24	2219	22	97	1052	1020	79	..	*	37	41	2110	21	96	998	971																									
25-29	4141	51	146	2067	1840	464	*	9	167	285	3631	50	136	1876	1538																									
30-34	6650	76	197	3183	3118	1357	15	22	392	916	5197	58	171	2742	2173																									
35-39	9778	141	260	4959	4330	1919	46	40	538	1269	7757	94	218	4364	3022																									
40-44	12445	223	372	6710	5017	2855	111	65	1018	1619	9439	112	295	5609	3346																									
45-49	14642	320	405	7800	5979	4151	220	118	1572	2189	10286	100	281	6110	3724																									
50-54	14927	329	475	7242	6718	5390	235	204	2047	2830	9372	94	270	5101	3831																									
55-59	15950	370	476	7607	7286	6581	277	206	2706	3267	9178	90	267	4804	3950																									
60-64	17342	350	566	7513	8742	7296	263	267	2810	3851	9772	87	298	4558	4773																									
65-69	23024	368	721	7819	13883	8929	250	327	2914	5309	13687	118	389	4728	8369																									
70-74	23458	222	779	6332	15937	7501	116	305	2161	4834	15575	106	468	4030	10893																									
75-79	18422	146	621	3977	13566	4432	59	197	1171	2956	13704	87	419	2722	10425																									
80-84	10462	65	345	1995	7988	1738	31	104	432	1150	8577	34	238	1527	6745																									
85 up	4096	28	149	815	3086	447	*	37	123	282	3578	25	110	671	2757																									

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
Supplement to Table H.3
Years at Risk and Counts of Total Admissions Used to Compute
Total Admissions per 1000 Patient Years at Risk
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
FOR Year: 1995-1997.
Modality group: 2 Hemodialysis Pts, 60 days on hemo,
AND SEX: Female
Table with columns for Age, Race, and Diabetic Status (All, Diabetes, Non-Diabetes) and rows for various age groups (0-14 to 85 up).

OF Pt years at risk for Total Admission
FOR Year: 1995-1997.
Modality group: 2 Hemodialysis Pts, 60 days on hemo,
AND SEX: Female
Table with columns for Age, Race, and Diabetic Status (All, Diabetes, Non-Diabetes) and rows for various age groups (0-14 to 85 up).

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
Includes all patients who have reached day 91 of ESRD by the end of the year.
Hospitalization rates are considered accurate to within plus or minus the standard error.
See notes at the beginning of this section and Chapter XIII for a description of the methodology.
"." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
 Supplement to Table H.3
 Years at Risk and Counts of Total Admissions Used to Compute
 Total Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All												Diabetes												Non-Diabetes											
	Native,				Native,				Native,				Native,				Native,				Native,				Native,											
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White											
All	943	1605	2387	27883	68172	40183	1021	890	9527	28258	59647	577	1470	18017	39210																					
0-14	1062	*	12	236	764	*	*	1036	*	12	236	738																				
15-19	785	*	15	315	402	*	782	*	15	313	401																					
20-24	1796	31	51	707	974	175	*	*	63	105	1594	31	45	632	855																					
25-29	3341	67	61	1317	1848	988	21	12	231	699	2342	44	49	1079	1147																					
30-34	5577	67	136	2020	3297	2051	21	*	395	1595	3486	46	122	1601	1694																					
35-39	6819	55	153	2655	3914	2636	33	40	475	2061	4141	22	104	2161	1843																					
40-44	7476	119	214	2758	4325	2912	69	67	608	2147	4506	50	147	2125	2145																					
45-49	8540	206	210	3050	4983	3832	147	49	960	2635	4620	59	161	2052	2305																					
50-54	9419	247	283	3090	5713	4323	201	87	1268	2725	4987	46	196	1790	2914																					
55-59	9815	228	207	2990	6265	4974	182	108	1491	3109	4742	46	99	1474	3089																					
60-64	10384	167	199	2698	7204	5239	132	112	1390	3517	5015	35	82	1278	3594																					
65-69	13547	160	335	2888	10083	6204	100	181	1390	4468	7163	55	149	1438	5508																					
70-74	11727	120	273	1843	9428	4325	94	150	833	3204	7238	26	122	965	6111																					
75-79	6875	67	172	876	5739	1845	13	56	314	1451	4953	54	114	556	4220																					
80-84	2914	*	48	359	2485	557	*	9	100	442	2304	*	39	245	2004																					
85 up	866	*	18	81	748	119	*	*	9	97	738	*	14	72	642																					

OF Pt years at risk for Total Admission
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: All

	All												Diabetes												Non-Diabetes											
	Native,				Native,				Native,				Native,				Native,				Native,															
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White											
All	51111	774	1939	13397	34485	15861	411	509	3643	11087	34698	360	1414	9579	23069																					
0-14	483	*	15	96	352	*	*	473	*	14	96	343																				
15-19	465	*	18	140	285	*	457	*	18	138	281																					
20-24	1067	25	68	333	613	61	*	*	19	37	991	24	64	308	568																					
25-29	1838	39	66	622	1082	350	7	8	66	264	1473	31	57	548	811																					
30-34	2901	38	133	904	1793	778	12	*	129	627	2093	26	126	763	1151																					
35-39	3593	47	180	1291	2038	958	14	12	150	772	2612	33	166	1131	1258																					
40-44	4201	68	193	1542	2359	1160	30	23	225	870	3006	38	169	1302	1471																					
45-49	4645	102	197	1637	2656	1512	67	33	404	990	3080	35	163	1214	1639																					
50-54	4816	104	192	1591	2885	1688	69	54	495	1049	3072	34	138	1073	1807																					
55-59	4704	102	157	1428	2953	1942	76	60	582	1177	2720	26	98	834	1751																					
60-64	5009	73	146	1268	3468	2100	53	74	538	1403	2857	19	69	710	2037																					
65-69	6615	74	234	1233	5023	2531	37	109	556	1792	4001	36	120	653	3178																					
70-74	5654	54	162	784	4624	1749	35	77	317	1306	3838	18	83	450	3274																					
75-79	3314	29	117	360	2796	730	7	37	113	568	2548	22	78	244	2198																					
80-84	1413	*	53	131	1220	242	*	8	39	190	1145	*	45	84	1012																					
85 up	393	*	10	39	338	56	*	*	8	41	330	*	6	31	290																					

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
 Supplement to Table H.3
 Years at Risk and Counts of Total Admissions Used to Compute
 Total Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Male

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	49529	637	1031	11760	35623	18983	412	358	3602	14339	29975	225	646	8022	20900																									
0-14	638	*	7	140	451	*	613	*	7	140	426																								
15-19	342	*	*	105	216	341	*	*	105	215																								
20-24	636	7	13	263	349	54	*	..	27	27	578	7	12	235	320																									
25-29	1464	*	34	494	899	459	..	*	78	353	999	*	29	411	545																									
30-34	2458	35	42	888	1449	986	19	*	180	760	1448	16	38	698	683																									
35-39	3249	16	60	1236	1903	1282	*	*	176	1061	1939	8	34	1046	841																									
40-44	3749	71	77	1354	2222	1466	30	22	264	1139	2250	41	55	1073	1067																									
45-49	4156	101	78	1410	2529	1841	87	14	354	1368	2280	14	64	1044	1141																									
50-54	4449	96	123	1376	2810	2138	73	51	531	1464	2246	23	72	827	1299																									
55-59	4857	102	85	1265	3340	2409	72	48	593	1648	2404	30	37	671	1656																									
60-64	4896	64	86	1024	3678	2430	47	42	492	1815	2418	17	39	514	1840																									
65-69	6494	53	159	1066	5161	2819	27	75	501	2171	3597	26	79	546	2936																									
70-74	6244	58	129	681	5354	1953	46	50	288	1559	4190	*	78	386	3706																									
75-79	3703	20	90	285	3294	857	*	25	82	739	2798	19	63	197	2515																									
80-84	1694	*	24	145	1515	240	*	*	33	194	1426	*	17	104	1301																									
85 up	500	..	16	28	453	46	..	*	*	38	448	..	*	25	409																									

OF Pt years at risk for Total Admission
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Male

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	26031	317	869	6069	18518	7980	170	238	1491	5971	17761	146	618	4498	12369																									
0-14	285	*	10	60	201	*	277	*	10	60	193																								
15-19	239	*	*	60	163	237	*	*	60	160																								
20-24	434	10	20	143	251	22	*	..	9	13	407	10	19	133	236																									
25-29	828	*	29	265	510	151	..	*	21	125	669	*	27	240	381																									
30-34	1331	17	54	412	829	379	7	*	50	317	936	11	51	355	506																									
35-39	1736	13	66	612	1028	511	*	*	61	434	1209	8	58	544	591																									
40-44	2175	32	80	803	1241	639	12	12	108	502	1520	20	68	688	731																									
45-49	2330	51	76	782	1397	797	36	16	175	559	1513	15	60	598	831																									
50-54	2348	44	93	725	1465	881	29	37	212	593	1440	16	56	502	858																									
55-59	2414	45	75	656	1602	998	31	28	250	662	1397	14	47	404	928																									
60-64	2436	27	67	522	1795	1039	18	38	219	750	1374	9	27	292	1036																									
65-69	3350	31	104	511	2676	1226	14	48	214	931	2080	17	52	288	1715																									
70-74	3160	24	84	316	2725	850	16	28	121	681	2269	*	54	191	2012																									
75-79	1890	10	69	132	1671	353	*	14	37	297	1510	8	53	92	1352																									
80-84	856	*	29	56	764	112	*	*	10	93	727	*	25	41	660																									
85 up	219	..	5	13	198	21	..	*	*	15	196	..	*	10	181																									

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
 Supplement to Table H.3
 Years at Risk and Counts of Total Admissions Used to Compute
 Total Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: All

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	3145	13906	18117	10674	53306	27137	9354	7782	19812	86242	63433	4456	10184	85078	61189																									
0-14	2549	17	60	676	1699	59	*	.	28	8	2430	13	60	631	1651																									
15-19	2822	76	75	1218	1411	53	.	*	43	*	2733	76	73	1153	1392																									
20-24	8770	99	318	4050	4198	954	*	*	508	422	7682	99	308	3455	3736																									
25-29	16335	247	326	7823	7769	4260	54	35	1540	2593	11912	191	291	6188	5123																									
30-34	27650	393	533	12694	13819	9461	164	94	2721	6417	17872	222	431	9811	7288																									
35-39	36660	545	699	17980	17154	12209	222	226	3728	7927	23953	323	464	13966	9050																									
40-44	44881	748	878	22909	19941	15632	405	277	5551	9214	28620	343	587	16966	10534																									
45-49	53648	1309	1177	25639	25048	21995	931	394	8269	12165	31009	376	779	16997	12640																									
50-54	61006	1571	1454	27793	29575	28862	1163	663	11799	14848	31300	408	787	15551	14369																									
55-59	69861	1759	1613	30873	34759	36262	1401	820	15078	18394	32700	345	788	15359	16013																									
60-64	84342	1866	1824	35579	44184	44383	1485	936	17885	23399	38627	364	882	17009	20205																									
65-69	18020	2153	2704	42281	69772	58156	1643	1551	20793	33494	57689	481	1126	20452	35297																									
70-74	19121	1601	2771	37403	76434	50814	1090	1348	16997	30819	66234	495	1394	19590	44502																									
75-79	87703	923	2041	24754	59445	28790	524	856	9784	17364	57389	391	1179	14471	41148																									
80-84	49140	428	1095	12962	34323	11911	207	394	3933	7246	36379	219	678	8748	26602																									
85 up	20637	171	549	6040	13775	3336	61	177	1155	1924	16904	110	357	4731	11639																									

OF Pt years at risk for Total Admission
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: All

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	14622	7048	13730	62336	27652	43418	4479	4715	54052	78408	65286	2532	8901	5666	46467																									
0-14	1002	12	34	274	648	22	*	.	9	7	961	9	33	262	628																									
15-19	1588	36	75	585	846	20	.	*	13	*	1536	36	72	557	833																									
20-24	5344	78	261	2321	2596	280	*	*	132	133	4989	73	253	2151	2434																									
25-29	9453	143	335	4279	4577	1384	20	22	458	876	7949	122	313	3764	3656																									
30-34	14855	200	485	6561	7459	55	48	903	2266	11378	141	430	5569	5124																										
35-39	20322	301	700	9673	9456	4552	96	105	1329	2976	15572	204	590	8246	6399																									
40-44	25227	420	893	12578	11095	6235	212	140	2195	3613	18713	208	739	10239	7376																									
45-49	30514	697	1017	14837	13694	9489	455	257	3710	4973	20635	242	749	10933	8562																									
50-54	33006	757	1038	15373	15500	12833	546	382	5342	6396	19786	210	651	9840	8936																									
55-59	37031	908	1154	17073	17470	16650	692	501	7288	7899	19931	213	648	9568	9391																									
60-64	43316	948	1274	18807	21866	20391	752	612	8519	10239	22260	188	653	9953	11348																									
65-69	59690	1079	1928	21777	34300	26875	779	929	10065	14740	31758	290	982	11217	19081																									
70-74	58520	765	1924	18539	36842	22509	512	856	7816	13086	35095	247	1051	10375	23266																									
75-79	42513	442	1506	11499	28774	12660	238	529	4245	7518	29211	202	970	7038	20870																									
80-84	22971	190	813	5628	16203	4875	97	236	1575	2904	17753	91	569	3936	13106																									
85 up	9270	74	292	2531	6324	1351	19	91	453	777	7758	55	199	2018	5457																									

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
 Supplement to Table H.3
 Years at Risk and Counts of Total Admissions Used to Compute
 Total Admissions per 1000 Patient Years at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: Male

	All												Diabetes												Non-Diabetes											
	Native,				Native,				Native,				Native,				Native,				Native,				Native,											
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White											
All	79774	5883	8541	35017	26795	36649	3635	3420	41565	86084	37465	2230	5058	90983	37920	1409	*	26	411	907	31	*	*	*	1344	*	26	389	872					
0-14	1309	14	44	562	670	17	*	*	1281	14	44	543	662	3963	47	158	1855	1865	272	*	*	156	114	3632	47	155	1658	1736						
15-19	8094	74	181	3857	3894	1901	*	17	629	1222	6125	73	164	3190	2644	14667	200	265	6727	7355	5144	76	41	1364	3623	9334	118	217	5267	3671						
20-24	20761	302	304	10381	9615	6628	121	77	1740	4613	13831	181	218	8455	4907	25621	433	426	13196	11329	8617	207	143	2687	5448	16649	226	274	10282	5773						
25-29	29191	751	551	14182	13410	11248	536	189	3723	6633	17588	215	360	10252	6646	30529	720	792	13493	15205	13526	527	397	4700	7705	16566	193	394	8557	7318						
30-34	33542	806	803	13973	17451	16236	630	405	5807	9077	16861	166	397	7977	8200	36896	735	829	13954	21022	17565	545	413	5864	10462	18813	190	411	7798	10343						
35-39	50077	735	1190	15158	32502	21455	512	605	6266	13783	27831	223	577	8552	18308	51802	525	1213	12656	37022	17955	285	539	4640	12282	32928	238	668	7711	24182						
40-44	39685	329	990	8158	29978	10483	128	363	2556	7312	28521	201	624	5426	22199	22955	147	457	4499	17667	4441	58	157	1077	3088	18184	89	298	3340	14375						
45-49	9273	59	312	1955	6903	1130	*	72	322	715	7977	52	231	1586	6084	85 up	9273	59	312	1955	6903	1130	*	72	322	715	7977	52	231	1586	6084					

OF Pt years at risk for Total Admission
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: Male

	All												Diabetes												Non-Diabetes											
	Native,				Native,				Native,				Native,				Native,				Native,															
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White											
All	11017	3163	6700	77220	21948	63154	1845	2202	20036	38209	44940	1309	4434	55931	82322	600	*	17	172	383	15	*	*	*	575	*	17	166	368					
0-14	2836	35	125	1262	1376	110	*	*	49	60	2689	34	123	1193	1305	836	12	33	308	462	8	*	*	818	12	33	299	456						
15-19	5242	63	184	2426	2511	669	*	12	200	449	4517	60	171	2198	2040	8374	98	266	3691	4221	1856	23	25	457	1337	6401	72	235	3176	2846						
20-24	12074	165	338	5754	5709	2611	53	52	627	1848	9337	112	282	5060	3814	15286	264	469	7752	6653	3668	125	82	1162	2249	11445	139	375	6498	4343						
25-29	17745	400	505	8841	7831	5174	263	140	1800	2905	12342	138	359	6910	4850	17977	388	587	8210	8601	6534	276	248	2338	3584	11241	112	339	5765	4937						
30-34	18982	430	574	8432	9291	7838	314	244	3035	4088	10928	113	328	5296	5120	20375	389	648	8167	10972	8571	288	311	3081	4768	11500	101	332	4927	6073						
35-39	20652	157	700	4143	15532	4864	61	214	1224	3312	15472	96	480	2832	12009	26996	410	841	8438	17043	10379	270	382	3176	6399	16162	140	450	5076	10405						
40-44	27223	249	877	6729	19164	8516	134	342	2307	5643	18274	114	527	4274	13272	75-79	20652	157	700	4143	15532	4864	61	214	1224	3312	15472	96	480	2832	12009					
45-49	11462	67	379	2062	8881	1870	32	109	443	1259	9428	35	267	1574	7516	80-84	11462	67	379	2062	8881	1870	32	109	443	1259	9428	35	267	1574	7516					
50-54	4356	28	156	833	3318	472	*	39	126	300	3810	25	115	686	2969	85 up	4356	28	156	833	3318	472	*	39	126	300	3810	25	115	686	2969					

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.3S (Continued)
Supplement to Table H.3
Years at Risk and Counts of Total Admissions Used to Compute
Total Admissions per 1000 Patient Years at Risk
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Total Admission Events
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	23371	8023	9576	75657	26511	90488	5719	4362	78247	158	25968	2226	5126	94095	23269
0-14	1140	*	34	265	792	28	*	.	*	1086	*	34	242	779	
15-19	1513	62	31	656	741	36	.	*	27	*	1452	62	29	610	730
20-24	4807	52	160	2195	2333	682	*	*	352	308	4050	52	153	1797	2000
25-29	8241	173	145	3966	3875	2359	53	18	911	1371	5787	118	127	2998	2479
30-34	12983	193	268	5967	6464	4317	88	53	1357	2794	8538	104	214	4544	3617
35-39	15899	243	395	7599	7539	5581	101	149	1988	3314	10122	142	246	5511	4143
40-44	19260	315	452	9713	8612	7015	198	134	2864	3766	11971	117	313	6684	4761
45-49	24457	558	626	11457	11638	10747	395	205	4546	5532	13421	161	419	6745	5994
50-54	30477	851	662	14300	14370	15336	636	266	7099	7143	14734	215	393	6994	7051
55-59	36319	953	810	16900	17308	20026	771	415	9271	9317	15839	179	391	7382	7813
60-64	47446	1131	995	21625	23162	26818	940	523	12021	12937	19814	174	471	9211	9862
65-69	67943	1418	1514	27123	37270	36701	1131	946	14527	19711	29858	258	549	11900	16989
70-74	67319	1076	1558	24747	39412	32859	805	809	12357	18537	33306	257	726	11879	20320
75-79	48018	594	1051	16596	29467	18307	396	493	7228	10052	28868	190	555	9045	18949
80-84	26185	281	638	8463	16656	7470	149	237	2856	4158	18195	130	380	5408	12227
85 up	11364	112	237	4085	6872	2206	54	105	833	1209	8927	58	126	3145	5555

OF Pt years at risk for Total Admission
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	3605	3884	7030	85116	5704	80264	2634	2513	34015	40199	20346	1223	4467	49735	64145
0-14	402	*	17	101	265	7	*	.	*	387	*	16	95	260	
15-19	752	24	42	277	384	13	.	*	7	*	718	24	39	259	378
20-24	2509	42	136	1059	1219	171	*	*	84	73	2300	39	130	958	1129
25-29	4211	80	151	1853	2066	715	18	9	258	427	3432	61	142	1566	1616
30-34	6481	102	219	2871	3238	1436	33	22	446	929	4976	69	195	2393	2278
35-39	8248	135	361	3919	3747	1940	43	53	702	1127	6235	92	308	3185	2585
40-44	9942	156	424	4827	4442	2567	87	58	1033	1364	7267	69	364	3741	3033
45-49	12769	297	512	5997	5863	4315	192	117	1910	2068	8294	105	390	4023	3712
50-54	15029	369	451	7163	6899	6299	270	134	3004	2812	8546	98	312	4075	4000
55-59	18049	478	580	8641	8180	8812	377	258	4253	3812	9003	100	320	4272	4271
60-64	22941	559	626	10640	10894	11821	464	301	5438	5471	10760	87	321	5026	5274
65-69	32694	669	1087	13339	17257	16497	510	547	6889	8342	15596	150	532	6142	8676
70-74	31297	516	1047	11810	17678	13993	378	514	5508	7442	16822	132	524	6100	9994
75-79	21861	285	807	7355	13242	7796	177	315	3021	4206	13740	106	490	4205	8862
80-84	11509	123	433	3567	7323	3005	65	127	1131	1645	8325	56	301	2361	5590
85 up	4914	46	136	1697	3006	879	17	51	327	477	3947	29	84	1332	2488

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.3 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.3S may differ from the rates in H.3

Table H.4S
 Supplement to Table H.4
 Years at Risk and Counts of Hospital days Used to Compute
 Hospital Days per 1000 Patient Year at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997.
 Modality group: 1 All dialysis patients,
 AND SEX: All

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	79927	99991	43576	83402	97594	79265	68564	67691	97256	14788	94563	30676	74599	34357	36229	119	335	4534	10131	119	335	4534	10131																	
0-14	16558	130	335	4915	10503	453	*	232	109	15679	119	335	4534	10131	119	335	4534	10131	119	335	4534	10131																		
15-19	16490	476	416	7385	8009	364	*	338	*	15970	476	416	6968	7915	476	416	6968	7915	476	416	6968	7915																		
20-24	49558	560	1490	22698	24157	6550	*	3426	3023	42215	560	1438	18829	20823	560	1438	18829	20823	560	1438	18829	20823																		
25-29	97595	1562	1741	45658	47638	27698	294	222	10245	16762	69009	1261	1519	34903	30577	1261	1519	34903	30577	1261	1519																			
30-34	76223	2429	3407	79299	89807	64296	1071	651	19008	43236	9783	1325	2696	59026	46006	1325	2696	59026	46006	1325	2696																			
35-39	44315	3556	5001	14807	19399	91082	1471	1937	28212	58891	49861	2085	2925	84629	59352	2085	2925	84629	59352	2085	2925																			
40-44	10602	5000	6217	56824	39756	19492	2981	2124	44537	68518	85899	2019	4021	9164	69417	2019	4021	9164	69417	2019	4021																			
45-49	82828	8368	7906	80772	81699	68699	6067	2741	64662	92915	8402	2260	5137	12498	86857	2260	5137	12498	86857	2260	5137																			
50-54	64198	11480	10720	29940	31676	8308	5245	93772	21370	25568	3172	5454	10030	5741	3172	5454	10030	5741	3172	5454	10030																			
55-59	43830	12539	13344	39420	72165	97168	10243	6884	22629	53364	38921	2170	6446	12634	16274	2170	6446	12634	16274	2170	6446																			
60-64	75197	13364	15484	87874	51260	68623	10259	8616	51200	93097	94575	2995	6788	30237	53360	2995	6788	30237	53360	2995	6788																			
65-69	72632	15906	22692	53885	70439	1839	12274	14160	81783	87813	50674	3415	8317	61765	74144	3415	8317	61765	74144	3415	8317																			
70-74	64628	12850	23421	11409	9602	30099	9678	12350	45113	58490	16394	3061	10781	58461	41889	3061	10781	58461	41889	3061	10781																			
75-79	15587	7205	16968	13287	73327	46023	4005	7726	88399	43627	57553	3108	9155	20658	22911	3108	9155	20658	22911	3108	9155																			
80-84	90110	3176	10085	8119	66328	98461	1370	3399	34485	58346	84309	1792	6463	71123	3996	1792	6463	71123	3996	1792	6463																			
85 up	59576	1390	4349	49440	3565	26742	532	1583	9215	15203	29751	858	2710	38898	86836	858	2710	38898	86836	858	2710																			

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997.
 Modality group: 1 All dialysis patients,
 AND SEX: All

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	28812	7272	14035	68101	35408	50077	4647	4882	56631	82069	72560	2587	9037	8719	50457	2587	9037	8719	50457	2587	9037																			
0-14	992	12	34	275	635	23	*	9	7	951	9	33	262	616	9	33	262	616	9	33																				
15-19	1569	35	75	582	831	19	*	12	*	1519	35	72	556	818	35	72	556	818	35	72																				
20-24	5364	78	261	2351	2584	292	*	141	135	4998	78	252	2172	2422	78	252	2172	2422	78	252																				
25-29	9520	143	333	4345	4578	1428	20	22	477	901	7971	123	310	3809	3634	123	310	3809	3634	123	310																			
30-34	15056	202	483	6713	7507	3382	58	48	944	2310	11487	140	428	5677	5129	140	428	5677	5129	140	428																			
35-39	20654	303	706	9887	9561	4692	100	108	1388	3049	15757	203	593	8396	6429	203	593	8396	6429	203	593																			
40-44	25738	429	901	12905	11255	6483	218	146	2305	3735	18964	212	741	10447	7411	212	741	10447	7411	212	741																			
45-49	31188	713	1027	15228	13944	9865	468	262	3874	5160	20922	245	754	11152	8621	245	754	11152	8621	245	754																			
50-54	33970	782	1054	15849	15937	13369	563	393	5567	6673	20199	217	656	10081	9094	217	656	10081	9094	217	656																			
55-59	38280	938	1178	17656	18066	17393	718	516	7597	8282	20420	216	657	9832	9601	216	657	9832	9601	216	657																			
60-64	44967	978	1311	19542	22696	21341	775	632	8916	10733	22931	195	670	10274	11671	195	670	10274	11671	195	670																			
65-69	62225	1121	1988	22718	35764	28216	812	966	10555	15506	32897	299	1004	11641	19757	299	1004	11641	19757	299	1004																			
70-74	61092	800	1988	19379	38456	23674	538	890	8211	13784	36453	255	1081	10799	24157	255	1081	10799	24157	255	1081																			
75-79	44455	461	1553	12080	30055	13330	249	550	4486	7909	30450	211	995	7366	21742	211	995	7366	21742	211	995																			
80-84	24035	198	840	5924	16930	5144	101	246	1669	3063	18528	96	586	4130	13662	96	586	4130	13662	96	586																			
85 up	9705	78	304	2666	6607	1424	21	95	479	818	8112	57	206	2124	5694	57	206	2124	5694	57	206																			

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
Supplement to Table H.4
Years at Risk and Counts of Hospital days Used to Compute
Hospital Days per 1000 Patient Year at Risk
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
FOR Year: 1995-1997.
Modality group: 1 All dialysis patients,
AND SEX: Male
Table with columns for Age, Race, Diabetes status, and Hospital Day Events.

OF Pt years at risk for Patient Days
FOR Year: 1995-1997.
Modality group: 1 All dialysis patients,
AND SEX: Male
Table with columns for Age, Race, Diabetes status, and Patient Years at Risk.

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
Includes all patients who have reached day 91 of ESRD by the end of the year.
Hospitalization rates are considered accurate to within plus or minus the standard error.
See notes at the beginning of this section and Chapter XIII for a description of the methodology.
"." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
 Supplement to Table H.4
 Years at Risk and Counts of Hospital days Used to Compute
 Hospital Days per 1000 Patient Year at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997.
 Modality group: 1 All dialysis patients,
 AND SEX: Female

	All												Diabetes												Non-Diabetes											
	Native,				Native,				Native,				Native,				Native,				Native,				Native,											
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White											
All	39457	58188	75974	95401	81462	71362	42384	36757	55380	20751	8776	15185	38566	9490	36099	6338	*	175	2014	3899	110	*	*	6067	*	175	1939	3777								
0-14	8814	405	184	3983	4143	209	.	.	*	185	*	8505	405	182	3719	4106	27906	234	905	13159	13339	4835	*	*	2605	2134	22569	234	859	10323	10947					
15-19	51466	1204	696	23909	25123	16220	294	116	6207	9579	34791	903	580	17418	15435	87822	1325	1444	40170	44259	31955	582	311	10690	20213	54923	739	1132	28914	23735						
20-24	38308	6098	4434	10433	15154	24485	4427	1745	56888	59900	10584	1671	2670	51786	53978	8678	1338	2502	50170	54026	42924	704	942	15369	25736	64629	634	1560	34165	27840						
25-29	41091	2235	3451	71935	62155	55459	1606	1049	23934	28354	83009	629	2364	46526	32828	41091	2235	3451	71935	62155	55459	1606	1049	23934	28354	83009	629	2364	46526	32828						
30-34	79212	3694	4459	83844	85824	82597	2801	1398	35642	42291	94083	852	3054	46561	42722	79212	3694	4459	83844	85824	82597	2801	1398	35642	42291	94083	852	3054	46561	42722						
35-39	38308	6098	4434	10433	15154	24485	4427	1745	56888	59900	10584	1671	2670	51786	53978	38308	6098	4434	10433	15154	24485	4427	1745	56888	59900	10584	1671	2670	51786	53978						
40-44	88137	6373	6707	34319	37976	64423	5345	3701	75262	78125	19703	992	2998	56561	58554	88137	6373	6707	34319	37976	64423	5345	3701	75262	78125	19703	992	2998	56561	58554						
45-49	85780	8120	7768	76846	88557	22238	6468	4376	1100	6986	56349	1542	3391	72205	78589	85780	8120	7768	76846	88557	22238	6468	4376	1100	6986	56349	1542	3391	72205	78589						
50-54	66444	10672	12983	29072	8500	16536	8639	8438	26814	69378	36646	1816	4405	94957	34141	66444	10672	12983	29072	8500	16536	8639	8438	26814	69378	36646	1816	4405	94957	34141						
55-59	50059	8628	12782	6822	17301	74533	6900	7071	4633	52994	65245	1630	5567	96923	59873	50059	8628	12782	6822	17301	74533	6900	7071	4633	52994	65245	1630	5567	96923	59873						
60-64	97751	4890	9076	43901	37258	55422	3151	4424	64705	81962	35749	1647	4604	76569	51802	97751	4890	9076	43901	37258	55422	3151	4424	64705	81962	35749	1647	4604	76569	51802						
65-69	12231	2080	6348	70637	32051	61860	1002	2212	24589	33634	45958	1064	3925	44392	96136	12231	2080	6348	70637	32051	61860	1002	2212	24589	33634	45958	1064	3925	44392	96136						
70-74	89420	841	2060	34187	51897	17556	458	926	6720	9433	69966	383	1100	26532	41636	89420	841	2060	34187	51897	17556	458	926	6720	9433	69966	383	1100	26532	41636						

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997.
 Modality group: 1 All dialysis patients,
 AND SEX: Female

	All												Diabetes												Non-Diabetes											
	Native,				Native,				Native,				Native,				Native,				Native,															
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White											
All	11671	4023	7194	88629	9882	84301	2740	2604	35738	42273	24227	1253	4540	51445	66193	400	*	16	101	263	7	*	*	385	*	15	95	259								
0-14	748	23	40	282	378	12	.	.	*	7	*	715	23	38	263	371	2533	43	137	1084	1218	179	*	*	90	75	2316	40	130	976	1127					
15-19	4261	81	150	1896	2072	742	18	9	271	441	3455	63	140	1596	1609	6594	104	215	2943	3280	1484	34	22	470	951	5040	70	191	2440	2298						
20-24	8415	135	365	4015	3814	2020	45	54	736	1170	6320	89	310	3245	2609	10200	160	428	4990	4526	2696	89	61	1095	1425	7392	71	366	3840	3054						
25-29	13116	305	517	6188	6003	4509	199	120	2002	2159	8442	106	392	4119	3759	15579	384	459	7432	7152	6602	282	137	3143	2958	8784	101	317	4201	4103						
30-34	18740	494	595	8975	8500	9234	390	268	4447	4012	9265	103	325	4406	4390	23919	578	643	11098	11367	12402	479	309	5705	5753	11138	91	329	5207	5457						
35-39	34194	697	1123	13955	18063	17352	532	570	7234	8798	16205	155	544	6394	9012	32780	539	1082	12372	18529	14741	397	534	5794	7858	17529	137	539	6362	10417						
40-44	22944	298	832	7748	13886	8220	186	327	3198	4429	14381	111	503	4415	9273	12088	128	451	3760	7683	3174	68	133	1199	1737	8724	59	312	2483	5852						
45-49	5158	49	142	1791	3148	927	18	54	345	503	4139	30	87	1405	2602	5158	49	142	1791	3148	927	18	54	345	503	4139	30	87	1405	2602						

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
Supplement to Table H.4
Years at Risk and Counts of Hospital days Used to Compute
Hospital Days per 1000 Patient Year at Risk
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	35362	35601	56922	68038	52030	2191	22438	26377	654	40313	92871	13039	30261	47832	93887
0-14	3727	*	*	1547	1961	277	*	*	*	3311	.	.	*	1241	1903
15-19	4598	61	170	2296	2043	155	.	.	*	4394	61	170	2143	1993	
20-24	16030	236	485	7405	7551	1213	.	.	*	14561	236	480	6570	6947	
25-29	34362	296	874	17468	15451	7556	*	67	3080	4379	26425	296	807	14212	10884
30-34	68537	824	1545	32357	33345	24372	320	280	7054	16660	43167	483	1261	24677	16464
35-39	6851	1991	1690	54300	48188	35856	729	586	10945	23307	69241	1262	1104	42284	24241
40-44	33067	2134	2016	71301	56357	48603	1057	730	17570	28547	82239	1077	1252	52366	27042
45-49	60527	3786	2531	82877	68963	65623	2606	1115	25153	35110	92072	1180	1395	55883	32941
50-54	79419	4442	5183	81746	86203	83364	3186	3099	30366	45494	93041	1256	2082	49515	39673
55-59	5406	5138	5875	92361	99152	6884	4261	2848	40991	57166	95329	787	3021	49711	41142
60-64	38643	4651	6895	680	24041	19791	3406	3775	44651	66100	14620	1245	3120	53262	56483
65-69	34235	4665	8256	11719	5751	53640	3260	4991	48914	94478	74803	1405	3255	60000	8541
70-74	46797	3664	9047	95457	36020	31663	2338	4291	36487	87154	8400	1313	4612	56595	44964
75-79	78051	2129	6781	65935	1164	80533	848	2925	22545	53208	92516	1281	3827	41826	45041
80-84	59715	1031	3483	35607	18374	34010	349	1118	9448	22709	23152	682	2353	25417	94221
85 up	65397	549	2023	14982	47466	8651	*	547	2460	5400	55600	475	1454	12130	41407

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Male

	All					Diabetes					Non-Diabetes					
	Native					Native					Native					
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	
All	84641	2819	5794	71744	2547	55623	1690	1975	18919	32278	26346	1121	3767	51624	69022	
0-14	215	*	*	89	108	14	*	*	*	198	.	.	*	82	103	
15-19	523	9	24	225	253	7	.	.	*	509	9	23	217	249		
20-24	2262	23	99	1073	1040	82	.	.	*	39	43	2150	21	98	1016	990
25-29	4234	52	148	2114	1882	485	*	9	175	297	3703	50	138	1915	1567	
30-34	6836	78	202	3271	3209	1423	16	23	411	962	5315	59	174	2809	2218	
35-39	10069	146	264	5107	4461	2017	48	41	568	1333	7945	98	221	4479	3088	
40-44	12808	229	377	6904	5170	2987	114	67	1066	1696	9663	115	299	5752	3420	
45-49	15079	330	412	8026	6167	4330	227	121	1641	2285	10537	103	285	6262	3814	
50-54	15417	341	489	7465	6953	5617	243	213	2129	2954	9626	98	275	5236	3939	
55-59	16510	384	492	7859	7557	6873	289	214	2818	3423	9438	92	276	4940	4062	
60-64	17993	363	585	7788	9080	7623	272	277	2932	4031	10084	91	306	4704	4927	
65-69	23937	381	744	8124	14445	9349	259	340	3047	5567	14164	122	398	4892	8665	
70-74	24404	232	804	6593	16581	7860	122	317	2261	5072	16144	109	480	4185	11289	
75-79	19181	151	640	4157	14115	4652	61	205	1232	3101	14229	90	429	2836	10821	
80-84	10898	68	355	2093	8312	1831	32	107	457	1212	8913	36	245	1596	7002	
85 up	4274	29	154	856	3216	471	*	39	130	297	3729	27	114	704	2870	

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
Supplement to Table H.4
Years at Risk and Counts of Hospital days Used to Compute
Hospital Days per 1000 Patient Year at Risk
by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All												Diabetes												Non-Diabetes															
	Native				Amer.				Asian				Black				White				Native				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	83782	48229	61976	18663	30744	27771	35635	30825	83633	63909	3681	12049	30500	7191	46283																									
0-14	1768	*	*	684	873	110	*	*	*	*	1599	*	*	609	853																									
15-19	5057	268	125	2191	2415	195	*	*	*	4779	268	124	1945	2388																										
20-24	18757	114	714	9380	8449	3544	*	*	2107	1383	14957	114	693	7101	6995																									
25-29	35262	442	535	17044	16830	11310	185	*	4860	6187	23535	257	470	11920	10545																									
30-34	60058	1062	903	29771	27779	21578	571	214	8263	12381	37843	487	688	21225	15109																									
35-39	74468	1002	1786	36786	34309	28422	434	718	11603	15543	45053	568	1068	24588	18407																									
40-44	2080	1851	2200	56273	40677	39345	1289	691	19199	17737	60639	562	1471	35744	22349																									
45-49	34880	2794	3277	66502	61341	62004	2300	1171	28830	29459	70971	453	2099	36420	31286																									
50-54	84613	4508	2800	91870	83781	99534	3048	1201	48502	45547	82176	1460	1580	41725	37154																									
55-59	33002	5013	5588	14662	5558	35108	4140	3074	65172	61031	94498	837	2506	47280	43535																									
60-64	22723	7029	6238	56623	48989	89548	5564	3388	89908	87925	26998	1355	2849	63318	58954																									
65-69	83939	9442	10361	7328	51935	74281	7690	7003	15686	40935	97887	1602	3218	84999	6761																									
70-74	85522	7736	11415	91599	70924	44803	6113	6103	97370	32761	31262	1525	5168	89455	34002																									
75-79	58822	4209	7994	36141	7979	43053	2907	4085	61476	73419	9513	1210	3861	72063	31360																									
80-84	97694	2015	5937	68206	20539	58103	1002	2172	23796	30710	35555	999	3554	42783	87896																									
85 up	85137	735	2042	33603	48366	16833	385	918	6652	8859	66416	350	1090	26016	38689																									

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997,
 Modality group: 2 Hemodialysis Pts, 60 days on hemo,
 AND SEX: Female

	All												Diabetes												Non-Diabetes															
	Native				Amer.				Asian				Black				White				Native				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	80825	3453	5916	79514	90324	74289	2433	2273	32941	35817	3720	993	3597	45241	53274																									
0-14	135	*	*	47	74	7	*	*	*	122	*	*	41	71																										
15-19	456	18	27	176	222	10	*	*	*	434	18	26	161	218																										
20-24	1747	24	83	838	773	127	*	*	75	44	1595	22	81	749	720																									
25-29	3048	43	108	1446	1403	502	10	*	211	276	2488	33	104	1209	1109																									
30-34	4713	81	125	2334	2138	997	29	17	369	576	3663	52	106	1939	1539																									
35-39	6165	95	230	3180	2598	1443	32	46	611	745	4656	62	183	2538	1824																									
40-44	7714	115	298	4083	3146	2017	69	46	934	947	5605	46	250	3100	2163																									
45-49	10319	234	376	5159	4482	3623	163	101	1717	1620	6570	71	271	3388	2798																									
50-54	12558	310	340	6383	5406	5565	227	111	2787	2373	6831	82	225	3522	2958																									
55-59	15890	426	494	8011	6821	8023	337	225	4020	3348	7657	88	267	3881	3392																									
60-64	20747	522	548	10171	9305	11050	436	264	5288	4926	9352	79	279	4708	4245																									
65-69	30163	641	968	13027	15198	15696	499	499	6782	7718	13883	133	461	5937	7257																									
70-74	29688	497	983	11784	16192	13600	367	476	5542	7071	15609	124	498	6041	8881																									
75-79	21169	275	772	7455	12498	7732	178	302	3094	4082	13107	96	470	4225	8242																									
80-84	11395	125	424	3661	7121	3015	68	129	1163	1618	8203	56	289	2422	5419																									
85 up	4915	46	135	1760	2947	882	17	52	340	468	3944	29	83	1380	2439																									

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
 Supplement to Table H.4
 Years at Risk and Counts of Hospital days Used to Compute
 Hospital Days per 1000 Patient Year at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD.
 AND SEX: All

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	88654	13213	21127	44319	2905	76329	8533	9344	91951	62324	1421	4606	11432	48814	33919	0-14	8057	*	108	2161	5293	*	7868	*	108	2161	5104							
15-19	5210	*	62	2284	2630	*	20-24	11556	146	230	4500	6492	1341	*	10086	146	204	4005	5550							
25-29	22732	698	308	8783	12689	6703	109	87	1616	4781	15939	582	221	7097	7895	30-34	38964	531	781	14202	23191	15056	178	*	3094	11567	23602	353	630	10936	11578									
35-39	51825	385	1286	18937	30939	21452	184	488	4079	16543	29919	201	659	14618	14350	40-44	62062	886	1587	23838	35330	25603	577	542	6123	18186	35727	309	1045	17445	16682									
45-49	73256	1293	1869	26306	43151	34920	933	395	9033	24189	37680	360	1474	16973	18658	50-54	84420	2050	2561	28165	50856	40772	1673	866	12124	25695	42685	377	1695	15784	24479									
55-59	88019	2050	1684	26673	56631	46376	1627	876	13458	29778	40689	423	808	12933	26253	60-64	95812	1383	2024	25717	65802	49864	1037	1272	13922	32913	44551	346	673	11543	31826									
65-69	31693	1455	3532	29171	96591	63092	1029	2066	14014	45145	66563	359	1401	14351	50360	70-74	13180	1090	2647	20441	88363	45408	882	1768	9465	32818	66080	208	877	10317	54545									
75-79	67198	809	1734	9190	55252	19080	212	637	3534	14617	47475	597	1087	5617	40046	80-84	27433	*	460	3350	5533	*	352	2246	18552									
85 up	7237	*	254	601	6227	1063	*																									

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD.
 AND SEX: All

	All												Diabetes												Non-Diabetes															
	Native,				Amer.				Asian				Black				White				Native,				Amer.				Asian				Black				White			
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White															
All	53540	810	1997	14065	36132	16889	434	534	3895	11804	36068	372	1445	9985	23982	0-14	505	*	15	101	366	*	495	*	14	101	357							
15-19	479	*	18	146	292	*	20-24	1099	26	68	345	631	65	*	1019	25	64	319	583							
25-29	1900	41	67	646	1117	369	8	9	71	277	1517	33	58	568	832	30-34	3008	40	135	942	1856	819	13	*	138	658	2157	27	128	792	1183									
35-39	3734	48	183	1343	2123	1017	14	13	161	817	2693	34	168	1171	1297	40-44	4371	70	198	1607	2456	1230	32	25	242	920	3104	39	172	1350	1517									
45-49	4846	106	202	1709	2774	1608	70	34	429	1056	3183	36	168	1260	1690	50-54	5047	109	199	1668	3024	1800	74	56	528	1119	3189	35	143	1116	1874									
55-59	4945	108	162	1501	3108	2069	80	62	619	1258	2831	27	100	870	1823	60-64	5271	76	151	1339	3648	2236	56	78	577	1493	2979	20	71	741	2124									
65-69	6975	78	243	1313	5287	2704	40	115	595	1915	4183	37	124	693	3316	70-74	5964	57	169	840	4865	1874	37	82	343	1396	4019	19	85	479	3423									
75-79	3498	31	122	385	2947	782	8	39	122	608	2678	23	81	259	2307	80-84	1488	*	54	140	1284	257	*	46	90	1063									
85 up	412	*	11	40	355	59	*																									

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
 Supplement to Table H.4
 Years at Risk and Counts of Hospital days Used to Compute
 Hospital Days per 1000 Patient Year at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD.
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	21875	5081	9274	97746	6168	71290	3259	3852	33029	29027	45248	1822	5071	63452	73605
0-14	4766	*	79	1094	3198	*	4578	*	79	1094	3010
15-19	2337	*	*	897	1322	2330	*	*	897	1315
20-24	4147	33	51	1509	2525	412	*	..	138	274	3731	33	50	1370	2249
25-29	9423	*	158	3288	5784	2983	..	*	659	2189	6388	*	122	2579	3593
30-34	16528	270	313	5715	10040	6578	167	*	1057	5241	9787	103	258	4616	4766
35-39	23473	177	692	8313	14063	9659	*	*	1303	7916	13443	148	251	6811	6143
40-44	29352	571	520	10646	17425	12507	299	206	2305	9609	16640	272	314	8216	7736
45-49	34880	662	793	11420	21744	16686	587	168	2985	12797	17889	75	625	8363	8743
50-54	39378	736	1057	12655	24611	19625	570	395	5085	13430	19108	166	662	7411	10695
55-59	41680	833	713	10464	29161	21464	564	307	4955	15275	19757	269	406	5508	13500
60-64	42873	515	747	8583	32682	22491	312	410	4681	16808	19938	203	258	3782	15632
65-69	61377	478	1300	11009	47973	27008	308	672	4967	20516	33551	170	563	5869	26877
70-74	58045	506	1375	7600	48430	20518	398	866	3543	15630	36591	*	507	3886	32056
75-79	34075	166	976	2824	29977	8549	*	312	924	7228	25133	160	654	1861	22405
80-84	15363	*	223	1530	13520	2232	*	*	403	1690	12757	*	155	1014	11569
85 up	4178	..	246	199	3713	512	..	*	*	358	3627	..	*	175	3316

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD.
 AND SEX: Male

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	27184	331	895	6336	19354	8448	179	249	1581	6324	18431	151	632	4671	12843
0-14	298	*	10	63	210	*	289	*	10	63	201
15-19	246	*	*	62	166	243	*	*	62	164
20-24	446	10	20	148	258	24	*	..	10	14	418	10	20	137	242
25-29	854	*	30	274	526	159	..	*	23	130	687	*	27	247	391
30-34	1376	18	55	427	857	397	7	*	53	331	963	11	52	368	519
35-39	1800	13	68	635	1066	538	*	*	65	455	1246	8	59	562	608
40-44	2256	33	81	833	1289	673	13	12	115	528	1565	21	69	710	752
45-49	2425	53	78	813	1457	842	37	17	183	594	1562	15	61	621	854
50-54	2455	46	96	760	1532	934	30	39	225	629	1492	16	58	522	887
55-59	2528	47	77	685	1682	1056	33	29	263	703	1451	14	48	419	965
60-64	2553	29	69	545	1884	1101	19	39	232	796	1429	10	28	302	1079
65-69	3517	32	108	541	2807	1300	15	50	228	987	2172	17	54	304	1788
70-74	3319	26	87	337	2858	906	17	30	131	723	2369	*	55	201	2099
75-79	1983	11	72	140	1753	377	*	15	39	317	1579	9	55	97	1413
80-84	898	*	30	60	801	118	*	*	11	97	762	*	26	43	691
85 up	231	..	6	13	209	22	..	*	*	16	206	..	*	11	190

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
 Supplement to Table H.4
 Years at Risk and Counts of Hospital days Used to Compute
 Hospital Days per 1000 Patient Year at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	66779	8132	11853	46573	96737	5039	5274	5492	58922	33297	56173	2784	6361	85362	60314
0-14	3291	*	*	1067	2095	3290	*	*	1067	2094
15-19	2873	*	31	1387	1308	*	2868	*	31	1382	1308
20-24	7409	113	179	2991	3967	929	*	*	297	600	6355	113	154	2635	3301
25-29	13309	672	150	5495	6905	3720	109	*	957	2592	9551	556	99	4518	4302
30-34	22436	261	468	8487	13151	8478	*	*	2037	6326	13815	250	372	6320	6812
35-39	28352	208	594	10624	16876	11793	155	*	2776	8627	16476	53	408	7807	8207
40-44	32710	315	1067	13192	17905	13096	278	336	3818	8577	19087	37	731	9229	8946
45-49	38376	631	1076	14886	21407	18234	346	227	6048	11392	19791	285	849	8610	9915
50-54	45042	1314	1504	15510	26245	21147	1103	471	7039	12265	23577	211	1033	8373	13784
55-59	46339	1217	971	16209	27470	24912	1063	569	8503	14503	20932	154	402	7425	12753
60-64	52939	868	1277	17134	33120	27373	725	862	9241	16105	24613	143	415	7761	16194
65-69	70316	977	2232	18162	48618	36084	721	1394	9047	24629	33012	189	838	8482	23483
70-74	55135	584	1272	12841	39933	24890	484	902	5922	17188	29489	100	370	6431	22489
75-79	33123	643	758	6366	25275	10531	*	325	2610	7389	22342	437	433	3756	17641
80-84	12070	*	237	1820	9948	3301	..	*	559	2702	8477	*	197	1232	6983
85 up	3059	*	*	402	2514	551	*	*	*	402	2498	*	*	334	2102

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997.
 Modality group: 3 CAPD/CCPD Pts, 60 days on CAPD/CCPD,
 AND SEX: Female

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	26356	479	1102	7729	16778	8441	255	286	2313	5480	17637	222	813	5314	11139
0-14	207	*	*	39	156	206	*	*	39	156
15-19	233	*	11	84	126	*	228	*	11	81	124
20-24	653	16	48	197	373	41	*	*	11	26	601	15	45	182	341
25-29	1046	35	37	372	591	209	8	*	48	147	830	27	31	320	441
30-34	1631	21	81	515	999	423	*	*	84	327	1194	16	76	425	664
35-39	1934	35	115	707	1056	479	9	*	97	362	1448	26	109	608	690
40-44	2115	37	116	775	1167	558	19	13	128	392	1538	18	103	639	765
45-49	2421	53	124	895	1317	766	32	17	246	462	1621	21	106	639	836
50-54	2591	63	103	908	1492	866	43	18	303	490	1697	19	85	594	987
55-59	2417	60	85	816	1426	1012	48	33	355	555	1381	13	51	450	858
60-64	2717	48	82	793	1764	1136	37	39	344	697	1550	10	43	439	1046
65-69	3458	46	136	772	2480	1403	25	65	367	928	2011	20	71	389	1528
70-74	2645	32	82	503	2008	968	20	52	212	672	1650	11	30	277	1323
75-79	1514	21	50	245	1193	405	*	24	83	291	1100	15	26	162	894
80-84	589	*	24	80	483	139	..	*	31	104	441	*	20	46	371
85 up	182	*	*	27	146	37	*	*	*	28	142	*	*	22	115

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
 Supplement to Table H.4
 Years at Risk and Counts of Hospital days Used to Compute
 Hospital Days per 1000 Patient Year at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	10204	335	44670	92622	17086	89414	68785	67824	99765	22054	14296	30799	75560	40894	48234
0-14	16957	130	379	5012	10761	453	*	..	232	109	16078	119	379	4631	10389
15-19	17752	511	416	7914	8707	386	..	*	360	*	17187	511	414	7452	8613
20-24	50822	560	1533	23184	24844	6680	*	*	3485	3094	43331	560	1481	19256	21421
25-29	99710	1654	1762	46258	49037	28476	368	222	10471	17240	70280	1279	1540	35277	31432
30-34	78706	2429	3424	79899	91673	65535	1071	651	19175	44308	10991	1325	2713	59459	46764
35-39	47795	3556	5017	16285	21385	92682	1471	1953	28583	60104	51734	2085	2925	85729	60125
40-44	14652	5045	6546	57977	42279	21031	3026	2124	44785	69764	88404	2019	4350	10066	70691
45-49	85876	8381	7987	81711	83693	69552	6080	2746	64860	93552	10587	2260	5213	13235	88208
50-54	67927	11538	11092	8451	32377	32899	8325	5296	94123	22154	28053	3213	5775	10520	7373
55-59	47381	12559	13450	40653	74357	98727	10243	6928	23153	54355	40744	2190	6508	13245	17404
60-64	77515	13445	15528	88572	52755	69385	10331	8623	51464	93516	96131	3004	6825	30671	54436
65-69	74052	15906	22703	54166	71567	2135	12274	14160	81822	88070	51798	3415	8328	62007	75015
70-74	65624	12850	23431	11654	10309	30235	9678	12360	45153	58576	17215	3061	10781	58627	42510
75-79	15726	7205	16968	13327	73426	46035	4005	7726	88399	43639	57680	3108	9155	20698	22998
80-84	90133	3176	10085	8119	66351	98461	1370	3399	34485	58346	84332	1792	6463	71123	4019
85 up	59576	1390	4349	49440	3565	26742	532	1583	9215	15203	29751	858	2710	38898	86836

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: All

	All					Diabetes					Non-Diabetes				
	Native					Native					Native				
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White
All	31573	7322	14125	68867	37251	50763	4667	4900	56782	82564	74601	2616	9107	9324	51783
0-14	1048	13	35	287	677	23	*	..	9	7	1004	10	34	274	656
15-19	1637	37	77	607	870	21	..	*	14	*	1583	37	73	578	857
20-24	5483	79	266	2384	2663	299	*	*	142	141	5107	75	257	2203	2492
25-29	9724	147	340	4405	4711	1462	22	22	486	923	8140	125	317	3860	3741
30-34	15341	206	494	6779	7709	3471	58	49	955	2387	11680	144	438	5731	5251
35-39	20997	310	713	9990	9787	4804	100	110	1407	3140	15986	210	598	8479	6563
40-44	26086	433	911	13009	11483	6566	220	146	2317	3804	19226	214	751	10539	7568
45-49	31566	720	1039	15333	14195	9852	471	265	3887	5229	21209	249	763	11242	8802
50-54	34283	789	1068	15942	16134	13469	568	396	5599	6730	20409	219	667	10142	9229
55-59	38526	943	1190	17730	18219	17465	720	520	7624	8321	20588	219	666	9877	9711
60-64	45166	984	1317	19595	22829	21400	780	636	8932	10767	23068	196	672	10310	11769
65-69	62350	1122	1990	22744	35860	28247	813	968	10562	15527	32992	299	1005	11660	19832
70-74	61156	800	1988	19390	38508	23684	538	890	8212	13792	36507	255	1081	10808	24201
75-79	44468	461	1553	12081	30067	13332	249	550	4486	7910	30461	211	995	7367	21752
80-84	24036	198	840	5924	16931	5144	101	246	1669	3063	18529	96	586	4130	13663
85 up	9705	78	304	2666	6607	1424	21	95	479	818	8112	57	206	2124	5694

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 " ." Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
 Supplement to Table H.4
 Years at Risk and Counts of Hospital days Used to Compute
 Hospital Days per 1000 Patient Year at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: Male

	All										Diabetes					Non-Diabetes				
	Native,					Native,					Native,									
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White					
All	57007	41900	68221	93166	26712	13927	26248	31008	43185	98590	96034	15520	36578	28558	6056					
0-14	10414	*	160	2924	6775	343	*	*	*	9806	*	160	2618	6525						
15-19	8323	71	232	3817	4098	170	*	*	8074	71	232	3626	4041							
20-24	22220	326	623	9760	11127	1728	*	*	821	902	20191	326	617	8727	10162					
25-29	47022	382	1061	21983	23134	11787	*	106	4089	7417	34802	358	955	17668	15527					
30-34	89705	1104	1970	39481	46493	33100	489	340	8479	23621	55370	586	1571	30303	22583					
35-39	37536	2218	2499	65430	66479	49042	767	995	13007	33875	86240	1451	1365	51086	31898					
40-44	71694	2765	3029	85421	78989	64947	1375	1075	20726	40955	4156	1390	1920	63047	37183					
45-49	5534	4687	3469	97578	97087	86816	3279	1343	29199	51146	15516	1408	2105	66407	44819					
50-54	28051	5399	6410	97740	16222	7948	3898	3520	37062	61992	16367	1501	2888	58629	52656					
55-59	57570	6186	6730	5681	35373	33604	4898	3227	47629	75792	20115	1198	3497	56296	58325					
60-64	90845	5267	7751	11433	63668	46875	3805	4240	50222	86465	39164	1462	3432	58315	75382					
65-69	6901	5234	9720	24942	62512	85493	3635	5722	54983	18611	14551	1599	3923	66923	40400					
70-74	15260	4222	10649	4815	92720	55686	2778	5289	40520	5566	51681	1431	5214	61687	82365					
75-79	17891	2315	7892	69426	36084	90601	854	3302	23694	61665	21859	1461	4551	44129	71124					
80-84	77885	1096	3737	37482	34283	36601	368	1187	9896	24712	38357	728	2538	26731	7866					
85 up	70156	549	2289	15253	51668	9186	*	657	2495	5770	59785	475	1610	12366	45200					

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: Male

	All										Diabetes					Non-Diabetes				
	Native,					Native,					Native,									
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White					
All	18812	3278	6886	79929	26660	66195	1917	2287	20973	40116	49565	1351	4534	57645	85066					
0-14	629	*	17	180	401	16	*	*	*	601	*	17	173	386						
15-19	859	12	34	318	473	8	*	*	840	12	33	309	467							
20-24	2896	36	127	1288	1406	114	*	*	51	62	2744	35	125	1217	1332					
25-29	5370	64	187	2486	2574	702	*	13	211	469	4612	61	174	2246	2082					
30-34	8618	101	271	3798	4348	1947	24	26	480	1402	6552	74	240	3259	2908					
35-39	12449	171	345	5932	5890	2745	55	55	663	1941	9572	116	286	5200	3901					
40-44	15754	271	477	7984	6868	3845	129	85	1218	2361	11729	142	380	6670	4444					
45-49	18305	413	514	9107	8095	5411	272	143	1880	3045	12656	142	365	7091	4972					
50-54	18599	403	605	8477	8918	6829	286	257	2439	3754	11558	116	347	5925	5080					
55-59	19685	447	593	8720	9660	8203	328	252	3165	4295	11256	116	338	5450	5279					
60-64	21169	403	669	8471	11419	8972	298	323	3218	5004	11880	105	342	5086	6279					
65-69	28107	424	868	8779	17760	10885	280	398	3326	6722	16748	144	460	5258	10789					
70-74	28357	261	906	7016	19963	8941	141	356	2418	5932	18960	118	541	4443	13769					
75-79	21520	163	721	4333	16177	5111	63	223	1289	3481	16077	100	492	2953	12476					
80-84	11948	70	389	2164	9247	1970	33	112	470	1326	9805	37	274	1647	7811					
85 up	4547	29	162	875	3459	497	*	41	133	315	3974	27	119	719	3093					

(CONTINUED)

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "*" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4

Table H.4S (Continued)
 Supplement to Table H.4
 Years at Risk and Counts of Hospital days Used to Compute
 Hospital Days per 1000 Patient Year at Risk
 by Treatment Modality on January 1, Age on January 1, Race, Sex, and Diabetic Status

OF Hospital Day Events
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: Female

	All										Diabetes					Non-Diabetes				
	Native,					Native,					Native,									
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White					
All	53197	58435	76449	99456	90374	75487	42537	36816	56580	23464	18262	15279	38982	12336	42178					
0-14	6543	*	219	2088	3986	110	*	*	*	6272	*	219	2013	3864						
15-19	9429	440	184	4097	4609	216	*	192	*	9113	440	182	3826	4572						
20-24	28602	234	910	13424	13717	4952	*	2664	2192	23140	234	864	10529	11259						
25-29	52688	1272	701	24275	25903	16689	344	116	6382	9823	35478	921	585	17609	15905					
30-34	89001	1325	1454	40418	45180	32435	582	311	10696	20687	55621	739	1142	29156	24181					
35-39	10259	1338	2518	50855	54906	43640	704	958	15576	26229	65494	634	1560	34643	28227					
40-44	42958	2280	3517	72556	63290	56084	1651	1049	24059	28809	84248	629	2430	47019	33508					
45-49	80342	3694	4518	84133	86606	82736	2801	1403	35661	42406	95071	852	3108	46828	43389					
50-54	39876	6139	4682	10711	16155	24951	4427	1776	57061	60162	11686	1712	2887	51891	54717					
55-59	89811	6373	6720	34972	38984	65123	5345	3701	75524	78563	20629	992	3011	56949	59079					
60-64	86670	8178	7777	77139	89087	22510	6526	4383	1242	7051	56967	1542	3393	72356	79054					
65-69	67151	10672	12983	29224	9055	16642	8639	8438	26839	69459	37247	1816	4405	95084	34615					
70-74	50364	8628	12782	6839	17589	74549	6900	7071	4633	53010	65534	1630	5567	96940	60145					
75-79	97835	4890	9076	43901	37342	55434	3151	4424	64705	81974	35821	1647	4604	76569	51874					
80-84	12248	2080	6348	70637	32068	61860	1002	2212	24589	33634	45975	1064	3925	44392	96153					
85 up	89420	841	2060	34187	51897	17556	458	926	6720	9433	69966	383	1100	26532	41636					

OF Pt years at risk for Patient Days
 FOR Year: 1995-1997.
 Modality group: 5 All ESRD Pts.
 AND SEX: Female

	All										Diabetes					Non-Diabetes				
	Native,					Native,					Native,									
	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White	All	Amer.	Asian	Black	White					
All	12761	4044	7239	88938	10591	84567	2750	2613	35809	42448	25036	1264	4574	51680	66716					
0-14	419	*	17	107	275	7	*	*	*	403	*	16	101	270						
15-19	778	25	42	288	397	13	*	8	*	743	25	39	269	390						
20-24	2587	43	139	1096	1257	184	*	91	79	2363	40	132	987	1160						
25-29	4355	83	153	1919	2136	760	19	9	276	453	3528	64	143	1614	1659					
30-34	6723	105	223	2981	3361	1524	34	23	475	985	5128	71	198	2473	2344					
35-39	8549	139	368	4058	3897	2059	45	55	745	1199	6413	93	312	3280	2662					
40-44	10332	162	434	5025	4615	2720	91	61	1099	1443	7497	71	371	3869	3124					
45-49	13261	307	524	6226	6100	4541	200	121	2007	2184	8553	107	398	4151	3830					
50-54	15684	386	464	7465	7216	6640	282	139	3160	2976	8851	103	320	4217	4149					
55-59	18841	496	598	9010	8559	9263	392	268	4460	4026	9332	103	328	4427	4432					
60-64	23997	581	648	11124	11410	12428	482	313	5714	5763	11189	91	330	5224	5490					
65-69	34243	698	1123	13965	18101	17362	533	570	7236	8805	16244	155	544	6402	9043					
70-74	32800	539	1082	12375	18546	14743	397	534	5794	7860	17547	137	539	6365	10432					
75-79	22948	298	832	7748	13890	8221	186	327	3198	4430	14384	111	503	4415	9276					
80-84	12088	128	451	3760	7683	3174	68	133	1199	1737	8724	59	312	2483	5852					
85 up	5158	49	142	1791	3148	927	18	54	345	503	4139	30	87	1405	2602					

Patients who died from AIDS are excluded from all calculations.
 Includes all patients who have reached day 91 of ESRD by the end of the year.
 Hospitalization rates are considered accurate to within plus or minus the standard error.
 See notes at the beginning of this section and Chapter XIII for a description of the methodology.
 "*" Represents missing values, "" Values for cells with fewer than 10 patients are suppressed.
 The rates in Table H.4 are estimated base on statistical model to improve the stability of the rates with small groups of patients. For small groups the rates computed from the counts in Table H.4S may differ from the rates in H.4